Phytopharmacology



Wound healing potential of Leathery Murdah, *Terminalia coriacea* (Roxb.) Wight & Arn.

Mohammed Safwan Ali Khan^{1,6*}, Abdul Manan Mat Jais¹, Zainul Amiruddin Zakaria¹, Norhafizah Mohtarruddin², Maryam Ranjbar³, Mohib Khan⁴, Arzeena Jabeen⁵, Mushtaq Ahmad⁵, Asma Khanam⁶, Syeda Atika Yahya⁶, Nazeer Ahmed⁷, Mohammed Shujauddin Amjad⁸

¹Department of Biomedical Sciences, ²Department of Pathology, Faculty of Medicine & Health Sciences, University Putra Malaysia, Serdang 43400, Selangor Darul Ehsan, Malaysia.

³Department of Radiology, Faculty of Medicine, University of Malaya, Kuala lumpur – 50603, Malaysia. ⁴Department of Pharmacognosy & Phytochemistry, Oriental College of Pharmacy, Sanpada, Navi Mumbai – 400070, Maharashtra, India.

⁵Central Research Institute of Unani Medicine, A.G. Colony Road, Erragadda, Hyderabad 500838, Andhra Pradesh, India.

⁶Natural Products Research Laboratory, Anwarul Uloom College of Pharmacy, New Mallepally, Hyderabad 500 016, Andhra Pradesh, India.

⁷Department of Pharmacology, Global College of Pharmacy, Chilkur, Moinabad - 501504, Ranga Reddy, Andhra Pradesh, India.

⁸Department of Pharmacology, Nizam Institute of Pharmacy, Deshmukhi, Pillaipalli, Pochampally, Nalgonda – 508284, Andhra Pradesh, India.

*Corresponding Author: safwanpharma@gmail.com

Received: 16 April 2012, Revised: 3 May 2012, Accepted: 4 May 2012

Abstract

Leathery Murdah (*Terminalia coriacea* {Roxb.} Wight & Arn.) belonging to family Combretaceae is found in dry and warmer parts of Andhra Pradesh and Tamil Nadu, states of India. Traditionally the stem bark of this plant is used to treat callous ulcers. Hence, the present study was undertaken to perform preliminary phytochemical screening and investigate the wound healing potential of *Terminalia coriacea* Stem Bark Methanolic and Aqueous Extracts (TCSBME/TCSBAE) 5% w/w ointments by excision wound model in albino wistar rats using Povidone Iodine 5% w/w ointment as standard. Both the extracts TCSBME & TCSBAE produced signi-ficant wound healing effect with p < 0.01 & p < 0.05 respectively. The epithelialization was observed on 17th and 19th day of post-wounding comparable to standard. This provides preliminary evidence of wound healing activity of *T. coriacea*. Furth-er, early fall of scar & recovery of wound with premature development of hair in TCSBME treated group, indicated hair-growth promoting property. Additional stu-dies are required to identify responsible phytochemicals and to ascertain the mechanism of action.

Keywords Terminalia coriacea; Leathery Murdah; wound healing

Introduction

The function of skin is to serve as a protective barrier against the environment. Wounds are physical injuries that result in an opening or breaking of skin. Healing is a complex intricate process initiated in response to an injury that restores the function and integrity of damaged tissues (Agarwal et al., 2009). Healing process can be broadly categorized into three stages, inflammatory phase (consisting the establishment of homeostasis and inflammation), proliferative phase (consisting of granulation, contraction and epithelialization) and finally the remodeling phase which determines the strength and appearance of the healed tissue (Evans, 1980). Wounds are inescapable events in life. Wounds may arise due to physical, chemical or microbial agents in life (Harshmohan, 2005). The prevalence of chronic wounds in the community was reported as 4.5 per 1000 population whereas that of acute wounds is nearly double at 10.5 per 1000 population. Healing of a chronic wound requires care that is patient centered, holistic, interdisciplinary and should be cost effective and evidence based (Gupta et al., 2004).

Majority of world population relies on traditional medicine for their health care needs (Zhang, 1996). Several natural products, plant products which are composed of active principles, like triterpenes, alkaloids, flavonoids and biomolecules have been reported to promote the process of wound healing (Suguna et al., 1999; Sharma et al., 1990; Chitra et al., 1995). Using certain herbs which possess antiseptic, astringent, anti-inflammatory, antimicrobial, antioxidant and bio-stimulatory properties can enhance the rate of wound healing (Somashekar et al., 2006; Sunil et al., 2008). These herbs increase the rate of tissue healing by provide-ng different essential substances, required at various steps of regeneration. These herbs being cheaper and safer than allopathic drugs may be useful in veterinary practice, especially in India where these are found in plenty (Wallis, 2002). Moreover the current methods used to treat chronic wounds include debridement, irrigation, antibiotics, tissue grafts and proteolytic enzymes, which possess major drawbacks and unwanted side effects (Nayak et al., 2009).

Many herbs are used in traditional medicine to cure wounds; Leathery Murdah (*Terminalia coriacea* {Roxb.}Wight & Arn.) is one such plant, which is widely distributed in drier and warmer parts of Andhra Pradesh and Tamil Naidu upto 1350m and in central India. It belongs to family Combretaceae and is called as Tani in Telugu (the regional language). The bark of the plant is traditionally used as cardiac stimulant, in treatment of atonic diarrhoea and callous ulcer (Chetty et al., 2008; Khare, 2007). Literature survey reveals this specie is rich in tannins and phenolic content and exhibits high anti-oxidant activity (Mety and Mathad, 2011). This can be the basis for the medicinal properties of the plant. Considering this observation, we conducted preliminary pharmacological investigations.

In our previous study we performed preliminary phytochemical screening, acute toxicity test and conducted anti-nociceptive studies of *T. coriacea* leaf methanolic extract in mice at 125, 250 & 500 mg/kg, b.w, p.o. The investigation revealed the presence of alkaloids, amino acids, carbohydrates, flavonoids, glycosides, resins, saponins, sterols, tannins, triterpenoids and phenolic compounds in TCLME. Acute toxicity testing of TCLME indicated that the doses up to 2000 mg/kg were safe as there was no mortality and signs of toxicity. Three test doses (125, 250 and 500 mg/kg, p.o) in the range of $1/16^{\text{th}} - 1/4^{\text{th}}$ of observed maximum safe dose were subjected to the evaluation of anti-nociceptive property. TCLME at 250 & 500 mg/kg doses demonstrated significant (p< 0.01) analgesic effect against thermal stimulus-induced pain and acetic acid induced writhing in mice (Khan et al., 2011).

In another study we performed preliminary phytochemical screening, acute toxicity and anti-pyretic activity of *T. coriacea* stem bark aqueous extract (TCSBAE) against yeast induced hyperpyrexia model in rats at 125 & 250 mg/kg orally. Acute toxic dose was found to be above 1000 mg/kg. Test extract at 250 mg/kg dose decreased elevated body temperature significantly (p< 0.01) similar to that of standard, Paracetamol 200 mg/kg, p.o, whereas TCSBAE 125 mg/kg showed mild anti-pyretic activity (p<0.05) (Bhatt and Khan, 2010). The present investigation was undertaken to screen wound healing potential of *T. coriacea* stem bark extracts in albino wistar rats.

Materials and methods

Plant Material

The stem bark of *Terminalia coriacea* (Roxb.) Wight & Arn. belonging to Combretaceae were collected from Tirumala Hills, Chittoor district (A.P). The plant material was identified and authenticated by Dr. K. Madhava Chetty (Assistant Professor, S.V. University, Tirupati, India) & a voucher number 985 was assigned to the reference sample.

Processing and Storage of Extract

The stem bark of *Terminalia coriacea* (Roxb.) Wight & Arn. was washed to render it free from dust. The material was then dried under shade for about 5-7 days and weighed. About 1 kg of the dried bark was grinded into a coarse powder using a mechanical grinder and passed through sieve no.40 to get the powder of desired coarseness. The powdered material was then preserved in an air tight container for future use.

Preparation of Extracts

(i) Preparation of Terminalia coriacea (Roxb.) Wight & Arn. Stem Bark Methanolic Extract (TCSBME) by Soxhlet Extraction

150 gm of the powdered stem bark of *T.coriacea* was extracted in Soxhlet apparatus using methanol (600 ml), as a solvent in 1:4 ratio. The process was continued until the extraction was complete (indicated by fade coloured menstrum). The solvent was distilled off and the extract was concentrated on a water bath. The concentrated extract was then weighed and the percentage yield was calculated. TCSBME was then subjected to preliminary phytochemical screening (Khandelwal, 2004; Kokate et al., 2007; Harborne, 1978).

(ii) Preparation of Terminalia coriacea (Roxb.) Wight & Arn. Stem Bark Aqueous Extract (TCSBAE) by Decoction

About 200 gm of the powdered stem bark of *Terminalia coriacea* (Roxb.) Wight & Arn. was moist-ened by soaking it in 500 ml of distilled water (1: 2.5) and allowed to stand overnight. The material was later boiled for 5 hours with constant stirring at an interval of 1 hour. The material was filtered to obtain a decoction which was later concentrated to a syrupy liquid on a water bath. The concentrated TCSBAE was then weighed and the percentage yield

was recorded. TCSBAE was also subjected to preliminary phytochemical screening (Khandelwal, 2004; Kokate et al., 2007; Harborne, 1978).

Drug Formulation

A water soluble ointment base was prepared by mixing 40% of PEG 4000 and 60% of PEG 400 and was employed as control drug. The test drug formulations of TCSBME and TCSBAE were prepared separately by incorporating 5 g of the test extracts in 100 g of water soluble ointment base. Povidone iodine (Betadine ointment 5% w/w) was used as a standard drug for comparing the wound healing potential of TCSBME and TCSBAE.

Experimental Animals

Adult male wistar rats weighing 150-200 gm were used to evaluate wound healing activity by excision wound model. The animals were maintained under standard laboratory conditions in polypropylene cages under 12 hr light/dark cycle, controlled temperature ($24 \pm 2^{\circ}$ C), fed with commercial pellet diet and water *ad-libitum* in an animal house approved by Committee for the Purpose and Supervision on Experiments on Animals (Reg no: 1534/PO-/a/11/CPCSEA). All the animals were acclimatized to the laboratory environment for 10 days before commencement of the experiments. The experiments were carried out in accordance with the instructions of Institutional Animal Ethical Committee, Anwarul Uloom College of Pharmacy, New Mallepally, Hyderabad 500001, Andhra Pradesh, India.

Draize Test

Male albino wistar rats weighing (150-200 gm) with n=6 per group were used in skin irritation test. Two patches each of two square inch area were prepared by shaving the dorsal surface of one rat. Patch made from two layers of light gauze was dipped in solutions containing different concentrations -0% (Control), 2.5%, 5% and 10% of test extracts (TCSBME & TCSBAE) prepared in **PG:EtOH** (7:3). The animals were immobilized in the special holder during the 24 hrs patch exposure. Upon removal of the patches the animals were observed for any sign of erythema or oedema for a period of 72 hrs. The observations were repeated after 72 hrs (Kaushal et al., 2011).

Evaluation of Wound Healing Activity

Excision Wound Model

Animals were anesthetized prior to and during creation of the wounds, with intravenous ketamine hydrochloride (120 mg Kg⁻¹ body weight). The rats were inflicted with excision wounds as described by Morton and Malone (1972). The dorsal fur of the animals was shaven with an electric clipper and the anticipated area of the wound to be created were outlined on the back of the animals with methylene blue using a circular stainless steel stencil. A full thickness of the excision wound of circular area of 300 mm² wide and 2 mm deep were created along the markings using toothed forceps, scalpel and pointed scissors. The animals were divided randomly in four different groups (Table 1) as mentioned in the treatm-

S. No	Groups	Topical Application
1	I [- ve Control]	Water soluble ointment base (40% PEG 4000 & 60% PEG 400)
2	II [Standard]	Povidone iodine (5% w/w) ointment
3	III [Test - I]	TCSBME ointment (5% w/w)
4	IV [Test - II]	TCSBAE extract ointment (5% w/w)

Table 1.	Experimental	Design &	Treatment	Schedule
----------	--------------	----------	-----------	----------

ent schedule. The wound closure rate was assessed post-wounding by tracing the wounds on days 0, 2, 4, 8, 12 & 16 using transparent paper and a permanent marker. Change in wound area was calculated, giving an indication of the rate of wound contraction. The wound areas were measured and recorded using graph paper. The day of scar falling without any residual raw wound were considered as period of epithelialization (Nayak et al., 2009).

Statistical Analysis

The values are expressed as Mean \pm SEM. P < 0.05 was considered significant, denoted by symbol (^{*}). The data was analyzed by One-way Analysis of Variance followed by Dunnett's multiple comparison post-hoc test using GraphPad Instat version 3.10 for Windows, GraphPad Software, San Diego California USA.

Results and Discussion

Extraction and Preliminary Phytochemical Screening

The weight of final concentrated semi-solid mass obtained after extraction was found to be 32.3 g and 22 g for TCSBME and TCSBAE respectively corresponding to 23.4% and 11% yield. The former was dark reddish brown while later was light reddish brown in colour. Qualitative phytochemical investigation reveals the presence of phytoconstituents like alkaloids, anthraquinone glycosides, carbohydrates, flavonoids, saponins and tannins. The results of phytochemical screening are summarized in Table 2.

Draize Test

No signs of allergy (allergic spots or redness of skin) were observed on rat's skin during the skin irritancy test. There were no cases of wound infection in all the treated groups.

Excision Wound Model

Topical application of both the test extracts (TCSBME and TCSBAE) in the form of (5 % w/w) ointments at wound site produced significant wound healing effect. Treated excision wounds showed an increase in rate of wound contraction, leading to faster healing as confirmed by the increased healed area when compared to the control group. The results of present study are shown in Table 3. It indicates that both the test extracts possess wound healing potential and the effects are comparable to that of standard. Among the test extracts, TCSBME (5% w/w) ointment was found to be more effective than TCSBAE (5% w/w) ointment.

Table 2. Results of preliminary phytochemical screening.

S.No	Tests	TCSBME	TCSBAE
1.	Alkaloids:		
a.	Mayer's test	+	+
а. b.	Hager's test	+	+
с.	Wagner's test	-	-
d.	Test for tannic acid	-	-
2 (I).	Tannins:		
a.	5% FeCl ₃	+	+
b.	Lead acetate	+	+
с.	Gelatin solution	+	+
d.	Bromine water	+	+
e.	Acetic acid	+	+
f.	Potassium dichromate	+	+
g.	Dilute iodine solution	+	-
h.	Dilute HNO ₃	+	+
i.	Dilute NH ₄ OH &	+	-
	Potassium ferricyanide		
j.	NH ₄ OH & AgNO ₃ Solution	+	+
k.	Dilute KMnO ₄	+	+
2 (II)	Condensed tannins:		
a.	Vanillin HCl Test	+	+
b.	Match stick	+	+
3.	Steroids		
a.	Salkowski reaction	-	-
4.	Cardiac glycosides		
a.	Keller Killiani test	-	-
5.	Anthraquinone Glycosides		
a.	Borntrager's test	+	+
6.	Saponins		
a.	Borntrager's test	+	-

Note: TCSBME and TCSBAE refer to *T. coriacea* Stem Bark Methanolic extract and *T. coriacea* stem bark aqueous extract respectively. (+) indicates presence while (-) indicates absence of corresponding type of phytochemicals.

The beneficial effects of TCSBME were evident from the day of first measurement as progressive decrease in wound area was observed. On the 2nd day of wounding, the wound area shrinkage in TCSBME treated group was most when compared to the other groups. The wound area was decreasing constantly and predominantly in TCSBME group. The decline in wound area was twice more effective than the standard on 8th and 16th day. While the observations for TCSBAE were much similar to that of standard. The fastest epithelialization

Treatments	Day 2	Day 4	Day 8	Day 16	Period of Epithelialization
Negative Control	4.90±1.02	4.65±0.95	3.80±0.23	2.15±0.075	26±0.44
Standard	4.90 ± 1.16^{ns}	4.52 ± 0.88^{ns}	2.01±0.40**	1.06±0.53**	19±0.54**
TCSBME 5% w/w	3.80±0.85 ^{ns}	3.14 ± 0.71^{ns}	1.13±0.35**	$0.12 \pm 0.048 **$	17±0.54**
TCSBAE 5% w/w	4.67 ± 0.94^{ns}	4.40 ± 0.68^{ns}	2.46±0.47*	1.13±0.062**	19±0.33**

Note: Values in each column represent progressive change in wound area in mm as Mean \pm Standard Error for 6 animals in each group, ns = not significant, * & ** indicate p < 0.05 & p < 0.01 respectively when compared to the control group.




Figure 1. Images of rats subjected to excision wound model on 1^{st} and 19^{th} Day. Note: A = negative control group B = TCSBAE group, C = TCSBME group Rats on 1^{st} Day. D = standard group, E = TCSBAE Group and F = TCSBME Group Rats on 19^{th} Day of the Experiment.

was recorded for TCSBME i.e. 17th day. While both standard and TCSBAE exhibited same period of epithelialization i.e. 19th day. Thus both TCSBME and TCSBAE (5% w/w) ointments promoted significant wound healing. The wound healing potential of TCSB-ME and TCSBAE can be attributed to the phytochemicals like anthraquinone glycosides, flavonoids and tannins present in it. An extensive literature is available that demonstrates the mechanism and positive role of above phytoconstituents in wound healing process.

Phytochemicals are receiving much attention as potential natural anti-oxidant in terms of their ability to act as both efficient radical scavengers and metal chelators (Nagulendran et al., 2007). A high correlation coefficient is reported between the phenolic content and anti-oxidant activities for various food commodities (Akond et al., 2010). Polyphenols can increase the activity of catalase and glutathione peroxidase that detoxify H_2O_2 by converting it to O_2 and H_2O (Khan et al., 1992; Oka et al., 2005). They are also known to stimulate wound healing (Sasidharan et al., 2010). Any drug that inhibits lipid peroxidation is believed to

increase the viability of collagen fibrils by increasing the strength of collagen fibers, preventing the cell damage and by promoting the DNA synthesis (Pradhan et al., 2009). Tannins are one of the most widely occurring groups of natural substances in different families of higher plants. These are secondary metabolites and chemically they contain a mixture of complex organic substances in which polyphenols are present. (Kokate et al., 2008). They exhibit potential anti-bacterial, anti-viral and anti-parasitic effects (Seeram et al., 2005). Tannins are found in a variety of herbal products used for wound healing. Their astringent and antimicrobial property is responsible for wound contraction and increased rate of epithelialization (Pradhan et al., 2009). Medicinal plants that are known and/or used for their wound-healing or antiinflammatory properties tend to have high tannin contents (Araújoa et al., 2008).

Flavonoids, a large group of natural products widely distributed in nature (Galicka et al.,2001) are documented to possess potent anti-oxidant and free radical scavenging effect, which is believed to be one of the most important components of wound healing (Shenoy et al.,2009). Bio-flavonoids are thought to benefit connective tissue by binding to elastin, preventing its degradation by elastases (Galicka et al., 2001). They reduce lipid peroxidation not only by preventing or slowing the onset of cell necrosis but also by improving vascularity (Pradhan et al., 2009). The high mobility of the electrons in the benzenoid nucleus of flavonoids accounts for both their anti-oxidant and free-radical scavenging properties (Havsteen, 2002). Many studies have shown that anti-microbial activities of plants can be attributed to their flavonoid content (Owoyele et al., 2008); hence, they are helpful in prevention of wound infection. Most of the delay in wound healing is due to insufficient or excessive fibroblast activity. Thus, inhibition of fibroblast growth by flavonoids such as apigenin could be beneficial for the treatment of any skin injury.

Flavonoids like rutin, naringin and quercetin protect DNA damage induced by ultraviolet radiation (Yeh et al., 2005). The chemical diversity, size, three-dimensional shape, and physical and biochemical properties of flavonoids allow them to interact with targets in different subcellular locations to influence biological activity in plants, animals and microbes (Buer et al., 2010). Saponins are known to promote wound healing process due to their antioxidant and anti-microbial activities (Sachin et al., 2009). Topical application of a saponin Asiaticoside, one of active constituents of *Centella asiatica* at a concentration of 0.2% for seven days to punch wounds in guinea pigs resulted in 56% increase in hydroxyproline, 57% increase in tensile strength, increased collagen content, and better epithelialization (MacKay and Miller, 2003). Triterpene saponins are also reported to posses-s immune-modulatory properties (Havsteen, 2002).

The present study reveals presence of secondary plant metabolites like alkaloids, anthra-quinone glycosides, flavonoids, saponins and tannins in TCSBME and TCSBAE. These phytoconstituents are known to promote the wound healing process due to their wide range of medicinal properties as discussed earlier. Hence, it is concluded that the wound healing potential of *T. coriacea* {Roxb.} Wight & Arn. stem bark extracts could be due to these phytochemicals and there exists a possibility of synergism between them. On the basis of findings, it can also be stated that TCSBME (5% w/w) ointment was most effective and exhibited most significant wound healing effect of all the positive treatments used in the experiment (TCSB-AE and Povidone iodine, Betadine 5% w/w ointments). The earliest period of epithelialization observed was of group receiving TCSBME i.e., 17 ± 0.54 days, while it was almost the

Phytopharmacology 2012, 3(1) 158-168

same (19 days) for groups receiving standard (Povidone iodine 5% w/w ointment) and other test (TCSBAE 5% w/w ointment). Early fall of scar & recovery of wound with premature development of hair in TCSBME treated group, indicates hair-growth promoting property. Further investigations are needed to isolate & characterize bioactive compounds and to understand the mechanism involved.

Acknowledgment

The authors are thankful to the management of Anwarul Uloom College of Pharmacy (affiliated to Jawaharlal Nehru Technological University - Hyderabad) for providing facilities to perform animal experimentation.

Conflict of Interest

The authors have declared that there is no conflict of any competing interest.

References

- Agarwal PK, Singh A, Gaurav K, Goel S, Khanna HD, Goel RK. (2009). Evaluation of wound healing activity of extracts of plantain banana (*Musa sapientum* var. *paradisiaca*) in rats. *Indian Journal of Experimental Biology* 47, 32-40.
- Akond M, Khandaker L, Hossain K, Furuta Y. (2010). Total polyphenol, polyphenoloxidase, antioxidant activity and color profiles of some wheat varieties from Bangladesh. *Research Journal of Agriculture and Biological Sciences* 6, 186-190.
- Araujoa T, Alencara N, Amorimb E, Albuquerquea U. (2008). A new approach to study medicinal plants with tannins and flavonoids contents from the local knowledge. *Journal of Ethnopharmacology* 120, 72 - 80.
- Bhatt CSB, Khan MSA. (2010). Preliminary phytochemical screening, acute toxicity studies and anti-pyretic activity of *Terminalia coriacea* stem bark aqueous extract. Abstract book of 62nd Indian Pharmaceutical Congress (Manipal), 343.
- Buer C, Imin N, Djordjevic M. (2010). Flavonoids: new roles for old molecules. *Journal of Integrative Plant Biology* 52, 98-111.
- Chetty MK, Sivaji K, Rao TK. (2008). Flowering plants of Chittoor District, Andhra Pradesh, India. 2nd Ed, Students Offset Printers and Publishers, Tirupathi, 125-126.
- Chithra P, Suguna L, Chandrakasan G. (1995). Influence of Arginine wound healing in rats. *Journal of Clinical Biochemistry and Nutrition* 18, 111-117.
- Evans P. (1980). The healing process at the cellular level. Physiotherapy 66, 256-259.
- Galicka A, Wolczynski S, Anchim T, Surazynski A, Lesniewicz R, Palka J. (2001). Defects of type I procollagen metabolism correlated with decrease of prolidase activity in a case of lethal osteogenesis imperfecta. *European Journal of Biochemistry* 268, 2172-2178.
- Gupta N, Gupta SK, Shukla VK, Singh SP. (2004). An Indian Community based epidemiological study of wounds. *Journal of Wound Care* 13, 323-325.
- Harborne JB. (1978). Phytochemical methods. 3rd Ed, Chapman and Hall, London, 60, 135, 203.
- Harshmohan. (2005). Text book of Pathology. 5th Ed, New Delhi: JayPee Brothers Medical Publishers Pvt. Ltd.

- Havsteen B. (2002). The biochemistry and medical significance of the flavonoids. *Pharmacology & Therapeutics* 96, 67–202.
- Kaushal N, Naz S, Tiwary AK. (2011). *Angelica archengelica* extract induced perturbation of rat skin and tight junctional protein (ZO-1) of HaCaT cells. *DARU: Journal of Pharmaceutical Sciences* 19, 1-11.
- Khan MSA, Hasan MW, Shereen M, Sultana T, Dastagir IM, Ali AJ, Qureshi S, Ghori SS, Hussain SA. (2011). Anti-nociceptive effect of *Terminalia coriacea* (Roxb.) Wt. & Arn. leaf methanolic extract. *Pharmacologyonline* 7, 1176-1189.
- Khan SG, Katiyar SK, Agarwal R, Mukhtar H. (1992). Enhancement of antioxidant and phase II enzymes by oral feeding of green tea polyphenols in drinking water to SKH-1 hairless mice: possible role in cancer chemoprevention. *Cancer Research* 52, 4050-4052.
- Khandelwal KR (2004). Practical Pharmacognosy. 12th Ed, Pune: Nirali Prakashan., 149-160.
- Khare CP (2007). Medicinal value of Terminalia species. Indian Medicinal Plants An illustrated Dictionary 1st Ed. New Delhi: Springer Science & Business media LLC., 651-56.
- Kokate CK, Purohit AP, Gokhale SB. (2008). Text Book of Pharmacognosy. 42nd Ed, Pune: Nirali Prakashan., 9.1.
- Kokate. CK, Purohit AP, Gokhale SB. (2007). Pharmacognosy. 39th Ed, Pune: Nirali Prakashan., 108-109.
- MacKay D and Miller AL. (2003). Nutritional support for wound healing. Alternative Medicine Review 8, 359-77.
- Mety SS, Mathad P. (2011). Antioxidative and free radical scavenging activities of *Terminalia* species. *International Research Journal of Biotechnology* 2, 119-127.
- Morton JJ, Malone MH. (1972). Evaluation of vulnerary activity by an open wound procedure in rats. *Archives of International Pharmacodynamics* 196, 117-126.
- Nagulendran K, Velavan S, Mahesh R, Begum VH. (2007). In vitro antioxidant activity and total polyphenolic content of *Cyperus rotundus* rhizomes: *E-Journal of Chemistry* 4, 440-449.
- Nayak BS, Sandiford S, Maxwell A. (2009). Evaluation of the wound-healing activity of ethanolic extract of *Morinda citrifolia* L. leaf. *Evidence-based Complementary and Alternative Medicine* 6, 351-356.
- Oaka MH, Bedouia JE, Schini-Kertha VB. (2005). Antiangiogenic properties of natural polyphenols from red wine and green tea. *The Journal of Nutritional Biochemistry* 16, 1-8.
- Owoyele, BV, Oguntoye SO, Dare K, Ogunbiyi BA, Aruboloula EA, Soladoye AO. (2008). Analgesic, anti-inflammatory and anti-pyretic activities from flavonoid fractions of *Chromolaena odorata. Journal of Medicinal Plants Research* 2, 219-225.
- Pradhan D, Panda PK, Tripathy G. (2009). Wound-healing activity of aqueous and methanolic bark extracts of *Vernonia arborea* Buch.-Ham. in Wistar rats. Natural Product Radiance 8, 6-11.
- Sachin J, Neetesh J, Balekar T, Jain D. (2009). Simple Evaluation of Wound healing activity of polyherbal formulation of roots of *Ageratum conyzoides* Linn: *Asian Journal of Research in Chemistry* 2, 135-138.
- Sasidharan S, Nilawatyi R, Xavier R, Yoga L, Amala R. (2010). Wound healing potential of *Elaeis guineensis* Jacq leaves in an infected albino rat model. *Molecules* 15, 3186-

3199.

- Seeram NP, Adams LS, Henning SM, Niu Y, Zhang Y, Nair MG, Herber D. (2005). In vitro antiproliferative, apoptotic and antioxidant activities of punicalagin, ellagic acid and a total pomegranate tannin extract are enhanced in combination with other polyphenols as found in pomegranate juice. *Journal of Nutritional Biochemistry* 16, 360–367.
- Sharma SP, Aithal KS, Srinivasan KK, Udupa AL, Kumar V, Kulkarni DR. (1990). Antiinflammatory and wound healing activities of crude alcoholic extracts and flavonoids of *Vitex leucoxylon. Fitoterapia* 61, 263-265.
- Shenoy MA, Sridevi G, Shastry CS. (2009). Evaluation of wound healing activity of *Naravelia zeylanica* leaves. *International Journal of Chemical Sciences* 7, 1857-1866.
- Somashekar S, Saraswati U, Laxminarayana U, Nagabushan S. (2006). Wound healing activity of *Ocimum sanctum*. Linn with supportive role of anti-oxidant enzymes. *Indian Journal of Physiology and Pharmacology* 50, 163-68.
- Suguna L, Chandrakasan G, Joseph KT. (1999). Influence of honey on biochemical and biophysical parameters of wounds in rats. *Journal of Clinical Biochemistry and Nutrition* 14, 91-99.
- Sunil SJ, Agarwal N, Patil MB, Chimkode R, Tripathi A. (2008). Anti-microbial and wound healing activities of leaves of *Alternanthere sessilis*. Linn. *International Journal of Green Pharmacy* 2, 141-144.
- Wallis TE. (2002). Text book of Pharmacognosy. 5th Ed. New Delhi: CBS Publishers.
- Yeh S, Wang W, Huang C, Hu M. (2005). Pro-oxidative effect of h-carotene and the interaction with flavonoids on UVA-induced DNA strand breaks in mouse fibroblast C3H10T1/2 cells. *Journal of Nutritional Biochemistry* 16, 729-735.
- Zhang X. (1996). Traditional Medicine and WHO. Hamdard Medicus 39, 102-103.