

Plan Year 2021



CCHP Senior Program (HMO) 東華耆英 (HMO) 計劃

2021 Formulary (List of Covered Drugs) 藥物表(保障藥物一覽表)

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN

HPMS Approved Formulary File Submission ID 00021599, Version Number 12

This formulary was updated on 4/20/2021. For more recent information or other questions, please contact Chinese Community Health Plan Member Services at 1-888-775-7888 or, for TTY users, 1-877-681- 8898, seven days a week from 8:00 a.m. to 8:00 p.m., or visit www.cchphealthplan.com/medicare.



CCHP
Health Plan

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Chinese Community Health Plan (CCHP). When it refers to “plan” or “our plan,” it means CCHP Senior Program (HMO).

This document includes a list of the drugs (formulary) for our plan which is current as of 4/20/2021. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2021, and from time to time during the year.

What is the CCHP Senior Program (HMO) Formulary?

A formulary is a list of covered drugs selected by CCHP Senior Program (HMO) in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. CCHP Senior Program (HMO) will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a CCHP Senior Program (HMO) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the CCHP Senior Program (HMO)’s Formulary?”

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary; or add new restrictions to the brand name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the CCHP Senior Program (HMO)'s Formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2021 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2021 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 4/20/2021. To get updated information about the drugs covered by CCHP Senior Program (HMO), please contact us. Our contact information appears on the front and back cover pages. If we make any mid-year non-maintenance changes to the formulary, we will send an errata sheet to you. You can also find the changes on our website at www.cchphealthplan.com/medicare.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents-Misc. If you know what your drug is used for, look for the category name in the list that begins on page number 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this

document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

CCHP Senior Program (HMO) covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** CCHP Senior Program (HMO) requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from CCHP Senior Program (HMO) before you fill your prescriptions. If you don't get approval, CCHP Senior Program (HMO) may not cover the drug.
- **Quantity Limits:** For certain drugs, CCHP Senior Program (HMO) limits the amount of the drug that CCHP Senior Program (HMO) will cover. For example, CCHP Senior Program (HMO) provides 60 tablets per prescription for SAVELLA. This may be in addition to a standard one-month or three-month supply.
- **Select Insulin (SI):** For certain insulin medications, CCHP Senior Program (HMO) limits the member copay to \$35 per month supply and up to \$105 per three-month supply that is covered.
- **Step Therapy:** In some cases, CCHP Senior Program (HMO) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, CCHP Senior Program (HMO) may not cover Drug B unless you try Drug A first. If Drug A does not work for you, CCHP Senior Program (HMO) will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted online a document that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask CCHP Senior Program (HMO) to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the CCHP Senior Program (HMO)'s formulary?" on the next page for information about how to request an exception.

What are over-the-counter (OTC) drugs?

OTC drugs are non-prescription drugs that are not normally covered by a Medicare Prescription Drug Plan. CCHP Senior Program (HMO) pays for certain OTC drugs.

FREESTYLE LITE METER
FREESTYLE FREEDOM LITE METER
FREESTYLE LITE TEST STRIPS
FREESTYLE INSULINX METER
FREESTYLE INSULINX TEST STRIPS
FREESTYLE CONTROL SOLUTION
PRECISION XTRA METER
PRECISION XTRA TEST STRIPS

MEDISENSE CONTROL SOLUTION
LANCETS AND LANCET DEVICES
NICOTINE PATCHES
LANCET KIT
KETOTIFEN FUMARATE OPHTHALMIC
SOLUTION 0.025%
ARTIFICIAL TEARS
POLYETHYLENE GLYCOL 3350

CCHP Senior Program (HMO) will provide these OTC drugs at no cost to you. The cost to CCHP Senior Program (HMO) of these OTC drugs will not count toward your total Part D drug costs (that is, the cost of the OTC drugs does not count for the coverage gap).

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that CCHP Senior Program (HMO) does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by CCHP Senior Program (HMO). When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by CCHP Senior Program (HMO).
- You can ask CCHP Senior Program (HMO) to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the CCHP Senior Program (HMO)'s Formulary?

You can ask CCHP Senior Program (HMO) to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.

- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, CCHP Senior Program (HMO) limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, CCHP Senior Program (HMO) will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

For more information

For more detailed information about your CCHP Senior Program (HMO) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about CCHP Senior Program (HMO), please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Table of Contents

Analgesics.....	3
Anesthetics	8
Anti-Addiction/Substance Abuse Treatment Agents.....	8
Antianxiety Agents	9
Antibacterials.....	10
Anticancer Agents	19
Anticholinergic Agents.....	32
Anticonvulsants	32
Antidementia Agents.....	37
Antidepressants	37
Antidiabetic Agents	40
Antifungals.....	44
Antigout Agents.....	46
Antihistamines	46
Anti-Infectives (Skin And Mucous Membrane)	47
Antimigraine Agents	47
Antimycobacterials.....	48
Antinausea Agents.....	49
Antiparasite Agents.....	50
Antiparkinsonian Agents	51
Antipsychotic Agents.....	53
Antivirals (Systemic)	57
Blood Products/Modifiers/Volume Expanders.....	63
Caloric Agents	65
Cardiovascular Agents.....	68
Central Nervous System Agents.....	80
Contraceptives	82

Dental And Oral Agents	88
Dermatological Agents	88
Devices	95
Enzyme Replacement/Modifiers	95
Eye, Ear, Nose, Throat Agents	97
Gastrointestinal Agents.....	101
Genitourinary Agents	105
Heavy Metal Antagonists.....	106
Hormonal Agents, Stimulant/Replacement/Modifying	107
Immunological Agents	113
Inflammatory Bowel Disease Agents	121
Irrigating Solutions	122
Metabolic Bone Disease Agents.....	122
Miscellaneous Therapeutic Agents	124
Ophthalmic Agents.....	126
Replacement Preparations	127
Respiratory Tract Agents	130
Skeletal Muscle Relaxants	134
Sleep Disorder Agents	134
Vasodilating Agents	135

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	2	QL (4980 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg, 300-60 mg</i>	2	QL (390 per 30 days)
<i>buprenorphine hcl injection solution (Buprenex) 0.3 mg/ml</i>	2	
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	2	
<i>buprenorphine transdermal patch (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	4	QL (4 per 28 days)
<i>butorphanol injection solution 1 mg/ml, 2 mg/ml</i>	2	
<i>butorphanol nasal spray,non-aerosol 10 mg/ml</i>	2	QL (10 per 30 days)
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>	2	QL (240 per 30 days)
DURAMORPH (PF) INJECTION SOLUTION 0.5 MG/ML	2	PA BvD
<i>endocet oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i>	2	QL (360 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i>	2	PA; QL (120 per 30 days)
<i>fentanyl citrate buccal tablet, effervescent 100 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i>	4	PA; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	QL (10 per 30 days)
FENTORA BUCCAL TABLET, EFFERVESCENT 100 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG	4	PA; QL (120 per 30 days)
<i>hydrocodone bitartrate oral tablet,oral only,ext.rel.24 hr 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	3	QL (30 per 30 days)
<i>hydrocodone-acetaminophen oral solution 10-325 mg/15 ml(15 ml)</i>	4	QL (5400 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	2	QL (5400 per 30 days)
hydrocodone-acetaminophen oral tablet 10-300 mg (Vicodin HP)	2	QL (390 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg	2	QL (360 per 30 days)
hydrocodone-acetaminophen oral tablet 5-300 mg, 7.5-300 mg	2	QL (390 per 30 days)
hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg	2	QL (480 per 30 days)
hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml	2	
hydromorphone injection syringe 2 mg/ml	2	
hydromorphone oral liquid 1 mg/ml (Dilaudid)	2	QL (2400 per 30 days)
hydromorphone oral tablet 2 mg (Dilaudid)	2	QL (450 per 30 days)
hydromorphone oral tablet 4 mg (Dilaudid)	2	QL (240 per 30 days)
hydromorphone oral tablet 8 mg (Dilaudid)	2	QL (120 per 30 days)
hydromorphone oral tablet extended release 24 hr 12 mg, 16 mg, 32 mg, 8 mg	2	QL (30 per 30 days)
HYSINGLA ER ORAL TABLET,ORAL ONLY,EXT.REL.24 HR 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	QL (30 per 30 days)
ibuprofen-oxycodone oral tablet 400-5 mg	2	QL (240 per 30 days)
KADIAN ORAL CAPSULE,EXTEND.RELEASE PELLETS 200 MG	4	QL (60 per 30 days)
LAZANDA NASAL SPRAY,NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	4	PA; QL (30 per 30 days)
levorphanol tartrate oral tablet 2 mg	3	QL (240 per 30 days)
levorphanol tartrate oral tablet 3 mg	3	QL (120 per 30 days)
lorcet (hydrocodone) oral tablet 5-325 mg	2	QL (360 per 30 days)
lorcet hd oral tablet 10-325 mg	2	QL (360 per 30 days)
lorcet plus oral tablet 7.5-325 mg	2	QL (360 per 30 days)
meperidine (pf) injection solution 100 mg/ml, 25 mg/ml, 50 mg/ml	2	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>meperidine oral solution 50 mg/5 ml</i>	4	
<i>meperidine oral tablet 100 mg (Demerol)</i>	2	QL (360 per 30 days)
<i>meperidine oral tablet 50 mg</i>	2	QL (720 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	4	
<i>methadone oral solution 10 mg/5 ml</i>	2	QL (1800 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	QL (3600 per 30 days)
<i>methadone oral tablet 10 mg, 5 mg</i>	2	QL (360 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	QL (180 per 30 days)
<i>morphine injection syringe 2 mg/ml</i>	4	PA BvD
<i>morphine intravenous syringe 2 mg/ml</i>	4	PA BvD
<i>morphine oral capsule, er multiphase 24 hr 120 mg, 30 mg, 45 mg, 60 mg, 75 mg, 90 mg</i>	4	QL (60 per 30 days)
<i>morphine oral capsule, extend.release pellets 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg</i>	2	QL (60 per 30 days)
<i>morphine oral capsule, extend.release pellets 40 mg</i>	4	QL (60 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	QL (1800 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	QL (900 per 30 days)
MORPHINE ORAL TABLET 15 MG, 30 MG	2	QL (180 per 30 days)
<i>morphine oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg (MS Contin)</i>	2	QL (120 per 30 days)
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	3	QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 75 MG	4	QL (180 per 30 days)
NUCYNTA ORAL TABLET 50 MG	4	QL (360 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	QL (360 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	QL (270 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	QL (5400 per 30 days)
<i>oxycodone oral tablet 10 mg, 20 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 5 mg (Roxicodone)</i>	2	QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	(OxyContin)	3	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	(Endocet)	2	QL (360 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>		2	QL (360 per 30 days)
<i>oxymorphone oral tablet 10 mg, 5 mg</i>		2	QL (360 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>		2	QL (60 per 30 days)
<i>pentazocine-naloxone oral tablet 50-0.5 mg</i>		2	QL (360 per 30 days)
<i>primlev oral tablet 10-300 mg</i>		4	QL (390 per 30 days)
PRIMLEV ORAL TABLET 5-300 MG, 7.5-300 MG		4	QL (390 per 30 days)
<i>tramadol oral tablet 100 mg</i>		2	QL (120 per 30 days)
<i>tramadol oral tablet 50 mg</i>	(Ultram)	2	QL (240 per 30 days)
<i>tramadol oral tablet extended release 24 hr 100 mg, 200 mg, 300 mg</i>		2	QL (60 per 30 days)
<i>tramadol oral tablet, er multiphase 24 hr 100 mg, 200 mg, 300 mg</i>		2	QL (60 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	(Ultracet)	2	QL (360 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i>		2	QL (390 per 30 days)
<i>xylon 10 oral tablet 10-200 mg</i>		2	QL (480 per 30 days)
Nonsteroidal Anti-Inflammatory Agents			
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	(Celebrex)	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i>	(Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	(Cataflam)	2	
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>		2	
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>		2	
<i>diclofenac sodium topical drops 1.5 %</i>		2	
<i>diclofenac sodium topical gel 1 %</i>	(Arthritis Pain (diclofenac))	2	QL (1000 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>diclofenac sodium topical gel 3 %</i>	(Solaraze)	2	PA NSO
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i>	(Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i>	(Arthrotec 75)	2	
<i>diflunisal oral tablet 500 mg</i>		2	
<i>etodolac oral capsule 200 mg, 300 mg</i>		2	
<i>etodolac oral tablet 400 mg</i>	(Lodine)	2	
<i>etodolac oral tablet 500 mg</i>		2	
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>		2	
<i>flurbiprofen oral tablet 100 mg</i>		1	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>		1	
<i>ibuprofen oral suspension 100 mg/5 ml</i>	(Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	(IBU)	1	
INDOCIN ORAL SUSPENSION 25 MG/5 ML		3	
<i>indomethacin oral capsule 25 mg, 50 mg</i>		2	
<i>indomethacin oral capsule, extended release 75 mg</i>		2	
<i>kеторолак injection cartridge 15 mg/ml</i>		2	
<i>kеторолак injection solution 15 mg/ml, 30 mg/ml (1 ml)</i>		2	
<i>kеторолак injection syringe 15 mg/ml</i>		2	
<i>kеторолак intramuscular cartridge 60 mg/2 ml</i>		2	
<i>kеторолак oral tablet 10 mg</i>		2	QL (20 per 5 days)
<i>мелоксикам oral tablet 15 mg, 7.5 mg</i>	(Mobic)	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	(Relafen)	2	
<i>naproxen oral suspension 125 mg/5 ml</i>	(Naprosyn)	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>		1	
<i>naproxen oral tablet 500 mg</i>	(Naprosyn)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>naproxen sodium oral tablet 275 mg</i>	1	
<i>naproxen sodium oral tablet 550 mg (Anaprox DS)</i>	1	
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	4	
<i>piroxicam oral capsule 10 mg, 20 mg (Feldene)</i>	2	
<i>sulindac oral tablet 150 mg</i>	1	
<i>sulindac oral tablet 200 mg</i>	2	
Anesthetics		
Local Anesthetics		
<i>lidocaine (pf) injection solution 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	2	
<i>lidocaine hcl injection solution 20 mg/ml (2 %)</i>	2	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	
<i>lidocaine topical adhesive patch,medicated 5 %</i>	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	QL (50 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	3	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i>	3	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)	3	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	
<i>naloxone injection solution 0.4 mg/ml</i>	1	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	
<i>naltrexone oral tablet 50 mg</i>	2	
NARCAN NASAL SPRAY,NON- AEROSOL 4 MG/ACTUATION	3	QL (2 per 2 days)
NICOTROL INHALATION CARTRIDGE 10 MG	3	
NICOTROL NS NASAL SPRAY,NON-AEROSOL 10 MG/ML	3	
Antianxiety Agents		
Benzodiazepines		
ALPRAZOLAM INTENSOL ORAL CONCENTRATE 1 MG/ML	4	
<i>alprazolam oral tablet 0.25 mg, 0.5 (Xanax) mg, 1 mg, 2 mg</i>	1	
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg, 3 mg</i>	2	
<i>alprazolam oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	
<i>buspirone oral tablet 10 mg, 15 mg, 5 mg</i>	1	
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	
<i>clonazepam oral tablet 0.5 mg, 1 mg, (Klonopin) 2 mg</i>	1	
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	1	
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i>	2	
<i>diazepam injection solution 5 mg/ml</i>	2	
<i>diazepam injection syringe 5 mg/ml</i>	2	
<i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol)	2	
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	
<i>estazolam oral tablet 1 mg, 2 mg</i>	1	
<i>flurazepam oral capsule 15 mg, 30 mg</i>	3	
<i>lorazepam 2 mg/ml oral concent 2 mg/ml</i> (Lorazepam Intensol)	2	
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	2	
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	2	
<i>lorazepam intensol oral concentrate 2 mg/ml</i>	2	
<i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i> (Ativan)	1	
<i>meprobamate oral tablet 200 mg, 400 mg</i>	2	
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	
<i>temazepam oral capsule 15 mg, 22.5 mg, 30 mg, 7.5 mg</i> (Restoril)	2	
<i>triazolam oral tablet 0.125 mg</i>	2	
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	2	
Antibacterials		
Aminoglycosides		
<i>amikacin injection solution 500 mg/2 ml</i>	2	
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml</i>	2	
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	4	
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	PA; NM; NDS
<i>tobramycin in 0.225 % nacl (Tobi) inhalation solution for nebulization 300 mg/5 ml</i>	5	PA; NM; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i>	5	PA; NM; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	2	
Antibacterials, Miscellaneous		
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	4	
CLINDAMYCIN 600 MG/50 ML-NS OUTER,SINGLE-USE,L/F 600 MG/50 ML	2	
CLINDAMYCIN 900 MG/50 ML-NS OUTER,SINGLE-USE,L/F 900 MG/50 ML	2	
<i>clindamycin hcl oral capsule 150 mg, (Cleocin HCl) 300 mg, 75 mg</i>	1	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	
CLINDAMYCIN IN 5 % DEXTROSE INTRAVENOUS PIGGYBACK 600 MG/50 ML, 900 MG/50 ML	2	
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection (Cleocin) solution 150 mg/ml</i>	2	
<i>clindamycin phosphate intravenous solution 300 mg/2 ml</i>	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	(Coly-Mycin M Parenteral)	2	
DALVANCE INTRAVENOUS SOLUTION 500 MG		5	NM; NDS
<i>daptomycin intravenous recon soln 500 mg</i>	(Cubicin)	5	NM; NDS
<i>fosfomycin tromethamine oral packet 3 gram</i>	(Monurol)	4	
<i>lincomycin injection solution 300 mg/ml</i>	(Lincocin)	2	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	(Zyvox)	5	PA; NM; NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	(Zyvox)	5	PA; NM; NDS
<i>linezolid oral tablet 600 mg</i>	(Zyvox)	2	PA
<i>methenamine hippurate oral tablet 1 gram</i>	(Hiprex)	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	(Metro I.V.)	2	
<i>metronidazole oral capsule 375 mg</i>	(Flagyl)	2	
<i>metronidazole oral tablet 250 mg</i>		1	
<i>metronidazole oral tablet 500 mg</i>	(Flagyl)	1	
MONUROL ORAL PACKET 3 GRAM		4	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	(Macrodantin)	2	
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	(Macrobid)	2	
<i>nitrofurantoin oral suspension 25 mg/5 ml</i>	(Furadantin)	2	
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>		2	
SIVEXTRO INTRAVENOUS RECON SOLN 200 MG		5	PA; NM; NDS; QL (6 per 15 days)
SIVEXTRO ORAL TABLET 200 MG		5	PA; NM; NDS; QL (6 per 15 days)
SYNERCID INTRAVENOUS RECON SOLN 500 MG		5	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>		1	
<i>vancomycin in 0.9 % sodium chl intravenous piggyback 1 gram/200 ml</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>vancomycin intravenous recon soln 10 gram, 5 gram</i>	2	
<i>vancomycin oral capsule 125 mg (Vancocin)</i>	4	QL (56 per 10 days)
<i>vancomycin oral capsule 250 mg (Vancocin)</i>	5	NM; NDS
XIFAXAN ORAL TABLET 200 MG	4	QL (9 per 3 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (60 per 30 days)
Cephalosporins		
<i>AVYCAZ INTRAVENOUS RECON SOLN 2.5 GRAM</i>	4	
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	4	
<i>cefadroxil oral capsule 500 mg</i>	1	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefadroxil oral tablet 1 gram</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg (Suprax)</i>	4	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	
<i>cefotaxime injection recon soln 1 gram</i>	2	
<i>cefotetan injection recon soln 1 gram, 2 gram (Cefotan)</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i>	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	
SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML	4	
SUPRAX ORAL TABLET,CHEWABLE 100 MG, 200 MG	4	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS
ZERBAXA INTRAVENOUS RECON SOLN 1.5 GRAM	4	
Macrolides		
<i>azithromycin intravenous recon soln (Zithromax) 500 mg</i>	2	
<i>azithromycin oral packet 1 gram (Zithromax)</i>	4	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg (Zithromax)</i>	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	
DIFICID ORAL TABLET 200 MG	5	ST; NM; NDS; QL (20 per 5 days)
<i>ery-tab oral tablet, delayed release (dr/ec) 500 mg</i>	3	
ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG	4	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i>	4	
<i>erythromycin oral capsule, delayed release (dr/ec) 250 mg</i>	3	
<i>erythromycin oral tablet 500 mg</i>	3	
<i>erythromycin oral tablet, delayed release (dr/ec) 333 mg, 500 mg</i>	3	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram</i>	(Azactam)	2
<i>aztreonam injection recon soln 2 gram</i>	(Azactam)	4
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; NDS
<i>ertapenem injection recon soln 1 gram</i>	(Invanz)	4
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i>	(Primaxin IV)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>meropenem intravenous recon soln 500 mg</i>	2	
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	2	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200- 28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250- 62.5 mg/5 ml</i>	(Augmentin)	2
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600- 42.9 mg/5 ml</i>	(Augmentin ES-600)	2
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>		2
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	(Augmentin)	2
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000- 62.5 mg</i>	(Augmentin XR)	2
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>		2
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram</i>	2	
<i>ampicillin sodium injection recon soln 125 mg</i>	3	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	(Unasyn)	2
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BICILLIN C-R INTRAMUSCULAR SYRINGE 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K)	3	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	3	
<i>dicloxacillin oral capsule 250 mg,</i> <i>500 mg</i>	2	
<i>nafcillin 1 gm/ 50 ml inj 1 gram/50</i> <i>ml</i>	2	
<i>nafcillin injection recon soln 1 gram</i>	2	
<i>nafcillin injection recon soln 10</i> <i>gram, 2 gram</i>	2	
<i>oxacillin in dextrose(iso-osm)</i> <i>intravenous piggyback 1 gram/50 ml,</i> <i>2 gram/50 ml</i>	3	
<i>oxacillin injection recon soln 10</i> <i>gram</i>	2	
<i>penicillin g pot in dextrose</i> <i>intravenous piggyback 2 million</i> <i>unit/50 ml, 3 million unit/50 ml</i>	2	
<i>penicillin g potassium injection recon (Pfizerpen-G)</i> <i>soln 20 million unit</i>	2	
<i>penicillin g procaine intramuscular</i> <i>syringe 1.2 million unit/2 ml</i>	3	
<i>penicillin g sodium injection recon</i> <i>soln 5 million unit</i>	3	
<i>penicillin gk 5 million unit p/f, latex-</i> (Pfizerpen-G) <i>free 5 million unit</i>	2	
<i>penicillin v potassium oral recon soln</i> <i>125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250</i> <i>mg, 500 mg</i>	1	
<i>piperacillin-tazobactam intravenous</i> <i>recon soln 3.375 gram, 4.5 gram,</i> <i>40.5 gram</i>	2	
ZOSYN IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 2.25 GRAM/50 ML, 3.375 GRAM/50 ML	4	
Quinolones		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
AVELOX IN NACL (ISO-OSMOTIC) INTRAVENOUS PIGGYBACK 400 MG/250 ML	4		
ciprofloxacin hcl 750 mg tab f/c 750 mg	1		
ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg	1		
ciprofloxacin hcl oral tablet 750 mg	1		
ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml	2		
ciprofloxacin oral suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml	2		
levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml	2		
levofloxacin intravenous solution 25 mg/ml	2		
levofloxacin oral solution 250 mg/10 ml	2		
levofloxacin oral tablet 250 mg, 500 mg, 750 mg	1		
moxifloxacin oral tablet 400 mg	2		
moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml	(Avelox in NaCl (iso-osmotic))	4	
ofloxacin oral tablet 400 mg	2		
Sulfonamides			
sulfadiazine oral tablet 500 mg	2		
sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml	3		
sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml	(Sulfatrim)	2	
sulfamethoxazole-trimethoprim oral tablet 400-80 mg	(Bactrim)	1	
sulfamethoxazole-trimethoprim oral tablet 800-160 mg	(Bactrim DS)	1	
Tetracyclines			
demeclocycline oral tablet 150 mg, 300 mg	2		
doxy-100 intravenous recon soln 100 mg	2		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline hyclate oral capsule 100 (Morgodox) mg, 50 mg</i>	2	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	
<i>doxycycline hyclate oral tablet 150 (Acticlate) mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet 50 mg (Targadox)</i>	2	
<i>doxycycline monohydrate oral capsule 100 mg (Mondoxyne NL)</i>	2	
<i>doxycycline monohydrate oral capsule 50 mg (Monodox)</i>	2	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml (Vibramycin)</i>	2	
<i>doxycycline monohydrate oral tablet 100 mg (Avidoxy)</i>	2	
<i>doxycycline monohydrate oral tablet 50 mg, 75 mg</i>	2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	1	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	4	
<i>tigecycline intravenous recon soln 50 mg (Tygacil)</i>	5	NM; NDS
VIBRAMYCIN ORAL SYRUP 50 MG/5 ML	4	
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg, 500 (Zytiga) mg</i>	5	PA NSO; NM; NDS
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	NM; NDS
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	2	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; NM; NDS
AFINITOR ORAL TABLET 10 MG, 2.5 MG, 5 MG, 7.5 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS
ALIMTA INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NM; NDS
ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG	5	PA NSO; NM; NDS
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
ARRANON INTRAVENOUS SOLUTION 250 MG/50 ML	4	
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	3	
<i>arsenic trioxide intravenous solution 2 mg/ml</i> (Trisenox)	3	
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG, 5 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
<i>bleomycin injection recon soln 30 unit</i>	2	PA BvD
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	NM; NDS
BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BRAFTOVI ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>busulfan intravenous solution 60 mg/10 ml</i> (Busulfex)	1	
CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG	5	PA NSO; NM; NDS
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG, 300 MG	5	PA NSO; NM; NDS
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	2	
<i>carmustine intravenous recon soln 100 mg</i> (BiCNU)	5	NM; NDS
<i>cisplatin intravenous solution 1 mg/ml</i>	2	
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD
<i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar)	4	
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	3	PA BvD
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	2	PA BvD
<i>cytarabine injection solution 20 mg/ml</i>	2	PA BvD
<i>dacarbazine intravenous recon soln 100 mg, 200 mg</i>	2	
<i>dactinomycin intravenous recon soln 0.5 mg</i> (Cosmegen)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
<i>daunorubicin intravenous recon soln</i> 20 mg	2	
<i>daunorubicin intravenous solution 5</i> mg/ml	2	
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50</i> (Dacogen) mg	5	NM; NDS
<i>docetaxel intravenous solution 160</i> mg/8 ml (20 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)	5	NM; NDS
<i>docetaxel intravenous solution 20</i> mg/2 ml (10 mg/ml), 80 mg/8 ml (10 mg/ml)	3	
DOXIL INTRAVENOUS SUSPENSION 2 MG/ML	5	NM; NDS
<i>doxorubicin intravenous recon soln</i> (Adriamycin) 50 mg	2	PA BvD
<i>doxorubicin intravenous solution 10</i> (Adriamycin) mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml	2	PA BvD
<i>doxorubicin, peg-liposomal</i> (Doxil) <i>intravenous suspension 2 mg/ml</i>	5	NM; NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	3	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMCYT ORAL CAPSULE 140 MG	3	
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
<i>epirubicin intravenous recon soln 200 mg, 50 mg</i>	2	
<i>epirubicin intravenous solution 200 (Ellence) mg/100 ml</i>	2	
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 150 mg, (Tarceva) 25 mg</i>	5	PA NSO; NM; NDS
ERWINAZE INJECTION RECON SOLN 10,000 UNIT	5	PA NSO; NM; NDS
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 (Toposar) mg/ml</i>	2	
<i>exemestane oral tablet 25 mg (Aromasin)</i>	2	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS; QL (6 per 21 days)
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	5	NM; NDS
FIRMAGON 120 MG VIAL INNER,SUV 120 MG	3	PA NSO
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG, 80 MG	3	PA NSO
<i>fludarabine intravenous recon soln 50 mg</i>	2	
<i>fludarabine intravenous solution 50 mg/2 ml</i>	2	
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i>	2	
FOLOTYN INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	2	
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	2	
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
HALAVEN INTRAVENOUS SOLUTION 1 MG/2 ML (0.5 MG/ML)	5	NM; NDS
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	NM; NDS
<i>hydroxyurea oral capsule 500 mg (Hydrea)</i>	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS
<i>idarubicin intravenous solution 1 mg/ml (Idamycin PFS)</i>	2	
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram, 3 gram</i>	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg, 400 mg (Gleevec)</i>	5	PA NSO; NM; NDS
IMBRUVICA ORAL CAPSULE 140 MG, 70 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL TABLET 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL TABLET 280 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IMBRUVICA ORAL TABLET 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
INLYTA ORAL TABLET 1 MG, 5 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS
<i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml</i>	2	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	2	
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JEVTANA INTRAVENOUS SOLUTION 10 MG/ML (FIRST DILUTION)	5	NM; NDS
KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG, 25 MG	5	PA NSO; NM; NDS
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	3	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	
LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG	5	PA NSO; NM; NDS
LORBRENA ORAL TABLET 100 MG, 25 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	3	
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA NSO
MEKINIST ORAL TABLET 0.5 MG, 2 MG	5	PA NSO; NM; NDS
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln</i> (Alkeran (as HCl)) 50 mg	5	NM; NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	
<i>mitomycin intravenous recon soln 20 mg, 40 mg, 5 mg</i>	2	
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
<i>mutamycin intravenous recon soln 20 mg, 40 mg, 5 mg</i>	2	
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NM; NDS
<i>nilutamide oral tablet 150 mg (Nilandron)</i>	2	
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS
NIPENT INTRAVENOUS RECON SOLN 10 MG	5	NM; NDS
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	2	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (14 per 21 days)
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	5	PA NSO; NM; NDS
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	5	PA NSO; NM; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	5	PA NSO; NM; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (30 per 30 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	4	
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	NM; NDS
<i>romidepsin intravenous recon soln 10 (Istodax) mg/2 ml</i>	5	PA NSO; NM; NDS
<i>romidepsin intravenous solution 5 mg/ml</i>	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	4	PA NSO
SPRYCEL ORAL TABLET 100 MG, 140 MG, 20 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NM; NDS
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG	5	PA NSO; NM; NDS
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	NM; NDS
TABLOID ORAL TABLET 40 MG	3	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; NDS
TALZENNA ORAL CAPSULE 0.25 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	
TARCEVA ORAL TABLET 100 MG, 150 MG, 25 MG	5	PA NSO; NM; NDS
TARGETIN TOPICAL GEL 1 %	5	PA NSO; NM; NDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
<i>temsirolimus intravenous recon soln (Torisel) 30 mg/3 ml (10 mg/ml) (first)</i>	5	NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>thiotepa injection recon soln 100 mg, (Tepadina) 15 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS
<i>toposar intravenous solution 20 mg/ml</i>	2	
<i>topotecan intravenous recon soln 4 mg</i> (Hycamtin)	2	
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	3	
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	5	NM; NDS
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	2	
TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG	3	
TRISENOX INTRAVENOUS SOLUTION 2 MG/ML	3	
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG, 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TYKERB ORAL TABLET 250 MG	5	PA NSO; NM; NDS
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	5	NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	NM; NDS
VENCLEXTA ORAL TABLET 10 MG, 50 MG	3	PA NSO
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; NDS
VENCLEXTA STARTING PACK ORAL TABLETS, DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>vinblastine intravenous solution 1 mg/ml</i>	4	PA BvD
<i>vincasar pfs intravenous solution 2 mg/2 ml</i>	2	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	
VITRAKVI ORAL CAPSULE 100 MG, 25 MG	5	PA NSO; NM; NDS
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS
XATMEP ORAL SOLUTION 2.5 MG/ML	4	
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NM; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NM; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML)	5	PA NSO; NM; NDS
ZANOSAR INTRAVENOUS RECON SOLN 1 GRAM	4	
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NM; NDS
ZOLINZA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS
ZYTIGA ORAL TABLET 500 MG	5	PA NSO; NM; NDS
Anticholinergic Agents		
Antimuscarinics/Antispasmodics		
<i>atropine injection syringe 0.05 mg/ml</i>	2	
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG	4	PA NSO
BANZEL ORAL SUSPENSION 40 MG/ML	5	NM; NDS
BANZEL ORAL TABLET 200 MG	3	
BANZEL ORAL TABLET 400 MG	5	NM; NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	PA NSO
BRIVIACT ORAL SOLUTION 10 MG/ML	4	PA NSO
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	4	PA NSO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	(Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i>	(Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i>	(Epitol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	(Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg</i>		2	
CELONTIN ORAL CAPSULE 300 MG		3	
<i>clobazam oral suspension 2.5 mg/ml</i>	(Onfi)	1	
<i>clobazam oral tablet 10 mg, 20 mg</i>	(Onfi)	1	
DIACOMIT ORAL CAPSULE 250 MG		5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG		5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i>	(Diastat AcuDial)	4	
<i>diazepam rectal kit 2.5 mg</i>	(Diastat)	4	
DILANTIN ORAL CAPSULE 30 MG		3	
<i>divalproex oral capsule, delayed release 125 mg</i>	(Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	(Depakote ER)	2	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	(Depakote)	1	
EPIDIOLEX ORAL SOLUTION 100 MG/ML		5	PA NSO; NM; NDS
<i>ethosuximide oral capsule 250 mg</i>	(Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i>	(Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i>	(Felbatol)	2	
<i>felbamate oral tablet 400 mg, 600 mg</i>	(Felbatol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS; QL (360 per 30 days)
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i>	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	PA NSO; NM; NDS
FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	PA NSO; NM; NDS
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i>	1	
<i>gabapentin oral solution 250 mg/5 ml</i>	2	
<i>gabapentin oral tablet 600 mg, 800 mg</i>	2	
LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL,DOSE PACK 25 MG (21) -50 MG (7)	4	
LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL,DOSE PACK 50 MG(14)-100MG (14)-200 MG (7)	4	
LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL,DOSE PACK 25MG (14)-50 MG (14)-100MG (7)	4	
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i>	3	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	2	
<i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>lamotrigine oral tablets,dose pack 25 mg (35)</i>	4	
<i>lamotrigine oral tablets,dose pack 25 mg (42) -100 mg (7)</i>	4	
<i>lamotrigine oral tablets,dose pack 25 mg (84) -100 mg (14)</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>	4	
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	2	
<i>levetiracetam oral solution 100 mg/ml</i>	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	2	
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG	3	
LYRICA ORAL SOLUTION 20 MG/ML	3	
NAYZILAM NASAL SPRAY, NON- AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	2	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	4	
PEGANONE ORAL TABLET 250 MG	3	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	
<i>phenytoin oral suspension 125 mg/5 ml</i>	2	
<i>phenytoin oral tablet, chewable 50 mg</i>	2	
<i>phenytoin sodium extended oral capsule 100 mg</i>	1	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i>	1	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> (Lyrica)	1	
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	3	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 250 MG, 500 MG, 750 MG	4	PA NSO
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	3	PA NSO
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral capsule,sprinkle,er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i> (Qudexy XR)	4	PA NSO
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
<i>vigabatrin oral powder in packet 500 mg</i> (Sabril)	5	PA NSO; NM; NDS
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NM; NDS
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	5	NM; NDS
VIMPAT ORAL SOLUTION 10 MG/ML	5	NM; NDS
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG	5	NM; NDS; QL (60 per 30 days)
VIMPAT ORAL TABLET 50 MG	4	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 350 MG/DAY (200 MG X1-150MG X1)	5	PA NSO; NM; NDS; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14)	4	PA NSO
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	5	PA NSO; NM; NDS
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (60 per 30 days)
<i>donepezil oral tablet 23 mg</i> (Aricept)	2	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	2	ST; QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	
<i>galantamine oral solution 4 mg/ml</i>	2	
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	3	
<i>memantine oral solution 2 mg/ml</i>	2	
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	2	ST
Antidepressants		
Antidepressants		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	1	
amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg	2	
amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg	3	
APLENZIN ORAL TABLET EXTENDED RELEASE 24 HR 174 MG, 348 MG, 522 MG	4	ST
bupropion hcl oral tablet 100 mg, 75 mg	2	
bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg	2	
bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg	2	
citalopram oral solution 10 mg/5 ml	1	
citalopram oral tablet 10 mg, 20 mg, 40 mg	1	
clomipramine oral capsule 25 mg, 50 mg, 75 mg	2	
desipramine oral tablet 10 mg, 25 mg	2	(Norpramin)
desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg	2	
DESVENLAFAKINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 50 MG	4	ST
doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	2	
doxepin oral concentrate 10 mg/ml	2	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg	2	(Cymbalta) QL (60 per 30 days)
duloxetine oral capsule, delayed release(dr/ec) 40 mg	4	ST; QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	4	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg (Lexapro)</i>	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST; QL (30 per 30 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg (Prozac)</i>	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluoxetine oral tablet 10 mg, 20 mg</i>	1	
<i>fluvoxamine oral capsule,extended release 24hr 100 mg, 150 mg</i>	2	ST
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	3	ST
<i>mirtazapine oral tablet 15 mg, 30 mg (Remeron)</i>	1	
<i>mirtazapine oral tablet 45 mg</i>	1	
<i>mirtazapine oral tablet 7.5 mg</i>	2	
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg (Remeron SolTab)</i>	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg</i>	4	
<i>nefazodone oral tablet 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)</i>	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	3	
<i>olanzapine-fluoxetine oral capsule 12-25 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>olanzapine-fluoxetine oral capsule 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg</i>	(Symbax)	2
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>	(Paxil)	1
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i>	(Paxil CR)	2
PAXIL ORAL SUSPENSION 10 MG/5 ML		4
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>		2
PEXEVA ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG		4
<i>phenelzine oral tablet 15 mg</i>	(Nardil)	2
<i>protriptyline oral tablet 10 mg, 5 mg</i>		2
<i>sertraline oral concentrate 20 mg/ml</i>	(Zoloft)	1
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i>	(Zoloft)	1
<i>tranylcypromine oral tablet 10 mg</i>	(Parnate)	2
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>		1
<i>trazodone oral tablet 300 mg</i>		2
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>		2
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG		4
<i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg, 75 mg</i>	(Effexor XR)	2
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>		2
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i>		2
VIIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG		4
VIIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)		4
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>	(Precose)	1

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AVANDIA ORAL TABLET 2 MG, 4 MG	3	
CYCLOSET ORAL TABLET 0.8 MG	4	
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50- 1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG, 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
KOMBIGLYZE XR ORAL TABLET, ER MULTIPHASE 24 HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	4	ST; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	4	
<i>metformin oral tablet 1,000 mg, 500 mg, 850 mg</i>	1	
<i>metformin oral tablet extended release 24 hr 500 mg, 750 mg</i>	1	
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>nateglinide oral tablet 120 mg</i> (Starlix)	1	
<i>nateglinide oral tablet 60 mg</i>	1	
ONGLYZA ORAL TABLET 2.5 MG, 5 MG	4	ST; QL (30 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	
<i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i> (DUETACT)	2	
<i>repaglinide oral tablet 0.5 mg</i>	1	
<i>repaglinide oral tablet 1 mg, 2 mg</i> (Prandin)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
repaglinide-metformin oral tablet 1-500 mg, 2-500 mg	4	
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	4	
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	4	
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG, 5-1,000 MG, 5-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
Insulins		
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	SI
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	SI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	SI
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	SI
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	3	SI
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	SI
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	3	SI
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	SI
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	SI
Sulfonylureas		
glimepiride oral tablet 1 mg, 2 mg, 4 mg (Amaryl)	1	
glipizide oral tablet 10 mg (Glucotrol)	1	
glipizide oral tablet 5 mg	1	
glipizide oral tablet extended release 24hr 10 mg, 2.5 mg, 5 mg (Glucotrol XL)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>glipizide-metformin oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg</i>	1	
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	1	
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	
Antifungals		
Antifungals		
<i>ABELCET INTRAVENOUS SUSPENSION 5 MG/ML</i>	4	PA BvD
<i>AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG</i>	4	PA BvD
<i>amphotericin b injection recon soln 50 mg</i>	3	PA BvD
<i>caspofungin intravenous recon soln 50 mg, 70 mg</i>	5	NM; NDS
<i>ciclopirox topical cream 0.77 %</i>	(Ciclodan)	2
<i>ciclopirox topical gel 0.77 %</i>		2
<i>ciclopirox topical shampoo 1 %</i>	(Loprox)	2
<i>ciclopirox topical solution 8 %</i>	(Ciclodan)	2
<i>ciclopirox topical suspension 0.77 %</i>	(Loprox (as olamine))	2
<i>clotrimazole mucous membrane troche 10 mg</i>		2
<i>clotrimazole topical cream 1 %</i>	(Antifungal (clotrimazole))	2
<i>clotrimazole topical solution 1 %</i>		2
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>		2
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>		2
<i>econazole topical cream 1 %</i>		2
<i>ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN 100 MG, 50 MG</i>		3
<i>ERTACZO TOPICAL CREAM 2 %</i>		4
<i>EXELDERM TOPICAL CREAM 1 %</i>		4

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	(Diflucan)	2
<i>fluconazole oral tablet 100 mg, 200 mg, 50 mg</i>	(Diflucan)	2
<i>fluconazole oral tablet 150 mg</i>	(Diflucan)	1
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	5
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		2
<i>griseofulvin microsize oral tablet 500 mg</i>		2
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>		2
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	2
<i>itraconazole oral solution 10 mg/ml</i>	(Sporanox)	4
<i>ketoconazole oral tablet 200 mg</i>		2
<i>ketoconazole topical cream 2 %</i>		2
<i>ketoconazole topical foam 2 %</i>	(Extina)	2
<i>ketoconazole topical shampoo 2 %</i>		2
MENTAX TOPICAL CREAM 1 %		4
<i>micafungin intravenous recon soln 100 mg, 50 mg</i>	(Mycamine)	4
<i>miconazole-3 vaginal suppository 200 mg</i>		4
MYCAMINE INTRAVENOUS RECON SOLN 100 MG, 50 MG		4
<i>naftifine topical cream 1 %, 2 %</i>		2
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)		5
NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG		5
<i>nyamyc topical powder 100,000 unit/gram</i>		2
<i>nystatin oral suspension 100,000 unit/ml</i>		2
<i>nystatin oral tablet 500,000 unit</i>		2
<i>nystatin topical cream 100,000 unit/gram</i>		2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nystatin topical ointment 100,000 unit/gram</i>	2	
<i>nystatin topical powder 100,000 unit/gram (Nyamyc)</i>	2	
<i>nystop topical powder 100,000 unit/gram</i>	2	
<i>oxiconazole topical cream 1 % (Oxistat)</i>	2	
<i>posaconazole oral tablet,delayed release (dr/ec) 100 mg</i>	5	PA; NM; NDS
SPORANOX ORAL SOLUTION 10 MG/ML	4	PA
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg (Vfend IV)</i>	2	PA
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg (Vfend)</i>	5	PA; NM; NDS
<i>voriconazole oral tablet 50 mg (Vfend)</i>	3	PA
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg, 300 mg (Zyloprim)</i>	1	
<i>colchicine oral capsule 0.6 mg (Mitigare)</i>	3	
<i>colchicine oral tablet 0.6 mg (Colcrys)</i>	3	
<i>febuxostat oral tablet 40 mg, 80 mg (Uloric)</i>	2	ST
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	3	
Antihistamines		
Antihistamines		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	
<i>carbinoxamine maleate oral tablet 4 mg</i>	2	
<i>cetirizine oral solution 1 mg/ml (All Day Allergy (cetirizine))</i>	2	
<i>clemastine oral tablet 2.68 mg</i>	2	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	
<i>cyproheptadine oral tablet 4 mg</i>	2	
<i>desloratadine oral tablet 5 mg (Clarinex)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
diphenhydramine hcl injection solution 50 mg/ml	2	
diphenhydramine hcl injection syringe 50 mg/ml	2	
hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml	2	
hydroxyzine hcl oral solution 10 mg/5 ml	2	
hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg	2	
levocetirizine oral solution 2.5 mg/5 ml (Xyzal)	2	
promethazine oral syrup 6.25 mg/5 ml	2	
promethazine-phenylephrine oral syrup 6.25-5 mg/5 ml (Promethazine VC)	2	
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
CLEOCIN VAGINAL SUPPOSITORY 100 MG	4	
clindamycin phosphate vaginal cream 2 % (Cleocin)	2	
metronidazole vaginal gel 0.75 % (Metrogel Vaginal)	2	
terconazole vaginal cream 0.4 %, 0.8 %	2	
terconazole vaginal suppository 80 mg	2	
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	4	PA; QL (1 per 30 days)
dihydroergotamine injection solution 1 mg/ml (D.H.E.45)	2	
dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml) (Migranal)	3	QL (16 per 30 days)
frovatriptan oral tablet 2.5 mg (Frova)	2	QL (18 per 30 days)
naratriptan oral tablet 1 mg, 2.5 mg (Amerge)	2	QL (18 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REYVOW ORAL TABLET 100 MG, 50 MG	4	PA; QL (9 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (36 per 60 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (36 per 60 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (36 per 60 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	2	QL (36 per 60 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i> (Imitrex)	3	QL (12 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> (Imitrex)	1	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml Refill</i> (Imitrex STATdose)	2	QL (5 per 30 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (5 per 30 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	QL (5 per 30 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	QL (5 per 30 days)
<i>zolmitriptan nasal spray,non-aerosol 2.5 mg, 5 mg</i> (Zomig)	4	QL (8 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	QL (18 per 30 days)
<i>zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg</i> (Zomig ZMT)	2	QL (18 per 30 days)
ZOMIG NASAL SPRAY,NON-AEROSOL 2.5 MG	4	QL (16 per 30 days)
ZOMIG NASAL SPRAY,NON-AEROSOL 5 MG	4	QL (12 per 30 days)
Antimycobacterials		
Antimycobacterials		
CAPASTAT INJECTION RECON SOLN 1 GRAM	4	
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg</i>	2	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	
<i>isoniazid injection solution 100 mg/ml</i>	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	
RIFAMATE ORAL CAPSULE 300-150 MG	4	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
RIFATER ORAL TABLET 50-120-300 MG	4	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECATOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	3	PA BvD; QL (1 per 7 days)
<i>aprepitant oral capsule 125 mg, 40 mg</i>	2	PA BvD; QL (3 per 2 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD; QL (6 per 28 days)
CESAMET ORAL CAPSULE 1 MG	4	PA
<i>compro rectal suppository 25 mg</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA
<i>gransetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	2	
<i>gransetron hcl intravenous solution 1 mg/ml</i>	2	
<i>gransetron hcl oral tablet 1 mg</i>	2	PA BvD; QL (30 per 30 days)
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	1	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	2	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD
<i>ondansetron hcl oral tablet 24 mg</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg (Zofran)</i>	1	PA BvD
<i>ondansetron hcl oral tablet 8 mg</i>	1	PA BvD
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>phenadox rectal suppository 12.5 mg</i>	2	
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	
<i>prochlorperazine maleate oral tablet (Compazine) 10 mg, 5 mg</i>	1	
<i>prochlorperazine rectal suppository (Compro) 25 mg</i>	2	
<i>promethazine injection solution 25 (Phenergan) mg/ml, 50 mg/ml</i>	2	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	2	
<i>promethazine rectal suppository 12.5 (Promethegan) mg, 25 mg, 50 mg</i>	2	
<i>promethegan rectal suppository 25 mg, 50 mg</i>	2	
SANCUSO TRANSDERMAL PATCH WEEKLY 3.1 MG/24 HOUR	4	QL (4 per 28 days)
<i>scopolamine base transdermal patch (Transderm-Scop) 3 day 1 mg over 3 days</i>	2	
TIGAN INTRAMUSCULAR SOLUTION 100 MG/ML	4	
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS	4	
<i>trimethobenzamide oral capsule 300 (Tigan) mg</i>	2	PA
VARUBI ORAL TABLET 90 MG	3	PA BvD
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg (Albenza)</i>	5	NM; NDS
<i>ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALINIA ORAL TABLET 500 MG	3	
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	5	NM; NDS
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
COARTEM ORAL TABLET 20-120 MG	3	
DARAPRIM ORAL TABLET 25 MG	5	NM; NDS
EMVERM ORAL TABLET,CHEWABLE 100 MG	5	NM; NDS
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
<i>mefloquine oral tablet 250 mg</i>	2	
NEBUPENT INHALATION RECON SOLN 300 MG	3	PA BvD
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	3	
<i>paromomycin oral capsule 250 mg</i>	2	
PENTAM INJECTION RECON SOLN 300 MG	4	PA BvD
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	3	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	3	PA BvD
PRIMAQUINE ORAL TABLET 26.3 MG	3	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	NM; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
<i>amantadine hcl oral tablet 100 mg</i>	4	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>benztropine injection solution 1 mg/ml</i> (Cogentin)	2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	2	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	3	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	3	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	3	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	3	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	3	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	3	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG	5	PA; NM; NDS; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	
<i>pramipexole oral tablet extended release 24 hr 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg</i> (Mirapex ER)	2	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 3 mg, 5 mg</i> (Requip)	1	
<i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i>	1	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 6 mg</i> (Requip XL)	2	
<i>ropinirole oral tablet extended release 24 hr 4 mg, 8 mg</i>	2	
RYTARY ORAL CAPSULE, EXTENDED RELEASE 23.75-95 MG, 36.25-145 MG, 48.75-195 MG, 61.25-245 MG	4	ST
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>tolcapone oral tablet 100 mg</i> (Tasmar)	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	2	
ZELAPAR ORAL TABLET,DISINTEGRATING 1.25 MG	4	ST
Antipsychotic Agents		
Antipsychotic Agents		
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	4	PA NSO
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	4	PA NSO
ABILITY MYCITE ORAL TABLET WITH SENSOR AND PATCH 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ariPIPRAZOLE oral solution 1 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	
<i>aripiprazole oral tablet,disintegrating 10 mg, 15 mg</i>	4	PA NSO; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	PA NSO; NM; NDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML, 441 MG/1.6 ML, 662 MG/2.4 ML, 882 MG/3.2 ML	5	PA NSO; NM; NDS
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)	4	PA NSO; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	4	PA NSO; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)	2	
<i>clozapine oral tablet,disintegrating 100 mg, 25 mg</i>	2	
<i>clozapine oral tablet,disintegrating 12.5 mg, 150 mg, 200 mg</i>	4	
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	4	PA NSO; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	4	PA NSO; QL (60 per 30 days)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	3	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	4	
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 50 mg/ml(1ml)</i>	2	
<i>haloperidol lactate injection solution (Haldol) 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML, 156 MG/ML, 234 MG/1.5 ML, 39 MG/0.25 ML, 78 MG/0.5 ML	4	PA NSO
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML, 410 MG/1.315 ML, 546 MG/1.75 ML, 819 MG/2.625 ML	4	PA NSO
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG, 80 MG	4	PA NSO; QL (30 per 30 days)
<i>loxpipine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>molindone oral tablet 10 mg, 25 mg, 5 mg</i>	4	
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	2	
<i>olanzapine oral tablet 10 mg, 15 mg, (Zyprexa) 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	2	
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 6 mg, 9 mg</i> (Invega)	2	PA NSO
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTEND REL SYR KIT 120 MG, 90 MG	5	PA NSO; NM; NDS
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	1	
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	2	
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	4	PA NSO; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML	4	PA NSO
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	
<i>risperidone oral tablet 0.25 mg</i>	1	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	1	
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	2	
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA NSO; QL (60 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	4	
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	PA NSO; QL (30 per 30 days)
ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg (Geodon)	2	
ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.) (Geodon)	4	
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 300 MG, 405 MG	4	
Antivirals (Systemic)		
Antiretrovirals		
abacavir oral solution 20 mg/ml (Ziagen)	2	
abacavir oral tablet 300 mg (Ziagen)	2	
abacavir-lamivudine oral tablet 600-300 mg (Epzicom)	2	
abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg (Trizivir)	2	
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
atazanavir oral capsule 150 mg (Reyataz)	4	
atazanavir oral capsule 200 mg, 300 mg (Reyataz)	3	
ATRIPLA ORAL TABLET 600-200-300 MG	5	NM; NDS; QL (30 per 30 days)
BIKTARVY ORAL TABLET 50-200-25 MG	5	NM; NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 200 MG/ML- 300 MG/ML	5	NM; NDS
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS; QL (30 per 30 days)
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	3	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS; QL (30 per 30 days)
DESCOVY ORAL TABLET 200-25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS; QL (30 per 30 days)
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg, 50 mg (Sustiva)</i>	3	
<i>efavirenz oral tablet 600 mg (Sustiva)</i>	3	
<i>efavirenz-emtricitabine-tenofovir oral tablet 600-200-300 mg (Atripla)</i>	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disop oral tablet 400-300-300 mg (Symfi Lo)</i>	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disop oral tablet 600-300-300 mg (Symfi)</i>	5	NM; NDS
<i>emtricitabine oral capsule 200 mg (Emtriva)</i>	3	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg (Truvada)</i>	5	NM; NDS
EMTRIVA ORAL CAPSULE 200 MG	3	
EMTRIVA ORAL SOLUTION 10 MG/ML	3	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	3	
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg (Lexiva)</i>	2	
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS; QL (30 per 30 days)
INTELENCE ORAL TABLET 100 MG, 200 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	3	
ISENTRESS ORAL POWDER IN PACKET 100 MG	3	
ISENTRESS ORAL TABLET 400 MG	3	
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
KALETRA ORAL TABLET 100-25 MG	3	
KALETRA ORAL TABLET 200-50 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	
<i>lamivudine oral tablet 150 mg</i> (Epivir)	2	
<i>lamivudine oral tablet 300 mg</i> (Epivir)	1	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	4	
LEXIVA ORAL SUSPENSION 50 MG/ML	3	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	2	
<i>nevirapine oral tablet 200 mg</i>	1	
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	2	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	3	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS; QL (30 per 30 days)
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	3	
PREZISTA ORAL TABLET 150 MG, 75 MG	3	
PREZISTA ORAL TABLET 600 MG, 800 MG	5	NM; NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	3	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	4	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS; QL (60 per 30 days)
SELZENTRY ORAL SOLUTION 20 MG/ML	3	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	3	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS; QL (30 per 30 days)
SYMFY LO ORAL TABLET 400-300-300 MG	5	NM; NDS; QL (30 per 30 days)
SYMFY ORAL TABLET 600-300-300 MG	5	NM; NDS; QL (30 per 30 days)
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS; QL (30 per 30 days)
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	
TIVICAY ORAL TABLET 10 MG, 25 MG	4	
TIVICAY ORAL TABLET 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	5	NM; NDS
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	3	
VIDEX EC ORAL CAPSULE,DELAYED RELEASE(DR/EC) 125 MG	4	
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	3	
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
Antivirals, Miscellaneous		
<i>oseltamivir oral capsule 30 mg, 45 mg, 75 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	3	
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	3	
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
SYNAGIS INTRAMUSCULAR SOLUTION 50 MG/0.5 ML	5	PA; NM; NDS
Hcv Antivirals		
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG	5	PA; NM; NDS; QL (30 per 30 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG, 90-400 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NM; NDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOVALDI ORAL PELLETS IN PACKET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SOVALDI ORAL TABLET 200 MG, 400 MG	5	PA; NM; NDS; QL (30 per 30 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML)	3	
INTRON A INJECTION RECON SOLN 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	NM; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML	5	NM; NDS
INTRON A INJECTION SOLUTION 6 MILLION UNIT/ML	3	
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NM; NDS
Nucleosides And Nucleotides		
acyclovir oral capsule 200 mg	1	
acyclovir oral suspension 200 mg/5 ml (Zovirax)	2	
acyclovir oral tablet 400 mg, 800 mg	1	
acyclovir sodium intravenous solution 50 mg/ml	2	PA BvD
adefovir oral tablet 10 mg (Hepsera)	5	PA; NM; NDS
BARACLUDE ORAL SOLUTION 0.05 MG/ML	5	PA; NM; NDS
cidofovir intravenous solution 75 mg/ml	2	
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	1	
famciclovir oral tablet 125 mg, 250 mg, 500 mg	2	
ganciclovir sodium intravenous recon soln 500 mg	2	PA BvD
ribavirin inhalation recon soln 6 gram (Virazole)	5	NM; NDS
ribavirin oral capsule 200 mg	2	
ribavirin oral tablet 200 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	5	NM; NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	5	NM; NDS
Blood		
Products/Modifiers/Volume		
Expanders		
Anticoagulants		
<i>ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)</i>	3	
<i>ELIQUIS ORAL TABLET 2.5 MG, 5 MG</i>	3	
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	QL (51 per 17 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	2	QL (34 per 17 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	2	QL (28 per 17 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	2	QL (11 per 17 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	2	QL (14 per 17 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	2	QL (21 per 17 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> (Arixtra)	5	NM; NDS
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	2	
<i>FRAGMIN SUBCUTANEOUS SOLUTION 25,000 ANTI-XA UNIT/ML</i>	5	NM; NDS
<i>FRAGMIN SUBCUTANEOUS SYRINGE 10,000 ANTI-XA UNIT/ML, 12,500 ANTI-XA UNIT/0.5 ML, 15,000 ANTI-XA UNIT/0.6 ML, 18,000 ANTI-XA UNIT/0.72 ML, 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML, 7,500 ANTI-XA UNIT/0.3 ML</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i>	2	PA BvD
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	PA BvD
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	PA BvD
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	PA BvD
<i>heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml</i>	2	PA BvD
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	PA BvD
<i>heparin, porcine (pf) subcutaneous syringe 5,000 unit/0.5 ml</i>	2	PA BvD
<i>jantoven oral tablet 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
<i>warfarin oral tablet 1 mg, 10 mg, 2 (Jantoven) mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
<i>XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)</i>	3	
<i>XARELTO ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG</i>	3	
Blood Formation Modifiers		
<i>BERINERT INTRAVENOUS KIT 500 UNIT (10 ML)</i>	5	PA; NM; NDS
<i>CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)</i>	5	PA; NM; NDS
<i>MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)</i>	5	NM; NDS
<i>NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROCIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA BvD
PROCIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML	5	PA BvD; NM; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG, 25 MG	5	PA; NM; NDS
PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG	5	PA; NM; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML	3	PA BvD
RUCONEST INTRAVENOUS RECON SOLN 2,100 UNIT	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS
Hematologic Agents, Miscellaneous		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	2	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	3	
BRILINTA ORAL TABLET 60 MG, 90 MG	4	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	3	
ZONTIVITY ORAL TABLET 2.08 MG	4	PA
Caloric Agents		
Caloric Agents		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA
AMINOSYN 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA
AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA
CLINIMIX 5%/D25W SULFITE-FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA
CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA
CLINISOL SF 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
dextrose 5%-water iv soln single use 5 %	2	
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	4	PA
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	2	PA
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA
NUTRILIPID INTRAVENOUS EMULSION 20 %	2	PA BvD
PLENAMINE INTRAVENOUS PARENTERAL SOLUTION 15 %	2	PA
PREMASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA
Cardiovascular Agents		
Alpha-Adrenergic Agents		
CARDURA XL ORAL TABLET EXTENDED RELEASE 24HR 4 MG, 8 MG	4	
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg	1	
clonidine transdermal patch weekly (Catapres-TTS-1) 0.1 mg/24 hr	2	
clonidine transdermal patch weekly (Catapres-TTS-2) 0.2 mg/24 hr	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i>	2	
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>	1	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i>	5	PA; NM; NDS
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	
<i>methyldopa oral tablet 250 mg</i>	1	
<i>methyldopa oral tablet 500 mg</i>	2	
<i>methyldopa-hydrochlorothiazide oral tablet 250-15 mg, 250-25 mg</i>	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	5	PA; NM; NDS
<i>phenoxybenzamine oral capsule 10 mg</i>	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	2	
Angiotensin II Receptor Antagonists		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	
<i>candesartan-hydrochlorothiazide oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>	2	
EDARBI ORAL TABLET 40 MG, 80 MG	4	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	4	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	3	PA
<i>eprosartan oral tablet 600 mg</i>	2	
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	1	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	1	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i>	1	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50- 12.5 mg</i>	1	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i>	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	1	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	2	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	1	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	1	
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>benazepril oral tablet 5 mg</i>	1	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	1	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	2	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	1	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i>	1	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	
EPANED ORAL SOLUTION 1 MG/ML	3	PA
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 30 mg, 40 mg, 5 mg</i>	1	
<i>lisinopril oral tablet 20 mg</i> (Prinivil)	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	1	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	1	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	2	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	1	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	2	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg</i>	2	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 2-180 mg, 2-240 mg, 4-240 mg</i>	2	
Antiarrhythmic Agents		
<i>amiodarone intravenous solution 50 mg/ml</i>	2	
<i>amiodarone oral tablet 100 mg, 400 mg</i>	2	
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NEXTERONE INTRAVENOUS SOLUTION 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML)	2	
<i>pacerone oral tablet 100 mg, 400 mg</i>	2	
<i>pacerone oral tablet 200 mg</i>	1	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	3	
<i>procainamide intravenous syringe 100 mg/ml</i>	3	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i>	1	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i>	1	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	1	
<i>carvedilol phosphate oral capsule, er multiphase 24 hr 10 mg, 20 mg, 40 mg, 80 mg</i>	4	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> (Lopressor HCT)	2	
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg, 75 mg</i>	1	
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	2	
<i>nadolol-bendroflumethiazide oral tablet 80-5 mg</i>	2	
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	
<i>propranolol oral tablet 60 mg</i>	2	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem hcl intravenous recon soln 100 mg</i>	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg</i> (Tazzia XT)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
diltiazem hcl oral capsule,extended release 24 hr 420 mg (Tiadylt ER)	2	
diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg (Cartia XT)	2	
diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg (Cardizem)	1	
diltiazem hcl oral tablet 90 mg	1	
dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg	2	
matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg	2	
taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg	2	
verapamil intravenous solution 2.5 mg/ml	2	
verapamil oral capsule, 24 hr er pellet ct 200 mg (Verelan PM)	2	
verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg (Verelan)	2	
verapamil oral tablet 120 mg, 40 mg, 80 mg	1	
verapamil oral tablet extended release 120 mg, 180 mg, 240 mg (Calan SR)	2	
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL TABLET 5 MG, 7.5 MG	4	PA
DEMSER ORAL CAPSULE 250 MG	5	NM; NDS
digitek oral tablet 125 mcg (0.125 mg)	2	QL (30 per 30 days)
digitek oral tablet 250 mcg (0.25 mg)	2	
digox oral tablet 125 mcg (0.125 mg)	2	QL (30 per 30 days)
digox oral tablet 250 mcg (0.25 mg)	2	
digoxin injection syringe 250 mcg/ml (0.25 mg/ml)	2	
DIGOXIN ORAL SOLUTION 50 MCG/ML (0.05 MG/ML)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>digoxin oral tablet 125 mcg (0.125 mg)</i>	(Digitek)	2	QL (30 per 30 days)
<i>digoxin oral tablet 250 mcg (0.25 mg)</i>	(Digitek)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i>	(Auvi-Q)	4	ST; QL (2 per 15 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i>	(EpiPen Jr 2-Pak)	3	QL (2 per 15 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>		4	ST; QL (2 per 15 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	(EpiPen 2-Pak)	3	QL (2 per 15 days)
EPIPEN 2-PAK INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML		3	QL (2 per 15 days)
EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR 0.15 MG/0.3 ML		3	QL (2 per 15 days)
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML		5	PA; NM; NDS
<i>hydralazine injection solution 20 mg/ml</i>		2	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>		2	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i>	(Firazyr)	5	PA; NM; NDS
LANOXIN INJECTION SOLUTION 250 MCG/ML (0.25 MG/ML)		4	
<i>metyrosine oral capsule 250 mg</i>	(Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i>	(Ranexa)	3	
Dihydropyridines			
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	(Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i>	(Lotrel)	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>		1	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i>	(Azor)	2	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	(Exforge)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amlodipine-valsartan-hctiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i>	2	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	1	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	
<i>nicardipine intravenous solution 25 mg/10 ml</i>	2	
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral capsule 10 mg</i>	(Procardia)	2
<i>nifedipine oral capsule 20 mg</i>		2
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i>	(Procardia XL)	2
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	(Adalat CC)	2
<i>nimodipine oral capsule 30 mg</i>		2
<i>nisoldipine oral tablet extended release 24 hr 17 mg, 34 mg, 8.5 mg</i>	(Sular)	2
<i>nisoldipine oral tablet extended release 24 hr 20 mg, 30 mg, 40 mg</i>		2
<i>nisoldipine oral tablet extended release 24 hr 25.5 mg</i>		4
Diuretics		
<i>amiloride oral tablet 5 mg</i>	2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>		2
<i>bumetanide injection solution 0.25 mg/ml</i>		2
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>		2
<i>chlorothiazide oral tablet 500 mg</i>		2
<i>chlorothiazide sodium intravenous recon soln 500 mg</i>	(Diuril IV)	2
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>		2
<i>ethacrynic acid oral tablet 25 mg</i>	(Edecrin)	2
<i>furosemide injection solution 10 mg/ml</i>		2
<i>furosemide injection syringe 10 mg/ml</i>		2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)	2	
furosemide oral tablet 20 mg, 40 mg, (Lasix) 80 mg	1	
hydrochlorothiazide oral capsule 12.5 mg	1	
hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg	1	
indapamide oral tablet 1.25 mg, 2.5 mg	1	
metolazone oral tablet 10 mg, 2.5 mg, 5 mg	2	
spironolactone oral tablet 100 mg, 25 (Aldactone) mg, 50 mg	2	
spironolactone-hydrochlorothiazide oral tablet 25-25 mg (Aldactazide)	2	
torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg	1	
triamterene-hydrochlorothiazide oral capsule 37.5-25 mg	1	
triamterene-hydrochlorothiazide oral (Maxzide-25mg) tablet 37.5-25 mg	1	
triamterene-hydrochlorothiazide oral (Maxzide) tablet 75-50 mg	1	
Dyslipidemics		
ALTOPREV ORAL TABLET EXTENDED RELEASE 24 HR 20 MG, 40 MG, 60 MG	4	
amlodipine-atorvastatin oral tablet (Caduet) 10-10 mg, 10-20 mg, 10-40 mg, 10- 80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg	3	
amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg	3	
atorvastatin oral tablet 10 mg, 20 (Lipitor) mg, 40 mg, 80 mg	1	
cholestyramine (with sugar) oral powder in packet 4 gram	2	
cholestyramine light oral powder 4 gram	2	
cholestyramine light packet 4 gram	2	
colesevelam oral powder in packet (WelChol) 3.75 gram	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>colesevelam oral tablet 625 mg</i>	(WelChol)	3	
<i>colestipol oral packet 5 gram</i>	(Colestid)	2	
<i>colestipol oral tablet 1 gram</i>	(Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i>	(Zetia)	1	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i>	(Vytorin 10-10)	2	
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i>	(Vytorin 10-20)	2	
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i>	(Vytorin 10-40)	2	
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i>	(Vytorin 10-80)	2	
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>		2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	(Tricor)	2	
<i>fenofibrate oral capsule 150 mg, 50 mg</i>	(Lipofen)	4	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>		2	
<i>fenofibrate oral tablet 40 mg</i>	(Fenoglide)	4	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i>	(Trilipix)	2	
<i>fenofibric acid oral tablet 105 mg, 35 mg</i>	(Fibrincor)	4	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>		2	
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i>	(Lescol XL)	2	
<i>gemfibrozil oral tablet 600 mg</i>	(Lopid)	1	
<i>icosapent ethyl oral capsule 1 gram</i>	(Vascepa)	4	PA
<i>JUXTAPIID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 5 MG, 60 MG</i>		5	PA; NM; NDS
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>		1	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	(Niaspan Extended-Release)	2	
<i>niacor oral tablet 500 mg</i>		2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	(Lovaza)	2	
<i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	4	PA; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	4	PA; QL (2 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	4	PA; QL (2 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Zocor)	1	
<i>simvastatin oral tablet 5 mg</i>	1	
VASCEPA ORAL CAPSULE 0.5 GRAM, 1 GRAM	4	PA
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	4	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspira)	2	
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	4	
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide dinitrate oral tablet 30 mg</i>	3	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	2	
<i>isosorbide dinitrate oral tablet extended release 40 mg</i> (ISOCHRON)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Minitran)	2	
<i>nitroglycerin translingual spray,non-aerosol 400 mcg/spray</i> (Nitrolingual)	4	
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i> (Strattera)	2	QL (60 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NM; NDS; QL (28 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	5	PA; NM; NDS; QL (60 per 30 days)
DAYTRANA TRANSDERMAL PATCH 24 HOUR 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR	4	
<i>dexmethylphenidate oral capsule,er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> (Focalin XR)	2	
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i> (Dexedrine Spansule)	2	
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i> (Zenzedi)	2	
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i> (Adderall XR)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dextroamphetamine-amphetamine</i> (Adderall) <i>oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
<i>glatiramer subcutaneous syringe 20 mg/ml, 40 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	1	
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	
<i>methamphetamine oral tablet 5 mg</i> (Desoxyn)	2	PA
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i>	2	
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg</i> (Ritalin LA)	4	
<i>methylphenidate hcl oral capsule, er biphasic 50-50 20 mg, 40 mg</i> (Ritalin LA)	2	
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	4	
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	2	
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 36 mg (bx rating), 54 mg (bx rating)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral tablet</i> (Concerta) <i>extended release 24hr 18 mg, 27 mg, 36 mg, 54 mg</i>	2	
<i>methylphenidate hcl oral tablet</i> (Relexxii) <i>extended release 24hr 72 mg</i>	2	
<i>methylphenidate hcl oral tablet, chewable 10 mg, 2.5 mg, 5 mg</i>	2	
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NM; NDS
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML, 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	4	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	4	
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	5	PA; NM; NDS; QL (14 per 30 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46), 240 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS
VYVANSE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG	3	
Contraceptives		
Contraceptives		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	
<i>amethyst (28) oral tablet 90-20 mcg (28)</i>	2	
<i>apri oral tablet 0.15-0.03 mg</i>	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	2	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	
<i>camila oral tablet 0.35 mg</i>	2	
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>deblitane oral tablet 0.35 mg</i>	2	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (Bekyree (28))</i>	2	
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.02-0.451 mg (24) (4) (Beyaz)</i>	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg (Loryna (28))</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>drosipirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> (Ocella)	2	
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	3	
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>errin oral tablet 0.35 mg</i>	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> (Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> (Kelnor 1-50 (28))	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng)	3	
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	2	
<i>gianvi (28) oral tablet 3-0.02 mg</i>	2	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	
<i>juleber oral tablet 0.15-0.03 mg</i>	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>kaitlib fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	2	
<i>l norgest/e.estriadiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> (Fayosim)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2	
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>		2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>		2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>		2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>		2	
<i>larissia oral tablet 0.1-20 mg-mcg</i>		2	
<i>layolis fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)</i>		2	
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>		2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>		2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>		2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Aubra EQ)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Levora-28)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>	(Amethyst (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Setlakin)	2	
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>		2	
<i>loryna (28) oral tablet 3-0.02 mg</i>		2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>		2	
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>		2	
<i>lyza oral tablet 0.35 mg</i>		2	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>		2	
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>		2	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>mili oral tablet 0.25-35 mg-mcg</i>	2	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	
<i>nora-be oral tablet 0.35 mg</i>	2	
<i>noreth-estradiol 1-0.02(24)-75 inner (Merzee) 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>noreth-ethynodiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	2	
<i>noreth-ethynodiol-iron oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	2	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	2	
<i>norethindrone-e.estriodiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>norethindrone-e.estriodiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>norgestimate-ethynodiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>norgestimate-ethynodiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>norgestimate-ethynodiol oral tablet 0.25-35 mg-mcg</i>	2	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NUVARING VAGINAL RING 0.12-0.015 MG/24 HR	3	
<i>ocella oral tablet 3-0.03 mg</i>	2	
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	4	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21/0.01 mg x 5</i>	2	
<i>pirmella oral tablet 1-35 mg-mcg</i>	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	2	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	
<i>sharobel oral tablet 0.35 mg</i>	2	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	2	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>tulana oral tablet 0.35 mg</i>	2	
<i>tyblume oral tablet,chewable 0.1 mg-20 mcg</i>	2	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	
<i>vienna oral tablet 0.1-20 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>wymzya fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	3	
<i>zarah oral tablet 3-0.03 mg</i>	2	
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	2	
Dental And Oral Agents		
Dental And Oral Agents		
<i>cevimeline oral capsule 30 mg (Evoxac)</i>	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 % (Paroex Oral Rinse)</i>	2	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	2	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg (Salagen (pilocarpine))</i>	2	
<i>triamcinolone acetonide dental paste 0.1 % (Oralone)</i>	2	
Dermatological Agents		
Dermatological Agents, Other		
<i>acitretin oral capsule 10 mg, 25 mg (Soriatane)</i>	3	
<i>acitretin oral capsule 17.5 mg</i>	5	NM; NDS
<i>acyclovir topical cream 5 % (Zovirax)</i>	4	
<i>acyclovir topical ointment 5 % (Zovirax)</i>	2	ST
<i>ALCOHOL PADS TOPICAL PADS, MEDICATED</i>	2	
<i>ammonium lactate topical cream 12 %</i>	2	
<i>ammonium lactate topical lotion 12 % (Skin Treatment)</i>	2	
<i>azelaic acid topical gel 15 % (Finacea)</i>	3	
<i>AZELEX TOPICAL CREAM 20 %</i>	4	PA
<i>calcipotriene scalp solution 0.005 %</i>	2	
<i>calcipotriene topical cream 0.005 % (Dovonex)</i>	2	
<i>calcipotriene topical ointment 0.005 %</i>	2	
<i>calcipotriene-betamethasone topical ointment 0.005-0.064 % (Taclonex)</i>	2	
<i>calcitriol topical ointment 3 mcg/gram (Vectical)</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	
CONDYLOX TOPICAL GEL 0.5 %	4	
DENAVIR TOPICAL CREAM 1 %	3	
<i>doxepin topical cream 5 %</i> (Prudoxin)	4	
FINACEA TOPICAL FOAM 15 %	3	
<i>fluorouracil topical cream 0.5 %</i> (Carac)	3	
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in metered-dose pump 3.75 %</i> (Zyclara)	2	
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	2	
<i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (Claravis)	2	
<i>mafenide acetate topical packet 50 gram</i> (Sulfamylon)	3	
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i> (Oxsoralen Ultra)	2	
<i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS
PICATO TOPICAL GEL 0.015 %	5	NM; NDS; QL (3 per 10 days)
PICATO TOPICAL GEL 0.05 %	5	NM; NDS; QL (2 per 10 days)
<i>podofilox topical solution 0.5 %</i>	2	
REGRANEX TOPICAL GEL 0.01 %	5	NM; NDS; QL (30 per 15 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	3	
SULFAMYLYON TOPICAL CREAM 85 MG/G	3	
UVADEX INJECTION SOLUTION 20 MCG/ML	4	
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NM; NDS; QL (240 per 30 days)
XERESE TOPICAL CREAM 5-1 %	4	
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYCLARA TOPICAL CREAM IN METERED-DOSE PUMP 2.5 %	4	
Dermatological Antibacterials		
<i>clindamycin phosphate topical foam 1 %</i> (Evoclin)	2	
<i>clindamycin phosphate topical gel 1 %</i>	2	
<i>clindamycin phosphate topical lotion 1 %</i> (Cleocin T)	2	
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	2	
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	
<i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i> (Neuac)	2	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i> (Benzacllin)	2	
<i>clindamycin-tretinoiin topical gel 1.2- 0.025 %</i> (Veltin)	2	
<i>ery pads topical swab 2 %</i>	2	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	
<i>erythromycin with ethanol topical solution 2 %</i>	2	
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Benzamycin)	2	
<i>gentamicin topical cream 0.1 %</i>	2	
<i>gentamicin topical ointment 0.1 %</i>	2	
<i>metronidazole topical cream 0.75 %</i> (MetroCream)	2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	
<i>mupirocin calcium topical cream 2 %</i>	2	
<i>mupirocin topical ointment 2 %</i> (Centany)	2	
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	
NEOSPORIN GU IRRIGANT IRRIGATION SOLUTION 40 MG-200,000 UNIT/ML	2	
<i>neuac topical gel 1.2 %(1 % base) -5 %</i>	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>silver sulfadiazine topical cream 1 % (SSD)</i>	2	
<i>ssd topical cream 1 %</i>	2	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	2	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i>	2	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>amcinonide topical cream 0.1 %</i>	2	
<i>amcinonide topical lotion 0.1 %</i>	4	
<i>amcinonide topical ointment 0.1 %</i>	3	
<i>APEXICON E TOPICAL CREAM 0.05 %</i>	4	PA
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical foam (Luxiq) 0.12 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 % (Diprolene (augmented))</i>	2	
<i>CAPEX TOPICAL SHAMPOO 0.01 %</i>	4	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 % (Temovate)</i>	2	
<i>clobetasol topical foam 0.05 % (Olux)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	2	
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	2	
<i>clobetasol topical shampoo 0.05 %</i> (Clodan)	2	
<i>clobetasol topical spray,non-aerosol 0.05 %</i> (Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam 0.05 %</i>	2	
<i>clocortolone pivalate topical cream 0.1 %</i> (Cloderm)	4	PA
CLODAN TOPICAL SHAMPOO 0.05 %	2	
CORDRAN TAPE LARGE ROLL TOPICAL TAPE 4 MCG/CM2	4	
DESONATE TOPICAL GEL 0.05 %	3	PA
<i>desonide topical cream 0.05 %</i> (Tridesilon)	2	
<i>desonide topical gel 0.05 %</i> (Desonate)	3	PA
<i>desonide topical lotion 0.05 %</i> (DesOwen)	2	
<i>desonide topical ointment 0.05 %</i>	2	
<i>desoximetasone topical cream 0.05 %</i> (Topicort)	3	
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	2	
<i>desoximetasone topical ointment 0.05 %</i> (Topicort)	4	
<i>desoximetasone topical ointment 0.25 %</i> (Topicort)	2	
<i>diflorasone topical cream 0.05 %</i> (Psorcon)	2	
<i>diflurasone topical ointment 0.05 %</i>	2	
<i>fluocinolone 0.01% body oil 0.01 %</i> (Derma-Smoothe/FS Body Oil)	2	
<i>fluocinolone and shower cap scalp oil 0.01 %</i> (Derma-Smoothe/FS Scalp Oil)	2	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical solution 0.01 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-e topical cream 0.05 %</i>	2	
<i>flurandrenolide topical cream 0.05 %</i> (Cordran)	2	
<i>fluticasone propionate topical cream</i> (Cutivate) <i>0.05 %</i>	2	
<i>fluticasone propionate topical lotion</i> (Beser) <i>0.05 %</i>	2	
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halcinonide topical cream 0.1 %</i> (Halog)	4	PA
<i>halobetasol propionate topical cream</i> <i>0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
HALOG TOPICAL CREAM 0.1 %	4	PA
HALOG TOPICAL OINTMENT 0.1 %	4	PA
<i>hydrocortisone butyrate topical cream 0.1 %</i>	2	
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	2	
<i>hydrocortisone topical cream 2.5 %</i>	2	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	2	
<i>hydrocortisone topical ointment 2.5 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
PANDEL TOPICAL CREAM 0.1 %	4	PA
<i>pimecrolimus topical cream 1 %</i> (Elidel)	3	
<i>prednicarbate topical cream 0.1 %</i>	2	
<i>prednicarbate topical ointment 0.1 %</i>	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	
<i>procto-pak topical cream with perineal applicator 1 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 % (Protopic)</i>	2	
<i>triamcinolone acetonide topical aerosol 0.147 mg/gram (Kenalog)</i>	2	
<i>triamcinolone acetonide topical cream 0.025 %</i>	2	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 % (Triderm)</i>	2	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	
TRIDESILON TOPICAL CREAM 0.05 %	2	PA
ULTRAVATE TOPICAL LOTION 0.05 %	4	
Dermatological Retinoids		
<i>adapalene topical cream 0.1 % (Differin)</i>	2	PA
<i>adapalene topical gel 0.1 %, 0.3 % (Differin)</i>	2	PA
<i>adapalene-benzoyl peroxide topical gel with pump 0.1-2.5 % (Epiduo)</i>	4	PA
<i>avita topical cream 0.025 %</i>	2	PA
<i>avita topical gel 0.025 %</i>	2	PA
RETIN-A MICRO PUMP TOPICAL GEL WITH PUMP 0.06 %, 0.08 %	4	PA
<i>tazarotene topical cream 0.1 % (Tazorac)</i>	4	
TAZORAC TOPICAL GEL 0.05 %, 0.1 %	4	
<i>tretinooin microspheres topical gel 0.04 %, 0.1 % (Retin-A Micro)</i>	2	PA
<i>tretinooin topical cream 0.025 % (Avita)</i>	2	PA
<i>tretinooin topical cream 0.05 %, 0.1 % (Retin-A)</i>	2	PA
<i>tretinooin topical gel 0.01 % (Retin-A)</i>	2	PA
<i>tretinooin topical gel 0.025 % (Avita)</i>	2	PA
<i>tretinooin topical gel 0.05 % (Atralin)</i>	2	PA
Scabicides And Pediculicides		
EURAX TOPICAL CREAM 10 %	4	
EURAX TOPICAL LOTION 10 %	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<i>ivermectin topical lotion 0.5 %</i> (Sklice)	4	QL (117 per 15 days)	
<i>lindane topical shampoo 1 %</i>	2		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2		
<i>permethrin topical cream 5 %</i> (Elimite)	2		
SKLICE TOPICAL LOTION 0.5 %	4	QL (117 per 15 days)	
Devices			
Devices			
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	3		
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	3		
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	3		
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	3		
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	3		
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	2		
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	3	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Advocate Syringes)	3	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Lite Touch Insulin Syringe)	3	
OMNIPOD DASH 5 PACK POD		3	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips)	3	
SM STERILE PADS 2" X 2" 2"X2", STERILE 2 X 2 "		2	
Enzyme			
Replacement/Modifiers			
Enzyme Replacement/Modifiers			
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; NDS	
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS	
CHENODAL ORAL TABLET 250 MG	5	NM; NDS	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG	5	NM; NDS
KUVAN ORAL POWDER IN PACKET 100 MG, 500 MG	5	PA; NM; NDS
KUVAN ORAL TABLET,SOLUBLE 100 MG	5	PA; NM; NDS
LUMIZYME INTRAVENOUS RECON SOLN 50 MG	5	NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NM; NDS
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
PANCREAZE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,500-35,500- 61,500 UNIT, 16,800-56,800- 98,400 UNIT, 2,600-6,200- 10,850 UNIT, 21,000-54,700- 83,900 UNIT, 4,200- 14,200- 24,600 UNIT	4	ST
PERTZYE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT	4	ST
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
<i>sapropterin oral powder in packet 100 mg, 500 mg</i> (Kuvan)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
sapropterin oral tablet,soluble 100 mg (Kuvan)	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; NDS
SUCRAID ORAL SOLUTION 8,500 UNIT/ML	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000- 126,000- 168,000 UNIT, 5,000- 17,000- 24,000 UNIT	4	ST
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
ALOMIDE OPHTHALMIC (EYE) DROPS 0.1 %	3	
apraclonidine ophthalmic (eye) drops 0.5 %	2	
atropine ophthalmic (eye) drops 1 % (Isopto Atropine)	2	
azelastine nasal aerosol,spray 137 mcg (0.1 %)	2	
azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)	2	
azelastine ophthalmic (eye) drops 0.05 %	2	
BEPREVE OPHTHALMIC (EYE) DROPS 1.5 %	4	
cromolyn ophthalmic (eye) drops 4 %	2	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NM; NDS; QL (60 per 30 days)
epinastine ophthalmic (eye) drops 0.05 %	2	
ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %), 42 mcg (0.06 %)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LACRISERT OPHTHALMIC (EYE) INSERT 5 MG	3	
LASTACAFT OPHTHALMIC (EYE) DROPS 0.25 %	4	
<i>olopatadine nasal spray,non-aerosol</i> (Patanase) 0.6 %	2	
<i>olopatadine ophthalmic (eye) drops</i> (Pataday Twice Daily Relief) 0.1 %	2	ST
<i>olopatadine ophthalmic (eye) drops</i> (Pataday Once Daily Relief) 0.2 %	3	ST
<i>proparacaine ophthalmic (eye) drops</i> (Alcaine) 0.5 %	2	
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution</i> 2 %	2	
<i>acetic acid-aluminum acetate otic (ear) drops</i> 2 %	2	
AZASITE OPHTHALMIC (EYE) DROPS 1 %	3	
<i>bacitracin ophthalmic (eye) ointment</i> 500 unit/gram	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment</i> 500-10,000 unit/gram	2	
BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 %	4	ST
CIPRO HC OTIC (EAR) DROPS,SUSPENSION 0.2-1 %	4	
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %	3	
<i>ciprofloxacin hcl ophthalmic (eye) drops</i> 0.3 %	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension</i> 0.3-0.1 %	3	
COLY-MYCIN S OTIC (EAR) DROPS,SUSPENSION 3.3-3-10-0.5 MG/ML	3	
<i>erythromycin ophthalmic (eye) ointment</i> 5 mg/gram (0.5 %)	2	
<i>gatifloxacin ophthalmic (eye) drops</i> (Zymaxid) 0.5 %	2	ST
<i>gentak ophthalmic (eye) ointment</i> 0.3 % (3 mg/gram)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	
<i>moxifloxacin ophthalmic (eye) drops (Vigamox) 0.5 %</i>	3	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	3	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400- 10,000 mg-unit/g-1%</i>	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400- 10,000 mg-unit-unit/g</i>	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g- 10,000 unit/g-0.1 %</i>	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg- 10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml- %</i>	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 (Ocuflax) %</i>	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	(Bleph-10)	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>		2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>		2	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	(Tobrex)	2	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	(TobraDex)	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>		2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %		3	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %		4	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents			
<i>ALOCRIL OPHTHALMIC (EYE) DROPS 2 %</i>		3	
<i>ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %</i>		3	
<i>BECONASE AQ NASAL SPRAY,NON-AEROSOL 42 MCG (0.042 %)</i>		4	ST; QL (50 per 15 days)
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>		2	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>		2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>		2	
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %		3	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>		2	QL (50 per 15 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i>	(DermOtic Oil)	2	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	(FML Liquifilm)	2	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i>	(24 Hour Allergy Relief)	2	QL (32 per 15 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %		3	QL (3 per 30 days)
<i>ketorolac ophthalmic (eye) drops 0.4 %</i>	(Acular LS)	2	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i>	(Acular)	2	
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %		3	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %		3	
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i>	(Lotemax)	3	
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>	(Lotemax)	3	
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	(Nasonex)	2	ST; QL (34 per 15 days)
NEVANAC OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %		3	
OMNARIS NASAL SPRAY,NON-AEROSOL 50 MCG		4	ST; QL (25 per 15 days)
PRED MILD OPHTHALMIC (EYE) DROPS,SUSPENSION 0.12 %		3	
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	(Pred Forte)	2	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>		2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %		4	QL (3 per 30 days)
QNASL NASAL HFA AEROSOL INHALER 40 MCG/ACTUATION		4	ST; QL (9.8 per 15 days)
QNASL NASAL HFA AEROSOL INHALER 80 MCG/ACTUATION		4	ST; QL (17.4 per 15 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %		4	PA; ST; QL (60 per 30 days)
ZETONNA NASAL HFA AEROSOL INHALER 37 MCG/ACTUATION		4	ST; QL (12.2 per 15 days)
Gastrointestinal Agents			
Antilulcer Agents And Acid Suppressants			

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	2	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	2	
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEASE 30 MG, 60 MG	4	ST; QL (30 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	3	
<i>famotidine intravenous solution 10 mg/ml</i>	2	
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>	2	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg, 30 mg</i> (Prevacid)	2	
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	
<i>nizatidine oral solution 150 mg/10 ml</i>	2	
<i>omeprazole oral capsule,delayed release(dr/ec) 10 mg</i>	2	
<i>omeprazole oral capsule,delayed release(dr/ec) 20 mg, 40 mg</i>	1	
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	2	
<i>pantoprazole oral tablet,delayed release (dr/ec) 20 mg, 40 mg</i> (Protonix)	1	
<i>rabeprazole oral tablet,delayed release (dr/ec) 20 mg</i> (AcipHex)	2	
<i>ranitidine hcl oral capsule 150 mg, 300 mg</i>	1	
<i>ranitidine hcl oral syrup 15 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ranitidine hcl oral tablet 150 mg, 300 mg</i>	1	
<i>sucralfate oral tablet 1 gram (Carafate)</i>	2	
Gastrointestinal Agents, Other		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	3	
BENTYL INTRAMUSCULAR SOLUTION 10 MG/ML	4	
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	4	PA
CHOLBAM ORAL CAPSULE 250 MG, 50 MG	5	PA; NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	2	
<i>cromolyn oral concentrate 100 mg/5 ml (Gastrocrom)</i>	2	
CUVPOSA ORAL SOLUTION 1 MG/5 ML (0.2 MG/ML)	4	
<i>dicyclomine intramuscular solution (Bentyl) 10 mg/ml</i>	2	
<i>dicyclomine oral capsule 10 mg</i>	1	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	1	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	2	
<i>diphenoxylate-atropine oral tablet (Lomotil) 2.5-0.025 mg</i>	2	
<i>enulose oral solution 10 gram/15 ml</i>	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i>	2	
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	2	
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	1	
<i>kionex oral powder</i>	1	
<i>lactulose oral solution 10 gram/15 ml (Constulose)</i>	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	4	PA; ST; QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>loperamide oral capsule 2 mg</i>	(Anti-Diarrheal (loperamide))	1	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i>	(Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>		2	
<i>metoclopramide hcl injection solution 5 mg/ml</i>		2	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>		2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>		2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	(Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG		4	PA; ST
<i>propantheline oral tablet 15 mg</i>		3	
PYLERA ORAL CAPSULE 140-125-125 MG		4	
RAVICTI ORAL LIQUID 1.1 GRAM/ML		5	PA; NM; NDS
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML		4	PA; ST
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML		4	PA; ST
<i>sodium phenylbutyrate oral powder 0.94 gram/gram</i>	(Buphenyl)	2	
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>		1	
<i>sodium polystyrene sulfonate oral powder</i>		1	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>		1	
<i>ursodiol oral capsule 300 mg</i>		2	
<i>ursodiol oral tablet 250 mg</i>	(URSO 250)	2	
<i>ursodiol oral tablet 500 mg</i>	(URSO Forte)	2	
Laxatives			
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>		2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>		2	
<i>gavilyte-n oral recon soln 420 gram</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OSMOPREP ORAL TABLET 1.5 GRAM	4	
peg 3350-electrolytes oral recon soln (GaviLyte-G) 236-22.74-6.74 -5.86 gram	2	
peg-electrolyte soln oral recon soln (GaviLyte-N) 420 gram	2	
trilyte with flavor packets oral recon soln 420 gram	2	
Phosphate Binders		
calcium acetate(phosphat bind) oral capsule 667 mg	2	
calcium acetate(phosphat bind) oral tablet 667 mg	2	
sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram (Renvela)	3	
sevelamer carbonate oral tablet 800 mg (Renvela)	3	
sevelamer hcl oral tablet 400 mg	3	
sevelamer hcl oral tablet 800 mg (Renagel)	3	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	QL (180 per 30 days)
Genitourinary Agents		
Antispasmodics, Urinary		
bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg	2	
darifenacin oral tablet extended release 24 hr 15 mg, 7.5 mg	2	ST
flavoxate oral tablet 100 mg	2	
GELNIQUE TRANSDERMAL GEL IN PACKET 10 % (100 MG/GRAM)	4	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
oxybutynin chloride oral syrup 5 mg/5 ml	2	
oxybutynin chloride oral tablet 5 mg	2	
oxybutynin chloride oral tablet (Ditropan XL) extended release 24hr 10 mg, 5 mg	2	
oxybutynin chloride oral tablet extended release 24hr 15 mg	2	
OXYTROL TRANSDERMAL PATCH SEMIWEEKLY 3.9 MG/24 HR	4	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>solifenacina oral tablet 10 mg, 5 mg</i> (Vesicare)	3	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	4	ST
<i>trospium oral capsule, extended release 24hr 60 mg</i>	2	
<i>trospium oral tablet 20 mg</i>	2	
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	3	PA
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	2	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
LITHOSTAT ORAL TABLET 250 MG	4	
<i>silodosin oral capsule 4 mg, 8 mg</i> (Rapaflo)	4	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
THIOLA ORAL TABLET 100 MG	4	
Heavy Metal Antagonists		
Heavy Metal Antagonists		
CHEMET ORAL CAPSULE 100 MG	3	
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	5	NM; NDS
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	5	NM; NDS
<i>deferiprone oral tablet 500 mg</i> (Ferriprox)	5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
FERRIPROX ORAL TABLET 500 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JADENU ORAL TABLET 180 MG	5	NM; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	5	NM; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	3	
<i>trientine oral capsule 250 mg</i> (Clovique)	5	PA; NM; NDS
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	5	NM; NDS
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR	3	PA; QL (60 per 30 days)
ANDRODERM TRANSDERMAL PATCH 24 HOUR 4 MG/24 HR	3	PA; QL (30 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM)	3	PA; QL (150 per 30 days)
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
METHITEST ORAL TABLET 10 MG	4	PA
<i>methyltestosterone oral capsule 10 mg</i> (Android)	2	PA
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	2	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	1	
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	1	
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	
<i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i> (Fortesta)	4	PA; QL (120 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	1	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	4	PA; QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5 gram), 1 % (50 mg/5 gram)</i> (AndroGel)	4	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram)</i> (AndroGel)	4	PA; QL (37.5 per 30 days)
<i>testosterone transdermal gel in packet 1.62 % (40.5 mg/2.5 gram)</i> (AndroGel)	4	PA; QL (150 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	4	PA; QL (180 per 30 days)
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	
<i>ANGELIQ ORAL TABLET 0.25-0.5 MG, 0.5-1 MG</i>	4	
<i>CLIMARA PRO TRANSDERMAL PATCH WEEKLY 0.045-0.015 MG/24 HR</i>	4	
<i>COMBIPATCH TRANSDERMAL PATCH SEMIWEEKLY 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR</i>	4	
<i>DELESTROGEN INTRAMUSCULAR OIL 10 MG/ML</i>	4	
<i>DEPO-ESTRADIOL INTRAMUSCULAR OIL 5 MG/ML</i>	4	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Lyllana)	2	
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	4	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvafem)	2	
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (Amabelz)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)	4	ST
EVAMIST TRANSDERMAL SPRAY,NON-AEROSOL 1.53 MG/SPRAY (1.7%)	4	
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	ST
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG	4	
MENOSTAR TRANSDERMAL PATCH WEEKLY 14 MCG/24 HR	4	
<i>mimvey oral tablet 1-0.5 mg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	
PREFEST ORAL TABLET 1 MG (15)/1 MG- 0.09 MG (15)	4	
PREMARIN INJECTION RECON SOLN 25 MG	4	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	ST
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i>	2	
Glucocorticoids/Mineralocorticoids		
<i>cortisone oral tablet 25 mg</i>	4	
DEPO-MEDROL INJECTION SUSPENSION 20 MG/ML	4	
DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg (Decadron)</i>	1	
<i>dexamethasone oral tablet 1 mg, 2 mg</i>	2	
<i>dexamethasone oral tablet 1.5 mg</i>	1	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	2	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	2	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	2	
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg (Cortef)</i>	2	
KENALOG INJECTION SUSPENSION 10 MG/ML	3	
MEDROL ORAL TABLET 2 MG	4	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml (Depo-Medrol)</i>	2	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg (Medrol)</i>	2	
<i>methylprednisolone oral tablets,dose pack 4 mg (Medrol (Pak))</i>	2	
<i>methylprednisolone sodium succ injection recon soln 40 mg</i>	2	PA BvD
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg (Solu-Medrol)</i>	2	PA BvD
MILLIPRED ORAL TABLET 5 MG	4	
<i>prednisolone 15 mg/5 ml soln a/f, d/f 15 mg/5 ml (3 mg/ml)</i>	2	
<i>prednisolone oral solution 15 mg/5 ml</i>	2	
<i>prednisolone sodium phosphate oral solution 10 mg/5 ml, 25 mg/5 ml (5 mg/ml)</i>	4	
<i>prednisolone sodium phosphate oral solution 20 mg/5 ml (4 mg/ml) (Veripred 20)</i>	4	
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml) (Pediapred)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prednisolone sodium phosphate oral tablet,disintegrating 10 mg, 15 mg, 30 mg</i> (Orapred ODT)	2	
PREDNISONE INTENSOL ORAL CONCENTRATE 5 MG/ML	3	
<i>prednisone oral solution 5 mg/5 ml</i>	2	
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	4	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 250 MG/2 ML	3	
SOLU-MEDROL INTRAVENOUS RECON SOLN 2 GRAM	4	PA BvD
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	3	
Pituitary		
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	2	
<i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml	2	
<i>octreotide acetate injection solution</i> (Sandostatin) 100 mcg/ml, 50 mcg/ml, 500 mcg/ml	2	
<i>octreotide acetate injection syringe</i> 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	5	NM; NDS
SOMAVERT SUBCUTANEOUS RECON SOLN 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
STIMATE NASAL SPRAY,NON- AEROSOL 150 MCG/SPRAY (0.1 ML)	4	
SYNAREL NASAL SPRAY,NON- AEROSOL 2 MG/ML	5	NM; NDS
Progestins		
CRINONE VAGINAL GEL 4 %, 8 %	3	PA
<i>hydroxyprogesterone cap(ppres)</i> (Makena) <i>intramuscular oil 250 mg/ml</i>	5	PA NSO; NM; NDS
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i>	2	
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>syringe 150 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	2	PA
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	
Thyroid And Antithyroid Agents		
<i>levothyroxine oral capsule 13 mcg</i> (Tirosint)	4	
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	2	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	2	
<i>liothyronine intravenous solution 10 mcg/ml</i> (Triostat)	2	
<i>liothyronine oral tablet 25 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
THYROLAR-1 ORAL TABLET 12.5-50 MCG	3	
THYROLAR-1/2 ORAL TABLET 6.25-25 MCG	3	
THYROLAR-1/4 ORAL TABLET 3.1-12.5 MCG	3	
THYROLAR-2 ORAL TABLET 25-100 MCG	3	
THYROLAR-3 ORAL TABLET 37.5-150 MCG	3	
TIROSINT ORAL CAPSULE 13 MCG	4	
Immunological Agents		
Immunological Agents		
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	PA; NM; NDS
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	4	PA BvD
ATGAM INTRAVENOUS SOLUTION 50 MG/ML	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	4	PA BvD
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	2	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	4	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	2	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	2	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NM; NDS; QL (4 per 28 days)
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS; QL (4 per 28 days)
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	4	PA BvD
<i>everolimus (immunosuppressive) oral</i> (Zortress) <i>tablet 0.25 mg, 0.5 mg, 0.75 mg</i>	3	PA NSO
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %	5	PA; NM; NDS
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	3	PA
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA; NM; NDS
GAMMAKED INJECTION SOLUTION 10 GRAM/100 ML (10 %)	5	PA; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA; NM; NDS
GAMUNEX-C INJECTION SOLUTION 20 GRAM/200 ML (10 %)	5	PA; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i>	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	PA BvD
IMOgam RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	PA BvD
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS; QL (18.76 per 28 days)
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl)</i> (CellCept Intravenous) <i>intravenous recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral capsule</i> (CellCept) <i>250 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral</i> <i>suspension for reconstitution 200</i> <i>mg/ml</i>	2	PA BvD
<i>mycophenolate mofetil oral tablet</i> <i>500 mg</i>	2	PA BvD
<i>mycophenolate sodium oral</i> <i>tablet, delayed release (dr/ec) 180</i> <i>mg, 360 mg</i>	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORENCIA CLICKJECT SUBCUTANEOUS AUTO- INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	3	
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	5	PA; NM; NDS; QL (30 per 30 days)
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
SIMULECT INTRAVENOUS RECON SOLN 10 MG, 20 MG	5	NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	3	PA BvD
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	2	PA BvD
SKYRIZI SUBCUTANEOUS SYRINGE 75 MG/0.83 ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg (Prograf)	2	PA BvD
THYMOGLOBULIN INTRAVENOUS RECON SOLN 25 MG	5	PA BvD; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; NDS; QL (15 per 28 days)
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS; QL (30 per 30 days)
ZORTRESS ORAL TABLET 1 MG	3	PA NSO
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	1	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	PA BvD
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	1	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	1	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	PA; AGE (Min 9 Years and Max 45 Years)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	PA; AGE (Min 9 Years and Max 45 Years)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML	3	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML	3	
IPOV INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 62 DU/0.5 ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTAQUE VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	PA BvD
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	PA BvD
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	PA BvD
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	PA BvD
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	3	
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
alosetron oral tablet 0.5 mg, 1 mg (Lotronex)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule,delayed,extend.release 3 mg</i> (Entocort EC)	4	
<i>budesonide oral tablet,delayed and ext.release 9 mg</i> (Uceris)	5	PA; NM; NDS; QL (30 per 30 days)
<i>colocort rectal enema 100 mg/60 ml</i>	2	
DIPENTUM ORAL CAPSULE 250 MG	5	NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	2	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	3	
<i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram</i> (Lialda)	3	
<i>mesalamine oral tablet,delayed release (dr/ec) 800 mg</i> (Asacol HD)	3	
<i>mesalamine rectal enema 4 gram/60 ml</i> (Rowasa)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	3	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	
<i>sulfasalazine oral tablet,delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	1	
UCERIS RECTAL FOAM 2 MG/ACTUATION	4	PA
Irrigating Solutions		
Irrigating Solutions		
LACTATED RINGERS IRRIGATION SOLUTION	2	
PHYSIOLYTE IRRIGATION SOLUTION 140-5-3-98 MEQ/L	2	
PHYSIOSOL IRRIGATION IRRIGATION SOLUTION 140-5-3-98 MEQ/L	2	
<i>ringer's irrigation solution</i>	2	
<i>water for irrigation, sterile irrigation solution</i> (Aqua Care Sterile Water)	2	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral solution 70 mg/75 ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>alendronate oral tablet 10 mg, 35 mg, 5 mg</i>	1	
<i>alendronate oral tablet 70 mg (Fosamax)</i>	1	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg (Rocaltrol)</i>	2	PA BvD
<i>calcitriol oral solution 1 mcg/ml (Rocaltrol)</i>	2	PA BvD
<i>cinacalcet oral tablet 30 mg, 60 mg, 90 mg (Sensipar)</i>	3	PA BvD
<i>doxercalciferol intravenous solution 4 mcg/2 ml (Hectorol)</i>	2	PA BvD
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	PA BvD
<i>etidronate disodium oral tablet 200 mg</i>	2	
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	5	PA; NM; NDS; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	PA BvD
<i>ibandronate intravenous syringe 3 mg/3 ml (Boniva)</i>	2	PA BvD
<i>ibandronate oral tablet 150 mg (Boniva)</i>	1	
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	4	PA BvD
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (30 per 30 days)
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	PA BvD
<i>pamidronate intravenous solution 60 mg/10 ml (6 mg/ml)</i>	4	PA BvD
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	PA BvD
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	PA BvD
<i>paricalcitol oral capsule 1 mcg, 2 mcg (Zemplar)</i>	2	PA BvD
<i>paricalcitol oral capsule 4 mcg</i>	2	PA BvD
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
risedronate oral tablet 150 mg, 35 mg, 5 mg (Actonel)	2	
risedronate oral tablet 30 mg, 35 mg (12 pack), 35 mg (4 pack)	2	
SENSIPAR ORAL TABLET 30 MG, 60 MG, 90 MG	3	PA BvD
teriparatide subcutaneous pen injector 20 mcg/dose - 620 mcg/2.48 ml	5	PA; NM; NDS; QL (2.48 per 28 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
zoledronic acid intravenous recon soln 4 mg	2	
zoledronic acid intravenous solution 4 mg/5 ml	2	
zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml (Reclast)	2	
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	NM; NDS
BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION	3	ST
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS
dexrazoxane hcl intravenous recon soln 250 mg	2	
diazoxide oral suspension 50 mg/ml (Proglycem)	4	
ELMIRON ORAL CAPSULE 100 MG	3	
fomepizole intravenous solution 1 gram/ml	2	
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	3	ST
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION RECON SOLN 1 MG	3	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
guanidine oral tablet 125 mg	3	
GVOKE HYPOOPEN 1PK 0.5 MG/0.1 ML 0.5 MG/0.1 ML	3	
GVOKE HYPOOPEN 1-PK 1 MG/0.2 ML 1 MG/0.2 ML	3	
GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1PK 0.5 MG/0.1 ML SYR 0.5 MG/0.1 ML	3	
GVOKE PFS 1-PK 1 MG/0.2 ML SYR 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
hydroxyzine pamoate oral capsule 100 mg	2	
hydroxyzine pamoate oral capsule 25 (Vistaril) mg, 50 mg	2	
KEPIVANCE INTRAVENOUS RECON SOLN 6.25 MG	5	NM; NDS
leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 500 mg	2	
leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg	2	
levocarnitine (with sugar) oral solution 100 mg/ml	(Carnitor)	2 PA BvD
levocarnitine oral tablet 330 mg	(Carnitor)	2 PA BvD
levoleucovorin calcium intravenous recon soln 50 mg	(Fusilev)	5 NM; NDS
levoleucovorin calcium intravenous solution 10 mg/ml		5 NM; NDS
mesna intravenous solution 100 mg/ml	(Mesnex)	2
MESNEX ORAL TABLET 400 MG		5 NM; NDS
pyridostigmine bromide oral syrup 60 mg/5 ml	(Mestinon)	4
pyridostigmine bromide oral tablet 60 mg	(Mestinon)	2
pyridostigmine bromide oral tablet extended release 180 mg	(Mestinon Timespan)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS
TYBOST ORAL TABLET 150 MG	3	
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	4	ST
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	3	QL (5 per 30 days)
<i>brimonidine ophthalmic (eye) drops (Alphagan P) 0.15 %</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	ST
<i>dorzolamide ophthalmic (eye) drops (Trusopt) 2 %</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i>	2	
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	QL (5 per 30 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	4	QL (5 per 30 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 %	3	
pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 % (Isopto Carpine)	2	
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	ST
timolol maleate (pf) ophthalmic (eye) dropperette 0.5 % (Timoptic Ocudose (PF))	4	
timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 % (Timoptic)	2	
timolol maleate ophthalmic (eye) drops, once daily 0.5 % (Istalol)	2	
timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 % (Timoptic-XE)	2	
TIMOPTIC OCUDOSE (PF) OPHTHALMIC (EYE) DROPPERETTE 0.25 %, 0.5 %	4	
travoprost (benzalkonium) ophthalmic (eye) drops 0.004 %	3	QL (5 per 30 days)
travoprost ophthalmic (eye) drops 0.004 % (Travatan Z)	3	QL (5 per 30 days)
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	4	ST; QL (30 per 30 days)
Replacement Preparations		
Replacement Preparations		
d10 %-0.45 % sodium chloride intravenous parenteral solution	3	
d2.5 %-0.45 % sodium chloride intravenous parenteral solution	2	
d5 % and 0.9 % sodium chloride intravenous parenteral solution	2	
d5 %-0.45 % sodium chloride intravenous parenteral solution	2	
dextrose 10 % and 0.2 % nacl intravenous parenteral solution	3	
dextrose 5 %-lactated ringers intravenous parenteral solution	2	
dextrose 5%-0.2 % sod chloride intravenous parenteral solution	2	
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	3	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	3	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	3	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	2	
LACTATED RINGERS INTRAVENOUS PARENTERAL SOLUTION	2	
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	2	
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	2	
NORMOSOL-R IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	3	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	3	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	3	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	3	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i>	3	
<i>potassium chloride in lr-d5 intravenous parenteral solution 40 meq/l</i>	2	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet (K-Tab) extended release 10 meq, 20 meq, 8 meq</i>	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	2	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i>	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 40 meq/l</i>	3	
<i>potassium citrate oral tablet extended (Urocit-K 10) release 10 meq (1,080 mg)</i>	2	
<i>potassium citrate oral tablet extended (Urocit-K 15) release 15 meq</i>	2	
<i>potassium citrate oral tablet extended (Urocit-K 5) release 5 meq (540 mg)</i>	2	
<i>potassium cl 10 meq/5 ml conc sdv,l/f,p/outer 2 meq/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ringer's intravenous parenteral solution	2	
sodium chloride 0.45 % intravenous parenteral solution 0.45 %	2	
sodium chloride 0.9 % intravenous parenteral solution	2	
sodium chloride 3 % intravenous parenteral solution 3 %	2	
sodium chloride 5 % intravenous parenteral solution 5 %	2	
TPN ELECTROLYTES INTRAVENOUS SOLUTION 35-20-5 MEQ/20 ML	2	
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled		
Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	3	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	2	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml (Pulmicort)	2	PA BvD; QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 250 MCG/ACTUATION	2	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/ACTUATION	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION, 220 MCG/ACTUATION	2	QL (24 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	2	QL (21.2 per 30 days)
Antileukotrienes		
<i>montelukast oral granules in packet 4 mg</i> (Singulair)	2	
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	2	
<i>zileuton oral tablet, er multiphase 12 hr 600 mg</i>	4	
ZYFLO ORAL TABLET 600 MG	4	
Bronchodilators		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	2	PA BvD
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (ProAir HFA)	1	
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	1	
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	2	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	
<i>aminophylline intravenous solution 250 mg/10 ml, 500 mg/20 ml</i>	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BROVANA INHALATION SOLUTION FOR NEBULIZATION 15 MCG/2 ML	4	PA BvD
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	3	ST
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/3 ml</i>	2	PA BvD
<i>levalbuterol hcl inhalation solution for nebulization 1.25 mg/0.5 ml</i>	2	PA BvD
<i>metaproterenol oral syrup 10 mg/5 ml</i>	4	
PERFOROMIST INHALATION SOLUTION FOR NEBULIZATION 20 MCG/2 ML	4	PA BvD
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	2	
THEO-24 ORAL CAPSULE, EXTENDED RELEASE 24HR 100 MG, 200 MG, 300 MG, 400 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG	5	NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
DALIRESP ORAL TABLET 250 MCG, 500 MCG	4	
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS
GLASSIA INTRAVENOUS SOLUTION 1 GRAM/50 ML (2 %)	5	NM; NDS
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NM; NDS; QL (120 per 30 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,L/F,SUV 1,000 MG (+/-)/20 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	NM; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
ZEMAIRA INTRAVENOUS RECON SOLN 1,000 MG	5	NM; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	
<i>carisoprodol oral tablet 350 mg (Soma)</i>	2	
<i>carisoprodol-aspirin oral tablet 200-325 mg</i>	2	
<i>carisoprodol-aspirin-codeine oral tablet 200-325-16 mg</i>	2	
<i>chlorzoxazone oral tablet 250 mg, 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	
<i>cyclobenzaprine oral tablet 7.5 mg (Fexmid)</i>	2	
<i>dantrolene oral capsule 100 mg</i>	2	
<i>dantrolene oral capsule 25 mg, 50 mg (Dantrium)</i>	2	
<i>metaxall oral tablet 800 mg</i>	2	
<i>metaxalone oral tablet 400 mg</i>	4	
<i>metaxalone oral tablet 800 mg (Skelaxin)</i>	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	1	
<i>orphenadrine citrate injection solution 30 mg/ml</i>	2	
<i>orphenadrine citrate oral tablet extended release 100 mg</i>	2	
<i>tizanidine oral capsule 2 mg, 4 mg, 6 mg</i> (Zanaflex)	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg (Zanaflex)</i>	2	
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg, 200 mg</i> (Provigil)	2	PA; QL (60 per 30 days)
<i>ramelteon oral tablet 8 mg</i> (Rozerem)	4	QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	5	PA; NM; NDS; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; NM; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg</i> (Ambien)	2	QL (30 per 30 days)
<i>zolpidem oral tablet 5 mg</i> (Ambien)	2	QL (60 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS
<i>alyq oral tablet 20 mg</i>	5	PA; NM; NDS
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NM; NDS
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	5	PA BvD; NM; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS; QL (200 per 30 days)
VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

A

abacavir 57
abacavir-lamivudine 57
abacavir-lamivudine-zidovudine 57

ABELCET 44
ABILIFY MAINTENA 53
ABILIFY MYCITE 53
abiraterone 19
ABRAXANE 19
acamprostate 8
acarbose 40
acebutolol 72
acetaminophen-codeine 3
acetazolamide 126
acetazolamide sodium 126
acetic acid 98
acetic acid-aluminum acetate 98
acetylcysteine 133
acitretin 88
ACTHIB (PF) 118
ACTIMMUNE 124
acyclovir 62, 88
acyclovir sodium 62
ADACEL(TDAP
 ADOLESN/ADULT)(PF) 118
adapalene 94
adapalene-benzoyl peroxide 94
adefovir 62
ADEMPAS 135
adrucil 19
ADVAIR DISKUS 130
ADVAIR HFA 130
AFINITOR 19
AFINITOR DISPERZ 19
AIMOVIG AUTOINJECTOR 47

AKYNZEON (NETUPITANT) 49
ala-cort 91
albendazole 50
albuterol sulfate 131
alclometasone 91
ALCOHOL PADS 88
ALDURAZYME 95
ALECENSA 20
alendronate 122, 123
alfuzosin 106
ALIMTA 20
ALINIA 50, 51
ALIQOPA 20
aliskiren 79
allopurinol 46
ALOCRIL 100
ALOMIDE 97
alosetron 121
ALPHAGAN P 126
alprazolam 9
ALPRAZOLAM INTENSOL 9
ALREX 100
ALTOPREV 77
ALUNBRIG 20
alyacen 1/35 (28) 83
alyq 135
amabelz 108
amantadine hcl 51
AMBISOME 44
ambrisentan 135
amcinonide 91
amethia 83
amethyst (28) 83
amikacin 10
amiloride 76
amiloride-hydrochlorothiazide 76

aminophylline 131
AMINOSYN 7 % WITH
 ELECTROLYTES 66
AMINOSYN 8.5 %-
 ELECTROLYTES 66
AMINOSYN II 10 % 66
AMINOSYN II 15 % 66
AMINOSYN II 7 % 66
AMINOSYN II 8.5 % 66
AMINOSYN II 8.5 %-
 ELECTROLYTES 66
AMINOSYN-HBC 7% 66
AMINOSYN-PF 10 % 66
AMINOSYN-PF 7 %
 (SULFITE-FREE) 66
AMINOSYN-RF 5.2 % 66
amiodarone 71
AMITIZA 103
amitriptyline 38
amitriptyline-chlordiazepoxide 38
amlodipine 75
amlodipine-atorvastatin 77
amlodipine-benazepril 75
amlodipine-olmesartan 75
amlodipine-valsartan 75
amlodipine-valsartan-hcthiazid 76
ammonium lactate 88
amoxapine 38
amoxicil-clarithromy-lansopraz 102
amoxicillin 16
amoxicillin-pot clavulanate 16
amphotericin b 44
ampicillin 16
ampicillin sodium 16

ampicillin-sulbactam	16
ANADROL-50.....	107
anagrelide	65
anastrozole.....	20
ANDRODERM	107
ANDROGEL.....	107
ANGELIQ	108
ANORO ELLIPTA	131
APEXICON E	91
APLENZIN	38
APOKYN	51
apraclonidine	97
aprepitant.....	49
apri.....	83
APTIOM.....	32
APТИVUS	57
APТИVUS (WITH VITAMIN E)	57
ARALAST NP	133
aranelle (28).....	83
ARCALYST	113
ariPIPRAZOLE.....	53, 54
ARISTADA.....	54
ARISTADA INITIO	54
armodafinil	134
ARNUITY ELLIPTA.....	130
ARRANON	20
arsenic trioxide	20
asenapine maleate.....	54
ashlyna.....	83
aspirin-dipyridamole	65
ASSURE ID INSULIN SAFETY	95
ASTAGRAF XL	113
atazanavir	57
atenolol	72
atenolol-chlorthalidone.....	72
ATGAM	113
atomoxetine	80
atorvastatin	77
atovaquone	51
atovaquone-proguanil.....	51
ATRIPLA	57
atropine	32, 97
ATROVENT HFA.....	131
AUBAGIO.....	80
aubra eq.....	83
AUGMENTIN	16
AVANDIA.....	41
AVASTIN.....	20
AVELOX IN NACL (ISO-OSMOTIC)	18
aviane.....	83
avita	94
AVONEX	80
AVYCAZ.....	13
AYVAKIT	20
azacitidine	20
AZASITE.....	98
azathioprine	114
azathioprine sodium.....	114
azelaic acid	88
azelastine	97
AZELEX.....	88
azithromycin	14, 15
AZOPT	126
aztreonam.....	15
B	
bacitracin	98
bacitracin-polymyxin b.....	98
baclofen	134
balsalazide	122
BALVERSA	20
balziva (28).....	83
BANZEL	32
BAQSIMI	124
BARACLUDE	62
BAVENCIO.....	20
BCG VACCINE, LIVE (PF)	118
BD ULTRA-FINE NANO PEN NEEDLE	95
BD VEO INSULIN SYR HALF UNIT	95
BD VEO INSULIN SYRINGE UF	95
BECONASE AQ	100
bekyree (28)	83
BELEODAQ	20
benazepril	70
benazepril-hydrochlorothiazide	70
BENLYSTA.....	124
BENTYL	103
benztropine.....	52
BEPREVE	97
BERINERT	64
BESIVANCE	98
BESPONSA	20
betamethasone dipropionate...	91
betamethasone valerate	91
betamethasone, augmented	91
BETASERON	80
betaxolol.....	72, 126
bethanechol chloride	105
bexarotene	20
BEXSERO	118
bicalutamide	20
BICILLIN C-R	17
BICILLIN L-A.....	17
BIDIL	79
BIKTARVY	57
bimatoprost	126
bisoprolol fumarate	72
bleomycin.....	20
blisovi 24 fe.....	83
blisovi fe 1.5/30 (28).....	83
blisovi fe 1/20 (28).....	83
BOOSTRIX TDAP	118
BORTEZOMIB	20
BOSULIF	20
BRAFTOVI.....	21
BREO ELLIPTA	130
briellyn	83
BRILINTA	65
brimonidine	126

BRIVIACT	32
bromfenac.....	100
bromocriptine	52
BROVANA	132
BRUKINSA	21
budesonide.....	122, 130
bumetanide	76
buprenorphine.....	3
buprenorphine hcl.....	3, 8
buprenorphine-naloxone.....	8
bupropion hcl.....	38
bupropion hcl (smoking deter) .	8
buspirone	9
busulfan	21
butorphanol.....	3
C	
CABENUVA.....	57
cabergoline	52
CABOMETYX.....	21
calcipotriene	88
calcipotriene-betamethasone ..	88
calcitriol.....	88, 123
calcium acetate(phosphat bind)	
.....	105
CALQUENCE.....	21
camila	83
candesartan	69
candesartan-hydrochlorothiazid	
.....	69
CAPASTAT	48
CAPEX.....	91
CAPLYTA	54
CAPRELSA	21
captopril.....	70
captopril-hydrochlorothiazide	70
CARBAGLU	103
carbamazepine	33
carbidopa	52
carbidopa-levodopa	52
carbidopa-levodopa-entacapone	
.....	52
carbinoxamine maleate.....	46
carboplatin	21
CARDURA XL	68
carisoprodol	134
carisoprodol-aspirin	134
carisoprodol-aspirin-codeine	134
carmustine.....	21
carteolol	126
cartia xt	73
carvedilol	72
carvedilol phosphate	72
caspofungin.....	44
CAYSTON	15
caziant (28)	83
cefaclor	13
cefadroxil	13
cefazolin.....	13
cefdinir	13
cefepime.....	13
cefixime	13
cefotaxime	13
cefotetan.....	13
cefoxitin	13
cefpodoxime	13, 14
cefprozil	14
ceftazidime.....	14
ceftriaxone	14
cefuroxime axetil	14
cefuroxime sodium	14
celecoxib	6
CELONTIN	33
cephalexin.....	14
CEREZYME.....	95
CESAMET.....	49
cetirizine	46
cevimeline.....	88
CHANTIX	9
CHANTIX CONTINUING	
MONTH BOX	9
CHANTIX STARTING	
MONTH BOX	9
CHEMET	106
CHENODAL	95
chloramphenicol sod succinate	
.....	11
chlordiazepoxide hcl	9
chlorhexidine gluconate	88
chloroquine phosphate	51
chlorothiazide.....	76
chlorothiazide sodium	76
chlorpromazine	54
chlorthalidone	76
chlorzoxazone	134
CHOLBAM.....	103
cholestyramine (with sugar)...	77
cholestyramine light.....	77
ciclopirox	44
cidofovir	62
cilostazol	65
CIMDUO	57
cimetidine	102
cimetidine hcl.....	102
CIMZIA	114
CIMZIA POWDER FOR	
RECONST	114
cinacalcet.....	123
CINRYZE	64
CIPRO HC	98
CIPRODEX.....	98
ciprofloxacin	18
ciprofloxacin hcl	18, 98
ciprofloxacin in 5 % dextrose	18
ciprofloxacin-dexamethasone	98
cisplatin	21
citalopram	38
cladribine	21
claravis	89
clarithromycin	15
clemastine	46
CLEOCIN	47
CLIMARA PRO	108
clindamycin hcl.....	11
CLINDAMYCIN IN 0.9 %	
SOD CHLOR	11
clindamycin in 5 % dextrose..	11

CLINDAMYCIN IN 5 %	
DEXTROSE.....	11
clindamycin pediatric	11
clindamycin phosphate....	11, 47,
90	
clindamycin-benzoyl peroxide	
.....	90
clindamycin-tretinoin	90
CLINIMIX 5%/D15W	
SULFITE FREE	66
CLINIMIX 5%/D25W	
SULFITE-FREE.....	66
CLINIMIX 4.25%/D10W SULF	
FREE	66
CLINIMIX 4.25%/D5W	
SULFIT FREE.....	67
CLINIMIX 4.25%-D25W	
SULF-FREE	67
CLINIMIX 5% -	
D20W(SULFITE-FREE) ...	67
CLINIMIX 6%-D5W	
(SULFITE-FREE)	67
CLINIMIX 8%-	
D10W(SULFITE-FREE) ...	67
CLINIMIX 8%-	
D14W(SULFITE-FREE) ...	67
CLINIMIX E 2.75%/D5W	
SULF FREE	67
CLINIMIX E 4.25%/D10W	
SUL FREE.....	67
CLINIMIX E 4.25%/D5W	
SULF FREE	67
CLINIMIX E 5%/D15W	
SULFIT FREE.....	67
CLINIMIX E 5%/D20W	
SULFIT FREE.....	67
CLINIMIX E 8%-D10W	
SULFITEFREE	67
CLINIMIX E 8%-D14W	
SULFITEFREE	67
CLINISOL SF 15 %	67
clobazam.....	33

clobetasol	91, 92
clobetasol-emollient.....	92
clocortolone pivalate.....	92
CLODAN.....	92
clofarabine	21
clomipramine	38
clonazepam	9
clonidine	68, 69
clonidine hcl	68
clopidogrel	65
clorazepate dipotassium....	9, 10
clotrimazole	44
clotrimazole-betamethasone ..	44
clozapine.....	54
COARTEM.....	51
codeine sulfate	3
colchicine.....	46
colesevelam	77, 78
colestipol.....	78
colistin (colistimethate na)....	12
colocont	122
COLY-MYCIN S	98
COMBIGAN	126
COMBIPATCH	108
COMBIVENT RESPIMAT.	132
COMETRIQ	21
COMPLERA	58
compro	49
CONDYLOX	89
constulose	103
COPIKTRA	21
CORDRAN TAPE LARGE	
ROLL.....	92
CORLANOR	74
cortisone.....	109
COSENTYX (2 SYRINGES)	
.....	114
COSENTYX PEN (2 PENS)	114
COTELLIC	21
CREON.....	96
CRINONE	112
CRIXIVAN.....	58
cromolyn	97, 103, 133
cryselle (28)	83
CUVPOSA	103
cyclafem 1/35 (28)	83
cyclafem 7/7/7 (28)	83
cyclobenzaprine	134
CYCLOPHOSPHAMIDE.....	21
CYCLOSET	41
cyclosporine	114
cyclosporine modified.....	114
cyproheptadine	46
CYRAMZA.....	21
CYSTAGON.....	106
CYSTARAN	97
cytarabine	21
cytarabine (pf).....	21
D	
d10 %-0.45 % sodium chloride	
.....	127
d2.5 %-0.45 % sodium chloride	
.....	127
d5 % and 0.9 % sodium chloride	
.....	127
d5 %-0.45 % sodium chloride	
.....	127
dacarbazine	21
dactinomycin.....	21
dalfampridine	80
DALIRESP	133
DALVANCE.....	12
danazol	107
dantrolene.....	134
dapsone	48
DAPTACEL (DTAP	
PEDIATRIC) (PF)	118
daptomycin.....	12
DARAPRIM	51
darifenacin.....	105
DARZALEX	22
DARZALEX FASPRO.....	22
daunorubicin	22
DAURISMO	22

DAYTRANA	80	DIACOMIT	33	doxycycline hyclate	19
deblitane	83	diazepam	10, 33	doxycycline monohydrate.....	19
decitabine	22	diazepam intensol	10	DRIZALMA SPRINKLE	38
deferasirox	106	diazoxide.....	124	dronabinol	49
deferiprone	106	diclofenac epolamine	6	drospirenone-e.estradiol-lm.fa83	
DELESTROGEN	108	diclofenac potassium	6	drospirenone-ethinyl estradiol	
DELSTRIGO.....	58	diclofenac sodium.....	6, 7, 100	83, 84
demeclocycline.....	18	diclofenac-misoprostol	7	DROXIA	22
DEM SER.....	74	dicloxacillin	17	droxidopa	69
DENAVIR	89	dicyclomine	103	duloxetine.....	38
DEPO-ESTRADIOL.....	108	didanosine.....	58	DUPIXENT PEN	114
DEPO-MEDROL	109	DIFICID.....	15	DUPIXENT SYRINGE	114
DESCO VY	58	diflorasone	92	DURAMORPH (PF).....	3
desipramine	38	diflunisal	7	DUREZOL.....	100
desloratadine.....	46	digitek	74	dutasteride	106
desmopressin	111	digox	74	dutasteride-tamsulosin	106
desog-e.estradiol/e.estradiol ...	83	digoxin	74, 75	E	
DESONATE.....	92	DIGOXIN	74	econazole.....	44
desonide.....	92	dihydroergotamine.....	47	EDARBI.....	69
desoximetasone	92	DILANTIN	33	EDARBYCLOR	69
DESVENLAFA XINE	38	diltiazem hcl	73, 74	EDURANT	58
dexamethasone	110	dilt-xr	74	efavirenz.....	58
DEXAMETHASONE		DIPENTUM.....	122	efavirenz-emtricitabin-tenofov	
INTENSOL	109	diphenhydramine hcl	47	58
dexamethasone sodium phos		diphenoxylate-atropine	103	efavirenz-lamivu-tenofov disop	
(pf).....	110	dipyridamole	65	58
dexamethasone sodium		disopyramide phosphate	71	ELAPRASE	96
phosphate.....	100, 110	disulfiram.....	9	ELIGARD	22
DEXILANT	102	divalproex	33	ELIGARD (3 MONTH).....	22
dexamethylphenidate	80	docetaxel	22	ELIGARD (4 MONTH).....	22
dexrazoxane hcl.....	124	dofetilide	71	ELIGARD (6 MONTH).....	22
dextroamphetamine	80	donepezil.....	37	ELIQUIS	63
dextroamphetamine-		dorzolamide	126	ELIQUIS DVT-PE TREAT 30D	
amphetamine	80, 81	dorzolamide-timolol	126	START	63
dextrose 10 % and 0.2 % nacl		DOVATO	58	ELITEK.....	96
.....	127	doxazosin	69	ELMIRON	124
dextrose 5 % in water (d5w) .	67,	doxepin	38, 89	eluryng	84
68		doxercalciferol	123	EMCYT.....	23
dextrose 5 %-lactated ringers		DOXIL.....	22	emoquette	84
.....	127	doxorubicin.....	22	EMPLICITI.....	23
dextrose 5%-0.2 % sod chloride		doxorubicin, peg-liposomal ...	22	EMSAM.....	38
.....	127	doxy-100	18	emtricitabine	58

emtricitabine-tenofovir (tdf).....	58
EMTRIVA.....	58
EMVERM	51
enalapril maleate	70
enalapril-hydrochlorothiazide	70
ENBREL	114
ENBREL MINI	114
ENBREL SURECLICK.....	114
endocet	3
ENGERIX-B (PF)	119
ENGERIX-B PEDIATRIC (PF)	
.....	119
enoxaparin	63
enpresse	84
entacapone.....	52
entecavir	62
ENTRESTO	69
enulose.....	103
ENVARSUS XR	115
EPANED	70
EPCLUSA	61
EPIDIOLEX	33
epinastine.....	97
epinephrine	75
EPIPEN 2-PAK	75
EPIPEN JR 2-PAK.....	75
epirubicin.....	23
EPIVIR HBV.....	58
eplerenone	79
eprosartan	69
ERAXIS(WATER DILUENT)	
.....	44
ERBITUX.....	23
ergoloid.....	37
ERIVEDGE.....	23
ERLEADA	23
erlotinib	23
errin	84
ERTACZO	44
ertapenem	15
ERWINAZE	23
ery pads	90
ery-tab	15
ERYTHROCIN	15
erythromycin.....	15, 98
erythromycin ethylsuccinate..	15
erythromycin with ethanol....	90
erythromycin-benzoyl peroxide	
.....	90
ESBRIET	133
escitalopram oxalate	39
esomeprazole sodium	102
estazolam	10
estradiol	108
estradiol valerate.....	108
estradiol-norethindrone acet	108
ESTRING	109
eszopiclone	134
ethacrylic acid	76
ethambutol	48
ethosuximide.....	33
ethynodiol diac-eth estradiol .	84
etidronate disodium	123
etodolac.....	7
etonogestrel-ethinyl estradiol	84
ETOPOPHOS	23
etoposide	23
EURAX	94
EVAMIST	109
everolimus	
(immunosuppressive).....	115
EVOTAZ	58
EXELDERM	44
exemestane.....	23
EXTAVIA	81
ezetimibe.....	78
ezetimibe-simvastatin	78
F	
FABRAZYME.....	96
falmina (28)	84
famciclovir.....	62
famotidine	102
famotidine (pf)-nacl (iso-os)	102
FANAPT.....	54
FARXIGA	41
FARYDAK	23
FASLODEX.....	23
febuxostat.....	46
felbamate	33
felodipine	76
FEMRING	109
femynor	84
fenofibrate	78
fenofibrate micronized.....	78
fenofibrate nanocrystallized...	78
fenofibric acid	78
fenofibric acid (choline).....	78
fentanyl	3
fentanyl citrate	3
FENTORA	3
FERRIPROX.....	106
FETZIMA	39
FINACEA	89
finasteride.....	106
FINTEPLA.....	34
FIRAZYR	75
FIRMAGON	23
FIRMAGON KIT W DILUENT	
SYRINGE	23
flavoxate.....	105
FLEBOGAMMA DIF.....	115
flecainide	71
FLOVENT DISKUS	130
FLOVENT HFA	131
fluconazole	45
fluconazole in nacl (iso-osm).	45
flucytosine	45
fludarabine	23
fludrocortisone	110
flunisolide	100
fluocinolone	92
fluocinolone acetonide oil...	100
fluocinolone and shower cap .	92
fluocinonide	92, 93
fluocinonide-e	93
fluorometholone	100

fluorouracil	23, 89
fluoxetine.....	39
fluphenazine decanoate	54
fluphenazine hcl	54
flurandrenolide	93
flurazepam.....	10
flurbiprofen.....	7
flurbiprofen sodium.....	100
flutamide.....	23
fluticasone propionate	93, 101
fluvastatin.....	78
fluvoxamine.....	39
FOLOTYN	23
fomepizole	124
fondaparinux.....	63
FORTEO	123
fosamprenavir.....	58
fosfomycin tromethamine	12
fosinopril	70
fosinopril-hydrochlorothiazide	71
fosphenytoin	34
FRAGMIN	63
FREAMINE HBC 6.9 %	68
frovatriptan	47
furosemide	76, 77
FUZEON	58
fyavolv.....	109
FYCOMPA	34
G	
gabapentin	34
galantamine	37
GAMASTAN	115
GAMMAGARD LIQUID	115
GAMMAGARD S-D (IGA < 1 MCG/ML)	115
GAMMAKED	115
GAMMAPLEX (WITH SORBITOL)	115
GAMUNEX-C	115
ganciclovir sodium	62
GARDASIL 9 (PF).....	119
gatifloxacin	98
GATTEX 30-VIAL	103
GAUZE PAD.....	95
gavilyte-c	104
gavilyte-g	104
gavilyte-n	104
GAVRETO	24
GELNIQUE	105
gemcitabine.....	24
gemfibrozil.....	78
generlac.....	103
gengraf	115
gentak.....	98
gentamicin	10, 90, 99
gentamicin in nacl (iso-osm) .	10
gentamicin sulfate (ped) (pf) .	11
GENVOYA	58
GEODON	55
gianvi (28).....	84
GILENYA	81
GIOTRIF	24
GLASSIA	133
glatiramer	81
glimepiride.....	43
glipizide	43
glipizide-metformin	44
GLUCAGEN HYPOKIT	124
GLUCAGON EMERGENCY KIT (HUMAN).....	124
glyburide	44
glyburide micronized.....	44
glyburide-metformin.....	44
glycopyrrolate	103
GOCOVRI.....	52
granisetron (pf)	49
granisetron hcl	49
griseofulvin microsize	45
griseofulvin ultramicrosize	45
guanfacine.....	69, 81
guanidine	125
GVOKE HYPOOPEN 1-PACK	125
GVOKE HYPOOPEN 2-PACK	
.....	125
GVOKE PFS 1-PACK	
SYRINGE	125
GVOKE PFS 2-PACK	
SYRINGE	125
H	
HALAVEN	24
halcinonide	93
halobetasol propionate	93
HALOG.....	93
haloperidol	55
haloperidol decanoate	55
haloperidol lactate	55
HARVONI	61
HAVRIX (PF).....	119
heparin (porcine)	64
heparin (porcine) in 5 % dex..	64
heparin, porcine (pf).....	64
HEPATAMINE 8%	68
HERCEPTIN.....	24
HETLIOZ.....	135
HIBERIX (PF)	119
HUMIRA	115
HUMIRA PEN	115
HUMIRA PEN CROHNS-UC-HS START	115
HUMIRA PEN PSOR-UVEITS-ADOL HS	115
HUMIRA(CF).....	116
HUMIRA(CF) PEDI CROHNS-STARTER.....	115
HUMIRA(CF) PEN	116
HUMIRA(CF) PEN CROHNS-UC-HS	115
HUMIRA(CF) PEN PEDIATRIC UC	116
HUMIRA(CF) PEN PSOR-UV-ADOL HS	116
hydralazine	75
hydrochlorothiazide	77
hydrocodone bitartrate	3

hydrocodone-acetaminophen	3, 4	INDOCIN	7	jantoven	64
hydrocodone-ibuprofen	4	indomethacin	7	JANUMET	41
hydrocortisone	93, 110, 122	INFANRIX (DTAP) (PF)	119	JANUMET XR	41
hydrocortisone butyrate	93	INLYTA	24	JANUVIA	41
hydrocortisone-acetic acid	99	INQOVI	25	JARDIANCE	41
hydromorphone	4	INREBIC	25	JEVTANA	25
hydromorphone (pf)	4	INSULIN SYRINGE-NEEDLE		jinteli	109
hydroxychloroquine	51	U-100	95	juleber	84
hydroxyprogesterone cap(ppres)		INTELENCE	58	JULUCA	59
.....	112	INTRALIPID	68	junel 1.5/30 (21)	84
hydroxyurea	24	INTRON A	62	junel 1/20 (21)	84
hydroxyzine hcl	47	introvale	84	junel fe 1.5/30 (28)	84
hydroxyzine pamoate	125	INVEGA SUSTENNA	55	junel fe 1/20 (28)	84
HYPERRAB S/D (PF)	116	INVEGA TRINZA	55	junel fe 24	84
HYSINGLA ER	4	INVIRASE	59	JUXTAPID	78
I		IONOSOL-B IN D5W	127	K	
ibandronate	123	IONOSOL-MB IN D5W	128	KADCYLA	25
IBRANCE	24	IPOL	119	KADIAN	4
ibu	7	ipratropium bromide	97, 132	kaitlib fe	84
ibuprofen	7	ipratropium-albuterol	132	KALETRA	59
ibuprofen-oxycodone	4	irbesartan	69	KALYDECO	133
icatibant	75	irbesartan-hydrochlorothiazide		kariva (28)	84
ICLUSIG	24	69	kelnor 1/35 (28)	84
icosapent ethyl	78	IRESSA	25	kelnor 1-50 (28)	84
idarubicin	24	irinotecan	25	KENALOG	110
IDHIFA	24	ISENTRESS	59	KEPIVANCE	125
ifosfamide	24	ISENTRESS HD	59	ketoconazole	45
ILEVRO	101	ISOLYTE-P IN 5 %		ketorolac	7, 101
imatinib	24	DEXTROSE	128	KEYTRUDA	25
IMBRUICA	24	ISOLYTE-S	128	KINERET	116
IMFINZI	24	isoniazid	48	KINRIX (PF)	119
imipenem-cilastatin	15	isosorbide dinitrate	79	kionex	103
imipramine hcl	39	isosorbide mononitrate	79	kionex (with sorbitol)	103
imipramine pamoate	39	isotretinoin	89	KISQALI	25
imiquimod	89	isradipine	76	KISQALI FEMARA CO-PACK	
IMOGRAM RABIES-HT (PF)		itraconazole	45	25
.....	116	ivermectin	51, 95	klor-con m10	128
IMOVA X RABIES VACCINE		IXIARO (PF)	119	klor-con m15	128
(PF)	119	J		klor-con m20	128
INCRELEX	111	JADENU	107	KOMBIGLYZE XR	41
INCRUSE ELLIPTA	132	JADENU SPRINKLE	107	KORLYM	41
indapamide	77	JAKAFI	25	KOSELUGO	25

KUVAN	96
KYPROLIS	25
L	
l norgest/e.estradiol-e.estrad..	84,
85	
labetalol	72
LACRISERT	98
LACTATED RINGERS.....	122,
128	
lactulose.....	103
LAMICTAL XR STARTER (BLUE).....	34
LAMICTAL XR STARTER (GREEN).....	34
LAMICTAL XR STARTER (ORANGE).....	34
lamivudine	59
lamivudine-zidovudine.....	59
lamotrigine	34
LANOXIN.....	75
lansoprazole.....	102
LANTUS SOLOSTAR U-100 INSULIN	42
LANTUS U-100 INSULIN....	42
lapatinib.....	25
larin 1.5/30 (21).....	85
larin 1/20 (21).....	85
larin fe 1.5/30 (28).....	85
larin fe 1/20 (28).....	85
larissia.....	85
LASTACAFT.....	98
latanoprost	126
LATUDA	55
layolis fe	85
LAZANDA.....	4
leena 28	85
leflunomide.....	116
LENVIMA	26
lessina.....	85
letrozole.....	26
leucovorin calcium	125
LEUKERAN	26
leuprolide	26
levalbuterol hcl	132
levetiracetam.....	35
levetiracetam in nacl (iso-os) .	35
levobunolol	126
levocarnitine	125
levocarnitine (with sugar)....	125
levocetirizine	47
levofloxacin	18, 99
levofloxacin in d5w	18
levoleucovorin calcium.....	125
levonest (28)	85
levonorgestrel-ethinyl estrad .	85
levonorg-eth estrad triphasic .	85
levora-28.....	85
levorphanol tartrate.....	4
levothyroxine	113
LEXIVA	59
lidocaine.....	8
lidocaine (pf).....	8
lidocaine hcl.....	8
lidocaine viscous.....	8
lidocaine-prilocaine	8
lincomycin	12
lindane	95
linezolid	12
linezolid in dextrose 5%	12
LINZESS	103
liothyronine.....	113
lisinopril.....	71
lisinopril-hydrochlorothiazide	71
lithium carbonate	81
lithium citrate	81
LITHOSTAT	106
LOKELMA.....	103
LONSURF	26
loperamide	104
lopinavir-ritonavir.....	59
lorazepam.....	10
lorazepam intensol	10
LORBRENA.....	26
lorcet (hydrocodone).....	4
lorcet hd	4
lorcet plus.....	4
loryna (28).....	85
losartan	69
losartan-hydrochlorothiazide .	69
LOTEMAX	101
loteprednol etabonate	101
lovastatin	78
low-ogestrel (28).....	85
loxapine succinate	55
lubiprostone.....	104
LUMIGAN.....	126
LUMIZYME	96
LUPRON DEPOT.....	26, 111
LUPRON DEPOT (3 MONTH)
.....	26, 111
LUPRON DEPOT (4 MONTH)
.....	26
LUPRON DEPOT (6 MONTH)
.....	26
LUPRON DEPOT-PED.....	111
lutera (28).....	85
lyllana.....	109
LYNPARZA	26
LYRICA.....	35
LYSODREN	26
lyza.....	85
M	
mafenide acetate.....	89
magnesium sulfate	128
malathion.....	95
maprotiline	39
marlissa (28).....	85
MARPLAN	39
MATULANE	26
matzim la.....	74
MAVYRET	61
meclizine	49
MEDROL.....	110
medroxyprogesterone...	112, 113
mefloquine	51
megestrol	26, 113

MEKINIST	26
MEKTOVI	26
meloxicam	7
melphalan hcl	26
memantine	37
MENACTRA (PF)	119
MENEST	109
MENOSTAR	109
MENTAX	45
MENVEO A-C-Y-W-135-DIP (PF)	120
meperidine	5
meperidine (pf)	4
meprobamate	10
mercaptopurine	26
meropenem	16
merzee	85
mesalamine	122
mesna	125
MESNEX	125
metaproterenol	132
metaxall	134
metaxalone	134
metformin	41
methadone	5
methamphetamine	81
methazolamide	126
methenamine hippurate	12
methimazole	113
METHITEST	107
methocarbamol	134
methotrexate sodium	27
methotrexate sodium (pf)	27
methoxsalen	89
methscopolamine	104
methyldopa	69
methyldopa-hydrochlorothiazide	69
methylphenidate hcl	81, 82
methylprednisolone	110
methylprednisolone acetate	110
methylprednisolone sodium succ	110
methyltestosterone	107
metipranolol	126
metoclopramide hcl	104
metolazone	77
metoprolol succinate	72
metoprolol ta-hydrochlorothiaz	72, 73
metoprolol tartrate	73
metronidazole	12, 47, 90
metronidazole in nacl (iso-os)	12
metyrosine	75
mexiletine	71
MIACALCIN	123
micafungin	45
miconazole-3	45
microgestin 1.5/30 (21)	85
microgestin 1/20 (21)	86
microgestin fe 1.5/30 (28)	86
microgestin fe 1/20 (28)	86
midodrine	69
miglitol	41
miglustat	96
mili	86
MILLIPRED	110
mimvey	109
minocycline	19
minoxidil	79
mirtazapine	39
misoprostol	102
mitomycin	27
mitoxantrone	27
M-M-R II (PF)	120
modafinil	135
moexipril	71
molindone	55
mometasone	93, 101
montelukast	131
MONUROL	12
morphine	5
MORPHINE	5
morphine concentrate	5
MOVANTIK	104
moxifloxacin	18, 99
moxifloxacin-sod.chloride(iso)	18
MOZOBIL	64
MULTAQ	71
mupirocin	90
mupirocin calcium	90
mutamycin	27
MYCAMINE	45
mycophenolate mofetil	116
mycophenolate mofetil (hcl)	116
mycophenolate sodium	116
MYLOTARG	27
myorisan	89
MYRBETRIQ	105
N	
nabumetone	7
nadolol	73
nadolol-bendroflumethiazide	73
nafcillin	17
nafcillin in dextrose iso-osm	17
naftifine	45
NAGLAZYME	96
naloxone	9
naltrexone	9
naproxen	7
naproxen sodium	8
naratriptan	47
NARCAN	9
NATACYN	99
nateglinide	41
NATPARA	123
NAYZILAM	35
NEBUPENT	51
necon 0.5/35 (28)	86
nefazodone	39
neomycin	11
neomycin-bacitracin-poly-hc	99
neomycin-bacitracin-polymyxin	99

neomycin-polymyxin b gu	90
neomycin-polymyxin b-	
dexameth	99
neomycin-polymyxin-	
gramicidin.....	99
neomycin-polymyxin-hc	99
NEOSPORIN GU IRRIGANT	
.....	90
NEPHRAMINE 5.4 %	68
NERLYNX.....	27
neuac.....	90
NEULASTA.....	64
NEUPRO.....	52
NEVANAC	101
nevirapine	59
NEXAVAR	27
NEXTERONE	72
niacin	78
niacor.....	78
nicardipine.....	76
NICOTROL.....	9
NICOTROL NS.....	9
nifedipine.....	76
nikki (28).....	86
nilutamide.....	27
nimodipine.....	76
NINLARO.....	27
NIPENT.....	27
nisoldipine	76
nitazoxanide	51
nitisinone	96
NITRO-DUR	79
nitrofurantoin.....	12
nitrofurantoin macrocrystal....	12
nitrofurantoin monohyd/m-cryst	
.....	12
nitroglycerin	80
nizatidine	102
nora-be.....	86
NORDITROPIN FLEXPRO	112
noreth-ethinyl estradiol-iron...86	
norethindrone (contraceptive)	86
norethindrone acetate.....	113
norethindrone ac-eth estradiol	
.....	86, 109
norethindrone-e.estriadiol-iron	86
norgestimate-ethinyl estradiol	86
NORMOSOL-M IN 5 %	
DEXTROSE	128
NORMOSOL-R IN 5 %	
DEXTROSE	128
NORMOSOL-R PH 7.4.....	128
NORTHERA	69
nortrel 0.5/35 (28).....	86
nortrel 1/35 (21).....	86
nortrel 1/35 (28).....	86
nortrel 7/7/7 (28).....	86
nortriptyline	39
NORVIR	59
NOVOLIN 70/30 U-100	
INSULIN	42
NOVOLIN 70-30 FLEXPEN U-	
100	42
NOVOLIN N FLEXPEN.....	43
NOVOLIN N NPH U-100	
INSULIN	43
NOVOLIN R FLEXPEN.....	43
NOVOLIN R REGULAR U-	
100 INSULN.....	43
NOVOLOG FLEXPEN U-100	
INSULIN	43
NOVOLOG MIX 70-30 U-100	
INSULN.....	43
NOVOLOG MIX 70-	
30FLEXPEN U-100	43
NOVOLOG PENFILL U-100	
INSULIN	43
NOVOLOG U-100 INSULIN	
ASPART	43
NOXAFILE.....	45
NUBEQA.....	27
NUCALA.....	133
NUCYNTA.....	5
NUCYNTA ER.....	5
NULOJIX.....	116
NUPLAZID.....	55
NUTRILIPID	68
NUVARING	87
nyamyc	45
nystatin.....	45, 46
nystop.....	46
O	
ocella	87
OCTAGAM	116
octreotide acetate	112
ODEFSEY	59
ODOMZO	27
OFEV	133
ofloxacin	18, 99
ogestrel (28)	87
olanzapine	55, 56
olanzapine-fluoxetine.....	39, 40
olmesartan	69
olmesartan-amlodipine-hctiazid	
.....	70
olmesartan-hydrochlorothiazide	
.....	70
olopatadine	98
omega-3 acid ethyl esters.....	78
omeprazole	102
OMNARIS	101
OMNIPOD DASH 5 PACK	
POD.....	95
ondansetron	50
ondansetron hcl	50
ondansetron hcl (pf)	49
ONGLYZA	41
ONUREG	27
OPDIVO	27
OPSUMIT	135
ORENCIA	117
ORENCIA (WITH MALTOSE)	
.....	116
ORENCIA CLICKJECT.....	117
ORFADIN	96
ORGOVYX.....	112

ORKAMBI	133
orphenadrine citrate	134
orsythia	87
oseltamivir	61
OSMOPREP	105
oxacillin	17
oxacillin in dextrose(iso-osm)	17
oxaliplatin	27
oxandrolone	107
oxazepam	10
oxcarbazepine	35
oxiconazole	46
OXTELLAR XR	35
oxybutynin chloride	105
oxycodone	5, 6
oxycodone-acetaminophen	6
oxycodone-aspirin	6
oxymorphone	6
OXYTROL	105
OZEMPIC	41
P	
pacerone	72
paclitaxel	27
paliperidone	56
pamidronate	123
PANCREAZE	96
PANDEL	93
PANRETIN	89
pantoprazole	102
paricalcitol	123
PARICALCITOL	123
paroex oral rinse	88
paromomycin	51
paroxetine hcl	40
PASER	48
PAXIL	40
PEDIARIX (PF)	120
PEDVAX HIB (PF)	120
peg 3350-electrolytes	105
PEGANONE	35
PEGASYS	62
peg-electrolyte soln	105
PEMAZYRE	28
PEN NEEDLE, DIABETIC	95
penicillamine	107
penicillin g pot in dextrose	17
penicillin g potassium	17
penicillin g procaine	17
penicillin g sodium	17
penicillin v potassium	17
PENNNSAID	8
PENTACEL DTAP-IPV	
COMPNT (PF)	120
PENTAM	51
pentamidine	51
pentazocine-naloxone	6
pentoxifylline	65
PERFOROMIST	132
perindopril erbumine	71
PERJETA	28
permethrin	95
perphenazine	56
perphenazine-amitriptyline	40
PERSERIS	56
PERTZYE	96
PEXEVA	40
phenadoz	50
phenelzine	40
phenobarbital	35
phenoxybenzamine	69
phenytoin	35
phenytoin sodium	35
phenytoin sodium extended	35
PHESGO	28
PHOSPHOLINE IODIDE	127
PHYSIOLYTE	122
PHYSIOSOL IRRIGATION	122
PICATO	89
PIFELTRO	59
pilocarpine hcl	88, 127
pimecrolimus	93
pimozide	56
pimtrea (28)	87
pindolol	73
pioglitazone	41
pioglitazone-glimepiride	41
piperacillin-tazobactam	17
PIQRAY	28
pirmella	87
piroxicam	8
PLASMA-LYTE	148
PLASMA-LYTE A	128
PLEGRIDY	82
PLENAMINE	68
podofilox	89
polycin	99
polymyxin b sulfate	12
polymyxin b sulf-trimethoprim	99
POMALYST	28
portia 28	87
posaconazole	46
potassium chlorid-d5-0.45%nacl	128
potassium chloride	129
potassium chloride in 5 % dex	128
potassium chloride in lr-d5	129
potassium chloride-0.45 % nacl	129
potassium chloride-d5-0.2%nacl	129
potassium chloride-d5-0.3%nacl	129
potassium chloride-d5-0.9%nacl	129
potassium citrate	129
pramipexole	53
prasugrel	65
pravastatin	78
prazosin	69
PRED MILD	101
prednicarbate	93
prednisolone	110
prednisolone acetate	101

prednisolone sodium phosphate	101, 110, 111	propafenone	72
prednisone	111	propantheline	104
PREDNISONE INTENSOL	111	proparacaine.....	98
PREFEST	109	propranolol.....	73
pregabalin	36	propranolol-hydrochlorothiazid	73
PREMARIN	109	propylthiouracil	113
PREMASOL 10 %	68	PROQUAD (PF).....	120
PREMPHASE	109	PROSOL 20 %.....	68
PREMPRO	109	protriptyline	40
prevalite.....	79	PULMOZYME.....	96
previfem	87	PURIXAN	28
PREZCOBIX.....	60	PYLERA.....	104
PREZISTA	60	pyrazinamide	49
PRIFTIN	49	pyridostigmine bromide.....	125
PRIMAQUINE.....	51	pyrimethamine	51
primidone	36	Q	
primlev	6	QINLOCK	28
PRIMLEV	6	QNASL.....	101
PRIVIGEN	117	QUADRACEL (PF)	120
probenecid	46	quetiapine.....	56
probenecid-colchicine	46	quinapril.....	71
procainamide	72	quinapril-hydrochlorothiazide	71
PROCALAMINE 3%	68	quinidine gluconate.....	72
prochlorperazine.....	50	quinidine sulfate	72
prochlorperazine edisylate.....	50	quinine sulfate.....	51
prochlorperazine maleate	50	R	
PROCIT	65	RABAVERT (PF).....	120
procto-med hc.....	93	rabeprazole.....	102
procto-pak.....	93	raloxifene	109
proctosol hc	94	ramelteon	135
proctozone-hc	94	ramipril	71
progesterone micronized	113	ranitidine hcl	102, 103
PROGRAF	117	ranolazine.....	75
PROLASTIN-C	133, 134	rasagiline.....	53
PROLENSA	101	RAVICTI.....	104
PROLEUKIN	28	REBIF (WITH ALBUMIN) ..	82
PROLIA	123	REBIF REBIDOSE	82
PROMACTA.....	65	REBIF TITRATION PACK..	82
promethazine	47, 50	reclipsen (28)	87
promethazine-phenylephrine..	47	RECOMBIVAX HB (PF)....	120
promethegan	50	RECTIV	126
		REGRANEX.....	89
		RELENZA DISKHALER.....	61
		RELISTOR	104
		REMICADE.....	117
		repaglinide.....	41
		repaglinide-metformin	42
		REPATHA PUSHTRONEX..	79
		REPATHA SURECLICK.....	79
		RESTASIS	101
		RETACRIT	65
		RETEVMO	28
		RETIN-A MICRO PUMP	94
		RETROVIR.....	60
		REVLIMID	28
		REXULTI	56
		REYATAZ	60
		REYVOW	48
		ribavirin.....	62
		RIDAURA	117
		rifabutin.....	49
		RIFAMATE	49
		rifampin.....	49
		RIFATER	49
		riluzole	82
		rimantadine	61
		ringer's.....	122, 130
		RINVOQ	117
		risedronate	124
		RISPERDAL CONSTA.....	56
		risperidone.....	56
		ritonavir	60
		RITUXAN.....	28
		rivastigmine.....	37
		rivastigmine tartrate	37
		rizatriptan	48
		romidepsin.....	28
		ropinirole	53
		rosuvastatin	79
		ROTARIX.....	120
		ROTATEQ VACCINE	120
		ROZLYTREK.....	28

RUBRACA	28
RUCONEST	65
rufinamide	36
RUKOBIA	60
RYDAPT	29
RYTARY	53
S	
SANCUSO	50
SANDOSTATIN LAR DEPOT	112
SANTYL	89
SAPHRIS	56
sapropterin	96, 97
SAVELLA	82
scopolamine base	50
SECUADO	56
selegiline hcl	53
selenium sulfide	90
SELZENTRY	60
SENSIPAR	124
SEREVENT DISKUS	132
sertraline	40
setlakin	87
sevelamer carbonate	105
sevelamer hcl	105
sharobel	87
SHINGRIX (PF)	120
SIGNIFOR	112
sildenafil (pulm.hypertension)	135
silodosin	106
silver sulfadiazine	91
SIMBRINZA	127
SIMPONI	117
SIMPONI ARIA	117
SIMULECT	117
simvastatin	79
sirolimus	117
SIRTURO	49
SIVEXTRO	12
SKLICE	95
SKYRIZI	117
sodium chloride 0.45 %	130
sodium chloride 0.9 %	130
sodium chloride 3 %	130
sodium chloride 5 %	130
sodium phenylbutyrate	104
sodium polystyrene (sorb free)	104
sodium polystyrene sulfonate	104
solifenacin	106
SOLTAMOX	29
SOLU-CORTEF ACT-O-VIAL (PF)	111
SOLU-MEDROL	111
SOMATULINE DEPOT	112
SOMAVERT	112
sorine	73
sotalol	73
sotalol af	73
SOVALDI	62
SPIRIVA RESPIMAT	132
SPIRIVA WITH HANDIHALER	132
spironolactone	77
spironolacton-hydrochlorothiaz	77
SPORANOX	46
sprintec (28)	87
SPRITAM	36
SPRYCEL	29
sps (with sorbitol)	104
sronyx	87
ssd	91
stavudine	60
STELARA	117
STERILE PADS	95
STIMATE	112
STIOLTO RESPIMAT	132
STIVARGA	29
STRENSIQ	97
streptomycin	11
STRIBILD	60
SUCRAID	97
sucralfate	103
sulfacetamide sodium	100
sulfacetamide sodium (acne)	91
sulfacetamide-prednisolone	. 100
sulfadiazine	18
sulfamethoxazole-trimethoprim	18
SULFAMYLYON	89
sulfasalazine	122
sulindac	8
sumatriptan	48
sumatriptan succinate	48
SUNOSI	135
SUPRAX	14
SUTENT	29
SYLATRON	29
SYLVANT	29
SYMFI	60
SYMFI LO	60
SYMLINPEN 120	42
SYMLINPEN 60	42
SYMPAZAN	36
SYMTUZA	60
SYNAGIS	61
SYNAREL	112
SYNERCID	12
SYNJARDY	42
SYNJARDY XR	42
SYNRIBO	29
T	
TABLOID	29
TABRECTA	29
tacrolimus	94, 118
TAFINLAR	29
TAGRISSO	29
TALZENNA	29
tamoxifen	29
tamsulosin	106
TARCEVA	29
TARGRETIN	29
tarina fe 1-20 eq (28)	87

TASIGNA	29	THYROLAR-1/4	113	TRAVASOL 10 %	68
tazarotene	94	THYROLAR-2	113	travoprost	127
tazicef	14	THYROLAR-3	113	travoprost (benzalkonium) ...	127
TAZORAC	94	tiagabine.....	36	trazodone	40
taztia xt	74	TIBSOVO	30	TREANDA	30
TAZVERIK	29	TIGAN	50	TRECATOR	49
TDVAX	121	tigecycline.....	19	TRELEGY ELLIPTA	133
TECENTRIQ.....	29	timolol maleate	73, 127	TRELSTAR	30
TECFIDERA	82	timolol maleate (pf)	127	treprostinil sodium	135
TEFLARO	14	TIMOPTIC OCUDOSE (PF)		tretinoin	94
TEKTURNA HCT	79	127	tretinoin (antineoplastic)	30
telmisartan	70	tinidazole	51	tretinoin microspheres	94
telmisartan-hydrochlorothiazid		TIROSINT	113	TREXALL	30
.....	70	TIVICAY	60	triamcinolone acetonide ..	88, 94,
temazepam.....	10	TIVICAY PD.....	60	111	
TEMIXYS	60	tizanidine	134	triамтерене-хидрохлоротиазид	
temsirolimus	29	TOBI PODHALER.....	11	77
TENIVAC (PF)	121	tobramycin	11, 100	triazolam	10
tenofovir disoproxil fumarate.	60	tobramycin in 0.225 % nacl... ..	11	TRIDESILON	94
TEPMETKO.....	29	tobramycin sulfate	11	trientine	107
terazosin	106	tobramycin-dexamethasone .	100	trifluoperazine	57
terbinafine hcl.....	46	tolcapone.....	53	trifluridine	100
terbutaline	132	tolterodine	106	trihexyphenidyl	53
terconazole	47	topiramate	36	tri-legest fe	87
teriparatide.....	124	toposar	30	tri-lo-estarrylla	87
testosterone	107, 108	topotecan.....	30	tri-lo-sprintec	87
testosterone cypionate	107	toremifene	30	trilyte with flavor packets ...	105
testosterone enanthate	107	torsemide	77	trimethobenzamide	50
TETANUS,DIPHTHERIA TOX		TOUJEO MAX U-300		trimethoprim	12
PED(PF)	121	SOLOSTAR	43	tri-mili	87
tetrabenazine.....	82	TOUJEO SOLOSTAR U-300		trimipramine	40
tetracycline	19	INSULIN	43	TRINTELLIX	40
THALOMID.....	126	TOVIAZ	106	tri-previfem (28)	87
THEO-24.....	132	TPN ELECTROLYTES	130	TRISENOX	30
theophylline	133	TRACLEER.....	135	tri-sprintec (28)	87
THIOLA	106	tramadol	6	TRIUMEQ	60
thioridazine	56	tramadol-acetaminophen	6	trivora (28)	87
thiotepa	29	trandolapril.....	71	TRODELVY	30
thiothixene	56	trandolapril-verapamil	71	TROPHAMINE 10 %	68
THYMOGLOBULIN.....	118	tranexamic acid.....	65	TROPHAMINE 6%	68
THYROLAR-1	113	TRANSDERM-SCOP	50	trospium	106
THYROLAR-1/2.....	113	tranylcypromine.....	40	TRULICITY	42

TRUMENBA	121
TRUVADA	61
TUKYSA.....	30
tulana	87
TURALIO	30
TWINRIX (PF)	121
tyblume.....	87
TYBOST	126
TYKERB	30
TYPHIM VI	121
TYSABRI.....	118
U	
UCERIS.....	122
ULTRAVATE.....	94
UPTRAVI.....	135
ursodiol.....	104
UVADEX	89
V	
valacyclovir	63
VALCHLOR	89
valganciclovir	63
valproate sodium	36
valproic acid	36
valproic acid (as sodium salt)	36
valsartan	70
valsartan-hydrochlorothiazide	70
VALTOCO.....	36
vancomycin	13
vancomycin in 0.9 % sodium chl	12
VAQTA (PF).....	121
VARIVAX (PF)	121
VARUBI.....	50
VASCEPA.....	79
VECTIBIX	30
VELCADE	30
velvet triphasic regimen (28)	87
VELPHORO.....	105
VENCLEXTA.....	30
VENCLEXTA STARTING PACK	30
venlafaxine	40
VENTAVIS	135
verapamil	74
VERSACLOZ.....	57
VERZENIO	30
VIBRAMYCIN	19
vicodin hp	6
VICTOZA.....	42
VIDEX 2 GRAM PEDIATRIC	61
VIDEX EC.....	61
vienna.....	87
vigabatrin	36
VIIBRYD.....	40
VIMPAT	36
vinblastine.....	31
vincasar pfs	31
vincristine	31
vinorelbine	31
VIRACEPT.....	61
VIREAD	61
VITRAKVI.....	31
VIZIMPRO	31
voriconazole.....	46
VOSEVI.....	62
VOTRIENT	31
VPRIV	97
VRAYLAR.....	57
vyfemla (28)	88
VYVANSE	82
VYXEOS	31
W	
warfarin.....	64
water for irrigation, sterile ...	122
wymzya fe.....	88
X	
XALKORI	31
XARELTO.....	64
XARELTO DVT-PE TREAT 30D START.....	64
XATMEP	31
XCOPRI.....	37
XCOPRI MAINTENANCE PACK	37
XCOPRI TITRATION PACK	37
XELJANZ	118
XELJANZ XR	118
XERESE	89
XGEVA.....	124
XIFAXAN.....	13
XIGDUO XR	42
XOLAIR	134
XOSPATA	31
XPOVIO	31
XTANDI	31
xulane.....	88
xyton 10	6
XYREM	135
Y	
YERVOY	32
YF-VAX (PF)	121
YONDELIS.....	32
YONSA	32
yuvafem.....	109
Z	
zafirlukast.....	131
zaleplon	135
ZALTRAP.....	32
ZANOSAR.....	32
zarah.....	88
ZARXIO	65
ZEJULA.....	32
ZELAPAR.....	53
ZELBORAF	32
ZEMAIRA	134
zenatane.....	89
ZENPEP	97
ZEPZELCA.....	32
ZERBAXA.....	14
ZETONNA	101
zidovudine	61
zileuton	131
ZIOPTAN (PF)	127

ziprasidone hcl.....	57	zolpidem	135	zovia 1/35e (28)	88
ziprasidone mesylate	57	ZOMIG	48	ZYCLARA.....	90
ZIRGAN.....	100	zonisamide	37	ZYDELIG	32
zoledronic acid	124	ZONTIVITY.....	65	ZYFLO.....	131
zoledronic acid-mannitol-water	124	ZORTRESS	118	ZYKADIA	32
ZOLINZA.....	32	ZOSTAVAX (PF).....	121	ZYLET	100
zolmitriptan	48	ZOSYN IN DEXTROSE (ISO- OSM)	17	ZYPREXA RELPREVV	57
				ZYTIGA.....	32

CCHP Senior Program (HMO)'s Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by CCHP Senior Program (HMO). If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., VYVANSE) and generic drugs are listed in lower-case italics (e.g., *alendronate*).

The information in the Requirements/Limits column tells you if CCHP Senior Program (HMO) has any special requirements for coverage of your drug.

- Limited Distribution (LD): These drugs are restricted to certain pharmacies by the Food and Drug Administration. These drugs may only be available at certain pharmacies. For more information, consult your Provider and Pharmacy Directory or call Member Services at 1-888-775-7888, seven days a week from 8:00 a.m. to 8:00 p.m. TTY users should call 1-877-681-8898.
- Non-Mail-Order Drug (NM): These drugs are limited to a 30-day supply for both Retail and Mail Order pharmacies.
- Prior Authorization (PA): Prior Authorization may apply for these drugs. This means that you (or your physician) will need to get approval from CCHP Senior Program (HMO) before you fill your prescription. If you don't get approval, CCHP Senior Program (HMO) may not cover the drug.
- Prior Authorization Restriction for Part B vs Part D Determination (PA_BvD): These drugs may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from CCHP Senior Program (HMO) to determine whether the drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, CCHP Senior Program (HMO) may not cover this drug.
- Prior Authorization Restriction for New Starts Only (PA_NSO): If this drug is new to the member, you (or your physician) are required to get prior authorization from CCHP Senior Program (HMO) before you fill your prescription for this drug. Without prior approval, CCHP Senior Program (HMO) may not cover this drug.
- Quantity Limits (QL): For certain drugs, CCHP Senior Program (HMO) limits the amount of the drug that is covered. This could include a: per fill, daily, monthly, or yearly limitation.
- Step Therapy (ST): In some cases, CCHP Senior Program (HMO) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, CCHP Senior Program (HMO) may not cover Drug B unless you try Drug A first. If Drug A does not work for you, CCHP Senior Program (HMO) will then cover Drug B.



Discrimination is Against the Law

Chinese Community Health Plan (CCHP) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. CCHP does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

Chinese Community Health Plan:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If you need these services, contact CCHP Member Services.

If you believe that CCHP has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with us in person, by phone, by mail, or by fax at:

CCHP Member Services
445 Grant Ave, Suite 700, San Francisco, CA 94108
1-888-775-7888, TTY 1-877-681-8898
Fax 1-415-397-2129

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue SW.
Room 509F, HHH Building
Washington, DC 20201,
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

華人保健計劃 (CCHP) 遵守適用的聯邦民權法律規定，不因種族、膚色、民族血統、年齡、殘障或性別而歧視任何人。華人保健計劃 (CCHP) 不因種族、膚色、民族血統、年齡、殘障或性別而排斥任何人或以不同的方式對待他們。

華人保健計劃 (CCHP) :

- 向殘障人士免費提供各種援助和服務，以幫助他們與我們進行有效溝通，如：
 - 合格的手語翻譯員
 - 以其他格式提供的書面資訊（大號字體、音訊、無障礙電子格式、其他格式）
- 向母語非英語的人員免費提供各種語言服務，如：
 - 合格的翻譯員
 - 以其他語言書寫的資訊

如果您需要此類服務，請聯絡華人保健計劃 (CCHP)

如果您認為華人保健計劃 (CCHP) 未能提供此類服務或者因種族、膚色、民族血統、年齡、殘障或性別而透過其他方式歧視您，您可以親自提交投訴，或者以郵寄、傳真或電郵的方式向我們提交投訴：

CCHP Member Services
445 Grant Ave, Suite 700, San Francisco, CA 94108
1-888-775-7888, 聽力殘障人仕電話 1-877-681-8898
傳真 1-415-397-2129

您還可以向 U.S. Department of Health and Human Services (美國衛生及公共服務部) 的 Office for Civil Rights (民權辦公室) 提交民權投訴，透過 Office for Civil Rights Complaint Portal 以電子方式投訴：
<https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>，或者透過郵寄或電話的方式投訴：

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C.20201
1-800-368-1019 , 800-537-7697 (TDD) (聾人用電信設備)

登入 <http://www.hhs.gov/ocr/office/file/index.html> 可獲得投訴表格。

Chinese Community Health Plan (CCHP) cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo. Chinese Community Health Plan no excluye a las personas ni las trata de forma diferente debido a su origen étnico, color, nacionalidad, edad, discapacidad o sexo.

Chinese Community Health Plan:

- Proporciona asistencia y servicios gratuitos a las personas con discapacidades para que se comuniquen de manera eficaz con nosotros, como los siguientes:
 - Intérpretes de lenguaje de señas capacitados.
 - Información escrita en otros formatos (letra grande, audio, formatos electrónicos accesibles, otros formatos).
- Proporciona servicios lingüísticos gratuitos a personas cuya lengua materna no es el inglés, como los siguientes:
 - Intérpretes capacitados.
 - Información escrita en otros idiomas.

Si necesita recibir estos servicios, comuníquese con CCHP Member Services.

Si considera que CCHP no le proporcionó estos servicios o lo discriminó de otra manera por motivos de origen étnico, color, nacionalidad, edad, discapacidad o sexo, puede presentar un reclamo a la siguiente persona:

CCHP Member Services
445 Grant Ave, Suite 700, San Francisco, CA 94108
1-888-775-7888, TTY 1-877-681-8898
Fax 1-415-397-2129.

También puede presentar un reclamo de derechos civiles ante la Office for Civil Rights (Oficina de Derechos Civiles) del Department of Health and Human Services (Departamento de Salud y Servicios Humanos) de EE. UU. de manera electrónica a través de Office for Civil Rights Complaint Portal, disponible en <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, o bien, por correo postal a la siguiente dirección o por teléfono a los números que figuran a continuación:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Puede obtener los formularios de reclamo en el sitio web <http://www.hhs.gov/ocr/office/file/index.html>.

Multi-language Interpreter Services

English: ATTENTION: If you speak another language, language assistance services, free of charge, are available to you. Call 1-888-775-7888 (TTY: 1-877-681-8898).

Spanish: ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-888-775-7888 (TTY: 1-877-681-8898).

Chinese: 注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電1-888-775-7888 (TTY: 1-877-681-8898)。

Tagalog: PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-888-775-7888 (TTY: 1-877-681-8898).

Vietnamese: CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-888-775-7888 (TTY: 1-877-681-8898).

Korean: 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1-888-775-7888 (TTY: 1-877-681-8898) 번으로 전화해 주십시오.

Russian: ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-888-775-7888 (телефон: 1-877-681-8898)

Arabic:

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية متوفّرة لك بالمجان. اتصل برقّم 1-888-775-7888 (TTY: 1-877-681-8898).

Hindi: ध्यान दः यद आप हमी बोलते ह तो आपके लिए मुफ्त म भाषा सहायता सेवाएं उपलब्ध ह। 1-888-775-7888 (TTY: 1-877-681-8898) पर कॉल कर।

Japanese: 注意事項：日本語を話される場合、無料の言語支援をご利用いただけます。
1-888-775 7888 (TTY: 1-877-681-8898)まで、お電話にてご連絡ください。

Armenian: ՈՒՇԱԴՐՈՒԹՅՈՒՆ՝ Եթե խոսում եք հայերեն, ապա ձեզ անվճար կարող են տրամադրվել լեզվական աջակցության ծառայությունները: Զանգահարեք 1-888-775-7888 (TTY (հեռատիպ)՝ 1-877-681-8898):

Punjabi: ਧਿਆਨ ਦਿਓ: ਜੇ ਤੁਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਭਾਸ਼ਾ ਵਿੱਚ ਸਹਾਇਤਾ ਸੇਵਾ ਤੁਹਾਡੇ ਲਈ ਮੁਫਤ ਉਪਲਬਧ ਹੈ। 1-888-775 7888 (TTY: 1-877-681-8898) 'ਤੇ ਕਾਲ ਕਰੋ।

Cambodian: ប្រយ័ត្ន៖ បើសិនជាមួកភីយាយ ភាសាខ្មែរ, សេវាចំនួយចំណែកភាសា ដោយមិនគិតល្អបែង តី អាជមានសំរាប់បំរើមួក។ ចូរ ទូរស័ព្ទ 1-888-775-7888 (TTY: 1-877-681-8898)។

Hmong: LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1-888-775 7888 (TTY: 1-877-681-8898).

Thai: ເຮືຍນ: ລໍາຄູມພຸດກາຍາໄທຢູ່ພາກສາມາດໃຊ້ບິນດີການຂ່າຍແລ້ວທາງກາຍາໄດ້ພື້ນ ໂທ 1-888-775 7888 (TTY: 1-877-681-8898).

Persian (Farsi):

توجه: اگر به زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما فراهم می باشد. با 1-888-775-7888 (TTY: 1-877-681-8898) تماس بگیرید.

Lao (Laotian):

ຄວາມຮັບໃຈ: ທ້າທ່ານເວົ້າພາສາລາວ, ທ່ານສາມາດຕິດຕໍ່ບີ່ຂ້າງວຸ່ມນີ້ ເພື່ອຄວາມຊ່ວຍເຫຼືອປັນພາສາຂອງທ່ານໄດ້. ໂທທ່ານເປີ 1-888-775-7888 (TTY: 1-877-681-8898).



445 Grant Avenue, Suite 700, San Francisco, CA 94108 | Tel 1-415-955-8800 | Fax 1-415-955-8818 | www.cchphealthplan.com/medicare

This formulary was updated on 4/20/2021. For more recent information or other questions, please contact Chinese Community Health Plan Member Services at 1-888-775-7888 or, for TTY users, 1-877-681-8898, seven days a week from 8:00 a.m. to 8:00 p.m., or visit www.cchphealthplan.com/medicare.

The formulary, pharmacy network, and provider network may change at any time. You will receive notice when necessary.