








1. LOTO Procedure

LOCKOUT TAGOUT PROCEDURE		
Equipment Identification	Equipment Name/Description:	Band Saw
	Equipment Location:	1 st Year Sculpture & Installation
	Total # of Energy Isolation Devices/locks:	1
NOTICE  BEFORE SERVICING THIS MACHINE, NOTIFY AFFECTED PERSONNEL. ONLY PROPERLY TRAINED AND AUTHORIZED PERSONNEL SHALL PERFORM LOCKOUT TAGOUT PROCEDURE		
		


Energy Source	Location	Type of EID/lock to be used	Steps for locking & tagging	Verification Procedure
Electrical	Breaker box	Plastic breaker adaptor	Stop machine, flip breaker switch and install plastic breaker adaptor, lock, and tag.	Attempt to start machine, visually confirm it will not start.

 IF SYSTEM CANNOT BE LOCKED OUT OR IF SYSTEM FAILS VERIFICATION PROCEDURE, STOP & CONTACT YOUR SUPERVISOR	
LOTO Procedure # A-xxxxxxx	Revision #:
Approved by:	Date:



1. LOTO Procedure

LOCKOUT TAGOUT PROCEDURE		
Equipment Identification	Equipment Name/Description:	Band Saw
	Equipment Location:	1 st Year Sculpture & Installation
	Total # of Energy Isolation Devices/locks:	
NOTICE  BEFORE SERVICING THIS MACHINE, NOTIFY AFFECTED PERSONNEL. ONLY PROPERLY TRAINED AND AUTHORIZED PERSONNEL SHALL PERFORM LOCKOUT TAGOUT PROCEDURE		
		


Energy Source	Location	Type of EID/lock to be used	Steps for locking & tagging	Verification Procedure
Electrical	End of cord	Plastic clamshell and padlock	Stop machine, unplug cord, and install clamshell, lock, and tag.	Attempt to start machine, visually confirm it will not start.

 IF SYSTEM CANNOT BE LOCKED OUT OR IF SYSTEM FAILS VERIFICATION PROCEDURE, STOP & CONTACT YOUR SUPERVISOR	
LOTO Procedure # A-xxxxxxx	Revision #:
Approved by:	Date:



1. LOTO Procedure

LOCKOUT TAGOUT PROCEDURE		
Equipment Identification	Equipment Name/Description:	Disc and Belt Sander
	Equipment Location:	1 st Year Sculpture & Installation Studio
	Total # of Energy Isolation Devices/locks:	
NOTICE  BEFORE SERVICING THIS MACHINE , NOTIFY AFFECTED PERSONNEL. ONLY PROPERLY TRAINED AND AUTHORIZED PERSONNEL SHALL PERFORM LOCKOUT TAGOUT PROCEDURE		
		


Energy Source	Location	Type of EID/lock to be used	Steps for locking & tagging	Verification Procedure
Electrical	End of cord	Plastic clamshell and padlock	Stop machine, unplug cord, and install clamshell, lock, and tag.	Attempt to start machine, visually confirm it will not start.

 IF SYSTEM CANNOT BE LOCKED OUT OR IF SYSTEM FAILS VERIFICATION PROCEDURE, STOP & CONTACT YOUR SUPERVISOR	
LOTO Procedure # A-xxxxxxx	Revision #:
Approved by:	Date:




1. LOTO Procedure

LOCKOUT TAGOUT PROCEDURE		
Equipment Identification	Equipment Name/Description:	Bench Grinder
	Equipment Location:	1 st Year Sculpture & Installation Studio
	Total # of Energy Isolation Devices/locks:	
NOTICE  BEFORE SERVICING THIS MACHINE , NOTIFY AFFECTED PERSONNEL. ONLY PROPERLY TRAINED AND AUTHORIZED PERSONNEL SHALL PERFORM LOCKOUT TAGOUT PROCEDURE		
		


Energy Source	Location	Type of EID/lock to be used	Steps for locking & tagging	Verification Procedure
Electrical	End of cord	Plastic clamshell and padlock	Stop machine, unplug cord, and install clamshell, lock, and tag.	Attempt to start machine, visually confirm it will not start.

 IF SYSTEM CANNOT BE LOCKED OUT OR IF SYSTEM FAILS VERIFICATION PROCEDURE, STOP & CONTACT YOUR SUPERVISOR	
LOTO Procedure # A-xxxxxxx	Revision #:
Approved by:	Date:



1. LOTO Procedure

LOCKOUT TAGOUT PROCEDURE		
Equipment Identification	Equipment Name/Description:	Drill Press
	Equipment Location:	1 st Year Sculpture & Installation Studio Room 159
	Total # of Energy Isolation Devices/locks:	1
NOTICE  BEFORE SERVICING THIS MACHINE , NOTIFY AFFECTED PERSONNEL. ONLY PROPERLY TRAINED AND AUTHORIZED PERSONNEL SHALL PERFORM LOCKOUT TAGOUT PROCEDURE		
		


Energy Source	Location	Type of EID/lock to be used	Steps for locking & tagging	Verification Procedure
Electrical	Breaker box	Plastic breaker adaptor	Stop machine, flip breaker switch to the off position, install plastic breaker adaptor, lock, and tag.	Attempt to start machine, visually confirm it will not start.

 IF SYSTEM CANNOT BE LOCKED OUT OR IF SYSTEM FAILS VERIFICATION PROCEDURE, STOP & CONTACT YOUR SUPERVISOR	
LOTO Procedure # A-xxxxxxx	Revision #:
Approved by:	Date:



1. LOTO Procedure

LOCKOUT TAGOUT PROCEDURE		
Equipment Identification	Equipment Name/Description:	Flexible Shaft Power Tool
	Equipment Location:	1 st Year Sculpture & Installation Studio
	Total # of Energy Isolation Devices/locks:	
NOTICE  BEFORE SERVICING THIS MACHINE , NOTIFY AFFECTED PERSONNEL. ONLY PROPERLY TRAINED AND AUTHORIZED PERSONNEL SHALL PERFORM LOCKOUT TAGOUT PROCEDURE		
		


Energy Source	Location	Type of EID/lock to be used	Steps for locking & tagging	Verification Procedure
Electrical	End of cord	Plastic clamshell and padlock	Stop machine, unplug cord, and install clamshell, lock, and tag.	Attempt to start machine, visually confirm it will not start.

 IF SYSTEM CANNOT BE LOCKED OUT OR IF SYSTEM FAILS VERIFICATION PROCEDURE, STOP & CONTACT YOUR SUPERVISOR	
LOTO Procedure # A-xxxxxxx	Revision #:
Approved by:	Date:




1. LOTO Procedure

LOCKOUT TAGOUT PROCEDURE		
Equipment Identification	Equipment Name/Description:	Panel Saw
	Equipment Location:	1 st Year Sculpture & Installation Studio Room 170
	Total # of Energy Isolation Devices/locks:	1
NOTICE  BEFORE SERVICING THIS MACHINE , NOTIFY AFFECTED PERSONNEL. ONLY PROPERLY TRAINED AND AUTHORIZED PERSONNEL SHALL PERFORM LOCKOUT TAGOUT PROCEDURE		
		


Energy Source	Location	Type of EID/lock to be used	Steps for locking & tagging	Verification Procedure
Electrical	End of cord	Plastic clamshell and padlock	Stop machine, unplug cord, and install clamshell, lock, and tag.	Attempt to start machine, visually confirm it will not start.

 IF SYSTEM CANNOT BE LOCKED OUT OR IF SYSTEM FAILS VERIFICATION PROCEDURE, STOP & CONTACT YOUR SUPERVISOR	
LOTO Procedure # A-xxxxxxx	Revision #:
Approved by:	Date:



1. LOTO Procedure

LOCKOUT TAGOUT PROCEDURE		
Equipment Identification	Equipment Name/Description:	Scroll saw
	Equipment Location:	1 st Year Sculpture & Installation Room 159
	Total # of Energy Isolation Devices/locks:	1
NOTICE  BEFORE SERVICING THIS MACHINE , NOTIFY AFFECTED PERSONNEL. ONLY PROPERLY TRAINED AND AUTHORIZED PERSONNEL SHALL PERFORM LOCKOUT TAGOUT PROCEDURE		
		
		<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; background-color: black; color: white; margin: 0;">DANGER</p> <p style="text-align: center; font-size: 1.2em; margin: 0;">DO NOT OPERATE</p> <p style="text-align: center; margin: 0;">EQUIPMENT LOCKED OUT</p> <p style="font-size: 0.8em; margin: 0;">This Lock/Tag may only be removed by:</p> <p style="margin: 0;">Name: _____</p> <p style="margin: 0;">Dept: _____</p> <p style="margin: 0;">Expected Completion: _____</p> </div>


Energy Source	Location	Type of EID/lock to be used	Steps for locking & tagging	Verification Procedure
Electrical	End of cord	Plastic clamshell and padlock	Stop machine, unplug cord, and install clamshell, lock, and tag.	Attempt to start machine, visually confirm it will not start.

 IF SYSTEM CANNOT BE LOCKED OUT OR IF SYSTEM FAILS VERIFICATION PROCEDURE, STOP & CONTACT YOUR SUPERVISOR	
LOTO Procedure # A-xxxxxxx	Revision #: 0
Approved by:	Date: 01-26-2012

1. LOTO Procedure

LOCKOUT TAGOUT PROCEDURE		
Equipment Identification	Equipment Name/Description:	Slide Compound Saw
	Equipment Location:	1 st Year Sculpture & Installation Studio Room 159
	Total # of Energy Isolation Devices/locks:	1
NOTICE  BEFORE SERVICING THIS MACHINE , NOTIFY AFFECTED PERSONNEL. ONLY PROPERLY TRAINED AND AUTHORIZED PERSONNEL SHALL PERFORM LOCKOUT TAGOUT PROCEDURE		
		

Energy Source	Location	Type of EID/lock to be used	Steps for locking & tagging	Verification Procedure
Electrical	End of cord	Plastic clamshell and padlock	Stop machine, unplug cord, and install clamshell, lock, and tag.	Attempt to start machine, visually confirm it will not start.


 IF SYSTEM CANNOT BE LOCKED OUT OR IF SYSTEM FAILS VERIFICATION PROCEDURE, STOP & CONTACT YOUR SUPERVISOR	
LOTO Procedure # A-xxxxxxx	Revision #:
Approved by:	Date:

1. LOTO Procedure

	LOCKOUT TAGOUT PROCEDURE	
--	---------------------------------	--

Equipment Identification	Equipment Name/Description:	Vertical Oscillating Spindle Sander
	Equipment Location:	1 st Year Sculpture & Installation Studio Room 159
	Total # of Energy Isolation Devices/locks:	1




NOTICE **BEFORE SERVICING THIS MACHINE , NOTIFY AFFECTED PERSONNEL. ONLY PROPERLY TRAINED AND AUTHORIZED PERSONNEL SHALL PERFORM LOCKOUT TAGOUT PROCEDURE**




Energy Source	Location	Type of EID/lock to be used	Steps for locking & tagging	Verification Procedure
Electrical	End of cord	Plastic clamshell and padlock	Stop machine, unplug cord, and install clamshell, lock, and tag.	Attempt to start machine, visually confirm it will not start.

IF SYSTEM CANNOT BE LOCKED OUT OR IF SYSTEM FAILS VERIFICATION PROCEDURE, STOP & CONTACT YOUR SUPERVISOR	
LOTO Procedure # A-xxxxxxx	Revision #:
Approved by:	Date:




1. LOTO Procedure

LOCKOUT TAGOUT PROCEDURE		
Equipment Identification	Equipment Name/Description:	Resistance Spot Welder
	Equipment Location:	1 st Year Sculpture & Installation Studio
	Total # of Energy Isolation Devices/locks:	
NOTICE  BEFORE SERVICING THIS MACHINE , NOTIFY AFFECTED PERSONNEL. ONLY PROPERLY TRAINED AND AUTHORIZED PERSONNEL SHALL PERFORM LOCKOUT TAGOUT PROCEDURE		
		


Energy Source	Location	Type of EID/lock to be used	Steps for locking & tagging	Verification Procedure
Electrical	End of cord	Plastic clamshell and padlock	Stop machine, unplug cord, and install clamshell, lock, and tag.	Attempt to start machine, visually confirm it will not start.

 IF SYSTEM CANNOT BE LOCKED OUT OR IF SYSTEM FAILS VERIFICATION PROCEDURE, STOP & CONTACT YOUR SUPERVISOR	
LOTO Procedure # A-xxxxxxx	Revision #:
Approved by:	Date:

1. LOTO Procedure

LOCKOUT TAGOUT PROCEDURE		
Equipment Identification	Equipment Name/Description:	Table saw
	Equipment Location:	1 st Year Sculpture & Installation Studio Room 159
	Total # of Energy Isolation Devices/locks:	1
NOTICE  BEFORE SERVICING THIS MACHINE , NOTIFY AFFECTED PERSONNEL. ONLY PROPERLY TRAINED AND AUTHORIZED PERSONNEL SHALL PERFORM LOCKOUT TAGOUT PROCEDURE		
		

Energy Source	Location	Type of EID/lock to be used	Steps for locking & tagging	Verification Procedure
Electrical	Breaker box	Plastic breaker adaptor	Stop machine, flip breaker switch and install plastic breaker adaptor, lock, and tag.	Attempt to start machine, visually confirm it will not start.

 IF SYSTEM CANNOT BE LOCKED OUT OR IF SYSTEM FAILS VERIFICATION PROCEDURE, STOP & CONTACT YOUR SUPERVISOR	
LOTO Procedure # A-xxxxxxx	Revision #:
Approved by:	Date:

