



2008 Product Information Guide



Wellcraft[®]

INTRODUCTION

Welcome to the Wellcraft® team.

We are pleased to provide you this sales handbook which contains information essential to representing and selling Wellcraft boats. Use this book as both a study guide as you prepare to sell the 2008 Wellcraft models and as an “on-the-court” tool to assist you in providing accurate information to prospects and buyers.

We invite and urge you to commit yourself to having a record-breaking year for Wellcraft, your dealership and yourself. Use this handbook and your dealership’s team to train, develop and support you in delivering on your goals.

This book contains product information that you can use to familiarize yourself with the boats and as a quick reference for answering your customer’s questions.

Since its 1955 introduction, Wellcraft has become a force to be reckoned with in the boating industry; but there are many competitors trying hard to keep up. A successful sale against the competitive options begins with accurately presenting Wellcraft’s superior product benefits as shown in this handbook and then relating them to the buyer’s needs.

Good luck and thank you for your hard work and commitment.

TIGHT LINES!



TABLE OF CONTENTS

The Wellcraft Brand3
Series Overview3
Eight Steps To Success6

Fish Boats

180 Fisherman.....10	290 Coastal54
180 Sportsman14	330 Coastal58
202 Fisherman.....18	360 Coastal.....62
210 Coastal.....22	27 SCARAB
212 Fisherman.....26	Tournament.....66
220 Sportsman30	30 SCARAB
232 Fisherman.....34	Tournament.....70
232 Coastal38	30 SCARAB Sport74
252 Fisherman.....42	35 SCARAB
252 Coastal46	Tournament.....79
270 Coastal.....50	35 SCARAB Sport83

©2006 Wellcraft Marine Corp.,
 a subsidiary of Genmar Industries, Inc.
 1651 Whitfield Avenue
 Sarasota, FL 34243
 (941) 753-7811



Notice:

Due to Wellcraft's policy of continual product improvement, specifications are subject to change without notice. The weights and volumes shown are approximate and can vary slightly from boat to boat. Wellcraft boats meet or exceed all USCG and NMMA requirements for certification at the date of manufacture.

Wellcraft boats are NMMA certified using
 ABYC Standards



Performance disclosure:

Test results for each model were obtained using specified engines at sea level in ideal conditions with two or more test drivers aboard. Your performance may vary depending upon load, altitude, temperature, humidity, water conditions, choice of prop and cleanliness of the boat's hull.

Adeptus, Attwood, Bennett, Cummins, Clarion, Evinrude, GG Schmitt, Granulon, ITW, M&G Electronics, Mercruiser, Mercury, Moeller, Norcold, Perko, Rule, SeaLand, TH Marine, Taylor Made Systems, Teleflex, Universal Products, Volvo Penta, Windline, and Yamaha are registered names with their respective companies.

WELLCRAFT BRAND

Wellcraft® delivers an all-round boating experience for both coastal recreational fishermen and family boaters. Functionally considered layouts, a wider range of product offerings and more contemporary styling exceed owner's individual expectations when it comes to tournament or recreational fishing, cruising, diving, watersports and entertaining family and friends.

From the hull up, every Wellcraft® is built with the consistency of quality and craftsmanship you'd expect from a leading boat manufacturer. Priced competitively, Wellcraft® boats will continue to be recognized as the quality and value leader for boaters seeking an exciting, enjoyable and reliable all-around boating experience.

WELLCRAFT SERIES OVERVIEW

COASTAL SERIES™

Our all-inclusive family fishing package.

Looking for a family getaway cabin with all the comforts of home?

You'll find it aboard our luxury fishing line - The Coastal™ Series.

The backend is built for business. Superior off-shore fishability comes standard with plenty of storage, plenty of room to maneuver, and plenty of reasons for you and your crew to catch yourself some fun.

With a reputation for premium appointments, thoughtful innovations and impeccably considered design, every Coastal comes with a galley, head and all the quality cruiser style amenities you would expect of a top-line pleasure craft.

Round up the family and spend the day chasing "the big one", cruising the islands or simply relaxing in the lavish luxury and amazing versatility of our Coastal series.

FISHERMAN SERIES:

Functionally considered for the passionate fisherman.

There are those who fit fishing into their lives. And then there's the Wellcraft® Fisherman owner who fits life into fishing. Whether it's casting a line in the backwaters or trolling offshore, the Fisherman Series has all the options to deliver a fishing experience worth repeating.

From gigantic baitwells and mammoth fish boxes to an abundance of comfortable seating, gunwale-mounted rod storage and the safe and smooth performance of Deep-V hulls, you'll find the Fisherman Series easy to want and hard not to need.

Like your favorite lure or trusted rod, once you've fished from a Wellcraft Fisherman, you can't wait to use it again.

SPORTSMAN SERIES

Introducing a portable playground for the entire family.

Spirited and sleek, we created the Sportsman Series for families eager to catch a new world of fun. From wakeboarding and tubing to fishing and cruising the options are as endless as the waters you explore. With features including a fresh-water sink and storage capable of holding a lot more than fish, you can go places and stay for the day. When you invest in a Sportsman, you're investing in family memories that will last a lifetime.

SCARAB® OFFSHORE CENTER CONSOLES

A step up – every time you step aboard.

The SCARAB® Offshore Center Console Series is not your average fishing boat.

These are tournament-grade center consoles built with legendary performance hulls that are tested, trusted and approved by tournament champions.

If you're after the big fish, this series puts you ahead of the game. Hold on to your hat – these long-range, highly specialized machines can be configured to unleash up to 900HP with on-a-dime agility.

True to Wellcraft's reputation, solid and dependable Deep-V hulls provide superior handling and a smooth dry ride that is beyond compare. And premium features provide the fishability expected by you, your crew and all who follow.

EIGHT STEPS TO SUCCESS

The selling process consists of eight very unique and important steps – greeting, qualifying, presentation, special deal, trial close, close, deposit, and follow-up. If you take too many shortcuts or fail to recognize each step of the process, your chance of making a sale will severely diminish. Whether you're an "Old Pro" or just beginning a new career in sales, these eight steps are exactly the same, no matter what you sell. If your prospect has an apparent want or need of the product—yet does not buy—it's likely due to the sales technique instead of the product. Remember: The basic steps of sale never change! With practice, the sooner you recognize each phase of the sales process, the easier the sale will happen. Let's take a closer look and review the eight basic steps.

■ **GREETING:** You'll never get a second chance to make a good first impression. The sale happens in the first five minutes, or it doesn't happen at all...regardless of the total time spent with the prospect. Good first impressions are extremely important in the selling process. Greet every prospect right away and introduce yourself (by name) with a handshake and a smile. This approach sure beats the world's oldest cliché: "Hi...can I help you?" No matter what you say then, you'll always hear the standard reply: "No thanks, just looking." If you ask a question, make sure it will be responded to with a positive answer. It is also important to find out the customer's name and use it often.

■ **QUALIFY:** Never stop qualifying your prospect...even after the sale! What is qualifying? Qualifying is the technique of asking specific questions to determine the wants and needs of your prospect. Specific questions that should always be prefaced with: Who, What, When, Where, How and Why...We'll name those types of questions open-ended because they require your prospect to talk with you instead of simply answering your questions with a yes or no. Open-ended questions will also help a salesperson maintain control of the selling process by leading the process by leading the prospect towards good decisions. Customers buy for one reason only. Emotional satisfaction. The more immediate the gratification is, the faster they will buy! It is important to find out what budget the customer has set, as you can always move a customer up in price and size, but it is extremely difficult to move him down.

■ **PRESENTATION:** Nearly all products (and many services) must be demonstrated to be believable...and eventually purchased. This does not imply, however, in order to sell boats in the wintertime, you must take them out for a test ride. Quite the opposite. You need to first establish if you have a qualified prospect. Through effective questioning, you will determine what model, power, equipment, style or other important features your prospect wants and needs. Once you have a better idea of your prospect's needs and wants, then you've earned the right to show and demonstrate your product. Try to choose only one boat that fits your prospect's needs. Picking more than one boat requires decision and more time of the salespeople. "I have just the boat you are looking for." Don't be a tour guide, or attempt to show them every model. Be sure to listen very carefully and become an active listener. Think of yourself as an assistant buyer with your prospect. Speaking too soon or often could cause you to blow the sale. Whenever you show your product's features, be sure to get your prospect involved in the demonstration. Show and demonstrate only those features that are the most important to your prospect, then set the hook by explaining product bene-

EIGHT STEPS TO SUCCESS

fits. Don't waste their time or yours talking about unimportant features. During any demonstration, be sure and ask the prospect their opinion, too. If you're tellin'...you ain't sellin'! Never say anything negative about the competition, but instead, learn the weak points of the competition and sell the positive points of Wellcraft.

Generally, the retail customer will only remember approximately 3 points about your presentation a day later, so make sure he remembers the strongest and/or most critical points. Remember, you are also selling yourself, and many times the sale is made because the customer really likes the salesperson. Don't sell your Wellcraft dealership short; stress service, inventories, facilities, longevity, etc. Make sure that you have all your facts and figures right and that they are realistic!

■ **SPECIAL DEAL:** (Reasons to buy today!) Buying decisions are rarely determined by price alone. Even though price is important, it's usually out-weighed by other buying considerations such as availability, color, features and selection. By contrast, something that appears to be a good deal to you, may NOT be a good deal for someone else. Professional salespeople learn to present benefits instead of features as best reasons to buy the product now.

■ **TRIAL CLOSE:** THE ABC's of closing. (Always Be Closing.) The trial close should be used often to test the prospect's interest and will help you determine if and when the prospect is likely to buy. Trial closing is like taking someone's buying temperature. We determine how hot the prospect is by asking open-ended questions. Here are a few examples of trial closing questions: "How does this model look to you?" "Does this boat have what you're looking for?" "What sort of payment range did you have in mind?" "How does this Wellcraft compare with other boats you've seen?" Remember also that some objections are very likely to come up during the trial closing process too. But that's a positive signal. That means your prospect is truly interested and gives you time to pause and think about your next response. The best salespeople actually learn how to anticipate objections before they happen. When you get hit with an objection, remember this simple formula for overcoming objections: Listen, Acknowledge, Question, Think and Confirm.

■ **CLOSING:** The more you practice, the more you'll sell. There's no such thing as a good salesperson who's a poor closer. If you can't close, you can't sell. Another big difference between trial closing and closing is commitment. Closing should never be a mystery. You'll know when to close because all objections are behind. The most important rule about closing is: Ask for the order!

■ **DEPOSIT:** What you should say if you can't get paid in full. When you ask for a deposit try: "How much can you leave with us today? Instead of "I'll need 10% down to hold this price during the show." The more money you get at the time of sale, the more committed your customer is.

■ **FOLLOW-UP:** The average salesperson typically asks a prospect to buy only once. Unfortunately, that's true. But that doesn't mean all prospects are just tire kickers. Boat buyers today are no different than before, only their needs have changes. Personalized selling gets the job done today. Sell yourself, sell your dealership, sell Wellcraft and follow up often.

180 FISHERMAN



L.O.A.	18' 0" (5.48 m)
Beam	8' (2.44 m)
Dry weight (approx.)*	2065 lbs. (937 kg)
Fuel capacity (Gas)	49 gal. (185.5 L)
Max power @ prop	150 HP (111.9 kw)
Shaft length	20" (.51 m)
Deadrise	20°
Draft: up (approx.)	15" (.38 m)
Transom height	20" (.51 m)
Bridge clearance w/o top (approx.)	4' 5" (1.37 m)
Bridge clearance w/bimini top (approx.)	6' 7" (2.01 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Fiberglass foam filled stringers - composite transom
- Large console sits 2 comfortably behind windscreen
 - Deep V-hull and wide beam creates a stable fishing platform and soft ride
 - Location for trolling motor
 - Easy access for batteries
- Complies with Coast Guard safety regulations
- 10-Year structural hull warranty - transferable
- NMMA Certified • Liner - fiberglass - diamond pattern skid resistant for easy maintenance

STANDARD EQUIPMENT

HULL & DECK

Anchor locker
Bow and stern eyes - stainless steel
Cleats - stainless steel
Foam flotation-level
Ladder - 2 step swing down
Rod holders (2) - stainless steel flush mount
Rod racks - under gunwale - port/stbd
Rub rail - heavy duty with stainless steel insert
Swim platform - integrated
Thru hulls - stainless steel
Windscreen - plexiglass

COCKPIT

Aft seats with removable cushions - port/stbd
Baitwell - 24 gal.
Beverage holders - stainless steel (**new**)
Cockpit overboard scuppers
Foot rest - built-in at helm
Forward bow storage
Forward console seat with cushions
Hand holds
Helm seat - reversible with 76 qt. cooler

MECHANICAL

Accessory plug - 12V
Bilge pump with auto float switch - 500 GPH
Compass
Horn
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Instrumentation - tachometer, fuel, trim, and speedometer, systems check*
Navigation lights
** Propeller - aluminum
Steering - non-feedback
Steering wheel - stainless steel with power knob
Switches - weather resistant

* Systems check available with specific engines

** Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Basic T-top includes 4 rod holders and T-top canvas (dealer installed)
Bimini top - premium canvas with stainless steel hardware
Bow cushion
Bow rail - full size
Canada certification
CE certification (for Export only)
Cradle
** Hydraulic steering
Lean post seat with backrest and 72 qt. cooler

Pre-rig for Yamaha, Evinrude (Recommended HP: 115 hp to 150 hp, check for engine availability)
Raw water washdown
Rod holders (2 additional) - gunwale mount
Trailer - aluminum with brakes
Trailer - galvanized with brakes

* Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

** Hydraulic steering std on 150 hp

COLOR OPTIONS

HULLSIDE COLOR OPTION UPGRADE

Fighting Lady Yellow
Midnite Blue
Onyx Black (**new**)

ENGINE OPTIONS

Evinrude 115 E-Tec
Evinrude 150 E-Tec
Yamaha F 115 4-stroke
Yamaha F 150 4-stroke

180 SPORTSMAN



L.O.A.	18'0" (5.48 m)
Beam	8' (2.44 m)
Dry weight (approx.)*	2085 lbs. (964 kg)
Fuel capacity (Gas)	49 gal. (185.5 L)
Max power @ prop	150 HP (111.9 kw)
Transom height	20" (.51 m)
Dead rise	20°
Draft: engine up (approx.)	15" (.38 m)
Draft: engine down (approx.)	32" (.81 m)
Bridge clearance w/o top (approx.)	4'6" (1.37 m)
Bridge clearance with bimini top (approx.)	6'7" (2.01 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Versatile bow rider suited for fishing and watersports
- Ski and knee board storage • Forward & aft seating
- Dash forward hull and wide beam for stable fishing platform and soft ride • Insulated cooler with overboard drain
 - 10-year structural hull warranty - transferable
 - Complies with Coast Guard safety regulations
 - NMMA Certified
 - Liner-fiberglass-diamond pattern skid resistant for easy maintenance

STANDARD EQUIPMENT

HULL & DECK

Anchor locker
Bow and stern eyes - stainless steel
Cleats - stainless steel
Foam flotation - level
Ladder - 2 step stainless steel with hand grip
Rod holders (2) - gunwale mounted - stainless steel
Rub rail - heavy duty with stainless steel insert
Storage locker - in floor ventilated
Swim platform - integrated
Thru-hulls - stainless steel
Windshield - tinted with tempered glass - walk thru

COCKPIT

Aft seats - port/stbd with backrests and removable cushions
Beverage holders (6) - stainless steel
Cockpit overboard scuppers
Cooler (56 qt.) - port helm
Courtesy lights
Footrest at helm
Forward bow storage

Fwd seats - port/stbd with backrests and removable cushions
Pedestal seats with slide
Storage - stbd helm

MECHANICAL

Accessory plug - 12V
Bilge pump with automatic float switch - 500 GPH
Circuit breakers - push to reset
Compass
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Instrumentation - tachometer, fuel, speedometer, systems check*, trim
Navigation lights
**Propeller - aluminum
Steering wheel - stainless steel with knob
Switches - weather resistant

* Note: Systems check available with specific engines.

** With dropped shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Baitwell (52 qt.) - stbd side/FRP module
Bimini top with boot - premium canvas with stainless steel hardware
Bow cushion with backrest
Bow and cockpit cover - premium canvas
Canada certification
Carpet - snap-in (only available with fishing package or port back-to-back lounge seat)
CE certification
Cradle
Cockpit bolsters - port/stbd
*Hydraulic tilt steering
Lounge seat - back-to-back - port with storage (not available with fishing package)
Pre-rig for BRP and Yamaha 4-stroke (recommended HP: 115 hp to 150 hp)
Ski pylon
Trailer - Aluminum with brakes
Trailer - Galvanized with brakes

*Fishing Package

Port side pedestal seat with fishbox
Raw water washdown
Rod boxes port/stbd (only available if baitwell option is selected)

*Sirius Satellite Radio System

Clarion AM/FM CD player
Sirius satellite receiver and antenna
2 speakers

*Tilt hydraulic steering forced option with 150 hp and up

**Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

202 FISHERMAN



L.O.A.	20' 4" (6.20 m)
Beam	8' 7" (2.61 m)
Dry weight (approx.)*	2750 lbs. (1247 kg)
Fuel capacity (Gas)	77 gal. (291.5 L)
Max power @ prop	200 HP (149.2 kw)
Transom height	25" (.64 m)
Dead rise	19°
Draft: engine up (approx.)	15" (.38 m)
Draft: engine down (approx.)	33" (.68 m)
Bridge clearance w/o top (approx.)	5' 5" (1.65 m)
Bridge clearance with top (approx.)	7' 11" (2.41 m)
Bridge clearance w/bimini top (approx.)	7' 6" (2.29 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Insulated and lighted baitwell (104 qt.) with overboard drain
 - Rod storage under gunwale port and starboard
- Stainless steel gunwale-mounted rod holders (2) with cap
 - Fiberglass cockpit with diamond pattern skid resistant surfaces
 - All stainless steel deck hardware thru-bolted
 - Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - Insulated fish box with drain
- Foam filled, fiberglass, box section stringer with integral high density composite transom
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor storage locker
Bow and stern eyes - stainless steel
Cleats - stainless steel
Ladder - 3 step stainless steel with hand grip
Rod holders (2) gunwale mounted - stainless steel
Rub rail - heavy duty with stainless steel insert
Stainless steel forward rails
Skid resistant surfaces
Thru hulls - stainless steel

COCKPIT

Aft seats with backrests and removable cushions port/stbd
Baitwell with light (104 qt.)
Beverage holders (6) - stainless steel **(new)**
Cockpit courtesy lights
Cockpit overboard scuppers
Console rail - stainless steel
Footrest at helm
Forward bow storage
Forward console seat with cushions
Forward fish box - insulated with drain
Helm seat - reversible with

76 qt. cooler
Rod storage port & stbd under gunwale
Tackle box - 3-drawer
Windscreen - plexiglass

MECHANICAL

Accessory plugs - 12V (2)
Battery switch
Bilge pump with automatic float switch - 800 GPH
Circuit breakers - push to reset
Compass
Full instrumentation - tachometer, fuel, trim, and speedometer, volts, water pressure, systems check*
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Navigation lights
** Propeller - aluminum
Steering - tilt hydraulic
Steering wheel - stainless steel with power knob
Switches - weather resistant

* Systems check available with specific engines

** Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Battery switch - dual
Bimini top with boot - premium canvas with stainless steel hardware
Engine cowling cover - Sunbrella™ with logo for Yamaha F200 only
(Available through parts department only)
Forward casting platform cushion
Full bow rail
Heavy duty dive ladder
Lean post seat with backrest and 72 qt. cooler
Pre-rig for Evinrude and Yamaha
(Recommended HP: 115 hp to 200 hp check for engine availability)

Raw water washdown
Rod holders - (2) additional gunwale mount
Trailer - aluminum with brakes
Trailer - galvanized with brakes
T-top w/spreader light, gold tone rod holders and T-top canvas with PFD storage bag
VHF Radio - Ray 54
(only available with factory installed t-top)
Yamaha Command Link digital upgrade
(Yamaha engine only)

*Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Fighting Lady Yellow
Midnite Blue
Onyx Black **(new)**

NEW FOR 2008



210 COASTAL



L.O.A.	21' (6.4 m)
Beam	8' 6" (2.59 m)
Dry weight (approx.)*	3575 lbs. (1621.6 kg)
Fuel capacity (Gas)	101 gal. (382.33 L)
Water Capacity (option)	5 gal. (18.93 L)
Max power @ prop	250 HP (186 kw)
Transom height	25" (.64 m)
Dead rise	19°
Draft: engine up (approx.)	17" (.43 m)
Draft: engine down (approx.)	33" (.84 m)
Bridge clearance w/bimini top (approx.)	7' (2.13 m)
Bridge clearance w/hardtop (optional) (approx.)	7'11" (2.41 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Foam filled fiberglass stringer system with integral high density composite transom • Full FRP cabin liner
- Full height transom and splashwell with maximized cockpit space • Fish boxes - port/stbd with overboard pumpout
 - Lighted baitwell (88 qt.) with overboard drain
 - Storage - port/stbd under helm seats
- Stainless steel gunwale mounted rod holders (4)
- Complies with Coast Guard Safety regulations
- 10-year structural hull warranty - transferable
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker with hawse pipe
Anchor roller with cleat
Bow and stern eyes - stainless steel
Cleats (7) 8" stainless steel
Half dive platform
Rod holders (4) stainless steel with cap
Rub rail -heavy duty with stainless steel insert
Stainless steel rails
Thru hulls - stainless steel
Windshield - curved tempered Solex® glass

COCKPIT

Aft seats - port/stbd removable
Baitwell, 88 qt. with light and overboard drain
Beverage holders - stainless steel (6)
Bimini top with boot
Cockpit courtesy lights - LED
Cockpit overboard scuppers
Fish boxes - port/stbd with overboard pumpout
Pedestal seats adjustable with cushions port/stbd
Raw water washdown
Rod storage under gunwale port/stbd
Skid resistant surfaces
Storage bins - port/stbd with overboard drains

MECHANICAL

Accessory plug - (1) 12V at helm
Accessory switches (2)
Baitwell pump - 700 gph

Battery switch - dual with 2 trays
Bilge pump with automatic float switch - 800 GPH aft
Breakers at helm - weather resistant
Compass
Full instrumentation - digital
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Navigation lights
*Propeller - aluminum
Remote oil fill (2-stroke)
Steering - hydraulic tilt
Steering wheel - stainless steel with power knob
Submersible rated electrical connections
Switches - weather resistant

CABIN

Battery storage with tray(s)
Beverage holders - stainless steel (2)
Bi-fold locking entry door
Deck hatch - with screen
Decor pillows
Dome light - 12V with switch
Full fiberglass liner - skid resistant with integrated step
Head - self contained (non-plumbed)
Rope locker access hatch
V-berth with storage and cushions

*SS prop standard with 225 hp and 250 hp. Prop included with factory rigged and drop shipped engines only.

OPTIONAL EQUIPMENT

Baitwell - additional (replaces stbd storage)
Canada certification
CE certification (for export only)
Cockpit bolsters - port/stbd
Dinette table with v-berth filler cushion
Dockside pumout for self-contained head
Enclosed hardtop - full windshield with side and center vents, FRP top with 4 rod holders, lights and aft curtain
Galley package - pressurized fresh water (cold) with sink in cabin and transom shower
Hardtop - FRP with (4) rod holders and (2) spreader lights
Port/stbd jump seat cushions (behind pedestal seats)

Pre-rig for Evinrude and Yamaha 4-stroke
Stove - butane - portable (n/a for CE boats)
Tackle center/rigging station with raw water faucet (replaces aft baitwell)
Trailer - Aluminum with brakes
Trailer - Galvanized with brakes
Trim tabs
Windshield wiper - stbd

*Sirius Satellite Radio System

AM/FM CD player with remote at helm
Sirius satellite receiver and antenna
4 speakers

212 FISHERMAN



L.O.A.	20' 4" (6.20 m)
Beam	8' 7" (2.61 m)
Dry weight (approx.)*	2750 lbs. (1247 kg)
Fuel capacity (Gas)	77 gal. (291.5 L)
Max power @ prop	200 HP (149.2 kw)
Transom height	25" (.64 m)
Dead rise	19°
Draft: engine up (approx.)	15" (.38 m)
Draft: engine down (approx.)	33" (.68 m)
Bridge clearance w/o top (approx.)	5' 5" (1.65 m)
Bridge clearance with top (approx.)	7' 11" (2.41 m)
Bridge clearance w/bimini top (approx.)	7' 6" (2.29 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Insulated and lighted baitwell (104 qt.) with overboard drain
 - Rod storage under gunwale port and starboard
- Stainless steel gunwale-mounted rod holders (2) with cap
 - Fiberglass cockpit with diamond pattern skid resistant surfaces
 - All stainless steel deck hardware thru-bolted
 - Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - Insulated fish box with drain
 - Self contained head in console
 - Foam filled, fiberglass, box section stringer with integral high density composite transom
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor storage locker
Bow and stern eyes - stainless steel
Cleats - stainless steel
Ladder - 3 step stainless steel with hand grip
Rod holders (2) gunwale mounted - stainless steel
Rub rail - heavy duty with stainless steel insert
Stainless steel forward rails
Skid resistant surfaces
Thru hulls - stainless steel

COCKPIT

Aft seats with backrests and removable cushions port/stbd
Baitwell with light (104 qt.)
Beverage holders (6) - stainless steel (**new**)
Center console - with self contained head
Cockpit courtesy lights
Cockpit overboard scuppers
Console rail - stainless steel
Footrest at helm
Forward bow storage
Forward fish box - insulated with drain

Lean post seat with 2 rod holders and 2 drink holders
Rod storage port & stbd under gunwale
Windscreen - plexiglass

MECHANICAL

Accessory plugs - 12V (2)
Battery switch
Bilge pump with automatic float switch - 800 GPH
Circuit breakers - push to reset
Compass
Full instrumentation - tachometer, fuel, trim, and speedometer, volts, water pressure, systems check*
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Navigation lights
** Propeller - aluminum
Steering - hydraulic tilt
Steering wheel - stainless steel with power knob
Switches - weather resistant

* Systems check available with specific engines

** Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Backrest for lean post seat
Basic T-top includes 4 rod holders and T-top canvas (dealer installed)

Battery switch - dual
Bimini top with boot - premium canvas with stainless steel hardware
CE certification (for export only)
Cooler 72 qt. (under lean post) removable
Engine cowling cover - Sunbrella™ with logo for Yamaha F200 only (Available through parts department only)

Forward casting platform cushion

Forward console cooler seat (72 qt.)

Full bow rail
Heavy duty dive ladder
Pre-rig for Evinrude and

Yamaha (Recommended HP: 115 hp to 200 hp check for engine availability)

Raw water washdown
Rod holders - (2) additional gunwale mount
Trailer - aluminum with brakes
Trailer - galvanized with brakes
T-top canvas enclosure - 3 sided
T-top deluxe w/spreader light, gold tone rod holders and electronics box, and T-top canvas with PFD storage bag
VHF Radio - Ray 54 (only available with factory installed t-top)
Yamaha Command Link digital upgrade (Yamaha engine only)

** Tilt hydraulic steering standard on 150 HP and up.

*Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Fighting Lady Yellow

Midnite Blue

Onyx Black **(new)**

ENGINE OPTIONS

Evinrude 150 E-Tec

Yamaha 150 4-stroke

Evinrude 200 E-Tec

Yamaha 200 4-stroke

Evinrude 200 E-Tec HO

PERFORMANCE DATA - Yamaha F150 4-Stroke

Top Speed

43.3 MPH @ 5700 RPM

Cruise Speed

29.9 MPH @ 4000 RPM

Cruise Range

312 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES

NOTES

220 SPORTSMAN



L.O.A.	22' 4" (7.07 m)
Centerline Hull	20' 8" (6.5 m)
Beam	8' 3" (2.51 m)
Dry weight (approx.)*	3508 lbs. (1591 kg)
Fuel capacity (Gas)	100 gal. (375 L)
Water capacity	8 gal. (30.3 L)
Max power @ prop	250 HP (186 kw)
Transom height	25" (.64 m)
Dead rise	18°
Draft: engine up (approx.)	15" (.38 m)
Draft: engine down (approx.)	33" (.68 m)
Bridge clearance w/o top (approx.)	5' 3" (1.6 m)
Bridge clearance w/bimini top (approx.)	6' 9" (2.05 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Insulated and lighted baitwell (100 qt.) with overboard drain
- Raw water washdown • Rod storage under gunwale port and starboard • Stainless steel gunwale-mounted rod holders (4) with cap • Tackle storage 3-drawer • Enclosed head compartment • Fiberglass cockpit with diamond pattern skid resistant surfaces • All stainless steel deck hardware thru-bolted • Multi-purpose boat • Complies with Coast Guard safety regulations • 10-year structural hull warranty - transferable • Below deck ski/wake board storage
- Insulated fish boxes - port/stbd with overboard pumpout
- Foam filled, fiberglass, box section stringer with integral high density composite transom • NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor storage locker
Bow and stern eyes - stainless steel
Bow pulpit with roller
Bow rail heavy duty stainless steel
Cleats - stainless steel (7)
Integrated swim platform
Ladder - 3-step stainless steel swing down
Rub rail - heavy duty with stainless steel insert
Skid resistant surfaces
Stainless steel rails
Thru hulls - stainless steel

COCKPIT

Aft seats - port/stbd with bolsters
Baitwell with light (100 qt.)
Beverage holders (7) - stainless steel (new)
Bow cushion, with forward port/stbd bolsters
Cockpit bolsters - port/stbd
Cockpit courtesy lights
Cockpit overboard scuppers
Enclosed head compartment with self-contained head
Forward console cushions port/stbd with backrest
Glove box - lockable
Pedestal seat w/cushion stbd
Seat - back to back port side converts to lounge
Rod holders (4) gunwale mounted w/cap

Rod storage port & stbd
Side grab-rails integrated
Ski/Wake board storage
Storage under console
Tackle storage box
Windshield - curved tempered glass and walk thru door

MECHANICAL

Accessory plugs - 12V (2)
Battery switch - dual
Bilge pump with automatic float switch (1)
Compass
Full instrumentation - tachometer, volt, fuel, trim, and speedometer, water pressure, systems check*
Horn - flush mount
Hoses - steel reinforced
Navigation lights
Power & space for electronics at helm
**Propeller - aluminum (200 HP and below)
Raw water washdown
Remote oil fill (2-stroke)
Steering - tilt hydraulic
Steering wheel - stainless steel with power knob
Switches - weather resistant

* Systems check available with specific engines

** Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Bimini top - premium canvas with stainless steel hardware, windshield connector, canvas curtain at bow walk thru
Bow cover
Bow filler w/cushions - stowable
Canada Certification
Cockpit cover
Dive ladder - heavy duty
Engine cowling cover - Sunbrella™ with logo for Yamaha F200, F225 and F250 only (available through parts department only)
Pre-rig for Evinrude, Yamaha and Mercury Optimax (Recommended HP: 150 hp to 250 hp, check for engine availability)
Pressurized fresh water system with 8 gal. tank and faucet
Ski pylon
Trailer - Aluminum with brakes

Trailer - Galvanized with brakes
Trim tabs (requires heavy duty dive ladder)
Walk-thru bifold door
Yamaha Command Link digital upgrade (Yamaha engine only)
***Sirius Satellite Radio System**
AM/FM CD player
Sirius Satellite receiver and antenna
4 speakers

*Seating Package

Portside ped seat with 48 qt. cooler and cushion (replaces std port lounge seat)

*Canvas Package

Canvas side and drop curtains

*Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Fighting Lady Yellow
Midnite Blue
Onyx Black (**new**)

ENGINE OPTIONS

Evinrude 200 E-Tec	Yamaha F 200 4-stroke
Evinrude 200 E-Tec HO	Yamaha F 225 4-stroke
Evinrude 225 E-Tec	Yamaha F 250 4-stroke
Evinrude 250 E-Tec	

PERFORMANCE DATA - YAMAHA F250 4-stroke

Top Speed	49.1 MPH @ 6000 RPM
Cruise Speed	32.4 MPH @ 4000 RPM
Cruise Range	300 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES

NOTES

232 FISHERMAN



L.O.A.	22' 4" (6.81 m)
Beam	8' 8" (2.64 m)
Dry weight (approx.)*	3573 lbs. (1621 kg)
Fuel capacity (Gas)	115 gal. (435.32 L)
Water capacity (option)	8 gal. (30.28 L)
Max power @ prop	300 HP (224 kw)
Shaft length single	25" (.64 m)
Dead rise	20°
Draft: engine up (approx)	15" (.38 m)
Draft: engine down (approx)	32" (.81 m)
Bridge clearance w/o top (approx)	6' 0" (1.83 m)
Bridge clearance with T-Top (approx)	8' 4" (2.53 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom • Foam filled, fiberglass, box section stringer with integral high density composite transom
- Recessed stainless steel grab rails - port/stbd bow
- Full FRP head console liner with toilet paper holder and battery access • Fish boxes (2) forward 155 qt. w/overboard drain and sealed lids • Rod storage under gunwale port and starboard
 - Stainless steel gunwale-mounted rod holders (2)
- Fiberglass cockpit with diamond pattern skid resistant surfaces • All stainless steel deck hardware thru-bolted
 - Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker
w/hawse pipe
Anchor roller with cleat
Bow and stern eyes - stainless steel
Cleats (7) 8" stainless steel
Gunnel caps port/stbd with integrated stainless steel side grab rails
Rod holders (4) stainless steel w/cap
Rub Rail - heavy duty with stainless steel insert
Stainless steel rails
Swim platform - integrated
Swim ladder - flip down
Thru hulls - stainless steel
Transom full height with door
Windscreen - curved plexiglass

COCKPIT

Baitwell - 84 qt. with light and overboard drain
Beverage holders (6) - stainless steel (**new**)
Cockpit courtesy lights
Cockpit overboard scuppers
Fish boxes (2) 155qt. - forward with overboard drain and sealed lids
Fold away rear bench seat with cushion and aft bolster
Glove box at helm
Hand holds recessed port/stbd stainless
Leaning post seat with (2) rod holders and (2) drink holders
Raw water washdown
Rod storage under gunwale port/stbd
Skid resistant surfaces
Tackle storage boxes (2) with removable trays (4)
T-top with (4) rod holders, outrigger plates, spreader light, and PFD storage

MECHANICAL

Accessory plug - (1) 12V at helm
Accessory switches (2)
Baitwell pump - 700 gph
Battery switch - dual with 2 trays
Bilge pump automatic float switch 800 gph aft
Breakers at helm - weather resistant
Compass
Full instrumentation - digital
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Navigation lights
** Propeller - aluminum (200 HP and below)
Remote oil fill (2-stroke)
Steering - hydraulic tilt
Steering wheel - stainless steel with power knob
Submersible rated electrical connections
Switches - weather resistant

HEAD CONSOLE

Battery storage with tray(s) below deck
Dome light - 12V
Full fiberglass liner - skid resistant w/integrated step
Full access to console rigging
Head console lockable entry door - full size
Head - self contained (non-plumbed)
Port light opening with screen
Toilet paper holder

** Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Backrest - for lean post seat
Bow cushions - port/stbd
Canada certification
CE certification (for export only)
Cooler - 72 qt. (under lean post - removable)
Electronics box (for T-top)
Engine cowling cover - Sunbrella™ with logo for Yamaha F200, F225 and F250 only (available through parts department only)
Forward console cooler seat (72 qt.) with seat back and bottom cushions
Heavy duty dive ladder
Outriggers - Taco Grand Slam - 15' poles
Pressurized fresh water system with transom shower
Pre-rig for Evinrude, Mercury and Yamaha (Recommended hp: 150 to 300 hp, check for engine availability)
Trailer - Aluminum with brakes
Trailer - Galvanized with brakes

Trim Tabs - requires heavy duty dive ladder (replaces standard swim ladder)
T-top canvas enclosure

***Cockpit Bolster Package**

Aft cockpit bolsters - port/stbd
Forward bow cockpit bolsters port/stbd

***Sirius Satellite Radio System**

AM/FM CD player,
Sirius satellite receiver,
antenna
4 Speakers

***Ray Marine C80 Electronics Package 8.4" Color Display**

(Unit is radar ready - additional components required)
Includes chartplotter & HDFI fishfinder
VHF Radio - Ray 54

*Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Fighting Lady Yellow
Midnite Blue
Onyx Black (new)

ENGINE OPTIONS

Merc 200 Verado 4-stroke	Evinrude 225 E-Tec
Merc 225 Verado 4-stroke	Evinrude 250 E-Tec
Merc 250 Verado 4-stroke	Yamaha F 200 4-stroke
Merc 275 Verado 4-stroke	Yamaha F 225 4-stroke
Evinrude 200 E-Tec	Yamaha F 250 4-stroke
Evinrude 200 E-Tec HO	

PERFORMANCE DATA - Yamaha F250 4-stroke

Top Speed	49.3 MPH @ 6000 RPM
Cruise Speed	32.3 MPH @ 4000 RPM
Cruise Range	405 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES

232 COASTAL



L.O.A.	22' 4" (6.8 m)
Beam	8' 8" (2.64 m)
Dry Weight (approx.)*	3600 lb (1633 kg)
Fuel capacity (Gas)	115 gal (435.32 L)
Water Capacity	8 gal (30.28 L)
Max hp power @ prop	300 hp (224 kw)
Shaft Length Single	25" (.64 m)
Dead Rise	20°
Draft: engine up (approx)	15" (.38 m)
Draft: engine down (approx)	32" (.81 m)
Bridge clearance w/o top (approx)	6' 0" (1.83 m)
Bridge clearance w/bimini top (opt) (approx)	8' 0" (2.43 m)
Bridge clearance w/Hardtop (approx)	8' 1" (2.43 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom • Foam filled, fiberglass, box section stringer with integral high density composite transom
 - Recessed stainless grab rails - port/stbd
- Full FRP cabin liner with diamond pattern skid resistant surfaces • Fish box stbd below helm seat 90 qt. w/overboard drain • Dry storage port below companion seat 90 qt.
 - Lighted baitwell 84 qt. with overboard drains
- Rod storage under gunwale port and starboard
 - Stainless steel gunwale-mounted rod holders (2) • Fiberglass cockpit with diamond pattern skid resistant surfaces • All stainless steel deck hardware thru-bolted • Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker w/hawse pipe
 Anchor roller with cleat
 Bow and stern eyes - stainless steel
 Cleats (7) 8" stainless steel
 Gunnel caps - port/stbd with integrated stainless steel side grab rails
 Rod holders (2) stainless steel w/cap
 Rub rail - heavy duty with stainless steel insert
 Stainless steel rails
 Swim platform - integrated
 Swim ladder - flip down
 Thru hulls - stainless steel
 Transom full height with door
 Windshield - curved tempered Solex® glass

COCKPIT

Baitwell - 84 qt. with light and overboard drain
 Beverage holders - stainless steel **(new)**
 Cockpit courtesy lights
 Cockpit overboard scuppers
 Dry storage (1) 90qt. - port mid-ship with sealed lid & drain
 Fishbox (1) 90 qt. stbd - mid-ship with overboard drain and sealed lid
 Fold away rear bench seat with cushion and aft bolster
 Hardtop molded with (4) rod holders, electronics flat, spreader light, and overhead incandescent lights
 Pedestal seats adjustable with cushions port/stbd
 Raw water washdown
 Rod storage under gunwale port/stbd
 Skid resistant surfaces

MECHANICAL

Accessory plug - 12V at helm
 Accessory switches (2)
 Baitwell pump - 700 gph
 Battery switch - dual with 2 trays
 Breakers at helm - weather resistant
 Bilge pump automatic float switch 800 gph aft
 Compass
 Full instrumentation - digital
 Horn - flush mount
 Hoses - steel reinforced
 Ignition - safety interlock system with lanyard
 Navigation lights
 ** Propeller - aluminum (200 HP and below)
 Remote oil fill (2-stroke)
 Steering - hydraulic tilt
 Steering wheel - stainless steel with power knob
 Submersible rated electrical connections
 Switches - weather resistant
 Windshield wipers port/stbd

CABIN

Battery storage with tray(s)
 Bi-fold locking entry door
 Carbon monoxide detector
 Deck hatch - with screen
 Decor pillows **(new)**
 Galley with sink, storage, and pressurized fresh water
 Dome light - 12V w/switch
 Full fiberglass liner - skid resistant with integrated step
 Hatch access to helm console rigging
 Head - self contained (non-plumbed)
 Toilet paper holder
 Rope locker access hatch
 V-berth with storage
 V-berth cushions

** Drop shipped and factory rigged engines only.

OPTIONAL EQUIPMENT cont.

Bimini top w/boot - premium canvas with stainless steel hardware (replaces std. hardtop)

Canada certification

CE certification (for export only)

Cockpit bolsters - port/stbd

Dinette table with V-Berth filler cushion

Dockside pumpout for self-contained head (**new**)

Engine cowling cover -

Sunbrella™ with logo for Yamaha F200, F225 and F250 only (available through parts department only)

Heavy duty dive ladder

Pre-rig for Evinrude, Mercury and Yamaha

(Recommended hp: 150 to 300 hp, check for engine availability)

Port/Stbd jump seat cushions with backrest

Stove - butane (not available for CE)

Trailer - Aluminum with brakes

Trailer - Galvanized with brakes

Transom shower - fresh water

Trim Tabs - requires heavy duty dive ladder (replaces standard swim ladder)

***Sirius Satellite Radio System**

AM/FM CD player

with remote at helm

Sirius satellite receiver, antenna

4 Speakers

***Canvas Package for Bimini Top**

Side and drop curtains with windshield connector

***Canvas Package for Hard Top**

Side and drop curtains with windshield connector

***Enclosed Hard Top Package (new)**

Fiberglass hard top with 4 rod holders

Defroster

Full windshield with opening vents (replaces std windshield)

Isinglass aft closure curtain

Overhead dome lights (2)

Spreader light

***Ray Marine C80 Electronics Package 8.4" Color Display**

(Unit is radar ready - additional components required)

(n/a with bimini top)

Includes chartplotter & HDFI fishfinder

VHF Radio - Ray 54

***Ray Marine Radar - 2kw Radome (new)**

*Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

PERFORMANCE DATA - Yamaha F 200 4-stroke

Top Speed

40 MPH @ 6100 RPM

Cruise Speed

28.5 MPH @ 4500 RPM

Cruise Range

350 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES

COLOR OPTIONS

Hullside Color Option Upgrade

Fighting Lady Yellow

Midnite Blue

Onyx Black (**new**)

Cabin Fabric Selection

Admiral Blue (**new**)

Adobe Palm (**new**)

Natural Bisque

ENGINE OPTIONS

Merc 200 Verado 4-stroke

Merc 225 Verado 4-stroke

Merc 250 Verado 4-stroke

Merc 275 Verado 4-stroke

Evinrude 200 E-Tec

Evinrude 200 E-Tec HO

Evinrude 225 E-Tec

Evinrude 250 E-Tec

Yamaha F 200 4-stroke

Yamaha F 225 4-stroke

Yamaha F 250 4-stroke

252 FISHERMAN



L.O.A. w/pulpit	24' 4" (7.42 m)
Beam	8' 9" (2.66 m)
Dry weight (approx.)*	4680 lbs. (2123 kg)
Fuel capacity (Gas)	180 gal. (682 L)
Max hp power @ prop	450 HP (336 kw)
Shaft length: Single	30" (.76 m)
Twin	25" (.64 m)
Water capacity (option)	8 gal. (30 L)
Deadrise	20°
Draft: up (approx)	16" (.41 m)
Draft: down (approx)	29.5" (.75 m)
Bridge clearance w/o top	6' 8" (2.03 m)
Bridge clearance w/T-top (approx)	8' 2" (2.49 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom • Foam filled, fiberglass, box section stringer with integral high density composite transom
 - Recessed stainless grab rails - port/stbd bow
- Full FRP cabin console liner with additional port/stbd below deck storage • Fish boxes (2) forward 180 qt. w/overboard drain and sealed lids • Lighted baitwell 84 qt. with overboard drain
 - Rod storage under gunwale port and starboard
 - Stainless steel gunwale-mounted rod holders (4)
- Fiberglass cockpit with diamond pattern skid resistant surfaces
 - All stainless steel deck hardware thru-bolted
 - Complies with Coast Guard safety regulations
- 10-year structural hull warranty - transferable • NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker w/hawse pipe
 Anchor roller with cleat
 Bow and stern eyes - stainless steel
 Cleats (7) 8" stainless steel
 Gunnel caps - port/stbd with integrated stainless steel side grab rails
 Rod holders (4) stainless steel w/cap
 Rub rail - heavy duty with stainless steel insert
 Stainless steel rails
 Swim platform - integrated with boarding ladder
 Thru hulls - stainless steel
 Transom full height with door
 Windscreen - curved plexiglass

COCKPIT

Aft cockpit bolsters - port/stbd
 Baitwell - 84 qt. w/light and overboard drain
 Beverage holders (6) - stainless steel (**new**)
 Cockpit courtesy lights
 Cockpit overboard scuppers - stainless steel
 Cooler - 94 qt. removable
 Entry light switch at transom
 Fish boxes (2) 180 qt. - forward with overboard drain and sealed lids
 Fish boxes (2) - aft with overboard pump out (**new**)
 Fold away rear bench seat with cushion and aft bolster
 Hand holds recessed port/stbd stainless
 Leaning post seat - convert from leaning to sitting with 2 rod holders, 2 cup holders and poly prep station
 Raw water wash down
 Rod storage under gunwale port/stbd
 Skid resistant surfaces
 Storage below forward deck - lockable
 Storage for fire extinguisher - stbd
 Tackle storage boxes (2) with removable trays (4)
 T-top with (4) rod holders, outrigger plates, spreader light, and PFD storage

MECHANICAL

Accessory plug - (1) 12V at helm
 Baitwell pump 700 gph
 Battery parallel with remote switch at helm
 Battery switch - dual with 2 trays for single engine; 3 trays for twin engines
 Bilge pump w/auto float switch, 1500 gph aft
 Compass
 Full instrumentation - digital
 Horn - flush mount
 Hoses - steel reinforced
 Ignition - safety interlock system with lanyard
 Navigation lights
 Powered buss bar & space at helm for electronics
 **Propeller - stainless steel
 Remote oil fill (2-stroke)
 Steering - tilt hydraulic
 Steering wheel - stainless steel with power knob
 Submersible rated electrical connections
 Switches - sealed
 Trim Tabs

HEAD CONSOLE

Battery storage with tray(s) below deck
 Dome light with switch - 12V
 Full access to console rigging
 Full fiberglass liner - skid resistant with integrated step
 Head console lockable entry door - full size
 Head - self contained (non-plumbed)
 Port light opening with screen
 Storage - outboard - below deck - port/stbd

**Drop shipped and factory rigged engines only.

OPTIONAL EQUIPMENT

Bow cushion port/stbd
Canada certification
CE certification (for export only)
Electronics box (for T-Top)
Engine cowling cover -
Sunbrella™ with logo for
Yamaha F200, F225 and
F250 only (available through parts
department only)
Forward console cooler seat
(94 qt.) with seat back and
bottom cushions
Head - Sealand Traveler -
porcelain w/9 gal holding
tank and dockside pumpout,
pressurized fresh water
system and transom shower
Heavy duty dive ladder
Outriggers - Taco Grand Slam
- 15' poles
Overboard discharge for
SeaLand Traveler head
Pre-rig for Evinrude,
Mercury and Yamaha
(Recommended hp: 225 to
300 hp, check for engine
availability)
Pressurized fresh water
system with transom shower
Steering wheel aluminum
with power knob

Tilt out storage bins mid
cockpit - port/stbd
Trailer - Aluminum with
brakes
Trailer - Galvanized with
brakes
T-top canvas enclosure

***Cockpit Bolster Package**

Midship bolsters - port/stbd
Forward bow bolsters
port/stbd

***Sirius Satellite Radio System**

AM/FM CD player
Sirius satellite receiver,
antenna
4 speakers

***Ray Marine C80 Electronics Package 8.4" Color Display**

(Unit is radar ready - additional
components required)
Includes chartplotter & HDFI
fishfinder
VHF Radio - Ray 54

*Note: Items in Packages cannot be
ordered individually unless listed as
stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Fighting Lady Yellow
Midnite Blue
Onyx Black (new)

ENGINE OPTIONS

Sgl Merc 225 Verado 4-stroke
Sgl Merc 250 Verado 4-stroke
Sgl Merc 275 Verado 4-stroke
Sgl Merc 300 Verado 4-stroke
Sgl Evinrude 225 E-Tec
Sgl Evinrude 250 E-Tec
Tw Evinrude 150 E-Tec
Tw Evinrude 200 E-Tec
Tw Evinrude 200 E-Tec HO
Tw Evinrude 225 E-Tec
Sgl Yamaha F 250 4-stroke
Sgl Yamaha F 350 4-stroke
Tw Yamaha F 150 4-stroke
Tw Yamaha F 200 4-stroke
Tw Yamaha F 225 4-stroke

PERFORMANCE DATA - TW F 150 YAMAHA

Top Speed 50.6 MPH @ 6000 RPM
Cruise Speed 35.4 MPH @ 4000 RPM
Cruise Range 344 Miles

Performance and fuel consumption will vary and be affected by
water and weather conditions, altitude, load and condition of boat,
engine and propeller(s). Cruise range based on 95% of fuel
capacity. All data is illustrative and is not warranted. This test done
with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change
without notice.

NOTES

252 COASTAL



L.O.A.	24' 4" (7.42 m)
Beam	8' 9" (2.66 m)
Dry weight (approx.)*	4360 lbs. (1978 kg)
Fuel capacity (Gas)	140 gal. (530 L)
Water capacity	9 gal. (34 L)
Max power @ prop	400 HP (298 kw)
Shaft length single	30" (.76 m)
Shaft length twin	25" (.64 m)
Dead rise	20°
Draft: up (approx.)	16" (.40 m)
Draft: down (approx.)	29.5" (.75 m)
Bridge clearance w/o top (approx.)	6' (1.83 m)
Bridge clearance w/bimini top (approx.)	8' (2.43 m)
Bridge clearance w/hardtop (approx.)	8' 2" (2.49 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom • Foam-filled, fiberglass, box section stringer with integral high density composite transom
- Full fiberglass cabin liner with molded soft touch headliner
 - Fishbox portside 128 qt. w/overboard drain
- Integrated cooler - stbd side - 44 qt. w/overboard drain
 - Lighted baitwell 84 qt. with overboard drain
- Dry storage (92 qt.) under helm seat with room for safety gear • Rod storage under gunwale port and starboard
 - Stainless steel gunwale - mounted rod holders (4)
 - Fiberglass cockpit with diamond pattern skid resistant surfaces • All stainless steel deck hardware thru-bolted • Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker w/hawse pipe
 Anchor roller with cleat
 Bow and stern eyes - stainless steel
 Cleats (6) 8" stainless steel
 Gunnel caps - with integrated stainless steel side grabrails
 Integrated steps to forward deck - skid resistant
 Rod holders (4) - stainless steel w/cap
 Rub rail with stainless steel insert
 Stainless steel rails
 Swim platform - integrated
 Swim ladder - flip down
 Thru hulls - stainless steel
 Transom full height with door
 Windshield - curved tempered Solex® glass

COCKPIT

Baitwell - 84 qt. w/light and overboard drain
 Beverage holders (5) - stainless steel (**new**)
 Cockpit bolsters - port/stbd
 Cockpit courtesy lights
 Cockpit overboard scuppers
 Cooler - 44 qt. integrated stbd side with overboard drain
 Fishbox - 128 qt. portside with overboard drain
 Fishboxes (2) - aft with overboard pump out (**new**)
 Fold away rear bench seat with cushion and aft bolster
 Hardtop molded with (4) rod holders, electronics flat, spreader light, and overhead incandescent lights
 Pedestal seats, adjustable with cushions port/stbd
 Port/stbd jump seat cushions with backrest
 Skid resistant surfaces
 Storage under helm seat 92 qt. (dry)
 Tackle storage box with removable trays

MECHANICAL

Accessory plug - 12V at helm
 Baitwell pump - 700 gph
 Battery parallel with remote switch at helm
 Battery switch - dual with 2 trays for single engine; 3 trays for twin engines
 Bilge pumps with automatic float switches 500 gph forward; 1500 gph aft
 Breakers - weather resistant
 Compass
 Full instrumentation - digital
 Horn - flush mount
 Hoses - steel reinforced
 Ignition - safety interlock system w/lanyard
 Navigation lights
 Powered buss bar & space at helm for electronics
 **Propeller - stainless steel
 Raw water washdown
 Remote oil fill (2-stroke)
 Steering - tilt hydraulic
 Steering wheel - stainless steel w/power knob
 Submersible rated electrical connections
 Switches - sealed
 Trim tabs
 Windshield wipers - port/stbd

CABIN

Battery storage with tray(s)
 Bi-fold locking entry door
 Deck hatch - oversized with screen
 Dinette table w/filler cushion and dedicated storage
 Decor pillows (**new**)
 Galley with sink, storage bin, and pressurized fresh water
 Head - self contained, covered
 Molded soft touch headliner w/integrated features including overhead rod storage
 Port lights - (2) opening w/screen
 Rope locker access hatch
 V-berth with cushions and storage

**Drop shipped and factory rigged engines only

270 COASTAL



L.O.A. w/pulpit	28' 1" (8.56 m)
Hull length	25' 10" (7.87 m)
Beam	9' 9" (2.97 m)
Dry weight (approx.)*	7225 lbs. (3284 kg)
Fuel capacity (Gas)	188 gal. (712 L)
Water capacity	27 gal. (102 L)
Holding tank capacity	11 gal. (42 L)
Max power @ prop	500 HP (373 kw)
Shaft length	25" (.64 m)
Deadrise	21°
Draft: up (approx.)	19" (.48 m)
Draft: down (approx.)	34" (.86 m)
Bridge clearance w/o top (approx.)	7' 1" (2.16 m)
Bridge clearance w/hard top (approx.)	9' 1" (2.77 m)
Sleeping capacity	4
Headroom	6' 4" (1.93 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom with door
- Modular port/stbd helm seating with storage
 - Cruiser style cabin amenities
 - Insulated baitwell and bait prep station
- Fiberglass molded steps on helm for easy access to foredeck
 - Integrated swim platform with boarding ladder
 - Insulated fish boxes with overboard pumpout
- Composite transom with foam filled fiberglass stringer system
 - Liner - fiberglass diamond pattern skid resistant for easy maintenance
 - Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - NMMA Yacht Certification

STANDARD EQUIPMENT

HULL & DECK

Bow pulpit with anchor/roller chute and deck pipe
 Bow and stern eyes - stainless steel
 Cleats - stainless steel
 Deck hatch - opening with screen
 Hardtop - FRP, spreader lights, rod holders
 Heavy duty dive ladder - removable
 Heavy duty rub rail with stainless steel insert
 Port lights - (4) with stainless steel trim rings - opening with screens
 Rod holders - gunwale mount (4) stainless steel
 Rod racks - under gunwale - port/stbd
 Rope locker
 Stainless steel rails
 Swim platform - integrated
 Transom - full height with door
 Windshield - curved tempered Solex® glass - with walk-thru door

COCKPIT

Aft seat - fold-out
 Beverage holders
 Cockpit bolsters - port/stbd/aft
 Cockpit overboard scuppers
 Courtesy lights
 Entry light switch at transom
 Fish boxes (2) - with lift assist and overboard pumpout
 Floor storage
 Helm seating module: flip up seat/bolster with positive latch, large dry storage with convenient side access door, beverage holders (4). Fire extinguisher storage, side coaming pad. Covered sink with pressurized fresh water (cold only), latching lid. Baitwell 42 gal Kodiak Pro Flow with clear bait lid and positive sealing latch, cutting board cover and knife/pliers holder
 Port seating module: Wrap around lounge seating with coaming pad, hand holds, 2 beverage holders and large dry storage below accessible through forward door; Three drawer tackle locker with additional storage bin; Aft facing large storage box with machinery below. Gas spring lift assist on storage box lid
 Raw water washdown

CABIN

AC/DC panel
 Cabin door - sliding - lockable
 Carbon monoxide detector
 Carpet - snap in
 Deck hatch - oversized with screen
 Decor pillows
 Dinette table converts to full V-berth
 Forward V-berth with cushions
 Hanging locker
 Lighting - 12 volt
 Mid cabin berth
 Woodgrain cabinets

Sirius Satellite Radio System

AM/FM CD player,
 Sirius Satellite receiver and antenna, 4 speakers, digital remote control at helm

GALLEY

Countertop - Granulon™ with molded in sink
 Duplex outlet - GFI protected
 Microwave oven
 Refrigerator - dual voltage
 Stove - single burner alcohol/electric

HEAD

Duplex outlet - GFI protected
 Hand held shower, molded fiberglass sink and vanity with Granulon™ countertop and storage
 SeaLand™ VacuFlush head with holding tank

MECHANICAL

Accessory plug - 12V
 Battery switches with voltage sensitive relays (**new**)
 Bilge pumps with auto float switches - 500 gph fwd; 1500 gph aft
 Compass
 Horn
 Ignition - safety interlock system with lanyard
 Instrumentation - digital
 Navigation lights
 Oil tank storage with remote fill (2-stroke only)
 Power at helm for electronics
 Pressurized fresh water system with transom shower
 ** Propellers - stainless steel
 Remote seacock actuators
 Shore power - 30 amp w/ 2 50' cords
 Steering - tilt hydraulic
 Steering wheel - stainless steel with power knob
 Trim tabs
 Windshield wipers - port/stbd

**Drop shipped and factory rigged engines only

290 COASTAL



L.O.A. w/pulpit	30' 2" (9.19 m)
Hull length	27' 10" (8.48 m)
Beam	10' 5" (3.2 m)
Dry weight (approx.)*	8735 lbs. (3962 kg)
Fuel capacity (Gas)	225 gal. (871.2 L)
Water capacity	42 gal. (159 L)
Holding tank capacity	11 gal. (42 L)
Max power @ prop	600 HP (447.4 kw)
Shaft length	25" (.64 m)
Deadrise	18°
Draft: up (approx.)	22" (.56 m)
Draft: down (approx.)	33" (.84 m)
Bridge clearance w/o top (approx.)	7' 3" (2.2 m)
Bridge clearance w/bimini top (approx.)	8' 3" (2.51 m)
Bridge clearance w/hardtop (approx.)	9' 0" (2.74 m)
Sleeping capacity	6
Headroom	6' 2" (1.88 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom with door • Modular port/stbd helm seating with storage • Cruiser style cabin amenities and functional for extended fishing trips • Kodiak Pro Flow 42 gal baitwell, light, over flow drain, clear plex bait lid and positive sealing latch • Three integrated steps on helm for easy access to forward deck • Integrated swim platform with boarding ladder • Stainless steel deck hardware - thru-bolted • Port/stbd settee converts to twin pilot berths • Helm provides plenty space for electronics • Insulated fish boxes with overboard pumpout • Complies with Coast Guard safety regulations • NMMA Yacht Certification • 10-year structural hull warranty - transferable

STANDARD EQUIPMENT

HULL & DECK

Anchor locker
Bow and stern eyes - stainless steel
Bow pulpit with roller and anchor chute
Cleats - stainless steel
Deck hatch with screen
Hardtop FRP, with finished liner, spreader light, rod holders, full canvas enclosure
Heavy duty rub rail with stainless steel insert
Heavy duty dive ladder - removable
Port lights - opening with screens, stainless steel trim rings (4)
Rod holders - stainless steel, flush mount no cap (4)
Rod racks - under gunwale - port/stbd
Stainless steel rails
Stainless steel thru hulls
Swim platform - integrated
Transom - full height with transom door
Windshield - tempered glass - with walk-thru

COCKPIT

Aft seat - three person fold-out
Beverage holders (6) - stainless steel (**new**)
Cockpit bolsters
Cockpit overboard scuppers
Courtesy lights
Entry light switch at transom
Fiberglass molded steps on helm (3) for easy access to foredeck
Fish boxes (2) - with lift assist and overboard pumpout
Helm seating module: flip up seat/bolster with positive latch, large dry storage with convenient side access door, beverage holders (4). Fire extinguisher storage, side coaming pad. Covered sink with pressurized fresh water (cold only), latching lid. Baitwell 42 gal Kodiak Pro Flow with clear bait lid and positive sealing latch, cutting board cover and knife/pliers holder
Port seating module: Wrap around lounge seating with coaming pad, hand holds stainless steel, 2 beverage holders and large dry storage below accessible through forward door; Three drawer tackle locker with additional storage bin; Aft facing large storage box with machinery space and access below. Gas spring lift assist on storage box lid

Raw water washdown

CABIN

AC/DC panel
Cabin door - lockable
Carpet - snap in
Decor pillows
Dinette table
Forward V-berth
Hanging locker
Liner - full fiberglass
Lighting - direct/indirect
Mid cabin
Settee - port/stbd converts to twin pilot berth
Stretched vinyl headliner
Woodgrain cabinets

Sirius Satellite Radio System

AM/FM CD player,
Sirius Satellite receiver and antenna, 4 speakers, digital remote control at helm

GALLEY

Countertop - Granulon™ with storage below
Duplex outlet - GFI protected
Microwave oven
Overhead storage
Refrigerator - dual voltage, 110V w/15 amp converter - GFI protected
Sink with pressurized fresh water system
Stove - single burner alcohol/electric

HEAD

Duplex outlet - GFI protected
Full fiberglass head compartment w/ventilation
Hand held shower
Molded fiberglass sink and vanity with Granulon™ countertop and dry storage
SeaLand™ VacuFlush head with holding tank

MECHANICAL

Accessory plug - 12V
Battery switches with voltage sensitive relays (**new**)
Bilge pumps with auto float switches - forward 500 gph aft 1500 gph
Compass
Detector - carbon monoxide
Dockside water connection
Fuel filters/water separators
Horn
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Instrumentation - digital
Navigation lights
Oil tank storage with remote oil fill (2-stroke only)
Pressurized fresh water system with transom shower - hot/cold

330 COASTAL



L.O.A. w/pulpit & platform	38' 5" (11.71 m)
L.O.A. w/pulpit	36' 4" (11.07 m)
Hull length	33' 3" (10.13 m)
Beam	12' 5" (3.78 m)
Dry weight (w/engine) (approx.)*	16000 lbs. (7257 kg)
Fuel capacity	370 gal. (1400 L)
Water capacity	52 gal. (196.8 L)
Holding tank capacity	20 gal. (75.7 L)
Max power @ prop	740 HP (552.04 kw)
Deadrise	16°
Draft: down (approx.)	36" (.91 m)
Bridge clearance (approx.)	9' 9" (2.97 m)
Headroom	6' 7" (2.01 m)
Sleeping Capacity	4

* Dry weight may vary with engine and options installed.

KEY SALES FEATURES

- Bait and tackle prep centers with fresh and salt water washdown
 - Large windshield for visibility and weather protection
 - Molded transom door for easy access for divers
 - Stretched vinyl headliner
- 2 large flush mounted cockpit fish boxes with removable liners
 - All stainless steel deck hardware thru-bolted
 - Complies with Coast Guard safety regulations
 - 5-year structural hull warranty - transferable
- Swim platform • Fiberglass encapsulated stringer system
 - NMMA Yacht Certification • Cockpit liner - fiberglass - skid resistant for easy maintenance

STANDARD EQUIPMENT

HULL & DECK

Anchor locker
Bow pulpit - with integrated roller and deck pipe
Cleats - stainless steel
Deck hatch with screen
Hardtop with electronics box, speaker lights (2) and rod holders
Heavy duty rub rail with stainless steel insert
Hullside exhaust stainless
Port lights - opening with stainless steel trim rings
Rod holders - gunwale mount (4)
Rod racks - stainless steel with cap under gunwale - port/stbd
Stainless steel rails
Stainless steel thru hulls
Swim platform with 3 step boarding ladder
Transom - full height w/door
Upgraded engine room, sound dampening system and cabin insulation
Windshield - tempered glass with aluminum frame

COCKPIT

Beverage holders - stainless steel (**new**)
Cockpit coaming bolsters
Cockpit overboard scuppers
Courtesy lights
Fish boxes (2) - removable in cockpit sole
Footrest - port/stbd
Knife and pliers rack - cutting board
Livewell (116 qt.), circular with leader storage - stbd side
Raw water washdown
Seats - double helm and companion
Tackle center with storage and fresh water washdown - portside

CABIN

AC/DC panel
Cabin door - lockable
Carpet - snap in
Decor pillows
Dinette table - Granulon™ converts to berth (hi-lo)
Hanging locker
Lighting - direct/indirect
Liner - full fiberglass
Rod storage - vertical (4)
Sirius Satellite Radio System
Clarion AM/FM CD player, Sirius Satellite receiver and antenna, 4 speakers, digital remote control
Storage lockers - under berths
V-berth cushions

GALLEY

Coffee maker (N/A with CE or 220 volt)
Counter top - Granulon™
Microwave oven
Refrigerator - dual voltage, 110 V, GFI protected
Sink with pressurized fresh water system
Stove - two burner electric

HEAD

Duplex outlet - GFI protected
Full fiberglass head compartment with vent
SeaLand™ VacuFlush - with holding tank
Shower - hand held with seat
Vanity - sink and storage - molded fiberglass

MECHANICAL

Accessory plug - 12V
Battery switch - dual
Bilge blower
Bilge pumps (4) with auto float switches and high water alarm - 1500 gph
Compass
Detector - carbon monoxide
Dockside water connection
Dripless shaft logs
Fire suppression system - automatic engine shutdown with manual over ride
Fuel filters - Racor™
Horn
Hoses - steel reinforced
Ignition - safety interlock system
Instrumentation with dimmer switch - electronic controls, tachometer, fuel, volts, water pressure, oil pressure, systems monitor
Navigation lights
Pressurized fresh water system
Props - Nibral
Prop shafts - heavy duty stainless steel
SeaKey™ - featuring telematics technology
Shore power 30 amp converter with 50 shore power cord
Steering - hydraulic
Steering wheel - aluminum with power knob
Trim tabs - hydraulic flush mount
Water heater - 6 gal. with exchanger
Windshield wipers (3)

360 COASTAL



L.O.A. with pulpit & platform	40' 9" (12.30 m)
L.O.A. with pulpit	39' 6" (12.04 m)
Hull length	36' 6" (11.12 m)
Beam	13' 8" (4.16 m)
Dry weight (with engine) (approx.)*	20000 lbs (9072 kg)
Fuel capacity (diesel)	400 gal. (1514 L)
Water capacity	107 gal. (405 L)
Holding tank capacity	18 gal. (68.14 L)
Max power @ prop	1080 hp (806.4 kw)
Draft	40" (1.02 m)
Deadrise	18°
Bridge clearance with hardtop (approx.)	10' 6" (3.2 m)
Head Room	6' 4" (1.93 m)
Sleeping capacity	5

* Dry weight may vary with engine and options.

KEY SALES FEATURES

- One piece fiberglass deck with cored construction
 - Large aft cockpit with plenty of rod storage
- Large fish boxes • Hot/cold pressurized fresh water system
- Engine room includes fresh water hose bibb and ladder for easy access • All stainless steel hardware thru bolted • Windshield dual wiper washer system • Hullside exhaust • Cruiser style amenities and functional for extended fishing trips • 16,000 BTU cabin air conditioning with heat - includes air condition vent installed at stbd helm cockpit • Transom multifunctional switch panel includes entry light switch, baitwell and baitwell light switch, fishbox pumpout switch, raw water washdown switch, and engine hatch lift switch
 - Electronic remote battery switch with manual override
 - Port/stbd fuel fills • Cherry cabinets and hanging lockers
- Countertops and backsplashes in head and galley are Corian®
 - Polished stainless steel galley sink under counter mount
 - Microwave, coffee maker, dual electric stove and refrigerator
- Forward island v-berth with 6" inner spring mattress, fitted quilted comforter, throw pillows, privacy curtain, and storage below
 - AC and DC cabin lighting • Cabin rod storage in cabin sole and stbd rod cabinet above dinette • Port/stbd cabin hanging lockers - cedar lined with light • 10-year structural hull warranty - transferable • Complies with Coast Guard safety regulations
 - NMMA yacht certification

STANDARD EQUIPMENT

HULL & DECK

Anchor locker
Bow pulpit with integrated roll and deck pipe
Bow rail - stainless steel
Cleats - stainless steel (2) 12"; (4) 10"
Cockpit sole reinforcement for fighting chair
Custom engine intake - port/stbd
Deck hatches - (3) opening with screen
Engine service hatch
Engine room - molded fiberglass
Engine room sound dampening system and cabin insulation
Hardtop FRP includes, spreader lights (2), rod holders, and 2 overhead stereo speakers
Heavy duty rub rail with stainless steel insert
Hullside exhaust - stainless steel
Port lights opening with screen (2)
Rod holders (6)
Stainless steel rails
Stern hawse pipes (2)
Thru hull fittings - stainless/bronze
Transom door with top gate
Windlass with up/down switches
Windshield - welded aluminum with electric center vent section

COCKPIT

Air conditioning vent - stbd helm (generated from cabin)
Bait prep center with sink and rigging board and tackle storage (port)
Baitwell - 37 gal. Kodiak Pro Flow
Beverage holders - stainless steel
Chart storage
Cockpit coaming bolsters - port/stbd/aft
Cockpit overboard scuppers
Cockpit seating - adjustable stbd helm seat with built in foot rest; portside "L" shape lounge, storage below port/stbd seats
Courtesy lights
Entry light switch at transom
Fire extinguisher storage box
Fish boxes (2) - insulated and removable with run/dry solids pumps (new)
Freezer - (72 qt.) port side with overboard drain

Pre-wire for four 12V electric reels/down riggers
Pressurized fresh and raw water washdown system
Tackle storage cabinets

CABIN

110 V GFI protected electrical outlets - port/stbd
AC panel - custom with accent tube lighting
Accessory plug - 12V
Acrylic sliding door - locking
Air conditioning 16,000 btu, double pan, reverse cycle with heat
Cabin steps Cherry
DC panel - custom with navigation lights, bilge pump monitor, and accent tube lighting
Décor kit - fitted v-berth comforter and 3 throw pillows
Dinette area - stbd L-shape seat with Cherry hi-lo dinette table and filler cushion that converts to sleep 2, dinette backrest converts to single upper bunk
Forward island v-berth with 6" inner spring mattress - hinged to access storage below; two lower v-berth drawers
Hanging locker - port/stbd - cedar lined with light
Lights 12V/110V - overhead - recessed (sealed)
Liner - full fiberglass
Privacy curtains
Rod storage in cabin sole includes storage boxes (3)
Rod storage cabinet above dinette with door and accent lighting
Stereo speakers - (2)

GALLEY

110 V GFI protected electrical outlets
Cherry cabinetry with satin finish
Coffee maker (N/A with CE or 220 volt)
Countertop - Corian® - with backsplash
Microwave oven
Recessed overhead lighting (sealed)
Refrigerator with freezer - dual voltage - 110/12V
Stainless steel sink under counter mount; pressurized freshwater, hot/cold faucet
Storage drawers include upgraded slides
Stove - electric, ceramic top - dual burner

STANDARD EQUIPMENT cont.

HEAD

110V GFI protected electrical outlet
Automatic shower sump pump
Countertop - Corian® - with molded in sink and Corian® backsplash, hot/cold water faucet
Full length head door mirror
Port light - opening with screen
Recessed overhead lighting - 12V - sealed
Slider bar shower head system with separate mixer mounted on bulkhead - hot/cold water
Storage cabinets with mirrored doors
Vacuflush head system with 18 gal. holding tank, level monitor and dockside pumpout

MECHANICAL

Battery charger - 50 amp
Battery paralleling solenoid with switch at helm
Battery switches - heavy duty - remote actuated
Battery trays (5) - with 5 batteries
Bilge pumps with auto float switches; (2) 1500 gph aft; (1) 1500 gph mid; (1) 500 gph fwd
Circuit breaker protection
Compass
Detector - carbon monoxide
Dockside water connection
Dripless shaft logs
Electric engine hatch actuators (2)
Electronic controls
Engine blowers - port/stbd
*Engine alarm system
Engine room fire suppression system with automatic shut down controller for engines, generator and blower; and manual override

Engine room ladder
Engine room lights
Fresh water hose bibb in engine room
Fresh water cooled engines
Fuel filters with water separators
Fuel tank - aluminum with port/stbd fills
Full instrumentation - digital Galvanic bonded electrical systems with Dynaplate® and zinc
Generator - 8kw with fresh water cooling and 1 battery
Horn - dual trumpet
Hoses - steel reinforced
Navigation lights
Propeller shafts - stainless steel
Propellers - bronze
Seacocks - fitted below water line
Seawater strainers
Shore power (2) - 30 amp with two 50' shore power cords
Sirius satellite radio system, Clarion AM/FM CD player, Sirius satellite receiver, antenna and 4 speakers and remote control at helm
Steering - hydraulic tilt
Steering wheel - aluminum with power knob
Submersible rated electrical connections
TV/Telephone inlet
Trim tabs - recessed - hydraulic
Water heater - 6 gal.
Water resistant switch panel with breakers
Windshield wiper/washer system (2 wipers)

** Engine alarm functionality varies by engine*

OPTIONAL EQUIPMENT

Aft facing cockpit seat - stbd
Air conditioning 7,000 btu reverse cycle with heat on bridge deck
Bottom paint - black antifoul
Bow thruster includes additional battery switch - remote actuated from helm, battery tray and battery, automatically charges from port engine
Cabin carpet - snap in
CE certification
Cockpit carpet - snap in
Cockpit pedestal seats - port/stbd (replaces std seating)
Dinette table upgrade - cherry wood with compass rose inlay
Emergency bilge suction - 1 engine
Fold away rear bench seat

OPTIONAL EQUIPMENT cont.

Full commission - includes bottom paint, water ready, launch at Sarasota Bay
Hardtop canvas enclosure includes windshield connector, side and drop curtain
Ice maker on bridge deck
LCD TV/DVD with antenna and dockside TV/Telephone cords (not available with CE or 220V)
Oil changer system, engines, transmissions and generator
Overboard discharge for Vacuflush head
Outriggers
Remote spotlight - hardtop mounted
SeaKey™ - featuring telematics technology**
Swim platform with boarding ladder
Transducer - High Performance 1 KW in-hull (N/A with Ray Marine package)
Trolling valves (available for Cummins engines)
220 Volt option
Upgrade Teak cabin floor

*JL Audio Stereo Upgrade

(replaces standard speakers)
6 channel 450W full range amplifier, 1 cockpit; 1 cabin
10" 150W subwoofer, 1 cockpit; 1 cabin
7.7" component speaker system with 1" dome tweeters - 4 cabin, 4 hardtop and 2 aft cockpit

*Ray Marine E120 Electronics Package (2) 12.1" Color Displays

Includes chartplotter, HDFI fishfinder, High Performance 1 KW in-hull transducer, SeaTalk networking, and Video/Instrumentation integration capabilities
Ray Marine Auto Pilot - ST8001 S1G
Ray Marine Radar - 4KW Open Array
VHF Radio - Ray 240 Modular System

* Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

**SeaKey™ standard with Volvo D-6 engines; optional with Cummins engine

COLOR OPTIONS

INTERIOR FABRIC SELECTION

Alabaster Rayan
Wisper Willow

ENGINE OPTIONS

Volvo D-6 (370 hp) Diesel
Volvo D-6 (435 hp) Diesel (**new**)
Cummins 540 Diesel

PERFORMANCE DATA - TW Volvo D-6 370 HP

Top Speed	34.1 MPH @ 3500 RPM
Cruise Speed	31.4 MPH @ 3200 RPM
Cruise Range	394 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NEW FOR 2008



27 SCARAB TOURNAMENT



L.O.A.	27' 2" (8.28 m)
Beam	8' 10" (2.69 m)
Dry weight (approx.)*	6350 lbs. (2880.31 kg)
Fuel capacity (Gas)	246 gal. (931 L)
Max power @ prop	600 HP (447 kw)
Shaft length: Twin	25" (.64 m)
Water capacity	13 gal. (49.21 L)
Deadrise	23°
Draft up (approx.)	24" (.61 m)
Draft down (approx.)	32" (.81 m)
Bridge clearance w/std T-top (approx.)	8'9" (2.67 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Fishboxes - forward/aft and port/starboard
- Lockable storage under forward sole hatch
 - Center console with head
 - Tilt out storage bins - port/starboard
- Under gunwale rod storage • Rigging station at transom
- Pressurized fresh and raw water • Composite transom
 - 10-year structural hull warranty - transferable
 - NMMA Yacht Certification
- Complies with Coast Guard safety regulations
- FRP T-top with electronics box, rod holders, and PFD storage bags

STANDARD EQUIPMENT

HULL & DECK

Bow and stern eyes - stainless steel
 Bow rail - split - aluminum
 Cleats - pull up stainless steel (7)
 Forward anchor/gear storage
 Hand holds - stainless steel
 Hardware - thru bolted - stainless steel
 Heavy duty rub rail
 Integrated swim platform
 Rod holders (9) stainless steel - flush mount with cap
 Rod racks - under gunnel - port/stbd
 Stainless steel thru hulls
 Transom door
 Windshield - glass

COCKPIT

Aft baitwell - 84 qt. - with light
 Beverage holders (5) - stainless steel
 Cockpit overboard scuppers with screens
 Cockpit coaming bolsters - port/stbd
 Cooler - qt. - integrated under forward console seat
 Courtesy lights - LED
 Fish boxes aft port/stbd (122 qt. ea.) - dedicated macerator overboard pumps
 Fish boxes fwd port/stbd (qt. ea.)- drain overboard
 Fold-away rear bench seat cushion and aft bolster
 Glovebox - lockable
 Helm seat - stand up leaning post with removable 94 qt. cooler
 Raw water washdown fwd
 Rigging station at transom with sink, raw water washdown, removable bin and cutting board
 T-top FRP with gold tone rod holders (8), spreader lights (2), electronics box and PFD storage bags
 Tackle storage with 4 drawers and 2 trays
 Tilt out storage bins (2)

HEAD COMPARTMENT

Console entry steps with storage drawers
 Dome light with switch - 12V
 Full fiberglass liner - skid resistant
 Portside entry door
 Port light - opening with screen
 Removable curtain with storage and access to console rigging
 Self contained head
 Sink molded in with pressurized fresh water (cold)

MECHANICAL

Accessory plugs - (2) 12V
 Aft bilge lighting
 Battery switches at helm with voltage sensitive relays
 Bilge pumps with automatic float switch (1) - 1500 gph aft, (1) 500 gph fwd
 Compass
 Electronics accessory buss at helm
 Full instrumentation - digital
 Horn - dual flush mount
 Hoses - steel reinforced
 Ignition safety lanyard
 Navigation lights
 Oil tanks with remote fills (2-stroke engines only)
 Pressurized fresh water system with transom shower and aft sink
 *Propellers - stainless steel
 Sirius satellite radio system - AM/FM CD player, Sirius satellite receiver, antenna and 4 speakers
 Steering - hydraulic tilt, dual ram (BRP and Yamaha)
 Steering wheel - stainless steel with power knob
 Submersible rated electrical connections
 Trim tabs - heavy duty with indicators

*Drop shipped and factory rigged engines only

30 SCARAB TOURNAMENT



L.O.A.	30' 2" (9.19 m)
Beam	9' 2" (2.79 m)
Dry weight (approx.)*	6635 lbs. (3010 kg)
Fuel capacity (Gas)	288 gal. (1090 L)
Max power @ prop	600 HP (447 kw)
Shaft length: Twin	25" (.64 m)
Water capacity	13 gal. (49.21 L)
Deadrise	23°
Draft up (approx.)	23" (.58 m)
Draft down (approx.)	31" (.79 m)
Bridge clearance w/std T-top (approx.)	8' 10" (2.73 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Fishboxes - forward/aft and port/starboard
- Lockable storage under forward sole hatch
 - Center console with head
 - Tilt out storage bins - port/starboard
- Under gunwale rod storage • Rigging station at transom
- Pressurized fresh and raw water • Composite transom
 - 10-year structural hull warranty - transferable
 - NMMA Yacht Certification
- Complies with Coast Guard safety regulations
- FRP T-top with electronics box, rod holders, and PFD storage bags

STANDARD EQUIPMENT

HULL & DECK

Bow and stern eyes - stainless steel
 Bow rail - split - aluminum
 Cleats - pull up stainless steel (7)
 Forward anchor/gear storage
 Hand holds - stainless steel
 Hardware - thru bolted - stainless steel
 Heavy duty rub rail
 Integrated swim platform
 Rod holders (9) stainless steel - flush mount with cap
 Rod racks - under gunnel - port/stbd
 Stainless steel thru hulls
 Transom door
 Windshield - glass

COCKPIT

Aft baitwell - 84 qt. - with light
 Beverage holders (5) - stainless steel
 Cockpit overboard scuppers with screens
 Cockpit coaming bolsters - port/stbd
 Cooler - 50 qt. - integrated under forward console seat
 Courtesy lights - LED
 Fish boxes aft port/stbd (122 qt. ea.) - dedicated macerator overboard pumps
 Fish boxes fwd port/stbd (62 qt. ea.) - drain overboard
 Fold-away rear bench seat cushion and aft bolster
 Glovebox - lockable
 Helm seat - stand up leaning post with removable 94 qt. cooler
 Rigging station at transom with sink, raw water washdown and removable bin
 T-top FRP with gold tone rod holders (8), spreader lights (2), electronics box and PFD storage bags
 Tackle storage with 5 drawers and 2 trays
 Tilt out storage bins (2)

HEAD COMPARTMENT

Console entry steps with storage drawers
 Dome light with switch - 12V
 Full fiberglass liner - skid resistant
 Portside entry door
 Port light - opening with screen
 Removable curtain with storage and access to console rigging
 Self contained head
 Sink molded in with pressurized fresh water (cold)

MECHANICAL

Accessory plugs - (2) 12V
 Aft bilge lighting
 Battery switches at helm with voltage sensitive relays
 Bilge pumps with automatic float switch (1) - 1500 gph aft, (1) 500 gph fwd
 Compass
 Electronics accessory buss at helm
 Full instrumentation - digital
 Horn - dual flush mount
 Hoses - steel reinforced
 Ignition safety lanyard
 Navigation lights
 Oil tanks with remote fills (2-stroke engines only)
 Pressurized fresh water system with transom shower and aft sink
 *Propellers - stainless steel
 Sirius satellite radio system - AM/FM CD player, Sirius satellite receiver, antenna and 4 speakers
 Steering - hydraulic tilt, dual ram (BRP and Yamaha)
 Steering wheel - stainless steel with power knob
 Submersible rated electrical connections
 Trim tabs - heavy duty with indicators

*Drop shipped and factory rigged engines only

NEW FOR 2008



30 SCARAB SPORT



L.O.A.	30' 2" (9.19 m)
Beam	9' 2" (2.79 m)
Dry weight (approx.)*	7275 lbs (3302.9 kg)
Fuel capacity	288 gal. (1090 L)
Max power @ prop	600 hp (447 kw)
Shaft length: Twin	25" (.64 m)
Water capacity	13 gal. (49.2 L)
Deadrise	23°
Draft up (approx.)	23" (.58 m)
Draft down (approx.)	31" (.78 m)
Bridge clearance w/std Arch (approx.)	8' 2" (2.49 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Forward Cuddy Cabin • Port/stbd lounges
- Head with sink and shower underneath helm station
- Fishboxes & storage - fwd/aft & port/stbd
- Portside amenity station includes refrigerator, stove and sink
 - Under gunwale rod storage • Rigging station at transom
 - Pressurized fresh and raw water
 - Composite transom
- 10-year structural hull warranty - transferable
 - NMMA Yacht Certification
- Complies with Coast Guard safety regulations

STANDARD EQUIPMENT

HULL & DECK

Bow and stern eyes - stainless steel
 Bow rails - split - powdercoated white aluminum
 Cleats - pull up stainless steel (7)
 Forward anchor/gear storage
 Forward deck hatch with screen
 Hardware - thru bolted - stainless steel
 Heavy duty rub rail
 Integrated swim platform
 Rod holders (9)
 Rod racks - under gunnel - port/stbd
 Stainless steel thru hulls
 Transom door
 Windscreen - glass

COCKPIT

Aft baitwell (84 qt.) with light
 Beverage holders - stainless steel (8)
 Cockpit overboard scuppers with screens
 Cockpit coaming bolsters - port/stbd
 Courtesy lights - LED
 Fish boxes aft, port/stbd (122 qt. each) - dedicated macerator overboard pumps
 Fold-away rear bench seat cushion and aft bolster
 Forward storage - in floor
 Glove box - lockable
 Helm seat - convertible leaning post with 74 qt. cooler
 Lounges forward - port/stbd with storage below
 Portside galley station with single burner stove (alcohol/electric), sink, drinkholders, and storage
 Rigging station at transom with sink, raw water wash-down and removable bin
 Sport arch powdercoated white with rod holders - fluorescent light and color matched premium canvas

CABIN

12 volt lighting
 Cabin entry bi-fold locking door
 Deck hatch - opening with screen
 Decor pillows
 Forward v-berth with filler cushion and storage

HEAD COMPARTMENT

Dome light with switch - 12V
 Full fiberglass liner - skid resistant
 Removable curtain with storage and access to rigging
 Portside entry door
 Portlight - opening with screen
 Self contained head
 Sink molded in with hand held shower - hot/cold pressurized fresh water and sump pump

MECHANICAL

Accessory plugs - 12V (2)
 Aft bilge lighting
 Battery charger - 30 amp
 Battery switches at helm with voltage sensitive relays
 Bilge pumps with automatic float switch (1) - 1500 gph aft; (1) 500 gph fwd
 Compass
 Electronics accessory buss at helm
 Full instrumentation - digital
 Horn - stainless steel trumpet
 Hoses - steel reinforced
 Ignition safety lanyard
 Navigation lights
 Oil tanks with remote fills (2-stroke engines only)
 Pressurized fresh water system with transom shower, aft sink, galley sink, and head shower

*Propellers - stainless steel
 Shore power - 30 amp converter with 50' shore power cord
 Sirius satellite radio system - AM/FM CD player, Sirius Satellite receiver, antenna and 4 speakers
 Steering - hydraulic tilt, dual ram (BRP and Yamaha)
 Steering wheel - stainless steel with power knob
 Submersible rated electrical connections
 Trim tabs - heavy duty with indicators
 Water heater - continuous supply

**Drop shipped and factory rigged engines only

35 SCARAB TOURNAMENT



L.O.A.		35' 4" (10.76 m)
Beam		9' 11" (3.02 m)
Dry weight (approx.)*		8600 lbs. (3901 kg)
Fuel capacity		400 gal. (1762 L)
Max power @ prop		900 HP (671 kw)
Shaft length: Twin		30" (.76 m)
	Triple (2-port/stbd)	25" (.64 m)
	(1-center)	30" (.76 m)
Water capacity		13 gal. (49.21 L)
Deadrise		23°
Draft up (approx.)		23" (.58 m)
Draft down (approx.)	(Twin)	33" (.84 m)
Draft down (approx.)	(Triple)	39" (.96 m)
Bridge clearance w/std T-top (approx.)		8' 4" (2.54 m)
Bridge clearance w/option sport arch (approx.)		7' 11" (2.41 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Wider beam provides more seating and cockpit space
- Plenty of storage with 4 tilt-out storage bins • Forward casting platform • Large center console (6'2" head room) includes self contained head and sink with hand held shower
- Rigging station at transom with sink • Composite transom
 - 10-year structural hull warranty - transferable
 - Pressurized fresh and raw water washdown
 - NMMA Yacht Certification
- Complies with Coast Guard safety regulations

STANDARD EQUIPMENT

HULL & DECK

Bow and stern eyes - stainless steel
 Bow rail - split - stainless steel
 Cleats - pull up stainless steel (7)
 Forward anchor line storage
 Hand holds - stainless steel
 Hardware - thru bolted - stainless steel
 Heavy duty rub rail
 Integrated swim platform
 Rails - stainless steel
 Rod holders (4) stainless steel - flush mount with cap
 Rod racks - under gunnel - port/stbd
 Stainless steel thru hulls
 Transom door
 Windscreen

COCKPIT

Aft baitwell - 84 qt. - with light
 Beverage holders (4) - stainless steel (**new**)
 Cockpit overboard scuppers with screens
 Cockpit coaming bolsters - port/stbd
 Cooler - 60 qt. - integrated under forward console seat
 Courtesy lights
 Fold-away rear bench seat and aft bolster
 Forward casting platform
 Forward fish boxes port/stbd - insulated with sealed lids - 248 qts. each
 Glovebox - lockable
 Lean post seat with removable 94 qt. cooler
 Rigging station at transom with sink, raw water washdown and 2 removable bins
 T-top FRP with gold tone rod holders (8), spreader lights (3), electronics box and PFD storage bag
 Tackle storage with 4 drawers and 4 trays
 Tilt out storage bins (4)

HEAD COMPARTMENT

Console entry steps
 Dome light with switch - 12V
 Full fiberglass liner - skid resistant
 Hatch access to console rigging
 Mirror
 Portside entry door
 Port light - opening with screen
 Self contained head
 Sink molded in with hand held shower - pressurized fresh water (cold)
 Vanity storage with toilet paper holder

MECHANICAL

Accessory plugs - 12V (2)
 Aft bilge lighting
 Battery charger - 30 amp
 Battery switches with voltage sensitive relays (**new**)
 Battery trays - heavy duty with stainless steel sliders
 Bilge pumps with automatic float switch (1) - 1500 gph aft, (1) 500 gph fwd
 Compass
 Electronics accessory buss at helm
 Full instrumentation - digital
 Horn - dual flush mount
 Hoses - steel reinforced
 Ignition safety lanyard
 Navigation lights
 Oil tank storage (2-stroke engines only)
 Pressurized fresh water system with transom shower
 **Propellers - stainless steel
 Shore power - 30 amp converter with 50' shore power cord
 Sirius satellite radio system - AM/FM CD player, Sirius satellite receiver, antenna, 4 speakers, and digital control at helm
 Steering - hydraulic tilt, dual ram (BRP and Yamaha) (**new**)
 Steering wheel - stainless steel with power knob
 Submersible rated electrical connections
 Trim tabs - heavy duty with indicators

**Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Baitstation with 40 gal. Kodiak baitwell, pullout drawers, and tackle storage (double drop out bolster seat w/aft facing seat not available)
 CE certification (for export only)
 Double drop out bolster seat with aft facing seat (not available with baitstation opt)
 Engine cowling cover - Sunbrella™ with logo for Yamaha F225 and F250 only (available through parts department only)
 Forward bow cushions
 Forward bow full filler/sunpad (new)
 Heavy duty dive ladder - removable
 Heavy duty rub rail with stainless steel insert
 Marine head with dockside pumpout
 Outriggers - Taco Grand Slam - 15' poles (not available with arch option)
 Overboard discharge for marine head
 Power assisted steering (Yamaha and Evinrude engines only)
 Remote spotlight
 Rod racks - transom mounted
 Sport arch - powdercoat white with electronics box, rocket launchers, lights and powdercoat white rails and seat frames
 Steering wheel - aluminum with power knob
 T-top canvas enclosure - 3 sided
 Transducer - High Performance 1 KW in-hull (N/A with Ray Marine packages)

Trim tabs - heavy duty offshore
 220 Volt option
 Windlass - with electric up/down foot switches, 300' rope/chain combo, anchor roller, lanyard and anchor

*Ray Marine C120 Electronics Package (2) 12.1" Color Displays

(Units are radar ready - additional components required)

Includes chartplotter, HDFI fishfinder, and High Performance 1 KW in-hull transducer
 VHF Radio - Ray 54

*Ray Marine E120 Electronics Package (2) 12.1" Color Displays

(Units are radar ready - additional components required)

Includes chartplotter, HDFI fishfinder, High Performance 1 KW in-hull transducer, SeaTalk networking, and video/instrumentation integration capabilities
 VHF Radio - Ray 54

Ray Marine Auto Pilot - ST6001 S1G

(available with Yamaha and Bombardier engines only)

Ray Marine Radar - 4KW Radome

Ray Marine Radar - 4KW Open Array

*Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Options

Impulse Blue (paint)
 Inferno Red (paint)
 Midnight Blue
 Scarab Black
 Custom color (paint)

BRP Engines

Impulse Blue (paint)
 Inferno Red (paint)
 Custom color (paint)

Custom Hullside Wrap

Boot Tape

Silver/Black
 Silver/Blue
 Silver/Red

Performance Hardware Package

Black
 Blue
 Red

Upholstery Upgrade

Black
 Blue
 Red

XL Scarab Logo

Powdercoat Package

(N/A with sport arch)

ENGINE OPTIONS

Tw Yamaha F 250 4-stroke	Triple Merc 250 Verado 4-stroke
Tw Yamaha F 350 4-stroke	Triple Merc 275 Verado 4-stroke
Triple Yamaha F 250 4-stroke	Triple Merc 300 Verado 4-stroke
Tw Merc 225 Verado 4-stroke	Tw Evinrude 225 E-Tec
Tw Merc 250 Verado 4-stroke	Tw Evinrude 250 E-Tec
Tw Merc 275 Verado 4-stroke	Triple Evinrude 225 E-Tec
Tw Merc 300 Verado 4-stroke	Triple Evinrude 250 E-Tec
Triple Merc 225 Verado 4-stroke	

Specifications, options, and equipment are subject to change without notice.

PERFORMANCE DATA - Triple Yamaha F250 4-stroke

Top Speed	58.3 MPH @ 5650 RPM
Cruise Speed	39.5 MPH @ 4000 RPM
Cruise Range	500 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

NOTES

35 SCARAB SPORT



L.O.A.	35' 4" (10.76 m)
Beam	9' 11" (3.02 m)
Dry weight (approx.)*	8800 lbs. (3992 kg)
Fuel capacity	400 gal. (1762 L)
Max power @ prop	900 HP (671 kw)
Shaft length: Twin	30" (.76 m)
Triple (2-port/stbd)	25" (.64 m)
(1-center)	30" (.76 m)
Water capacity	13 gal. (49.21 L)
Deadrise	23°
Draft up (approx.)	23" (.58 m)
Draft down (approx.) (Twin)	33" (.84 m)
Draft down (approx.) (Triple)	39" (.96 m)
Bridge clearance w/optional T-top (approx.)	8' 4" (2.54 m)
Bridge clearance w/std sport arch (approx.)	7' 11" (2.41 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Wider beam provides more seating and cockpit space
- Plenty of rod storage • Rigging station at transom with sink
- The transom layout designed to allow access to mechanical equipment • Full fiberglass liner with integrated storage
- Foam fiberglass encapsulated stringer system • Amenities offer fishing excursions as well as extended family cruising
 - Wider console - portside step-down entry includes self-contained head, sink and access to console rigging
 - Pull out battery sliders allow best accessibility for battery maintenance • Composite transom • 10-year structural hull warranty - transferable • Pressurized fresh and raw water system • Hot water heater • NMMA Yacht Certification
 - Complies with Coast Guard safety regulations

STANDARD EQUIPMENT

HULL & DECK

Bow and stern eyes - stainless steel
 Bow rail - aluminum - powdercoat white
 Cleats - pull up stainless steel (7)
 Forward anchor line storage
 Hand holds - stainless steel
 Hardware - thru bolted - stainless steel
 Heavy duty rub rail
 Integrated swim platform
 Rod holders (4) stainless steel - flush mount with cap
 Rod racks - under gunnel - port/stbd
 Stainless steel thru hulls
 Transom door
 Windscreen with aluminum rail - powdercoat white

COCKPIT

Aft baitwell - 84 qt. - with light
 Beverage holders (4) - stainless steel **(new)**
 Cockpit overboard scuppers with screens
 Cockpit coaming bolsters - port/stbd
 Cooler - 60 qt. - integrated under forward console seat
 Courtesy lights
 Fish box /storage box insulated with overboard drain and sealed lids - port/stbd
 Fold-away rear bench seat and aft bolster
 Glovebox - lockable
 Lean post seat with removable 94 qt. cooler
 Rigging station at transom with sink, raw water washdown and 2 removable bins
 Seating - port/stbd lounge with storage
 Sport arch powdercoat white with electronics box, rocket launchers
 Stove - butane - self contained - tilt out (not available for CE boats)
 Tackle storage with 2 drawers and 2 trays
 Tilt out storage bins (2)

CABIN

12 V lighting
 Cabin entry bi-fold locking door
 Deck hatch - opening with screen
 Decor pillows **(new)**
 Dinette table
 Forward v-berth with filler cushion and storage below
 Storage cabinet

HEAD CONSOLE

Console entry steps
 Dome light with switch - 12V
 Full fiberglass liner - skid resistant
 Hatch access to console rigging
 Mirror
 Portside entry door
 Port light - opening with screen
 Self contained head
 Sink molded in with hand held shower - hot/cold pressurized fresh water system
 Vanity storage with toilet paper holder

MECHANICAL

Accessory plugs - 12V (2)
 Aft bilge lighting
 Battery charger - 30 amp
 Battery switches with voltage sensitive relays **(new)**
 Battery trays - heavy duty with stainless steel sliders
 Bilge pumps with automatic float switch (1) - 1500 gph aft, (1) 500 gph fwd
 Compass
 Electronics accessory buss at helm
 Full instrumentation - digital Horn - dual flush mount
 Hoses - steel reinforced
 Ignition safety lanyard
 Navigation lights
 Oil tank storage (2-stroke engines only)
 Pressurized fresh water system with transom shower
 **Propellers - stainless steel
 Shore power - 30 amp converter with 50' shore power cord
 Sirius satellite radio system - AM/FM CD player, Sirius satellite receiver, antenna, 4 speakers, and digital control at helm
 Steering - hydraulic tilt, dual ram (BRP and Yamaha) **(new)**
 Steering wheel - stainless steel with power knob
 Submersible rated electrical connections
 Trim tabs - heavy duty with indicators
 Water heater - 6 gallon

**Drop shipped and factory rigged engines only

Factory Installed with

EVINRUDE[®]



Wellcraft[®]

wellcraft.com

©2007. Wellcraft Marine Corp., a subsidiary of Genmar Industries, Inc.
1651 Whitfield Avenue, Sarasota, FL 34243.

WELLCRAFT is a registered trademark of Genmar Industries, Inc.