



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education



CANDIDATE NAME	
CENTRE NUMBER	CANDIDATE NUMBER
CHEMISTRY	0620/43
Paper 4 Theory (Extended)	October/November 2017
	1 hour 15 minutes
Candidates answer on the Question Paper.	
No Additional Materials are required.	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 12.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

CAMBRIDGE www.egyptigstudentroom.com

Substances can be classified as elements, compounds or mixtures.	
State whether each of the following is an element, a compound or a mixture.	
(a) brass[1]
(b) gold[1]
(c) butane[1]
(d) air[1]
[Total:	41


		n <i>mole</i> d	cule.			
(ii)	Define the term	n <i>elem</i> e	ent.			
The	e table shows th					
			number of protons	number neutron		
		Α	10	10	10	
		В	10	12	10	
		С	12	10	10	
		D	13	14	10	
(ii)	What is the nu	cleon n	umber of B ?			
	What is the nu Which of A , B ,					
			D are isotope:	s of each o	her?	
(iii)		C and	D are isotope:	s of each o	:her? 	
(iii)	Which of A , B ,	C and	D are isotope: D are atoms?	s of each of	:her? 	
(iii) (iv) (v)	Which of A , B , Which of A , B ,	C and	D are isotopes D are atoms?	s of each of	her?	
(iii) (iv) (v)	Which of A , B , Which of A , B , Which of A , B ,	C and	D are atoms? D are positive	s of each of	her?	
(iii) (iv) (v)	Which of A , B , Which of A , B , Which of A , B ,	C and	D are atoms? D are positive	ions?	number of	
(iii) (iv) (v)	Which of A , B , Which of A , B , Which of A , B ,	C and	D are isotope: D are atoms? D are positive	ions?	number of	

[3]

[Total: 11]

2

3 Iron is extracted from its ore using coke in a blast furnace.



(a)	Name the ore of iron which is mainly iron(III) oxide.							
	[1]							
(b)	Describe the reactions occurring in the blast furnace.							
	 In your answer, include two reasons for using coke in the blast furnace, a chemical equation for the reduction of iron(III) oxide, an explanation for using limestone in the blast furnace. 							

www.egyptigstudentroom.com

(c) (i) Describe the bonding in iron. Include a diagram in your answer.

	[3]
(ii)	Use your diagram in (c)(i) to explain why iron is malleable.
	[2]
(iii)	Iron containing a small amount of carbon is known as steel.
	Explain why steel is less malleable than iron.
	[2]
(d) (i)	When iron is added to dilute sulfuric acid, an aqueous solution of iron(Π) sulfate is formed as one of the products.
	Write a chemical equation for the reaction.
<i>(</i> 11)	[1]
(ii)	When iron(III) oxide is added to dilute sulfuric acid, an aqueous solution of iron(III) sulfate is formed as one of the products.
	Write a chemical equation for the reaction.
	[3]

- (e) Aqueous sodium hydroxide, aqueous potassium iodide and aqueous acidified potassium manganate(VII) are added to aqueous solutions of iron(III) sulfate and iron(III) sulfate.
 - Iron(II) ions, Fe²⁺, are reducing agents in aqueous solution.
 - Iron(III) ions, Fe³⁺, are oxidising agents in aqueous solution.


Complete the table.

reagent	observations with aqueous iron(II) sulfate	observations with aqueous iron(III) sulfate
aqueous sodium hydroxide	green precipitate	
aqueous potassium iodide		
aqueous acidified potassium manganate(VII)		no change

[4]

[Total: 22]

4 Hydrogen and oxygen react together in a hydrogen fuel cell. A hydrogen fuel cell is shown in the diagram.



(a)	Name the	process	by which	n oxygen is	obtained	from ai
(4)	I TOTAL	, pi 00000	Dy WILLION	I ON Y GOIL IC	Obtained	11 0111 0

.....[1]

(b)	(i)	In a hydrogen fuel cell, the hydrogen molecules are converted into hydrogen ions, Haccording to the ionic half-equation shown.
		$H_2 \rightarrow 2H^+ + 2e^-$
		What type of reaction does this ionic half-equation represent?
	/::\	What there of substance reacts by denoting by dragon ions, LH2
	(ii)	What type of substance reacts by donating hydrogen ions, H ⁺ ?
(c)	Wri	te a chemical equation for the overall reaction that occurs in a hydrogen fuel cell.
(d)	Hyd	drogen fuel cells are being developed as alternatives to petrol engines in cars.
	(i)	Give one advantage of hydrogen fuel cells compared to petrol engines.
	(ii)	Give one disadvantage of hydrogen fuel cells compared to petrol engines.
(e)		me fuel cells use ethanol, $\rm C_2H_5OH$, instead of hydrogen. Carbon dioxide and water are ducts of the reaction in an ethanol fuel cell.
	(i)	Write a chemical equation for the overall reaction occurring in an ethanol fuel cell.
		[2
	(ii)	State an environmental problem caused by the release of carbon dioxide into the atmosphere.
		[1
	(iii)	Name the process by which ethanol can be manufactured from a renewable resource.
		[1
(f)	Na	me the process occurring when electrical energy is used to break down an ionic compound
		[1
		[Total: 11

(a)	(i)	Name the products formed when sodium nitrate is heated.
		[2]
	(ii)	When copper(II) nitrate, $\text{Cu(NO}_3)_2$, undergoes thermal decomposition, three products are formed. One of the products is nitrogen dioxide, NO_2 .
		Write a chemical equation for the thermal decomposition of $copper(\Pi)$ nitrate.
		[2]
(b)		chemical equation shows the equilibrium between dinitrogen tetroxide (N_2O_4 , a colourless) and nitrogen dioxide (NO_2 , a brown gas).
		$N_2O_4(g) \rightleftharpoons 2NO_2(g)$
		colourless brown
		nixture of dinitrogen tetroxide and nitrogen dioxide is allowed to reach equilibrium in a sed gas syringe.
	(i)	In chemistry, what is meant by the term equilibrium?
		[2]
	(ii)	If the equilibrium mixture is heated at constant pressure, a darker brown colour is seen inside the gas syringe.
		What does this information indicate about the decomposition of dinitrogen tetroxide? Explain your answer in terms of the position of the equilibrium.
		[2]
	(iii)	Suggest what you would see if the pressure on the equilibrium mixture were increased at constant temperature. Explain your answer in terms of the position of the equilibrium.
		[2]

www.egyptigstudentroom.com

[Total: 10]

5

		J
6	(a) A	lkanes and alkenes are two homologous series of hydrocarbons.
	(i	What is meant by the term hydrocarbon?
		[1]
	(ii	What is the general formula of the homologous series of
		alkanes,
		alkenes?[2]
	(iii	
	·	1
		2
	(iv	The structure of an alkene molecule with the molecular formula C ₄ H ₈ is shown.
		H H H H
		Draw the structure of a different alkene molecule with the molecular formula $\rm C_4H_8$. Show all of the atoms and all of the bonds.
		[1]
	(v	What term describes molecules with the same molecular formula but different structural

formulae?

(b)	25 cm ³ of a gaseous hydrocarbon,	C_xH_v	were	burnt in	150 cm ³	of oxygen.	This w	as ar	n excess
	of oxygen.	,							

After cooling, the volume of the gases remaining was 100 cm³. This consisted of 75 cm³ of carbon dioxide and 25 cm³ of unreacted oxygen. The water that was produced in the reaction was liquid.

All volumes were measured at the same temperature and pressure.

(i)	What is	meant by	an excess	of oxygen?
-----	---------	----------	-----------	------------

.....[1]

(ii) What was the volume of oxygen that reacted with the hydrocarbon?

..... cm³ [1]

(iii) Complete the table to show the smallest whole number ratio of volumes.

	volume of hydrocarbon reacted	:	volume of oxygen reacted	:	volume of carbon dioxide produced
smallest whole number ratio of volumes		:		:	

[1]

(iv) Use your answer to (b)(iii) to balance the chemical equation. Deduce the formula of the hydrocarbon.

$$C_xH_v(g) +O_2(g) \rightarrowCO_2(g) +H_2O(I)$$

formula of the hydrocarbon = [2]

[Total: 12]

/:\	
(i)	Name the process by which carbon dioxide molecules move through the air into green plants.
	[1]
(ii)	Explain why silicon(${\rm IV}$) oxide ${\bf cannot}$ move through the air in the same way that carbon dioxide can.
	[1]
(iii)	Name the process by which carbon dioxide is converted into glucose, $C_6H_{12}O_6$, in green plants. Give two conditions required for this process to occur. Write a chemical equation for the reaction which occurs.
	name of process
	condition 1
	condition 2
	chemical equation
	[5]
(b) Sta	arch is a natural polymer made from glucose.
(b) Sta	arch is a natural polymer made from glucose. What type of polymerisation occurs when glucose is converted into starch?
-	What type of polymerisation occurs when glucose is converted into starch?
(i)	What type of polymerisation occurs when glucose is converted into starch? [1]
-	What type of polymerisation occurs when glucose is converted into starch? [1] What type of reaction occurs when starch is converted into glucose?
(i)	What type of polymerisation occurs when glucose is converted into starch? [1] What type of reaction occurs when starch is converted into glucose? [1]
(i)	What type of polymerisation occurs when glucose is converted into starch? What type of reaction occurs when starch is converted into glucose? [1] Starch can be represented as shown.
(i)	What type of polymerisation occurs when glucose is converted into starch? [1] What type of reaction occurs when starch is converted into glucose? [1]
(i)	What type of polymerisation occurs when glucose is converted into starch? What type of reaction occurs when starch is converted into glucose? [1] Starch can be represented as shown.
(i)	What type of polymerisation occurs when glucose is converted into starch? [1] What type of reaction occurs when starch is converted into glucose? [1] Starch can be represented as shown.
(i)	What type of polymerisation occurs when glucose is converted into starch? [1] What type of reaction occurs when starch is converted into glucose? [1] Starch can be represented as shown.
(i)	What type of polymerisation occurs when glucose is converted into starch? [1] What type of reaction occurs when starch is converted into glucose? [1] Starch can be represented as shown.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

The Periodic Table of Elements

	III/	2 He	<u>~</u>						chlorine a																										
	 >								sulfur chi										16	>	morium -														
	>								hosphorus si											_	liven														
	≥								Δ.											1.	/ium														
									ium silicon												flerov														
	=			2	<u>М</u>	borc 11	13	<	aluminium 27										H		E .														
Group															cadmium 112						8														
										59	Cn	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgeniur -														
										28	Z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	damstadtium -														
										27	ပိ	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	¥	meitnerium –														
		- エ	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	H	hassium –														
										25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –														
					loc	SS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -														
		Key	tomic number	atomic number	atomic number	atomic number	atomic number	atomic number	atomic number	atomic number	atomic number	atomic number	atomic numbe	atomic numbe.	atomic number	tomic number	mic symk	mic symk	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	д	tantalum 181	105	Op	dubnium –
					ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	꿏	rutherfordium —														
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids															
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	26	Ba	barium 137	88	Ra	radium -														
	_			3	:=	lithium 7	11	Na	sodium 23	19	×	potassium 39	37	Вb	rubidium 85	55	Cs	caesium 133	87	<u>г</u>	francium -														

7.1	Ľ	Intetium	175	103	۲	lawrencium	I
					Š	_	
69	H	thulium	169	101	Md	mendelevium	1
89	щ	erbinm	167	100	Fm	fermium	1
29	웃	holmium	165	66	Es	einsteinium	_
99	Ó	dysprosium	163	86	ర	californium	_
65	욘	terbium	159	26	BK	berkelium	_
64	Gd	gadolinium	157	96	Cm	curium	_
63	Ш	europium	152	96	Am	americium	_
62	Sm	samarium	150	94	Pn	plutonium	_
61	Pm	promethium	ſ	93	ď	neptunium	_
09	2	neodymium	144	92	\supset	uranium	238
69	ቯ	praseodymium	141	91	Ра	protactinium	231
58	Ö	cerium	140	06	Ļ	thorium	232
57	Гa	lanthanum	139	88	Ac	actinium	-

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).