



Chapter 11Chemical Reactions

11.1 Describing Chemical Reactions

11.2 Types of Chemical Reactions

11.3 Reactions in Aqueous Solution



What happens to the wax when you burn

a candle?

When you burn a candle, a chemical reaction called combustion takes place.



By classifying chemical reactions, you can more easily predict what products are likely to form.



The five general types of reactions include combination, decomposition, single-replacement, doublereplacement, and combustion.

Not all chemical reactions fit uniquely into one category.

- Occasionally, a reaction may fit equally well into two categories.
- Patterns of chemical behavior will become apparent and allow you to predict the products of reactions.


11.2 Types of Chemical Reactions>

Types of Chemical Reactions

The first type of reaction is the combination, or synthesis, reaction.

 A <u>combination reaction</u> is a chemical change in which two or more substances react to form a single new substance.

Magnesium metal and oxygen gas combine to form the compound magnesium oxide.



 $2Mg(s) + O_2 \rightarrow 2 MgO(s)$

Notice that in this reaction, as in all combination reactions, the product is a single substance (MgO), which is a compound.

- The reactants in this combination reaction (Mg and O₂) are two elements, which is often the case.
- Two compounds may also combine to form a single substance.

When a Group A metal and a nonmetal react, the product is a binary ionic compound.

$$2K(s) + Cl_2(g) \rightarrow 2KCl(s)$$

When two nonmetals react in a combination reaction, more than one product is often possible.

$$S(s) + O_2(g) \rightarrow SO_2(g)$$
 sulfur dioxide

$$2S(s) + 3O_2(g) \rightarrow 2SO_3(s)$$
 sulfur trioxide

More than one product may also result from the combination reaction of a transition metal and a nonmetal.


$$Fe(s) + S(s) \rightarrow FeS(s)$$
 iron(II) sulfide

$$2\text{Fe}(s) + 3\text{S}(g) \rightarrow \text{Fe}_2\text{S}_3(s) \text{ iron(III) sulfide}$$

Decomposition Reactions

Some chemical reactions are the opposite of combination reactions.

When mercury(II) oxide is heated, it decomposes or breaks down into two simpler substances.



 $2HgO(s) \xrightarrow{heat} 2Hg(I) + O_2(g)$

Decomposition Reactions

A <u>decomposition reaction</u> is a chemical change in which a single compound breaks down into two or more simpler products.

- Decomposition reactions involve only one reactant and two or more products.
- The products can be any combination of elements and compounds.
- Most decomposition reactions require energy in the form of heat, light, or electricity.

Decomposition Reactions


Did you know that a decomposition reaction happens when a vehicle's air bag inflates?

- A device that triggers the reaction is placed in the air bag along with sodium azide pellets.
- When the device is triggered, the sodium azide pellets decompose and release nitrogen gas, which inflates the air bag quickly.

$$2NaN_3(s) \rightarrow 2Na(s) + 3N_2(g)$$

Dropping a small piece of potassium into a beaker of water creates the vigorous reaction.

$$2K(s) + 2H_2O(l) \rightarrow 2KOH(aq) + H_2$$



 The released hydrogen gas can ignite explosively.

If you drop a piece of zinc into a solution of copper nitrate, this reaction occurs:

$$Zn(s) + Cu(NO_3)_2(aq) \rightarrow Cu(s) + Zn(NO_3)_2(aq)$$

These equations describe two examples of single-replacement reaction.

$$2K(s) + 2H_2O(I) \rightarrow 2KOH(aq) + H_2(g)$$

 $Zn(s) + Cu(NO_3)_2(aq) \rightarrow Cu(s) + Zn(NO_3)_2$

- A <u>single-replacement reaction</u> is one in which one element replaces a second element in a compound.
 - You can identify a single-replacement reaction by noting that both the reactants and the products consist of an element and a compound.

$$Zn(s) + Cu(NO_3)_2(aq) \rightarrow Cu(s) + Zn(NO_3)_2$$

In the equation above, zinc and copper change places.

- The reacting element Zn replaces copper in the reactant compound Cu(NO₃)₂.
- The products are the element Cu and the compound Zn(NO₃)₂.

Writing Equations for Single-Replacement Reactions

Write a balanced equation for the single-replacement reaction.

$$Cl_2(aq) + NaBr(aq) \rightarrow$$

Whether one metal will displace another metal from a compound depends upon the relative reactivities of the two metals.

 Iron will displace copper from a copper compound in solution, but iron does not similarly displace zinc or calcium.

| Activity Series of Metals | | |
|---------------------------|-----------|--------|
| Decreasing reactivity | Name | Symbol |
| | Lithium | Li |
| | Calcium | Ca |
| | Sodium | Na |
| | Magnesium | Mg |
| | Aluminum | Al |
| | Zinc | Zn |
| | Iron | Fe |
| | Lead | Pb |
| | Copper | Cu |
| | Mercury | Hg |
| | Silver | Ag |

Whether one metal will displace another metal from a compound depends upon the relative reactivities of the two metals.

- The <u>activity series</u> of metals lists metals in order of decreasing reactivity.
- A reactive metal will replace any metal listed below it in the activity series.

| Activity Series of Metals | | | |
|---------------------------|-----------|--------|--|
| Decreasing reactivity | Name | Symbol | |
| | Lithium | Li | |
| | Calcium | Ca | |
| | Sodium | Na | |
| | Magnesium | Mg | |
| | Aluminum | Al | |
| | Zinc | Zn | |
| | Iron | Fe | |
|) | Lead | Pb | |
| | Copper | Cu | |
| | Mercury | Hg | |
| | Silver | Ag | |

A halogen can also replace another halogen from a compound.

- The activity of halogens decreases as you go down Group 7A of the periodic table—fluorine, chlorine, bromine, and iodine.
- Bromine is more active than iodine, so this reaction occurs:

$$Br_2(aq) + 2NaI(aq) \rightarrow 2NaBr(aq) + I_2(aq)$$


 But bromine is less active than chlorine, so this reaction does not occur:

 $Br_2(aq) + NaCl(aq) \rightarrow No reaction$

Double-Replacement Reactions

Mixing aqueous solutions of potassium iodide and lead(II) nitrate results in a chemical

reaction in which a yellow precipitate of solid lead(II) iodide is formed.



Double-Replacement Reactions

$$2KI(aq) + Pb(NO_3)_2(aq) \rightarrow PbI_2 + 2KNO_3(aq)$$

This is an example of a <u>double-replacement</u> <u>reaction</u>, which is a chemical change involving an exchange of positive ions between two compounds.

- Double-replacement reactions are also referred to as double-displacement reactions.
- They generally take place in aqueous solution and often produce a precipitate, a gas, or a molecular compound such as water.

Double-Replacement Reactions

For a double-replacement reaction to occur, one of the following is usually true:

- 1. One of the products is only slightly soluble and precipitates from solution.
- 2. One of the products is a gas.
- 3. One product is a molecular compound such as water.

Writing Equations for Double-Replacement Reactions

A precipitate of barium carbonate is formed when aqueous solutions of barium chloride react with potassium carbonate. Write a balanced chemical equation for the double-replacement reaction.

$$K_2CO_3(aq) + BaCl_2(aq) \rightarrow$$

The flames of a campfire, candle, or gas grill are evidence that a combustion reaction is taking place.

A <u>combustion reaction</u> is a chemical change in which an element or a compound reacts with oxygen, often producing energy in the form of heat and light.


- A combustion reaction always involves oxygen as a reactant.
- Often the other reactant is a hydrocarbon, which is a compound composed of hydrogen and carbon.

The complete combustion of a hydrocarbon produces carbon dioxide and water.

- But if the supply of oxygen is limited during a reaction, the combustion will not be complete.
- Elemental carbon (soot) and toxic carbon monoxide gas may be additional products.

The complete combustion of a hydrocarbon releases a large amount of energy as heat.

That's why hydrocarbons such as methane (CH₄), propane (C₃H₈), and butane (C₄H₁₀) are important fuels.



Gasoline is a mixture of hydrocarbons that can be approximately represented by the formula C_8H_{18} .

 The complete combustion of gasoline in a car engine is shown by this equation:

$$2C_8H_{18}(I) + 25O_2(g) \rightarrow 16CO_2(g) + 18H_2O(g)$$

Materials such as candle wax contain hydrogen and carbon. One type of wax has a formula of $C_{25}H_{53}$. The wax reacts with oxygen in the air. So, what happens to the wax as it burns?

Materials such as candle wax contain hydrogen and carbon. One type of wax has a formula of $C_{25}H_{53}$. The wax reacts with oxygen in the air. So, what happens to the wax as it burns?

The wax undergoes a combustion reaction with oxygen and is converted into carbon dioxide and water.

$$4C_{25}H_{53}(s) + 103O_2(g) \rightarrow 100CO_2(g) + 106H_2O(g)$$

Writing Equations for Combustion Reactions

An alcohol lamp often uses ethanol as its fuel. Write a balanced equation for the complete combustion of ethanol.

 $C_2H_6O(I)$



Now that you have learned about some of the basic reaction types, you can predict the products of many reactions.

 The number of elements and/or compounds reacting is a good indicator of possible reaction type and, thus, possible products. In a combination reaction, two or more reactants (elements or compounds) combine to form a single product.

Combination Reaction

General Equation: R + S → RS


Reactants: Generally two elements, or two compounds (where at least one compound is a molecular compound)

Probable Products: A single

compound

Example: Burning magnesium

in air



In a decomposition reaction, a single compound is the reactant; two or more substances are the products.


2 Decomposition Reaction

General Equation: RS — ➤ R + S

Reactants: Generally a single binary compound or a compound with a polyatomic ion

Probable Products: Two elements (for a binary compound), or two or more elements and/or compounds (for a compound with a polyatomic ion)

Example: Heating mercury(II) oxide



An element and a compound are the reactants in a single-replacement reaction.

3 Single-Replacement Reaction

General Equation: T + RS ---> TS + R

Reactants: An element and a compound In a single-replacement reaction, an element replaces another element from a compound in aqueous solution. For a single-replacement reaction to occur, the element that is displaced must be less active than the element that is doing the displacing.

Probable Products: A different element

and a new compound

Example: Potassium in water







$$2K(s) + 2H_2O(I) \longrightarrow 2KOH(aq) + H_2(g)$$

In a double-replacement reaction, two ionic compounds are the reactants; two new compounds are the products.

4 Double-Replacement Reaction

General Equation: R⁺ S⁻ + T⁺ U⁻ → R⁺ U⁻ + T⁺ S⁻

Reactants: Two ionic compounds
In a double-replacement reaction, two
ionic compounds react by exchanging
cations to form two different compounds.

Probable Products: Two new compounds Double-replacement reactions are driven by the formation of a precipitate, a gaseous product, or water.

Example: Reaction of aqueous solutions of potassium iodide and lead(II) nitrate.





 $2KI(aq) + Pb(NO_3)_2(aq) \longrightarrow PbI_2(s) + 2KNO_3(aq)$

The reactants in a combustion reaction are oxygen and usually a hydrocarbon. The products of most combustion reactions are carbon dioxide and water.

5 Combustion Reaction

General Equation: $C_x H_y + (x + y/4) O_2 \longrightarrow xCO_2 + (y/2)H_2O$

Reactants: Oxygen and a compound of C, H, (O) When oxygen reacts with an element or compound, combustion may occur.

Probable Products: CO₂ and H₂O With incomplete combustion, C and CO may also be products.

Example: The combustion of methane gas in air



$$CH_4(g) + 2O_2(g) \longrightarrow CO_2(g) + 2H_2O(g)$$

Identifying Chemical Reactions

2

$$S = Synthesis$$
 $D = Decomposition$ $SR = Single Replacement$ $DR = Double Replacement$

$$\underline{\hspace{1cm}}$$
 Cl₂ + NaBr \rightarrow NaCl + Br₂ $\underline{\hspace{1cm}}$ H₂ + N₂ \rightarrow NH₃

11.2 Types of Chemical Reactions>

$$\underline{\hspace{1cm}}$$
 Na + Br₂ \rightarrow NaBr

$$\mathbf{C} + \mathbf{H}_2 \rightarrow \mathbf{C}\mathbf{H}_4$$

$$\underline{\hspace{1cm}}$$
 KClO₃ \rightarrow KCl + O₂

$$___CuCl_2 + H_2S \rightarrow CuS + HCl$$

$$\underline{\hspace{1cm}}$$
 BaCl₂ + Na₂SO₄ \rightarrow NaCl + BaSO₄


$$\underline{\hspace{1cm}} S_8 \hspace{0.25cm} + \hspace{0.25cm} F_2 \hspace{0.25cm} \rightarrow \hspace{0.25cm} SF_6$$

11.2 Types of Chemical Reactions>



Why might you want to classify a chemical reaction?

Classifying a chemical reaction helps you predict what products will form.



- The number of elements and/or compounds reacting is a good indicator of possible reaction type and, thus, possible products.
- In a combination reaction, there is always a single product.

- A decomposition reaction involves the breakdown of a single compound into two or more simpler substances.
- In a single-replacement reaction, both the reactants and the products are an element and a compound.
- A double-replacement reaction generally takes place between two ionic compounds in aqueous solution.
- A combustion reaction always involves oxygen as a reactant.

11.2 Types of Chemical Reactions> Glossary Terms

- combination reaction: a chemical change in which two or more substances react to form a single new substance; also called a synthesis reaction
- decomposition reaction: a chemical change in which a single compound is broken down into two or more simpler products
- single-replacement reaction: a chemical change in which one element replaces a second element in a compound; also called a displacement reaction

11.2 Types of Chemical Reactions> Glossary Terms

- <u>activity series</u>: a list of elements in order of decreasing activity; the activity series of halogens is FI, CI, Br, I
- double-replacement reaction: a chemical change that involves an exchange of positive ions between two compounds
- combustion reaction: a chemical change in which an element or a compound reacts with oxygen, often producing energy in the form of heat and light