



12X12 GABLE SHED PLAN

FREE STREAMLINED VERSION



Supported & Recommended by our Friends & Partners:

wikiHow

Sarah x Sarah

MOVOTO

'BOUT HOME

eHow

COMPARISON BETWEEN OUR FREE & PREMIUM PLANS



VS.



PREMIUM 12X12 SHED PLAN:

- Instant email delivery (PDF) download
- Views from all angles
- Measurements for every part
- Full layouts for every step
- Step-by-step assembly instructions
- Full material / shopping list
- Full cutting list
- PRO-TIPS for every section
- Mobile / Tablet / PC / MAC ready
- Beginner friendly

FREE 12X12 SHED PLAN:

- Basic schematics
- Basic angles
- Basic measurements
- Simplified instructions
- No material list

NEED MORE INFORMATION ON THIS PREMIUM 12X12 SHED PLAN?

[LEARN MORE!](#)

AVAILABLE ONLY AT THE OFFICIAL 3DSHEDPLANS™ WEBSITE

DISCLAIMER

3DSHEDPLANS™ is here to help and assist the DIYer. All information / advice is for general guidance only and whilst every effort is made to ensure that it is correct, it should not be relied upon as accurate. The information / advice contained within this document is intended for persons of no less than 18 years of age. Use of the information / advice contained within this document is at your own risk. It is the sole responsibility of any person(s) using the information / advice contained within this document that their level of competence is appropriate for the task they want to complete. All users of information / advice contained within this document should have all work checked / tested by a professional qualified trades person where applicable. You should be aware of current regulations on buildings, gas, water and electrical works (i.e. Part P) if you have any doubts we would advise you to research further information or contact the appropriate professional body.

LIABILITY


3DSHEDPLANS™ and Netholics Media, LLC with the document through ownership and contribution will not accept any liability for any loss, damage, injury or negligence direct or indirect from use of the information / advice contained within this document. Any dispute arising from use of this document or disclaimer will be decided by the US courts under the relevant US law.

COPYRIGHT


3DSHEDPLANS™ is official & registered trademark in the US. All of the contents (text/slogan) and artwork (graphics/logo) within this document are the copyrighted and trademarked property of 3DSHEDPLANS™ & Netholics Media, LLC. No part of the text or artwork may be reproduced by any means or in any form whatsoever without written permission, except for brief quotations embodied in literary articles or reviews. And no part of this document may be reproduced without written permission of the owners. This Information may be stored on computer for personal use only by the client (who purchased the plans from our official store), not for presentation or publication.

1 BASIC OVERVIEW AND DIMENSIONS


This 12x12 gable shed is a well-balanced and spacious shed. Capable of accommodating all your garden related needs. The overall width of the shed is 12 feet and 1 inch with a 12 feet and 4 ½ inches height. The roof width is 13 feet and 7 ½ inches. There is a huge door in the front with a width of 7 feet and 4 inches and a height of 7 feet and 2 inches and a window that is 3 x 3 in size. Note that the window and the door must be purchased separately or build independently. Therefore, both of these items will not be part of the shed plan. Follow the manufacturer's instruction to install the window and the door perfectly into position.




FRONT VIEW



DOOR



SIDE VIEW




WINDOW

NOTE


Professional tip section is only available in PREMIUM (full) version of the plan.

2 FOUNDATION AND FLOOR

Start with building the foundation and the floor of the shed. Note that the foundation will be supporting your entire shed's structure and so it needs to be resilient and robust. Use pressure heated timber truss and skids for the foundation. Build a 12 feet wide and 12 feet long foundation as shown in the image. You can use L joints and galvanized nails to assemble the parts. For the floor, use $\frac{3}{4}$ inches thick tongue and groove plywood. Make sure the skids and trusses are equally spaced and firmly attached together to avoid any future mishaps.



FOUNDATION BASE




FLOOR

NOTE


Professional tip section is only available in PREMIUM (full) version of the plan.

3 WALL STRUCTURES

Once the foundation and the floor has been prepared, the next step is to start working on the right and the left wall. Both the walls will have a 12 feet width and 7 feet and 6 inches height. The right wall will have room for the 3 x 3 window. Use pressure heated timber skids to create the structures. Use L joints and joists to attach the pieces together. You can use galvanized nails to attach the parts together. Once created, install T1-11 with galvanized nails and exterior screws to finish the walls.



RIGHT WALL





LEFT WALL

NOTE

Professional tip section is only available in PREMIUM (full) version of the plan.

4 WALL STRUCTURES

After the right and left wall, you will start working on the front and back wall. The front wall and the back wall will have a width of 12 feet from the top and 11 feet and 4 inches at the bottom. The difference is to accommodate the roof. The height of both the walls will be 7 feet and 6 inches. The front wall will have space for the door as shown in the figure. Use pressure heated timber for the wall structures and galvanized nails to attach the frames together. Once completed, use T1-11 to make the structures more durable.




NOTE

Professional tip section is only available in PREMIUM (full) version of the plan.

5 ROOF SECTION

The roof is the most complex part of the shed when it comes to building and assembling parts together. It is recommended to have additional help or else the work will get too strenuous. Start by building 9 rafters with 7 feet and 3 inches of diameter as shown in the image. Space the rafters equally over a width of 12 feet 7 inches. Make sure all the rafters and trusses are equal in shape to avoid any assembling issues. Use T1-11 on the two outer most rafters on each side of the roof. Once the rafters are completed, use plywood sheathing on the roof with galvanized nails to create the roof surface.



NOTE

Professional tip section is only available in PREMIUM (full) version of the plan.

wikiHow

MOVOTO

eHow

Sarah x Sarah

'BOUT HOME



**Wait no more! Save time & money now...
Get your own professional 12X12 gable shed
plan and start building your dream shed today!
Click here and go PREMIUM!**

PREMIUM PLAN INCLUDES:

- Instant email delivery (PDF) download
- 30+ detailed 3D schematics
- Views from all angles
- Measurements for every part
- Full layouts for every step
- Step-by-step assembly instructions
- Full material / shopping list
- Full cutting list
- PRO-TIPS for every section
- Mobile / Tablet / PC / MAC friendly
- Beginner friendly



LEARN MORE!

AVAILABLE ONLY AT THE OFFICIAL 3DSHEDPLANS™ WEBSITE