



# Frederick Sound

(1) This chapter describes Frederick Sound, Le Conte and Thomas Bays, the north part of Keku Strait, Skanáx□ and Security Bays and the city and harbor of Kake.

(2) **ENCs - US3AK4PM, US3AK3BM, US5AK3CM, US3AK-3CM, US3AK3UM**  
**Charts - 17320, 17360**

(3) **Frederick Sound** has its entrance from Chatham Strait between Kingsmill Point and Point Gardner and extends northeast to The Brothers and Cape Fanshaw, at the entrance to Stephens Passage, and southeast to Dry Strait, a high-water boat passage connecting it with the east end of Sumner Strait. The sound is open and clear of obstructions and has few offshore dangers to navigation. The shores and islands of the sound are all high.

(4) **Currents**

(5) The tidal current on the flood enters Frederick Sound from Chatham Strait; it sets north into Stephens Passage and through the east arm. The ebb sets in the reverse direction.

(6) Strong flood and ebb currents were observed in the vicinity of Cape Fanshaw and Round Rock and in the passage between Turnabout Island and Kupreanof Island. Standing waves were sometimes observed in the vicinity of Cape Fanshaw when strong winds shift rapidly from southeast to north.

(7) Current observations made between Cape Fanshaw and Cape Strait indicate that the ebb or west current is considerably stronger than the flood. In the vicinity of Cape Strait the ebb velocity is about 1.5 to 2 knots and it is probable that the current floods only with the largest tides of the month.

(8) **Weather**

(9) Although sheltered from the open Gulf, Frederick Sound and its surrounding waterways are subject to local effects because of the high ground that surrounds the area. Many locations are vulnerable to strong southeast winds, which are a problem from October through February. Visibilities are most often a problem from about November through March and least often a hazard in April, May and June. The winter maximum indicates restrictions of visibilities because of snow. Precipitation is most likely from September through December with an October peak, when about 9 inches falls on 18 days on average. Temperatures fall below freezing on about 90 days during the year, while in summer they climb to 70°F

or above on just a few. Extremes range from just below 0°F to about 80°F over the open water. To the southeast, in the more restricted and more continental regions, the temperature range is much greater and extremes range from about -15°F to the mid 80s.

(10) **Ice**

(11) Glacial ice from Le Conte Bay is generally present in the east arm of Frederick Sound and at times in large quantities. The ice generally follows the north shore of the sound as far as the entrance to Thomas Bay. Under certain conditions of wind and weather, ice may be expected as far as the Sukoï Islets, and it may also be found at Cape Strait and Turnabout Island. Occasionally a few stray pieces of ice work into Wrangell Narrows as far as Green Point, making navigation dangerous.

(12) **Pilotage, Frederick Sound**

(13) Pilotage, except for certain exempted vessels, is compulsory for all vessels navigating the waters of the State of Alaska.

(14) Frederick Sound is served by the Southeastern Alaska Pilots Association. (See **Pilotage, General** (indexed), chapter 3, for the pilot pickup station and other details.)

(15) **ENCs - US5AK3CM, US3AK3CM, US3AK3UM, US-5AK3LM**  
**Charts - 17360, 17377**

(16) **Camp Island, Pocket Island, and Hidden Island** are wooded islands on the flats north of Dry Strait.

(17) **Ideal Cove** has its entrance on the south side of Frederick Sound, about 13.8 miles southeast of Wrangell Narrows and 1.2 miles south of Coney Island. Log storage extends along the east shore of the cove to the head. At times, logs take up the whole cove. Small craft desiring moorage will tie up to the log booms. A well-defined rock awash is close to the east point of the entrance. A small islet is on the west side at the entrance. Cosmos Point, the east point of the entrance, is wooded.

(18) **Coney Island** is steep-to; the edge of Stikine River flats is about 0.5 mile east of it, and reefs extend 0.3 mile north from the point 0.8 mile south of the island.

(19) **Le Conte Bay**, on the north side of the head of Frederick Sound, at times is inaccessible because of floating ice. The great depths in the bay prevent anchorage. Le Conte Bay is entered from Frederick Sound through a very narrow passage just north of Stikine River flats. At the entrance, a reef that bares at low water extends

from the north shore halfway across the passage. Several groundings have occurred on this reef; extreme caution is advised. The bay is very shallow along its west edge from the mouth north to Timber Point. Boulders 1 to 3 meters in size are located in the narrow channel and are displaced about by icebergs that sweep through the area. Strong currents have also been noted in this area.

(20) Large icebergs from **Le Conte Glacier** are a menace to navigation from Camp Island to **Frederick Point**.

(21) The shores of Frederick Sound, from Wrangell Narrows to Cape Strait, are bold. The southwest shore can be safely approached as close as 0.5 mile. A ledge, which uncovers about 8 feet, is about 0.3 mile from the head of the bight, about 3 miles north of Prolewy Point, the northwest point of the entrance to Wrangell Narrows.

(22) The **McDonald Islands** are two small islands about 3.8 miles east of the north entrance to Wrangell Narrows. The east island, 228 feet high, is the larger.

(23) **Brown Cove**, on the northeast side of the sound, about 5.5 miles northeast of the entrance to Wrangell Narrows, affords indifferent anchorage in 11 to 12 fathoms at the entrance. The head of the cove bares at low water.

(24) **Sukoi Islets**, locally known as **Sockeye Islets**, are two wooded islands, with a smaller one between, about 3.8 miles north from the entrance to Wrangell Narrows and about 1 mile off the west shore of Frederick Sound. The westernmost and largest island is about 330 feet high. The easternmost island is about 120 feet high, and the middle island is low. **Sukoi Islets Light** (56°53'44"N., 132°56'39"W.), 18 feet above the water, is shown from a skeleton tower on a concrete pier with a red and white diamond-shaped daymark on the westernmost islet. The usual channel is west of the islets.

(25) **ENCs - US5AK0EM, US5AK3CM, US3AK3CM, US3A-K3UM**

**Charts - 17367, 17360**

(26) **Point Agassiz** (56°55.4'N., 132°53.0'W.), on the southeast side of Frederick Sound, is low and wooded. An extensive marsh flat extends about 2 miles to the north.

(27) **Beacon Point**, on the west shore, west-northwest of Point Agassiz and about 3.6 miles north of Sukoi Islets, is marked by a daybeacon.

(28) **Cape Strait** is marked by **Cape Strait Light** (56°59'53"N., 133°05'32"W.), 30 feet above the water, shown from a skeleton tower with a red and white diamond-shaped daymark.

(29) About 1.4 miles southeast of Cape Strait are a small valley and bight. A reef, which has a wooded islet, extends 0.2 mile off the point on the east side of the bight.

(30) **Thomas Bay**, about 3.6 miles east of Cape Strait, is the large estuary on the north side of Frederick Sound between Wood Point and Point Vandeput. The entrance, marked by buoys, is about 10 miles north of the north entrance to Wrangell Narrows and 22 miles east-southeast

of Cape Fanshaw. Good anchorage with protection from southeast weather can be had off the south shore well inside Wood Point. Very good small-craft anchorage can be had in either of two small coves on the east shore of Ruth Island in depths of 3 to 10 fathoms, soft bottom.

(31) **Thomas Bay**, from the bar to **Baird Glacier**, at its head, is about 10 miles long. The moraine of Baird Glacier has encroached to about 0.4 mile north of Scenery Cove. Shoaling to a depth of 3 fathoms or less can be expected. On the southeast side is an arm that extends south to the moraine of the **Patterson Glacier**. These glaciers do not discharge ice into the bay.

(32) **Wood Point**, the east point of the entrance to Thomas Bay, is low and wooded. A kelp-covered reef, largely bare, extends 0.6 mile off Wood Point. A lighted bell buoy and an unlighted buoy mark the west extremity of the reef.

(33) **Point Vandeput** is the south extremity of a low neck of land that extends 2.5 miles south from shore on the northwest side of the entrance to the bay. A detached clump of trees is at the end of the wooded section of the point. A narrow channel, with a depth of 4 fathoms, separates the reef south of the point from a kelp-covered bar that extends 0.8 mile farther in a southeast direction. A buoy marks the southeast end of the bar. Navigation over the bar is possible for shallow draft vessels with local knowledge.

(34) The entrance channel between the bar and the reef west of Wood Point has depths of 4¾ to 11 fathoms.

(35) The **tidal currents** have a velocity of about 3 knots over the bar at the entrance to Thomas Bay, and swirls occur at times from the shoal spot in the middle of the channel to Point Vandeput. The swirls are little felt in the channel east of the shoal spot.

(36) **Spurt Point**, in Thomas Bay, about 3.5 miles east of Point Vandeput, is steep and wooded.

(37) Several rocks that bare at low water lie about 0.9 mile west of Spurt Point; caution is advised in this area.

(38) **Bock Bight**, about 1.8 miles east of Wood Point, is a narrow and deep bight. The entrance to the bight is bare nearly 2 hours before low water, forming a dam with deep water inside that overflows with great force except at slack water.

(39) **Ruth Island** is the large island on the west side of the entrance to the southeast arm of the bay; close to its north end are a small islet and some low-water rocks. The northwest entrance to the passage west of Ruth Island is shoal but may be used by small vessels with local knowledge.

(40) **Spray Island** is on the east side of the southeast arm east of the center of Ruth Island. A mooring buoy is about 0.25 mile southeast of the island in about 56°59'51"N., 132°47'08"W.

(41) Anchorage for small boats may be had in 5 fathoms off the northwest entrance of the passage between Ruth Island and the mainland. Anchorage for small vessels may be had in the bight east of Spray Island in 18 fathoms. The anchorage is close to the beach that is steep-to. Anchorage

for larger vessels may be had in 11 fathoms, mud bottom, off the bight at the southeast end of Ruth Island.

(42) **Scenery Cove**, in the north part of Thomas Bay, does not afford anchorage except for small craft. Large vessels can anchor at the entrance to the cove in 7 to 15 fathoms.

(43) **Farragut Bay** is the large indentation on the north side of Frederick Sound, about 8 miles northwest of Cape Strait. The entrance, between Grand Point and Bay Point, is about 20 miles northwest of the north entrance to Wrangell Narrows and 12 miles east-southeast of Cape Fanshaw.

(44) **Grand Point**, the east point at the entrance to Farragut Bay, is marked by **Grand Point Light** (57°05'28"N., 133°11'13"W.), 16 feet above the water and shown on a pile with a red and white diamond-shaped daymark. The point is low and rocky at its end. **Bay Point**, the west point at the entrance, is bold and wooded.

(45) Farragut Bay has two arms. The west arm is smaller, and its entrance is obstructed near midchannel by a rock awash, and by a shoal that extends from the west shore. Vessels may enter by favoring the east shore. The east arm expands into a large bay known as **Francis Anchorage**. Southeast winds are reported to draw through the anchorage with velocities up to 60 mph. Small craft may find anchorage with adequate protection in close to the east shore, just north of the projecting point, in 4 to 5 fathoms. The extensive tidal flats at the head of the bay were reported to be encroaching in 1976. Tidal currents have little velocity in the bay.

(46) **Read Island** is just inside the entrance on the east side of Farragut Bay. A very narrow passage, which may be used by small craft, and with reported depths of 4 fathoms, leads between the island and Grand Point. In 1988, an obstruction was reported in the passage about 0.25 mile north-northwest of Grand Point Light in about 57°05'45"N., 133°11'13"W. A shoal area with a rock awash about midway and an unnamed islet at the outer end extend off the northeast end of Read Island.

(47) **Flock Rock** is a small rock islet in the middle of the passage north of Read Island. Submerged rocks are reported to be between Flock Rock and the shore.

(48) A small vessel can make a temporary fair-weather anchorage between Grand Point and the south end of Read Island in 5 to 6 fathoms, hard bottom. Of the four coves or indentations making into the east side of Read Island, the third, leading north, is reported to provide the best anchorage for small vessels in 3 to 5 fathoms, rocky bottom. A log storage area is along the east shore of the bay about 1.2 miles east of the northeast tip of Read Island. The best passage to Francis Anchorage is west of Read Island and between Flock Rock and Read Island, about 0.2 mile off the latter. The chart is a sufficient guide.

(49) **Portage Bay**, on the south side of Frederick Sound 7 miles west of Cape Strait and nearly opposite Farragut Bay, is a secure anchorage, but its entrance is narrow. The tidal currents in the entrance have considerable velocity at spring tides. Ice forms in the bay during extreme cold weather. **Portage Islets**, two in number, are in Frederick

Sound, about 0.8 mile west of the entrance and 0.4 mile offshore.

(50) The entrance channel has a controlling depth of 3½ fathoms but is constricted by shoals to a width of 150 yards. Shoals make out from the shores of the bay and also from the head to 0.8 mile north of **Stop Island**. **Harrington Rock**, 3 feet high, is about 0.2 mile northwest of Stop Island.

(51) **Portage Bay Light 3** (57°00'15"N., 133°19'32"W.), 16 feet above the water, is shown from a skeleton tower with a square green daymark on the end of **East Point**. **West Point** is marked by a daybeacon.

(52) High-water slack is the best time to enter Portage Bay. Small boats have used the grass line of East Point, Hook Point and a small hill in the background as an entrance range. Round East Point about 200 yards off and follow midchannel courses.

(53) Anchor in 4 to 6 fathoms from 1 to 1.5 miles north-northwest of Stop Island. The water shoals gradually toward the shore; there are no dangers outside the 3-fathom curve.

(54) **ENCs - US5AK3CM, US3AK3CM, US3AK3UM, US5AK-3WM, US5AK3TM**  
**Charts - 17360, 17368**

(55) From Farragut Bay to Cape Fanshaw, the shore should not be approached closer than 0.5 mile. The coast is bold and heavily wooded. **Point Highland**, 4.2 miles southeast of Cape Fanshaw, is steep-to and wooded but is not prominent.

(56) **Cape Fanshaw**, at the junction of Stephens Passage and Frederick Sound, is a long, low, wooded point terminating in a moderately long point of bedrock, with a mound of bedrock at the extreme end and deep water within 0.2 mile of the point. **Cape Fanshaw Light** (57°11'07"N., 133°34'26"W.), 33 feet above the water, is shown from a skeleton tower with a red and white diamond-shaped daymark on the point of the cape.

(57) **Turnabout Island**, about 13.5 miles west-southwest of Cape Fanshaw, is high and wooded. The shores are fairly bold except at the south end. The cove on the northwest side of the island has temporary anchorage for small craft. An islet, 0.5 mile southwest of Turnabout Island, shows as two rocks about 20 feet high, at high water but at low water the ledge surrounding the islet shows for about 800 yards southwest and on the line of the bare rocks. A clear channel 1.5 miles wide, between these rocks and Pinta Rocks, may be safely used in the daytime and with clear weather. **Turnabout Island Light** (57°07'55"N., 133°59'16"W.), 23 feet above the water, is shown from a spindle with a red and white diamond-shaped daymark on an islet north of Turnabout Island. A 5¾-fathom spot is about 0.7 mile south-southwest of the light in about 57°07'22.7"N., 133°59'56.9"W.

(58) **Pinta Rocks** are two patches of rocks surrounded by extensive kelp beds about 2.2 miles south from Turnabout

Island and about 1 mile off the main shore. **East Pinta Rocks**, covered at about half tide, are marked on the north side by a buoy. **West Pinta Rocks** are marked at the west end by a light, 30 feet above the water and shown from a pile with a red and white diamond-shaped daymark.

(59) The passage south of Pinta Rocks is used extensively by small craft and is especially valuable when going against the current, since the currents here are much weaker than those north of the rocks. Slack water in this passage occurs up to 2 hours before predicted high and low waters.

(60) **Cape Bendel**, a rounding wooded point, is about 4 miles south of Turnabout Island. In rounding Cape Bendel, keep well offshore to avoid the foul ground and rocks awash that extend 0.8 mile off the cape in the direction of West Pinta Rock.

(61) **Keku Strait, northern part**

(62) Keku Strait is divided into three parts: a south bay, a north bay and a narrow intricate passage about 18 miles long known as Rocky Pass, which connects the two bays. The south bay and Rocky Pass are described in chapter 7.

(63) The north bay of Keku Strait is about 13 miles long from the entrance to Point Camden where the bay branches, the west branch forming Port Camden and the east branch forming Rocky Pass. The northeast shore of the bay is formed by **Kupreanof Island** and the southwest shore by **Kuiu Island**. The entrance from Frederick Sound is between Point Macartney and Cornwallis Point.

(64) **Point Macartney**, the northeast point at the entrance from Frederick Sound, 2.5 miles south of Cape Bendel, is a long, low, wooded point, terminating in an abrupt wooded islet with two tree- and brush-covered masses of rock between, all connected by a rocky platform at low water. **Point Macartney Light** (57°01'30"N., 134°03'31"W.), 20 feet above the water, is shown from a pile with a red and white diamond-shaped daymark on a small islet off the point. A rock awash is about 0.8 mile southeast of the light.

(65) **Point White** is about 2 miles southeast of Point McCartney. Rocks and reefs extend southeast from a point about 1.1 miles south-southwest of Point White. The rocks and reefs connect with **Mosquito Islands**, Grave Island, **Burnt Island** and **Hamilton Island** to form a chain over 4 miles long. The chain is parallel to and about 1 mile off the northeast shore of the bay and is marked at its northwest end by Kake Entrance Light 2 (56°59'05"N., 134°01'18"W.). A narrow channel, between the chain and the Kupreanof Island shore, leads southeast to **Kake Harbor** and the city of Kake. **Grave Island**, small and scrubby, is about 1 mile south of Kake and 3 miles southeast of the northwesternmost reef. The island is marked on its northeast side by **Kake Harbor Light** (56°57'39"N., 133°57'10"W.), 16 feet above the water and shown from a square frame with a red and white diamond-shaped daymark. Anchorage may be found in

Kake Harbor in 15 fathoms, soft mud, between the city and Grave Island.

(66) **Kake**, about 4.4 miles southeast of Point Macartney, is a community with three stores, a lodge and an Alaska Public Health Center with a nurse in attendance every other month. A lighted microwave tower at Kake is prominent from the strait. Reefs, marked by a light and a buoy on their outer edges, and extensive flats, also marked by a buoy, extend 600 yards offshore and about 0.9 mile southeast of Kake, respectively. A fish weir, marked by a private seasonal light, is about 250 yards northwest of the cannery pier.

(67) **Routes**

(68) The best approach to Kake Harbor is from the northwest on a southeast course from between Point White and the light about 1.1 miles to the south-southwest. The approach to the City Pier is marked by a light and a daybeacon. If bound for the piers 1 to 1.5 miles southeast of Kake, pass southwest of the buoys marking the reefs off the village and the flats southeast of it; when clear and south of the southeasternmost buoy, head for the piers, taking care to avoid the tidal flats to the north and the reef marked by a light about 0.3 mile south-southwest of the Alaska State Ferry Terminal (56°57.7'N., 133°55.1'W.). A landing on either side can be made at the cannery pier.

(69) Small craft coming from the west usually pass 100 yards off **Payne Island**, the northernmost of the Keku Islands, and head for Kake Harbor Light on Grave Island, course **088°**, until within 0.5 mile of it, and then pass north of the light. Small fishing vessels approaching Kake and the cannery from the south often pass through the reef north of Hamilton Island. The channel is marked by daybeacons but may be dangerous and should only be attempted with local knowledge, preferably on a rising tide.

(70) **Wharves**

(71) Kake has three commercial wharves and small-craft floats.

(72) **The City Pier** (56°58'21"N., 133°56'44"W.): southeast end of Kake; 67-foot face; 9 feet reported alongside; mooring vessels and landing of seaplanes; owned by the State of Alaska and City of Kake; operated by the State of Alaska, Department of Transportation and Public Facilities and City of Kake.

(73) **Kake Tribal Fuel Company Pier** (56°57'45"N., 133°55'29"W.): about 1 mile southeast of Kake; 160 feet berthing space; 15 feet alongside; fueling small vessels; owned and operated by the Kake Tribal Fuel Company.

(74) **Kake Foods Dock** (56°57'47"N., 133°55'33"W.): about 70 yards northeast of Kake Tribal Fuel Company Pier; 74-foot face; 25 feet reported alongside; deck height, 23 feet; receipt of seafood; owned by Kake Tribal Corporation.

(75) **Public Cargo Wharf** (56°57'44"N., 133°55'24"W.): about 50 yards southwest of Kake Tribal Fuel Company

Pier; 300-foot face, 50 feet each side; 15 feet alongside; deck height, 30 feet; receipt and shipment of conventional and containerized general cargo, and receipt of petroleum products; one 27-ton and one 4-ton forklift; owned and operated by City of Kake, Alaska Marine Lines and Kake Tribal Fuel Company.

(76) **Alaska State Ferry Terminal** (56°57'39"N., 133°55'17"W.): 350 feet with dolphins; steel transfer bridge; passengers and vehicles; owned and operated by the State of Alaska.

(77)

### Supplies

(78) Limited amounts of provisions can be had at Kake. Gasoline, diesel fuel, oils and greases are available at the Kake Tribal Fuel Company Pier and by truck to the other piers. Water is available year-round at the fuel pier and seasonally at the cold storage dock.

(79)

### Repairs

(80) A 72-foot grid is on the south side of the approach of the City Pier. An 80-foot grid is on the east side of approach of the floats in Portage Bay.

(81)

### Small-craft Facilities

(82) A small-craft and seaplane float branches northwest from the approach of the City Pier. City-maintained floats with 30- to 48-foot stalls, providing berthing for approximately 140 vessels, are connected to shore by a 307-foot approach pier and extends into **Portage Bay**, about 2.3 miles southeast of Kake. In 2002, 5 to 15 feet was reported alongside the float, but caution should be exercised during periods of extreme spring tides that sometimes reach minus 4 feet. A light and a daybeacon mark the approach from the north. An L-shaped floating breakwater is west of the floats. The south end of the breakwater is marked by a light.

(83)

### Communications

(84) The Alaska Ferry System runs twice weekly during the summer to Petersburg and Sitka. Daily seaplane service with Juneau, Petersburg and Sitka is available. Telephone and radiotelephone communications are maintained.

(85) **Keku Islands**, on the southwest side of Keku Strait, comprise a group of wooded islands, with outlying reefs, between which are no practicable channels. There are other reefs on the southwest side, but they have sections showing above water and are easily avoided in daytime. Between Keku Islands and the reefs on the northeast side is a channel about 1.5 miles wide and 8 miles long to Point Hamilton, with depths of 7 to 50 fathoms. South of Eva Island the channel is about 1 mile wide, between Point Hamilton and Hound Island, and leads between kelp-marked rocks and shoals on both sides.

(86) **Eva Island**, about 8 miles southeast of Point Macartney, is wooded and marks the turn of the channel when bound for Hamilton Bay or Port Camden. Off its west end is a bare rock.

(87) **Point Hamilton**, about 0.9 mile southeast of Eva Island, marks the entrance to Hamilton Bay. A mound-shaped islet is connected at low water with the point.

(88) **Hamilton Bay**, on the northeast side of Point Hamilton, is a secure anchorage for vessels of any size. The entrance is clear in midchannel, and extensive bare flats are at the head of the bay. Two large streams enter near the head.

(89) The islands on the southwest side of the channel, from abreast Eva Island to the middle of Hound Island, are fringed with kelp to a distance of about 0.4 mile.

(90) **Hound Island** is about 2 miles south of Eva Island. It is 1.5 miles long, low, and wooded, with outlying rocks at either end; on its north side are extensive kelp patches. A rock that uncovers 3 feet is about 1.2 miles south of Hound Island.

(91) **Pup Island**, about 2.8 miles south-southeast of Hound Island, is small, steep and wooded and marks **Point Camden**, the east point at the entrance to Port Camden.

(92) **Port Camden**, the entrance to which is on the west side of Pup Island and 14 miles from Point Macartney, is an inlet 13 miles long and 1.5 miles wide for a distance of 5 miles from its entrance. At this point are several islands; the most important and in midchannel, is **Cam Island**. From these islands the inlet contracts gradually to its head, which has a portage to Bay of Pillars. From the entrance to Cam Island there is 8 to 34 fathoms; above Cam Island there is 8 to 24 fathoms, decreasing to 4 to 8 fathoms 2 miles from its head. A good anchorage can be found in 20 fathoms in the wide part of Port Camden southwest of Cam Island, favoring the southwest shore of the inlet. Good anchorage, protected from all directions but the north, is available in 4 to 10 fathoms in the cove southeast of Cam Island. Favor the west shore of the cove to avoid a large reef and a 3-fathom shoal to the north on the east side of the cove. An excellent anchorage for small boats can be had in a small cove on the east shore east of Cam Island. The entrance shoals to 2½ fathoms. Keep close to the west shore of the entrance. Beware of the reefs on the north side of the entrance to this cove. Anchorage in 4 fathoms, well protected on all sides, can be had.

(93) **Salt Point Light** (56°50'41"N., 133°52'01"W.), 17 feet above the water, is shown on a pile with a red and white diamond-shaped daymark on the southwest end of the point and marks the entrance to Davidson Bay.

(94) **Rocky Pass**, extending southeast from Point Camden and connecting with the south bay of Keku Strait, is a high-water passage for small craft. (See description in chapter 7.)

(95) **Tidal currents** enter the northwest part of Keku Strait and Port Camden from Frederick Sound. The velocity in the open strait is reported to be about 1.2 knots. See the

Tidal Current prediction service at [tidesandcurrents.noaa.gov](https://tidesandcurrents.noaa.gov) for specific information about times, directions, and velocities of the current at numerous locations throughout the area. Links to a user guide for this service can be found in chapter 1 of this book.

(96)

**ENCs - US5AK3WM, US5AK3TM**  
**Chart - 17368**

- (97) **Skanáx Bay** indents the north shore of Kuiu Island for about 7 miles in a southeast direction. **Cornwallis Point**, the north point at the entrance is low and wooded. **Cornwallis Point Light** (56°55'55"N., 134°16'25"W.), 34 feet above the water, shown from a spindle with a red and white diamond-shaped daymark on the southwest part of the point, marks the entrance to the bay. Shoal water extends about 0.3 mile west and north from Cornwallis Point. A rock that uncovers 7 feet, an extension of rock out from the point, is 0.1 mile west-northwest of the light. The high point of the rock is away from the main point of land. On an ebb tide, the current from Skanáx Bay sets toward the rock. When the current is against the wind, a considerable tide rip results. Mariners are advised to give the point a wide berth when rounding it.
- (98) **Sachem Island**, small and wooded, is in midchannel in Saginaw Bay, about 2.7 miles south-southeast of Cornwallis Point. Shoals and other dangers extend in a northwest-southeast direction near midchannel from a point about 1.6 miles northwest of Sachem Island to the head of the bay. In the approach to the head of the bay, there are also numerous islands with surrounding ledges.
- (99) **Halleck Harbor**, on the northeast side of Saginaw Bay about 1.5 miles southeast of Cornwallis Point, is the best anchorage in Skanáx Bay but is open west, and the bottom is generally hard and in places uneven. It is readily distinguished by high white bluffs on its northeast side. At the foot of these bluffs are some houses and gravesites. The best channel to enter is 0.4 mile wide between the 3½-fathom rock in the entrance and the northwest point. The bight at the northwest end of the harbor dries. Anchorage can be had in the middle of the harbor in 8 to 12 fathoms.
- (100) The piling ruins of a high-water dock are in the cove on the east side of Skanáx Bay about 3 miles southeast of Halleck Harbor and north of a high island that is close to the north shore.
- (101) The pilings are in rotted condition, and only stubs, covered at high water, remain. These stubs are a hazard to small boats that might maneuver too close to shore in this area. A private 75-foot float, used by small boats, is anchored immediately northwest of the pile ruins. In 1976, 15 feet to bare was reported alongside. Gasoline is available in an emergency only. Anchorage in 9 to 10 fathoms, with protection from the prevailing southeast winds, can be had about 300 yards southwest of the small-craft float. In 1976, a log storage area was along the north and northeast shores of the high island in the cove.
- (102) A logging camp was operating off the southwest shore of Skanáx Bay, 2.5 to 3.4 miles southeast of Sachem Island. A small-craft and seaplane float is at the northwest end of the camp, and a log storage area is at the southeast end. A mailplane calls three times weekly in the summer. Gasoline and a small machine shop are available in an emergency only. Radiotelephone communications are maintained.
- (103) **Security Bay**, about 4.5 miles southwest of Cornwallis Point, is a secure anchorage. Numerous islands and ledges obstruct the entrance and bay, which should be entered with caution because of the possibility of unknown dangers.
- (104) **Roadstead Island** is in the middle at the entrance, from which a chain of three small islands, **Flat Island**, **Cedar Island** and **Harbor Island**, extends about 0.7 mile in a southeast direction. The usual entrance to the bay is between Roadstead Island and Paralysis Point. It is marked by **Security Bay Light 1** (56°52'36"N., 134°22'24"W.), 32 feet above the water, shown from a skeleton tower with a square green daymark on the southwest end of a ledge that extends from the north end of Roadstead Island.
- (105) **Bibb Shoal**, usually showing kelp, is an extensive shoal with ½ fathom over it, on the west side of the entrance to Security Bay, north of **Paralysis Point**.
- (106) **Christmas Island** is the largest of several small islands on the south side of Security Bay at its entrance; the island is bluff. Between Christmas Island and Cedar Island, the channel is 0.2 mile wide.
- (107) **Cleft Island**, in the middle of Security Bay, about 1.1 mile southeast of Christmas Island, is about 0.6 mile long and has a deep notch in its west end. At its southeast end are some bare rocks. A narrow islet, about 0.3 mile long, is close to the northeast side of Cleft Island.
- (108) **Retaliation Point**, about 0.4 mile north of Cleft Island, is bluff, steep-to and wooded. **Cedar Bight** is east of Cleft Island. Its entrance, between Cleft Island and Retaliation Point, is obstructed by a ledge bare at lowest tides and surrounded by kelp. The southeast part of the bight is shoal and rocky; otherwise the depths are 4 to 6 fathoms, rocky bottom.
- (109) A foul area extends west about 0.2 mile from the middle of Cleft Island to a ½-fathom spot. **Indian Rock**, a few feet above high water, and **Stewart Rock**, close north, are west of the island and both surrounded by foul ground. The usual passage is through the narrow channel between the rocks and the ½-fathom spot.
- (110) The best anchorage in Security Bay is about 0.5 mile southeast of Cleft Island in 9 to 11 fathoms, midway between the large island on the northeast side and a wooded islet and some bare rocks near the southwest side. Anchorage can also be had between the west end of Cleft Island and Harbor Island, in 11 to 16 fathoms, clear of the 1¼-fathom rock 0.2 mile southeast of Harbor Island. The head of the bay is foul with several reefs, some of which cover at high water.
- (111) **Band Cove** is just east of **Hourigan Point** and west of Bibb Shoal, at the entrance to Security Bay. A small

vessel can anchor in the entrance in about 6 fathoms, but the cove is not clear and is open from the northwest to southwest. With Security and Saginaw Bays available, the cove is not recommended as an anchorage.

(112)

**ENCs - US5AK3CM, US3AK3CM, US3AK3UM, US3AK-4PM, US3AK3BM**

**Charts - 17360, 17320**

(113) This section covers the northwest shore of Frederick Sound from Pybus Bay to Chatham Strait. Anchorage can be had in Surprise Harbor, Herring Bay, Chapin Bay, or Pybus Bay. Small vessels can find secure anchorage in Murder Cove.

(114) **The Brothers**, a number of large and small wooded islands, are about 2.5 miles off the west shore at the junction of Frederick Sound and Stephens Passage.

(115) Secure anchorage for small craft can be found in the narrow passage close west of the **West Brother Island** and between it and the small islet surrounded by reefs close west. The entrance is from south, passing close along the west shore of the West Brother Island. The north approach is foul. Three to four knot currents have been observed between The Brothers. Tide rips can occur at the northern end of the passes between the islands. The passage between the East and West Brother offers deep water. A foul area extends 0.5 mile south of East Brother and should be avoided. The passage between East Brother and the island to the east has a shoal laying 0.15 mile east of East Brother.

(116)

**ENC - US5AK0CM**

**Chart - 17363**

(117) **Round Rock**, 40 feet high and bare, about 2.7 miles southwest from West Brother Island, is marked by **Round Rock Light** (57°15'35"N., 133°56'13"W.), 49 feet above the water and shown from a skeleton tower with a red and white diamond-shaped daymark. There is a clear channel about 2 miles wide between Round Rock and the northwest shore, but the bottom is irregular and the depths are from 9 to 40 fathoms. The water is much deeper east of Round Rock and between it and The Brothers.

(118) **Pybus Bay** is located on the northwest side of Frederick Sound, west of its junction with Stephens Passage and about 3.5 miles west-northwest of Round Rock Light. It is divided into two arms by a long point from which three groups of islands, rocks and reefs extend in a south direction. The best anchorage in the bay is in Cannery Cove. Good anchorage is also available in the northeastern half of Pybus Bay between the San Juan islands and Admiralty Island in 14 to 18 fathoms of water.

(119) **Point Pybus**, the north point at the entrance to Pybus Bay, is low and wooded. A group of rocks extend 0.6 mile south from the point.

(120) **San Juan Islands**, low, wooded and surrounded by foul ground, are about 0.8 mile southwest of Point Pybus. A rock with ½ fathom over it that uncovers 3 feet is 0.4 mile southwest of the southernmost and largest island; dangerous rocks are 0.2 mile west of the west point and 0.4 mile northeast of the east point of this island.

(121) The channel between Point Pybus and the San Juan Islands is not recommended except for small craft with local knowledge.

(122) **Southwest Islands** are a narrow chain of four wooded islands, parallel with the west shore of the bay, about 1.5 miles southwest of San Juan Islands. Foul ground extends about 0.6 mile south of **Elliott Island**, the largest of the group. Two rocks that uncover 11 and 14 feet are about 0.3 mile north-northwest of the northernmost island of the group. A rocky foul area, bare at half tide, is about 0.3 mile west of **Long Island**, the middle island of the group.

(123) **Grave Island**, steep-to and wooded, is on the west side of West Channel, about 0.7 mile west of the north extremity of Elliott Island, and is a prominent landmark for this channel. Bare rocks are 0.2 mile north of the island and about 0.8 mile south of the island.

(124) **Grave Island Light** (57°15'59"N., 134°05'00"W.), 18 feet above the water and shown from a small house with a red and white diamond-shaped daymark on the southeast side of Grave Island, marks the entrance to Pybus Bay.

(125) **Midway Islands** are the triangular group of wooded islands north of Southwest Islands and east of the entrance to Cannery Cove. Each island of the group has foul ground surrounding it. A dangerous rock that uncovers 2 feet is 0.7 mile southeast of the north island. A 2-fathom rock is about halfway between this dangerous rock and the north island.

(126) The best passage between the east and west arms of the bay is between the northwest Midway Island and the mainland. An unmarked rock with a depth of 2½ fathoms over it is 0.5 mile west of the north point of the north Midway Island.

(127) **Cannery Cove** indents the west shore of Pybus Bay, about 3.5 miles northwest of Elliott Island. The cove is nearly landlocked and affords secure anchorage in 6 to 15 fathoms, sticky bottom. A large island with an islet close to the south forms the north point at the entrance. A rock with ¼ fathom over it is in the middle of the entrance. Only a few broken piles mark the site of the cannery wharves that formerly stood on the south shore of Cannery Cove. A seasonal fishing lodge (57°18.4'N., 134°08.1'W.) with a floating dock protected by a log-boom breakwater is on the south shore of the cove. The lodge monitors VHF-FM channel 16.

(128) **Donkey Bay**, on the west side of Pybus Bay, about 1.8 miles north of Cannery Cove, is an open bight that bares in its west part. The entrance is foul with many shoals and rocks inshore of the 15 fathom curve. Mariners are urged to steer well clear of this area.



(129) **Henrys Arm**, the southernmost of the two coves opposite Donkey Bay, has depths of 1¼ to 6¾ fathoms. The north cove is foul at the entrance and shoals quickly. The islet northwest of this bight is surrounded by foul ground that extends northwest joining a reef. Many hazards to navigation lie between these features.

(130) Passage to the north section of the west arm of Pybus Bay is best made by favoring the west shore and using the 20-fathom contour for an inshore limit. Navigation of large vessels beyond the 20-fathom curve to the north is not recommended.

(131) **West Channel** extends between Grave Island and Southwest Islands and then between the Midway Islands and the west shore of the bay. Several dangers, which are shown on the chart, are passed when using this channel. Rocky islets about 6 feet high are about 0.6 mile south of Grave Island. They are not easily picked up at night. Strong crosscurrents may be encountered between Spruce Island and the entrance to West Channel.

(132) **Little Pybus Bay** (57°15'N., 134°08'W.), close west of Pybus Bay and northwest of Spruce Island, is about 2.5 miles long and 1 mile wide at the entrance and is open to the south. A chain of islets, reefs and broken ground extends about 1.8 miles south from the east entrance point. Shoal water, with several islets and rocks, extends about 1.2 miles from the head of the bay.

(133) **Spruce Island**, small, wooded, and 2 miles from the Admiralty Island shore, is 3 miles south of Grave Island Light and 6 miles northwest of Turnabout Island. A ledge that uncovers 8 feet extends 500 yards southwest of the island.

(134)

**ENC - US5AK0DM**  
**Chart - 17365**

(135) Woewodski and Eliza Harbors have a common entrance between **Point Napean** and **Deepwater Point** 9 miles west-northwest of Turnabout Island. The entrances are much obstructed by dangerous ledges, and with the close proximity of better anchorages the use of these harbors is seldom necessary. **Liesnoi Island**, of irregular shape, is in the entrance.

(136) **Deepwater Point Light** (57°10'19"N., 134°14'09"W.), 17 feet above the water, is shown from a skeleton tower with a red and white diamond-shaped daymark on a ledge about 0.2 mile west of the point.

(137) **Woewodski Harbor** is the open bight between Liesnoi Island and Deepwater Point. Ledges and rocks, covered or awash at various stages of the tide and generally marked by kelp, extend northeast from Liesnoi Island halfway across Woewodski Harbor. **Polivnoi Rocks**, three bare rocks surrounded by ledges, are at the north edge of this foul ground. The only anchorage for large vessels in Woewodski Harbor is northeast of this foul ground in 20 to 26 fathoms, hard bottom, and exposed to southeast winds. Small vessels find temporary shelter off

**Bluff Point** in 6 fathoms and south of Polivnoi Rocks in 3 to 6 fathoms, soft bottom.

(138) **Eliza Harbor** is a deep inlet with generally bold shores. The only available anchorage is at the south end of the harbor, off the west side of Liesnoi Island in depths of 18 to 20 fathoms. On each side of Liesnoi Island are narrow passages called North and South Passage, leading to Eliza Harbor.

(139) **North Passage** to Eliza Harbor enters from the northwest part of Woewodski Harbor. This passage is straight, but narrow; its north shore is bold-to, its south shore foul, and submerged rocks and kelp patches extend to midchannel, leaving a navigable passage 75 to 100 yards wide with least depth of 1¼ fathoms. The rocks on the south side of the passage cause tide swirls; the ebb has a velocity of 4 knots and the flood about 3 knots. When through the passage, haul south and anchor in midchannel in 18 to 20 fathoms, soft bottom in places, at two-thirds the distance toward **Thumb Point**, the southwest extremity of Liesnoi Island.

(140) **South Passage**, south of Liesnoi Island, is reduced by submerged rocks at its narrowest part to a width of 70 yards, has a sharp turn and strong tidal currents and should not be attempted except at slack water and with local knowledge. The rocks are marked by kelp, which, however, does not show when the current is running. In north winds, an indifferent anchorage may be had in the entrance to South Passage in 6¾ fathoms, with the southeast side of Liesnoi Island bearing **082°**, and Point Napean and **Sharp Point** in line, bearing **189°**.

(141)

**ENCs - US5AK2YM, US3AK4PM, US3AK3BM**  
**Charts - 17336, 17320**

(142) **Chapin Bay** is a small inlet on the north side of Frederick Sound and on the southwest side of Point Napean (57°08.5'N., 134°17.5'W.), affording secure anchorage in 9 to 11 fathoms, sandy bottom. A reef, marked by kelp, with a least depth of 1.8 fathoms in 57°07'47"N., 134°19'09"W., is 0.6 mile northeast from the west point at the entrance. A ledge, bare at half tide, is 330 yards southwest from the north point at the entrance, and kelp shows about 400 yards south of the ledge. There is also kelp in the middle of the channel, about 0.8 mile inside the entrance, and a shoal extends 150 yards east from the point on the west side of the south entrance to the narrows.

(143) It is safest to enter Chapin Bay at low water. Enter about 400 yards southwest of the half-tide ledge off the north point at the entrance and keep the north shore aboard at a distance of 200 yards until in the narrows. A midchannel course leads safely to the anchorage in the basin above the narrows.

(144) **Herring Bay**, 10 miles northeast of Point Gardner Light, has its entrance between **Point Brightman** and the point to the north that separates Herring Bay from Chapin Bay. A tongue of land, prolonged by rocks, reefs and kelp

patches, extends in a southeast direction, dividing the bay centrally into two parts.

- (145) There is a fair anchorage, open to the southeast, in the southwest corner of the bay, about 0.8 mile from the head. To make this anchorage, follow the south shore at a distance of about 0.4 mile, the chart being the guide.

(146)

**ENCs - US3AK4PM, US3AK3BM**  
**Chart - 17320**

- (147) **Carroll Island** (57°01.7'N., 134°28.5'W.), on the north side of Frederick Sound, is a small island about 5.5 miles southwest of Point Brightman and 4.5 miles east of Point Gardner Light. The island is conspicuous but appears as a point of the main shore.

(148)

**ENC - US5AK2YM**  
**Chart - 17336**

- (149) **Walker Point**, about 2.4 miles east-northeast of Point Gardner Light, is the end of a low wooded peninsula separating Murder Cove from a foul bight east of it. Ledges and kelp surround the point to a distance of 0.2 mile.

- (150) **Bartlett Point** is the end of a long, low, wooded strip separating Murder Cove from Surprise Harbor; the end of the point is two wooded islands joined by dry ledges. A bare ledge extends 300 yards south, and foul ground marked by kelp and shoaling to ½ fathom extends 0.5 mile southeast and southwest of the point and more than halfway across Surprise Harbor.

- (151) **Murder Cove** has its entrance between Bartlett Point and Walker Point, 2 miles east of Point Gardner. The channel narrows to 300 yards 0.4 mile inside the entrance, between a bare ledge on the east and two rocks, each with a clump of scrub, on the west. Above this point the channel has a width of about 200 yards between kelp-marked ledges, and it is best to enter at low water when the dangers show. The tide rips are sometimes heavy across the entrance when the wind is strong against the current.

- (152) **Tyee** is an abandoned cannery on the east side of Murder Cove, about 1.2 miles north of Walker Point. Only submerged piles that extend 130 yards from shore remain of the cannery and fuel piers. Ruins of the cannery building and cabins are on shore. A 60-foot float with 5 feet reported alongside is 150 yards off the east shore. An unoccupied dwelling and a fishing cabin are on the northeast side of the cove. The cabin monitors VHF-FM channel 16 daily except during the winter months. Fair anchorage, unprotected from southeast winds, is in midchannel, in 8 to 11 fathoms, off the cannery site.

- (153) **Point Gardner**, the south extremity of Admiralty Island, is low and wooded and has two rocks 20 to 30 feet high, 600 yards south of the point. The west of the two rocks is marked by **Point Gardner Light** (57°00'36"N. 134°36'58"W.), 65 feet above the water and shown from a skeleton tower with a red and white diamond-shaped daymark. A prominent mound is 0.2 mile north-northeast from the point, and a conspicuous round hill is 1.3 miles north-northeast from the point. The water is clear 0.2 mile from the rocks off the point, but the rocks should be given a berth of 0.5 mile to avoid frequent tide rips.

- (154) **Surprise Harbor**, on the east side of Point Gardner, is open south, has much kelp and is not a good anchorage. It is, however, a good lee when the wind is blowing strong down Chatham Strait.

- (155) To enter, keep from 0.2 to 0.5 mile off the west shore, using caution and avoiding kelp. Anchor about midharbor in 7 fathoms, rocky bottom.

(156)

**ENCs - US3AK4PM, US3AK3BM**  
**Chart - 17320**

- (157) **Yasha Island**, about 3.5 miles southeast of Point Gardner, is small, low, wooded and surrounded by kelp to a distance of 200 yards. A rock with a depth of 1¾ fathoms over it is about 1 mile 318° from the north point of the island. A lighted buoy marks the north-northwest side of the rock.

- (158) Heavy tide rips will be found between Yasha Island and the buoy. These tide rips sometimes extend across to Point Gardner and along that shore east as far as Carroll Island and are dangerous for small boats.