

PUBLIC

AUCTION

**BID IN-PERSON OR ON-LINE.
SEE PAGE 7 FOR DETAILS**

PLANT CLOSED



2006

TOSHIBA TUE-15 VERTICAL BORING MILL



2002

63.6" x 240"

CLAUSING TLE62-6000 CNC LATHE

GE OIL & GAS

2200 Northwood Avenue in Easton, PA 18045

FEATURING: New 2006 & 1999 TOSHIBA TUE-15 CNC Vertical Turning/Boring Mills w/70.8" Maximum Cutting Diameter; New 2007 MONARCH VMC175B CNC Vertical Machining Center w/76" X, 36" Y & 44" Z; SCHIESS KZ-250 Twin Ram Vertical Boring Mill w/108" Maximum Swing; New 1985 & 1982 BULLARD Dynatrol Vertical Turret Lathes; **Rebuild & Retrofit in 2005** SCHARMANN FB160 CNC Table Type Horizontal Boring Mill, Spindle Supports, Spare Spindles; New 2002 CLAUSING TLE62-6000 Heavy Duty Flat Bed CNC Lathe, 30,800 Lbs. Maximum Weight Between Centers W/Steady Rest Supports, 9" Spindle Bore; TRENS TRENCIN SN50C Gap Bed Lathe; WARNER & SWASEY #2A Square Head Turret Lathe; New 2003 J.L. BECKER 60" x 60" x 30" Batch Tempering Furnace; New 1980 MITTS & MERRILL 3A-HFR Hydraulic Keyseater and MAGNAFLUX CRV-8 Non-Destructive Testing Station.

**WEDNESDAY, APRIL 14TH
STARTING AT 10:00 AM**

INSPECTION: TUESDAY, APRIL 13TH 9AM TO 4PM



98.5"

SCHIESS 98.5" TWIN RAM VERTICAL BORING MILL



2007

MONARCH 175B CNC VERTICAL MACHINING CENTER



Cincinnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214
PHONE (513) 241-9701 / FAX (513) 241-6760
INTERNET: www.cia-auction.com




Myron Bowling Auctioneers Inc.


P.O. BOX 369 ROSS, OHIO 45061
PHONE (513) 738-3311 / FAX (513) 738-0221
INTERNET: www.myronbowling.com



TOSHIBA TUE-15 VERTICAL BORING MILL



FANUC SERIES 0I-TC CONTROL FOR
2006 TOSHIBA TUE-15 VERTICAL BORING MILL




59" 4-JAW CHUCK FOR
2006 TOSHIBA TUE-15 VERTICAL BORING MILL



TOSHIBA TUE-15 VERTICAL BORING MILL



FANUC SERIES 18-T FOR 1999 TOSHIBA TUE-15 VERTICAL BORING MILL



50" 4-JAW SCROLL CHUCK FOR 1999 TOSHIBA TUE-15 VERTICAL BORING MILL
(50" 4-JAW SCROLL CHUCK ON 1999 TO BE SOLD SEPARATELY)


CNC VERTICAL TURNING / BORING MILLS

TOSHIBA CNC Vertical Turning / Boring Mill, Model TUE-15, S/N 440268, New 6/2006, 59" Bullard Type Independent 4-Jaw Chuck, 71" Max. Swing, 67.7" Max. Height from Table Top to Rail Bottom, 35.4" Max. Cutting Height, 70.8" Max. Cutting Dia., 43.3" X-Axis Horizontal Travel of Rail Head, 35.4" Z-Axis Vertical Ram Travel, 41.3" Vertical Travel of Rail (Not N/C), 17,600-lb. Max. Table Weight, 2-300 RPM Table, 50-Taper Spindle, 12-Position ATC, 60-HP Main Motor, Fanuc Series 0I-TC Control, Chip Conveyor, Daiken Oil Cooler, P/N AKZ328


TOSHIBA CNC Vertical Turning / Boring Mill, Model TUE-15, S/N 440165, New 12/1999, 59" 4-Jaw Chuck, 50" 4-Jaw Scroll Chuck w/ Independent Jaw Operation, 71" Max. Swing, 67.7" Max. Height From Table Top to Rail Bottom, 35.4" Max. Cutting Height, 70.8" Max. Cutting Dia., 43.3" X-Axis Horizontal Travel of Rail Head, 35.4" Z-Axis Vertical Ram Travel, 41.3" Vertical Travel of Rail (Not N/C), 17,600-lb. Max. Table Weight, 2-300 RPM Table, 50-Taper Spindle, 12-Position ATC, 60-HP Main Motor, Turbo Chip Conveyor, Matsushita Oil Temperature Regulator, P/N NU-4Y75B



SCHIESS 98.5" TWIN RAM VERTICAL BORING MILL



DYNATRACE HYDRAULIC TRACER ON SCHIESS



WARNER AND SWASEY #2A SQUARE HEAD TURRET LATHE

TWIN RAM VERTICAL BORING MILL

SCHIESS Twin Ram Vertical Boring Mill, Type KZ-250, S/N 371166 / 17718677, 98.5" 4-Jaw Chuck, 108" Max. Swing, 64" Under Rail, 102-RPM, 2-Ram Heads, Side Head, 1-Pendant Per Ram, Newall DP7 2-Axis DRO, DynaTrace Hydraulic Tracer

CNC HORIZONTAL BORING MILL

SCHARMANN CNC Rotary Table Type Horizontal Boring Mill, Model FB160, S/N 67171006, 80" x 100" T-Slot Rotary Table, 6.3" Spindle Bar, 50-Taper Spindle, 6-700 RPM, 25" Dia. Facing Head, 100" Table Cross Travel, 96.25" Vertical Headstock Travel, 48" Spindle Longitudinal Travel, 120" Table Longitudinal Travel, 60,000 Lbs. Table Load Capacity, GE Fanuc Series 16M Control, Tailstock, Right Angle Head, (3) Spindle Supports, (2) Spare Spindles, Rebuild & Retrofit in 1995 By RD&D Herkules Including Servos, Ball Screws, Bearings, Pulleys, Belts & Other

LATHES

TRENS TRENCIN Gap Bed Lathe, Model SN50C, S/N 08005020010087, 10" 3-Jaw Chuck, 28" Swing Over Gap, 20" Swing Over Bed, 9" Swing Over Carriage, 80" Between Centers, 2-1/4" Thru Spindle, 22.4-2000 RPM, Threading, Removable Chip Pan, Steady Rest, Aloris Tool Holder, Newall Topaz 2-Axis DRO, 13" 4-Jaw Chuck & 8" 4-Jaw Chuck, (2) 10" Faceplates

WARNER & SWASEY #2A Square Head Turret Lathe, Model M-3470, S/N 2183697, Lot 72, 16" 3-Jaw Chuck, 6-Position Turret, 16-1117 RPM, 4-5/8" Thru Spindle, Sony 2-Axis DRO, 40-HP




TRENS TRENCIN 20" X 80" GAP BED LATHE

REBUILT & RETROFIT 1995

CNC



GE FANUC 16M CONTROL



SCHARMANN 80" X 100" T-SLOTTED ROTARY TABLE TYPE CNC HORIZONTAL BORING MILL



SCHARMANN SPINDLES & SPINDLE SUPPORT AND OTHER ACCESSORIES

2002



63.6" x 240"

CLAUSING 63.6" X 240" TLE62-6000 CNC LATHE



FAGOR CNC CONTROL ON CLAUSING



TAILSTOCK & CARRIAGE ON CLAUSING

CNC LATHE


CLAUSING Heavy Duty Flat Bed CNC Lathe, Model TLE 62-6000, S/N LF406209009, New 2002, 47" 4-Jaw Chuck, 63.6" Swing Over Bed, 46" Swing Over Cross Slide, 22' Between Centers, 19,800-lb. Max. Weight Between Centers, 30,800-lb. Max. Weight Between Centers w/ Steady Rest Support, 9" Spindle Bore, Spindle Speeds to 500 RPM, 40-HP Drive Motor, Chip Conveyor, Hydraulic Tailstock Quill, Boring Bar Support, Hydraulic 4-Way Power Turret, Fagor 8055TC Control, Harbor Oil Cooler, Chip Conveyor, (3) Large Steady Rests 19.7" - 29.5" Capacity, (1) Small Steady Rest 11.8" - 21.65" Capacity, 24" 4-Jaw Chuck

2002



63.6" x 240"

CLAUSING 63.6" X 22' CNC LATHE (DIFFERENT VIEW)



47" 4 JAW CHUCK ON CLAUSING



CLAUSING CNC LATHE ACCESSORIES




BULLARD 36" VERTICAL TURRET LATHE



BULLARD 52" VERTICAL TURRET LATHE



**MIMIK HYDRAULIC TRACER ON DYNATROL ON
BULLARD 36" VERTICAL TURRET LATHE**



**MIMIK HYDRAULIC TRACER ON
BULLARD 52" VERTICAL TURRET LATHE**

VERTICAL TURRET LATHES

BULLARD Dynatrol Vertical Turret Lathe, New 1976, S/N 33149, 36" Independent Hand Operated 4-Jaw Chuck, 49" Max. Swing, 5-Position Power Indexing Turret, Additional 12" Column Height to 43" Under Rail, Pendant Control, 16-585 RPM, 60-HP Table, Mimik Hydraulic Tracer, Shipped w/ TDA Attachment (Buyer will need to confirm it is still equipped with this feature)
BULLARD Dynatrol Vertical Turret Lathe, New 1985, S/N 33773, 52" Independent Hand Operated 4-Jaw Chuck, 59" Max. Swing, 5-Position Power Indexing Turret, Pendant Control, 9-313 RPM, 50-HP Table, Sony 2-Axis DRO, Mimik Hydraulic Tracer, Shipped w/ TDA Attachment (Buyer will need to confirm it is still equipped with this feature)

2007




MONARCH 175B CNC VERTICAL MACHINING CENTER



FANUC SERIES 18i-M CONTROL ON MONARCH 175B CNC VERTICAL MACHINING CENTER

CNC VERTICAL MACHINING CENTER

MONARCH CNC Vertical Machining Center, Model VMC175B, S/N 2007602, New 12/2007 / Installed 2008, 36" x 84.5" T-Slot Table, 50-Taper Spindle, 6,000-RPM, 50-Taper Spindle, 40-Position ATC, Travels: 76" X-Axis, 36" Y-Axis, 44" Z-Axis, Fanuc 18i-MB Control, Renishaw Probe, Tool Length Indicator, Turbo Systems Chip Conveyor, 1,000 PSI Chip Blaster Coolant Thru Spindle System, Model JV10, S/N 7629, Full Enclosure



GE 1,500-HP MOTOR



MAGNAFLUX CRB-8 TEST STAND

1980



MITTS & MERRILL HYDRAULIC KEYSEATER



20' X 8' SHOP FIELD TRAILER



BROWN & SHARPE VALIDATOR CMM



2003

J.L. BECKER HEAT TREAT OVEN

Unable to attend?

Bid online in real time at www.bidspotter.com



1. Register at www.BidSpotter.com.
2. Mail a deposit check in the amount of 25% of your anticipated purchases to:
Myron Bowling Auctioneers, P O Box 369 • Ross, Ohio 45061
If you are using FedEx or another delivery service:
3901 Krause Lane • Hamilton, Ohio 45014
If you need assistance call 513-738-3311.

ALL ON-LINE BIDS ARE SUBJECT TO A 15% BUYER'S PREMIUM

TEMPERING FURNACE

J.L. BECKER Batch Tempering Furnace, New 2003, Order No. J-2906-03, 60" x 60" x 30" Capacity, Natural Gas Fired, 1,000,000 BTU, Single Zone, 350-Degree F Min. to 1,450-Degree F Max, 480V Control, 59" x 59" Feed Table, IGE High Temperature Fan, Pneumatic Door, 7.5-HP Fan Motor, Honeywell Chart Recorder

HYDRAULIC KEYSEATER

MITTS & MERRILL Hydraulic Keyseater, New 1980, Model 3A-HFR, S/N KM80040, 1" & 1-1/4" Feeds, 24" Max. Length, 2" Max. Width, 5-29 FPM Cutting Speed, Push Button Control

MISCELLANEOUS

MAGNAFLUX Non-Destructive Testing Station, Model CRV-8, S/N 76762, 460V, 8,000-AMP Output, Duty Cycle, 1-Second ON, 7-Seconds OFF

BROWN & SHARPE Validator CMM, S/N 700-7101-0062, 39" x 40" x 6" Granite Surface Plate, PH-1 Probe, Travels: 27" X-Axis, 24" Y-Axis, 18" Z-Axis

20' x 8' Shop/Field Trailer, Single Axle, A/C, 16' x 8' Work Area

GE/RAM 1,500-HP Electric Motor, 1,785 RPM, 2,400-4,160 Volt, 3-Phase

50" 4-Jaw Scroll Chuck, Independent Jaw Operation

SKAT BLAST Abrasive Parts Cleaner, 30" x 60" w/Side Openings, Dust Collector

**AUCTION WILL LAST
ABOUT 1 HOUR.
PLEASE BE PROMPT.**

GE PREFERRED RIGGING COMPANY

STONE MACHINERY MOVERS

STEVE STONE

OFFICE (936) 446-2805

CELL (936) 494-8338

GE OIL & GAS AUCTION

FEATURING: New 2006 & 1999 TOSHIBA TUE-15 CNC Vertical Turning/Boring Mills w/ 70.8" Maximum Cutting Diameter; New 2007 MONARCH VMC175B CNC Vertical Machining Center w/ 76" X, 36" Y & 44" Z; SCHIESS KZ-250 Twin Ram Vertical Boring Mill w/108" Maximum Swing; New 1985 & 1982 BULLARD Dynatrol Vertical Turret Lathes; Rebuild & Retrofit in 2005 SCHARMANN FB160 CNC Table Type Horizontal Boring Mill, Spindle Supports, Spare Spindles; New 2002 CLAUSING TLE62-6000 Heavy Duty Flat Bed CNC Lathe, 30,800 Lbs. Maximum Weight Between Centers w/Steady Rest Supports, 9" Spindle Bore w/ Spindle Support; TRENS TRENCIN SN50C Gap Bed Lathe; WARNER & SWASEY #2A Square Head Turret Lathe; New 2003 J.L. BECKER 60" x 60" x 30" Batch Tempering Furnace; New 1980 MITTS & MERRILL 3A-HFR Hydraulic Keyseater and MAGNAFLUX CRV-8 Non-Destructive Testing Station.

PUBLIC

PUBLIC

AUCTION

PLANT CLOSED

GE OIL & GAS

2200 Northwood Avenue in Easton, PA 18045

**1 HOUR AUCTION
PLEASE BE PROMPT**

**WEDNESDAY,
APRIL 14TH AT 10AM**


INSPECTION: TUES., APRIL 13TH • 9AM TO 4PM

2002



CLAUSING TLE62-6000 CNC LATHE

**Cincinnati Industrial
Auctioneers Inc.**
2020 DUNLAP STREET
CINCINNATI, OHIO 45214

SCHIESS 98.5" TWIN RAM
VERTICAL BORING MILL

**Myron Bowling
Auctioneers**
P.O. BOX 369
ROSS, OHIO 45061

2006
1 OF 2 TOSHIBA
VERTICAL BORING MILLSREBUILT
SCHARMANN TABLE TYPE
HORIZONTAL BORING MILL

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 5714

FIRST CLASS MAIL!



Important Mail

TO BE DIRECTED TO THE ATTENTION
OF EXECUTIVE PERSONNEL

BID ON-SITE OR BID ON-LINE, SEE PAGE 7

PUBLIC

PUBLIC

AUCTION

PLANT CLOSED

GE OIL & GAS

2200 Northwood Avenue
in Easton, PA 18045

WEDNESDAY, April 14th at 10AM
INSPECTION DAY BEFORE 9AM TO 4PM

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

TERMS OF SALE

All of the above is sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. A deposit of 25% on all purchases is required in cash, certified or cashier's check, made payable to Myron Bowling Auctioneers, Inc. Firm or personal checks accepted only if accompanied by a letter of credit from your bank guaranteeing your funds. Balance due at conclusion of sale. All sales are subject to state and/or local sales tax, unless a signed exemption form is presented at the time of purchase. No merchandise may be removed while the sale is in progress. 12% buyer's premium in effect for in-person bidding at this sale.

DIRECTIONS

From the Allentown Airport, take US-22E approx. 10 miles to the 25th Street Exit in Easton. At the end of the ramp, turn left (North) onto 25th Street/Nazareth Road/PA-248W. Go .6 miles & turn right onto Park Avenue. Go 1.3 miles & turn right onto Northwood. Sale site is on the left.

AUCTIONEERS

Myron Bowling Auctioneer's Lic. #AU003150R
Myron Bowling Auction Company Lic. #AY000090L
Jeffery L. Luggen Auctioneer Lic. #AU003274R



LODGING

Holiday Inn Express - (800) 465-4329
90 Kunkle Drive, 18045

Hampton Inn - (800) 426-7866
3723 Easton Nazareth Hwy, 18045

Comfort Inn - (877) 424-6423
2415 Nazareth, 18045



Cincinnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214
PHONE (513) 241-9701 / FAX (513) 241-6760
INTERNET: www.cia-auction.com



Myron Bowling Auctioneers Inc.

P.O. BOX 369 ROSS, OHIO 45061
PHONE (513) 738-3311 / FAX (513) 738-0221
INTERNET: www.myronbowling.com