# 2006 VENTANA DIESEL PUSHER

by Newmar

VENTANA

-

## We're open to anything. Just make it fun.

Bold colors? The bolder, the better. Modern design? Tomorrow's too old. For us, it's all about breaking the mold. And rediscovering the joy of discovery.

Ventana. It's sure not our grandad's RV.





Norcold<sup>®</sup> Four-door

Sleek styling is only part of the picture.

With its integrated icemaker, this

option brings added homestyle

convenience to your kitchen.

Refrigerator





#### Your Ventana Kitchen

Cook with flair. Your Ventana kitchen features ultra-modern built-in appliances, undermounted sinks with double-handle faucets, décorcoordinated solid-surface countertops and generous cabinets with contemporary hardware.

#### Ultraleather Cirrus Hide-a-Bed Sofa

Talk about comfort and convenience: Just unfold the cushions, and Ventana's optional Ultraleather Cirrus Hide-a-Bed sofa expands your sleeping accommodations.

### Newmar's legacy lives on in startling new ways.

No doubt about it: Ventana is a radical departure from the norm in RV design. There is simply nothing else like it. From the furniture to the trim, the styling is bold and uniquely contemporary. Colors and fabrics are exotic, original, thoroughly unexpected—and thoroughly captivating. You can be sure, though, that Ventana is pure Newmar. It beautifully reflects our heritage of innovation and our eye for the details that make RV living come alive. We are pleased to offer Ventana to a new generation of RV enthusiasts.

Rechard Elarks

Richard E. Parks President, Newmar Corporation



Ventana to a new generation of RV enthusiasts.

Dinette/Sleeper Storage in the base. A f

Storage in the base. A flip-up dinette table. Easy conversion from a dinette to a kid's bed. And one-of-a-kind styling that's out of this world. That's Ventana's not-so-standard standard dinette.





#### Bathroom Amenities

Easy-cleaning, solid-surface countertops, ample cabinet space and a decorative glass shower door are but a few of the Ventana bathroom's thoughtful – and boldly designed –conveniences.

#### Off to Dreamland

Ventana bedrooms offer either king or queen beds with a quilted headboard and bedspread, a reverse sham and accent pillows. The bed lifts up to reveal a large bed-base storage area.



#### Ceilings: R-value = 16

a. BriteTEK<sup>™</sup> Roof

a.

h.

Sikaflex<sup>®</sup>

vibration.

s.

**Protected C-channels** 

To keep the electrical wiring

aluminum-frame C-channels

from chafing, each hole is

Used throughout Newmar

adhesive is one of the

the market today. It also

and water. And it helps

dampen both sound and

construction, Sikaflex elastic

strongest bonding agents on

serves as a sealant against air

aa

bb.

cc.

that runs through holes in the

ringed with a rubber grommet.

- b. 9 mm Wood Decking
- c. Aluminum Roof Truss
- d. A/C Ducting
- e. Fiberglass Batten Insulation
- f. Kraft Paper Vapor Barrier
- <sup>5</sup>/<sub>8</sub>" Bead Foam g.
- 3/16" Panel h.
- Padded Vinyl Overlay i i

#### Walls: R-value = 11


- <sup>3</sup>/<sub>16</sub>" Plywood Interior Wall j.
- <sup>5</sup>/<sub>8</sub>" Bead Foam k.
- Ι. Kraft Paper Vapor Barrier
- m. Fiberglass Batten Insulation
- n. Aluminum Framing with 31/2" Header
- o. <sup>3</sup>/<sub>16</sub>" Plywood Exterior Wall
- p. Composite One-piece Gelcoat Exterior Sidewall

#### Flooring: R-value = 16

- a. Carpet/Tile
- **Carpet Padding** r.
- <sup>5</sup>/<sub>8</sub>" Floor Decking s. **Fiberglass Batten Insulation**
- t
- u. 2" x 3" Wood Framing v. Polyethylene Moisture Barrier
- w. Foam Panels (Noise Reduction)
- x. Aluminum Ducting

#### Basement: R-value = 4

- y. Cargo Liner
- z. <sup>3</sup>/<sub>8</sub>" Floor Decking
- aa. <sup>3</sup>/16" Luan Panel
- bb.11/2" Bead Foam
- cc. Aluminum Sheeting
- (Prevents Distortion)





#### Newmar Total Comfort<sup>™</sup> Central Air Conditioning

Experience RV air conditioning just like that found in site-built homes. Newmar's Total Comfort Central Air Conditioning is actually two separate, fully ducted systems: one to distribute incoming cool air, the other to quickly and effectively remove warm air from every living area.

#### 16" On-center Framing

Just like a fine site-built residential home, your Newmar home is framed 16 inches on center, which allows the best placement of outlets, switches and other components.

#### Pass-through Storage

WMAR

Stow all your favorite travel gear — from either side of the coach — in this huge exterior pass-through compartment. Side-hinged swing-out doors give you easy access, as do the optional slideout trays.

#### Exterior Entertainment

A popular option, this enclosed system includes an LCD flatscreen color TV mounted on a swing-out arm, a Sony® AM/FM stereo with a CD player and two speakers.









Front and rear, Ventana's strikingly styled end caps harmonize the various exterior elements, giving the coach a look that's sleek and unique. Ventana's impressive dash configuration puts you in command. All gauges and controls are right where you need them.


## A plan for every floor and a floor for every plan.



### **Floorplan Options**



66" L-lounge 3630







DESK OHC

53" Desk

3938






3935, 3936



3936, 3937, 3938



It's your life. Ventana lets you live it as you please. Choose the floorplan that best suits your needs, your hopes, your dreams. You've got plenty of options with Newmar.






Aztec Bronze



Gold Dust





Granite





**Interior Colors** 

a. Aztec Bronze

b. Gold Dust





#### Finishes and Woods

- d. Maple Cream Cabinetry, Standard e. Ericsburg Cherry
- Cabinetry

#### Full-Paint Masterpiece Finish™

Newmar's Full-Paint Masterpiece Finish creates an exterior of stunning beauty and incredible endurance a true work of art. As industry leaders in applying full body paint to motorhome coaches, we at Newmar are pleased to offer the Full-Paint Masterpiece Finish as a Ventana Diesel Pusher standard.

#### **Diamond Shield**

Diamond Shield Front Paint Protection Film is standard on all Ventana Diesel Pushers featuring the Full-Paint Masterpiece Finish. This film protects against stone chips, scratches and bug acids and keeps the Full-Paint Masterpiece Finish looking new.

Some features shown in our literature are optional. Colors and finishes are photographic representations. The actual materials may look different. Prices, specifications and floorplans are subject to change at Newmar's discretion, without prior notice or obligation. Please see your dealer for actual samples and specifications.

## Features & Specifications

#### STANDARD FEATURES

#### CHASSIS FEATURES

- Freightliner<sup>®</sup> Raised Rail Chassis
- Cummins<sup>®</sup> ISB 300 hp (33' Floorplans)
- CAT C7 330 hp (36' and 39' Floorplans)
- Coated Aluminum Wheels
- Electric Leveling Jacks with Touch Control
- Cruise Control
- Tilt-and-Telescope Steering Wheel
- Recessed Fuel Fills with Crossover to Fill from Either Side
- Back-up Alarm
- Anti-lock Braking System

#### AIR CONDITIONING & HEATING

- Two 13.5M Penguin<sup>™</sup> Heat Pump Air Conditioners
- LP Furnace with In-floor Ducted Heat
- Dash Heater and High-output Air Conditioner
- LP Leak Detector

#### **APPLIANCES & ACCESSORIES**

- 30" Convection Microwave Oven
- Three-burner Cooktop with Piezo Ignition
- Solid-surface Range Cover
- Norcold<sup>®</sup> 10 Cu. Ft. Refrigerator with Molded Contemporary Doors
- 10 Gal. Gas/Electric Water Heater with Direct-spark Ignition
- One-piece Washer/Dryer Prep\*
- Sony<sup>®</sup> Flatscreen Color TV in Living Area
- Color TV in Bedroom
- AM/FM Dash Radio with Cassette and CD Player
- Sony Surround Sound System with AM/FM Radio, VCR, DVD Player and Subwoofer
- Rearview Monitor System
- Electronic Compass and Temperature Display in Dash
- TV Antenna with Power Booster and Two Interior Jacks
- Satellite Prep Phone, TV Jack and Receptacle
- Exterior TV Jack on Door Side
- Telephone Connection with Phone Jacks in Living and Dash Area
- Two Bedroom Radio Speakers
- with On/Off Switch
- Roof-mounted Air Horns
- 10 Bc Fire Extinguisher, Carbon Monoxide and Smoke Detectors

#### CABINETS & FURNITURE

- Maple Cream Cabinets with Mission-style Doors
- Booth Dinette with Forward-facing Seatbelts
- Solid-surface Countertop in Kitchen with
- Undermounted Sink and Flush Sink Covers Solid-surface Countertop in Bathroom with Integrated Sink
- Adjustable Pullout Pantry Shelves\*
- Drawers with Metal Guides
- Ultraleather Cirrus Driver/Passenger Seats with Six-way Power, Power Lumbar and Ergo-Flex Arms
- Ultraleather Cirrus Recliner with Ottoman or L-lounge\*
- Lifts on Bed Top to Access Storage Area
- Tufted Mattress with Quilted Bedspread
- King Bed\*

#### ELECTRICAL FEATURES

- 8.0 kW PowerTech Diesel Quiet Series Generator
- 50 Amp Electrical Service with Flexible Cord
- Four 6 Volt House Batteries on Pullout Tray
- Battery Disconnect Switch
- 110 Volt Exterior Receptacle on Door Side
- 5 Watt Solar Panel
- 2,000 Watt Inverter
- Emergency Start Switch
- Exterior Security Light on Door Side
- Midship Side Turn Signals
- Fluorescent Lights Throughout
- Slideout Information Voice Module
- Manually Operated Hold-to-Run
- Slideout Switch ICC Light Switch
- 12 Volt Auxilian/ Decenteelee en D
- 12 Volt Auxiliary Receptacles on DashboardInterior Courtesy Lights

#### EXTERIOR FEATURES

- Full-Paint Masterpiece Finish™
- with Diamond Shield Front Protective Film • Convex Exterior Mirrors with Remote Control,
- Defrost and Turn Signals

  Automatic Entrance Door with Double Step
- Front Entry Door with Power Flush Stepwell
   Cover
- Side-hinged Baggage Doors (Between Axles on Door Side, Except Door for Exterior Ent. Ctr.)
- Lighted Exterior Storage Compartments
   Controlled by Interior Master Switch
- 10,000 lb. Towing Hitch
- Lighted Acrylic Assist Handle at Entrance Door
- Rear Protective Tow Guard with Stainless Steel Newmar Letters
- Rear Ladder
- Undercoating

#### INTERIOR FEATURES

- Padded Vinyl Ceiling
- Day/Night Pleated Window Shades and Lambrequins
- Mini-blinds in Kitchen and Bath Areas
- Hardwood/Fabric Fascia on Living-area and Bedroom Slideouts
- Simulated Marble Floor in Kitchen, Bathroom and Entrance Door Area
- Deluxe Carpeting with High-density Padding in Living Room and Bedroom
- Flat-panel Interior Passage Doors
- Interior Assist Handle at Main Entrance Door
   Sun Shades on Driver- and Passenger-side Windows

#### PLUMBING & BATH FEATURES

- Sewage Holding-tank Rinse
- Water Heater Bypass System
- Thetford<sup>™</sup> Aqua Magic Plus China Stool with Spray Attachment
- Towel Bars and Tissue Holder
- Fiberglass Bathtub/Shower with Glass Shower
  Door
- Monitor Panel
- Water Pump Switches Located in Bathroom, Above Entrance Door, and on Exterior, Near Gate Valves
- Exterior Shower
- Water Filter with Drink Dispenser at Kitchen Sink

#### WINDOWS, AWNINGS & VENTS

and Bathroom Areas

with Icemaker

A&E<sup>®</sup> 9000 Side Awning

A&E Slideout Awning Covers

**OPTIONAL FEATURES** 

Norcold<sup>®</sup> 12 Cu. Ft. Four-door Refrigerator

(Does Not Include Monthly Subscription)

External Entertainment Center with 26" LCD

Living-area TV and Surround Sound System

King Dome Automatic Satellite without Receiver

**APPLIANCES & ACCESSORIES** 

Icemaker Added to Refrigerator\*

SIRIUS® Satellite Radio Capability

TV and AM/FM Radio and CD Player

Entertainment Center with Relocated

KVH<sup>®</sup> In-motion Satellite without Receiver

Round Hardwood Dinette Table with Four

Fixed Chairs and Larger Dinette Window

One-piece Washer/Drver\*

CB Radio with Antenna

**CABINETS & FURNITURE** 

Ericsburg Cherry Cabinets

Fabric Hide-a-Bed\*

Ultraleather Cirrus Hide-a-Bed\*

Ultraleather Cirrus L-lounge\*

Ultraleather Cirrus Sofa\*

Desk with Fixed Chair

EXTERIOR FEATURES

INTERIOR FEATURES

Power-activated Sun Visors

· Water Filter for Entire Unit

\* Check with Dealership

on floorplan availability.

**PLUMBING & BATH FEATURES** 

• 110 Volt Heat Pads for Holding Tanks

WINDOWS, AWNINGS & VENTS

A&E<sup>®</sup> 9000 Bedroom and Slideout Window

A&E Weather Pro Side Awning and Oasis

Power Front Entrance Door Awning

Large Storage Tray

Awning

Large Chrome Exterior Mirrors

CB Antenna

Double-pane Tinted Safety-glass Windows

Fan-Tastic® Vent with Rain Sensor in Kitchen

A&E Oasis Manual Front Entrance Door Awning

#### FLOORPLAN SPECIFICATIONS

FLOORPLAN	APP. OVERALL LENGTH <sup>1</sup>	WIDTH	APP. OVERALL HEIGHT	INTERIOR WIDTH	INTERIOR HEIGHT	GREY	SEWAGE	WATER	LP	FURNACE	WATER HEATER
VTDP 3330	33' 10"	101.5″	12' 5"	95.5″	84″	65 gal.	45 gal.	105 gal.	32 gal.	35,000 Btu	10 gal.
VTDP 3331	33' 10"	101.5″	12' 5"	95.5″	84″	65 gal.	45 gal.	105 gal.	32 gal.	35,000 Btu	10 gal.
VTDP 3630	36' 6"	101.5″	12′ 5″	95.5″	84″	65 gal.	45 gal.	105 gal.	32 gal.	42,000 Btu	10 gal.
VTDP 3631	36' 6"	101.5″	12' 5"	95.5″	84″	65 gal.	45 gal.	105 gal.	32 gal.	42,000 Btu	10 gal.
VTDP 3933	39' 6"	101.5″	12′ 5″	95.5″	84″	65 gal.	45 gal.	105 gal.	32 gal.	42,000 Btu	10 gal.
VTDP 3935	39' 6"	101.5″	12′ 5″	95.5″	84″	65 gal.	45 gal.	105 gal.	32 gal.	42,000 Btu	10 gal.
VTDP 3936	39' 6"	101.5″	12′ 5″	95.5″	84″	65 gal.	45 gal.	105 gal.	32 gal.	42,000 Btu	10 gal
VTDP 3937	39' 6"	101.5″	12' 5"	95.5″	84″	65 gal.	45 gal.	105 gal.	32 gal.	42,000 Btu	10 gal.
VTDP 3938	39' 6"	101.5″	12′ 5″	95.5″	84″	65 gal.	45 gal.	105 gal.	32 gal.	42,000 Btu	10 gal.

#### FREIGHTLINER® CHASSIS INFORMATION

ENGINE HP	AXLE RATIO	FUEL CAP.	WHEELBASE	FRONT GAWR <sup>2</sup>	REAR GAWR <sup>2</sup>	GVWR <sup>2</sup>	GCWR <sup>2</sup>	APP. UVW	APP. NCC
300	4.78	100 gal.	190″	10,500 lb.	17,500 lb.	28,000 lb.	38,000 lb.	21,950 lb.	6,050 lb.
300	4.78	100 gal.	190″	10,500 lb.	17,500 lb.	28,000 lb.	38,000 lb.	21,750 lb.	6,250 lb.
330	4.78	100 gal.	216″	12,000 lb.	17,500 lb.	29,500 lb.	39,500 lb.	23,400 lb.	6,100 lb.
330	4.78	100 gal.	216″	12,000 lb.	17,500 lb.	29,500 lb.	39,500 lb.	24,200 lb.	5,300 lb.
330	4.78	100 gal.	252"	12,000 lb.	19,000 lb.	31,000 lb.	41,000 lb.	25,690 lb.	5,310 lb.
330	4.78	100 gal.	252"	12,000 lb.	19,000 lb.	31,000 lb.	41,000 lb.	25,300 lb.	5,700 lb.
330	4.78	100 gal.	252"	12,000 lb.	19,000 lb.	31,000 lb.	41,000 lb.	25,840 lb.	5,160 lb.
330	4.78	100 gal.	252"	12,000 lb.	19,000 lb.	31,000 lb.	41,000 lb.	25,223 lb.	5,777 lb.
330	4.78	100 gal.	252"	12,000 lb.	19,000 lb.	31,000 lb.	41,000 lb.	23,985 lb.	7,015 lb.
	300 300 330 330 330 330 330 330 330	300         4.78           300         4.78           330         4.78           330         4.78           330         4.78           330         4.78           330         4.78           330         4.78           330         4.78           330         4.78           330         4.78           330         4.78           330         4.78           330         4.78	300         4.78         100 gal.           300         4.78         100 gal.           330         4.78         100 gal.	300         4.78         100 gal.         190"           300         4.78         100 gal.         190"           330         4.78         100 gal.         216"           330         4.78         100 gal.         216"           330         4.78         100 gal.         252"           330         4.78         100 gal.         252"	300         4.78         100 gal.         190"         10,500 lb.           300         4.78         100 gal.         190"         10,500 lb.           330         4.78         100 gal.         190"         10,500 lb.           330         4.78         100 gal.         216"         12,000 lb.           330         4.78         100 gal.         216"         12,000 lb.           330         4.78         100 gal.         252"         12,000 lb.	300         4.78         100 gal.         190"         10,500 lb.         17,500 lb.           300         4.78         100 gal.         190"         10,500 lb.         17,500 lb.           330         4.78         100 gal.         216"         12,000 lb.         17,500 lb.           330         4.78         100 gal.         216"         12,000 lb.         17,500 lb.           330         4.78         100 gal.         252"         12,000 lb.         19,000 lb.           330         4.78         100 gal.         252"         12,000 lb.         19,000 lb.           330         4.78         100 gal.         252"         12,000 lb.         19,000 lb.           330         4.78         100 gal.         252"         12,000 lb.         19,000 lb.           330         4.78         100 gal.         252"         12,000 lb.         19,000 lb.           330         4.78         100 gal.         252"         12,000 lb.         19,000 lb.           330         4.78         100 gal.         252"         12,000 lb.         19,000 lb.	300       4.78       100 gal.       190"       10,500 lb.       17,500 lb.       28,000 lb.         300       4.78       100 gal.       190"       10,500 lb.       17,500 lb.       28,000 lb.         330       4.78       100 gal.       216"       12,000 lb.       17,500 lb.       29,500 lb.         330       4.78       100 gal.       216"       12,000 lb.       17,500 lb.       29,500 lb.         330       4.78       100 gal.       216"       12,000 lb.       17,500 lb.       29,500 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.	300       4.78       100 gal.       190"       10,500 lb.       17,500 lb.       28,000 lb.       38,000 lb.         300       4.78       100 gal.       190"       10,500 lb.       17,500 lb.       28,000 lb.       38,000 lb.         330       4.78       100 gal.       216"       12,000 lb.       17,500 lb.       29,500 lb.       39,500 lb.         330       4.78       100 gal.       216"       12,000 lb.       17,500 lb.       29,500 lb.       39,500 lb.         330       4.78       100 gal.       216"       12,000 lb.       17,500 lb.       29,500 lb.       39,500 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.       41,000 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.       41,000 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.       41,000 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.       41,000 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.	300       4.78       100 gal.       190"       10,500 lb.       17,500 lb.       28,000 lb.       38,000 lb.       21,950 lb.         300       4.78       100 gal.       190"       10,500 lb.       17,500 lb.       28,000 lb.       38,000 lb.       21,750 lb.         330       4.78       100 gal.       216"       12,000 lb.       17,500 lb.       29,500 lb.       39,500 lb.       23,400 lb.         330       4.78       100 gal.       216"       12,000 lb.       17,500 lb.       29,500 lb.       39,500 lb.       24,200 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.       41,000 lb.       25,690 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.       41,000 lb.       25,300 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.       41,000 lb.       25,300 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb.       41,000 lb.       25,840 lb.         330       4.78       100 gal.       252"       12,000 lb.       19,000 lb.       31,000 lb. <t< td=""></t<>

Lengths, heights, widths and dry weights are approximate. Weight will vary based on optional equipment added to the above base weight.

GAWR: Gross Axle Weight Rating is the maximum permissible weight for an axle.

GVWR: Gross Vehicle Weight Rating is the maximum permissible weight of a fully loaded motorhome.

GCWR: Gross Combination Weight Rating is the value specified by the manufacturer of the vehicle as the maximum allowable loaded weight of this motorhome and any towed trailer or towed vehicle.

UVW: Unloaded Vehicle Weight is the weight of this motorhome as built at the factory with full fuel, engine oil and coolants. The UVW does not include cargo, fresh water, LP gas or dealer-installed accessories.

NCC: Net Carrying Capacity is the maximum weight of all occupants, including the driver, personal belongings, food, fresh water, waste water, LP gas, tools, tongue weight of towed vehicle, dealer-installed accessories, etc., that can be carried by the motorhome.

<sup>1</sup> Lengths do not include the rear ladder.

<sup>2</sup> Specifications are supplied by chassis manufacturer.

Our commitment is to provide you a recreational vehicle of the highest quality. These are some of the top manufactuerers who help us fulfill this commitment by supplying us with superior components.





www.freightlinerchassis.com





www.diamond-shield.com



Built to las



Only one call



NEWMAR QUALITY: A WAY OF LIFE

#### The RVDA Quality Circle Award



For the fourth year in a row, Newmar has won the RVDA's Quality Circle Award, a reflection of feedback obtained from the association's annual dealer satisfaction survey. This is quite an honor — a measure of the trust our dealers and customers place in us. We will continue working to retain that trust.

Newmar Corporation 355 N Delaware St PO Box 30 Nappanee IN 46550-0030 574-773-7791 Fax 574-773-2895 www.newmarcorp.com

#### The Newmar Factory Tour

We would love to have you visit our state-of-the-art production facility in Nappanee, Indiana. That's why we offer factory tours Monday through Friday at 10 a.m. and 1 p.m., Indiana time. Pre-registration is not required but helpful, and certain safety restrictions do apply. For more information, or to pre-register, please call 800-860-0086.

Your Official Newmar Dealer:

Some features shown in our literature are optional. Colors and finishes are photographic representations. The actual materials may look different. Prices, specifications and floorplans are subject to change at Newmar's discretion, without prior notice or obligation. Please see your dealer for actual samples and specifications. © 2005 Newmar Corporation. Printed in the U.S.A. (07/05)