

## 2009 Honda Pilot







| Engineering   | LX   | EX/EX-L   | Touring  |
|---|--|---|--|
| Engine Type   | V-6  | V-6   | V-6  |
| Engine Block/Cylinder Head  | Aluminum-Alloy   | Aluminum-Alloy  | Aluminum-Alloy   |
| Displacement (cc)   | 3471   | 3471  | 3471   |
| Horsepower @ rpm (SAE net)  | 250 @ 5700   | 250 @ 5700  | 250 @ 5700   |
| Torque (Ib-ft@rpm)  | 253 @ 4800   | 253 @ 4800  | 253 @ 4800   |
| Valve Train   | 24-Valve SOHC i-VTEC®  | 24-Valve SOHC i-VTEC  | 24-Valve SOHC i-VTEC   |
| Drive-by-Wire™ Throttle System  | •  | •   | •  |
| Variable Cylinder Management™ (VCM®)  | •  | •   | •  |
| Active Control Engine Mount System (ACM)  | •  | •   | •  |
| Active Noise Cancellation™ (ANC)  |  |   | •  |
| Active Noise Cancellation (ANC) Hill Start Assist   | •  | •   | •  |
|   |  |   |  |
| Variable Torque Management® 4-Wheel Drive System (VTM-4®)   | Available  | Available   | Available  |
| High-Mounted Fresh-Air Intake   | •  |   | •  |
| CARB Emissions Rating   | ULEV-2   | ULEV-2  | ULEV-2   |
| Direct Ignition System with Immobilizer   | •  | •   | •  |
| Heavy-Duty Radiator with 160-Watt Fans (2)  | •  | •   | •  |
| Heavy-Duty Power-Steering Fluid Cooler  | •  | •   | •  |
| 100K +/- Miles No Scheduled Tune-Ups*   | •  | •   | •  |
| Transmission  |  |   |  |
| 5-Speed Automatic Transmission  | •  | •   | •  |
| Heavy-Duty Automatic-Transmission Fluid Cooler  | •  | •   | •  |
| Body/Suspension/Chassis   |  |   |  |
| Unit-Body Construction  | •  | •   | •  |
| MacPherson Strut Front Suspension   | •  | •   | •  |
| Multi-Link Rear Suspension with Trailing Arms   | •  | •   | •  |
| Stabilizer Bar (mm, front/rear)   | 23.0/26.5  | 23.0/26.5   | 23.0/26.5  |
| Variable Power-Assisted Rack-and-Pinion Steering  | •  | •   | •  |
| Turning Diameter, Curb-to-Curb (ft)   | 38.6   | 38.6  | 38.6   |
| Power-Assisted Ventilated Front Disc/Solid Rear Disc Brakes (in)  | 13.0/13.1  | 13.0/13.1   | 13.0/13.1  |
|   |  |   |  |
| Wheels  | 17" Steel  | 17" Alloy   | 17" Alloy  |
| Wheels All-Season Tires   | 17" Steel<br>P245/65/R17 105T  | 17" Alloy<br>P245/65/R17 105T   | 17" Alloy<br>P245/65/R17 105T  |
| All-Season Tires Exterior Measurements  | P245/65/R17 105T   | P245/65/R17 105T  | P245/65/R17 105T   |
| All-Season Tires  Exterior Measurements  Wheelbase (in)   | P245/65/R17 105T   | P245/65/R17 105T  | P245/65/R17 105T   |
| All-Season Tires  Exterior Measurements  Wheelbase (iin)  Length (iin)  | P245/65/R17 105T<br>109.2<br>190.9   | P245/65/R17 105T<br>109.2<br>190.9  | P245/65/R17 105T<br>109.2<br>190.9   |
| All-Season Tires  Exterior Measurements  Wheelbase (in)   | P245/65/R17 105T<br>109.2<br>190.9<br>71.0   | P245/65/R17 105T  | P245/65/R17 105T   |
| All-Season Tires  Exterior Measurements  Wheelbase (iin)  Length (iin)  | P245/65/R17 105T  109.2  190.9  71.0  78.5   | P245/65/R17 105T  109.2  190.9  72.7  78.5  | P245/65/R17 105T  109.2 190.9 72.7 78.5  |
| All-Season Tires  Exterior Measurements  Wheelbase (in)  Length (in)  Height (in)  Width (in)  Track (in, front/rear)   | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5   | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5  |
| All-Season Tires  Exterior Measurements  Wheelbase (in)  Length (in)  Height (in)  Width (in)   | P245/65/R17 105T  109.2  190.9  71.0  78.5   | P245/65/R17 105T  109.2  190.9  72.7  78.5  | P245/65/R17 105T  109.2 190.9 72.7 78.5  |
| All-Season Tires  Exterior Measurements  Wheelbase (in)  Length (in)  Height (in)  Width (in)  Track (in, front/rear)   | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5   | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5  |
| All-Season Tires  Exterior Measurements  Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen)  | P245/65/R17 105T  109.2 190.9 71.0 78.5 67.7/67.5  | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5   | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5  |
| All-Season Tires  Exterior Measurements  Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees)  | P245/65/R17 105T  109.2 190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5  | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5   | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5  |
| All-Season Tires  Exterior Measurements  Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight lbs, 2WD/4WD   | P245/65/R17 105T  109.2 190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506  | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5  8.0  27.8/24.5  4310/4504 (4359/4544, EX-L)  | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590  |
| All-Season Tires  Exterior Measurements  Wheelbase (in)  Length (in)  Height (in)  Width (in)  Track (in, front/rear)  Ground Clearance (in, unladen)  Approach/Departure Angles (degrees)  Curb Weight Distribution (%, front/rear) 2WD (4WD)  | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5  8.0  27.8/24.5  4310/4504 (4359/4544, EX-L)  56/44 (55/45)   | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46)  |
| All-Season Tires  Exterior Measurements  Wheelbase (in)  Length (in)  Height (in)  Width (in)  Track (in, front/rear)  Ground Clearance (in, unladen)  Approach/Departure Angles (degrees)  Curb Weight Distribution (%, front/rear) 2WD (4WD)  Towing Capacity¹ (lbs, 2WD/4WD)   | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500  40.0 (39.3,EX-L) /39.8/38.2  | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46)  |
| All-Season Tires  Exterior Measurements  Wheelbase (iin)  Length (iin)  Height (iin)  Width (iin)  Track (iin, front/rear)  Ground Clearance (iin, unladen)  Approach/Departure Angles (degrees)  Curb Weight lbs, 2WD/4WD  Weight Distribution (%, front/rear) 2WD (4WD)  Towing Capacity¹ (lbs, 2WD/4WD)  Interior Measurements   | P245/65/R17 105T  109.2 190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500  | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5  8.0  27.8/24.5  4310/4504 (4359/4544, EX-L)  56/44 (55/45)  3500/4500  | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500  |
| All-Season Tires  Exterior Measurements  Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight lbs, 2WD/4WD Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity¹ (lbs, 2WD/4WD) Interior Measurements Headroom (in, front/middle/rear)  | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  3500/4500  40.0/39.8/38.2   | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500  40.0 (39.3,EX-L) /39.8/38.2  | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500  |
| All-Season Tires  Exterior Measurements  Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight lbs, 2WD/4WD Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity¹ (lbs, 2WD/4WD) Interior Measurements Headroom (in, front/middle/rear) Legroom (in, front/middle/rear)  | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  3500/4500  40.0/39.8/38.2  41.4/38.5/32.1   | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5  8.0  27.8/24.5  4310/4504 (4359/4544, EX-L)  56/44 (55/45)  3500/4500  40.0 (39.3,EX-L)/39.8/38.2  41.4/38.5/32.1  | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500  39.3/39.8/38.2 41.4/38.5/32.1   |
| All-Season Tires  Exterior Measurements  Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight Ibs, 2WD/4WD Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity¹ (lbs, 2WD/4WD) Interior Measurements Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear)  | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  3500/4500  40.0/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9   | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5  8.0  27.8/24.5  4310/4504 (4359/4544, EX-L)  56/44 (55/45)  3500/4500  40.0 (39.3,EX-L)/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500  39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9  |
| All-Season Tires  Exterior Measurements  Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight Ibs, 2WD/4WD Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity¹ (lbs, 2WD/4WD) Interior Measurements Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear)  | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  3500/4500  40.0/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4                             | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5  8.0  27.8/24.5  4310/4504 (4359/4544, EX-L)  56/44 (55/45)  3500/4500  40.0 (39.3,EX-L)/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500  39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4                               |
| All-Season Tires  Exterior Measurements  Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight Ibs, 2WD/4WD Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity¹ (lbs, 2WD/4WD)  Interior Measurements Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume² (cu ft, behind 3rd-row)   | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  3500/4500  40.0/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0                       | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5  8.0  27.8/24.5  4310/4504 (4359/4544, EX-L)  56/44 (55/45)  3500/4500  40.0 (39.3,EX-L) /39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0                                   | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500  39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0                          |
| All-Season Tires  Exterior Measurements  Wheelbase (in)  Length (in)  Height (in)  Width (in)  Track (in, front/rear)  Ground Clearance (in, unladen)  Approach/Departure Angles (degrees)  Curb Weight Ibs, 2WD/4WD  Weight Distribution (%, front/rear) 2WD (4WD)  Towing Capacity¹ (lbs, 2WD/4WD)  Interior Measurements  Headroom (in, front/middle/rear)  Legroom (in, front/middle/rear)  Hiproom (in, front/middle/rear)  Cargo Volume² (cu ft, behind 3rd-row)  Cargo Volume² (cu ft, behind 2nd-row)   | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  3500/4500  40.0/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0  47.7                 | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5  8.0  27.8/24.5  4310/4504 (4359/4544, EX-L)  56/44 (55/45)  3500/4500  40.0 (39.3,EX-L)/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0  47.7                              | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500  39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7                     |
| All-Season Tires  Exterior Measurements  Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight lbs, 2WD/4WD Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity¹ (lbs, 2WD/4WD)  Interior Measurements Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume² (cu ft, behind 3rd-row) Cargo Volume² (cu ft, behind 2nd-row)   | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  3500/4500  40.0/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0  47.7  87.0           | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5  8.0  27.8/24.5  4310/4504 (4359/4544, EX-L)  56/44 (55/45)  3500/4500  40.0 (39.3,EX-L) /39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0  47.7                             | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5  8.0  27.8/24.5  4407/4590  56/44 (54/46)  3500/4500  39.3/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0  47.7  87.0 |
| All-Season Tires  Exterior Measurements  Wheelbase (in)  Length (in)  Height (in)  Width (in)  Track (in, front/rear)  Ground Clearance (in, unladen)  Approach/Departure Angles (degrees)  Curb Weight lbs, ZWD/4WD  Weight Distribution (%, front/rear) 2WD (4WD)  Towing Capacity¹ (lbs, 2WD/4WD)  Interior Measurements  Headroom (in, front/middle/rear)  Legroom (in, front/middle/rear)  Shoulder Room (in, front/middle/rear)  Hiproom (in, front/middle/rear)  Cargo Volume² (cu ft, behind 3rd-row)  Cargo Volume² (cu ft, behind 2nd-row)  Cargo Volume² (cu ft, behind 1st-row)  Passenger Volume (cu ft)   | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  3500/4500  40.0/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0  47.7  87.0  153.7    | P245/65/R17 105T  109.2 190.9 72.7 78.5 677/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500  40.0 (39.3,EX-L)/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7/152.7 (EX-L)                     | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500  39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0                |
| All-Season Tires  Exterior Measurements  Wheelbase (in)  Length (in)  Height (in)  Width (in)  Track (in, front/rear)  Ground Clearance (in, unladen)  Approach/Departure Angles (degrees)  Curb Weight lbs, ZWD/4WD  Weight Distribution (%, front/rear) 2WD (4WD)  Towing Capacity¹ (lbs, 2WD/4WD)  Interior Measurements  Headroom (in, front/middle/rear)  Legroom (in, front/middle/rear)  Shoulder Room (in, front/middle/rear)  Cargo Volume² (cu ft, behind 3rd-row)  Cargo Volume² (cu ft, behind 1st-row)  Passenger Volume (cu ft)  Seating Capacity  Seating Capacity   | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  3500/4500  40.0/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0  47.7  87.0  153.7    | P245/65/R17 105T  109.2 190.9 72.7 78.5 677/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500  40.0 (39.3,EX-L)/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7/152.7 (EX-L)                     | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500  39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0                |
| All-Season Tires  Exterior Measurements  Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight lbs, 2WD/4WD Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity¹ (lbs, 2WD/4WD)  Interior Measurements Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume² (cu ft, behind 3rd-row) Cargo Volume² (cu ft, behind 1st-row) Passenger Volume (cu ft) Seating Capacity  EPA Mileage Estimates³/Capacities  | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  3500/4500  40.0/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0  47.7  87.0  153.7    | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5  8.0  27.8/24.5  4310/4504 (4359/4544, EX-L)  56/44 (55/45)  3500/4500  40.0 (39.3,EX-L)/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0  47.7  87.0  153.7/152.7 (EX-L)  8 | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500  39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 152.7          |
| All-Season Tires  Exterior Measurements  Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight Ibs, 2WD/4WD Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity¹ (lbs, 2WD/4WD) Interior Measurements Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume² (cu ft, behind 3rd-row) Cargo Volume² (cu ft, behind 1st-row) Passenger Volume (cu ft) Seating Capacity  EPA Mileage Estimates³/Capacities 5-Speed Automatic (2WD; City/Highway/Combined)  | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  3500/4500  40.0/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0  47.7  87.0  153.7  8 | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5  8.0  27.8/24.5  4310/4504 (4359/4544, EX-L)  56/44 (55/45)  3500/4500  40.0 (39.3,EX-L)/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0  47.7  87.0  153.7/152.7 (EX-L)  8 | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500  39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 152.7 8        |
| All-Season Tires  Exterior Measurements  Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight lbs, 2WD/4WD Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity¹ (lbs, 2WD/4WD) Interior Measurements Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume² (cu ft, behind 3rd-row) Cargo Volume² (cu ft, behind 1st-row) Passenger Volume (cu ft) Seating Capacity  EPA Mileage Estimates³/Capacities 5-Speed Automatic (2WD; City/Highway/Combined) 5-Speed Automatic (4WD; City/Highway/Combined) | P245/65/R17 105T  109.2  190.9  71.0  78.5  67.7/67.5  8.0  27.8/24.5  4319/4506  56/44 (55/45)  3500/4500  40.0/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0  47.7  87.0  153.7  8 | P245/65/R17 105T  109.2  190.9  72.7  78.5  67.7/67.5  8.0  27.8/24.5  4310/4504 (4359/4544, EX-L)  56/44 (55/45)  3500/4500  40.0 (39.3,EX-L)/39.8/38.2  41.4/38.5/32.1  61.5/62.2/58.9  58.6/56.9/48.4  18.0  47.7  87.0  153.7/152.7 (EX-L)  8 | P245/65/R17 105T  109.2 190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500  39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 152.7 8        |

<sup>\*</sup>Does not apply to fluid and filter changes. May vary with driving conditions. See your owner's manual for more details.

| Seating   | LX          | EX/EX-L       | Touring                               |
|---|-------------|---------------|---------------------------------------|
| Driver's Seat with 8-Way Power Adjustment   | <del></del> | •             | with Memory                           |
| Passenger's Seat with 4-Way Power Adjustment  |             | EX-L          | •                                     |
| Driver's Seat with Power Lumbar Support   |             | •             | •                                     |
| Leather-Trimmed Interior  |             | EX-L          | •                                     |
| Heated Front Seats  |             | EX-L          | •                                     |
|   | •           | •             | •                                     |
| 60/40 Split, Flat-Folding, Sliding and Reclining 2nd-Row Bench Seat  60/40 Split, Flat-Folding 3rd-Row Bench Seat | •           | •             | •                                     |
| Head Restraints at All Seating Positions  | •           | •             | •                                     |
|   | •           | •             | ·                                     |
| Audio Systems   |             |               |                                       |
| AM/FM/CD Audio System with 7 Speakers, Including Subwoofer  | •           |               |                                       |
| AM/FM/6-Disc In-Dash Audio System with 7 Speakers, Including Subwoofer  |             | •             |                                       |
| 512-Watt AM/FM/6-Disc In-Dash Premium Audio System with 10 Speakers, Including Subwoofer                          |             | EX-L with RES | •                                     |
| XM® Radio <sup>4</sup>  |             | •             | •                                     |
| Radio Data System (RDS)   | •           | •             | •                                     |
| MP3/Windows Media® Audio 5 (WMA) Playback Capability  | •           | •             | •                                     |
| MP3/Auxiliary Input Jack  | •           | •             | •                                     |
| USB Audio Interface <sup>6</sup>  |             |               | •                                     |
| Speed-Sensitive Volume Control (SVC)  | •           | •             | •                                     |
| Instrumentation   |             |               |                                       |
| Programmable Multi-Information Display  |             |               | •                                     |
| Maintenance Minder™ System  | •           | •             | •                                     |
| Digital Odometer and Digital Trip Meters (2)  | •           | •             | •                                     |
| Average Fuel Consumption Indicator  | •           | •             | •                                     |
| Instant Fuel Consumption Indicator  | •           | •             | •                                     |
| Miles-to-Empty Indicator  | •           | •             | •                                     |
| Exterior Temperature Indicator  |             | •             | •                                     |
| Corner and Backup Sensor Indicator  |             |               | •                                     |
| Compass   | •           | •             | •                                     |
| Door-/Tailgate-/Glass Hatch-Open Indicator  | •           | •             | •                                     |
| Safety  |             |               |                                       |
| 3-Point Seat Belts at All Seating Positions   | •           | •             | •                                     |
| Front 3-Point Seat Belts with Automatic Tensioning System   | •           | •             | •                                     |
| Driver's and Front Passenger's Seat Belt Reminder   | •           | •             | •                                     |
| Adjustable Seat Belt Anchors (front- and 2nd-row)   | •           | •             | •                                     |
| Dual-Stage, Dual-Threshold Front Airbags (SRS)  | •           | •             | •                                     |
| Front Side Airbags with Passenger-Side Occupant Position Detection System (OPDS)                                  | •           | •             | •                                     |
| Three-Row Side Curtain Airbags with Rollover Sensor   | •           | •             | •                                     |
| Driver's and Front Passenger's Active Head Restraints   | •           | •             | •                                     |
| Advanced Compatibility Engineering™ (ACE™) Body Structure   | •           | •             | •                                     |
| Vehicle Stability Assist™ (VSA®) with Traction Control  | •           | •             | •                                     |
| Anti-Lock Braking System (ABS)  | •           | •             | •                                     |
| Electronic Brake Distribution (EBD)   | •           | •             | •                                     |
| Brake Assist  | •           | •             | •                                     |
| Tire Pressure Monitoring System <sup>7</sup> (TPMS)   | •           | •             | with Location and Pressure Indicators |
| Daytime Running Lights (DRL)  | •           | •             | •                                     |
| Side-Impact Door Beams  | •           | •             | •                                     |
| Lower Anchors and Tethers for Children (LATCH) (2nd-row, 3rd-row: passenger-side)                                 | •           | •             | •                                     |
| Child-Seat Tether Anchors (3rd-row)   | •           | •             | •                                     |
| Child-Proof Rear Door Locks   | •           | •             | •                                     |
| Exterior Features   |             |               |                                       |
| One-Touch Power Moonroof with Tilt Feature  |             | EX-L          | •                                     |
| Tailgate with Lift-Up Glass Hatch   | •           | •             |                                       |
| Power Tailgate with Lift-Up Glass Hatch   |             |               | •                                     |
| Variable Intermittent Windshield Wipers   | •           | •             | •                                     |
| Intermittent Rear Window Wiper/Washer   | •           | •             | •                                     |
| Remote Entry  | •           | •             | •                                     |
| Security System   |             | •             | •                                     |
| occurry eyecum  |             |               |                                       |

| Exterior Features (continued)   | LX          | EX/EX-L          | Touring   |
|---|-------------|------------------|---|
| Body-Colored Power Side Mirrors   | Black       | Heated           | Heated with Memory and Integrated Turn Indicators |
| Body-Colored Door Handles   | Black       | •                | • and integrated furnished to                     |
| Heat-Rejecting Green-Tinted Glass   | •           | •                | •   |
| Acoustic Windshield   | •           | EX-L             | •   |
| Rear Privacy Glass  | •           | •                | •   |
| Integrated Class III Trailer Hitch  | •           | •                | <u> </u>  |
| Pre-Wired for Trailer Harness   | •           | •                | Includes Trailer Harness                          |
| Roof Rails  | <b>-</b>    | •                | Illiciades Italier Fiditiess                      |
|   |             | •                | ·   |
| Fog Lights  | Dist        |                  | ·   |
| Body Side Molding   | Black       | Body-Colored     | Chrome  |
| Auto-On/Off Multi-Reflector Halogen Headlights  | •           | •                | •   |
| Body-Colored Parking Sensors (front/rear)   |             |                  | •   |
| Chrome Exhaust Finishers  |             | •                | •   |
| Comfort & Convenience   |             |                  |   |
| Front and Rear Air Conditioning with Air-Filtration System  | •           |                  |   |
| Tri-Zone Automatic Climate Control System with Humidity Control and Air-Filtration                      |             | •                | •   |
| Honda Satellite-Linked Navigation System™ with Voice Recognition, Off-Road Tracking and Rearview Camera |             |                  | •   |
| Bluetooth® HandsFreeLink®   |             |                  | •   |
| Interface Dial with Scrolling and Multi-Line Display  |             |                  | •   |
| Honda DVD Rear Entertainment System   |             | Available (EX-L) | Available   |
| Power Windows with Auto-Up/Down Driver's and Passenger's Window   | •           | •                | •   |
| Power Door and Tailgate Locks   | •           | •                | •   |
| Cruise Control  | •           | •                | •   |
| Leather-Wrapped Steering Wheel  |             | EX-L             | •   |
| HomeLink® Remote System <sup>10</sup>   |             | •                | •   |
| Illuminated Steering Wheel-Mounted Audio and Cruise Controls  | Cruise Only | •                | •   |
| Steering Wheel-Mounted Navigation and Phone Controls  |             |                  | •   |
| Multi-Functional Center Console Storage   | •           | •                | •   |
| Automatic Dimming Rearview Mirror   |             | EX-L             | •   |
| Rearview Mirror with Rearview Camera Display  |             | EX-L             |   |
| Driver's and Front Passenger's Illuminated Vanity Mirrors   | •           | •                | •   |
| Conversation Mirror with Sunglasses Holder  |             | EX-L             | •   |
| Tilt and Telescopic Steering Column   | •           | •                | •   |
| Beverage Holders (# per row: front/2nd/3rd)   | 2/6/4       | 2/6/4            | 2/6/4   |
| 12-Volt Power Outlets (front-, 2nd-row and cargo area)  | •           | •                | •   |
| 115-Volt Power Outlet <i>(center console)</i>   |             | EX-L with RES    | •   |
| Upper and Lower Seatback Pockets (front-row)  | •           | •                | •   |
| Map Lights (all rows)   | •           | •                | •   |
| Remote Fuel Filler Door Release   | •           | •                | •   |
| Integrated Sunshades (2nd-row)  |             |                  | •   |
| Floor Mats  | •           | •                | •   |
| Hidden Storage Well   | •           | •                | •   |
| Cargo Area Tie-Down Anchors (4 total)   | •           | •                | <u> </u>  |
| Cargo Area Bag Hooks  | •           | •                | •   |
| Cargo Net   | •           | •                | •   |
| Calyu Ivet  | *           | <del>-</del>     |   |

Maximum towing capacity for 4WD models is 4,500 lbs. Premium unleaded fuel is recommended when towing above 3,500 lbs. Maximum towing capacity for 2WD models is 3,500 lbs. Towing requires the addition of the Honda accessory towing kit and hitch ball. Trailer harness standard on Touring models. Before carrying any cargo, be sure to consult the owner's manual for load limits and loading guidelines. <sup>3</sup> Based on 2009 EPA mile geography storing it can ar affect the handling and operation of this vehicle. Before carrying any cargo, be sure to consult the owner's manual for load limits and loading guidelines. <sup>3</sup> Based on 2009 EPA mile geography after initial trial period, including a one-time activation fee. All fees and programming subject to change. Subscriptions subject to Customer Agreement available at xmradio.com. XM service only available in the 48 contiguous United States. The XM name is a registered trademark of XMC Satellite Radio Inc. <sup>5</sup> Windows Media<sup>87</sup> is a trademark or registered trademark of Microsoft Corporation in the United States and/or other countries. <sup>5</sup> The USB Audio Interface is used for direct connection to and control of some current digital audio players and other USB content of the Radio Inc. <sup>5</sup> Some USB devices with security software and digital right-protected files may not work. Please see your dealer for details on compatibility. <sup>7</sup> For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. <sup>10</sup> Some USB devices that content of the sole of details. <sup>8</sup> The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license. <sup>10</sup> Hondal caleal for terms and conditions of the limited Warranty. <sup>5</sup> Year/36,000-Mile Limited Powertrain Warranty. <sup>5</sup> Ordance The Hondal Caleal For terms and conditions of the limited warranties. <sup>12</sup> Keley Blue Book Sol, inc., <sup>13</sup> Based on 2008 model year study, IntelliChoice\* Inc. www.intellichoice.com. <sup>14</sup>



Want your own look? Ask your dealer about Honda Genuine Accessories.

Some accessories include running boards, crossbars, door visors, front and rear aluminum under trim and back-up sensors. They're designed, engineered and tested to meet the same exacting standards as your new vehicle—a high-quality way to make your new Honda one of a kind.





Your dealer's team of trained technicians is ready to help keep your Honda in superb shape. All 2009 Honda vehicles—and any Honda Genuine Accessories installed at the time of purchase—are covered by the 3-year/36,000-mile New-Vehicle Limited Warranty." Plus, Honda cars and trucks are covered by a 5-year/60,000-mile Limited Powertrain Warranty, too." For more information or assistance, see your Honda dealer or please give us a call at 1-800-33-Honda.



Whether you buy or lease a Honda vehicle, Honda Financial Services can assist you with the process. Please ask your dealer which lease or purchase plan best suits your needs.



Honda Care™ is a highly affordable, comprehensive vehicle and travel protection plan backed by Honda reliability, service and parts. Please see your dealer for all the details.



Visit us at automobiles.honda.com
Get the latest photos, MSRPs, specs
and more. You can "build" your own
Honda, accessorize it—even ask for a
dealer price quote, apply for financing
and check dealer inventories online.

Every Honda is a smart value thanks to timeless design, great reliability and extended maintenance

intervals. Check out our Best Resale Value Awards<sup>12</sup> from *Kelley Blue Book's* kbb.com, Best Overall

Value Awards from IntelliChoice  $^{\circ 13}$  and - for the fifth year in a row -

Industry Best Residual Value Award from Automotive Lease Guide.<sup>14</sup>







