



## **2010 - 2011 Catalog**



### **New & Refurbished Veterinary Equipment**

- » *Anesthesia Systems*
- » *Telemetry & Central Stations*
- » *Patient Monitoring*
- » *Surgical Lighting*
- » *Surgical Tables*
- » *Electrosurgical Units*
- » *Respiratory Ventilators*
- » *Medical Gas Systems*
- and much more*

*Operating within your budget  
for more than 20 years*

# Operating within for more than 20 years

Founded in 1984, DRE Veterinary is one of the largest and most reliable worldwide suppliers of new and professionally refurbished veterinary-specific equipment. Focused on a continued commitment to quality service and customer satisfaction, DRE Veterinary is a trusted source for all your equipment needs. Our expert salespeople and biomedical staff offer superior service and support. We have the knowledge and experience to help you make the best purchasing decisions for your veterinary facility.

Our 18,000-square foot warehouse in Louisville, Kentucky is stocked with new and refurbished equipment from trusted brands. For more than 20 years, DRE Veterinary has remained dedicated to providing high quality personal service with all the equipment for the way you operate.

Call us toll-free at **1-800-462-9605** to discuss the needs of your veterinary facility. Together we can determine the equipment solution that is right for you.



See our complete selection at  
**[www.dreveterinary.com](http://www.dreveterinary.com)**

Browse thousands of new and refurbished products

Quickly search by equipment type, keyword,  
brand and product ID number



Request a  
quote for the  
equipment you  
need. We can  
ship to nearly  
any destination  
in the world!



Pulmonetic LTV 1000

p. 9



DRE Vision Excel

p. 21

# *your budget*

***From medical gas systems  
to surgical lighting to  
custom tables and cabinets,  
we can outfit your entire  
veterinary facility!***



## ***See inside***

***for new and refurbished  
veterinary equipment***

Anesthesia .....	4
Ventilators .....	8
Electrosurgical .....	10
Telemetry System .....	12
Central Station Monitor .....	13
Patient Monitors .....	14
Defibrillators .....	17
Laparoscopy/Endoscopy .....	18
Surgery/Exam Lights .....	19
Microscopes .....	22
Centrifuges .....	23
Tables .....	24
Pumps .....	28
Warmers & Autoclaves .....	30
Dental Care .....	32
Supplies & Accessories .....	33
Surgical Instruments .....	36
Medical Furniture .....	37
Medical Gas .....	38



DRE ASG 120

p. 10



DRE Vetrec VST

p. 12



DRE Waveline Pro

p. 14



DRE Genesis

p. 25



Baxter Flo-Gard 6201

p. 28



Bair Hugger 505

p. 30



Web ID: 374

## « *DRE Premier*

### Flexible anesthesia system perfect for spaying, neutering, dental, emergency & pre-op procedures

- 0.1 to 0.4 lpm oxygen flowmeter with a rotary float and large scale
- All moving parts are replaceable, chrome-plated brass
- Absorber head components are solid nylon to conserve heat, and chrome-plated brass for replaceable durability
- Optional top shelf
- Two-year warranty

**Popular Options**  
for the Compact,  
Premier, Elite/Coaxial,  
and Optimax



Bain circuit adaptor  
(non-rebreathing)



E-tank holder  
(single and dual)



Scavenger interface  
(active and passive)



Circuit alarm



F-air canisters



Web ID: 371

## « *Elite/Coaxial*

### For small animals and rebreathing anesthesia

- Great for general surgery and often used for orthopedic procedures
- 0.1 to 0.4 lpm oxygen flowmeter
- Quick mount vaporizer manifold
- Quick close pop-off valve
- Five-year warranty



Web ID:  
9838

## « *Compact*

### Small footprint saves space

- 0.1 to 0.4 oxygen flowmeter with rotary float
- Rotary float and large scale for easy readability
- Recessed flush valve (prevents accidental activation)
- Quick-connect fresh gas outlet for easy and secure switching between breathing circuits
- 1,500 mL CO<sub>2</sub> absorber designed for easy and fast replenishing of soda lime
- New momentary closed feature incorporated into the pop-off valve

Available in an **MRI-COMPATIBLE** configuration

**5-year warranty**



Web ID:  
369



**5-year warranty**

## **Optimax »**

### **Sophisticated anesthesia workstation can adapt to the needs of your facility**

- 0.1 to 0.4 lpm oxygen flowmeter
- Coaxial or conventional CO<sub>2</sub> absorber
- Dual vaporizer manifold with interlocking capability
- Recessed flush valve to prevent accidental activation
- Rotary float and large scale for easy readability, locking fresh gas connector and quick close pop-off valve
- Optional N<sub>2</sub>O, medical air flow meters
- Quick-connect fresh gas outlet for easy and secure switching between breathing circuits
- Convenient instrument and upper monitor shelves
- Drawer assembly and e-tank holder included
- Optional: Ventilator bracket with shelf and mounted IV pole



Web ID: 372



## **« DRE Transport 2000**

### **Portable anesthesia system great for doctors on the go**

- Protective case with wheels and a handle
- O<sub>2</sub> flow meter, flush valve, vaporizer and O<sub>2</sub> hose

Web ID: 1032

## **DRE Compact Mini »**

- Used throughout many research and laboratory settings
- Small, easy-to-operate unit with an optional carrying case
- Easily adapted to induction chamber or anesthesia mask
- Includes O<sub>2</sub> flow meter, new or refurbished vaporizer and O<sub>2</sub> hose
- Available with rodent nose comb, induction chambers and rodent circuit

Web ID: 9280

### **Non-rebreathing systems designed for laboratories and research facilities that anesthetize small animals**

Web ID: 373



## **« DRE Compact 150**

- Includes O<sub>2</sub> flow meter, flush valve, new or refurbished vaporizer and O<sub>2</sub> hose
- Available with rodent nose comb, induction chambers, rodent circuit, as well as with a rolling stand
- Can be customized to fit the needs of your facility
- Available with a rolling stand and multiple flow meters



Web ID: 534

## DRE Titan »

### Anesthesia system for large animals

- Optional foal absorber
- Frequency control variable from 0 to 99 breaths per minute in one BPM increments
- 5 - 15 liters of tidal volume available
- Vapor exclusion system
- Ventilator is time-cycled, electronically-controlled and pneumatically-powered
- Inspiratory flow controlled through operator-adjustable regulator
- Touch-control tidal volume adjustment
- Optional scavenger interface
- New or professionally refurbished Dräger 19.1 or Penlon Sigma Delta vaporizer
- Optional accessories: 15/30 liter rebreathing bags and multiple sizes of endotracheal tubes
- Includes a three-year warranty



**“The DRE Titan is extremely effective, easy to use and maintain, and very dependable.”**

Patricia M. Hogan, VMD, ACVS

Director of Surgery of the Ruffian Equine Medical Center at Belmont Park

## Vaporizer Cleaning & Calibration Maintenance Services

Web ID: 1184

Rely on our skilled biomedical staff to clean and calibrate your vaporizers. We offer superior pricing and a quick turnaround.



**We also have a wide selection of new and professionally refurbished vaporizers**

Our inventory includes: Ohmeda Tec 3, Tec 4, Tec 5, Penlon Sigma Delta, Dräger 19.1, and Dräger Vapor 2000



Web ID: 628

## Dräger Narkomed 2B »

### Great for veterinary use

- 19.1 vaporizers available
- ORM standard; ORMC optional
- Ventilator: Pneumatic or electronic, ascending or descending bellows



Certified Refurbished

Web ID: 446

## « Datex-Ohmeda Excel 210 SE

### Powerful ventilation

- Accommodates three gases and two vaporizers
- Integrated oxygen, volume and airway pressure monitoring
- Optional 7000/7800 ventilators



Certified Refurbished

## Ohmeda Modulus II »

### Includes O<sub>2</sub>, N<sub>2</sub>O and air

- Features a 7810 ventilator that integrates O<sub>2</sub>, volume and pressure monitoring
- One-year warranty

Web ID: 794



## DRE Integra SP II »

### Anesthesia system with O<sub>2</sub>, N<sub>2</sub>O and air

- Compact design saves space in the O.R.
- Designed for low flow
- Three gas machine (O<sub>2</sub>, N<sub>2</sub>O and air)
- Mechanical anti-hypoxic device and air/N<sub>2</sub>O interlock
- Selectatec-compatible vaporizer mounting system
- Two-year defective parts warranty
- Ventilator options include: DRE Bonair, DRE AV800, Hallowell, Penlon AV-S (all digital) and Nuffield



Web ID: 1314

Available in an **MRI-COMPATIBLE** configuration

Shop for anesthesia  
Supplies & Accessories at

[www.dreveterinary.com](http://www.dreveterinary.com)

## Anesthesia Masks and Diaphragms

- Individual and complete sets: small, medium and large (feline and canine), and rodent



## Circuits and Bags

- Variety of styles and sizes
- ½ to 3-liter non-rebreathing and rebreathing circuits
- 15 and 30-liter large animal breathing bags



## CO<sub>2</sub> Absorbent

- Granular soda lime absorbent removes CO<sub>2</sub> from closed/semi-closed patient breathing circuits
- Sevoflurane-safe: no KOH/potassium hydroxide
- 2.5-lb. pre-packaged canisters, bags, and five-gallon buckets



## Induction Chambers

- Small: For laboratory animals (mice and rats)
- Large: For medium-sized animals (rats, small rabbits and small cats)

## O<sub>2</sub> Fuel Cells

- Dräger, Ohmeda, Siemens, DRE Datascope and Criticare





Web ID: 590

## « DRE Bonair

### Electronic, time-cycled anesthesia ventilator with integrated patient alarms for improved safety

- Optional small or large bellows assembly
- Adjustable inspiratory time, expiratory time and flow rate
- Patient safety features
- Can be placed on most flat surfaces or mounted on a dovetail bracket
- Adjustable low and high pressure alarms
- Standard with I:E ratio
- One-year warranty



The DRE Bonair and Hallowell ventilators are available with bellows for three animal sizes:

Small (0 - 300 mL) • Medium (300 - 1,600 mL) • Large (1,600 - 3,000 mL)

## Hallowell 2002IE »

### Veterinary ventilator that maintains constant volumes

- Time cycled: Consistently spaces breaths and keeps the I:E ratio constant at 1:2
- Constant volume: Delivers each breath at about the same volume, independent of changes in patient compliance and airway resistance
- Pressure limited: Increases patient safety by limiting the maximum working pressure that can be adjusted to a pressure range of 10 to 60 cmH<sub>2</sub>O
- One-year warranty



Web ID: 589

Models: 2000, 2000 with Adjustable I:E Ratio, 2002 and 2002 with Adjustable I:E Ratio



## Penlon Nuffield 200 »

### MRI-compatible anesthesia ventilator

- Simple controls: A wide range of settings enable a constant flow during the inspiratory phase and infinite variability of I:E settings
- Available with a circle system and/or Newton Valve for the ventilation of small patients
- Pneumatically-driven and time-cycled



Web ID: 48





Web ID: 261

## « **Pulmonetic LTV 1000**

### **For use with large, medium and small animals**

- About the size of a laptop computer (12.6 lbs./5.7 kg)
- Functions with high and low pressure/low flow oxygen sources
- One-button operation
- Optional humidifier
- Invasive and non-invasive modes of ventilation for patients as small as 11 lbs.
- Ventilator pre-sets allow for quick setup of new patients
- Optional support arm, cross bar, rolling stand, pediatric circuits, graphics display and humidifier
- No medical grade air needed
- Available new and refurbished

## **Also Available: Pulmonetic LTV 1200**

Includes built-in peep in addition to the features above

Web ID: 9822



Web ID: 9365

## **Respironics Esprit**

### **Great for veterinary emergency, critical care and research facilities**

- Combines a sophisticated design with easy-to-use features
- Offers a range of modes and breath types including volume control, pressure control and fully integrated noninvasive ventilation
- No need for wall air or compressor
- Flexible and easy to use

Web ID: 9458

## **Viasys Vela »**

### **For animals of a variety of sizes**

- Intuitive user interface
- Ease of use promotes effectiveness and patient safety
- 10.4-inch SVGA active matrix full color touchscreen gives consistent, rapid access to physiologic data and current ventilator status



Web ID: 335

## « **Siemens Servo 300A**

### **Wide range of ventilation modes**

- Versatile design perfect for small, medium and large animals
- Can automatically switch between controlled and supported ventilation
- O<sub>2</sub> air gas module filters
- Neonate mode



# Electrosurgical Units that fit your budget



## Accessories



Footswitch  
Mono & Bipolar



Pen



Forceps



Grounding  
Cord/Plate

## Get the cutting power that's right for you with the *DRE ASG Series*

- Split or solid return electrodes
- NEM™ (neutral electrode monitoring)
- Defibrillator-proof type CF equipment
- Color-coded controls
- Dual voltage 50/60 Hz
- Does not require calibration
- Optional carts available
- One-year warranty

Web ID:  
433



### *DRE ASG 120Vet*

#### All purpose veterinary ESU

Cut (120 watts), Blend (90 watts), Coag (80 watts),  
Fulg (40 watts), Bipolar (30 watts)

Web ID:  
258



### *DRE ASG 200Vet*

#### For multi-purpose use

Cut (200 watts), Blend (200 watts), Pinpoint  
(120 watts), Spray (80 watts), Bipolar (80 watts)

Also available: *DRE ASG 300Vet* with 300 watt output for cutting

Web ID: 790



Certified Refurbished

## « *Valleylab Force FX*

### Electrosurgical unit for bipolar and monopolar procedures

- Features handset and foot controls
- Can be used with the Valleylab Force GSU system and Electroshield Monitor
- Available in new and refurbished configurations, and with an optional cart.
- Maximum 300 watt output for cutting
- Optional accessories available

## **DRE EG 400aVet** »

Web ID: 9768

### **Multi-function electrosurgical unit**

- Seven levels of current are selected by pushing the mode-select switch
- Outputs are precisely adjusted by up/down control
- Cutting and coagulation controlled by foot or hand switch
- Three audible tones signal cutting and coagulation procedure
- Complete line of accessories available



## **DRE EG 200aVet** »

Web ID: 9767

### **Easy-to-use electrosurgical unit**

- Mono/bipolar cut and coagulation
- Vibrant, easy-to-view digital display
- Bipolar cut and coagulation
- Designed for safety and ease of use
- Patient return electrode monitoring system protects patients from potential burns due to inadequate contact to the dual return plate
- Complete line of accessories available



## **Bovie Aaron 940** »

Web ID: 9823

### **Easy to use digital desiccator**

- Provides 40 watts of power
- 3-button pencil works with or without the optional foot pedal
- Digital error detection
- Great for dermatology procedures
- Change the power setting using the power-control dial or autoclavable handpiece
- Optional accessories available



Web ID: 107



**Certified Refurbished**

## « **Valleylab Force 2**

### **Cutting and coagulation in bipolar and monopolar outputs**

- Features audible and visual alarms
- Standard with return electrode monitoring
- Provides a 300-watt output in the cut setting
- Monopolar foot switch is included and a bipolar foot switch is optional — as is a rolling cart
- Optional accessories available

# Monitor patients throughout



Web ID: 421

## DRE Vetrec VST

### Telemetry system lets you track vital signs for up to 16 animals

- DRE Veterinary's most advanced central monitoring system
- Fully-configured veterinary telemetry system designed for emergency and critical care/ICU settings
- Seamless integration with wireless ECG transmitters and DRE Waveline multi-parameter monitors
- Features flexible, intuitive software that is customizable for your facility
- Provides auto charting; full disclosure (96 hours); auto-generation of alarm events; manual recording (ECG analysis); trends, charts and strips for arrhythmia; ECG data detection; and color waveforms
- Automatically compiles and archives user-selectable discharge reports
- Using a networked system, you can email discharge reports in PDF format
- FDA-approved; operates within federal guidelines for wireless medical equipment



#### Portable wireless ECG transmitters

Monitor up to 16 patients at once  
using waterproof ECG transmitters and  
DRE Waveline patient monitors



# your facility from one location

Web ID: 1289

**Monitor  
from pre-op to  
post-op**



## *DRE Vetrec PDM*

### All-in-one wireless touchscreen central station monitor

- Patient data management system for the veterinary surgical environment
- Wirelessly monitor vital signs for up to six patients in your facility from a single location
- Features a large color touchscreen that is easy to use and provides immediate operation
- Operates on highly customizable, easy-to-use software designed for Windows XP
- Features auto-charting; full disclosure (96 hours); auto-generation of alarm events; manual recording — ECG analysis; trends, charts and strips for arrhythmia; detection of ECG data; and color waveforms
- Automatically compiles and archives user-selected discharge reports. Using a networked system, you can email discharge reports in PDF format

**Easy-to-use touchscreen interface allows you to review, edit and enter patient information while you observe all patients in the system**



Seamlessly integrates with up to six DRE Waveline patient monitors

# Multi-parameter Monitors that fit your budget



## « *DRE Waveline ProVet*

### Displays up to eight colorful waveforms

- 15" high resolution display
- Available with automatic agent ID
- Multi-lead simultaneous ECG monitoring
- Automatically set alarm limits
- Graphical and tabular trending
- Color-coded alarms
- Patient data entry
- Battery backup
- Integrates with the Vetrec VST telemetry system and the Vetrec PDM central station
- 18-month warranty

Web ID: 2012

Facility to measure ECG (3 or 5 leads) with ST segment monitoring, SpO<sub>2</sub> (Nellcor), NIBP (SunTech), resp., and dual temp.

Available with EtCO<sub>2</sub> (sidestream or mainstream), dual channel IBP and anesthetic agent monitoring (5 agents [Dräger], N<sub>2</sub>O, EtCO<sub>2</sub> [Orion])



Visit [www.dreveterinary.com](http://www.dreveterinary.com) for professionally refurbished monitors



Web ID: 9824

### *Datex-Ohmeda S/5* Patient Monitor

Anesthesia gas monitoring; displays up to eight waveforms



Web ID: 345

### *HP Merlin* Patient Monitor

Shows up to eight simultaneous waveforms



Web ID: 9370

### *Datascope Passport 2* Patient Monitor

Available with anesthesia gas monitoring

Each refurbished monitor shown here measures ECG, SpO<sub>2</sub>, Temp, CO<sub>2</sub> and N<sub>2</sub>O

Web ID: 9460

## **DRE Waveline TouchVet »**

### **Easy to use patient monitor with a 12.1" color touch-screen**

- Measures ECG, SpO<sub>2</sub>, NIBP (SunTech technology), resp., temp. and heart rate
- Available with EtCO<sub>2</sub> (sidestream or mainstream) and dual IBP
- Multi-lead ECG monitoring
- Optional built-in battery and printer
- NIBP list display
- 48 hours trend data analysis
- Touch-screen for immediate operation
- 18-month warranty



Web ID: 9765

## **« DRE Waveline EZVet**

### **Touch-screen portable patient monitor**

- Measures ECG, SpO<sub>2</sub>, NIBP (SunTech), respiration and temperature
- Available with a printer
- Simultaneous multi-lead ECG monitoring
- Advanced ST and arrhythmia detection
- Graphical and tabular trending
- 12-hour battery
- 18-month warranty



## **DRE Axis 4Vet »**

### **Now with SunTech NIBP technology**

- Measures ECG, SpO<sub>2</sub>, NIBP (SunTech technology) and temp.
- Hangs on a cage; also designed for desktop and handheld use
- Monitors small and large animals
- Two-year warranty

Web ID: 1307



**Up to 3 hours of battery operation**

# Patient Monitors that fit your budget

Shop for monitor  
Supplies and Accessories at

[www.dreveterinary.com](http://www.dreveterinary.com)

## ECG Supplies

- 3 or 5-lead ECG sets, esophageal probes, alligator clips, and electrodes



## SpO<sub>2</sub> Probes and Sensors

- Brands include Nellcor, BCI, Ohmeda and more

## NIBP Supplies

- Neonatal cuffs 1 - 5
- Small/large animal cuffs

## Temperature

- Esophageal/rectal temp.

## IBP

- Cables and transducers

## Batteries

- Replacement for monitors and defibrillators



## Printer Paper

- For monitors and defibrillators



## Novamatrix Tidal Wave

Web ID: 630

### Handheld capnograph with optional SpO<sub>2</sub>

- Mainstream and sidestream
- 30 minutes of graphic trend available
- Visual and audible "no respiration" alert
- Easy user CO<sub>2</sub> calibration
- Three-year warranty

Includes  
**Y-site**  
probe



#### Available models

615: Mainstream and sidestream capnography

710: Mainstream capnography/SpO<sub>2</sub>

715: Mainstream and sidestream capnography and SpO<sub>2</sub>

## Masimo Radical 7

Web ID: 9831

### Signal extraction pulse oximeter with Rainbow technology

- Masimo SET pulse oximetry, proven in more than 100 independent and objective studies to provide the most accurate and reliable SpO<sub>2</sub> readings during motion and low perfusion
- Upgradable Masimo Rainbow SET technology
- Color display
- Enhanced probe-off detection



## Novamatrix 512/513

Web ID: 360

### Lightweight, portable pulse oximeter

- Process pulsatile signals at much higher resolutions and speeds
- Versatile for all monitoring situations
- Optional infrared link allows communications to a PC or printer
- 513 features alarms



## BCI Capnocheck II

### Capnograph and pulse oximeter

- Measures EtCO<sub>2</sub>, inspired CO<sub>2</sub>, resp. rate, SpO<sub>2</sub> and heart rate
- Displays waveforms, trends, and numeric values
- Sidestream technology accommodates intubated and non-intubated patients



Web ID: 9832



Web ID: 9666



## « **DRE True ECG AdvanceVet**

### **Touchscreen 12-channel ECG**

- Lightweight, compact and portable
- 12.1" color touch-screen for immediate operation
- Alphanumeric keyboard and one-touch operation
- Automatic measurement and interpretation tested with an authoritative CSE database



Web ID: 9668

### **DRE True ECG-1Vet** **1-channel ECG**

Accurate ECG monitoring  
in a portable package



Web ID: 9667

### **DRE True ECG PlusVet** **6-channel ECG**

Available with PC data  
management software



Web ID: 9665

### **DRE True ECG 12TVet** **12-channel ECG**

Automatic measurement  
and interpretation test



## « **DRE FS-32PVet**

Web ID: 9827

### **Affordable digital ultrasonic diagnostic imaging system**

- Durable and cost-effective
- Advanced digital beam-forming technology
- Maximum of 128 frames of built-in storage
- Standard configuration of two transducer-connectors, giving you greater flexibility
- Includes standard convex array probe
- Optional rolling stand

## Professionally refurbished, veterinary-ready **Defibrillators**



Web ID:  
1483

### **Physio-Control Lifepak 12** **Defibrillator/Monitor**

Biphasic/monophasic;  
available with internal paddles



Web ID:  
87

### **Physio-Control Lifepak 9** **Defibrillator/Monitor**

Optional small animal paddles,  
pacing cable and pads



Web ID: 90

### **HP Codemaster XL+** **Defibrillator**

Lightweight with  
optional internal paddles



Certified Refurbished

## Laparoscopy Towers »

### Customizable, all-in-one units for visualizing and documenting laparoscopy procedures

Laparoscopy towers, available refurbished from DRE, provide capacity for laparoscopy, arthroscopy and other rigid endoscopy procedures. You can choose a flat screen or tube-based monitor. Popular configurations include a mobile cart (like the one shown at right) and a variety of components.



Web ID: 9833



### « Olympus CV-140 Video Processor

Compatible with standard and big chip endoscopes; allows the user to enhance, freeze, and adjust color settings to provide clear and accurate images from inside the body

Web ID: 9834

### Stryker Endoscopy X-6000 »

Outstanding illumination applications; connectable to most flexible/rigid endoscopes.



## Flexible & rigid scopes from Olympus, Stryker and Pentax

### Refurbished Olympus Gastroscopes, Colonoscopes & Bronchoscopes

#### CF-Q160L Video Colonoscope



- 12.8 mm insertion tube
- 3.7 mm biopsy channel
- 168 cm working length
- 140° viewing angle

Web ID: 9835

#### GIF-Q160 Adult Video Gastroscope



- Large, sharp images
- Reduced 9.5 mm outer diameter insertion tube with 2.8 mm channel

Web ID: 9836

**Available in  
ceiling, floor and wall  
configurations**

Web ID: 9766



Triple ceiling mount  
with a camera

## **DRE Maxx Luxx 3**

### **Highly efficient surgery lighting system**

- Extremely cool output — lowest possible heat
- Superb color temperature and extremely long bulb life
- Wide range mechanical dimming
- 100,000 lux output at 1 meter
- 4,300° Kelvin color temperature
- 6.5" – 9" adjustable pattern
- 50% – 100% mechanical dimming
- Over 10,000 hour bulb life for primary bulbs
- Three-year warranty



Portable stand



Single ceiling mount



Single wall mount



Dual ceiling mount



Triple ceiling mount



## **« DRE Maxx Luxx II**

Web ID: 422

### **Surgery lighting system provides cool, color-corrected light**

- Excellent shadow and focus control
- 9,500 foot candles per head at 1 meter
- Four settings of electronic dimming with outputs of 100%, 85%, 70% and 50%
- Wall, ceiling and portable configurations
- Three-year warranty



# Surgery Lights that fit your budget



Web ID: 9830

## DRE Vision LED

### Surgery lights featuring efficient, green technology

- Very low heat and high efficiency — half the electric consumption of standard halogen lights
- Long life LEDs
- 4300° Kelvin color temperature
- 64,500 lux (6,000 foot candles)
- 5-stage dimming and on/off switch controlled from the sterilizable handle
- Three-year warranty



Dual ceiling mount



Available in  
ceiling, floor and wall  
configurations



Single ceiling mount



Wall mount



Trolley chuttle track mount

Portable stand



Web ID: 9837

## Berchtold Chromophare D660/660

### Surgical lighting system

- Large polygon reflector with more than 700 high-reflecting facets
- Light intensity of 160klx spread over a small light field of 17 cm
- Easy moving arms rotate through 360°

 Certified Refurbished



Web ID: 124

## Amsco Polaris

### Lights available in single and dual mounts

- Cool, shadow-reduced light
- Prevents direct glare and disposes of 98% of its generated heat
- 9,000 foot candles






Web ID: 428



## **DRE Vision Excel**

### **Surgery lights provide improved shadow control**

- 16" (406 mm) diameter elliptical reflectors
- Large, pre-focused patterns with homogenous light distribution
- Foot candles at 6,000 output at one-meter distance
- Color-correcting glass cylinder
- Smooth articulating head and arm assembly
- 36" (914 mm) focus distance



Vision Excel (Dual)



Vortex/Vision Excel



Vista/Vision Excel



Web ID: 429

## « **DRE Vista Exam Light**

- Large flood pattern
- Highly efficient single deflector design that provides a shadow-free environment
- 4,000 foot candles

## **DRE Vortex » Surgery Spotlight**

- High intensity, focused light pattern
- Adjusts from 3" to 16"
- Homogenous light with 2,000 foot candles at 36" (914 mm) distance



Web ID: 427



## **Amsco Quantum SQ-240**

Web ID: 9812

### **Flexible, easy-to-position surgery light**

- Designed for a wide range of procedures
- Superb optical performance
- Light fixture moves freely and smoothly
- 12,000 foot candles

## **DRE Xavier 3**

Web ID: 9364

### **Cable-free headlight**

- Homogeneous and focusable illumination convenient for examinations and operations
- 80,000 lux at 15 cm working distance
- Fully adjustable declination
- Maximum mobility
- Detachable battery pack





Web ID: 938

## « *DRE Om2100Vet*

### Automatic ophthalmic microscope perfect for cataract surgeries and post-op exams

- Motorized focus and zoom with foot pedal
- 65 mm interchangeable objective lens
- New fiber-optic cable illumination
- Zeiss-compatible upgradable components:
  - Inclined binoculars with eyepieces
  - Mark II light source and light tray
  - Motorized XY
  - Beam splitter
  - Assistant viewing binoculars

## *DRE Em1000Vet* »

### ENT microscope with three-step manual magnification

- 48 mm interchangeable objective lens
- New fiber-optic illumination
- Zeiss-compatible upgradable components
- 150-watt halogen light source



Web ID: 937

Choose a mobile four-wheel base (left)  
or a European-style tri-base (right)

## Professionally refurbished surgical microscopes provide sharp optical views and terrific depths of focus

## « *Zeiss Opmi 6*

- Inclined f=125 mm binoculars with 12.5x HEP eyepieces
- High resolution, internal, motorized focus and zoom
- Bright red reflex and 1:4 magnification ratio



Certified Refurbished

## *Zeiss Opmi 1* »

- Five-step magnification with fine focus and head rotation adjustment
- Inclined coupling for easy maneuvering
- Straight binocular f=170 mm
- 10x 22B widefield eyepieces
- Interchangeable objective lens
- Assistant scope and video available

Web ID: 645

Web ID: 646



## Laboratory microscopes for animal research facilities, educational institutions, veterinary clinics and in-house labs

### **Accu-Scope 3015 »**

#### **Binocular (compound) microscope**

- HWF 10x eyepieces, 20 mm field of view
- Precise Siedentopf binocular or trinocular viewing head
- Inclined 30° and rotatable 360° for maximum flexibility
- 4x, 10x, 40xR and 100xR oil objectives

Web ID: 577



Web ID: 329

### **« Accu-Scope 3000**

#### **Binocular (compound) microscope**

- Capable of magnifying images up to 1,000 times
- Uses standard flat microscope slides
- 4x, 10x, 40xR and 100xR oil objectives

Web ID: 1031



### **Accu-Scope 3002 »**

#### **Binocular microscope with a 360° head**

- Sharp, high contrast images and a rigid, cast alloy aluminum frame
- WF10x/18.5mm field of view; a pointer is standard in one eyepiece
- DIN 4x, 10x, SP40xR and 100xR oil objectives

## Also available for education and laboratories: **Centrifuges**

### **« Microhematocrit Centrifuge**

- 0 - 13,000 rpm, safety latch and an inner switch shut-off

Web ID: 118



Web ID: 119

### **Standard Centrifuge »**

- 0 - 4,500 rpm and eight 15 mL tube rotor placement



### **« Universal Centrifuge**

- 0 - 13,000 rpm and eight interchangeable rotors available

Web ID: 120



Web ID: 9445



### **Hamilton Bell VanGuard**

- V6000 and V6500 models incorporate the most advanced design in their class

# Surgery Tables that fit your budget

## OP System

Web ID: 641

### High-end specialty procedure table designed for ophthalmology and advanced orthopedic surgery

- Features remote controlled height adjustment from 33.5" to 45"
- 264-lb. load capacity
- Power Trendelenburg and Reverse Trendelenburg to 15°
- Power lateral tilt to a unique 43°
- Exclusive X-ray translucent sliding top and optional arm rests are beneficial for ophthalmology, neurosurgery, and laparoscopy-related procedures



Flexible  
Positioning

#### Popular Options



Limb Holder




Traction Device



Tension Clamp



Lateral Positioner



Extension/Insert



Arm Rests

## Aeron

### Premium table designed for C-arm use and advanced surgical procedures

Web ID: 330

- Fully electric controls allow for height adjustment from 31" to 43"
- Trendelenburg and Reverse Trendelenburg to 15° and laterally to 20°
- X-ray translucent top measures 55" x 19.7"
- Angled table plane allows the Aeron to support animals up to 250 lbs. and provides improved drainage during surgery
- C-arm compatible





## *DRE Genesis*

### Fully-featured, stainless steel surgery table



- Easy to clean with removable fluid tray and V-top panels
- Each table-top panel adjusts individually for positioning
- Adjustment, lock and release knobs at each end
- Marine-type cleat tie downs (six included)
- Wrap-around rail system for easy positioning
- Weight capacity: 175 lbs.
- V-top tables feature a tilt-top adjustable handle
- Non-rotational battery operated base and column

**Heated V-Top  
and Flat Top  
Available**

Web ID: 9285

#### Choose the configuration that is right for you



Web ID:  
9286

#### **V-Top w/ Battery Operation**

V-Top: 19" wide x 58" long  
Height Adjustment: 28" x 39"



Web ID:  
9287

#### **V-Top Fixed Pedestal Base**

V-Top: 19" wide x 58" long  
Fixed Height: 36" from the floor



Web ID:  
9288

#### **Flat-Top Fixed Pedestal Base**

Flat-Top: 22" wide x 60" long  
Fixed Height: 36" from the floor

## *Trend*

### State-of-the-art surgery table great for dental and general surgery procedures

- Stainless steel top (51" x 23") with drain
- Animal-specific surgery table with a one way longitudinal tilt that adjusts to an almost vertical position
- Electronic height adjustment (28" - 40")
- Choice of base colors
- 264-lb. load capacity
- Electric motors in place of traditional hydraulic mechanisms
- Lower in maintenance over the life of the table
- Optional rail system for accessories



Web ID: 332



Web ID: 423

« **EPT**

## Exam/procedure table available with electric and battery power

- Height adjustable by foot control
- High grade chassis for maximum stability
- Scratch-proof/cold temperature-resistant top
- 250 lb. load capacity
- Optional castors and synthetic or stainless steel top

**CCLT** »

## Critical care lift table with height adjustment from 12" to 39"

- Battery operated
- 250-lb. load capacity
- Tilting tray for monitor and integrated IV pole
- Scratch proof/cold temperature resistant top
- Multiple accessories available



Web ID: 424

« **DRE VSE 2300**

## Multipurpose transporter with a battery pack

- Great for emergency surgery, treatment procedures
- Lifts up to 450 lbs.
- Raises to 39" and lowers to 19"
- Warranties: Table (5 years); motor/actuator (2 years)



Web ID: 1425

« **DRE VSE 2000**

## Economically-priced surgery table

- Tilt mechanism and drain hole
- Hydraulic lift mechanism
- Lowers to 29" and raises to 37"; base revolves 360°
- Weight capacity: 70 lbs.
- Available with and without tilt
- Warranties: Table (5 years); hydraulic pump (2 years)



Web ID: 1480

Visit  
**[dreveterinary.com](http://dreveterinary.com)**  
for more  
veterinary tables



**DRE VSE 1200**

Web ID: 1397



**DRE VSE 1600**

Web ID: 1368



**DRE VSE 2050**

Web ID: 1448

**DRE Reserve 150**

**Wet table constructed entirely of stainless steel**

Web ID: 9289



- 6" deep, 60" long and 36" high
- Available with stainless steel prep-rack cover, faucet, code-approved vacuum breaker and code-approved hair traps

**Tubs and Scrub Sinks**



Web ID: 9296

**DRE Aqua Quest**

Web ID: 808



**Scrub Sinks  
Dual and Single Options**

**DRE WVT 3000 »**

**All purpose wet table with large knee**

- Heavy duty 6" deep, 16 gauge stainless steel liner
- Three large extension drawers, and storage cabinet
- Prep rack
- Available options: Faucet, sprayer, hose, drain assembly, hair trap, stainless steel cover, and push thru flap in cabinet
- 5-year manufacturer's warranty

Web ID: 1488



Web ID: 1424

**« DRE VSE 2350**

**Electric exam table lifts up to 300 lbs.**

- Lowers to a minimum of 12" and raises to a maximum height of 37"
- 22" x 44" raised edge stainless steel top
- Frame is of 7-gauge steel and is double powder coated
- Furnished with duplex electric outlet, floor levelers and tie downs
- Warranties: Table (5 years); motor and actuator (2 years)



**DRE VSE 2150**  
Web ID: 1440



**DRE VSE 2200-42DE**  
Web ID: 1439



**DRE WVT 3200**  
Web ID: 1530



**DRE WVT 3250-60**  
Web ID: 1557

# Infusion & Syringe Pumps that fit your budget

## Baxter Flo-Gard 6201 »

### Easy-to-use standard set infusion pump

- Can deliver 1 to 99 mL/hr. in increments of 0.1 mL/hr.
- Flow check occlusion alarm provides in-line resistance display of incremental back pressure
- Automatically restarts once occlusion clears
- One-year warranty and a new battery

Web ID: 571



Certified Refurbished



## « Baxter Flo-Gard 6301

### Dual channel volumetric infusion pump

- Incremental flow rate can deliver 1 to 99 mL/hr. in increments of 0.1 mL/hr.
- One-year warranty and a new battery

Web ID: 570



Web ID: 9810

## « DRE SereneVet

### Micro-infusion syringe pump

- Built-in battery for mobile use
- Loads syringe sizes of 10, 20, 30, 50, 60 and 100 mL
- Computerized alarming systems
- Accurate long-time micro-infusion



## « Baxter AS40A and AS50

### Flexible drug libraries

- Bacteria filter prevents contamination damage
- Vibration-free, easy-to-read regulatory gauges

Web IDs: 573 (AS40A) and 809 (AS50)



Certified Refurbished

## Medfusion 2010i »

### Drug library included

- Provides flow rates up to 378 mL/hr.
- Automatically senses syringes

Web ID: 9368







Web ID: 1311

### « **DRE Avanti M3Vet**

## **Volumetric infusion pump for continuous flow rates**

- Wide range of delivery rate settings
- Drop sensor and tubing clamp mechanism
- For the infusion of anesthetic or nutrients
- Volume memorization function
- Selectable one shot purge
- Easy replacement of battery
- Free drop protection finger
- User selectable setup (IV set, sound, occlusion)
- Mounts on the outside of your animal cages and attaches to IV poles
- Configurable for almost any standard IV set

**Lightweight  
and  
Portable**



Web ID: 1513

### « **Gomco OptiVac G180**

## **AC/DC portable suction unit**

- Compact and easy to use
- Powerful suction for faster aspiration
- Provides up to three hours of battery life

### **Schuco-Vac 130 »**

Web ID: 576

## **Aspirator with a vibration-free regulator gauge**

- Wire basket accommodates a variety of canisters
- Quick-connect tubing for all connections



Web ID: 9828

### « **DRE DM-660Vet**

## **High powered, high performance aspirator**

- 1/5 horsepower pump
- Delivers 0 - 26 inHg (0 - 660 mmHg) — among the highest in the industry
- Dual protection system with a float shut-off in the canister lid

## Patient Warmers that fit your budget



Web ID:  
1216

### « Warm Touch 5300A

#### Convective air warming system that improves recovery time and helps minimize post-surgical complications

- Includes a quiet, efficient warming unit that features a "boost" setting for animals needing fast, short-term warming
- Automatic shutdown at 50° C to assure patient safety
- Highest air flow rate of any convective air warming system (55 CFM)
- Fast warm-up (38° C in 30 sec)
- Safety feature: Audible alarm sounds and heat shuts off if temperature exceeds 45° C
- Multiple mounting options: Pole or optional cart; can also be placed directly on the floor
- Includes a one-year manufacturer's warranty

### Bair Hugger 505 »

#### Patient warmer provides safe, quiet and effective warming to patients before, during and after surgery

- Small footprint frees space and allows for easy storage
- Lightweight for easy transport and set-up
- Easily attaches to an IV pole or optional rolling cart
- Built-in hour meter helps you monitor usage for preventative maintenance

Also available: Bair Hugger 500



Certified Refurbished



Web ID:  
1200

## Incubators for critical care of patients



Web ID: 341



Certified Refurbished

### « Air-Shields C-100

#### Incubator effectively insulates the patient from airborne contaminants

- Great for puppies, kittens, birds and primates
- Forced air circulation system permits stable temperature control, uniform heat distribution, humidification, protection from airborne contaminants, and control of oxygen concentrations
- Includes digital temperature display and relative indication of heat output
- One-year warranty

Also available: Air-Shields C-200

## **T/Pump** »

### **Temperature Therapy Pump and Mul • T • Pad System**

Web ID: 9548

- Solid state water circulating pump warms to an adjustable set temperature and circulates water through a therapeutic pad
- LED display panel and selectable temperature settings
- Safe, three-layer safety system — dual temperature sensors, dual microprocessors and back-up mechanical thermostat to ensure safe operation
- Audible and visual alarm and on/standby indicator
- Translucent reservoir with a large capacity
- Stable non-marking rubber feet provide shock absorption
- Extra-wide leakproof cap and secure hose attachments



## **DRE Comfort Series**

### **Blanket and fluid warmers provide safe, quiet and effective warming**

- Digital controls and display
- Stainless steel or full view glass door
- Adjustable shelving
- Rapid warming time
- Uniform heating
- Push button control accuracy  $\pm 1^{\circ}\text{F}$
- Two-year warranty

**Nine different styles and sizes are available**



## **Tuttnauer Autoclaves** **Automatic and manual**

- Variety of chamber sizes
- EZ9, EZ10, EZ10K, 2340M, 2540M, 2540MK, 3870M, 3870EA



## **SciCan Statim 2000 & 5000** **Automatic autoclave**

- Fast, compact, reliable
- Gentle on instruments



## **Ritter M9 and M11** **Auto or manual sterilizers**

- M9: 11" x 18" chamber
- M11: 9" x 15" chamber

Web ID: 1512

## « DRE Teres V-400

### High speed veterinary dental unit

- All-in-one unit lets you easily switch from polishing to scaling to cutting
- Optional fiber optics system with high-speed handpiece
- Built-in 25K ultrasonic scaler maintains optimum frequency
- Surgical stainless steel, heat-treated tips glide smoothly across tooth surfaces
- Auto-tune circuitry
- Air water syringe
- Includes oil-less compressor
- Tips gently cool and lubricate teeth, and wash away dislodged debris
- High speed handpiece is air and water-driven, and can be used for cutting and extracting teeth

**Made in  
the USA**

## Son-Mate II »

Web ID: 9674

### Combination scaler/polisher

- Includes a scaler handpiece with an inserted stack (transducer), assorted tips and a tip wrench
- Water line with quick disconnect attached
- From 200 RPM high torque micro-motor
- Foot control for scaling and polishing modes



## Sonus II »

Web ID: 9809

### Ultrasonic dental scaler unit

- Potent, powerful tool against periodontal disease
- Alternate from scaling to polishing at the touch of a switch
- Water line with filter and quick disconnect
- Perform curettage, deep scaling of heavy calculus and stain removal
- Foot control, four assorted tips and tip wrench





## Order supplies and accessories any time at **www.dreveterinary.com**

### **Vet Syringes and Needles**

- Available in combination packs, needle-only packs and syringe-only packs
- Non-toxic and non-pyrogenic
- Siliconized needle with smooth insertion
- High clarity barrel
- Multiple styles and gauges available



### **Disposable Surgical & Exam Gloves**

- Multiple sizes available:
  - Aurelia Robust Nitrile Powder-Free and Vibrant Latex Powder-Free Examination Gloves
  - Vinyl Gloves: Synthetic vinyl exam gloves
- Shoulder-length gloves are also available



### **Scales**

- Variety of veterinary scales for rodents; small, medium & large animals; equine; and marine



### **Clinical Thermometers**

- Digital thermometer: Provides accurate temperatures in about 60 seconds
- Rectal thermometer: 4.5"; 12/box



### **Nylon Muzzles**

High quality water resistant nylon muzzles available in a variety of sizes and with a quick release snap.

ID	Size	Breeds
MUO	4"	Tiny Dogs, Cavaliers, Yorkies, Mini Poodles
MU1	4.75"	Jack Russels, Pugs, Dachshunds, Westies
MU2	5.5"	Beagles, Border Collies, Cocker Spaniels, Standard Poodles
MU3	7.25"	Bull Terriers, Dobermans, German Shepherds, Labradors
MU4	9.5"	Large Dogs, Bloodhounds, Danes, St. Bernards
MU4XL	11.5"	Bull Mastiffs, Large Boxers, Rottweilers
MU5	8.5"	Bull Mastiffs, Large Boxers, Rottweilers
MU5XL	10.5"	For extra large dogs that are not listed in size 5
MZSET	Set of 8	



Order supplies and accessories any time at  
**[www.dreveterinary.com](http://www.dreveterinary.com)**

**Veterinary and Equine  
Bandage Wraps**

- Cotear: Self-adhesive bandage wrap that protects wounds
- Cohere: Cohesive bandage for protection and support



**Stethoscopes**

- Choose from multiple styles and colors
- Available in single and dual head, and the popular Sprague-Rappaport



**Vet IV Catheter**

- Advanced tip design
- Smooth insertions

**RX Containers**

- Twist off child resistant caps
- Transparent amber ovals with child resistant caps
- Lightweight, graduated in ounces and milliliters



**Elastikon Tape**

- Helps maintain constant controlled pressure
- Unsurpassed strength

**Zonas Porous Tape**

- Strong yet easy to tear cloth tape
- Multiple widths available



**Sterile/Non-sterile  
Stretch Gauze Rolls**

- Lint-free cotton w/ no raw edges or loose threads
- High absorbency helps maintain a drier wound site



**Ear-Ulcer Syringe**

- Soft pliable material makes these syringes safe and easy to use for irrigating or suctioning

**Sundry Jars**



**Brown Gauze Rolls**

- Heavy type brown gauze rolls
- 5 yards in length



**Gauze Sponges**

- Helps maintain constant controlled pressure
- Unsurpassed strength



**Non-sterile cotton balls**



**Tongue Depressors**



**Cotton-Tipped  
Applicators**

- Single-end, non-sterile



## Economy Collar

- Elizabethan-type economy budget collars
- Sizes for dogs, cats, and other small animals



## Replacement Batteries

- For a variety of monitors, defibrillators and more



## Alcohol Prep Pads

- Before injections, alcohol prep pads are used as a topical antiseptic, anti-infective
- Soft, absorbent, non-woven pads are saturated with 70% isopropyl alcohol, USP



## Surgical Blades

- Stainless steel surgical blade
- Carbon steel surgical blade
- Chisel blades
- Mini blade
- Mini and chisel blade handles



## Surgical Masks

- Reduce exposure to blood and other bodily fluids
- A necessary respiratory and contact precaution
- Cone, earloop and tie on



## DRE Cast Cutter

- Quick, exact cut, even in thick plaster
- Lightweight
- 1-year manufacturer's warranty



## Liquid Tissue Adhesive

- LiquiVet monomeric formulation that forms a thin, waterproof adhesion



## Cuffed Endotracheal Tubes

- 3.0 mm - 11.0 mm sizes available



## Sutures

- Monofilament absorbable suture, braided absorbable suture, monofyl and nylon suture, chromic and plain gut suture, popylene and silk suture



## Orthopedic Stockinette

- Heavyweight, premium grade
- Tubular stockinette for use under and over casts
- Available in multiple widths



## Lap Sponge Sterile

- Highly absorbent and x-ray detectable



## Cloth Instrument Wrap

- High quality, two-ply and safety-surged



## Skin Staplers

- Perfect for wound closure



## Providone Iodine Solution and Scrub

- 16 oz and 1 gallon sizes available



## Surgical Drape — Disposable

- Autoclavable
- Optional drape dispenser



## Surgical Towels

- Reusable and autoclavable
- 16" x 26"
- 100% cotton



Order veterinary surgical instruments any time at  
**[www.dreveterinary.com](http://www.dreveterinary.com)**

## **Surgical Instruments**

- German bandage and operating room scissors
- German towel clamp, extracting and magill forceps
- German needle holders, scalpel blades, retractors, nail nippers, cutters, chisels, OB instruments, rongeurs and more



## **Surgical instruments sets**

### **German Knee Pack**

- 1 Hohmann Retractor
- 2 Mini-Hohmann Retractors
- 1 Gelpi Retractor 3 1/2"
- 1 Gelpi Retractor 5 1/2"
- 1 Senn Retractor, Sharp
- 1 Senn Retractor, Blunt
- 1 Rochester-Oschner Forceps

### **German Eye Pack**

- Derf Needle Holder
- Stevens Tenotomy Scissors
- Barraquer Eye Retractor
- Bishop-Harmon Forceps
- Sterilization Tray

### **Canine and Feline Spay Packs**

- 1 Mayo Scissors 6 3/4" straight
- 1 #3 Scalpel/Blade Handle
- 1 Snook Hook 8"
- 2 Kelly Hemostat Forceps 5 1/2" curved
- 1 Metzenbaum Scissor, 5 1/2" curved
- 1 Tissue Forceps, 5 1/2, 1 x 2 teeth
- 4 Backhaus Towel Forceps 3 1/2"
- 1 Olsen-Hegar Needle Holder 6 1/2"
- 1 Adson-Brown Forceps 4 3/4" 7x7
- 1 Allis Forceps 6" 4x5
- 2 Halstead Mosquito Forceps, 5" curved
- 2 Rochester-Carmalt Forceps, 6.25" curved

### **German Orthopedic Pack**

- 1 Mead Mallet
- 1 Lambotte Osteotome, 5" x 10mm
- 1 Gigli Saw Handle (2 per set)
- 1 Gigli Wire Saw, 12"
- 1 Gigli Wire Saw, 20"
- 1 Olsen-Hegar Needle Holder 5 1/2"
- 1 Senn Retractor, Sharp
- 1 Senn Retractor, Blunt
- 1 Weitlaner Retractor
- 1 Baby Kern Bone Folding Forceps
- 1 Kern Bone Holding Forceps
- 1 Roger Wire Cutting Scissors
- 1 Wire Twister/Shear Cutter
- 1 IM Pin Bag

### **General Surgery Pack**

- 1 Mayo Scissors 6 3/4" straight
- 1 Metzenbaum Scissor 7" curved
- 1 #3 Scalpel/Blade Handle
- 3 Halstead Mosquito Forceps 5" curved
- 2 Kelly Hemostat Forceps 5 1/2" curved
- 4 Rochester-Carmalt Forceps 6 1/4" crv.
- 4 Backhaus Towel Forceps 3 1/2"
- 1 Olsen-Hegar Needle Holder 6 1/2"
- 1 Adson-Brown Forceps 4 3/4" 7x7
- 1 Snook Hook

### **German Osteotome Pack**

- 1 Mead Mallet
- 5 Lambotte Osteotomes: 5" x 4 mm, 5" x 10 mm, 5" x 15 mm, 7" x 4 mm, 7" x 10 mm



**We can outfit your entire veterinary facility!**



## **Double Door Double Lock Narcotic Cabinet**

- 12" (w) x 8" (d) x 15" (h)
- Heavy duty 20-gauge steel
- High security cam lock

## **Double Door Double Lock Narcotic Cabinet**

- Two adjustable shelves
- Full length piano hinges
- Securely lockable
- 18" (w) x 8" (d) x 30" (h)



## **Clinton Base Cabinet with 6 Doors and 3 Drawers**



- Pre-assembled units
- Tough, chip-resistant PVC edges
- Assembled with steel fasteners

## **Clinton Mobile Treatment Cabinet with 2 Doors and 2 Drawers**

- Pre-assembled modules
- All assembly holes pre-drilled and pre-threaded
- Easy to clean



## **Mobile Instrument Table**

- Sized to fit easily over all standard small animal surgery tables
- The mobile instrument table measures a full 33" between legs
- Work surface measures 23" (d) x 40" (w)



## **Clinton Ergonomic Designed Task Chair**

- Contemporary styling
- Cast aluminum base
- Poly foam padding
- Comfortable contour seat

## **IV Poles and Stands**

- Adjustable height in stainless steel or chrome-plated steel
- Many available



## **Mayo Stands**

- Heavy, rectangular base
- Two ball-bearing rubber casters
- Adjustable height



## **Clinton Chrome Base Stool**

- Chrome frame
- 1" diameter, all-welded frame
- "Soft Feel" poly foam padding



## DRE Medical Gas Piping Equipment

### Easy to use and service, which saves valuable time and money for your veterinary facility



#### Professional grade systems that are ready to install

- DRE Medical Gas Systems feature recessed, color-coded outlets that represent the most technically advanced means of providing medical gas connections to the central piping systems. The outlets — wall or ceiling-mounted — incorporate unique patented front loading features, and are easy to use and repair.
- UL listed
- Conforms to NFPA 99 and CGA standards
- Easy maintenance without removing the faceplate
- Compensates for variation in wall thicknesses up to 7/8"
- Gas-specific outlet body with a modular design
- All outlets are 100% tested for flow and leaks

#### Superior outlets

- The seal between the front assembly and back body is a double O-ring that doesn't deform and leak when weight is added to the outlet front. These O-rings may be serviced without removing the secondary check or shutting off the supply of gas.
- Outlet is capable of supporting 10 lbs. at 2" without leaking
- Outlets incorporate protective vinyl labels that are durable and scratch resistant



#### Auto Switch Manifold

Web ID: 9814

### Ideal for veterinary applications that require automatic switching of cylinders or banks of cylinders

TAV-3 alarm package (optional) includes: Audio/visual alarm, limit switch, 120 volt power supply (plug in), mounting bracket and 20' wire cable



## Suction & Waste Gas Management


- AED gas evacuation system
- Anesthesia detection bridge
- Vacuum pumps and scavenging systems



Web ID: 327

## Gas delivery management

- Headwalls, consoles and rail systems
- Gas outlets, manifolds and air compressors, alarm systems and pressure switches
- Zone valve boxes and ball valves
- Emergency oxygen inlet box
- Nitrogen control panel and conversion kits
- Conversion outlet kits
- Check valves and relief valves
- Fittings and hose assemblies
- Flowmeters and accessories
- Suction regulators and accessories
- O<sub>2</sub> generators



## Medical Gas Fittings With Hoses Cut to Length



Ohmeda/Ohio/Diamond



Diss



Chemetron



Puritan Bennett

### DRE Return Policy

A Customer Service Representative must authorize all returns and issue an RMA (Return Merchandise Authorization) number. Please be prepared to provide the following information:

1. Reason for return
2. Product model number and quantity
3. Customer name and copy of sales order or invoice

### Eligibility

- Requests for returns due to customer error will only be accepted 30 days after original shipment date.
- A restocking fee of 40% or more will be charged. Merchandise must be properly packaged in the original shipping carton, if possible, to avoid freight damage.
- Credit will not be given for items damaged due to improper packaging or freight damage.
- Customers must obtain an RMA number from a DRE representative and display this number on the outside of the package. DRE reserves the right to determine in its sole discretion whether an item will be accepted as a warranty return, for quality issues, or as damaged goods.

### Charges and Handling of Credits

- All returns are subject to inspection to determine condition of merchandise prior to issuance of credit.
- All returns, regardless of whether the returns are determined to be legitimate, will be subject to a minimum handling/restocking fee of 40% or more of the sale price of the item. Special order items, such as upholstered chairs, are subject to higher restocking fees at the discretion of the manufacturer.
- An additional fee of 20% of the original sale price will be charged for returned items that contains customer markings, stickers, or require repackaging to be returned to saleable condition.
- Deposits are non-refundable.
- Freight/shipping charges associated with the returned merchandise from the original order will not be credited.
- Freight for returned merchandise must be shipped pre-paid freight (collect shipments will be refused).

### General Disclaimer:

General disclaimer in regard to battery life subject to storage conditions and temperature. Measurements & specifications provided by each manufacturer may change upon their discretion without notice. As with any piece of medical equipment, please refer to the user manual, or other manufacturer instructions, for maintenance, service requirements and details of usage. All items are subject to availability and prior sale.

### Refurbished Items:

Products sold used, as-is, or refurbished have no warranty unless specified, in writing, by an authorized representative of the company. Products covered by a warranty will be repaired or replaced at the discretion of the company. Purchasers should follow the Return Policy protocol above. DRE will correct any warranted defects, and will pay the cost of shipping the repaired unit back to you. Equipment that has been damaged is excluded from this warranty and will be repaired for a fee. Please contact your freight company to submit any claims for shipping damage. Please do not have your equipment repaired by a third party without prior written authorization. Doing so may void your original warranty.

All copyrights, trademarks, and brand names are the property of the company or entity to which they are listed.

## DRE O2 Genie-20

Web ID: 9785

- Oxygen generator uses Pressure Swing Adsorption (PSA) technology to deliver a constant flow of up to 20 SCFH (10 LPM) of medical grade oxygen at a pressure of up to 90 psi
- Eliminates the costs of transportation, storage and cylinder rental



## OG-20

Web ID: 9813

- Oxygen generating system
- Takes oxygen from the atmosphere and brings it to any application with up to 95% concentration
- Economical system cuts out the cost of transportation, storage and oxygen cylinder/liquid rentals





Anesthesia



Patient Monitors



Electrosurgical



Pumps



Surgery Lights



Tables



Ventilators

*Operating within your budget for more than 20 years!*

## 2010 - 2011 Catalog

## *New and Professionally Refurbished Veterinary Equipment*

Find the equipment you need at

**[www.dreveterinary.com](http://www.dreveterinary.com)**

- Browse hundreds of new and professionally refurbished medical products
- Search by equipment type, keyword, brand and product ID number
- Buy supplies and accessories at the click of a mouse



For pricing and product information, call us toll-free at **1-800-462-9605**



**DRE**  
**VETERINARY**

1800 Williamson Court  
Louisville, KY 40223

PRSRT STD US POSTAGE <b>PAID</b> LOUISVILLE, KY PERMIT #1810
--