2013 CX-9 Engine & Mechanical

🕅 mazda

Standard Package Option Port Installed Option Accessory Not Available



76.2

CX-9 AT A GLANCE







ENGINE AND TRANSMISSION

273-hp, 3.7L DOHC 24-valve V6 with 6-speed Sport automatic transmission

DRIVETRAIN CHOICES

Front-wheel drive (FWD) or available Active Torque Split All-Wheel Drive (AWD)

AVAILABLE FEATURES

7-passenger, 3-row seating. A new 5.8" color touchscreen display puts control of the audio system at your fingertips, along with the available navigation system, Bose® audio system, Pandora internet radio connectivity and other vehicle system settings. Heated front seats, Mazda Advanced Keyless Entry & Start System and a Blind Spot Monitoring System**** are also available.



SAFETY FEATURES

Standard advanced front air bags, front side-impact air bags, side-impact air curtains‡, Dynamic Stability Control (DSC)** and Roll Stability Control (RSC) form the safety foundation. Available rear backup sensors and rearview camera add to that.

EngineEngineEngineKirspoverKirspoverRollineRoll	2013 CX-9	Sport	Touring	Grand Touring
Mergepower 273-bp @ 6250 rpm Torque 273-bp @ 6250 rpm Redine 270 lb-1 @ 4250 rpm Redine 6600 Displacement (cc) 3726 Bore x stroke (mm) 0.95 S.5 X8.7 Compression ratio 0.95 S.5 X8.7 Compression ratio 0.95 S.5 X8.7 Compression ratio 0.95 S.5 X8.7 Valentaria Chain-driven dual overhold multipot fuel injection Recommende fuel Quintary and	Engine			
Torque2010-16.4 g.426 rpmRedine2010-16.4 g.426 rpmRedine6600Displacement (co)3726Bore x stroke (mm)955 x 86.7Compression railo6001.03.1Fuel systemElectronically controlled multiport fuel injectionRecommended fuelOther-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Ignition systemDirect coli-on-pign electronic ignition with platinum-tipped spark plugsEngine blockAluninum alloyCylinder headAluninum alloyCylinder headTher 2 BIN 5.B / ULEVFuel Scomp17/24Harbend drive (city/my)††60-6320Hurbend drive (city/my)††Front-wheel drive (rWD) or Active Torque Split All-Wheel Drive (AWD)Alumelad trive (city/my)††Front-wheel drive (rWD) or Active Torque Split All-Wheel Drive (AWD)Automet drive (city/my)††Seege electronically controlled Sport with Adaptive Shift Logic and sport-shift modeCharse4-wheel driveFront4-wheel driseFront4-wheel drise-Front4-wheel drise-Front4-wheel drise-Front12.8-inch vented disc-FrontAluninu Eraksforce Distruktor (EBD) and Brake Assist-Rear12.8-inch vented disc-RearElectronical read-splinon-Power assistGeneral-split New reards prover assistOveral selfingrationElectronical read-splitingration (EBD) and Brake Assist-Power assistFront-Power assistElectronical read-spliti	Engine type		3.7L DOHC 24-valve V6 with VVT	
Redine6500Displacement (cc)63726Bore stoke (mm)955 X 86.7Compression ralio0.95 5 X 86.7Compression ralio0.10.1Fuel systemGenetronically controlled multiport fuel injectionRecommende fuelMerconically controlled multiport fuel injectionRecommende fuelChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Igniton systemGhain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Igniton systemChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Igniton systemChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Igniton systemChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Igniton systemChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Igniton systemChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Igniton systemChain-driven dual overhead cams, 4 valves per cylinder with variable intake valves timing (VVT)Igniton systemChain-driven dual overhead cams, 4 valves per cylinder with platinum-lipped spark plugsIgniton systemChain-driven dual overhead cams, 4 valves per cylinder with platinum-lipped spark plugsIgniton systemTore over assitIgniton systemFort systemTypeFort-twheel drive (FWD) or Active Torque Split All-Wheel Jrive (AWD)Automatic transmissionChain-driven dual corter ladise	Horsepower		273-hp @ 6250 rpm	
Displacement (cc)3728Borex stroke (mm)95.5 X 86.7Compression rabio95.5 X 86.7Compression rabio10.3.1Fuel systemBedernolizelly controlled multiport fuel injectionRecommende fuelRegular unleasedValvetrainChain-driven dual overhead cans, 4 valves per oylinder with valable Intake valve timing (VVT)Ignition systemChain-driven dual overhead cans, 4 valves per oylinder with valable Intake valve timing (VVT)Ignition systemChain-driven dual overhead cans, 4 valves per oylinder with valable Intake valve timing (VVT)Ignition systemChain-driven dual overhead cans, 4 valves per oylinder with valable Intake valve timing (VVT)Ignition systemChain-driven dual overhead cans, 4 valves per oylinder with valable Intake valve timing (VVT)Ignition systemChain-driven dual overhead cans, 4 valves per oylinder with valable Intake valve timing (VVT)Ignition systemChain-driven dual overhead cans, 4 valves per oylinder with valable Intake valve timing (VVT)Ignition systemChain-driven dual overhead cans, 4 valves per oylinder with valable Intake valve timing (VVT)Ignition systemIgnition systemForterbardTorzer SIN S-D ULEYTork with drive (Igrithyny)††Ignition systemIgnition systemIgnition system Sing Sing Sing Sing Sing Sing Sing Sing	Torque		270 lb-ft @ 4250 rpm	
Bere x stroke (mm)95.5 X 86.7Compression ratio10.3.1Fuel systemElectronically controlled multiport fuel injectionRecommended fuelRegular unleadedValvetrainChain-driven duorehead cams, 4 valves per cylinder with variable intake valve timing (VVT)gintion systemDirect coli-on-plug electronic gintion with plot dispark plugsEngine blockAluminum alloyCylinder headAluminum alloyCylinder headTar2 BIIN 5-B/ ULEVFuel EconomyTar22 BIIN 5-B/ VLEVFuel EconomyTar24Alwheid drive (cityhwy)††10/22Alwheid drive (cityhwy)††Tar24Alwheid drive (cityhwy)††Tort-wheel drive (FWD) or Active Torque Spit All-Wheel Drive (AWD)Automatic transmissionGeseed electronically controlled Spit All-Wheel Drive (AWD)Automatic transmissionSepeed electronically controlled Spit All-Wheel Drive (AWD)Automatic transmissionGeseed electronically controlled Spot Shif Logic and sport-shift modeChassisTar24FrontGenerative (FACC)- FrontGenerative (FACC)- RearAlwheel disc- AlsoAl-wheel disc- RearGenerative (FACC)- AlsoGenerative (FACC)Steering typeFack-and-pinion- Steering typeFack-and-pinion- Over assitGenerative variable power assit- Overal steering ratioGenerative variable power assit- Overal steering ratioGenerative variable mover assit- Deving steering ratioGenera	Redline		6500	
CompressionInstanceFuel systemElectronically controlled multiport fuel injectionRecommended fuelGhain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VAT)ValvetrainChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VAT)Igniten systemChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VAT)Igniten systemChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VAT)Igniten systemChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VAT)Igniten systemChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VAT)Igniten systemChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VAT)Igniten systemChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VAT)Igniten systemChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VAT)Igniten systemChain-driven dual overhead cams, 4 valves per cylinder with variable systemIgniten systemChain-driven dual overhead cams, 4 valves per cylinder with variable systemIgniten systemChain-driven dual overhead cams, 4 valves per cylinder with variable systemIgniten drive (city/hwy)††Chain-driven drive (city/hwy)†Igniten systemChain-driven drive (city/hwy)†Igniten systemChain-driven drive (city/hwy)†Igniten systemChain-driven drive (city/hwy)†Igniten systemChain-driven dri	Displacement (cc)		3726	
Fell systemElectronically controlled multiport fuel injectionRecommended fuelGhain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Ignition systemGhain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Ignition systemGhain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Ignition systemGhain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Ignition systemGhain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Engine blockAluminum alloyCylinder headGhain-driven dual overhead cams, 4 valves per cylinder with pathemum.Engine blockGhain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Engine blockGhain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Cylinder headGhain-driven dual overhead cams, 4 valves per cylinder with valiable intake valve timing (VVT)Fuel Second1724Fuel Second1724Aluwhed drive (city/hwy)††Gho Catter Eoropa Spitt Ali-Wheel Drive (AWD)Autoratic transmissionGe-speed electronically controlled Spot with Adaptive Shift Logic and sport-shift modeChain-driven dual camsGho Catter Eoropa Catter Eoropa Catter Catt	Bore x stroke (mm)		95.5 X 86.7	
Recommended fuelRegular unleadedValvetrainChain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)Ignition systemDirect coil-on-plug electronic ignition with platinum-tipped spark plugsEngine blockAlurninum alloyCylinder headAlurninum alloyEnsise noomtol type (Fed/Cal)Ter 2 BIN 5-B / U.E.VFuel Economy17/24Font-wheel drive (city/hwy)††16/22Aluvehed rive (city/hwy)††Gespeed electronically controle Split All-Wheel Drive (AWD)Automatic transmissionGe-speed electronically controled Sport with Adaptive Shift Logic and sport-shift modeChasis12.8-inch vented discFront12.8-inch vented disc- Front12.8-inch vented disc- Rear12.8-inch vented disc- Rear4-wheel, 4-channel with Electronic Distribution (EBD) and Brake AssistStering typeRack-and-pinionPower assistGespet sensitive variable power assistOverall steering ratio16.3.1	Compression ratio		10.3:1	
ValuetrainChain-driven dual overhead cams, 4 values per cylinder with variable intake value timing (VVT)Igniton systemGDirect coli-on-plug electronic ignition with platinum-tipped spark plugsEngine blockAluminum alloyCylinder headGDirect coli-on-plug Plectronic ignition with platinum-tipped spark plugsEngine blockGDirect coli-on-plug Plectronic ignition with platinum-tipped spark plugsCylinder headGDirect coli-on-plug Plectronic Bin S-B / ULEVEngine blockGDIrect 2 BIN S-B / ULEVFont-wheel drive (clty/hwy)††GDIrect 2 BIN S-B / ULEVFont-wheel drive (clty/hwy)††GDIrect 2 BIN S-B / ULEVProtertain16/22DrivetrainGS speed electronically controlled Sport with Adaptive Shift Logic and sport-shift modeChassisGIRECT 2 BIN S-B / ULEVFont-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD)Automatic transmissionGS speed electronically controlled Sport with Adaptive Shift Logic and sport-shift modeChassisGIRECT 2 BIN S-B / ULEVFont-GIRECT 2 BIN S-B / ULEVFont-Speed electronically controlled Sport with Adaptive Shift Logic and sport-shift modeChassisGIRECT 2 BIN S-B / ULEVForthGIRECT 2 BIN S-	Fuel system	E	lectronically controlled multiport fuel inject	ion
Initial problem Internet onlowed problem Engine block Aluminum alloy Cylinder head Aluminum alloy Emission control type (Fed/Cal) Ther 2 BIN 5-B / ULEV Fuel Economy Inter 2 BIN 5-B / ULEV Front-wheel drive (city/hwy)†† Gata 11/24 Al-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD) Active 11/24 Al-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD) Active 11/24 Al-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD) Active 11/24 Al-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD) Active 11/24 Al-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD) Active 11/24	Recommended fuel		Regular unleaded	
Engine block Aluminum allay Cylinder head Aluminum allay Emission control type (Fed/Cal) Ter 2 BIN 5-B / ULEV Final Economy Ter 2 BIN 5-B / ULEV Front-wheel drive (city/hwy)†† 10724 All-wheel drive (city/hwy)†† 16/22 Drivetrain 16/22 Type Front-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD) Automatic transmission 6-speed electronically controlled Sport with Adaptive Shift Logic and sport-shift mode Chassis 12.6-inch vented disc - Front 4-wheel disc - Rear 12.8-inch vented disc - ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Steering type Rack-and-pinion Power assist Corganise-speed-sensitive variable power assist Overall steering ratio 16.3:1 Steering wheel turns, lock-to-lock 3.1	Valvetrain	Chain-driven dual overhe	ad cams, 4 valves per cylinder with variabl	e intake valve timing (VVT)
Cylinder headAluminum alloyEmission control type (Fed/Cal)Ter 2 BIN 5-B / ULEVFuel EconomyFort-X BIN 5-B / ULEVFort-wheel drive (city/hwy)††GAll-wheel drive (city/hwy)††GAll-wheel drive (city/hwy)††GTypeFront-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD)Automatic transmissionG-speed electronically controlled Sport with Adaptive Shift Logic and sport-shift modeChasisFront-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD)FrontGFrontG- FrontG- Raca12.6-inch wented disc- RacaG- AlsSGStering typeRack-and-pinionPower assitGOveral stering ratioGOveral stering ratioGStering wheel turns, lock-to-lockGStering wheel turns, lock-to-lockG	Ignition system	Direct coil-or	-plug electronic ignition with platinum-tipp	ed spark plugs
Emission control type (Fed/Cal) Tier 2 BIN 5-B / UEV Fuel Economy I Front-wheel drive (city/hwy)†† 1//24 Al-wheel drive (city/hwy)†† 16/22 Drivetrain 16/22 Type Front-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD) Automatic transmission 6-speed electronically controlled Sport with Adaptive Shift Logic and sport-shift mode Chassis 4-wheel disc Front 4-wheel disc - Front 4-wheel disc - Rear 12.8-inch vented disc - AlsS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Stering type Gastand-pinion Power assist Chassis Overal stering ratio Als Alse disc 16.3:1	Engine block		Aluminum alloy	
Fuel EconomyFront-wheel drive (city/hwy)††1724Al-wheel drive (city/hwy)††1622Drivetrain16/22TypeFront-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD)Automatic transmission6-speed electronically controlled Sport with Adaptive Shift Logic and sport-shift modeChassis1Front-wheel drise4-wheel disc- Front4-wheel disc- Rear12.8-inch vented disc- ABS6-speed electronically controlled Sport with Jub/en Drive (ABD)Stering typeA-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake AssistPower assistCOverall stering ratio6-speed-sensitive variable power assistOverall stering ratio16.3:1Stering wheel turns, lock-to-lock3.1	Cylinder head		Aluminum alloy	
Front-wheel drive (city/hwy)††17/24All-wheel drive (city/hwy)††16/22DrivetrainToret-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD)Automatic transmission6-speed electronically controlled Sport with Adaptive Shift Logic and sport-shift modeChassis1Brakes4-wheel disc- Front12.6-inch vented disc- Rear12.8-inch vented disc- Rear4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake AssistSteering typeRack-and-pinionPower assistEngine-speed-sensitive variable power assistOverall steering ratio6.3.1	Emission control type (Fed/Cal)	Tier 2 BIN 5-B / ULEV		
All-wheel drive (city/hwy)†† 16/22 Drivetrain Type Type Front-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD) Automatic transmission 6-speed electronically controlled Sport with Adaptive Shift Logic and sport-shift mode Chassis Enakes Front 4-wheel disc - Front 12.6-inch vented disc - Rear 12.8-inch vented disc - ABS Al-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Steering type Rack-and-pinion Power assist G Overall steering ratio All-Meel All-	Fuel Economy			
Drivetrain Front-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD) Automatic transmission 6-speed electronically controlled Sport with Adaptive Shift Logic and sport-shift mode Chassis Erakes Front 4-wheel disc - Front 12.6-inch vented disc - Rear 12.8-inch vented disc - ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Steering type Rack-and-pinion Power assist Engine-speed-sensitive variable power assist Overall steering ratio 16.3:1	Front-wheel drive (city/hwy)††	17/24		
TypeFront-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD)Automatic transmission6-speed electronically controlled Sport with Adaptive Shift Logic and sport-shift mode Chassis Brakes4-wheel disc- Front12.6-inch vented disc- Rear12.8-inch vented disc- ABS4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake AssistSteering typeRack-and-pinionPower assist0Overall steering ratio16.3:1Steering type Lutors, lock-to-lock3.1	All-wheel drive (city/hwy)††	16/22		
Automatic transmission6-speed electronically controlled Sport with Adaptive Shift Logic and sport-shift modeChassisBrakes4-wheel disc- Front12.6-inch vented disc- Rear12.8-inch vented disc- ABS4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake AssistSteering typeRack-and-pinionPower assistChassisOverall steering ratio16.3:1Steering type3.1	Drivetrain			
Chassis Brakes 4-wheel disc - Front 12.6-inch vented disc - Rear 12.8-inch vented disc - ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Stering type Rack-and-pinion Power assist Stering ratio Overall steering ratio 16.3:1 Stering type 3.1	Туре	Front-wheel drive (FWD) or Active Torque Split All-Wheel Drive (AWD)		
Brakes4-wheel disc- FrontCA-CA-CA-CA-CA-CA-CA-CA-CA-CA-CA-CA-CA-C	Automatic transmission	6-speed electronically controlled Sport with Adaptive Shift Logic and sport-shift mode		
- Font12.6-inch vented disc- Rear12.8-inch vented disc- ABS4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake AssistSteering typeRack-and-pinionPower assistEngine-speed-sensitive variable power assistOverall steering ratio6Steering type16.3:1	Chassis			
- Rear 12.8-inch vented disc - ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Steering type Rack-and-pinion Power assist Engine-speed-sensitive variable power assist Overall steering ratio 16.3:1 Steering wheel turns, lock-to-lock 3.1	Brakes		4-wheel disc	
-ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Steering type Rack-and-pinion Power assist Engine-speed-sensitive variable power assist Overall steering ratio 6 Steering wheel turns, lock-to-lock 3.1	- Front	12.6-inch vented disc		
Steering type Rack-and-pinion Power assist Engine-speed-sensitive variable power assist Overall steering ratio 16.3:1 Steering wheel turns, lock-to-lock 3.1	- Rear	12.8-inch vented disc		
Power assist Engine-speed-sensitive variable power assist Overall steering ratio 16.3:1 Steering wheel turns, lock-to-lock 3.1	- ABS	4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist		
Overall steering ratio 16.3:1 Steering wheel turns, lock-to-lock 3.1	Steering type	Rack-and-pinion		
Steering wheel turns, lock-to-lock 3.1	Power assist	Engine-speed-sensitive variable power assist		
	Overall steering ratio	16.3:1		
Turning circle, curb-to-curb (ft) 37.4	Steering wheel turns, lock-to-lock	3.1		
	Turning circle, curb-to-curb (ft)		37.4	

Suspension	4-wheel independent		
- Front	MacPherson strut with stabilizer bar		
- Rear	Multilink with stabilizer bar		
Wheel size (in)	18 x 7.5	20 x 7.5	
Tire size	P245/60 R18 all-season radial	P245/50 R20 all-season radial	
Weights & Capacities			
Curb weight (lbs)			
- FWD	4317		
- AWD	4552		
Towing capacity (lbs)			
- FWD‡‡	2000 (3500 with Tow Prep Package)		
- AWD‡‡	3500		
Fuel capacity (gallons)	20.1		

Exterior

2013 CX-9	Sport	Touring	Grand Touring
Body			
Halogen headlights	9	5	
Bi-Xenon High-Intensity-Discharge (HID) headlights with auto on/off feature	83	c2	5
Auto-off headlights		5	
LED daytime running lights			5
Halogen fog lights	83	P	5
Variable-intermittent windshield wipers	5	5	5
Rain-sensing windshield wipers			5
Intermittent rear wiper/washer	5	5	5
Power sliding-glass moonroof with one-touch-open feature and interior sunshade		P	9
Dual power side mirrors	5	5	-
Dual power side mirrors with side marker turn-signal lights			5
Mirror memory function and "tilt-in-reverse" option		=	5
Heated side mirrors	P	5	5
Body-color door handles	5	5	
Chrome door handles			5
Power open/close rear liftgate		P	5
In-glass antenna	5	5	5
Rear privacy glass	5	5	5
Black roof molding	5	5	5
Roof-mounted spoiler	5	5	5
Dual exhaust outlets	5	5	5
Wheels & Tires			
18-inch aluminum-alloy wheels	5	5	-
20-inch aluminum-alloy wheels			5
P245/60 R18 all-season radial tires	5	5	
P245/50 R20 all-season radial tires			5
Temporary spare tire	5	5	5
Exterior Dimensions			
Wheelbase (in)		113.2	
Track, front (in)		65.1	
Track, rear (in)		64.7	
Length (in)		200.6	
Width (in)		76.2	
Height w/o roof rails (in)		68.0	
Minimum ground clearance (in)		8.0	

Standard Package Option Port Installed Option Accessory Not Available

Audio & Navigation

Interior

	Jta	nuaru 🔤 Fackage Option 🖬 Fort installe	a option Accessory Not Available
2013 CX-9	Sport	Touring	Grand Touring
Comfort & Convenience			
Three-Zone Automatic Climate Control	5	5	5
Power windows with front one-touch down/up feature	5	5	5
Power door locks with 2-stage unlocking feature	5	5	5
Speed-sensing auto door locks	5	5	5
Cruise control with steering-wheel-mounted controls	9	5	5
Rearview camera†††	833	5	5
Rear backup sensors		5	5
Remote keyless entry with retractable key	5	5	839
Mazda Advanced Keyless Entry & Start System		P	S
Auto-dimming rearview mirror with HomeLink®	(CC)		S
Illuminated entry	5	5	5
Illuminated visor vanity mirrors	S	S	5
Tilt & telescopic steering wheel	5	5	5
Interior illumination - front map lights (2), dome light (1), cargo area (1), ignition switch (except GT models), glove compartment, steering wheel switches and driver's side power window switches	5	5	5
Delayed off interior lights (map and dome)	==	S	5
Height-adjustable front shoulder-belt anchors	5	5	5
12-volt power outlets (3)	5	5	5
Remote fuel-door release	5	5	5
Rear window defogger with timer	5	5	5
Storage			
Front center console storage with dual cup holders	S	S	5
Overhead sunglasses holder	5	5	5
Front door storage pockets with bottle holders	5	S	5
Front seatback pocket	5	5	5
2nd-row center armrest with cup holders	5	5	
2nd-row center armrest with storage and cup holders			5
Rear door bottle holders	5	5	5
Cargo area under-floor storage	5	5	5
Seating & Trim			
7-passenger seating	5	5	5
6-way manual driver's seat	S		
8-way power driver's seat with adjustable lumbar support		5	5
4-way manual front passenger seat	5		
4-way power front passenger seat		5	5
60/40 split fold-down 2nd-row seatback with tilt and slide feature	S	S	5
50/50 split fold-down 3rd-row seatback	S	5	5
Driver's seat memory			S
Heated front seats	P	5	5
Cloth-trimmed seats	5		
Leather-trimmed seats (1st- and 2nd-row outboard seating positions)	=	5	
Leather-wrapped steering wheel	s	5	S
Leather-wrapped shift knob	5	5	5
Power window switch panel - Black	S	5	S
Full carpeting - Black	5	5	5
Piano Black interior accent trim	5	5	
Bordeaux interior accent trim	(13)		5
Carpet floor mats	S	5	5

Standard Package Option Port Installed Option Accessory - Not Available

AM/FM/CD/MP3-compatible stereo with 6 speakers	5	5	5
5.8" color touchscreen display	5	5	5
HD Radio	5	S	5
Pandora internet radio connectivity	5	5	5
SMS text message audio delivery and reply	5	5	5
Bose® Centerpoint® Surround Sound System with AudioPilot®, AM/FM/CD/MP3-compatible stereo and 10 speakers			
Bose® Centerpoint®, Surround Sound System with AudioPilot® AM/FM/CD/MP3-compatible stereo with 11 speakers, 9-inch rear seat entertainment system with DVD player, 115V power outlet and game port			P
Auxiliary-audio input jack (NA with Rear Entertainment System)	5	5	5
USB audio input port	5	5	5
SiriusXM Satellite Radio-compatible audio system‡‡‡	5	5	5
SiriusXM Satellite Radio with 4-month trial subscription			
Steering-wheel-mounted audio controls	5	5	5
Bluetooth® hands-free phone and audio streaming capability***	5	5	5
Navigation system	-	P	P
Instrumentation			
Speedometer, tachometer, coolant temperature and fuel gauge	S	5	S
Dual trip odometers	5	5	5
Center instrument panel display (air conditioning, audio and clock)	5	5	5
Trip computer	5	5	5
5.8" color touchscreen Multi-Information Display (MID)	S	5	S
Interior Dimensions & Capacities			
Headroom, front/middle/rear without moonroof (in)		39.6/39.0/35.4	
Headroom, front/middle/rear with moonroof (in)	-	38.4/39	0.0/35.4
Shoulder room, front/middle/rear (in)		59.4/58.7/56.9	
Hip room, front/middle/rear (in)		56.5/56.0/43.7	
Legroom, front/middle/rear (in)		40.9/39.8/32.4	
EPA passenger volume without moonroof (cu ft)		139.4	
EPA passenger volume with moonroof (cu ft)	-	13	7.7
EPA cargo volume 2nd- and 3rd-row down (cu ft)		100.7	
EPA cargo volume 2nd-row up and 3rd-row down (cu ft)		48.3	

Safety & Security



	5 Star	ndard 🗜 Package Option 😐 Port Installe	ed Option 🖪 Accessory 📼 Not Available
2013 CX-9	Sport	Touring	Grand Touring
Safety			
Advanced front air bags‡ with seat belt-use, passenger-weight and driver's seat-position sensors	5	5	5
Front side-impact air bags and side-impact air curtains‡ with rollover protection	5	5	5
3-point seat belts for all seating positions	5	5	5
Front seat-belt pretensioners with force limiters	5	5	S
Anti-lock Brake System (ABS) w/ Electronic Brakeforce Distribution (EBD)	5	5	5
Dynamic Stability Control (DSC)** and Traction Control System (TCS)	5	5	5
Roll Stability Control (RSC)	5	5	5
Triple H body construction	5	5	5
Side-impact door beams	5	5	5
Collapsible steering column	5	5	5
Foldaway brake pedal assembly	5	5	S
Security			
Blind Spot Monitoring (BSM) System****		5	5
E911 automatic emergency notification	5	5	S
Rearview back-up camera†††		5	S
Rear backup sensors		5	S
Engine-immobilizer antitheft system	5	5	S
Alarm system			5
Keyless remote panic button (on key fob)	5	5	5
Tire-Pressure Monitoring System (TPMS)	5	5	5
LATCH child-safety-seat anchors & upper tether anchors	5	5	5
Child-safety rear door locks	5	5	S

Options & Packages



	[⊑] Sta	ndard 🗜 Package Option 😐 Port Installe	ed Option 🖪 Accessory 📼 Not Available
2013 CX-9	Sport	Touring	Grand Touring
Packages		Ū	Ŭ
Power Driver's Seat with Heated Front Seats & Mirrors - 8-way power driver's seat with adjustable lumbar support - Heated cloth front seats - Heated side mirrors			
Touring Technology Package - Power sliding-glass moonroof with one-touch-open feature and interior sunshade - Bose® Centerpoint® Surround Sound System with AudioPilot®, AM/FM/CD/MP3-compatible stereo with 10 speakers - SiriusXM Satellite Radio with 4-month trial subscription - Halogen fog lamps - Mazda Advanced Keyless Entry and Start System - Navigation System - Power open/close rear liftgate			
Grand Touring Technology Package - Power sliding glass moonroof with interior sunshade - Navigation System - Bose® Centerpoint® Surround Sound System with AudioPilot®, AM/FM/CD/MP3-compatible stereo with 10 speakers - SiriusXM Satellite Radio with 4-month trial subscription (Not available with Rear-Seat Entertainment System)			
Rear-Seat Entertainment System with Bose® Audio and Sirius Package - DVD player with 9-inch screen - Navigation System - Bose® Centerpoint® with AudioPilot® and 11 speakers - SiriusXM Satellite Radio with 4-month trial subscription - 115-volt power plug and game port			
(not available with Grand Touring Technology Package)			
Towing Prep Package (FWD only) - Heavy-duty transmission oil cooler and radiator fan - Revised engine control module (FWD GT models with Technology Package or Rear-Seat Entertainment Package only, standard on AWD models)			
Crystal White Pearl Mica Paint			
Audio & Entertainment			
SiriusXM Satellite Radio with 4-month trial subscription			0 / A / P
Exterior			
Moonroof wind deflector			
Roof rails			
Towing receiver hitch for non-tow prep vehicles 2000 lb tow capacity (FWD models without Towing Prep package only)	0/8	0/8	
Towing receiver hitch (Class II) with trailer wiring harness (Available on all models with Towing Prep Package)	□ / Ħ		D / A
Rear bumper guard (stainless steel)			
Splash guards (set of 4)			
Wheel locks	0/8		
Interior			
Remote engine start			
Auto-dimming mirror with compass and HomeLink®			
Auto-dimming mirror with back-up camera†††			
Alarm system with shock sensor			
All-weather floor mats			
Retractable cargo cover			
Cargo mat			
Cargo net			

Warranty



Every new Mazda comes with a comprehensive limited warranty that provides coverage in the unlikely event a repair is needed in the first years after your vehicle's purchase. We'll be right there with you all the time, wherever you go by providing warranty coverage and roadside assistance so that the total enjoyment of driving a Mazda never stops.

2013 Mazda Vehicles: Mazda Limited Warranty Coverage:	
3-year/36,000-mile*	"Bumper-to-Bumper" Limited Warranty
5-year/60,000-mile*	Limited Powertrain Warranty
3-year/36,000-mile*	24/7 Roadside Assistance Program

*Whichever comes first.

BUMPER-TO-BUMPER LIMITED WARRANTY

Mazda warrants that new Mazda cars and trucks will be free of defects with normal use and prescribed maintenance for 36 months or 36,000 miles, whichever comes first. Ordinary maintenance items or adjustments, parts subject to normal wear and replacement and certain other items are excluded. This transferable "limited warranty" is included on all new Mazda vehicles sold and serviced in the United States.

POWERTRAIN LIMITED WARRANTY

Mazda warrants that the Powertrain Components of new Mazda cars and trucks will be free of defects with normal use and prescribed maintenance for 60 months or 60,000 miles, whichever comes first. Ordinary maintenance items or adjustments, parts subject to normal wear and replacement and certain other items are excluded. This "limited warranty" is transferable during the warranty period on all new Mazda vehicles sold and serviced in the United States.

24/7 ROADSIDE ASSISTANCE

If Mazda vehicle is not driveable due to a warranted part failure during the coverage period of the New Vehicle Limited Warranty (36 months/36,000 miles), towing service will be covered to the nearest Mazda Dealer. In addition, if a Mazda vehicle is not driveable due to the failure of a warranted powertrain component, then towing service will be covered during the coverage period of the Powertrain Limited Warranty (60 months/60,000 miles).

Call 1-800-866-1998



Or download the free Mazda Assist mobile app to your iPhone®*. iPhone is a registered trademark of Apple Computer, Inc.

PROLONG YOUR PEACE OF MIND



The Mazda Extended Confidence service plan helps keep your Mazda in peak driving condition after your New-Vehicle Limited Warranty expires.

LEARN MORE

‡ Always wear your seat belt and secure children in the rear seats in appropriate child restraints.

** Dynamic Stability Control (DSC) is an electronic system to help the driver maintain control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether DSC will be effective in preventing loss of control. Please see the Owner's Manual for further details.

tt EPA-estimated mileage. Actual results may vary.

Towing capacities are maximums and must be reduced by the weight of any passengers, cargo, hitch or optional equipments in the towing vehicle. The following equipment at also be required: load-carrying hitch for trailers under 2000 lb and load-equalizing hitch for trailers over 2000 lb. Towing a trailer will have an effect on the vehicle's handling, braking, durability, performance and driving economy. For specific informat recommended or required equipment, see your Mazda Dealer. Hitches are available through manufacturers other than Mazda.

*** The Bluetooth® system functions only with select manufactured devices. Please consult www.MazdaUSA.com/bluetooth for device compatibility.

††† Rearview camera does not provide a comprehensive view of the entire area behind this vehicle.

SiriusXM Satellite Radio-compatible audio system requires additional dealer-installed hardware and subscription.

**** Always check your mirrors. Be aware of the traffic around you.