

GM Original Equipment Battery Ratings and Part Numbers

Refer to the Electronic Parts Catalog for additional replacement battery information.

Vehicle	Engine	CCA	MY 16 OEM Part #	MY 17 OEM Part #	MY 18 OEM Part #	ACDelco Part Number	GM Part Number	CCA	Battery Type
PASSENGER CARS									
ATS	All Engines	700	23423787	23423787	23423787	48AGM	88864541	760	AGM
	Performance RPO - Y4Q	560	88865429	88865429	88865429	LN1AGM	88865429	560	
ATS with Stop/Start	L4/Gas	730	23423786	23423786	23423786	94RAGM	88864542	900	AGM
Aveo	L4/Gas	510	94668768	94668768	94668768	86PS	88865255	590	Flooded
Bolt EV	ELECTRIC	520	-	42526125	42479943	LN1AGM	88865429	560	AGM
Camaro	L4, V6 & V8/Gas	700	23423787	23423787	23423787	48AGM	88864541	760	AGM
Cascada	LWC L4	760	13487590	13487590	13487590	94RAGM	88864542	800	AGM
Corvette	All Engines	615	22940819	22940819	22940819	48PS	88865244	615	Flooded
Cruze	L4/Diesel	720	22948859	22948859	22948859	94R/PG	88865934	800	Flooded
	L4/Gas	525	23214405	-	-	47PS	88865274	525	Flooded
		615	-	22940819	22940819	48PS	88865244	615	Flooded
Cruze with Stop/Start	L4/Gas	730	23423786	23423786	23423786	94RAGM	88864542	900	AGM
CT6	LTG/LGW/LGX	850	23423785	23423785	23423785	49AGM	88864539	900	AGM
	LTG PHEV	730	-	23333166	23333166				
CTS Sedan (VIN A)	All Engines	730	23423786	23423786	23423786	94RAGM	88864542	850	AGM
ELR	L4/Gas	600	47P7YR	-	-	EVLN2	88865475	630	AGM
Impala (VIN 1)	L4 & V6/Gas	615	22940819	22940819	22940819	48PS	88865244	615	Flooded
Impala (VIN 1) with Stop/Start	LCV L4/Gas	730	23423786	23423786	23423786	94RAGM	88864542	850	AGM
		155	AUX12	AUX12	AUX12	AUX12	88864603	155	Stop/Start AGM
Impala Limited (VIN W)	V6/Gas	600	10360684	-	-	34PS	88865448	660	Flooded

GM Original Equipment Battery Ratings and Part Numbers

Refer to the Electronic Parts Catalog for additional replacement battery information.

Vehicle	Engine	CCA	MY 16 OEM Part #	MY 17 OEM Part #	MY 18 OEM Part #	ACDelco Part Number	GM Part Number	CCA	Battery Type
PASSENGER CARS									
LaCrosse	LUK L4/BAS+	525	23214405	-	-	47PS	88865274	525	Flooded
	LFX V6/Gas	615	22940819	-	-	48PS	88865244	615	Flooded
	LHN Gas		-	-	22940819				
	LGX Gas	730	-	23423786	23423786	94RAGM	88864542	850	AGM
Malibu (VIN Z)	LTG L4/Gas	660	23104180	23104180	23104180	48HPG	88865275	660	Flooded
Malibu (VIN Z) with Stop/Start	LFV L4/Gas	700	23423787	23423787	23423787	48AGM	88864541	760	AGM
Malibu (VIN Z) Hybrid	LKN L4/ Gas Hybrid	525	23214405	23214405	23214405	47PS	88865274	525	Flooded
Malibu (VIN 1) and Malibu Limited (VIN 1)	All Engines	525	23214405	-	-	47PS	88865274	525	Flooded
Malibu (VIN 1) with Stop/Start and Malibu Limited (VIN 1) with Stop/Start	LCV L4/Gas	730	23423786	-	-	94RAGM	88864542	850	AGM
		155	AUX12	-	-	AUX12	88864603	155	Stop/Start AGM
	LKW L4/Gas	850	23423785	-	-	49AGM	88864539	900	AGM
		155	AUX12	-	-	AUX12	88864603	155	Stop/Start AGM
Regal	LUK L4/BAS+	525	23214405	23214405	-	47PS	88865274	525	Flooded
	L4/Gas	615	22940819	22940819	-	48PS	88865244	615	Flooded
	LTG	730	-	-	23423786	94RAGM	88864542	850	AGM
	LGX								
Sonic	L4/Gas	525	23214405	23214405	23214405	47PS	88865274	525	Flooded
Spark	L4/Gas	410	94523672	94523672	94523672	LN1PS	88864528	450	Flooded
Spark EV	EV	520	95086464	-	-	LN1AGM	88865429	560	AGM
Chevrolet SS	V8/Gas	700	92270051	92270051	-	48AGM	88864541	760	AGM
Verano	All Engines	615	22940819	22940819	-	48PS	88865244	615	Flooded
Volt	L4/Gas	600	47P7YR	47P7YR	47P7YR	EVLN2	88865475	630	AGM
XTS	V6/Gas	660	23104180	23104180	23104180	48HPG	88865275	660	Flooded

GM Original Equipment Battery Ratings and Part Numbers

Refer to the Electronic Parts Catalog for additional replacement battery information.

Vehicle	Engine	CCA	MY 16 OEM Part #	MY 17 OEM Part #	MY 18 OEM Part #	ACDelco Part Number	GM Part Number	CCA	Battery Type
SUVs									
Acadia/Enclave/Traverse (VIN R/V)	V6/Gas	660	23104180	23104180	-	48PGHR	88865786	670	Flooded
Enclave (VIN R/V) with Stop/Start	LFY V6/Gas	730	-		23423786	94RAGM	88864542	850	AGM
Traverse (VIN R/V) with Stop/Start	LTG L4/Gas	730	-	-	23423786	94RAGM	88864542	850	AGM
	LFY V6/Gas								
Acadia (VIN N)	LGX V6/Gas	660	-	23104180	23104180	48HPG	88865275	660	Flooded
Acadia (VIN N) with Stop/Start	LCV L4/Gas	730	-	23423786	23423786	94RAGM	88864542	850	AGM
Captiva Sport	L4/Gas	615	22940819	22940819	-	48PS	88865244	615	Flooded
	V6/Gas	660	23104180	23104180	-	48HPG	88865275	660	
Encore	L4/Gas	525	95388782	95388782	95388782	47PS	88865274	525	Flooded
Encore with Stop/Start	L4/Gas	760	42364318	42364318	42364318	48AGM	88864541	760	AGM
Envision with Stop/Start	LFV/Gas	700	84057191	84057191	84057191	94RAGM	88864542	850	AGM
	LTG/Gas	730	23264514	23333166	23333166				
Equinox/Terrain	LEA L4/Gas	525	23214405	23214405	-	47PS	88865274	525	Flooded
	LFX V6/Gas	660	23104180	23104180	-	48HPG	88865275	660	Flooded
Equinox	LTG	700	-	-	23423787	48AGM	88864541	760	AGM
	LVL L4/Diesel								
	LYX	525	-	-	23214405	47PS	88865274	525	Flooded
Equinox with Stop/Start	LYX & KL9	700	-	-	84288994	94RAGM	88864542	760	AGM
Escalade/Tahoe/Suburban/Yukon Note: AUX battery is same as main battery	LML/L5P V8/Diesel	770	23104474	23104474	23104474	48PG	88865245	770	Flooded
	V8/Gas	660	-	-	-	48A	88863825	680	
	V8/Gas	720	22948859	22948859	22948859	94R/PG	88865934	800	
	HD L96 V8/Gas	770	-	23423786	-	48AGM	88864541	760	AGM
SRX	V6/Gas	660	23104180	23104180	-	48HPG	88865275	660	Flooded
Terrain	LCV/LGX/LTG	700	-	-	23423787	48AGM	88864541	760	AGM
Trax	L4/Gas	525	95388782	95388782	95388782	47PS	88865274	525	Flooded
Trax with Stop/Start	L4/Gas	700	-	23423787	23423787	48AGM	88864541	730	AGM
XT5 with Stop/Start	V6/Gas	730	23423786	23423786	23423786	94RAGM	88864542	850	AGM

GM Original Equipment Battery Ratings and Part Numbers

Refer to the Electronic Parts Catalog for additional replacement battery information.

Vehicle	Engine	CCA	MY 16 OEM Part #	MY 17 OEM Part #	MY 18 OEM Part #	ACDelco Part Number	GM Part Number	CCA	Battery Type
TRUCKS									
Colorado/Canyon	L4 & V6/Gas	615	22940819	22940819	22940819	48PS	88865244	615	Flooded
	L4 Diesel	850	23423785	23423785	23423785	49AGM	88864539	900	AGM
Silverado/Sierra LD/HD Note: AUX battery is same as main battery	V8/Diesel - Silao	770	23104474	-	-	48PG	88865245	770	Flooded
	LML/L5P V8/Diesel		23104474	23104474	23104474				
	HD PU L96 V8/Gas	-	23423786	23423786	48AGM	88864541	760	AGM	
	V8/Gas/ LC8/L8B/L83/L86	720	22948859	22948859	22948859	94R/PG	88865934	800	Flooded
	V6/Gas	770	23104474	23104474	23104474	48PG	88865245	770	
VANS									
City Express	L4/Gas	470	24410ETB00B	24410ETB00B	24410ETB00B	121RPS	88865293	600	Flooded
Express/Savana Note: AUX battery is same as main battery	L4 LWN/Diesel	770	25863585	25863585	25863585	78VPG	88861747	800	Flooded
	V8 LGH/Diesel								
	V8/Gas w/UA1 or YF2	600	25841893	25841893	25841893	78PS	88865249	700	
MEDIUM-DUTY TRUCKS									
Low Cab Forward	6500 XD	750	-	-	8983218150	1110	01980498	750	Flooded
	3500/4500		8980840181	8980840181	-	1111	01981046		
			-	-	8983218150	1110	01980498		
	4500 HD/XD - 5500 HD/XD		31-750	31-750	31-750	1111	01981046		

GM Original Equipment Battery Ratings and Part Numbers

Refer to the Electronic Parts Catalog for additional replacement battery information.

Vehicle	Engine	CCA	MY 16 OEM Part #	MY 17 OEM Part #	MY 18 OEM Part #	ACDelco Part Number	GM Part Number	CCA	Battery Type
POLICE PACKAGES									
Caprice	V6/Gas	700	92270051	92270051	-	48AGM	88864541	760	AGM
	V6/Gas AUX								
	V8/Gas								
	V8/Gas AUX								
Impala	V6/Gas	720	10360685	-	-	34PG	88865242	750	Flooded

BATTERY TESTING

When testing batteries, you must:

- Select “Out of Vehicle” when setting up the test using the EL-50313 (GR8 Battery Tester/Charger).
- Disconnect both battery cables from the battery. The battery does not need to be removed from the vehicle.
- Connect the EL-50313 directly to the battery terminal posts.
- Select the correct SAE CCA. The battery should be close to room temperature and not frozen.
- Select the proper battery type; Flooded, AGM, or Stop/Start AGM (Auxiliary 12V Battery).

Note: Select the proper battery type to prevent battery damage and to ensure correct test results.

Batteries that are deeply discharged will take an extended time to recharge. Batteries that are cold (less than 0°C or 32°F) can falsely fail testing. Batteries that are cold and deeply discharged must first be warmed prior to testing and charging. Always warm a cold battery to a temperature above 4°C or 40°F prior to testing.

For more information, refer to Bulletin #15-06-03-002M.