SCobra®













MODEL DESCRIPTION SPECIFICATIONS

CDR 835





Professional grade dash camera. 1080P high definition recording, continuous loop recording, built-in G-sensor, parking mode, SnapShot, action cam mode, 2 inch LCD screen, rechargeable lithium ion battery, 160° viewing angle, emergency record button, built-in microphone and speaker, mini USB port, AV output, 12V USB cigarette lighter adapter, USB to micro USB Cable, quick-release suction cup mount, MicroSD card slot (up to 32GB) and 8GB Class IV MicroSD memory card included.

Multi-lingual 4 Color Giftbox and quick start guide: English, Dutch, French, German, Portuguese and Spanish.

SRP \$139.95

master carton qty unit size: gift box size: master carton size: weight unit/mst. ctn. UPC Code: Country of Origin: 4 2.28" H x 2.56" W x 1.24" D 8.54" H x 5.79" W x 2.32" D 6.50" H x 9.92" W x 10.16" D N/A / 0.5 lbs. 0 28377 10704 7 China

CDR 855BT





Professional grade dash camera. 1080P high definition recording, **Bluetooth**® enabled GPS and iRadar® alerts, continuous loop recording, built-in G-sensor, parking mode, SnapShot, action cam mode, 2 inch LCD screen, rechargeable lithium ion battery, 160° viewing angle, emergency record button, built-in microphone and speaker, mini USB port, AV output, 12V USB cigarette lighter adapter, USB to micro USB Cable, quick-release suction cup mount, MicroSD card slot (up to 32GB) and 8GB Class IV MicroSD memory card included. Multi-lingual 4 Color Giftbox and quick start guide: English, Dutch, French, German, Portuguese and Spanish.

SRP
master carton qty
unit size:
gift box size:
master carton size:
weight unit/mst. ctn.
UPC Code:
Country of Origin:

\$169.95 4 2.28" H x 2.56" W x 1.24" D 8.54" H x 5.79" W x 2.32" D 6.50" H x 9.92" W x 10.16" D N/A / 0.5 lbs. 0 28377 10708 5 China

CDR 875G





Professional grade dash camera. 1080P high definition recording, internal GPS and Bluetooth® enabled iRadar® alerts, continuous loop recording, built-in G-sensor, parking mode, SnapShot, action cam mode, 2 inch LCD screen, rechargeable lithium ion battery, 160° viewing angle, emergency record button, built-in microphone and speaker, mini USB port, AV output, 12V USB cigarette lighter adapter, USB to micro USB Cable, quick-release suction cup mount, MicroSD card slot (up to 32GB) and 8GB Class IV MicroSD memory card included.

Multi-lingual 4 Color Giftbox and quick start guide: English, Dutch, French, German, Portuguese and Spanish.

SRP
master carton qty
unit size:
gift box size:
master carton size:
weight unit/mst. ctn.

UPC Code:

SRP

Country of Origin:

4 2.28" H x 2.56" W x 1.24" D 8.54" H x 5.79" W x 2.32" D 6.50" H x 9.92" W x 10.16" D N/A / 0.53 lbs. 0 28377 10723 8 China

\$199.95

CDR 895D



Dual Dash Cam System. Flexible configuration & split scren viewing, lane departure warning/forward collision warming*, HD recording (1080p front, 720p rear), continuous loop recording, built-in G-sensor, parking mode, SnapShot, action cam mode, 2 inch LCD screen, rechargeable lithium ion battery, wide viewing angle (160° front, 130° rear), emergency record button, built-in microphone and speaker, mini USB port, AV output, rear facing camera, 20 ft. rear cam extender cable, Y-cable, 12V USB cigarette lighter adapter, 10 ft. MicroUSB cable (power), 18" Micro USB cable (data), quick-release suction cup mount, MicroSD card slot (up to 32GB) and 16GB Class IV MicroSD memory card included.

Multi-lingual 4 Color Giftbox and quick start guide: English, Dutch, French, German, Portuguese and Spanish.

\$219.95

master carton qty unit size: gift box size: master carton size: weight unit/mst. ctn. UPC Code: Country of Origin:

4 2.28" H x 2.56" W x 1.24" D 9.5" H x 6.69" W x 2.38" D 7.2" H x 11.25" W x 10.25" D N/4/5.21 lbs. 0 28377 10724 2

*Requires CA-Mount-002. Sold Separately

China

CA-MicroUSB-001

Compatible with: CDR835, CDR855BT, CDR875G, CDR895D, CDR 900



Micro USB Hardwire Kit

Easy installation, specifically designed for Cobra® and Drive HD™ products, (also works with most other Micro USB powered devices), 15ft cable (9ft from DC converter to Micro USB Plug), intelligent power management with over current, over voltage, short circuit, over temperature, and low battery voltage protection. Input: DC 12/24V | Output: DC 5V 1A. 4 Color Giftbox

SRP \$29.95
master carton qty Outer: 24, Inner: 4
unit size: N/A
gift box size: N/A
master carton size: N/A

master carton size: N/A
weight unit/mst. ctn. N/A
UPC Code: 0 28377 31406 3
Country of Origin: China

CA-MicroUSB-002

Compatible with: CDR835, CDR855BT, CDR875G, CDR895D, CDR 900 IMAGE AVAILABLE SOON 6M Micro USB Cord. This 6M (20ft) USB to Micro USB Cable is exclusively designed to power Drive HD™ Dash Cams. It extends the reach of the camera, allowing for flexible mounting locations and professional looking installation. Plug into any USB 2.0 port or the USB 2.0 Cigarette Lighter Adapter that comes included with your dash cam. 4 Color Giftbox

SRP
master carton qty
unit size:
gift box size:
master carton size:
weight unit/mst. ctn.
UPC Code:
Country of Origin:

\$14.99 N/A N/A N/A N/A N/A O 28377 31407 0 China









MODEL DESCRIPTION **SPECIFICATIONS**

CA-MiniUSB-001

Compatible with: CDR 810, CDR 830, CDR 820, CDR825E, CDR 840, DSP9200BT



Mini USB Hardwire Kit. Easy installation, specifically designed for Cobra® and Drive HD™ products (also works with most other Mini USB powered devices), 15ft cable (9ft from DC converter to Mini USB Plug), intelligent power management with over current, over voltage, short circuit, over temperature, and low battery voltage protection. Input: DC 12/24V | Output: DC 5V 1A. 4 Color Giftbox

SRP master carton qty unit size: gift box size: master carton size: weight unit/mst. ctn. **UPC Code:**

\$29.99 Outer: 24, Inner: 4 N/A N/A N/A N/A

0 28377 31409 4

CA-Mount-001

Compatible with: CDR835, CDR855BT, CDR875G, CDR895D, **CDR 900**



Adhesive Mount for Dash Cams. This low profile adhesive mount semi-permanently affixes to your windshield for sleek and clean installation of compatible Drive HD™ Dash Cams. The slide mount system allows you to easily remove the dash cam for storage or travel. 4 Color Giftbox

SRP \$19.99 master carton qty N/A N/A unit size: gift box size: master carton size: weight unit/mst. ctn. **UPC Code:** Country of Origin:

N/A N/A N/A 0 28377 31408 7 China

CA-Mount-002

Compatible with: CDR835, CDR855BT. CDR875G, CDR895D, **CDR 900**



GPS Mount for Dash Cams. This GPS suction cup mount adds GPS functionality to supported Drive HD Dash Cams. Simply install the dash cam on your windshield using the GPS mount and plug the 3.5mm jack into the dash cam's Accessory Port. A gray GPS icon will appear on the video screen status bar when the GPS is plugged in. The icon will turn white once satellite lock has been achieved, indicating that location information is now being embedded into your video footage. 4 Color Giftbox

SRP \$39.99 master carton qty N/A unit size: N/A gift box size: N/A master carton size: N/A weight unit/mst. ctn. N/A HPC Code:

0 28377 31423 0 China

RAD250



9 band radar/laser detector with UltraBright Data Display™, signal strength meter, city/highway selector, Auto Mute, LaserEye® 360° detection, VG-2 undetectable/alert, Spectre 1 undetectable, Safety Alert®.

Clamshell Packed - Peggable FCC Compliant

SRP

Country of Origin:

master carton qty unit size: clamshell size: master carton size: weight unit/clamshell weight master carton UPC Code: Country of Origin:

\$59.95

4.1" H x 2.7" W x 1.33" D 10.23" H x 6.7" W x 2.83" D 11.22" H x 8.07" W x 7.87" D 0.30 lbs. / 0.66 lbs. 3.6 lbs. 0 28377 10568 5 China

RAD350



9 band radar/laser detector with UltraBright Data Display™, signal strength meter, city/highway selector, Auto Mute, LaserEye® 360° detection, VG-2 undetectable/alert, Spectre 1 undetectable, Safety Alert®.

Clamshell Packed - Peggable **FCC Compliant**

SRP

master carton qty unit size: clamshell size: master carton size: weight unit/clamshell weight master carton UPC Code: Country of Origin:

\$59.95

4.1" H x 2.7" W x 1.33" D 10.23" H x 6.7" W x 2.83" D 11.22" H x 8.07" W x 7.87" D 0.30 lbs. / 0.66 lbs. 0 28377 10613 2

RAD450



14 band radar/laser detector with POP mode radar gun detection, UltraBright Data Display™, digital signal strength meter, city/highway selector, Auto Mute, IntelliMute®, IntelliMute® Pro, dimmer, LaserEye® 360° detection, Ku Band Detection, VG-2 undetectable/alert, Spectre 1 undetectable/ alert, Safety Alert®, Strobe Alert®, system self test, memory. Clamshell Packed - Peggable

FCC Compliant

SRP master carton gty unit size: clamshell size:

master carton size: weight unit/clamshell weight master carton UPC Code: Country of Origin:

\$109.95

4.15" H x 2.83" W x 1.33" D 10.23" H x 6.7" W x 2.71" D 11.22" H x 8.07" W x 7.87" D 0.30 lbs. / 0.66 lbs. 3.56 lbs. 0 28377 10569 2

China









MODEL	DESCRIPTION	SPECIFICATIONS
CPI 190	New look Traveler® 12 volt DC to 120 volt AC Power Inverter, 130 watts continuous power handling, 150 watts peak, 5 volt USB output, modified sine wave, thermal shutdown, reverse polarity protection, low voltage shutdown, 1 grounded AC receptacle and dual color status LED. Paperboard packaging - Peggable	SRP \$39.95 master carton qty 4 unit size: 1.5"H x 2.75"W x 5"D clamshell size: 8.6"H x 7" W x 1.75"D master carton size: 10"H x 7.75"W x 7.75"D weight unit/mst. ctn. 5.6 oz. / 2.75 lbs. UPC Code: 0 28377 0 28377 31330 1 Country of Origin: China
CPI 290 CH	12 volt DC to 120 volt AC Power Inverter, 200 watts continuous power handling, 400 watts peak, 5 volt USB output, modified sine wave, thermal shutdown, reverse polarity protection, low voltage shutdown, 1 grounded AC receptacle, dual color status LED, 12 volt cigarette lighter plug included. Clamshell Packed - Peggable	SRP \$49.95 master carton qty 6 unit size: 7.41" H x 4.06" W x 4.03" D clamshell size: 11.5" H x 7.5" W x 4.1" D master carton size: 42" H x 18.5" W x 8.8" D weight unit/mst. ctn. 1.56 lbs. / 10.93 lbs. UPC Code: 0 28377 31265 6 Country of Origin: China
CPI 490	12 volt DC to 120 volt AC Power Inverter, 400 watts continuous power handling, 800 watts peak, 5 volt USB output, modified sine wave, thermal shutdown, reverse polarity protection, low voltage shutdown, low voltage alarm, 2 grounded AC receptacles, cigarette lighter plug, direct-to-battery cables included. Clamshell Packed - Peggable	SRP \$54.95 master carton qty 6 unit size: 2.59" H x 4.17" W x 6.45"D clamshell size: 11.8" H x 9.8" W x 2.04"D master carton size: 12.5" H x 18" W x 9.75"D weight unit/mst. ctn. 2 lbs. / 14 lbs., 8.8 oz. UPC Code: 0 28377 31287 8 Country of Origin: China
CPI 890	12 volt DC to 120 volt AC Power Inverter, 800 watts continuous power handling, 1600 watts peak, 5 volt USB output, modified sine wave, thermal shutdown, reverse polarity protection, low voltage shutdown, low voltage alarm, 2 grounded AC receptacles, direct-to-battery cable with clips included. Clamshell Packed - Peggable	SRP \$79.95 master carton qty 6 unit size: 2.75" H x 5" W x 8.5" D clamshell size: 12.75" H x 13.75" W x 3.75"D master carton size: 14.5" H x 19" W x 11.5"D weight unit/mst. ctn. 4 lbs., 0.2 oz. / 24 lbs., 8 oz. UPC Code: 0 28377 31288 5 Country of Origin: China
CPI 1090	12 volt DC to 120 volt AC Power Inverter, 1000 watts continuous power handling, 2000 watts peak, 5 volt USB output, modified sine wave, thermal shutdown, reverse polarity protection, low voltage shutdown, low voltage alarm, 2 grounded AC receptacles, LED volt/watt meter, remote on/off capable, direct-to-battery cables included. 4 Color Giftbox	SRP \$129.95 master carton qty 4 unit size: 3.22" H x 6.88" W x 8.22" D gift box size: 8.5" H x 12.5" W x 4.9"D master carton size: 13" H x 20.1" W x 8.9"D weight unit/mst. ctn. UPC Code: 0 28377 31268 7 Country of Origin: China
CPI 1590	12 volt DC to 120 volt AC Power Inverter, 1500 watts continuous power handling, 3000 watts peak, 5 volt USB output, modified sine wave, thermal shutdown, reverse polarity protection, low voltage shutdown, low voltage alarm, 3 grounded AC receptacles, LED volt/watt meter and remote on/off capable. 4 Color Giftbox	SRP
CPI 2590	12 volt DC to 120 volt AC Power Inverter, 2500 watts continuous power handling, 5000 watts peak, 5 volt USB output, modified sine wave, thermal shutdown, reverse polarity protection, low voltage shutdown, low voltage alarm, 3 grounded AC receptacles, LED volt/watt meter, and remote on/off capable. 4 Color Giftbox	SRP \$319.95 master carton qty 2 unit size: 3.3" H x 9.6" W x 11" D gift box size: 11.1" H x 12.7" W x 4.9"D master carton size: 11.5" H x 13.1" W x 10.3"D weight unit/mst. ctn. 8.70 lbs. / 19.62 lbs. UPC Code: 0 28377 31270 0 Country of Origin: China









MODEL DESCRIPTION SPECIFICATIONS

CPI A20



Remote control for use with CPI 1000, CPI 1550, CPI 1575, CPI 2550 and CPI 2575.

Clamshell Packed - Peggable

SRP

master carton qty unit size: clamshell size: master carton size: weight unit/mst. ctn. **UPC Code:** Country of Origin:

\$29 95

2.25" H x 2.5" W x 0.5" D 7.75" H x 5" W x 1.25" D 10.5" H x 12.5" W x 19" D 7 oz. / 12 lbs. 0 28377 31192 5 China

\$39.95

10' red AWG #4

10' black AWG #4 8' green AWG #8

CPI A4000 BC



10' red #4 AWG power cable, 10' black #4 AWG ground cable, 8' green AWG #8 chassis ground cable with terminal, battery terminals, tinned contacts.

4 Color Gift Box

master carton gty cable lengths:

gift box size: master carton size: weight unit/mst. ctn.

UPC Code: Country of Origin:

1.75" H x 10.5" W x 10.5" D 12" H x 11.5" W x 11.5" D 5 lbs., 0.8 oz. / 31 lbs., 12 oz. 0 28377 31247 2

China

CPP 8000

JumPack™. Jumpstart your car and charge your mobile devices. 180 Amp starting current, 360 Amp peak current, jumpstarts most cars. Jumpstart your car multiple times on one charge. Charges mobile devices multiple times. 2.4 Amp USB port for rapid charging of portable devices. Built-in LED flashlight. 6000mAh lithium-cobalt battery. 5V USB and 12V DC car cigarette lighter plug included. 6 langauage manual includes: English, Dutch, French, German, Portuguese and Spanish. 1 year warranty.

4 Color Giftbox - Peggable

SRP

master carton qty unit size: gift box size: master carton size: weight unit/mst. ctn. UPC Code:

Country of Origin:

\$119.95

5.50" H x 2.87" W x 0.65" D 10.25" H x 7.25" W x 2.25" D 12.40" H x15.55" W x 7.68" D 9.2 oz. / 8.5 lbs. 0 28377 31382 0

China



JumPack™ XL. Jumpstart your car and charge your mobile devices. 300 Amp starting current, 500 Amp peak current, jumpstarts most gasoline and diesel vehicles. Jumpstart your vehicle multiple times on one charge. Charges mobile devices multiple times. 3 Amp USB port for rapid charging of portable devices. Built-in LED flashlight. 41.1 wh UL registered lithiumcobalt battery. 3-color jump start status LED. 120V AC Adapter. 13.8V DC car cigarette lighter plug and carry case included. 1 vear warrantv.

4 Color Giftbox - Peggable

SRP

master carton qty unit size: gift box size: master carton size: weight unit/mst. ctn. UPC Code: Country of Origin:

\$149.95

6.50" H x 3.07" W x 1.28" D 10.43" H x 7.48" W x 2.36" D 12.40" H x 15.55" W x 7.68" D 1.08 lbs. / 14.21 lbs. 0 28377 31394 3

China



Classic CB radio, Dynamike®, RF gain, switchable noise blanker, dim/bright, instant channel 9, automatic noise limiter, CB/PA, illuminated analog signal strength & power meter, front panel 4 pin screw-on mic connector, heavy duty dynamic mic with 9' cord, tactile controls, RX & TX indicators. 4 Color Giftbox

master carton qty unit size: gift box size: master carton size: weight unit/mst. ctn. **UPC** Code: **Country of Origin:**

2.25" H x 6.25" W x 9" D 12.25" H x 11.75" W x 3" D 18.25" H x 13" W x 13" D 5.0 lbs. / 32.0 lbs. 0 28377 90324 3

China



Classic CB radio, fully featured with SWR calibration, delta tune, switchable automatic noise limiter (ANL) and noise blanker (NB), dim/bright, instant channel 9, CB/PA, illuminated analog signal strength/power and SWR meter, front panel 4 pin screw on mic connector, heavy duty dynamic mic with 9' cord, tactile controls, RX & TX indicators, antenna warning LED. 4 Color Giftbox

master carton atv unit size: aift box size: master carton size: weight unit/mst. ctn.

IJPC Code: **Country of Origin:** \$119.95

2.25" H x 7.25" W x 9.25" D 13.25" H x 12" W x 3" D 12.75" H x 19.25" W x 13.75" D 5.6 lbs. / 36.2 lbs. 0 28377 90325 0

China



Chrome classic, RF gain, SWR calibration, blue LEDs, TalkBack, antenna warning LED, Dynamike®, switchable noise blanker, automatic noise limiter, CB/PA, illuminated analog signal strength and power meter, front panel 4 pin screw-on mic connector, heavy duty chrome dynamic mic with 9' cord, tactile controls, receive and transmit indicators. 4 Color Giftbox

master carton qty unit size: aift box size: master carton size: weight unit/mst. ctn. UPC Code: Country of Origin:

\$139.95

2.25" H x 7.25" W x 9.25" D 13.25" H x 12" W x 3" D 12.75" H x 19.25" W x 13.75" D 5.6 lbs. / 36.2 lbs. 0 28377 20161 8 China









MODEL	DESCRIPTION	SPECIFICATIONS
29 LX NOAA	New design, new dynamic microphone, 4-color selectable LCD display, day/night illumination, 10 channel NOAA weather with scan, CB 40 channel scan, memory scan, SWR calibration, antenna warning, radio check diagnostic, clock/on-duty timer/alarm clock, one-touch programming, 4-pin screw on mic connector, 9' microphone cord, ANL/NB control, RF gain, Dynamike® control, Delta tune, TalkBack.	SRP
29 LX BT NOAA Bluetooth	CB radio with <i>Bluetooth</i> Wireless Technology, dual point <i>Bluetooth</i> , address book synchronization, text to speech capability, voice and text caller I.D., selectable 4-color LCD display (choose from red, blue, green or amber), customizable night/day illumination settings, 10 NOAA weather channels and weather alert, simple one touch programming, digital frequency display, radio check diagnostic, one touch 40 channel scan, TalkBack, noise-canceling microphone with one touch <i>Bluetooth</i> operation, programmable 10 channel memory scan, clock/timer/alarm, instant channel 9/19, RF gain, SWR calibration and key tones.	SRP \$169.95 master carton qty unit size: 2.25" H x 7.25" W x 9.25" D gift box size: 13.25" H x 12" W x 3" D 12.75" H x 19.25" W x 13.75" D 13.25" H x 19.25" W x 13.75" D 14.75" H x 19.25" W x 13.75" D 15.6 lbs. / 36.2 lbs. 15.75" H x 19.25" W x 13.75" D
HG A1000	Base-load small magnetic-mount CB antenna. 100 watt power handling capability, black stainless steel whip and hardware, 26-30 MHz frequency range, weather channel capable, S0 239 connector, matched braided coaxial cable, scratch-resistant base pad. Blister Pack - Peggable	SRP \$24.95 master carton qty unit size: 18.5" H x 2.75" W blister package size: 19.25" H x 5.8" W x 2.25" D master carton size: 20.07" H x 6.1" W x 9.8" D ueight unit/mst. ctn. 0.94 lb. / 8.81 lbs. UPC Code: 0.28377 31081 2 Country of Origin: Taiwan
HG A1500	Base-load medium magnet mount CB antenna. 300 watt power handling capability, black stainless steel whip and hardware, 26-30 MHz frequency range, weather, channel capable, SO 239 connector, matched braided coaxial cable, scratch-resistant base pad. Blister Pack - Peggable	SRP \$39.95 master carton qty unit size: 36" H x 3.75" W blister package size: 38.5" H x 6" W x 2.75" D master carton size: 38.5" H x 6.5" W x 10" D weight unit/mst. ctn. UPC Code: 0 28377 31080 5 Country of Origin: Taiwan
HG M73	Dynamic CB microphone–4-pin, black, dynamic voice coil diaphragm, drop-proof ABS plastic housing, metal mesh grille, coiled 9' cord, chrome connector, left-side PTT talk button. Blister Packed - Peggable	SRP \$19.95 master carton qty unit size: 4" H x 2.8" W x 2.3" D blister package size: 8.5" H x 5" W x 2.3" D master carton size: 10" H x 10.5" W x 8.75" D ueight unit/mst. ctn. UPC Code: 0 28377 31082 9 Country of Origin: China
HG M75	Power CB microphone–4-pin, black, 2 transistor amp with gain control, adjustable power level dial control, electret condensor, drop-proof ABS plastic housing, metal mesh grille, coiled 9' cord, chrome connector, left-side PTT talk button. Blister Packed - Peggable	SRP \$24.95 master carton qty 6 unit size: 4" H x 2.8" W x 2.3" D blister package size: 8.5" H x 5" W x 2.3" D master carton size: 10" H x 10.5" W x 8.75" D ueight unit/mst. ctn. UPC Code: 0 28377 31083 6 Country of Origin: China
HG M77	Noise-canceling microphone–4-pin, black, special noise-cutting circuitry, dynamic noise-canceling circuit, voice coil diaphragm, drop-proof ABS plastic housing, metal mesh grille, coiled 9' cord, chrome connector, left-side PTT talk button. Blister Packed - Peggable	SRP \$39.95 master carton qty unit size: 4" H x 2.8" W x 2.3" D blister package size: 8.5" H x 5" W x 2.3" D master carton size: 10" H x 10.5" W x 8.75" D ueight unit/mst. ctn. UPC Code: 0 28377 31084 3 Country of Origin: China









MODEL	DESCRIPTION	SPECIFICATIONS
HG S100	Dynamic external CB speaker. 15 watt capacity, 4" diameter 8 ohm 5.5 oz. permanent magnet driver, coated speaker cone, mylar dust cap, heavy-duty construction, metal mesh grille, ear piece jack, ratched swivel mount, 7' cord, 3.5 mm plug. 4 Color Giftbox	SRP \$19.95 master carton qty 6 unit size: 4.9" H x 4.9" W x 2.5" D gift box size: 5.9" H x 5.3" W x 3.3" D master carton size: 6.3" H x 16.5" W x 7.2" D turn ty of Origin: \$18.05
HG S300	Noise-canceling external CB speaker. 15 watt capacity, 4" 8 ohm 5.5 oz. permanent magnet driver, coated speaker cone, mylar dust cap, heavy-duty construction, metal mesh grille, ear piece jack, ratched swivel mount, 7' cord, 3.5 mm plug. 4 Color Giftbox	SRP \$24.95 master carton qty 6 unit size: 4.9" H x 4.9" W x 2.5" D gift box size: 5.9" H x 5.3" W x 3.3" D master carton size: 6.3" H x 16.5" W x 7.2" D weight unit/mst. ctn. 1.8 lbs. / 11.39 lbs. UPC Code: 0 28377 31088 1 Country of Origin: China
HG \$500	Noise-canceling external CB speaker with talkback. 15 watt capacity, noise-canceling filter, talkback pot, 4" diameter 8 ohm 5.5 oz. permanent magnet driver, coated speaker cone, mylar cap, heavy-duty construction, metal mesh grille, earpiece jack, ratched swivel mount, 7' cord, 3.5 mm plug. 4 Color Giftbox	SRP \$29.95 master carton qty 6 unit size: 4.9" H x 4.9" W x 2.5" D gift box size: 5.9" H x 5.3" W x 3.3" D master carton size: 6.3" H x 16.5" W x 7.2" D weight unit/mst. ctn. UPC Code: 0 28377 31089 8 China
18 WX ST II	40 channels, SoundTracker®, 10 NOAA weather channels, front firing speaker, electronic phase lock loop tuning, Dual Watch, signal strength & power output meter, TX/RX/WX LEDs, CB/PA switch, 4 pin screw-on mic connector, dynamic mic with 9° cord, instant emergency channel 9 and 19, last channel retention, 40 channel scan, new improved styling. 4 Color Giftbox	SRP
19 DX IV	Compact 40 channels, illuminated LCD display, RF gain, S/RF meter, built in noise cancelling electronic phase lock loop tuning, CB/PA switch, 4 pin screw-on mic connector, dynamic mic with 9' cord, instant emergency channel 9 and 19, new, improved styling. 4 Color Giftbox	SRP
NOAA NOAA	40 channels, Remote Mount, SoundTracker®, 10 NOAA weather channels, Dual Watch, full channel scan, instant 9 and 19, LCD display, 4 memory channels, key lock, underdash remote mounting system, quick disconnect, 5 digit frequency counter, external speaker jack, signal strength and power output meter, contoured ergonomic design. 4 Color Giftbox	SRP \$129.95 master carton qty 6 unit size: 4.5" H x 2.75" W x 1.75" D gift box size: 9" H x 6.75" W x 2.25" D master carton size: 9.75" H x 14.5" W x 8.5" D weight unit/mst. ctn. UPC Code: 0 28377 90233 8 Country of Origin: China
NOAA	40 channels, 4 watt, compact handheld CB, SoundTracker®, 10 weather channels, Dual Watch, full channel scan, hi/low power saver, auto-battery saver, instant channel 9 and19, LCD display, speaker/mic jack, signal strength and power output meter, contoured ergonomic design, DC power cord, key lock, high efficiency flexible antenna, belt clip, wrist strap. Clamshell Packed - Peggable	SRP \$99.95 master carton qty 4 unit size: 6.75" H x 2" W x 1.75" D clamshell size: 8" H x 6" W x 2.5" D master carton size: 8.25" H x 9.75" W x 6.25" D weight unit/mst. ctn. 1.2 lbs. / 5.0 lbs. UPC Code: 0-28377 90259 8 Country of Origin: China
HH ROAD TRIP	40 channels, 4 watt, compact handheld CB, SoundTracker®, low profile magnet mount mobile antenna included, 10 weather channels, Dual Watch, full channel scan, hi/low power saver, auto-battery saver, instant channel 9 and 19, LCD display, speaker/mic jack, signal strength and power output meter, contoured ergonomic design, DC power cord, key lock, high efficiency flexible antenna, belt clip, wrist strap. Clamshell Packed - Peggable	SRP \$109.95 master carton qty 4 unit size: 6.75" H x 2" W x 1.75" D mobile antenna height: 10.5" clamshell size: 13.25" H x 7.75" W x 3.5" D master carton size: 16.75" H x 18.5" W x 11" D weight unit/mst. ctn. 1.2 lbs. / 13.3 lbs. UPC Code: 0 28377 20047 2 Country of Origin: China