

2017 The Expanded ICD-10-CM Table of Drugs & Chemicals

July Sale Price **\$29.95** (Reg. \$39.95)

ISBN: 9781933053-86-8

2017 Expanded ICD-10-CM Table of Drugs & Chemicals

CRAIG D. PUCKETT

2017 Edition

- Over 4,000 new entries
- New entries selected from AHFS Drug Information®
- New entries identified with "*"
- Combination drugs listed by effective agent
- Highlighted Accidental Poisoning column
- Highlighted Adverse Effect column
- Includes all drugs listed in 2017 ICD-10-CM code book



Remoxipride		EXPANDED ICD-10-CM TABLE OF DRUGS AND CHEMICALS							
Table of Drugs & Chemicals	P O I S O N I N G						Table of Drugs & Chemicals	(Ur)	
	Accidental (Unintentional)	Self-Harm (Intentional)	Assault	Undetermined	Adverse Effect	Underdosing			
Remoxipride.....	T43.591-	T43.592-	T43.593-	T43.594-	T43.595-	T43.596-	Rhubarb		
Renagel*	T50.3x1-	T50.3x2-	T50.3x3-	T50.3x4-	T50.3x5-	T50.3x6-	dry extract		
Renamin*	T50.3x1-	T50.3x2-	T50.3x3-	T50.3x4-	T50.3x5-	T50.3x6-	tincture, compound ..		
Renese	T50.2x1-	T50.2x2-	T50.2x3-	T50.2x4-	T50.2x5-	T50.2x6-	Rhulicream*		
Renova*	T49.0x1-	T49.0x2-	T49.0x3-	T49.0x4-	T49.0x5-	T49.0x6-	RioSTAP*		
Renveia*	T50.3x1-	T50.3x2-	T50.3x3-	T50.3x4-	T50.3x5-	T50.3x6-	Ribasphere*		
Renografin	T50.8x1-	T50.8x2-	T50.8x3-	T50.8x4-	T50.8x5-	T50.8x6-	Ribavirin		
Repaglinide*	T38.3x1-	T38.3x2-	T38.3x3-	T38.3x4-	T38.3x5-	T38.3x6-	Riboflavin		
ReoPro*	T45.521-	T45.522-	T45.523-	T45.524-	T45.525-	T45.526-	Ribostamycin		
Replacement solution.....	T50.3x1-	T50.3x2-	T50.3x3-	T50.3x4-	T50.3x5-	T50.3x6-	Ricin		
Reprexain*							Ricinus communis.....		
hydrocodone as effective agent	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-	Rickettsial vaccine NEC...		
ibuprofen as effective agent	T39.311-	T39.312-	T39.313-	T39.314-	T39.315-	T39.316-	RID*		
Reproterol	T48.6x1-	T48.6x2-	T48.6x3-	T48.6x4-	T48.6x5-	T48.6x6-	Ridaura*		
Rescinnamine	T46.5x1-	T46.5x2-	T46.5x3-	T46.5x4-	T46.5x5-	T46.5x6-	Rifabutin		
Rescon-GG*							Rifadin*		
dextromethorphan as effective agent	T48.3x1-	T48.3x2-	T48.3x3-	T48.3x4-	T48.3x5-	T48.3x6-	Rifamate*		
phenylephrine as effective agent	T44.4x1-	T44.4x2-	T44.4x3-	T44.4x4-	T44.4x5-	T44.4x6-	Rifamide.....		
Recriptor*	T37.5x1-	T37.5x2-	T37.5x3-	T37.5x4-	T37.5x5-	T37.5x6-	Rifampicin		
Rescula*	T49.5x1-	T49.5x2-	T49.5x3-	T49.5x4-	T49.5x5-	T49.5x6-	with isoniazid.....		
Requip*	T42.8x1-	T42.8x2-	T42.8x3-	T42.8x4-	T42.8x5-	T42.8x6-	Rifampin		
Reserpin(e).....	T46.5x1-	T46.5x2-	T46.5x3-	T46.5x4-	T46.5x5-	T46.5x6-	Rifamycin		
Resorcin, resorcinol (nonmedicinal)	T65.891-	T65.892-	T65.893-	T65.894-	—	—	Rifapentine*		
medicinal	T49.4x1-	T49.4x2-	T49.4x3-	T49.4x4-	T49.4x5-	T49.4x6-	Rifater*		
Respire	T48.4x1-	T48.4x2-	T48.4x3-	T48.4x4-	T48.4x5-	T48.4x6-	Rifaximin		
Respiratory drug NEC.....	T48.901-	T48.902-	T48.903-	T48.904-	T48.905-	T48.906-	RIG*		
antiasthmatic NEC	T48.6x1-	T48.6x2-	T48.6x3-	T48.6x4-	T48.6x5-	T48.6x6-	Rilonacept*		
anti-common-cold NEC ..	T48.5x1-	T48.5x2-	T48.5x3-	T48.5x4-	T48.5x5-	T48.5x6-	Rilpivirine*		
expectorant NEC.....	T48.4x1-	T48.4x2-	T48.4x3-	T48.4x4-	T48.4x5-	T48.4x6-	Rilutek*		
							Riluzole*		
							RimabotulinumtoxinB*		
							Rimactane*		
							Rimantadine		
							Rimazolium metilsulfate		

INTRODUCTION TO 2017 EXPANDED ICD-10-CM TABLE OF DRUGS & CHEMICALS

The *2017 Expanded ICD-10-CM Table of Drugs & Chemicals* fulfills the coder's need for a complete, up-to-date alphabetic index listing of generic and brand named drugs. This expanded version includes thousands of newly approved drugs (generic names and brand names) with their corresponding ICD-10-CM code number set equivalents. The assignment of these equivalents is based upon the drug type classification, the ICD-10-CM code categories and code titles, the instructional information contained within ICD-10-CM (Includes notes, Excludes notes, and Official Coding Guidelines) and as guided and instructed by the original intent of ICD-10-CM. Every effort has been made to assign these equivalents accurately; however, coders must confirm each coding decision within the Tabular List (per the ICD-10-CM Official Coding Guideline, Chapter 19. e. 1) Do not code directly from the Table of Drugs and Chemicals. Always refer back to the Tabular List).

ARRANGEMNT OF EXPANDED VERSION

- The literal content of the original Table of Drugs and Chemicals has not changed.
- This 2017 edition contains all Official Addendum and Errata effective through October 1, 2016.
- All additional drug entries are identified with an asterik "*" following each new named drug.
- The additional drug entries are listed by the generic name (monograph) and by the current brand name(s).
- Combination brand name drug preparations (more than one effective, classifiable drug) are listed separately "... as effective agent."
- The Accidental Poisoning column has been highlighted.
- The Adverse Effect column has been highlighted.
- Guide words are located on each page in the upper-outer portion of each page.
- Corresponding ICD-10-CM Tabular List pages as printed following the table.

Table of Drugs & Chemicals	P O I S O N I N G						Table of Drugs & Chemicals	P O I S O N I N G					
	Accidental (Unintentional)	Self-Harm (Intentional)	Assault	Undetermined	Adverse Effect	Underdosing		Accidental (Unintentional)	Self-Harm (Intentional)	Assault	Undetermined	Adverse Effect	Underdosing
1-Day*	T49.0x1-	T49.0x2-	T49.0x3-	T49.0x4-	T49.0x5-	T49.0x6-	Accupril*	T46.4x1-	T46.4x2-	T46.4x3-	T46.4x4-	T46.4x5-	T46.4x6-
1-propranol	T51.3x1-	T51.3x2-	T51.3x3-	T51.3x4-	—	—	Accuretic*	—	—	—	—	—	—
1S,2R-Milnacipran*	T43.211-	T43.212-	T43.213-	T43.214-	T43.215-	T43.216-	hydrochlorothiazide as effective agent	T50.2x1-	T50.2x2-	T50.2x3-	T50.2x4-	T50.2x5-	T50.2x6-
2,3,7,8-Tetrachlorodibenzo- p-dioxin	T53.7x1-	T53.7x2-	T53.7x3-	T53.7x4-	—	—	quinapril as effective agent	T46.4x1-	T46.4x2-	T46.4x3-	T46.4x4-	T46.4x5-	T46.4x6-
2,4,5-T (trichloro- phenoxyacetic acid)	T60.1x1-	T60.1x2-	T60.1x3-	T60.1x4-	—	—	Acebutolol	T44.7x1-	T44.7x2-	T44.7x3-	T44.7x4-	T44.7x5-	T44.7x6-
2,4-D	T60.3x1-	T60.3x2-	T60.3x3-	T60.3x4-	—	—	Acecarbromal	T42.6x1-	T42.6x2-	T42.6x3-	T42.6x4-	T42.6x5-	T42.6x6-
2,4-D (dichlorophen- oxyacetic acid)	T60.3x1-	T60.3x2-	T60.3x3-	T60.3x4-	—	—	Acedidine	T44.1x1-	T44.1x2-	T44.1x3-	T44.1x4-	T44.1x5-	T44.1x6-
2,4-toluene diisocyanate	T65.0x1-	T65.0x2-	T65.0x3-	T65.0x4-	—	—	Acedapsona	T37.0x1-	T37.0x2-	T37.0x3-	T37.0x4-	T37.0x5-	T37.0x6-
2-Deoxy-5-fluorouridine	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-	Acetylamine	T48.6x1-	T48.6x2-	T48.6x3-	T48.6x4-	T48.6x5-	T48.6x6-
2-Deoxycoformycin*	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-	Acemorphan	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-
2-Ethoxyethanol	T52.3x1-	T52.3x2-	T52.3x3-	T52.3x4-	—	—	Acenocoumarin	T45.511-	T45.512-	T45.513-	T45.514-	T45.515-	T45.516-
2F2*	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-	Acenocoumarol	T45.511-	T45.512-	T45.513-	T45.514-	T45.515-	T45.516-
2-Methoxyethanol	T52.3x1-	T52.3x2-	T52.3x3-	T52.3x4-	—	—	Aceon*	T46.4x1-	T46.4x2-	T46.4x3-	T46.4x4-	T46.4x5-	T46.4x6-
2-propranol	T51.2x1-	T51.2x2-	T51.2x3-	T51.2x4-	—	—	Acephen*	T39.1x1-	T39.1x2-	T39.1x3-	T39.1x4-	T39.1x5-	T39.1x6-
3TC*	T37.5x1-	T37.5x2-	T37.5x3-	T37.5x4-	T37.5x5-	T37.5x6-	Acepiylline	T48.6x1-	T48.6x2-	T48.6x3-	T48.6x4-	T48.6x5-	T48.6x6-
4-Aminobutyric acid	T43.8x1-	T43.8x2-	T43.8x3-	T43.8x4-	T43.8x5-	T43.8x6-	Acepromazine	T43.3x1-	T43.3x2-	T43.3x3-	T43.3x4-	T43.3x5-	T43.3x6-
4-Aminophenol derivatives	T39.1x1-	T39.1x2-	T39.1x3-	T39.1x4-	T39.1x5-	T39.1x6-	Acesulfamethoxypropyridazine	T37.0x1-	T37.0x2-	T37.0x3-	T37.0x4-	T37.0x5-	T37.0x6-
4-Aminopyridine*	T50.991-	T50.992-	T50.993-	T50.994-	T50.995-	T50.996-	Acetadote*	T50.6x1-	T50.6x2-	T50.6x3-	T50.6x4-	T50.6x5-	T50.6x6-
4-Factor PCC*	T45.7x1-	T45.7x2-	T45.7x3-	T45.7x4-	T45.7x5-	T45.7x6-	Acetal	T52.8x1-	T52.8x2-	T52.8x3-	T52.8x4-	—	—
4-Factor prothrombin complex concentrate* ..	T45.7x1-	T45.7x2-	T45.7x3-	T45.7x4-	T45.7x5-	T45.7x6-	Acetaldehyde (vapor)	T52.8x1-	T52.8x2-	T52.8x3-	T52.8x4-	—	—
4-Way Nasal Spray*	T49.6x1-	T49.6x2-	T49.6x3-	T49.6x4-	T49.6x5-	T49.6x6-	liquid	T65.891-	T65.892-	T65.893-	T65.894-	—	—
5-Deoxy-5-fluorouridine	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-	P-Acetamidophenol	T39.1x1-	T39.1x2-	T39.1x3-	T39.1x4-	T39.1x5-	T39.1x6-
5-Fluorouracil*	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-	Acetaminophen	T39.1x1-	T39.1x2-	T39.1x3-	T39.1x4-	T39.1x5-	T39.1x6-
5-FU*	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-	Acetaminophen with codeine*	T39.1x1-	T39.1x2-	T39.1x3-	T39.1x4-	T39.1x5-	T39.1x6-
topical	T49.8x1-	T49.8x2-	T49.8x3-	T49.8x4-	T49.8x5-	T49.8x6-	acetaminophen as effective agent	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-
5-Methoxypsoralen (5-MOP)	T50.991-	T50.992-	T50.993-	T50.994-	T50.995-	T50.996-	codeine as effective agent	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-
6-Mercaptopurine*	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-	Acetaminosalol	T39.1x1-	T39.1x2-	T39.1x3-	T39.1x4-	T39.1x5-	T39.1x6-
6-MP*	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-	Acetanilide	T39.1x1-	T39.1x2-	T39.1x3-	T39.1x4-	T39.1x5-	T39.1x6-
8-Aminoquinoline drugs	T37.2x1-	T37.2x2-	T37.2x3-	T37.2x4-	T37.2x5-	T37.2x6-	Acetarsol	T37.3x1-	T37.3x2-	T37.3x3-	T37.3x4-	T37.3x5-	T37.3x6-
8-Methoxypsoralen (8-MOP)	T50.991-	T50.992-	T50.993-	T50.994-	T50.995-	T50.996-	Acetasol*	T49.6x1-	T49.6x2-	T49.6x3-	T49.6x4-	T49.6x5-	T49.6x6-
9-Hydroxyrisperidone*	T43.591-	T43.592-	T43.593-	T43.594-	T43.595-	T43.596-	Acetazolamide	T50.2x1-	T50.2x2-	T50.2x3-	T50.2x4-	T50.2x5-	T50.2x6-
14-hydroxydihydro- morphinone	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-	Acetiamine	T45.2x1-	T45.2x2-	T45.2x3-	T45.2x4-	T45.2x5-	T45.2x6-
A200 Lice*	T49.0x1-	T49.0x2-	T49.0x3-	T49.0x4-	T49.0x5-	T49.0x6-	Acetic acid	T54.2x1-	T54.2x2-	T54.2x3-	T54.2x4-	—	—
A and D*	T49.3x1-	T49.3x2-	T49.3x3-	T49.3x4-	T49.3x5-	T49.3x6-	with sodium acetate (ointment)	T49.3x1-	T49.3x2-	T49.3x3-	T49.3x4-	T49.3x5-	T49.3x6-
Abacavir*	T37.5x1-	T37.5x2-	T37.5x3-	T37.5x4-	T37.5x5-	T37.5x6-	ester (solvent) (vapor)	T52.8x1-	T52.8x2-	T52.8x3-	T52.8x4-	—	—
Abatacept*	T39.4x1-	T39.4x2-	T39.4x3-	T39.4x4-	T39.4x5-	T39.4x6-	irrigating solution	T50.3x1-	T50.3x2-	T50.3x3-	T50.3x4-	T50.3x5-	T50.3x6-
A/B-B Otic*	—	—	—	—	—	—	medicinal (lotion)	T49.2x1-	T49.2x2-	T49.2x3-	T49.2x4-	T49.2x5-	T49.2x6-
antipyrine as effective agent	T39.2x1-	T39.2x2-	T39.2x3-	T39.2x4-	T39.2x5-	T39.2x6-	anhydride	T65.891-	T65.892-	T65.893-	T65.894-	—	—
benzocaine as effective agent	T41.3x1-	T41.3x2-	T41.3x3-	T41.3x4-	T41.3x5-	T41.3x6-	ether (vapor)	T52.8x1-	T52.8x2-	T52.8x3-	T52.8x4-	—	—
ABC*	T37.5x1-	T37.5x2-	T37.5x3-	T37.5x4-	T37.5x5-	T37.5x6-	Acetohexamide	T38.3x1-	T38.3x2-	T38.3x3-	T38.3x4-	T38.3x5-	T38.3x6-
Abciximab*	T45.521-	T45.522-	T45.523-	T45.524-	T45.525-	T45.526-	Acetohydroxamic acid	T50.991-	T50.992-	T50.993-	T50.994-	T50.995-	T50.996-
Abelcet*	T36.7x1-	T36.7x2-	T36.7x3-	T36.7x4-	T36.7x5-	T36.7x6-	Acetomenaphthone	T45.7x1-	T45.7x2-	T45.7x3-	T45.7x4-	T45.7x5-	T45.7x6-
Ability*	T43.591-	T43.592-	T43.593-	T43.594-	T43.595-	T43.596-	Acetomorphine	T40.1x1-	T40.1x2-	T40.1x3-	T40.1x4-	—	—
Abiraterone*	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-	Acetone (oils)	T52.4x1-	T52.4x2-	T52.4x3-	T52.4x4-	—	—
ABOB	T37.5x1-	T37.5x2-	T37.5x3-	T37.5x4-	T37.5x5-	T37.5x6-	chlorinated vapor	T52.4x1-	T52.4x2-	T52.4x3-	T52.4x4-	—	—
AbobotulinumtoxinA*	T48.291-	T48.292-	T48.293-	T48.294-	T48.295-	T48.296-	Acetonitrile	T52.8x1-	T52.8x2-	T52.8x3-	T52.8x4-	—	—
Abraxane*	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-	Acetophenazine	T43.3x1-	T43.3x2-	T43.3x3-	T43.3x4-	T43.3x5-	T43.3x6-
Abreva*	T49.0x1-	T49.0x2-	T49.0x3-	T49.0x4-	T49.0x5-	T49.0x6-	Acetophenetidin	T39.1x1-	T39.1x2-	T39.1x3-	T39.1x4-	T39.1x5-	T39.1x6-
Abrine	T62.2x1-	T62.2x2-	T62.2x3-	T62.2x4-	—	—	Acetophenone	T52.4x1-	T52.4x2-	T52.4x3-	T52.4x4-	—	—
Abrus (seed)	T62.2x1-	T62.2x2-	T62.2x3-	T62.2x4-	—	—	Acetorphan	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	—	—
Absinthe	T51.0x1-	T51.0x2-	T51.0x3-	T51.0x4-	—	—	Acetosulfone (sodium)	T37.1x1-	T37.1x2-	T37.1x3-	T37.1x4-	T37.1x5-	T37.1x6-
beverage	T51.0x1-	T51.0x2-	T51.0x3-	T51.0x4-	—	—	Acetoxymethylprogesterone*	T38.5x1-	T38.5x2-	T38.5x3-	T38.5x4-	T38.5x5-	T38.5x6-
Acamprosate*	T50.6x1-	T50.6x2-	T50.6x3-	T50.6x4-	T50.6x5-	T50.6x6-	Acetrizoate (sodium)	T50.8x1-	T50.8x2-	T50.8x3-	T50.8x4-	T50.8x5-	T50.8x6-
Acarbose*	T38.3x1-	T38.3x2-	T38.3x3-	T38.3x4-	T38.3x5-	T38.3x6-	Acetizoic acid	T50.8x1-	T50.8x2-	T50.8x3-	T50.8x4-	T50.8x5-	T50.8x6-
Acaricide	T60.8x1-	T60.8x2-	T60.8x3-	T60.8x4-	—	—	Acetyl bromide	T53.6x1-	T53.6x2-	T53.6x3-	T53.6x4-	—	—
Accolate*	T48.6x1-	T48.6x2-	T48.6x3-	T48.6x4-	T48.6x5-	T48.6x6-	chloride	T53.6x1-	T53.6x2-	T53.6x3-	T53.6x4-	—	—
AccuNeb*	T48.6x1-	T48.6x2-	T48.6x3-	T48.6x4-	T48.6x5-	T48.6x6-							

Table of Drugs & Chemicals	P O I S O N I N G						Table of Drugs & Chemicals	P O I S O N I N G					
	Accidental (Unintentional)	Self- Harm (Intentional)	Assault	Undetermined	Adverse Effect	Underdosing		Accidental (Unintentional)	Self- Harm (Intentional)	Assault	Undetermined	Adverse Effect	Underdosing
Hydroflumethiazide	T50.2x1-	T50.2x2-	T50.2x3-	T50.2x4-	T50.2x5-	T50.2x6-	Hydroxyamphetamine	T49.5x1-	T49.5x2-	T49.5x3-	T49.5x4-	T49.5x5-	T49.5x6-
Hydrofluoric acid (liquid)	T54.2x1-	T54.2x2-	T54.2x3-	T54.2x4-	—	—	Hydroxyampicillin*	T36.0x1-	T36.0x2-	T36.0x3-	T36.0x4-	T36.0x5-	T36.0x6-
vapor	T59.891-	T59.892-	T59.893-	T59.894-	—	—	Hydroxycarbamide	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-
Hydrogen	T59.891-	T59.892-	T59.893-	T59.894-	—	—	Hydroxychloroquine	T37.8x1-	T37.8x2-	T37.8x3-	T37.8x4-	T37.8x5-	T37.8x6-
arsenide	T57.0x1-	T57.0x2-	T57.0x3-	T57.0x4-	—	—	Hydroxydaunomycin*	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-
arseniureted	T57.0x1-	T57.0x2-	T57.0x3-	T57.0x4-	—	—	Hydroxydaunorubicin*	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-
chloride	T57.8x1-	T57.8x2-	T57.8x3-	T57.8x4-	—	—	Hydroxydihydrocodeinone ..	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-
cyanide (salts)	T57.3x1-	T57.3x2-	T57.3x3-	T57.3x4-	—	—	14-hydroxydihydro-						
gas	T57.3x1-	T57.3x2-	T57.3x3-	T57.3x4-	—	—	morphinone	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-
fluoride	T59.5x1-	T59.5x2-	T59.5x3-	T59.5x4-	—	—	Hydroxyestrone	T38.5x1-	T38.5x2-	T38.5x3-	T38.5x4-	T38.5x5-	T38.5x6-
vapor	T59.5x1-	T59.5x2-	T59.5x3-	T59.5x4-	—	—	Hydroxyethyl starch	T45.8x1-	T45.8x2-	T45.8x3-	T45.8x4-	T45.8x5-	T45.8x6-
peroxide	T49.0x1-	T49.0x2-	T49.0x3-	T49.0x4-	T49.0x5-	T49.0x6-	Hydroxymethylpenta-none..	T52.4x1-	T52.4x2-	T52.4x3-	T52.4x4-	—	—
ENT agent*	T49.6x1-	T49.6x2-	T49.6x3-	T49.6x4-	T49.6x5-	T49.6x6-	Hydroxyphenamate	T43.591-	T43.592-	T43.593-	T43.594-	T43.595-	T43.596-
phosphureted	T57.1x1-	T57.1x2-	T57.1x3-	T57.1x4-	—	—	Hydroxyphenylbutazone	T39.2x1-	T39.2x2-	T39.2x3-	T39.2x4-	T39.2x5-	T39.2x6-
sulfide	T59.6x1-	T59.6x2-	T59.6x3-	T59.6x4-	—	—	Hydroxyprogesterone	T38.5x1-	T38.5x2-	T38.5x3-	T38.5x4-	T38.5x5-	T38.5x6-
arseniureted	T57.0x1-	T57.0x2-	T57.0x3-	T57.0x4-	—	—	caproate	T38.5x1-	T38.5x2-	T38.5x3-	T38.5x4-	T38.5x5-	T38.5x6-
sulfureted	T59.6x1-	T59.6x2-	T59.6x3-	T59.6x4-	—	—	Hydroxyquinoline						
Hydrogesic*							(derivatives) NEC	T37.8x1-	T37.8x2-	T37.8x3-	T37.8x4-	T37.8x5-	T37.8x6-
acetaminophen as							9-Hydroxyrisperidone*	T43.591-	T43.592-	T43.593-	T43.594-	T43.595-	T43.596-
effective agent	T39.1x1-	T39.1x2-	T39.1x3-	T39.1x4-	T39.1x5-	T39.1x6-	Hydroxystilbamidine	T37.3x1-	T37.3x2-	T37.3x3-	T37.3x4-	T37.3x5-	T37.3x6-
hydrocodone as effective							Hydroxytoluene						
agent	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-	(nonmedicinal)	T54.0x1-	T54.0x2-	T54.0x3-	T54.0x4-	—	—
Hydromet*							medicinal	T49.0x1-	T49.0x2-	T49.0x3-	T49.0x4-	T49.0x5-	T49.0x6-
homatropine as effective							Hydroxyurea	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-
agent	T44.3x1-	T44.3x2-	T44.3x3-	T44.3x4-	T44.3x5-	T44.3x6-	Hydroxyzine	T43.591-	T43.592-	T43.593-	T43.594-	T43.595-	T43.596-
hydrocodone as effective							Hyonatol*						
agent	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-	belladonna as effective						
Hydromethylpyridine	T46.7x1-	T46.7x2-	T46.7x3-	T46.7x4-	T46.7x5-	T46.7x6-	agent	T44.3x1-	T44.3x2-	T44.3x3-	T44.3x4-	T44.3x5-	T44.3x6-
Hydromide*							phenobarbital as effective						
homatropine as effective							agent	T42.3x1-	T42.3x2-	T42.3x3-	T42.3x4-	T42.3x5-	T42.3x6-
agent	T44.3x1-	T44.3x2-	T44.3x3-	T44.3x4-	T44.3x5-	T44.3x6-	Hyoscine	T44.3x1-	T44.3x2-	T44.3x3-	T44.3x4-	T44.3x5-	T44.3x6-
hydrocodone as effective							Hyoscyamine	T44.3x1-	T44.3x2-	T44.3x3-	T44.3x4-	T44.3x5-	T44.3x6-
agent	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-	Hyoscyamus	T44.3x1-	T44.3x2-	T44.3x3-	T44.3x4-	T44.3x5-	T44.3x6-
Hydromorphinol	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	—	—	dry extract	T44.3x1-	T44.3x2-	T44.3x3-	T44.3x4-	T44.3x5-	T44.3x6-
Hydromorphinone	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-	Hyosyne*	T50.8x1-	T50.8x2-	T50.8x3-	T50.8x4-	T50.8x5-	T50.8x6-
Hydromorphone	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-	Hypercare*	T49.2x1-	T49.2x2-	T49.2x3-	T49.2x4-	T49.2x5-	T49.2x6-
Hydromox	T50.2x1-	T50.2x2-	T50.2x3-	T50.2x4-	T50.2x5-	T50.2x6-	HyperHEP B*	T50.211-	T50.212-	T50.213-	T50.214-	T50.215-	T50.216-
Hydrophene DH*							Hyperosmotic laxative*	T47.4x1-	T47.4x2-	T47.4x3-	T47.4x4-	T47.4x5-	T47.4x6-
hydrocodone as effective							HyperRAB*	T50.211-	T50.212-	T50.213-	T50.214-	T50.215-	T50.216-
agent	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-	HyperRHO*	T50.211-	T50.212-	T50.213-	T50.214-	T50.215-	T50.216-
phenylephrine as							HyperTET*	T50.211-	T50.212-	T50.213-	T50.214-	T50.215-	T50.216-
effective agent	T44.4x1-	T44.4x2-	T44.4x3-	T44.4x4-	T44.4x5-	T44.4x6-	Hypertussis	T50.211-	T50.212-	T50.213-	T50.214-	T50.215-	T50.216-
pyrilamine as effective							Hypned*						
agent	T45.0x1-	T45.0x2-	T45.0x3-	T45.0x4-	T45.0x5-	T45.0x6-	chlorpheniramine as						
Hydrophilic lotion	T49.3x1-	T49.3x2-	T49.3x3-	T49.3x4-	T49.3x5-	T49.3x6-	effective agent	T45.0x1-	T45.0x2-	T45.0x3-	T45.0x4-	T45.0x5-	T45.0x6-
Hydroquinidine	T46.2x1-	T46.2x2-	T46.2x3-	T46.2x4-	T46.2x5-	T46.2x6-	hydrocodone as effective						
Hydroquinol* (demelanizing							agent	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-
agent)	T49.8x1-	T49.8x2-	T49.8x3-	T49.8x4-	T49.8x5-	T49.8x6-	pseudoephedrine as						
Hydroquinone	T52.2x1-	T52.2x2-	T52.2x3-	T52.2x4-	—	—	effective agent	T44.991-	T44.992-	T44.993-	T44.994-	T44.995-	T44.996-
demelanizing agent*	T49.8x1-	T49.8x2-	T49.8x3-	T49.8x4-	T49.8x5-	T49.8x6-	Hypnotic	T42.71x-	T42.72x-	T42.73x-	T42.74x-	T42.75x-	T42.76x-
vapor	T59.891-	T59.892-	T59.893-	T59.894-	—	—	anticonvulsant	T42.71x-	T42.72x-	T42.73x-	T42.74x-	T42.75x-	T42.76x-
Hydro-ride*	T50.2x1-	T50.2x2-	T50.2x3-	T50.2x4-	T50.2x5-	T50.2x6-	specified NEC	T42.6x1-	T42.6x2-	T42.6x3-	T42.6x4-	T42.6x5-	T42.6x6-
HydroSKIN*	T49.0x1-	T49.0x2-	T49.0x3-	T49.0x4-	T49.0x5-	T49.0x6-	Hypochlorite	T49.0x1-	T49.0x2-	T49.0x3-	T49.0x4-	T49.0x5-	T49.0x6-
Hydro-sulfuric acid (gas)	T59.6x1-	T59.6x2-	T59.6x3-	T59.6x4-	—	—	Hypophysis, posterior	T38.891-	T38.892-	T38.893-	T38.894-	T38.895-	T38.896-
Hydrotalcite	T47.1x1-	T47.1x2-	T47.1x3-	T47.1x4-	T47.1x5-	T47.1x6-	Hypotensive NEC	T46.5x1-	T46.5x2-	T46.5x3-	T46.5x4-	T46.5x5-	T46.5x6-
Hydro-Tussin HD*							Hypromellose	T49.5x1-	T49.5x2-	T49.5x3-	T49.5x4-	T49.5x5-	T49.5x6-
guaifenesin as effective							Hytakerol*	T45.2x1-	T45.2x2-	T45.2x3-	T45.2x4-	T45.2x5-	T45.2x6-
agent	T48.4x1-	T48.4x2-	T48.4x3-	T48.4x4-	T48.4x5-	T48.4x6-	Hytinic*	T45.4x1-	T45.4x2-	T45.4x3-	T45.4x4-	T45.4x5-	T45.4x6-
hydrocodone as effective							Hytone*	T49.0x1-	T49.0x2-	T49.0x3-	T49.0x4-	T49.0x5-	T49.0x6-
agent	T40.2x1-	T40.2x2-	T40.2x3-	T40.2x4-	T40.2x5-	T40.2x6-	Hytrin*	T44.6x1-	T44.6x2-	T44.6x3-	T44.6x4-	T44.6x5-	T44.6x6-
pseudoephedrine as							Hyzaar*						
effective agent	T44.991-	T44.992-	T44.993-	T44.994-	T44.995-	T44.996-	hydrochlorothiazide as						
Hydrous wool fat	T49.3x1-	T49.3x2-	T49.3x3-	T49.3x4-	T49.3x5-	T49.3x6-	effective agent	T50.2x1-	T50.2x2-	T50.2x3-	T50.2x4-	T50.2x5-	T50.2x6-
Hydroxide, caustic	T54.3x1-	T54.3x2-	T54.3x3-	T54.3x4-	—	—	losartan as effective						
Hydroxocobalamin	T45.8x1-	T45.8x2-	T45.8x3-	T45.8x4-	T45.8x5-	T45.8x6-	agent	T46.5x1-	T46.5x2-	T46.5x3-	T46.5x4-	T46.5x5-	T46.5x6-

© 2016 Channel Publishing, Ltd.

Table of Drugs & Chemicals	P O I S O N I N G						Table of Drugs & Chemicals	P O I S O N I N G					
	Accidental (Unintentional)	Self- Harm (Intentional)	Assault	Undetermined	Adverse Effect	Underdosing		Accidental (Unintentional)	Self- Harm (Intentional)	Assault	Undetermined	Adverse Effect	Underdosing
Stavizor*	T42.6x1-	T42.6x2-	T42.6x3-	T42.6x4-	T42.6x5-	T42.6x6-	Streptoduoicin	T36.5x1-	T36.5x2-	T36.5x3-	T36.5x4-	T36.5x5-	T36.5x6-
StayClear*	T49.4x1-	T49.4x2-	T49.4x3-	T49.4x4-	T49.4x5-	T49.4x6-	Streptokinase	T45.611-	T45.612-	T45.613-	T45.614-	T45.615-	T45.616-
Stelara*	T49.0x1-	T49.0x2-	T49.0x3-	T49.0x4-	T49.0x5-	T49.0x6-	Streptomycin (derivative)....	T36.5x1-	T36.5x2-	T36.5x3-	T36.5x4-	T36.5x5-	T36.5x6-
Stelazine	T43.3x1-	T43.3x2-	T43.3x3-	T43.3x4-	T43.3x5-	T43.3x6-	Streptovivarin	T36.5x1-	T36.5x2-	T36.5x3-	T36.5x4-	T36.5x5-	T36.5x6-
Stemetil	T43.3x1-	T43.3x2-	T43.3x3-	T43.3x4-	T43.3x5-	T43.3x6-	Streptovarycin	T36.5x1-	T36.5x2-	T36.5x3-	T36.5x4-	T36.5x5-	T36.5x6-
Stepronin	T48.4x1-	T48.4x2-	T48.4x3-	T48.4x4-	T48.4x5-	T48.4x6-	Streptozotocin	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-
Sterapred*	T38.0x1-	T38.0x2-	T38.0x3-	T38.0x4-	T38.0x5-	T38.0x6-	Stribild*	T37.5x1-	T37.5x2-	T37.5x3-	T37.5x4-	T37.5x5-	T37.5x6-
Sterculia	T47.4x1-	T47.4x2-	T47.4x3-	T47.4x4-	T47.4x5-	T47.4x6-	Stri-Dex*	T49.4x1-	T49.4x2-	T49.4x3-	T49.4x4-	T49.4x5-	T49.4x6-
Sterile water irrigating solution*	T50.3x1-	T50.3x2-	T50.3x3-	T50.3x4-	T50.3x5-	T50.3x6-	Stripper (paint) (solvent)....	T52.8x1-	T52.8x2-	T52.8x3-	T52.8x4-	—	—
Sternutator gas	T59.891-	T59.892-	T59.893-	T59.894-	—	—	Striverdi Respiamat*	T48.6x1-	T48.6x2-	T48.6x3-	T48.6x4-	T48.6x5-	T48.6x6-
Steroid	T38.0x1-	T38.0x2-	T38.0x3-	T38.0x4-	T38.0x5-	T38.0x6-	Strobane	T60.1x1-	T60.1x2-	T60.1x3-	T60.1x4-	—	—
anabolic	T38.7x1-	T38.7x2-	T38.7x3-	T38.7x4-	T38.7x5-	T38.7x6-	Strofantina	T46.0x1-	T46.0x2-	T46.0x3-	T46.0x4-	T46.0x5-	T46.0x6-
androgenic	T38.7x1-	T38.7x2-	T38.7x3-	T38.7x4-	T38.7x5-	T38.7x6-	Stromectol*	T37.4x1-	T37.4x2-	T37.4x3-	T37.4x4-	—	—
antineoplastic, hormone estrogen	T38.7x1-	T38.7x2-	T38.7x3-	T38.7x4-	T38.7x5-	T38.7x6-	Strong Iodine Solution* antiprotrotrichotic use	T37.91x-	T37.92x-	T37.93x-	T37.94x-	T37.95x-	T37.96x-
ENT agent	T49.6x1-	T49.6x2-	T49.6x3-	T49.6x4-	T49.6x5-	T49.6x6-	antithyroid use	T38.2x1-	T38.2x2-	T38.2x3-	T38.2x4-	T38.2x5-	T38.2x6-
ophthalmic preparation ..	T49.5x1-	T49.5x2-	T49.5x3-	T49.5x4-	T49.5x5-	T49.5x6-	expectorant use	T48.4x1-	T48.4x2-	T48.4x3-	T48.4x4-	T48.4x5-	T48.4x6-
topical NEC	T49.0x1-	T49.0x2-	T49.0x3-	T49.0x4-	T49.0x5-	T49.0x6-	radioiodine uptake blocking use	T50.991-	T50.992-	T50.993-	T50.994-	T50.995-	T50.996-
Stribine	T56.891-	T56.892-	T56.893-	T56.894-	—	—	Strophanthin (g) (k)	T46.0x1-	T46.0x2-	T46.0x3-	T46.0x4-	T46.0x5-	T46.0x6-
Stribogluconate	T37.3x1-	T37.3x2-	T37.3x3-	T37.3x4-	T37.3x5-	T37.3x6-	Strophanthus	T46.0x1-	T46.0x2-	T46.0x3-	T46.0x4-	T46.0x5-	T46.0x6-
Stribophen	T37.4x1-	T37.4x2-	T37.4x3-	T37.4x4-	T37.4x5-	T37.4x6-	Strophantian	T46.0x1-	T46.0x2-	T46.0x3-	T46.0x4-	T46.0x5-	T46.0x6-
Stilbamidine (isetionate) ...	T37.3x1-	T37.3x2-	T37.3x3-	T37.3x4-	T37.3x5-	T37.3x6-	Strophantian-g	T46.0x1-	T46.0x2-	T46.0x3-	T46.0x4-	T46.0x5-	T46.0x6-
Stilbestrol	T38.5x1-	T38.5x2-	T38.5x3-	T38.5x4-	T38.5x5-	T38.5x6-	Strychnine (nonmedicinal) (pesticide) (salts)	T65.1x1-	T65.1x2-	T65.1x3-	T65.1x4-	—	—
Stilboestrol	T38.5x1-	T38.5x2-	T38.5x3-	T38.5x4-	T38.5x5-	T38.5x6-	medicinal	T48.291-	T48.292-	T48.293-	T48.294-	T48.295-	T48.296-
Stimulant							Strychnos (ignatii) – see Strychnine						
central nervous system – see also							Stryamate	T42.8x1-	T42.8x2-	T42.8x3-	T42.8x4-	T42.8x5-	T42.8x6-
Psychostimulant	T43.601-	T43.602-	T43.603-	T43.604-	T43.605-	T43.606-	Styrene	T65.891-	T65.892-	T65.893-	T65.894-	—	—
analeptics	T50.7x1-	T50.7x2-	T50.7x3-	T50.7x4-	T50.7x5-	T50.7x6-	Suberoylanilide*	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-
opiate antagonist	T50.7x1-	T50.7x2-	T50.7x3-	T50.7x4-	T50.7x5-	T50.7x6-	Sublimaze*	T40.4x1-	T40.4x2-	T40.4x3-	T40.4x4-	T40.4x5-	T40.4x6-
psychotherapeutic NEC – see also							Suboxone*						
Psychotherapeutic drug	T43.601-	T43.602-	T43.603-	T43.604-	T43.605-	T43.606-	buprenorphine as effective agent	T40.4x1-	T40.4x2-	T40.4x3-	T40.4x4-	T40.4x5-	T40.4x6-
specified NEC	T43.691-	T43.692-	T43.693-	T43.694-	T43.695-	T43.696-	naloxone as effective agent	T50.7x1-	T50.7x2-	T50.7x3-	T50.7x4-	T50.7x5-	T50.7x6-
respiratory	T48.901-	T48.902-	T48.903-	T48.904-	T48.905-	T48.906-	Subutex*	T40.4x1-	T40.4x2-	T40.4x3-	T40.4x4-	T40.4x5-	T40.4x6-
Stiolto Respiamat*	T48.6x1-	T48.6x2-	T48.6x3-	T48.6x4-	T48.6x5-	T48.6x6-	Succimer*	T45.8x1-	T45.8x2-	T45.8x3-	T45.8x4-	T45.8x5-	T45.8x6-
Stivarga*	T45.1x1-	T45.1x2-	T45.1x3-	T45.1x4-	T45.1x5-	T45.1x6-	Succinimide, antiepileptic or anticonvulsant	T42.2x1-	T42.2x2-	T42.2x3-	T42.2x4-	T42.2x5-	T42.2x6-
St. Joseph aspirin*	T39.011-	T39.012-	T39.013-	T39.014-	T39.015-	T39.016-	mercuric – see Mercury						
Stone-dissolving drug	T50.901-	T50.902-	T50.903-	T50.904-	T50.905-	T50.906-	Succinylcholine	T48.1x1-	T48.1x2-	T48.1x3-	T48.1x4-	T48.1x5-	T48.1x6-
Stool softeners*	T47.4x1-	T47.4x2-	T47.4x3-	T47.4x4-	T47.4x5-	T47.4x6-	Succinylsulfathiazole	T37.0x1-	T37.0x2-	T37.0x3-	T37.0x4-	T37.0x5-	T37.0x6-
Stop Home Treatment*	T49.7x1-	T49.7x2-	T49.7x3-	T49.7x4-	T49.7x5-	T49.7x6-	Sucraid*	T45.3x1-	T45.3x2-	T45.3x3-	T45.3x4-	T45.3x5-	T45.3x6-
Storage battery (cells) (acid)							Sucralfate	T47.1x1-	T47.1x2-	T47.1x3-	T47.1x4-	T47.1x5-	T47.1x6-
Stovaine	T41.3x1-	T41.3x2-	T41.3x3-	T41.3x4-	T41.3x5-	T41.3x6-	Sucrats*	T41.3x1-	T41.3x2-	T41.3x3-	T41.3x4-	T41.3x5-	T41.3x6-
infiltration (subcutaneous)	T41.3x1-	T41.3x2-	T41.3x3-	T41.3x4-	T41.3x5-	T41.3x6-	Sucrats DM* dextromethorphan as effective agent	T48.3x1-	T48.3x2-	T48.3x3-	T48.3x4-	T48.3x5-	T48.3x6-
nerve block (peripheral) (plexus)	T41.3x1-	T41.3x2-	T41.3x3-	T41.3x4-	T41.3x5-	T41.3x6-	dyclonine as effective agent	T41.3x1-	T41.3x2-	T41.3x3-	T41.3x4-	T41.3x5-	T41.3x6-
spinal	T41.3x1-	T41.3x2-	T41.3x3-	T41.3x4-	T41.3x5-	T41.3x6-	Sucriferic oxyhydroxide*	T50.3x1-	T50.3x2-	T50.3x3-	T50.3x4-	T50.3x5-	T50.3x6-
topical (surface)	T41.3x1-	T41.3x2-	T41.3x3-	T41.3x4-	T41.3x5-	T41.3x6-	Sucrose	T50.3x1-	T50.3x2-	T50.3x3-	T50.3x4-	T50.3x5-	T50.3x6-
Stovarsal	T37.8x1-	T37.8x2-	T37.8x3-	T37.8x4-	T37.8x5-	T37.8x6-	Sudafed (Congestion) (12 Hour) (24 Hour)*	T44.991-	T44.992-	T44.993-	T44.994-	T44.995-	T44.996-
Stove gas – see Gas, stove							Sudafed PE Cold + Cough* acetaminophen as effective agent	T39.1x1-	T39.1x2-	T39.1x3-	T39.1x4-	T39.1x5-	T39.1x6-
Stoxil	T49.5x1-	T49.5x2-	T49.5x3-	T49.5x4-	T49.5x5-	T49.5x6-	dextromethorphan as effective agent	T48.3x1-	T48.3x2-	T48.3x3-	T48.3x4-	T48.3x5-	T48.3x6-
Stramonium	T48.6x1-	T48.6x2-	T48.6x3-	T48.6x4-	T48.6x5-	T48.6x6-	guaifenesin as effective agent	T48.4x1-	T48.4x2-	T48.4x3-	T48.4x4-	T48.4x5-	T48.4x6-
natural state	T62.2x1-	T62.2x2-	T62.2x3-	T62.2x4-	—	—	phenylephrine as effective agent	T44.4x1-	T44.4x2-	T44.4x3-	T44.4x4-	T44.4x5-	T44.4x6-
Strattera*	T43.211-	T43.212-	T43.213-	T43.214-	T43.215-	T43.216-							
Streptodornase	T45.3x1-	T45.3x2-	T45.3x3-	T45.3x4-	T45.3x5-	T45.3x6-							

2016 JULY SALE ORDER FORM

Sale Prices Expire 7/31/16

1. CUSTOMER INFORMATION (Ship books to address below)

Organization or Individual

ATTN: Name/Title/Dept.

Customer ID #

Order Date

Shipping Address (Street address required for FedEx delivery)

E-Mail Address

City

State

Zip

Telephone

Fax

2. ORDER INFORMATION

Product	See Web Site for 2016 CODE BOOKS and Complete Product Descriptions	Quantity	Regular Price	July Sale Price	Total(s)
CODE BOOKS	2017 ICD-10-CM, The Educational Annotation of ICD-10-CM Exp. 7/31/16				
	Annual Version ICD-10-CM (Paperback) (ISBN: 9781933053-76-9)		\$69 ⁹⁵ ea.	\$54 ⁹⁵ ea.	
	Spiral Version ICD-10-CM (Spiral coil) (ISBN: 9781933053-77-6)		\$74 ⁹⁵ ea.	\$59 ⁹⁵ ea.	
	Spiral Version ICD-10-CM with Tabs (Spiral coil) (ISBN: 9781933053-78-3)		\$89 ⁹⁵ ea.	\$69 ⁹⁵ ea.	
	SoftCover Version ICD-10-CM (Vinyl cover, updateable) (ISBN: 9781933053-79-0)		\$79 ⁹⁵ ea.	\$64 ⁹⁵ ea.	
	2017 Update ICD-10-CM (Full text replacement) (ISBN: 9781933053-80-6)		\$55 ⁹⁵ ea.	—	
	Tab Set for ICD-10-CM (SoftCover only, reusable) (ITEM: TABCM)		\$17 ⁹⁵ ea.	\$11 ⁹⁵ ea.	
	2017 ICD-10-PCS, The Educational Annotation of ICD-10-PCS				
	Annual Version ICD-10-PCS (Paperback) (ISBN: 9781933053-81-3)		\$59 ⁹⁵ ea.	\$45 ⁹⁵ ea.	
	Spiral Version ICD-10-PCS (Spiral coil) (ISBN: 9781933053-82-0)		\$64 ⁹⁵ ea.	\$50 ⁹⁵ ea.	
	Spiral Version ICD-10-PCS with Tabs (Spiral coil) (ISBN: 9781933053-83-7)		\$79 ⁹⁵ ea.	\$60 ⁹⁵ ea.	
	SoftCover Version ICD-10-PCS (Vinyl cover, updateable) (ISBN: 9781933053-84-4)		\$69 ⁹⁵ ea.	\$55 ⁹⁵ ea.	
	2017 Update ICD-10-PCS (Full text replacement) (ISBN: 9781933053-85-1)		\$48 ⁹⁵ ea.	—	
	Tab Set for ICD-10-PCS (SoftCover only, reusable) (ITEM: TABPCS)		\$17 ⁹⁵ ea.	\$11 ⁹⁵ ea.	
<div style="border: 2px dashed black; padding: 5px; display: inline-block; transform: rotate(45deg); font-weight: bold; font-size: 1.2em;"> 2017 Code Books Available Sept. 2016 </div>					
TRAINING	<small>(Professional Version – Includes: PowerPoint Slides, Instructor's Manual, DVD set, Workbook & Code Book) (Individual Version – Includes: DVD set, Workbook & Code Book - CM-12 CEUs, PCS-20 CEUs)</small>				
	Professional Version – Learning ICD-10-CM (Step 1) (ITEM: SBCM-P)		\$599 ⁹⁵ ea.	\$559 ⁹⁵ ea.	
	Additional Learning ICD-10-CM Workbook & Book Packages (ITEM: ACM16W)		\$65 ⁹⁵ ea.	—	
	Professional Version – Learning ICD-10-PCS (Step 1) (ITEM: SBPCS-P)		\$699 ⁹⁵ ea.	\$649 ⁹⁵ ea.	
	Additional Learning ICD-10-PCS Workbook & Book Packages (ITEM: APCS16W)		\$55 ⁹⁵ ea.	—	
	Individual Version – Learning ICD-10-CM (Step 1) (12 CEUs) (ITEM: SBCM-I)		\$299 ⁹⁵ ea.	\$269 ⁹⁵ ea.	
	Individual Version – Learning ICD-10-PCS (Step 1) (20 CEUs) (ITEM: SBPCS-I)		\$399 ⁹⁵ ea.	\$359 ⁹⁵ ea.	
	2016 Mastering ICD-10-CM Exercise Book (Step 2) (ISBN: 9781933053-88-2)		\$59 ⁹⁵ ea.	—	
	2016 Mastering ICD-10-PCS Exercise Book (Step 2) (ISBN: 9781933053-89-9)		\$59 ⁹⁵ ea.	—	
	2016 Mastering ICD-10-CM Guidelines Exercise Book (Step 3) (ISBN: 9781933053-90-5)		\$59 ⁹⁵ ea.	—	
	2016 Mastering ICD-10-PCS Guidelines Exercise Book (Step 3) (ISBN: 9781933053-91-2)		\$59 ⁹⁵ ea.	—	
	The Last Word on ICD-10 (Step 4) (ISBN: 9781933053-61-5)		\$69 ⁹⁵ ea.	—	
	2017 Clinotes for ICD-10-CM (ISBN: 9781933053-87-5)		\$39 ⁹⁵ ea.	\$29 ⁹⁵ ea.	
	2017 Expanded ICD-10-CM Table of Drugs & Chemicals (ISBN: 9781933053-86-8)		\$39 ⁹⁵ ea.	\$29 ⁹⁵ ea.	
OTHER	Acrylic Bookstand <input type="checkbox"/> One-piece (ITEM: BSOP) <input type="checkbox"/> Two-piece (ITEM: BSTP)		\$34 ⁹⁵ ea.	—	
	CPT® 2017 Standard Edition (ISBN: 978162202-398-1)		\$94 ⁹⁵ ea.	—	
	CPT® 2017 Professional Edition (ISBN: 978162202-400-1)		\$119 ⁹⁵ ea.	—	

• OUTSIDE CONTINENTAL U.S.: Call for rates and shipping options. U.S. Dollars.
• EXPRESS SHIPPING: Call for delivery options and rates.

3. PAYMENT METHOD

Purchase Order (Attach copy) Check Enclosed
 Credit Card: MC, VISA, DISC, AMEX (Charged date order received)

_____ / _____

Exp. Date Sec. Code Authorized Cardholder Signature

Billing Address (Street number or PO Box and Zip Code) Same as shipping

**Spring Sale
Prices
Expire
7/31/16**

Continental U.S. Shipping & Handling	
Less than \$50	\$7
\$50-\$99	\$12
\$100-\$199	\$19
\$200-\$299	\$29
\$300+	\$39

Product Subtotal	
Shipping & Handling	
Nevada Res. Only Add Local Sales Tax	
Total Order Amount	



MAKE CHECKS PAYABLE AND MAIL TO:
Channel Publishing, Ltd.
4750 Longley Lane, Suite 110
Reno, NV 89502-5977
1-800-248-2882
(775) 825-0880
Fax (775) 825-5633
E-Mail: info@channelpublishing.com
Web Site: www.channelpublishing.com

THANK YOU FOR YOUR ORDER

JS99026-2