Scandia Heating (Aust) Pty Ltd 306 South Gippsland Highway Dandenong South VIC 3175

+61 3 5792 2388 info@scandiastoves.com.au www.scandiastoves.com.au







Take This Brochure to the Special Orders Desk to place an order



Styliste' 6 (Item no: 3171534) with optional woodbox (Product Code: SCSTYWB6)

As nature's original heat source and the world's first oven, fire still has the power to stir our most primal instincts, bringing people together to relax, engage and share our most intimate moments.

At Scandia, we know how to tame fire and we are experts in designing wood fires and stoves that thrive in Australian conditions. Our world class designs and commitment to quality are inspired by Scandinavian cultural values and the craftsmanship for which they are renowned. These same values resonate throughout our organisation, instilling a passion for designing great quality, affordable wood fires.

In the harsh winters of Scandinavia, fire is essential for survival and this is also true for many Australians who rely on fire as the primary source of heating. In Australia fire is also about socialising, about bringing the outdoors in and allowing us to get back to nature. It keeps the gathering going outside as night falls when the chill in the air would send us back indoors.

At Scandia, we believe in the power of fire to bring people together. We believe in the power of Scandia to bring quality design and Australians together.



PRECISION ENGINEERING Scandia utilises CNC laser technology and robotics to manufacture products of impeccable quality, engineered to precise specification.

TRADITIONAL RANGE


With origins forged in Australian history, the classical styling and design of our traditional range represents the pinnacle in affordable, high quality wood heating.

- Minimum 10 year firebox warranty
- Crafted Japanese fireproof glass
- Firebrick lined fireboxes
- -"Clearview" glass air wash system
- High temperature stove paint

HEAT & COOK

Whether it's wood fired pizza on the deck or the primary source of heating, cooking or hot water, this wood fired oven is as diverse as it is functional. Featuring cast iron doors and an extra large cooktop, the Heat & Cook is the perfect addition to any indoor or outdoor living space.





Optional hot ٩ water jacket

(1) 650w x 565d x 865h



Heat & Cook is exempt from testing under AS/NZS 4012 and 4013







Item no: 3171485

Item no: 3171489

WARMBRITE 140

Perfect for the cottage home, holiday house or man cave, the Warmbrite 140 is an affordable, radiant wood fire. The radiant construction method also means that the top panel of the firebox operates as a highly effective cooktop for soups, stews and pot roasts.

Heat up to 140m²



5mm heavy duty firebox



500w x 450d x 735h


63% Efficiency

1.5g/kg Emissions

15.6kW kW Rating


WARMBRITE 200

This traditionally styled, medium sized, fan forced convection wood fire is engineered to effectively heat small to medium sized homes. The Warmbrite 200 is also ideal for environments where space is limited.



WARMBRITE 300

This traditionally styled, large format convection wood fire is perfect for use in large, open plan homes and commercial environments where ambience is paramount.





For more information about the Scandia Warmbrite Range, scan the QR code to watch a short video or visit our website www.scandiastoves.com.au.

200 STACKER


This is a modern and practical adaptation of our most popular wood fire, the Warmbrite 200, with the addition of a handy wood storage pedestal designed to keep firewood dry and conveniently located.







The Stacker 300 combines a large wood storage pedestal with the body of our classical Warmbrite 300 to create a practical and powerful wood fire combination perfect for large open plan spaces.










SUPREMACY 200

This premium, mid size, slow combustion wood fire is engineered to deliver a unique combination of elegance, refinement, technology, sustainability and industry leading performance.



steel firebox



Soft touch fan control with infrared remote

1.1g/kg

Emi



67% Efficiency 10.2kW kW Rating

SUPREMACY 300

The largest model in our premium range, the Supremacy 300 has presence in any room with its sleek lines and bay window design. This powerful, yet elegant unit is capable of heating large, open plan homes and commercial spaces.



Heat up to 300m²

8mm heavy duty steel firebox



(+) 755w x 662d x 765h

69% Efficiency 0.9g/kg Er

13.9kW kW Rating



For more information about the Scandia Supremacy Range, scan the QR code to watch a short video or visit our website www.scandiastoves.com.au.



WARMBRITE 200I-S3*

The 200i-S3 combines contemporary styling with heritage inspired design to deliver a mid sized, inbuilt fire perfect for zero clearance, mid mount and masonry fireplace installations.



9.0kW 61% 0.4g/kg Efficiency kW Rating

WARMBRITE 300i-S3*


The Warmbrite 300i-S3 combines sleek and elegant design with powerful and efficient heating capability. This stylish convection wood fire will comfortably heat most large homes.



Item no: 3171221

WHY CHOOSE AN INBUILT WOOD FIRE?

Everyone loves an open fire, but in reality they are inefficient, plagued by excessive fuel consumption and uncontrollable heat levels that send much of the energy produced straight up the chimney as carbon emissions. Scandia's Series 3 range of inbuilt wood fires are an ideal solution for home owners with existing open fires and who are seeking a cleaner, warmer, more sustainable wood fire. They are also ideal for the new home builder/renovator wanting the warmth, ambience and style of an inbuilt wood fire without the need for a masonry fireplace.



- To suit mid or floor mount install
- (D) 1015w x 735h
- (1113w x 759h
- (₽) 795w x 503d x 604h
- 61% 9.5kW 0.9g/kg kW Rating Efficiency



For more information about zero clearance, scan the QR code to watch a short video or visit our website www.scandiastoves.com.au.

*The Warmbrite inbuilt range is supplied with a mid mount fascia. The floor mount fascia option can be ordered separately at any Bunnings . Special Orders desk

CONTEMPORARY RANGE

Influenced by a passion for combining indoor and outdoor living and the unmistakable elegance and style of European design, the team at Scandia has created a visionary range of radiant and open wood fires perfect for the most inspired indoor/outdoor living spaces.


- Minimum 10 year firebox warranty
- Tested and approved to AS/NZS 4012/4013 and 2918 safety standards
- Heavy duty steel construction
- Firebox liners to maximise burn efficiency



HELIX GRAPHITE

A Scandinavian inspired design with elegant contours, subtle grey tones and concentric lines, the Helix Graphite is the perfect centrepiece for any contemporary home. This powerful radiant heater delivers the ambience and warmth you can get only from an Australian designed wood fire.










Extended overnight burn times



62%

Efficiency

1.5g/kg Emissions

7.0kW kW Rating



EDGE 50


Evolving from French provincial origins, the Edge's clean lines and delicate legs convey style and elegance. Expansive glass panels encase a radiant firebox, and the large top is great for cooking winter soups and stews. The Edge is a stylish wood fire designed to deliver an ethereal ambience to any indoor/outdoor living space.

	Hea	at up to 20	0m ²
	Opt ped	tional woo lestal	d storage
	Par wit	oramic fire h glass on t	e views three sides
$(\)$	620)w x 480d	x 775h
62°		1.3g/kg	6.4kW



Item no: 3171487

EDGE 70





Edge 70 Stacker. Item no: 3171267 Edge 50 Stacker. Product Code: SPE50ST









Optional stainless steel fascia (Item no: 3171266)

TT



AVANTE

Engineered for indoor and outdoor spaces the Avante open fireplace is as adaptable as it is stylish; uninterrupted fire views are beautifully framed by a range of four fascia options, making it the ideal centrepiece for any entertaining area.

Included with every Avante is an adjustable, stainless steel cooking plate which converts this opulent fireplace into a wood fired BBQ in a matter of seconds.

- Indoor/outdoor open fire
- Zero clearance option
- 5.5mm stainless steel cooking plate
- Removable safety screen included
- (1294w x 577d x 770h



Included stainless steel cooking plate

VERDANT LE PELLET FIRE

Verdant LE utilises environmentally sustainable, carbon neutral bio mass pellet fuel to provide the warmth and ambience of a traditional wood fire without the need to cut, split and store firewood.

٩		newable el source	
ⓓ		verall avera ficiency 79 ⁰	
\bigcirc		iermostatio Day Progra	
	Ve 0.8	ery low emi 8g/kg	ssions
$(\)$	51	0w x 440d	x 960h
79 9 Efficier	-	0.8g/kg Emissions	6.9kW kW Rating

STYLISTE' RANGE

The epitome of style and elegance Styliste by Scandia takes the essence of traditional radiant wood fire design and elevates it to entirely new level. The beautifully crafted Styliste' 6 and Styliste' 10 boast clean lines, expansive fire views and unparalleled performance for emissions and efficiency.

STRUKTUR


For the ultimate in wood fire design solutions combine your Styliste' wood fire with our Struktur elements to create a truly personal statement customised by you and tailored to your own individual space.

~~~~~

### **STYLISTE' 6**

The beautifully crafted Styliste' 6's inspired lineal stance embodies the essence of minimalist design placing all emphasis on the enchanting flame pattern as it heats homes up to 22 squares whilst achieving unparalleled performance on emissions and efficiency.







DIMENSIONS

Styliste' 6 Firebox

(+) 640w x 525d x 500h

Styliste' 6 Inbuilt

726w x 534h

726w x 579h



Default - Leg Set: SCSTYLEG

Styliste' 6 floor mount fascia: SCSTYFM6

Styliste' 6 mid mount fascia: SCSTYMM6

Woodbox 6: SCSTYWB6

Pedestal 6: SCSTYPD6

a straight

Plinth 10: SCSTYP10

Styliste' 10. Item no: 3171533. Optional Struktur Modular Box 5, Box 6 (SCSTYMB5, SCSTYMB6)

-20

Default - Leg Set: SCSTYLEG Woodbox 10: SCSTYWB10



Styliste' 10 floor mount fascia: SCSTYFM10

Styliste' 10 mid mount fascia: SCSTYMM10









The beautifully crafted Styliste' 10 engages you with its clean lines, expansive firebox and a captivating flame pattern that mesmerises with its radiant ambience . Styliste' 10 provides almost limitless configuration and installation solutions using elements from the Struktur range. The Stlyliste' 10 effectively and efficiently heats homes up to 33 squares.

- Heat up to 300m<sup>2</sup>  $(\Box)$  5 Freestanding designs 2 Inbuilt designs Create your own
  - personal design

60% Efficiency 1.1g/kg Emiss

11.5kW

kW Rating





Plinth 16: SCSTYP16

### DIMENSIONS

Styliste' 10 Firebox



(↔) 1060w x 525d x 500h

Styliste' 10 Inbuilt

(III) 1146w x 534h


```
🗇 1146w x 584h
```

# **STYLISTE' & STRUKTUR ELEMENTS DESIGNED BY YOU**

### STRUKTUR

Combine the modular elements of Struktur with select products in the Styliste' or Edge range of wood fires to create an inspired wood fire experience, designed exclusively by you to suit your home.

### LIMITLESS SCALE, LIMITLESS DESIGN..



|   | DESCRIPTION                           | PRODUCT CODE | QTY |
|---|---------------------------------------|--------------|-----|
| 1 | Styliste' 6 Floor Mount Fascia        | SCSTYFM6     |     |
| 2 | Styliste' Freestanding Legs (Default) | SCSTYLEG     |     |
| 3 | Styliste' 6 Freestanding Pedestal     | SCSTYPD6     |     |
| 4 | Struktur Module Box 6                 | SCSTYMB6     |     |
| 5 | Styliste' 6 Freestanding Woodbox      | SCSTYWB6     |     |
| 6 | Styliste' Freestanding Plinth 6       | SCSTYP6      |     |
| 7 | Styliste' Freestanding Plinth 10      | SCSTYP10     |     |
| 8 | Styliste' 6 Mid Mount Fascia          | SCSTYMM6     |     |
| 9 | Struktur Module Box 5                 | SCSTYMB5     |     |

|    | DESCRIPTION                        |
|----|------------------------------------|
| 10 | Struktur Top Box 6                 |
| 11 | Struktur Corner Box                |
| 12 | Styliste' 10 Floor Mount Fascia    |
| 13 | Styliste' 10 Freestanding Pedestal |
| 14 | Styliste' 10 Freestanding Woodbox  |
| 15 | Styliste' Freestanding Plinth 16   |
| 16 | Struktur Top Box 5 Kit             |
| 17 | Styliste' 10 Mid Mount Fascia      |

- Offering 7 individual installations options for each model, Styliste' has a personality to suit every home. Each model provides the choice of five freestanding or two inbuilt configurations.
- Simply select the Styliste' design that best reflects your own personal taste.
- For the ultimate in wood fire design solutions combine your Styliste' wood fire with our Struktur elements to create a truly personal statement, customised by you and tailored to your own individual space.


# GAS **LOG FIRES**

### AVEDUR

Averdur's lineal design and elegant styling encases a sweeping ribbon of flame that dances across high gloss vitreous panels designed to enhance the appearance of the natural flame whilst minimising operating costs and consumption of our precious gas resources.

The focal point of any living space Avedur boasts an impressive list of standard features that include:

- 4 decorative media options
- 7 adjustable flame height
- Zero clearance design
- Built in primary mesh guard
- Dual multi speed fans
- LPG conversion kit



4 decorative fascia options

High gloss reflective panels 

(
Optional wifi app

 $( \Rightarrow$ 1235w x 463d x 1075h

4.0 5.6kW **79**% kW Rating Efficiency Star Rating



Efficiency and power results are based on highest rating for certain flue configurations



Default - Black Fascia. Product code: SCAV10BLK. Included with purchase of Avedur 3171490





ess Fascia Avedur - Product Code: SCAV10SSB Black & Sta







## ALTERNATIVE FASCIA OPTIONS

Select from four decorative fascia and four decorative media options to create a personalised fireplace that best represents the ambience and effect you want to achieve.



Included: Driftwood & Embers. SCAV10M1

### **ALTERNATIVE FLAME MEDIA**



Driftwood & Glass, Product code: SCAV10M2



Stone Accent & Embers. Product code: SCAV10M3



Stone Accent & Glass. Product code: SCAV10M4



### **REMOTE CONTROL**

- Built in thermostat
- 7 day programming
- 7 flame heights adjustment



# WOOD **STORAGE**



Beehive 850 Coreten Wood Storage. Item: 3171647

### **BEEHIVE 500** WOOD STORAGE

Used individually or collectively the Beehive range by Scandia is available in two sizes and styles, the 500mm black metallic beehive is ideal for indoor living spaces and our large 850mm coreten steel version is deep enough to stack two rows of firewood and is the perfect addition to any inspired outdoor living space.

- Easy to assemble
- Stackable
- Powder coated finish
- Quality steel construction



Beehive 500 Metallic Black Wood Storage. Item: 3171648



Designer Rectangle Wood Storage 1000. Item: 3171657

Designer Rectangle Wood Storage 1500. Item: 3171658



750 Round Wood Storage. Item: 3171650 Removable stand for wall mount option.





Coreten 1000 Round Wood Storage. Item: 3171651

### **FIREWOOD STORAGE**

The Scandia wood storage range represents quality, functionality and inspired design. This range of products has been developed with the same ethos we use when developing any product that we sell. It must be affordable, on the cutting edge of design, be robust and fit for purpose.

When it came to wood storage this simply meant that everything we produce has to look great, provide indoor and outdoor application and be strong enough to hold decent quantities of Australian hardwood...We think we've nailed it.



Angled Wall Storage. Item: 3171659



U- Stack Wood Storage. Item: 3171655



Designer Vertical Wood Storage 1800. Item: 3171656


## **FIRETOOL RANGE**





Classic Firetool Set. Item no: 3180727







Vogue Firetool Set. Item no: 3171607

Deluxe Firetool Set. Item no: 3180728



Alpine Firetool & Wood Storage Set. Item no: 3171609

## **HEARTHS**











tem no: 3180687

tem no: 3171524

Item no: 3180690

### **CERAMIC TILE HEARTH** - CORNER INSTALL

This modern, black, ceramic tile hearth pad is made from durable, non-combustible materials, is easy to install and available in two sizes; suitable for all wood heater brands.

- Steel angle frame on all sides
- Available in two sizes (mm): 1250 x 1250 Item no: 3171526 1425 x 1425 Item no: 3171527

### **CERAMIC TILE HEARTH** - STRAIGHT WALL

This modern, black, ceramic tile hearth pad is made from durable, non-combustible materials, is easy to install and available in three sizes; suitable for all wood heater brands.

- Steel angle frame on all sides - Available in three sizes (mm): 1050 x 1050 Item no: 3171524 1050 x 1200 Item no: 3171522 1200 x 1200 Item no: 3171525

### **OAK GREY HEARTH** - STRAIGHT INSTALL

These contemporary wood effect tile hearth pads are the perfect platform for a modern heater that deserves more than just black. Our hearth pads are constructed from durable, noncombustible materials, are easy to install. Suitable for all wood heater brands.

- Decorative aluminium edge
- Available in two sizes (mm): 1050 x 1200 Item no: 3171621 1050 x 1050 Product Code: SCHPW105105

### **SLATE HEARTH** - STRAIGHT WALL

This traditional, slate hearth pad is made from durable, non-combustible materials, is easy to install and available in three sizes; suitable for all wood heater brands.

- Decorative aluminium edge - Available in three sizes (mm):
- 1050 x 1050 Item no: 3180687 1050 x 1200 Item no: 3180688 1200 x 1200 Item no: 3180689

### **SLATE HEARTH** - CORNER INSTALL

This traditional, slate hearth pad is made from durable, non-combustible materials, is easy to install and available in two sizes; suitable for all wood heater brands.

- Decorative aluminium edge
- Available in two sizes (mm): 1250 x 1250 Item no: 3180690 1425 x 1425 Item no: 3180691

# ACCESSORIES

Scandia offer a complete range of wood storage, fire tools, hearth pads, heater guards, spare parts and installation accessories for most brands of wood heaters sold in Australia.

If you can't find what you are looking for instore visit scandiastoves.com.au for a complete range of available items. Items not found instore can be ordered at any Bunnings Special Orders desk.

### **BLACK MESH DEFAULT 4M FLUE KIT**

Designed and tested to suit all Scandia freestanding wood fires, the powder coated, black mesh decorative flue looks great on any of the traditional wood fire range.

- Triple skin flue
- 304 SST active flue
- 304 SST cowl and cone
- Powder coated finish

#### **SLEEK BLACK DEFAULT 4M FLUE KIT**

Designed and tested to suit all Scandia freestanding wood fires, the powder coated, sleek black decorative flue looks great on any of the contemporary wood fire range.

- Triple skin flue
- 304 SST active flue
- 304 SST cowl and cone
- Powder coated finish

### **6" INBUILT 4M FLUE KIT**

Designed and tested to suit the Warmbrite 200i and 300i, this flue kit is for use in an existing masonry chimney. Zero clearance flue kits are also available – ask instore or visit the website for details.

- Suits masonry installation
- 304 SST active flue
- 304 SST cowl and cone
- Chimney cover plate

### **GRAPHITE FLUE KIT**

Designed and tested to suit all Scandia freestanding wood fires, the powder coated, graphite decorative flue has been designed to match perfectly with the Helix Graphite wood fire.

- Triple skin flue
- 304 SST active flue
- 304 SST cowl and cone
- Powder coated finish

### **BLACK MESH INTERNAL BEND KIT**

Designed and tested to suit all Scandia freestanding wood fires, the powder coated, black mesh decorative flue looks great on any of the traditional wood fire range.

- 304 SST active flue

**BEND KIT** 

fire range.

- 304 SST active flue

- Powder coated finish

- Five 1m flexible extensions - Powder coated finish
  - Premium 6" poly brush - Threaded metal connectors

options are also supported.

**6" EXTENDABLE** 

Clean your flue safely from

ground level up to 5m with the

Scandia flexible flue brush kit.

Pull through and rooftop cleaning

**FLUE BRUSH** 

- Pull through option on brush

#### **6" PULL THRU SLEEK BLACK INTERNAL FLUE BRUSH KIT**

Simply attach the snap-lock Designed and tested to suit all weighted ball and chain and brush Scandia freestanding wood fires, to each end of the rope provided the powder coated, sleek black for a pull thru flue cleaning decorative flue looks great on solution. any of the contemporary wood

- Weighted ball and chain
- 10m rope extension - Snaplock connectors
- Heavy duty poly brush

### ADDITIONAL INSTALLATION ITEMS

Additional parts required to complete your installation are available from Bunnings stores. Items not in stock can be ordered from the Special Orders desk - ask in store or visit the website for details.

**ZERO CLEARANCE KIT** 

required when installing an

inbuilt wood heater into a

timber framed stud wall. Zero clearance kits are

available for all Scandia inbuilt

wood fires. Ask in store or visit the website for details.

Zero clearance kits are

- Kits available:
- 1m Flue Extensions
- 45° Bends

Kits available:

- Roof Flashing - Flexi Flue and Adapters
- Penetration and Drop Boxes

- Warmbrite Zero Clearance Box

- 6"-10" Zero Clearance Flue Kit

- 10"-14" Zero Clearance Flue Kit

- Styliste' 6 Zero Clearance Box - Styliste' 10 Zero Clearance Box

- Avante Zero Clearance Box



Black Mesh Default Flue Kit, Item no: 3180672



Inbuilt Flue kit. Item no: 3170671



Sleek Black Default Flue Kit. Item no: 3171234 Graphite Default Flue kit, Item no: 3171486





6" Extendable Flue Brush Item no: 3180729



Sleek black internal bend kit. Item no: 3171250



6" Pull thru flue brush kit. Item no: 3171521



### **SMALL CHILD SAFETY GUARD**

This sturdy child safety guard minimises the risk of coming into contact with what can be extremely hot surfaces. Suits most mid size wood fires.

- Heavy duty steel construction
- Dual opening door (685w x 600h)
- Rear stabilising bar
- Size (mm): 1080w x 1055d x 800h

### LARGE CHILD **SAFETY GUARD**

This sturdy child safety guard will minimise the risk of coming into contact with what can be extremely hot surfaces. Suits most large wood fires.

- Heavy duty steel construction
- Dual opening door (860w x 600h)
- Rear stabilising bar
- Size (mm): 1275w x 1275d x 800h

### **SMALL CORNER CHILD SAFETY GUARD**

This sturdy child safety guard minimises the risk of coming into contact with what can be extremely hot surfaces. Designed to accommodate corner installations for most mid size wood fires.

- Heavy duty steel construction
- Dual opening door (720w x 600h)
- Rear wall secure points
- Size (mm):
- 1890w x 650d x 800h

### LARGE CORNER **CHILD SAFETY GUARD**

This sturdy child safety guard will minimise the risk of coming into contact with what can be extremely hot surfaces. Designed to accommodate corner installations for most large wood fires.

- Heavy duty steel construction
- Dual opening door (860w x 600h)
- Rear wall secure points
- Size (mm): 2050w x 720d x 800h



Small child safety guard. Item no: 3180726



Small corner child safety guard. Item no: 3171518



Large child safety guard. Item no: 3180725



Large corner child safety guard. Item no: 3171519

# **TECHNICAL INFORMATION**


### **PROFESSIONAL INSTALLATION**

It is a requirement that all Scandia solid fuel and gas appliances are fitted by a qualified, licensed installer whose work complies with local council regulations, For a professional installation Australian standards and manufacturer'swe recommend callingspecifications. Failure to correctly install is extremely1300 FIDDIT (1300 343 348) dangerous, will void any warranty claims and may compromise any future insurance claims.



or book online at www.fiddit.com.au

### HEATER DIMENSIONS AND INSTALLATION CLEARANCES



### FREESTANDING HEATER DIMENSIONS


|                |      | UNIT SI | ZE (mm) |     |
|----------------|------|---------|---------|-----|
|                | Α    | В       | С       | D   |
| WARMBRITE 140  | 500  | 735     | 137     | 450 |
| WARMBRITE 200  | 673  | 735     | 197     | 530 |
| STACKER 200    | 673  | 865     | 197     | 530 |
| WARMBRITE 300  | 770  | 810     | 206     | 580 |
| STACKER 300    | 770  | 910     | 206     | 580 |
| HEAT & COOK    | 650  | 865     | 112     | 565 |
| OVEN SIZE (mm) |      |         |         |     |
| STYLISTE' 6    | 640  | 500     | 141     | 525 |
| STYLISTE' 10   | 1060 | 500     | 151     | 525 |
| SUPREMACY 200  | 655  | 725     | 196     | 575 |
| SUPREMACY 300  | 755  | 765     | 206     | 662 |
| HELIX          | 615  | 1160    | 203     | 450 |
| EDGE 50        | 620  | 775     | 151     | 480 |
| EDGE 70        | 710  | 970     | 221     | 600 |
| VERDANT LE     | 510  | 960     | -       | 440 |


### FREESTANDING INSTALLATION CLEARANCES

|               |      | CLEARAN | CES TO CO | MBUSTIBL | E SURFACE | ES (mm) |      |      |      |
|---------------|------|---------|-----------|----------|-----------|---------|------|------|------|
|               | E    | F       | G         | н        | I.        | J       | К    | L    | М    |
| WARMBRITE 140 | 625  | 496     | 275       | 145      | 350       | 745     | 1005 | 385  | 1520 |
| WARMBRITE 200 | 250  | 346*    | 150*      | 120      | 450       | 900     | 1110 | 100* | 1255 |
| STACKER 200   | 250  | 346*    | 150*      | 120      | 450       | 900     | 1110 | 100  | 1255 |
| WARMBRITE 300 | 350  | 381*    | 175*      | 120      | 450       | 1000    | 1175 | 170* | 1425 |
| STACKER 300   | 350  | 381*    | 175*      | 120      | 450       | 1000    | 1175 | 170* | 1425 |
| HEAT & COOK   | 425  | 287     | 175*      | 95       | 300       | 820     | 1040 | 200  | 1250 |
| STYLISTE' 6   | 400  | 441     | 300       | 120      | 300       | 880     | 1125 | 200  | 1217 |
| STYLISTE' 10  | 500  | 451     | 300       | 120      | 500       | 1300    | 1300 | 200  | 1653 |
| SUPREMACY 200 | 350  | 346     | 150*      | 120      | 300       | 950     | 1010 | 75   | 1220 |
| SUPREMACY 300 | 400  | 356     | 150*^     | 120      | 300       | 1040    | 1125 | 75   | 1350 |
| HELIX         | 410  | 503     | 300*      | 70       | 300       | 770     | 1043 | 280  | 1325 |
| EDGE 50       | 650  | 301     | 150       | 108      | 300       | 835     | 930  | 350  | 1375 |
| EDGE 70       | 1200 | 471     | 250*      | 130      | 300       | 950     | 1150 | 600  | 1720 |
| VERDANT LE    | 100  | -       | 220**     | 62.5     | 300       | 635     | 780  | 25   | 909  |


\*with decorative flue, with at least 180° heat shield and 900mm 180° flue shield in place. ^with tertiary 550mm 180° heat shield in place (supplied with heater). \*\*vertical flue 200mm and horizontal flue 80mm.

|                   |                      | :              | SCANDIA           |           | CE COMP    | ARISON C             | HART              |               |                 |                            |
|-------------------|----------------------|----------------|-------------------|-----------|------------|----------------------|-------------------|---------------|-----------------|----------------------------|
|                   | Firebox<br>thickness | 3 speed<br>fan | Heating capacity  | Emissions | Efficiency | Average<br>kW Rating | Peak<br>kW Rating | Net<br>weight | Gross<br>weight | Packaged (mm)<br>W x D x H |
| WARMBRITE 140     | 5mm                  | No             | 140m <sup>2</sup> | 1.5g/kg   | 63%        | 15.6kW               | 18kW              | 85kg          | 99kg            | 580 x 580 x 860            |
| WARMBRITE 200     | 5.5mm                | Yes            | 200m <sup>2</sup> | 1.1g/kg   | 67%        | 7.9kW                | 12.1kW            | 144kg         | 160kg           | 780 x 650 x 880            |
| STACKER 200       | 5.5mm                | Yes            | 200m <sup>2</sup> | 1.1g/kg   | 67%        | 7.9kW                | 12.1kW            | 159kg         | 179kg           | 780 x 650 x 1000           |
| WARMBRITE 300     | 5.5mm                | Yes            | 300m <sup>2</sup> | 1.3g/kg   | 62%        | 10.1kW               | 14.4kW            | 183kg         | 203kg           | 889 x 710 x 960            |
| STACKER 300       | 5.5mm                | Yes            | 300m <sup>2</sup> | 1.3g/kg   | 62%        | 10.1kW               | 14.4kW            | 198kg         | 218kg           | 885 x 715 x 1090           |
| WARMBRITE 200i-S3 | 5.5mm                | Yes            | 180m <sup>2</sup> | 0.4g/kg   | 61%        | 9.0kW                | 12.1kW            | 116kg         | 135kg           | 780 x 620 x 710            |
| WARMBRITE 300i-S3 | 5.5mm                | Yes            | 280m <sup>2</sup> | 0.9g/kg   | 61%        | 9.5kW                | 14.1kW            | 143kg         | 166kg           | 880 x 670 x 750            |
| HEAT & COOK       | 5mm                  | No             | 200m <sup>2</sup> | N/A       | N/A        | N/A                  | N/A               | 229kg         | 246kg           | 770 x 710 x 1070           |
| SUPREMACY 200     | 8mm                  | Yes            | 200m <sup>2</sup> | 1.1g/kg   | 67%        | 10.2kW               | 14.2kW            | 186kg         | 207kg           | 775 x 645 x 870            |
| SUPREMACY 300     | 8mm                  | Yes            | 300m <sup>2</sup> | 0.9g/kg   | 69%        | 13.9kW               | 18.2kW            | 226kg         | 247kg           | 880 x 745 x 930            |
| HELIX             | 3.5mm                | No             | 200m <sup>2</sup> | 1.5g/kg   | 62%        | 7.0kW                | 9.9kW             | 155kg         | 178kg           | 720 x 570 x 1310           |
| EDGE 50           | 5mm                  | No             | 200m <sup>2</sup> | 1.3g/kg   | 62%        | 6.4kW                | 9.4kW             | 98kg          | 115kg           | 665 x 592 x 655            |
| EDGE 70           | 5mm                  | No             | 320m <sup>2</sup> | 0.5g/kg   | 60%        | 11.4kW               | 16.2kW            | 145kg         | 165kg           | 710 x 820 x 780            |
| VERDANT LE        | 3mm                  | Variable       | 200m <sup>2</sup> | 0.8g/kg   | 79%        | 6.9kW                | 7.8kW             | 102kg         | 118kg           | 460 x 460 x 1150           |
| AVANTE            | 6mm                  | No             | 150m <sup>2</sup> | N/A       | N/A        | N/A                  | N/A               | 195kg         | 215kg           | 1030 x 630 x 700           |
| STYLISTE 6        | 5.5mm                | No             | 200m <sup>2</sup> | 1.4g/kg   | 63%        | 7.7kW                | 11.7kW            | 146kg         | 160kg           | 732 x 582 x 670            |
| STYLISTE 10       | 5.5mm                | No             | 300m <sup>2</sup> | 1.1g/kg   | 60%        | 11.5kW               | 16.2kW            | 175kg         | 195kg           | 1152 x 582 x 670           |
| AVEDUR            | -                    | Yes            | 70m <sup>2</sup>  | -         | 79%        | 5.6kW                | -                 | 112kg         | 138kg           | 1345 x 575 x 1210          |





|        |        | INTERN | IAL FIREBO | X (mm) |
|--------|--------|--------|------------|--------|
| FLUE Ø | WEIGHT | WIDTH  | DEPTH      | HEIGHT |
| 152    | 85 kg  | 370    | 330        | -      |
| 152    | 144 kg | 445    | 305        | -      |
| 152    | 159 kg | 445    | 305        | -      |
| 152    | 183 kg | 545    | 365        | -      |
| 152    | 191kg  | 545    | 365        | -      |
| 152    | 229 kg | 428    | 330        | -      |
|        |        | 433    | 373        | 305    |
| 152    | 146kg  | 570    | 400        | 315    |
| 152    | 175kg  | 930    | 399        | 316    |
| 152    | 186 kg | 445    | 365        | -      |
| 152    | 226 kg | 545    | 470        | -      |
| 152    | 155 kg | 400    | 335        | 585    |
| 152    | 98kg   | 435    | 334        |        |
| 152    | 145 kg | 600    | 420        | -      |
| 80     | 102kg  | 200    | 150        | 500    |



#### **INBUILT HEATER DIMENSIONS**

\*firebox including front support brackets, excluding decorative fascia

|                        |       |     |     | UNIT   | SIZE (mm | )        |     |     |     |        |        |
|------------------------|-------|-----|-----|--------|----------|----------|-----|-----|-----|--------|--------|
|                        | Α     | В   | С   | D      | E        | F        | G   | н   | 1   | FLUE Ø | WEIGHT |
| WARMBRITE 200i-S3      | 696   | 573 | 169 | 65     | 923      | 695      | 472 | 457 | 562 | 152    | 116 kg |
| FLOOR MOUNT (Optional) | -     | -   | -   | -      | 1013     | 719      | -   | -   | -   | -      | -      |
| WARMBRITE 300i-S3      | 795   | 673 | 165 | 65     | 1015     | 735      | 518 | 503 | 605 | 152    | 143 kg |
| FLOOR MOUNT (Optional) | -     | -   | -   | -      | 1113     | 760      | -   | -   | -   | -      | -      |
| AVANTE OPEN FIRE       | 1000* | 910 | 152 | 60     | 1294     | 644      | 577 | 515 | 770 | 254    | 195 kg |
| AVEDUR                 |       |     | SEE | OWNERS | MANUAL   | FOR DETA | ILS |     |     |        |        |
| STYLISTE 6             | 639   | 785 | 141 | -      | 726      | 579      | -   | 525 | 500 | 152    | -      |
| FLOOR MOUNT (Optional) | 639   | 785 | 141 | -      | 726      | 534      | -   | 525 | 500 | -      | -      |
| STYLISTE 10            | 1060  | 785 | 151 | -      | 1146     | 584      | -   | 525 | 500 | 152    | -      |
| FLOOR MOUNT (Optional) | 1060  | 785 | 151 | -      | 1146     | 534      | -   | 525 | 500 | -      | -      |

### CLEARANCE TO COMBUSTIBLES (mm) FOR MASONRY FIREPLACE

| CL                | EARANC | ES TO C | OMBUS   | TIBLE SU | JRFACES  | 6 (mm)    |    |    | INTERNA | L FIREBOX (mm) |
|-------------------|--------|---------|---------|----------|----------|-----------|----|----|---------|----------------|
|                   | J      | К       | L       | М        | Ν        | ο         | Р  | Q  | WIDTH   | DEPTH          |
| WARMBRITE 200i-S3 | 250    | 40      | 550     | 30       | 1070     | 900       | 30 | 40 | 445     | 305            |
| WARMBRITE 300i-S3 | 250    | 40      | 550     | 30       | 1070     | 900       | 30 | 40 | 545     | 365            |
| STYLISTE 6        |        |         | SEE OWI | NERS MA  | NUAL FOR | R DETAILS |    |    | 570     | 400            |
| STYLISTE 10       |        |         | SEE OWI | NERS MA  | NUAL FOR | R DETAILS |    |    | 930     | 399            |
| AVANTE OPEN FIRE  |        |         | SEE OWI | NERS MA  | NUAL FOR | R DETAILS |    |    | 890     | 450            |
| AVEDUR            |        |         | SEE OWI | NERS MA  | NUAL FOR | R DETAILS |    |    | -       | -              |

### **STRUKTUR MODULE DIMENSIONS**

|                             | WIDTH | DEPTH | HEIGHT |
|-----------------------------|-------|-------|--------|
| STRUKTUR MODULE / TOP BOX 6 | 640   | 525   | 250    |
| STRUKTUR MODULE / TOP BOX 5 | 530   | 525   | 250    |
| STRUKTUR CORNER BOX         | 525   | 525   | 250    |

For specifications relating to installation requirements and Zero clearance installations please refer to owners manual. Brochure should be used as a guide only.

### CLEAR SKIES, CLEAR CONSCIENCE

When you purchase a Scandia wood fire, you can be confident in the knowledge that you are purchasing the only sustainable and most affordable renewable source of home heating available.

As a supporter and sponsor of Landcare Australia, Scandia is mindful of any impact on the environment. Therefore, it's reassuring to us to know that 98 per cent of hardwood burnt in Australia is sustainably sourced, and by choosing to burn this firewood in a Scandia wood fire, you will generate no additional CO2 emissions than if that same wood were left to decompose naturally in the bush. (Kerryn Paul, 2003)

To control the amount of emissions released into the environment, Scandia designs all combustion wood fires with a two stage, primary and secondary air system. While the primary air controls the rate of burn, the secondary air system hyper-heats any excess carbon, converting the majority of residual emissions into energy which is then stored in the firebricks and firebox, improving overall efficiency of the heater and minimising any impact on the environment.

As an organisation, Scandia is committed to helping the environment through the promotion of renewable energy, sustainable harvesting practices and a commitment to programs that focus on reducing carbon emissions.



Due to our policy of continuous improvement of our products and services, technical specifications and claims, correct at the time of going to print, may be subject to variation without prior notice. Scandia Heating (Aust) Pty Ltd has endeavoured to ensure that the information in this document is correct and fairly stated, but does not accept liability for any error or omission.

DISCLAIMER

Scandia Heating (Aust) Pty Ltd accepts no liability whatsoever for their interpretation of AS/NZS 2918-2001, AS/NZS 4012-4013. All heating capacities quoted are based on units tested with quality hardwood. Minimal performance reduction may result due to large glassed areas, vaulted ceilings, draughts or insufficient insulation. We reserve the right to alter specifications without notice.

