

SEE PAGE 12 FOR FULL PROGRAM DETAILS

ELECTRIC

FREE POWERMIG 210 MP, SQUAREWAVE TIG 200, OR TOMAHAWK 375 PLASMA CUTTER THROUGH 12/31.



FlushCut consumables are not compatible with Duramax® RT torches \*\* The 220642 is the standard Duramax® electrode

65-105 AMP KIT # 428647

**\$148** \*\*NEW\*\*POWERMAX 45XP # 428746

WWW.SJWELDING.COM

WWW.PAWELDING.COM

Optimal angle for cutting Non-optimal angle for cutting

2



Easier to transport.

Fusion 160 welder/generator weighs 222 pounds. That's up to 70 pounds less than similar machines, so moving the Fusion 160 is easier and faster. Less time is spent waiting, and more work can get done.



Less rework The Fusion 160 uses inverter technology to deliver a smooth, stable stick are that's forgiving of variations in arc length and travel speed, so it's easier to produce clean welds that meet specifications - and avoid the time and expense of rework.



Fusion 160 with optional electric start shown.

Work anywhere convenience. PowerShift technology provides weld capabilities using either the Fusion 160 gasoline engine or 120/240-volt utility power. You'll have the confidence of knowing that you can weld virtually anywhere outdoors and indoors - with just one machine



The multi-voltage plug (MVP") makes it easy to connect the welder to either 120- or 240-volt power.

stable arc from either engine power or 120/240 volt utility power, providing a unique combination of versatility and productivity in a lightweight package.

input Power	Welding Mode	Amperage Range	Rated Weld Output at 104°F (40°C)*
Engine Power	CC/DC	30-160 A	160 A at 26.4 V, 20% duty cycle 110 A at 24.4 V, 100% duty cycle
PowerShift 120 V	CC/DC	30-100 A	90 A at 23.6 V, 40% duty cycle
PowerShift 240 V	CC/DC	30-160 A	160 A at 26.4 V, 20% duty cycle 110 A at 24.4 V, 100% duty cycle

# 907720 RECOIL START \$3065

# 907720001 ELECTRIC START \$3176

High-Efficiency Particulate Air Filter (HEPA) protects against hazardous solid dust particles, metal fumes, and mists, Stainless steel (hexavalent chromium), galvanized steel (zinc oxide), steel/manganese alloys aluminum, cadmium and lead fumes

**OSHA Classification** 

Loose-fitting powered air purifying respirator (no fit test required)

Assigned Protection Factor (APF) 25 Certifications

- NIOSH 42 CFR 84 (PAPR system)
- ANSI Z87.1+ 2015 (helmet)

# 264573 NEW PAPR w/T94-R<sup>™</sup> Series \$1329 # 264575 \$1469

WWW.SJWELDING.COM





NEW!

240 V

INPUT POWER





**MAXSTAR 161 S 120-230V AUTO-LINE** 90 AMP @ 30% DUTY CYCLE (115) 160 AMP @30% DUTY CYCLE (230) # 907709 \$**939** 

**THUNDERBOLT 160** 20-160 AMPS 120-240V MVP PLUG 65 AMP @ 20% DUTY CYCLE (115) 160 AMP @30% DUTY CYCLE (230) # 907721 \$449

### **ENGINE DRIVE WELDERS**



**BLUESTAR 185DX** 6000 WATTS PEAK POWER YAMAHA ENGINE W/GECI **185 AMP DC WELDER** # 907664 \$**2965** 



**BOBCAT 250 LP** 12,000 WATTS PEAK POWER KOHLER CH23 LP ENGINE 250 AMP AC/275 AMP DC WELDS **TRI-COR TECHNOLOGY** # 907504 \$5035



**TRAILBLAZER 302 AIRPAK 13,000 WATTS PEAK POWER KOHLER ENGINE W EFI & GFCI BUILT IN AIR CONMPRESSOR** AND BATTERY CHARGER FOUR TOOLS IN ONE # 907549001 \$10,775



BOBCAT 225 11,000 WATTS PEAK POWER **KOHLER CH23 GAS ENGINE** 225 AMP AC/225 AMP DC WELDS #907498001 \$3490

AFTER REBATE



**BOBCAT 250 DIESEL 11,000 WATTS PEAK POWER KUBOTA D722 DIESEL ENGINE EPA TIER 4 COMPLIANT** 250 AMP AC/275 DC WELDS **TRI-COR TECHNOLOGY** #907565 \$8660



**TRAILBLAZER 325** 12,000 WATTS PEAK POWER KOHLER CH730 GAS ENGINE 325 AMP DC WELDS **EXCELLENT MIG/FCAW PERFORMANCE,** LIFT ARC TIG #907510001 \$5175



NEW!

< | LIGHTER

**THUNDERBOLT 210** 

25-210 AMPS 240V ONLY 210 AMPS @20% DUTY CYCLE

# 907722 \$659

100 lb

ND MORE POWER

**BOBCAT 250** 11,000 WATTS PEAK POWER **KOHLER CH23 GAS ENGINE** 250 AMP AC/275 AMP DC WELDS TRI-COR TECHNOLOGY #907500001 \$**4335** 



**TRAILBLAZER 275** 12,000 WATTS PEAK POWER **KOHLER CH730 GAS ENGINE** 275 AMP DC WELDER, GFCI # 907506 \$4860



TRAILBLAZER 325 EFI **EXCEL POWER** 12,000 WATTS PEAK POWER **KOHLER CH730 GAS ENGINE** 325 AMP DC WELDS **EXCELLENT MIG/FCAW PERFORMANCE, LIFT** ARC TIG. ELECTRONIC FUEL INJECTION # 907512 \$5675



**MAXSTAR 210 STR** 120-460V AUTO-LINE 150 AMP @60% DUTY CYCLE # 907682 \$2185



**CST 280** 230/460/575 1 OR 3 PHASE 3PH 280 AMP @ 35% DUTY CYCLE 3PH 200 AMP @100% DUTY CYCLE # 907244 \$2265



**BOBCAT 200 AIR PAK** 5,500 WATTS CONTINUOUS/PEAK POWER 100A DC CURRENT TO CHARGE 12/24V 50-210 AMP DC STICK WELDING 28CFM/175PSI COMPRESSOR 100% DUTY 23.5HP KOHLER CH730 ENGINE # 907706 \$7459



**TRAILBLAZER 275 LP** 12.000 WATTS PEAK POWER **KOHLER CH730 GAS ENGINE** 275 AMP DC ONLY WELDER **ELECTRONIC FUEL INJECTION** W/ GFCI



**TRAILBLAZER 325 DIESEL** 12,000 WATTS PEAK POWER **KUBOTA 24.8HP DIESEL ENGINE** 225 AMP AC/300 AMP DC WELDS **EXCELLENT MIG/FCAW** PERFORMANCE, LIFT ARC TIG # 907566001 \$**9325** 



Build

ВПС

**SPOOLMATE 100** 

# 300371 SALE PRICE \$265

MILLERMATIC 350P

# 907300 SALE PRICE \$4499

# 907710 STCK/TIG \$1209

PKG W/CONTRACTOR KIT , X-CASE

PKG W/CONTRACTOR KIT . X-CASE.

& FINGERTIP CONTROL

\$1549

\$1659







\$1**00** 

REBATE

# 907405 SALE PRICE \$1999 # 951177 SALE PRICE \$2935 **PKG W/SPOOLMATE 200** 




# 907627 SALE PRICE \$1439



OCT 1 - DEC 31



PKG W/MIG WELDING KIT





REBATE

NEW

111111

#907717 DYNASTY 400

W/ FOOT PEDAL

#907717001 400 TIGRUNNER

W/ WIRELESS FOOT PEDAL

#951694 DYNASTY 400 COMPLETE PKG.

#951695 DYNASTY 400 COMPLETE PKG.

OCT 1





# 907614 SALE PRICE \$1079

AFTER REBATE

**OCT 1 - DEC 31** 



**MILLERMATIC 141** 

# 907612 SALE PRICE \$799

#### MILLERMATIC 252



# 907321 SALE PRICE \$2525 # 951066 SALE PRICE \$3875 **PKG W/SPOOLMATE 30A** 



# DYNASTY 210/280/400 TIG WELDERS

# 907710001

# 907710002



**PRICES AFTER REBATE, ENDS JUNE 30	ты
PRICES AFTER REDATE, ENDS JONE SU	
#907685 DYNASTY 210	\$ <b>4029</b>
#907685002 DYNASTY 210 W/CPS	\$ <b>4199</b>
#907686 DYNASTY 210 DX	\$ <b>4329</b>
#907686002 DYNASTY 210 DX W/CPS	\$ <b>4499</b>
#951668 DYNASTY 210 DX COMPLETE	
PKG. W/ FOOT PEDAL	\$ <b>6179</b>
#951669 DYNASTY 210 DX COMPLETE	
PKG. W/ WIRELESS FOOT PEDAL	\$ <b>6679</b>



#951469 DYNASTY 280 DX COMPLETE PKG. \$7665 W/ WIRELESS FOOT PEDAL

WWW.SJWELDING.COM

WWW.PAWELDING.COM



s6759

s8315

s9189

\$9660



Portability and excellent multiprocess arc performance make the XMT family the most popular in the Industry. With many models to choose from the XMT family has the right solution for your business





#903471 304 CC/CV	\$ <b>3905</b>
#951343 304 / 22A MIGRUNNER	\$ <b>6255</b>
#907224 350VS (NO REMOTE)	\$ <b>3830</b>
#907161 350 CC/CV	\$ <b>4129</b>
#907366 350 MPa	\$ <b>4975</b>
#951549 350 / X-TREME 12VS PKC	s \$ <b>6205</b>
#951327 350 / 22A MIGRUNNER	\$ <b>6415</b>
#907161032 350 CC/CV W/ ARCRE	асн \$ <b>4130</b>
#907481 450 CC/CV	\$ <b>3620</b>
#907479 450 MPa	\$ <b>4955</b>
#907481003 450 CC/CV W/ARCRE	асн \$ <b>3885</b>

# Increase, Improve and Maximize

Exclusive Miller® technology uses the weld cables to communicate changes in voltage settings. With an ArcReach System, voltage and wire-feed-speed controls are conveniently located at the operator's fingertips – right at the point of use – not back at the power source. By eliminating control cables to the feeder, cabling is streamlined and operators work at maximum efficiency.

Increase productivity — No time-consuming trips to the power source. Improve weld quality — Reduces costly "work arounds". Improve worker safety — Reduces operator hazards and injuries. Maximize efficiency — Reduces costly cord set up, maintenance and repair.

ArcReach Remote control of the power source without a cord. With a SuitCase\* ArcReach feeder and ArcReach power source you can change output voltage at the feeder, and save a trip to the power supply. No extra control cable to purchase, maintain, string or unstring – saving time and money.

# PORTABLE Wire Feeders

A.C.		х-п	REME		REME	
	Feature	<b>8V</b> S	12VS	8VS	12VS	12RC
	Available with BTB Gun 300 A Available w/Dura-Flux gun	•	:	•	•	•
	Available with S-Gun			۰	۰	
- S	Remote voltage control (control cord required)					•
•	Remote voltage control without a cord		1.	•	•	С.
	Digital meters	۲	•	٠	•	•
	Impact-resistant case	•	•	•	•	•
	Gas purge	•	•	•	•	•
	Wire jog	•	•	•	٠	•
	• Standard • Optional					

WWW.SJWELDING.COM

#951582	8VS W/BERNARD BTB 300A GUN	\$ <b>1899</b>
#951588	8VS W/BERNARD BTB 300A & ARCREACH	\$ <b>2365</b>
#951543	12VS W/BERNARD BTB 300A GUN	\$ <b>2079</b>
#951544	12VS W/BERNARD DURA-FLUX GUN	\$ <b>2069</b>
#951581	12VS W/BERNARD BTB 300A & ARCREACH	\$ <b>2435</b>
#951580	12RC W/BERNARD BTB 300A GUN	\$ <b>2129</b>







#Q4015AE8EMC 400 AMP 035-045 15' MILLER END #04015AE8ELC 400 AMP 035-045 15' LINCOLN END #Q4015AE8ETC 400 AMP 035-045 15' TWECO END #Q4015AE8EEC 400 AMP 035-045 15' EURO END #Q4015AE8ERC 400 AMP 035-045 15' TWECO/MILLER #Q4015AE8ESC 400 AMP 035-045 15' TWECO/LINCOLN

WWW.SJWELDING.COM

verMig 255, 300 and 350 MP, SP 170, Wirematic 250 and 255 LN-7. LN-8. LN-9. LN-22. LN-23P, LN-25, Suitcase, LN-741, LN-742, Synergic 7

ME-2, MIGMaster series, Dig/MIG Dual, Dig/Plus, Dig/Puise, Dip/Stick 160, Dip/Pai 250, Dip/Paik 300, Med 20, Med 40, MIGhty, MIGhty 4 HD, MIGhty V, Universal V, MIG 2E, MIG 4HD

Beta-MIG series, Digital 2000, Dual Digital, PortaFeed series, UltraFeed series

MultiMaster 260, DuraDrive 4-30, DuraDrive 4-48

Ironman Series

200, 2400 (Large Pin)

Linco

Miller

Tweco #4

Tweco #5

wd Le

Tweco #4 NAS Plugi

ESAB® NA

ESAB Airco®

Hobarte

WWW.PAWELDING.COM

400 AMP









FALL-WINTER 2017 SALE Pennsylvania





- Simple user interface makes machine setup easy.
- Available features like pulse mode help make you a better TIG welder, faster.

#### **Great TIG Machine for Aluminum**

- High frequency starting for aluminum welding.
- ٠ Allows adjustments for wider or tighter arc configurations
- Built-in settings for more cleaning action.

#### **TIG and Stick from One Power Source**

- TIG welding for critical welds where precision and bead appearance are important.
- . Bonus of stick welding capability for outdoor work or thicker materials

#### Take it Everywhere, Plug in Anywhere."

- Plugs Into a standard 120V or 230V circuit.
- Portable and convenient to use only 46 lb (21 kg).

## QUARE WAVE<sup>®</sup> TIG 200

200 Amp AC/DC TIG and Stick Welding Power Source



- PTA-17 Series 150 Amp Air-cooled TIG Torch with Flexible Head and Ultra-Flex<sup>™</sup> Cable Assembly with TIG Torch Parts
- Foot Amptrol<sup>™</sup>
- Regulator/Flowmeter with Gas hose
- Stick Electrode Holder
- Ground Clamp
- 120/230V Input Cords K5126-1

\$1522



FALL-WINTER 2017 SALE Pennsylvania





OFFER ENDS DEC. 31, 2017

**BUYA** RANGER<sup>®</sup> 250 GXT FOR \$4293\*

# GETA FREE MACHINE

Your choice of a POWER MIG<sup>°</sup> 210 MP or Square Wave° TIG 200 or a Tomahawk° 375 Air

RANGER

# **GET** \$125 **OFF**



Simple user interface makes machine setup easy. Available features like pulse mode help make you a better TIG welder, faster. Plugs into a standard 120V or 230V circuit and at only 46 lb. (21 kg) it's portable and convenient to use.

# SIN \$1,186\* **POWER MIG**<sup>®</sup> 210 MP

The multi-process welder that started a revolution. Push-and-turn digital controls and color display screen make setup and operation a snap. During this promotion, you can also save on our popular TIG and Aluminum One-Paks\*.

LINCOLN

ELECTRIC

Aluminum One-Pak® <del>\$1,531</del> \$1,406\*

TIG One-Pak® <del>\$1,857</del> \$1,732\*



\*Pricing shown are US dollars after rebate. May not be combined with other offers or rebate programs. Rebates are available to end users only. Prices are rounded to the nearest dollar.

250 GXT



WWW.SJWELDING.COM







K2774-2 MIG PKG

K2774-4 READY-PAK WWW.SJWELDING.COM

WWW.PAWELDING.COM

13



# FLEXTEC MULTI-PROCESS WELDERS

# lt Doesn't Get Much Simpler



\$4726 \$7079

\$**7605** 

\$**7144** 

\$**7711** 

# Than FLEXTEC.

	1000	Outp	ut (A)								Gougingcarbon
Machine	Input (V)	100%	60%	SMAW	GTAW	GMAW	Pulse	FCAW-G	FCAW-S	SAW	diameter in. (mm)
FLEXTEC 350X Construction	380-575 3 Phase	300	350			٠					3/16 [4.8]
FLEXTEC 350X Standard	380-575 3 Phase	300	350	۲				÷	-		3/16 (4.8)
FLEXTEC 500	380-575 3 Phase	450	500					•			3/8 (9.6)
FLEXTEC 500P	380-575 3 Phase	450	500			٠	*				3/8 (9.6)
FLEXTEC 650	380-575 3 Phase	650	750			٠					1/2 (12.7)

#K4271-1	350X CONSTRUCTION	\$ <b>3034</b>
#K4278-1	350X /LN-25X ONE-PAK	\$ <b>5505</b>
#K4091-1	FLEXTEC 500	\$ <b>3545</b>
#K4094-1	500/LF-72 READYPAK	\$ <b>6318</b>
#K4095-1	500/LF-74 READY PAK	\$ <b>6799</b>
#K4096-1	500/LF-72 ONE-PAK	\$ <b>5379</b>
#K4093-1	500/FLEX FEED READYPAK	\$ <b>7519</b>
#K4092-1	500P (PULSE)	\$ <b>4449</b>
#K4097-1	500P/PF-84 READYPAK	\$ <b>8669</b>

#K3425-1	FLEXTEC 650 VRD
#K3511-1	650X/LF-72 READYPAK
#K3512-1	650X/LF-74 READYPAK
#K3513-1	650X/LF-74 <u>HD</u> ONE-PAK
#K3514-1	650X/LN-10 ONE-PAK





EX PORTABLE

EXTRACTOR

**Miniflex**®

**\$1219** 

One-Pak® K4260-2 Shown with EN 20 Extraction Nozzle Flextec 650/LF-72 Ready-Pak (K3145-1)

#### NEW ASPECT 375 AC/DC TIG WELDER



\$5144

K3945-1 ASPECT 375



K3946-2 ASPECT 375 ONE-PAK

WWW.SJWELDING.COM



#### BULLDOG 5500 K2708-2



AC Welding with up to 1/8 Stick Electrode 5,500 Watts Surge (4,000 Watts Continuous) **AC Generator Power** Kohler Engine

\$1858

#### RANGER 250 GXT K2382-4



250 AMP AC/DC 11.000 Watts Peak Single-Phase AC **Generator Power** 23 HP Kohler® Gasoline Engine \$4294

#### **OUTBACK 145 K2707-2**

FALL-WINTER 2017 SALE



DC Welding with up to 1/8 Stick Electrode 4750 Watts Surge (4250 Watts Continuous) AC Generator Power **Kohler Engine** 

\$2582

#### RANGER 250 GXT CAMO K2382-10



250 AMP AC/DC 11.000 Watts Peak Single -Phase AC Generator Power 23 HP Kohler® **Gasoline Engine** Fall Camo Casing

\$4360





250 AMP AC/DC 11,000 Watts Peak Single-Phase AC Generator Power 23 HP Kohler® Gasoline Engine With Electronic **Fuel Injection** \$5659

#### RANGER 305G K1726-5

Multi-Process Welding **Digital Weld Meters** Superior Arc Performance 10,500 Watts Peak Single -Phase AC Generator Power 23 HP Kohler® Gasoline Engine - Plenty of Engine Horsepower

\$4913

Pennsylvania WELDING SUPPL

#### OUTBACK 185 K2706-2



185 AMP DC Welding 5700 Watts Surge (5200 Watts Continuous) **AC Generator Power Kohler Engine** 

\$2981

#### RANGER 250 GXT STAINLESS K2382-5



250 AMP AC/DC 11.000 Watts Peak Single-Phase AC **Generator Power** 23 HP Kohler® **Gasoline Engine** Stainless Steel Casing

\$4695

#### RANGER 305D K1727-4



Multi-Process Welding Digital Weld Meters Superior Arc Performance 10,500 Watts Peak Single-Phase AC Generator Power 18.8 HP Kubota® Diesel Engine

\$9775

### LN-25 PRO WIRE FEEDERS



SEMIAUTOMATIC WIRE FEEDERS Internal Contactor Gas Solenoid Flow Meter Arc Sensing Lead & Clip, 15 ft. 2 Gun Bushings (K1500-2 installed;K1500-1 loose)

> K2613-5 LN-25 PRO Standard

### K4267-1

#### LN-25X W/ CROSSLINC

Also includes: 5/64 in. (2.0 mm) cored wire drive rolls and guide kit (KP1697-5/64) Variable WFS range set at factory to High (50-700 ipm)

**CrossLinc™ communications with** power source, enabling voltage control at the feeder without a control cable





800/950CFM TWO SPEED EXTRACTION POWER **10' ARTICULATING EXTRACTION ARM** 95% FEFFICIENCY MAIN FILTER (NERV 15) ALONG W/ HIGH CAPACITY PREFILTER POWERFUL 1HP DIRECT DRIVE 120V MOTOR **BUILT IN SPARK TRAP FOR FIRE SAFETY** ALL STEEL CABINET W/ HANDLES FOR EASY MOVEMENT 2-YR LIMITED WARANTY-MADE IN USA-200 LBS

#73-701

2999

WWW.SJWELDING.COM

WWW.PAWELDING.COM

NEW





VORLOWIDE

TIG COLD WIRE



#### CK WORLDWIDE TIG WELDING COLD WIRE FEEDER

-Automates adding of filler metal in TIG Welding. All weld parameters can be duplicated.

CK Worldwide manufactures two models of Cold Wire TIG Feeders. The WF-5 feed unit is designed for use with CK "CWH" series hand torches for semi automatic welding applications. The WF-5 has an ON/OFF switch, pilot light, wire feed control, pulse/continuous feed -Dual Groove Drive Roll system switch, pulse wire on and off timers, and a remote switch receptacle.

WORLOWIDE

TS10

739

#

\$

STARTING @ \$3300

**TURBO SHARP TUNGSTEN GRINDER** 

accepts multiple wire sizes.

-Eliminates TIG rod stub loss. Cabinet keeps filler wire clean.

-Makes fully automatic machine TIG welding possible.

 Results are consistent and high quality welds



#### TIG TORCHES AND ACCESSORIES

INCREASED COOLING CAPACITY!!

OVER 4 TIMES LARGER WATER AREA FOR MAXIMUM COOLING COOLER RUNNING TORCHES = LONGER CONSUMABLE LIFE

# 9-25R 25' 125 AMP AIR-COOLED TIG TORCH	\$ <b>80</b>
<u># 17FV-25R</u> 25' 150 AMP AIR-COOLED TORCH	\$ <b>145</b>
W/ FLEX HEAD & VALVE	
<u># 18-25</u> 25' 350 AMP WATER-COOLED TORCH	\$ <b>155</b>

- # 20-25 25' 250 AMP WATER COOLED TORCH \$145
- # 20-25SF 25' 250 AMP WATER COOLED TORCH \$170 W/ SUPERFLEX HOSES



#LPG200 \$20

#LPG300 \$29

#LPG500 \$43

**TRY ULTRA-FLEX** THE MOST FLEXIBLE CABLE IN THE MARKET





WIRE & CABLE





**8/3 EXTENSION CORDS** 

**CALL US TODAY FOR PRICING !** 

25 FT	#8/3 -25	\$ <b>75</b>
50 FT	#8/3-50	\$ <b>140</b>







WELDING BLANKETS 18 oz. White Fiberglass, No Coating. Light duty welding, 1000°F melt temp. Sparks, vertical plane protection only. 6x6 #584B66 \$21

\$37 8x8 #584B88 10x10 #584B1010 \$57

WWW.SJWELDING.COM

PLENTY OF STOCK IN ALL SIZESAVAILABLE IN MANY COLORS CUT & ASSEMBLED WHILE YOU WAIT.



WELDMARK CABLE **CONNECTORS** \$9 EA

#MHT200 \$24 #MHT250 \$27 #MHT300 \$30



6x6 \$**76** 





UNIVERSAL MIXER

Provides optimal performance with any fuel gas
 HEAVY DUTY, STAINLESS TUBES

- Built-In Flashback Arrestors w/ Check Valve
  Heavy-Duty Stainless Tubes
  Forced Solid Brees Head
- Forged Solid Brass Head

\$179







WWW.SJWELDING.COM

WWW.PAWELDING.COM

30 LB - \$70 40 LB - \$90 \*\* CYLINDER ONLY \*\*





American Standard

Manufacturing

PROPANE FUEL & HIGH PRESSURE CYLINDER STORAGE

**PROPANE MOTOR FUEL** \$440 #FH04202SS (4 CYLINDERS) \$515 #FH06202MS (6 CYLINDERS) #FH09302MS (9 CYLINDERS) \$589

#FH08202LS (8 CYLINDERS) \$630 \$675 #FH12302LS (12 CYLINDERS) \$949 #FH16402LD (16 CYLINDERS) **\*\* SHIPPING NOT INCLUDED** 

820-10 \$**110** 




870-14 \$**180** 

HIGH PRESSURE—OXY/A	CETYLENE
#HP08202S (8 CYLINDERS)	\$ <b>625</b>
#HP12302S (12 CYLINDERS)	\$ <b>675</b>
#HP16222S (16 CYLINDERS)	\$ <b>1,199</b>
#HP20322S (20 CYLINDERS)	\$ 1, <b>225</b>
#HP24332S (24 CYLINDERS)	\$ 1,265
ADD AN OSHA FIREWALL	\$ <b>210</b>
** SHIPPING NOT IN	CLUDED



552-16FW \$579

871-16 \$**249** 











· 400 lbs. capacity over rear wheels. • Overall Dimensions = 40in. x 17in. x 33in. Shipping Weight = 97 lbs 8 inch rear wheels 2 locking front casters Steel Construction with Power Coat Finish Ball Bearing Drawer Slides Locking cabinet doors and drawers · Up to 10in. Diameter cylinders can be used.



860-14 \$**175** 

 150 lbs. Capacity Overall Dimensions = 28.3 in. x 17.6 in. x 33.5 in. • Shipping Weight = 94 lbs 7 inch rear wheels 2 locking front casters Steel Construction with Power Coat Finish • Ball Bearing Drawer Slides

METAL MAN TTWC3 \$ 99

810-6LB \$75

**OAR** 

· 13-3/4" x 18-3/4" Top Shelf holds most brands of MIG Welders, TIG Welders and Plasma Cutters • 13-3/4" x 19-3/4" Shelf with 16-1/2" clearance. • 13-1/2" x 19-1/2" x 12" Lockable Storage Cabinet Holds one 7-1/2" dia. Cylinder 4 sets of Cable Wraps 100 lb Capacity 6 in. Rear Wheels 2" Front Casters







7" STEEL CUTTING CIRCULAR SAW CUTS UP TO 2" OF 1/4" MATERIAL





CUTS UP TO 3" OF 1/2" MATERIAL

WWW.SJWELDING.COM

\$399 EVOSAW380 14" STEEL CUTTING CHOP SAW CUTS UP TO 5" OF 1/2" MATERIAL


WWW.PAWELDING.COM



**EVOMAG42/SET** CUTS UP TO 2" DEPTH MATERIAL CUT DIAMETER 1/2" - 1-5/8" \*\* INCLUDES 6 PC CUTTER SET







## SURFOX<sup>™</sup> 304 MIG & TIG

#### Features and benefits

- Easily cleans MIG, TIG & spot welds
- Exclusive quick-change system to easily change out accessories & reduce downtime
- Ability to clean larger and harder to reach areas with our new brushes
- Integrated reservoir reduces the potential for contaminating or spilling the electrolyte solution
- Built-in vapor elimination system
- AC mode for cleaning or marking
- DC mode for polishing or etching





#### KIT includes:

- 1 LINE-MATE III with standard equipment plus 1 carrying case
- 1 pneumatic drum (07-F 051) # 30A269
- · 6 cloth drum belts:
- \$**819** Drum Belts 60 grit (07-F 506) 2 Drum Belts 80 grit (07-F 508) 2 Drum Belts 120 grit (07-F 511)
- 2 BLENDEX drum belts: 1 coarse (07-H 502) 1 medium (07-H 503)
- 1 Two-in-one drum 4 1/2" x 4" (07-K 442)
- 1 BLENDEX drum 4 1/2" x 4" medium (07-M 443)



Surfo

#### SURFOX 205

- Features and benefits Built-in fume dispersion system
- (requires a compressed air line)
- Switchable output: - AC Mode: cleaning & marking
- DC Mode: polishing & etching
- Redesigned pump and tank for maximum efficiency New Quick-Connect system allows you to

quickly change between 4 m and 9 m long

wand assemblies (9m wand sold separately)



NEW

### SURFOX MINI

**Electrochemical Weld Cleaning** 

#54D055 \$**1999** 

Systems for Stainless Steel

Excellent for use on repairs, touchups and small obs. This newly Redesigned unit can clean TIG or spot welds on stainless steel and MIG, TIG or spot welds on aluminum.

It can also mark stainless steel, aluminum and titanium sur faces with the use of a

Order No.	Electrical		Dimensions			Tank capacity	Length of hose	Weight
	Input	Output	Langth	Width	Height			
54-D 314	120 V, 50/60 Hz, 8 0	A 12-30 V AC/DC, 30 A max	20.66"	9 84"	14.57"	64.2 oz	13'	48.5 lbs

FALL-WINTER 2017 SALE Pennsylvania

Standard equipment: 1 x Tungsten insert (48-R 133), 3 x standard high conductivity cleaning pads (54-B 026), 1 x Clamp ring (54-B 002), 1 x Surfox 304 carbon fiber brush (54-B 105), 1 x adaptor for Surfox 304 brush (54-B 099), 1 x ground cable (48-R 136), 1 x user quide, 1 x DVD, 1 x carrying case

Model	Order No. Electrical			Dimensions			Tank capacity	Length of hose	Weight
		in put	Output	Length	Width	Height			
205	54-D 215	120 V, 50/60 Hz, 4.0 A	12-30V AC/DC, 15A max	18 1/2"	93/4"	15"	64.2oz	13'	41 lbs

Each unit comes with: 1 x Tungsten insert (48-R 133), 3 x standard high conductivity cleaning pads (54-B 026), 1 x Tellon ring (54-B 002), 1 x carbon fiber brush (54-B 118), 1 x brush adaptor (54-B 099) 1 x ground cable (48-R 136), 1 x user guide, 1 xDVD, 1 x carrying case

Model	Order No.	Electrical		Dirrensions			Tankcapacity	Length of hose	Weight
-		Input	Output	Length	Width	Height			
MINI	54-0 065	120 V, 50/60 Hz, 4.0 A	12-30 V AC/DC, 15 A max	12"	4.5"	8.96"			8.4 lbs

Each unit comes with: 1 micro-wand, 1 x micro-wand holder (48-R 286), 1 x micro wand holder extension sleeve (48-R 460), 1 x narrow tungsten insert (54-B 038), 1 x narrow cleaning pad (54-B 028), 1 x tellon ring (54-B 020), 1 x carbon fiber micro-brush 54-B 117, 1 x adaptor for micro-brush 54-B 100, 1 x manual relill-ing pump 54-B 092, 1 x ground cable 48-R 283, 1 x user guide, 1 x DVD, 1 x carrying case



WWW.SJWELDING.COM

## QUICK-STEP<sup>™</sup> BIG BUFF III KIT

#30A267

\$699

- · 1 QUICK-STEP Big Buff III with carrying case (30-A 265)
- 1 QUICK-STEP MG backing pad (07-Q 149)
- 1 QUICK-STEP FX (07-X 845)
- 1 QUICK-STEP Flex 120 grit (07-Q 512)
- 1 QUICK-STEP Flex 60grit (07-Q 506)
- 1 QUICK-STEP Interface pad (07-Q 045)
- 2 QUICK-STEP XX 120 grit (15-V 412) • 2 QUICK-STEP XX 240 grit (15-V 424)
- 2 QUICK-STEP Blendex med (07-R 453)
- 2 QUICK-STEP Blendex fine (07-R 454)
- 1 QUICK-STEP felt (07-T 450)
- 1 QUICK-STEP high polish (07-T 454)
- 1 white polishing paste (07-T 901)
- 1 blue polishing paste (07-T 905)









#### QUICK-STEP FINISHER <sup>™</sup> KIT **KIT includes:**



- 1 QUICK-STEP Finisher (30-A 275) with standard equipment plus carrying case
- 1 QUICK-STEP backing pad MG (07-Q 149)
- 1 QUICK-STEP FX (07-X 845)
- 1 QUICK-STEP FLEX 120 grit (07-Q 512)
- 1 QUICK-STEP FLEX 60 grit (07-Q 506)
- 1 QUICK-STEP interface pad (07-Q 045)
- 2 QUICK-STEP XX 120 arit (15-V 412)
- 2 QUICK-STEP XX 240 grit (15-V 424)
- 2 QUICK-STEP Blendex med (07-R 453)
- 1 QUICK-STEP Blendex fine (07-R 454)

#### Kit includes: QUICK-STEP <sup>™</sup> STARTER KIT

- 1 Quick-Step backing pad (07-Q 049)
- 1 Quick-Step FLEX grit 120 (07-Q 512)
- 1 Quick-Step interface pad (07-Q 045)
- 2 Quick-Step XX 120 ant (15-¥ 412)
- 2 Quick-Step XX 240 grit (15-V 424)
- 2 Quick-Step Blendex coarse (07-R 452)

#### #070953

\$105



- 1 Quick-Step felt disc (07-T 450)
- 1 Quick-Step high polish (07-T 454)
- 1 mini white polishing paste (07-T 911)
- 1 mini blue mirror finish paste (07-T 915)

D A complete range of abrasives for everything from weld blending to applying a #8 mirror finish



**ENDURO-FLEX™** 4 1/2" \$9.29

The longest life and highest overall material removal in the industry

ENDURO-FLEX outperforms all competitive flap discs thanks to its innovative design and exclusive abrasive grain blend. Featuring a new ECO-TRIM backing that can be trimmed back to extend disc life, ENDURO-FLEX is the longest lasting flap disc in the industry and removes more material than any competitive flap disc. Your employees will spend more time getting the job done and less time making trips to the tool crib, saving you time and money while maximizing your productivity.

## ENDURO-FLEX STAINLESS™

Guaranteed not to contaminate stainless steel

ENDURO-FLEX Stainless offers all the benefits of the standard ENDURO-FLEX with a formula free of iron, sulfur and chlorine to meet quality control objectives in sensitive operations. ENDURO-FLEX Stainless is the flap disc of choice for workers nationwide for blending applications on stainless steel, aluminum and other heat sensitive alloys.



ZIPWHEEL CUTTER KIT 4 1/2" & 6" The most powerful cordless cutter on the market



The ZIP WHEEL CUTTER is a powerful cordless cutting tool that delivers the most cuts and longest battery life when paired with Walter cut-off wheels. It comes with an 18V/ 5.2 Ah battery pack and a Ventilated Charging System, allowing you to charge faster and reduce downtime. This cordless cutter features the DYNAMAX electronic RPM control, which protects the unit from overloading and overheating. It also contains a 270° rotating battery pack so you can adjust the battery for greater comfort while working and offers easy access to the internal carbon brushes.

#### /IXIIE Ξ



ZIP WHEEL is the highest performing cut-off wheel on the market. Faster, cooler, freer cutting and heavily reinforced for added safety, ZIP Wheel provides premium performance while resisting twisting and bending. This allows for a true, straight cut every time. The end result is a wheel that improves worker safety while delivering the lowest cost-per-cut in the industry.


### The lowest cost-per-cut in the industry

#### 4-1/2" X 7/8 TYPE 1 #11T042 \$ 3.35 EA 6" X 7/8 TYPE 1 #11T062 \$ 4.95 EA



WWW.PAWELDING.COM

ZIP ONE offers the quickest cuts and longest life in an ultra-thin 1/32" wheel. It is cool cutting to provide a burr-free out with minimal discoloration. Best of all, it cuts extremely quickly and without vibration, making your job safer and easier when working with thin gauge steel or stainless steel



#### 6" X 7/8 TYPE 1 #11T662 \$ 5.55 EA

#### **FLEXCUT**<sup>™</sup>

Premium performance on curved or uneven surfaces

FLEXCUT, the leading flexible grinding wheel for over 25 years, is specially formulated to deliver superior removal on all ferrous and non-ferrous metals without clogging or loading

\$ 5.95 EA 1/2 36 GRIT #15L453 1/2 60 GRIT #15L456 \$ 5.95 EA

#### ENDURO-FLEX 2-IN-1<sup>™</sup> FINISHING DISC

One-step finishing

ENDURO-FLEX 2-in-1 flap discs remove TIG welds and finish the surface in just one step, substantially reducing your finishing costs. Save time and reduce your inventory by using just one disc instead of two or more to perform the same job.

4 1/2" \$10.39

WWW.SJWELDING.COM

4 1/2 #151453 \$ 17.50 EA





WWW.SJWELDING.COM

WWW.PAWELDING.COM

23

