



# ULTRA® AND ULTRAMAX™ AIRLESS HANDHELD

Graco's Complete Line of Professional  
Handheld Paint Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.



# ULTRA AIRLESS HANDHELDS

## THE BEST IN PERFORMANCE, FINISH AND RELIABILITY

Airless handheld sprayers are the essential tool for turning small jobs around fast, and the Graco Ultra handhelds are the most advanced sprayers in the world — delivering top-notch speed, Perfect Airless Finish™ and next-use reliability.

### THE FASTEST WAY TO FINISH SMALL JOBS — PROVEN BY PROS

#### FlexLiner™ Bag System (PATENTED)

- Allows quick start-up, spray, and cleanup
- Ability to spray in any direction — even upside down
- Delivers unmatched portability

#### DeWALT® 20 V MAX Lithium-Ion Battery

- Powered by DeWALT — Compatible with any 20 V Lithium-Ion DeWALT battery

### PERFECT AIRLESS FINISH — SMOOTH AND EVEN AT ANY SPEED

#### SmartControl™

- Smooth, single-coat finishes with no thinning required

#### ProControl™ II Pressure Control

- Exclusive pressure management technology
- Delivers the same performance as the Ultra 395 PC — right in the palm of your hand

### WIDE PRESSURE RANGE AND TIP SUPPORT

#### RAC X™ Fine Finish (PATENTED) Low Pressure Tips

- Full pressure range: 500-2,000 PSI
- Full range tip support: .008-.016
- The only tip necessary for full performance out of all Ultra Handheld and UltraMAX handheld sprayers — available in multiple sizes

### RELIABILITY DELIVERED — EVERY JOB, EVERY TIME

#### Triax™ Pump (PATENTED)

- Clean up in minutes with all new easy-to-clean design
- No inlet check valve to get stuck — prime and spray in seconds
- Reliable priming with Automatic Outlet Ball Knocker

#### ProConnect™

- ProConnect design allows for easy on-the-job replacement



**SMARTCONTROL™**





## BREAKTHROUGH PERFORMANCE, RELIABILITY AND FINISH



**ULTRA®**  
CORDED AIRLESS HANDHELD



**ULTRA®**  
CORDLESS AIRLESS HANDHELD



**ULTRAMAX™**  
CORDLESS AIRLESS HANDHELD

SPRAYS WATER AND MINERAL  
SPIRITS-BASED MATERIALS ONLY  
(NO FLAMMABLE MATERIALS)

SPRAYS WATER, SOLVENT, AND  
FLAMMABLE-BASED MATERIALS

### Triax Pump with ProConnect (PATENT PENDING)

Depend on the durable, lightweight, and full tip support from the Triax triple piston pump — built from durable stainless steel and carbide components, and using ProConnect for a modular, drop-in on-the-job pump replacement.



### REPLACE IN THREE EASY STEPS!



1) Remove the cover  
with a screwdriver



2) Remove the old pump  
from the sprayer



3) Place new pump  
into sprayer



# FROM START TO FINISH, THE WORLD'S MOST ADVANCED HANDHELD PAINT SPRAYER

## EXCLUSIVE BREAKTHROUGH

### **RAC X FF LP Tips**

Reverse-A-Clean® (RAC) SwitchTips deliver exceptional spraying results and make clearing tip clogs simple. Spray at lower pressure with ANY Graco Sprayer



Delivers Perfect Airless Finish  
—just like an Ultra

### **TRIAx TRIPLE PISTON PUMP**

Durable carbide pistons  
built to deliver extended reliability

### **32 OZ (0.95 L) FLEXLINER ALL NEW EASY-TO-CLEAN DESIGN**

Disposable liners  
eliminate cleanup time

Spray in ANY direction —  
even upside down




## LIGHTEST PRO AIRLESS HANDHELD

*Sprays most materials that can be cleaned with water or mineral spirits. Do not use materials that state "flammable" on packaging. See Operation Manual online at [graco.com](http://graco.com).*

**FASTEST WAY TO FINISH  
SMALL JOBS, PROVEN BY PROS**

**PERFECT AIRLESS FINISH AT  
ANY SPEED, WITHOUT THINNING**

**RELIABILITY DELIVERED  
— EVERY JOB, EVERY TIME**



**MADE IN THE USA WITH  
GLOBAL COMPONENTS**

## TECHNOLOGY

# ULTRA<sup>®</sup>

## AIRLESS HANDHELD

### PRO CONNECT

Drop-in on-the-job Triax pump replacement  
(PATENT PENDING)



### PROCONTROL II PRESSURE CONTROL

Adjust motor speed and flow for TOTAL control with thin and thick materials



### SMARTCONTROL

Delivers consistent spray fan at all spray pressures

### POWERED BY

## DEWALT<sup>®</sup>

Compatible with any 20 V MAX Lithium-Ion DEWALT battery

**LED FUEL GAUGE**

**FOR MORE INFORMATION, VISIT [GRACO.COM/ULTRAHH](http://GRACO.COM/ULTRAHH)**

# ULTRAMAX CORDLESS HANDHELD

## UNMATCHED PERFORMANCE

The only handheld sprayer capable of spraying water-based, solvent, and flammable architectural coatings.

### EXCLUSIVE FEATURES FOUND ONLY ON ULTRAMAX AIRLESS HANDHELDS:



#### BRUSHLESS DC MOTORS

- Most dependable, long-life motors
- Spark-free operation



#### SOLVENT RESISTANCE

- Sprays everything including water-based, mineral spirit-based, flammable, and solvent-based materials

#### STATIC SHOCK PROTECTION

- Safely spray flammable coatings



**THE ONLY HANDHELD SPRAYER CAPABLE OF SPRAYING WATER-BASED, SOLVENT AND FLAMMABLE ARCHITECTURAL COATINGS**

### ULTRAMAX ALSO INCLUDES ALL FEATURES FOUND IN ULTRA HANDHELDS:

#### THE FASTEST WAY TO FINISH SMALL JOBS—PROVEN BY PROS

##### FlexLiner Bag System (PATENTED)

- Allows quick start-up, spray, and cleanup
- Ability to spray in any direction—even upside down
- Delivers unmatched portability

##### DeWALT 20V Lithium-Ion Battery

- Powered by DeWALT—compatible with any 20V Lithium-Ion DeWALT battery

#### PERFECT AIRLESS FINISH—SMOOTH AND EVEN AT ANY SPEED

##### SmartControl

- Smooth, single-coat finishes with no thinning required

##### ProControl II Pressure Control

- Delivers the same performance as the Ultra 395 PC—right in palm of your hand

#### RELIABILITY DELIVERED—EVERY JOB, EVERY TIME

##### Triax Pump (PATENTED)

- Clean up in minutes with all new easy-to-clean design
- No inlet check valve to get stuck—prime and spray in seconds
- Reliable priming with Automatic Outlet Ball Kocker

##### ProConnect

- ProConnect design allows for easy on-the-job replacement

#### WIDE PRESSURE RANGE AND TIP SUPPORT

##### RAC X Fine Finish Low Pressure Tips (PATENTED)

- Full pressure range: 500-2,000 PSI
- Full range tip support: .008-.016
- The only tip necessary for full performance out of all Ultra Handheld and UltraMAX Handheld sprayers—available in multiple sizes



**SMARTCONTROL™**







		ULTRA CORDED AIRLESS HANDHELD	ULTRA CORDLESS AIRLESS HANDHELD		ULTRAMAX CORDLESS AIRLESS HANDHELD	
SPECIFICATIONS	SPRAYER MODEL	COMPLETE	COMPLETE	TOOL-ONLY	COMPLETE	TOOL-ONLY
	Part Number	17M359	17M363	17P515	17M367	17P928
	"Hot" Solvent Capable	No	No	No	Yes	Yes
	Pressure Control	Yes	Yes	Yes	Yes	Yes
	Pressure Adjustment	500-2,000 psi (34-138 bar)	500-2,000 psi (34-138 bar)	500-2,000 psi (34-138 bar)	500-2,000 psi (34-138 bar)	500-2,000 psi (34-138 bar)
	Tip Support	RAC X FFLP Tips ONLY .008 - .016	RAC X FFLP Tips ONLY .008 - .016	RAC X FFLP Tips ONLY .008 - .016	RAC X FFLP Tips ONLY .008 - .016	RAC X FFLP Tips ONLY .008 - .016
	Tip(s) Included	RAC X FFLP 514	RAC X FFLP 514	RAC X FFLP 514	RAC X FFLP 514 and RAC X FFLP 210	RAC X FFLP 514 and RAC X FFLP 210
	32 oz FlexLiner Bags Included	4	4	4	6	6
	Power/Battery*	—	(2) DeWALT 20V MAX* COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger	—	(2) DeWALT 20V MAX* COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger	—
	Filter Mesh Included	60 Mesh	60 Mesh	60 Mesh	60 & 100 Mesh	60 & 100 Mesh
	Fully Repairable	Yes	Yes	Yes	Yes	Yes
	ProConnect	Yes	Yes	Yes	Yes	Yes
	Storage Bag	Yes	Yes	No	Yes	No
	Triax Replacement Kit	17P185	17P186	17P186	17P187	17P187
	Outlet Valve Replacement Kit	17P183	17P183	17P183	17P183	17P183
	Manual	3A4433	3A4476	3A4476	3A4803	3A4803

\*With respect to 20v MAX, maximum initial battery voltage (measured without workload), is 20 volts. Nominal is 18 volts.



**NOW AVAILABLE AS TOOL ONLY\* MODELS**

*\*Works with any DeWALT 20V MAX Battery. The use of different or improperly cared for DeWALT batteries may affect the runtime of the sprayer.*

## ACCESSORIES

### FLEXLINER ACCESSORIES

PART #	DESCRIPTION
17A226	32 oz (0.95 l) FlexLiner Paint Bags (3 pack)
17P212	32 oz (0.95 l) FlexLiner Paint Bags (25 pack)
17F005	42 oz (1.2 l) FlexLiner Paint Bags (3 pack)
17P549	42 oz (1.2 l) FlexLiner Paint Bags (25 pack)
17M879	FlexLiner Storage Plug
17R611	FlexLiner Storage Plug (Solvent Based)



### EXTRA FLEXLINER CUP ASSEMBLIES

PART #	DESCRIPTION
17P550	32 oz (0.95 l) FlexLiner System
17P551	32 oz (0.95 l) FlexLiner System (Solvent Based)
17P552	42 oz (1.2 l) FlexLiner System
17P553	42 oz (1.2 l) FlexLiner System (Solvent Based)



### BATTERIES

PART #	DESCRIPTION
17P474	DeWALT 20V MAX Lithium-Ion Battery
17P475	DeWALT 20V MAX Lithium-Ion Charger



### TRIAX PUMP

PART #	DESCRIPTION
17P185	Ultra Corded Triax Replacement Pump
17P186	Ultra Cordless Triax Replacement Pump
17P187	UltraMAX Cordless Triax Replacement Pump

### MISC

PART #	DESCRIPTION
17M883	Storage Case
17P712	VacuValve™ Cap Replacement (3 Pack)
287019	10 in (25cm) RAC X Tip Extension (Ultra Models Only)
287020	15 in (38cm) RAC X Tip Extension (Ultra Models Only)
287030	CleanShot™ Shut-Off Valve (Ultra Models Only)
235486	180° Easy Turn Directional Spray Nozzle (Ultra Models Only)



### TIP GUARDS

PART #	DESCRIPTION
246215	Ultra Corded & Ultra Cordless Tip Guard
17P573	UltraMAX Cordless Tip Guard



### FINE FINISH LOW PRESSURE RAC X SWITCHTIPS (FFLPXXX)

	IN	MM	.008	.010	.012	.014	.016
FAN WIDTH	2-4	(51-102)	108	110	112		
	4-6	(102-152)	208	210	212	214	
	6-8	(152-203)	308	310	312	314	
	8-10	(203-254)		410	412	414	
	10-12	(254-305)		510	512	514	516
	12-14	(305-356)					616



Lowering spray pressure can reduce flow in some materials.  
Increase tip orifice size to maintain speed and material flow if needed.

### FILTERS

PART #	DESCRIPTION
17P554	60 Mesh (3-Pack)
17P555	100 Mesh (3-Pack)



**FOR PART NUMBERS AND MORE DETAILS ON ALL AIRLESS ACCESSORIES:**

Visit [graco.com/accessories](http://graco.com/accessories), see *Airless Accessories Brochure* (part #344386) or ask your local authorized Graco Distributor



[graco.com/accessories](http://graco.com/accessories)



# SPRAY WITH CONFIDENCE

## Industry-Leading Warranty Protection

Every Graco handheld sprayer is backed by the industry's best warranty coverage.

### 30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE\*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost. Excludes corded version.

### 1-YEAR WARRANTY\*

Coverage against defects in materials and workmanship on the entire sprayer.

### 3-YEAR DeWALT DEFECT WARRANTY\*

Coverage against defects in materials and workmanship on batteries and charger.

### CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*\*Please see written product warranty for all terms and conditions.*



## Finish Every Job, Every Time

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again as you can receive **50% OFF the list price of a Triax Pump** with your purchase.

Follow the registration instructions included with your sprayer.



Every Graco purchase comes with A+ Customer Service.

Questions?  
Call (844) 241-9499

**For more information visit [graco.com](http://graco.com)**

©2020 Graco Inc. 344401 Rev. B 2/20 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. DeWALT® and the DeWALT Logo are trademarks of DeWALT Industrial Tool Co. and are used under license. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see [graco.com/us/en/patents.html](http://graco.com/us/en/patents.html)