3W HIGH OUTPUT

Power Pockit®

the brightest, slimmest LED
Pockit light ever invented!

FEATURES

- Lowest profile – 1/4"
  depth when recessing
- 1/2" overall thickness
  (surface mount)
- 3X brighter
- 50,000-hr. life

- 3000K (warm), 5000K (cool)
- 120º light spread
- 64mm overall diameter
- 2-1/4" hole for
  recessing

THE LOWEST PROFILE

1/4" depth
when recessed

The Power Pockit LED offers effective flood and task lighting in a low-profile, energy-efficient package. It uses less than 25% of the energy of a halogen, and provides a rated life of 50,000 hours.

This 3-Watt LED is a versatile lighting choice that can be used within interior cabinets, under cabinets and store displays — providing a crisp, uniform wash over illuminated objects.

The 3W Power Pockit has a frosted diffuser, which eliminates glare and reflections.

High-Output

Power Pockit®

The best and brightest low-profile LED Pockit (puck) light...period!

RECESSED MOUNTING

Power Pockit

SURFACE MOUNT

79" Length of Lead Cord

TRESCO LED **BIG BOX** LED TRESCO LED **BIG BOX** LED

| 120° 3x Brighter	60°	Amber	Blue

3x brighter with a wider light spread   Natural color

Available Colors:
White, Black, Chrome,
Antique Brass, Nickel,
Oil Rubbed Bronze

BL   CH   AB   NI   ORB
WH

SPECS

1/4"
1mm   *actual size shown*

120°   No Min   2 1/4"

ETL LISTED c us
Intertek

298

Power Pockit® LED Lights 3W

Required Items

Light Body 3W - Metal

63 mm
2-1/2 in.

6 mm
1/4 in.

2 m
79 in.

57 mm
2-1/4 in.

Part #	Description	Suggested List
L-POC-3LEDSFR-CAB-1	3W 5000K Antique Brass LED Pockit Light	$89.30
L-POC-3LEDSFR-CBL-1	3W 5000K Black LED Pockit Light	$89.30
L-POC-3LEDSFR-CCH-1	3W 5000K Chrome LED Pockit Light	$89.30
L-POC-3LEDSFR-CNI-1	3W 5000K Nickel LED Pockit Light	$89.30
L-POC-3LEDSFR-CWH-1	3W 5000K White LED Pockit Light	$89.30
L-POC-3LEDSFR-WAB-1	3W 3000K Antique Brass LED Pockit Light	$89.30
L-POC-3LEDSFR-WBL-1	3W 3000K Black LED Pockit Light	$89.30
L-POC-3LEDSFR-WCH-1	3W 3000K Chrome LED Pockit Light	$89.30
L-POC-3LEDSFR-WNI-1	3W 3000K Nickel LED Pockit Light	$89.30
L-POC-3LEDSFR-WORB-1	3W 3000K Oil-Rubbed Bronze LED Pockit Light	$89.30
L-POC-3LEDSFR-WWH-1	3W 3000K White LED Pockit Light	$89.30

50,000 Useful Hours
57mm (2¼") Hole Required for Reccessed Mounting
Pockit Metal Body includes Surface Mount Ring, AMP® Connector, and 2 m (79 in.) of wiring.
*All Pockit Lights can be either surface mounted or recess mounted.*

Power Surface Mount Ring

63 mm
2-1/2 in.

9 mm
3/8 in.

Thru-way for wire exit

Surface Mount Ring is included with each light.

DC Power Supply - 18W
Electronic.

Hole Size, if Needed:
13 mm
1/2 in.

152 mm
6 in.

84 mm
3-5/16 in.

152 mm
6 in.

97 mm
3-13/16 in.

Hole Size, if Needed:
16 mm
5/8 in.

1.8 m
6 ft.

27 mm
1-1/16 in.

19 mm
3/4 in.

44 mm
1-3/4 in.

28 mm
1-1/8 in.

| Part #	Description	Suggested List
L-DC-ELT18-CON-1	18W 12VDC Power Supply w/6 Snap Mounting Block	$61.20

Dimmable on trailing edge (12V side).
Mounting Block and Power Cord are included with each Power Supply.

DC Power Supply - 60W
Electronic.

Hole Size, if Needed:
13 mm
1/2 in.

152 mm
6 in.

84 mm
3-5/16 in.

152 mm
6 in.

118 mm
4-11/16 in.

Hole Size, if Needed:
16 mm
5/8 in.

1.8 m
6 ft.

Mounting Block

Indicator Light

27 mm
1-1/16 in.

19 mm
3/4 in.

52 mm
2-1/16 in.

32 mm
1-1/4 in.

Part #	Description	Suggested List
L-DC-ELT60-CON-1	60W 12VDC Power Supply w/6 Snap Mounting Block	$73.80

Dimmable on trailing edge (12V side).
Mounting Block and Power Cord are included with each Power Supply.

*All product dimensions and specifications are subject to change without prior notice.*

12VDC

Power Pockit® LED Lights 3W

Optional Items

Touch On/Off Switch

Part #	Description	Suggested List
L-TS2-72-1	Touch On/Off w/Cord And Touch Pad. Black.	$48.45

*On/Off Switch touch pad attaches to surface with adhesive backing. Power Supply plugs into On/Off Switch.*

54 mm
2-1/8 in.

1.8 m
6 ft.

1.5 m
5 ft.

40 mm
1-9/16 in.

356 mm
14 in.

Female receptacle can accept up to
(3) Power Supply plugs (120V ea.)

21 mm
3/4 in.

85 mm
3-3/8 in.

Round Switch - 12V

| Part #	Description	Suggested List
L-RDSW-1M-BL-1	Black Rocker Switch w/1m (39") Lead, 12VAC/DC	$16.40
L-RDSW-1M-WH-1	White Rocker Switch w/1m (39") Lead, 12VAC/DC	$16.40
L-RDSW-2M-BL-1	Black Rocker Switch w/2m (79") Lead, 12VAC/DC	$18.40
L-RDSW-2M-WH-1	White Rocker Switch w/2m (79") Lead, 12VAC/DC	$18.40

19mm (¾") Hole Required

23 mm
7/8 in.

19 mm
3/4 in.

17 mm
5/8 in.

152 mm
6 in.

1 m (39 in.)
2 m (79 in.)

Hole Diam.
19 mm
3/4 in.

Roll Switch - 120V

Part #	Description	Suggested List
L-WHITE ROLL SWITCH-1	120V White Roll Switch	$2.45
L-BLACK ROLL SWITCH-1	120V Black Roll Switch	$2.45

SPT-2
18AWG
6A/120VAC

23 mm
1 in.

36 mm
1-3/8 in.

17 mm
5/8 in.

Mounting Block

Part #	Description	Suggested List
L-TRANS-MNT-BL-1	Extra 6-Snap Mounting Block	$10.90

*For Tresco DC Power Supplies only, 60W max. (1) Mounting Block is included with each 18W/60W Power Supply.*

152 mm
6 in.

84 mm
3-5/16 in.

Hole Size, if Needed:
13 mm
1/2 in.

Remote Control LED Dimmer - 12V
w/ 2 Remote Controls

Part #	Description	Suggested List
L-LED-DIMRMT-12V8A-1	LED Dedicated Remote Control Dimmer, 12VDC 96W	$80.05
L-LED-DIMRMT-12V8A-U-1	LED Universal Remote Control Dimmer, 12VDC 96W	$80.05

*Both models of the Remote Control LED Dimmer provide on/off power and dim lights from 1%–100%.
The standard Remote Control independently controls one specific Dimmer in a room with other Dimmers.
The Universal Remote Control (U) controls multiple Dimmers in a room.*

33 mm
1-5/16 in.

81 mm
3-3/16 in.

54 mm
2-1/8 in.

• +   • +
• –   • –
INPUT   OUTPUT

29 mm
1-1/8 in.

57 mm
2-1/4 in.

All product dimensions and specifications are subject to change without prior notice.

REV·A·SHELF® Tresco LIGHTING   1-800-227-1171 • cservice@trescolighting.com

Optional Items

Manual Rotary Dimmer

Part #	Description	Suggested List
L-LED-DIMCON-BL-1	LED Black Inline Rotarty Dimmer, 12VDC 48W	$50.05
L-LED-DIMCON-WH-1	LED White Inline Rotary Dimmer, 12VDC 48W	$50.05

*The Manual Rotary Dimmer provides on/off power and dims lights from 1%–100%.*

32 mm
1-1/4 in.

8 mm
5/16 in.

25 mm
1 in.

203 mm
8 in.

64 mm
2-1/2 in.

2 m
79 in.

Magnet Switch Kit - 12V

| Part #	Description	Suggested List
L-AUSW-MAG-BR-1	Brown Automatic Magnet Door Switch, 20W Max	$27.55
L-AUSW-MAG-WH-1	White Automatic Magnet Door Switch, 20W Max	$27.55

10 mm
3/8 in.

51 mm
2 in.

17 mm
5/8 in.

34 mm
1-3/8 in.

92 mm
3-5/8 in.

10 mm
3/8 in.

7 mm
1/4 in.

Wire manage clips with adhesive backing

Control Modules

Part #	Description	Suggested List
L-LED-SMPMOT-1	27W SimpLED Inline Motion Sensor	$70.75
L-LED-SMPPHOTO-1	27W SimpLED Inline Photo Sensor	$45.40
L-LED-SMPTD4-1	27W SimpLED Inline Touch Dimmer	$55.10
L-LED-SMPADP-5-1	5cm 12VDC SimpLED Adaptor	$3.65
L-LED-SMPADP-15-1	15cm 12VDC SimpLED Adaptor	$3.95
L-LED-SMPADP-25-1	25cm 12VDC SimpLED Adaptor	$4.45
L-LED-SMPADP-60-1	60cm 12VDC SimpLED Adaptor	$6.15
L-LED-SMPADP-120-1	120cm 12VDC SimpLED Adaptor	$7.85
L-LED-SMPADP-180-1	180cm 12VDC SimpLED Adaptor	$9.35

10 mm
(3/8 in.)

70 mm (2-3/4 in.)

19 mm
(3/4 in.)

105 mm (4-1/8 in.)

AMP® Connector

Part #	Description	Suggested List
L-MALE AMP	AMP® Connector for Light Fixture	$10.15

AMP® Connector is included with each Light Fixture.

Extension Cord

Part #	Description	Suggested List
L-LED-LINKD-15-1	15cm (6") 12VDC Starter/Link/Extension Cord	$4.05
L-LED-LINKD-25-1	25cm (10") 12VDC Starter/Link/Extension Cord	$5.95
L-LED-LINKD-60-1	60cm (24") 12VDC Starter/Link/Extension Cord	$6.65
L-LED-LINKD-120-1	120cm (48") 12VDC Starter/Link/Extension Cord	$8.25
L-LED-LINKD-180-1	180cm (72") 12VDC Starter/Link/Extension Cord	$10.00

13 mm (1/2 in.) Hole Required

Hole size:
13 mm
1/2 in.