




SUSPENSION CATALOGUE Edition: JULY 2018

USING THIS INTERACTIVE PDF



Click on the page number to go back to the contents page.

CONTENTS

History	6	'F' Series (2001 to 11/2006)
Coil Springs	10	F250 4x4 S-16 'F' Series (2009 to 2016)
Leaf Springs	12	F250 4x4
Twin Tube Shock Absorbers	16	'F' Series (2005 to 2008) F350 4x4
		Escape (2001 to 2012)
IMS Shock Absorbers	18	BA, ZA, ZB S-19
MRR Shock Absorbers	20	Everest (09/2015 on) UA
Alignment & Suspension Parts	22	Expedition (2008 on) 119" Wheelbase
Leaf Spring Components	24	Explorer (2012 on)
Torsion Bars	25	U502 5-22 Foton 5-23
Steering Dampers	26	Tunland (2012 on)
Promotional Items	27	Tunland S-23
General Information	29	Great Wall 5-24
Dacia	S-1	Wingle, Sailor (06/2009 on)
		V200, V240 S-24 Hover, Safe, Haval (2005 on)
Duster (2010 on)		X200, X240 (Australia) H3 & H5
Daihatsu	5-2	Holden - GM - Isuzu S-26
Feroza (10/1988 to 1998) CX12, F300 Rocky (1984 to 08/1993) F70, F75, F80, F85RV Rocky (1993 to 2002)		Jackaroo (1982 to 10/1986) UBS 13, 16, 52
F73, F78, F85, F98 SE/SX Rocky (1984 to 1993) F77, F87		Jackaroo (1992 to 2000, 2001 on) UBS 26, 69, 73
Terios (1997 to 2006) J100, J102	S-6	Frontera / Amigo (02/1999 to 2002)
Dodge	S-7	UES25
Ram (2009 on)		Rodeo (08/1988 to 2003) KB/TFS-55 (Inc. V6)
2500 HD	5-7 5-8	Rodeo RA, Colorado RC, D-Max 1st Gen (03/2003 to 2008 Rodeo, 2008 to 05/2012 Colorado &
Courier / Ranger (1987 to 11/2006)		D-Max) TFS-77, TFS-85
U.F.S, PC/PH 4.OL V6		Colorado RG (05/2012 on) RG - GM 1700, MMU 142/143/145/147/148 . S-3 3
PJ, PK	S-9	Colorado 7 SUV / Trailblazer (2012 on)
Ranger (08/2011 on) PX / T6 / T7	S-10	2nd Generation
Ranger (08/2011 on) PX / T6 / T7 (3" Lift)	S-11	(2007 to 06/2014) Including XL Models
Maverick (1988 to 1994) Y60	S-12	Cadillac Escalade, Yukon (Incl. XL & Denali) (2007 to 06/2014)
Maverick (1988 to 1994)		ÈSV/EXT, 1500 (½ Ton)
Y60 (Leaf Spring Suspension)	S-14	Suburban 1500 (1/2 Ton), Yukon XL (Denali XL) (06/2014 to 2015)
F150	S-15	1500 K2YC

CONTENTS CONTINUED

Tahoe, Suburban 1500 (1/2 Ton), Yukon XL	Kia	5-62
(Denali XL) (2016 on) Cadillac Escallade, 1500 K2YC	Sportage (04/1994 to 03/2002)	
D-Max 2nd Gen (05/2012 on)	JA	S-62
TFS85	Sportage (08/2005 to 04/2010) KM	S-63
MU (07/1990 to 1995) USC55D	Sportage (04/2010 to 2015)	
USC55D	SL, SL Platinum	S-64
MU-7 / Atterra S-41	Sorento (2003 to 2007)	
MU-X (2013 on)	BL	S-65
USC85	Sorento (07/2007 to 2009) BL (LX, EX)	S-66
Honda 5-43	Sorento (2010 on)	5 00
CRV (1997 to 2001)	LX, EX, SX	S-67
1st Generation RD1 - RD3 S-43	Landrover	S-68
CRV (2001 to 01/2007) 2nd Generation RD4 - RD9	Rover (1958 to 1984)	
CRV (2012 on)	Series II, IIA, III	S-68
4th Generation	Range Rover (1971 to 1998)	
HRV Joy Machine (1999 to 2002)	Range Rover	S-69
GH	Discovery (1991 to 03/1999)	5-70
Hyundai S-47	Series I	3-70
Terracan (11/2001 to 2008)	Series II	S- 7 1
HP5-47	Discovery (01/2005 to 2009)	
Santa Fe (2000 to 05/2006)	Series III LR3	S-72
SM	Defender (1984 to 1990) 90 Series	S-73
Jeep 5-49	Defender (1984 to 1992)	5-/5
Cherokee 1994 to 2001 (Australia), 1984 to 2001	110 Series	S-74
(Europe) XJ	Defender (1992 to 2001)	
Cherokee (10/2001 to 2008)	110 & 130 Series	S-75
KJ, Liberty (USA)	Defender (2007 on) 110 & 130 Series	S-76
Cherokee (02/2008 to 2013)	Freelander (1997 to 1999, 1999 to 2006)	
KK S-51	Freelander	S-77
Grand Cherokee (04/1996 to 1999) ZJ - ZG	Mahindra	S-78
Grand Cherokee (1999 to 2004)	Scorpio (Goa, Getaway) (2002 on)	
WJ (Austria), WG (USA)	Scorpio Scorpio	S-78
Grand Cherokee (2005 to 2010)	Scorpio (Getaway) (2008 to 2012,)	
WH, WKS-55 Grand Cherokee (2011 on)	CRDE Pick-Up	S-79
WK2	Mazda	5-80
Wrangler (10/1996 to 2007)	Bravo (03/1987 to 11/2006)	
TJ S-57	B2200/2500/2600/4000	S-80
Wrangler (10/1996 to 2007)	BT-50 (2007 to 10/2011)	C 01
TJ (3" Lift)	Series I - UN	S-81
JK	Series II - UP/UR	. 5-82
Wrangler (2007 on)		
	BT-50 (10/2011 on)	
JK (2.5", 3.5", 4" & 4.5" Lift)	Series II - UP/UR	S-83
	•	S-83 S-84

Mercedes	S-85	Pathfinder (2010 to 2013)	- 44-
G-Wagon (1982 to 2001)		R51 Ti 550 (Only Suits Ti 550)	5-110
G230, G300	S-85	Pathfinder (2013 on) R52	S-111
G-Wagon (2005 on)			
G55	S-86	Terrano (07/1993 to 2006 (Europe), 03/1997 2006 (Australia))	ιο
G-Wagon (2005 on)			S-112
G500 / G550	S-87	Terrano (2013 on)	
Mitsubishi	S-88	2nd Generation	S-113
Triton, L200 (1987 to 09/2006)		Patrol (1980 to 11/1983)	
ME, MF, MG, MH, MJ, MK	S-88		S-114
Triton, L200 (05/2006 to 2015)		Patrol (08/1983 to 1988)	
ML, MN	S-89		S-115
Triton, L200 (03/2015 on)		Patrol (1989 on)	c 11 <i>c</i>
MQ 5th Generation			S-116
Challenger / Pajero Sport (06/2000 to	2006) S-91	Patrol (08/1987 to 1998) Y60 GQ (Wagon) - LWB	S-117
PA. Challanger / Paiers Spart /2000 to 201		Patrol (08/1987 to 1998)	J-117
Challenger / Pajero Sport (2008 to 2019	S-92		S-119
Pajero Sport (2016 on)	3-32	Patrol (08/1987 on)	راا-د
QE	S-93		S-12 1
Pajero (05/1998 to 2000, Pre 1991 (NA -		Patrol (1988 to 05/1999)	J
NA - NF, NH, NJ, NK, NL (Coil Rear)			5-123
Pajero (1983 to 2000, Pre-1991 (NA - NF		Patrol (1992 to 05/1999)	
NA - NF, NH, NJ, NK (Leaf Rear)			5-124
Pajero (2000 on)		Patrol (12/1997 on)	
V7 - NM, NP, NS, NT, NW	S-96	Y61 GU, VRGY61, TCSY61, WRGY61, WYY61,	
Pajero iO (Pinin) (03/1999 to 07/2003)		WTY61, WGY61 (Wagon)	5-126
Pajero iO	S-97	Patrol (01/1999 on)	
Outlander (Airtrek) (2002 to 2015)		Y61 GU, UCLY61, UELY61	
Outlander	S-98		5-128
L300 (11/1986 to 1994)	C 00	Patrol (05/1999 on)	120
P23/24, V, W, P35	S-99 (2007)	Y61 GU (Pickup / Utility - Coil Rear))-I3U
L400 Spacegear, Delica (05/1994 to 03) MV - P Series	/200 <i>/)</i> S-100	Patrol (08/1987 on)	
Delica (2007 on)		Y60 GQ / Y61 GU - Station Wagon & Pickup (3" Lift)	5-132
D5	S-1N1	Patrol (08/1987 on)	, ,,,,
	5-102	Y60 GQ / Y61 GU - Station Wagon and Picki	aı
Nissan	5-102	(4" Lift)	
Navara (09/1985 on)		Patrol (08/1987 on)	
D21 - D22, NP300	S-102	Y60 GQ / Y61 GU - Station Wagon & Pickup	
Navara (11/2005 on)	C 100	(6" Lift)	5-136
D40 (Does Not Suit 550 Model)	5-103	Patrol (08/1987 on)	
Navara (04/2010 on) D40A STX550 (Only Suits 550 Model) C_1 0/ ₄	Y60 GQ / Y61 GU - Station Wagon & Pickup	
Navara (08/2014 on))5-104	(3" FLEXI Lift))-I38
D23, NP300 (Leaf Spring Rear)	S-105	Patrol (08/1987 on) Y60 GQ / Y61 GU - Station Wagon & Picku	
Navara (08/2014 on)		(4" FLEXI Lift)	:_1 ∠ ∩
D23, NP300 (Coil Spring Rear)	S-106	Patrol (2010 on)	, 140
Pathfinder (10/1987 to 1995)		Y62	5-142
WD21	S-107	Xterra (2005 on)	
Pathfinder (1995 to 2005)		N50	5-143
R50	S-108		144
Pathfinder (2005 on)			
R51 (Does Not Suit Ti 550)	S-109	Duster (2010 on)	5-144

CONTENTS CONTINUED

Ssangyong S-145	4 Runner (Pre 08/1985)
Musso (1995 to 2006)	1st Generation - LN60, RN60, YN60 S-170
SUV S-145	4 Runner (08/1985 to 1989) 1st Generation - LN61, YN63
Rexton (2002 to 12/2005)	4 Runner (11/1989 to 1997)
RX270, RX290, RX320 (Series I) 5-146	2nd Generation - LN130, RN130, YN130,
Rexton (2006 on)	VZN130 (V6) S-172
RX270 XDI, RX270 SPR, SX7 (Series II) S-147	4 Runner (1996 to 2003)
Kyron (2006 on)	3rd Generation - Surf, KZN185 3.0L TD,
M200 XVT	RZN185 2.7L Petrol, VZN185 3.4L V6 S-173
Actyon (Sports) (2007 to 04/2012) A200S, Q100 Series	4 Runner (2003 to 2009)
Actyon (Compact SUV) (2007 to 03/2012)	4th Generation - GRN215, KDN215, TRN215 5-174
A200 XDI S-150	4 Runner (2009 on)
Korando (1995 to 2006)	5th Generation - GRN285 S-175
Korando	Tacoma (1998 to 2004)
Subaru S-152	1st Generation S-177
	Tacoma (2005 to 2015)
Forester (1997 to 2013) X, XS, XT - SF, SG, SH	2nd Generation - TRN/GRN 240, 245, 250 S-178
	Tacoma (2016 on)
Suzuki S-153	3rd Generation
Sierra, Drover QB (1981 on)	Tacoma (2016 on)
SJ410, SJ413, SJ50, SJ51, LJ410, LJ413 S-153	3rd Generation (3" Lift)
Sierra (1995 to 11/1998)	Tundra (03/2007 on) UCK, UPK, USK 55/56
5J80 S-154	Sequoia (2001 to 2007)
Jimny (1998 on) SN413, FJB33V S-155	UCK35/45 5-182
Vitara SWB (1988 to 1997)	Sequoia (2008 on)
Escudo, Sidekick S-156	ÚCK65` 4.7L, USK 5.7L S-183
Vitara LWB (1991 -1998)	Landcruiser (1960 to 1980)
Escudo, Sidekick S-157	40 Series - BJ40, FJ40, HJ40 S-184
Grand Vitara (1998 to 2005)	Landcruiser (1980 to 1984)
Escudo - SQ420W 3 & 5 Door 4 Cyl, S-158	40 Series - BJ42, FJ40
Grand Vitara (10/2001 to 08/2005)	Landcruiser (Pre 08/1980) 45 Series - FJ45, HJ45 S-186
XL7 - JA627 S-159	Landcruiser (07/1980 to 1985)
Grand Vitara (08/2005 to 2015) JT Series	45 Series - FJ45, HJ47, BJ45, BJ46 S-187
	Landcruiser (1970 to 1980)
Toyota S-161	55 Series - FJ55
Hilux (1979 to 11/1997)	Landcruiser (1980 to 1990)
LN/RN 36/46/105, LN/YN 65/67/106, SR5 S-161	60 Series - FJ60, FJ62, HJ60, HJ61 S-189
Hilux (1988 to 1997)	Landcruiser (11/1984 to 12/1989)
LN/RN/YN 110, LN111 SR5 S-162	70 Series - Bundera - LJ70, LJ73, RJ70, RJ73 S-190
Hilux (09/1991 to 2005) LN107 SR5, LN108, RN106	Landcruiser (01/1990 to 05/1993)
Hilux (10/1997 to 2005)	70 Series - LJ70, LJ72, LJ73, LJ77, S-191
KZN/LN/RN 165/166/167, LN170 (2.4L TD),	70 Series Prado I, Landcruiser II (1987 to 1996)
LN172 3.0L D, RZN169 5-164	LJ78/79, RJ77, KZJ78 S-192
Hilux (2005 to Mid 2015)	Landcruiser (1985 to 12/1989)
Vigo - KUN/GGN 25/26, KZN 35/36 S-165	70 Series - FJ/BJ 70, BJ71, FJ/BJ 73,
Hilux (2005 to Mid 2015)	FJ/BJ 74 5-193
Vigo - KUN/GGN 25/26, KZN 35/36 S-167	Landcruiser (1990 to 1999)
Hilux (2015 on)	70 Series - HZJ70, HZJ73, PZJ70, PZJ73 S-194
Revo - KUN/GGN/GUN 125, KUN/GUN 126, GUN13	Landcruiser (1993 to 1999) 70 Series - FZJ77, HZJ77, PZJ77 S-195

Landcruiser (1999 to 2004) 70 Series - FZJ/HZJ 71, 74, 76	S-196
Landcruiser (08/2009 on) 70 Series - GRJ71, HZJ71	
Landcruiser (11/1984 to 01/1990)	
75 Series - FJ75, HJ75, BJ75	
75 Series - FZJ75, HZJ75	S-199
Landcruiser (04/2007 on) 76 Series - FZJ76, HZJ76, VDJ76	S-200
Landcruiser (09/1999 on) 78 Series - FZJ78, HZJ78 (09/1999 to 04/2007), FZJ78, HZJ78, VDJ78 V8 Dies (04/2007 on)	
Landcruiser (09/1999 on)	
79 Series - FZJ79, HZJ79, HDJ79, VDJ79, GRJ79	S-204
Landcruiser (09/1999 to 07/2016 Single C	ab,
09/1999 on Troop Carrier Dual Cab) 78 / 79 Series - FZJ79/78, HZJ79/78, HD	J79,
VDJ79/78, GRJ79	5-206
Landcruiser (05/1990 to 08/1991) 80 Series - FJ80, HZJ80 , HDJ80	. 5-208
Landcruiser (08/1991 to 1998)	c 200
80 Series - FJ80, FZJ80, HZJ80 Landcruiser (08/1991 on)	5-209
80 / 105 Series - FZJ, HZJ, HDJ 80/105 (3" lift)	. S-210
Landcruiser (08/1991 on) 80/105 Series - FZJ, HZJ, HDJ 80/105	
(4" lift)	S-211
Landcruiser (08/1991 on) 80 / 105 Series - FZJ, HZJ, HDJ 80/105 (6" lift)	5-212
Landcruiser (04/1998 to 11/2007)	5-212
105 Series - FZJ105R, HZJ105R	S-213
100 Series - HDJ100, HZJ100, UZJ100	S-214
Landcruiser (11/2007 on) 200 Series - UZJ/URJ/GRJ/VDJ 200	S-215
Landcruiser Prado (1996 to 2003) 90 Series - RZN/VZN/KZN/KDJ	5-215
90SWB/95LWB	s - S-216
Landcruiser Prado (2003 to 11/2009) 120 Series - RZJ/VZJ/KZJ/KDJ 125, RZJ/VZJ/GRJ/KZJ/KDJ 120, VZJ/KDJ 121	. 5-217
Landcruiser Prado (2010 on) 150 Series - KDJ150, GRJ150, KDJ155	
Fortuner (2005 to 06/2015) KUN/TGN 51	
Fortuner (07/2015 on)	
N160, N156 FJ Cruiser (11/2006 to 11/2010 (USA),	5-220
01/2011 on (AUST))	C 221
GSJ15	5-221

Rav 4 (1993 to 2012)	
SXA10, SXA11,	S-222
UAZ	5-223
Patriot (2005 on) UAZ-3163	5-223
Volkswagen	5-224
Amarok (2010 on)	
TDI400, TDI420	S-224
Vehicle Application Guides	G2
Quick-Ride Lift Kits	
Extended Shackles	G4
Suspension	G5
Terms & Conditions Of Sale	T2
Warranty	Т3

HISTORY

ESTABLISHED 1953

Throughout the 1940's and early 1950's Reg Dobinson, a hard working blacksmith, earned a well deserved reputation as an exceptional tradesman and expert spring repairer.

He began perfecting his spring repair and manufacture skills at the Queensland Railway and as a result the demand for his expertise grew. As time went on he began to specialise in spring repair and manufacture, and it led him to take on further weekend work for friends, repairing springs.

Reg's keen eye for quality, attention to detail and his passion for blacksmithing and spring repair soon saw Reg spend all of his spare time working.

In 1953, having more work than he was able to handle, Reg founded 'Dobinsons Welding Works' (now known as 'Dobinsons Spring & Suspension') under a tamarind tree in the backyard of his Rockhampton home.

The next few decades saw the business grow exceptionally as Reg began specialising in the

repair and the manufacture of springs for Rockhampton and surrounding areas.

With a huge demand for his quality work, Reg was soon working up to 18 hours a day, 7 days a week - without taking holidays for years at a time.

An innovator and a man ahead of his time, Reg purchased Central Queensland's very first computer in the mid 60's to improve efficiency. He also began to manufacture his own machinery such as a leaf spring eye roller - designed, engineered and built by Reg himself, utilising manufactured parts and hydraulics taken from ex-warplanes.

In the late 1970's, Reg's sons Glen and Keith Dobinson joined the growing family business and immediately showed the same passion and expertise in spring repair and manufacturing, allowed Reg's work load to be shared. With fresh eyes and more hands, Dobinsons began to distribute their quality products throughout Australia.



Reg Dobinson, 1958 - Dobinsons Welding Works first Company Vehicle



1991 - Dobinsons Spring & Suspension moves to it's current Head Office location

Leaf spring manufacturer develops own machinery

In central Queensland the name Dobinson's has been synonymous with springs for more than three decades.

The firm, established in 1953, produces about 500 different types of leaf springs at its Rockhampton factory.

"We make springs for a wide range of uses with car, truck and four-wheel-drive springs being our main products," said the firm's manager, Glen Dobinson.

"We supply mining companies, the agricultural sector and motor repair shops as far as Mackay in the north, Winton in the west and south to Miriam Vale."

Mr Dobinson said the company had experienced significant growth in recent years: "Business has been booming over the past four years with turnover more than doubling.

"This is why we are moving out of our present 500 sq m plant and into a 3000 sq m plant early next year."

Dobinson's was established by Glen Dobinson's father, Reg. "Dad is semi-retired now but still very active in the business," Glen Dobinson said. "Most of the machinery we use has been designed by dad — a blacksmith by trade — and made right here in the factory.


"Our high-temperature hardening furnace is a good example of the equipment dad has designed. This electronically-controlled furnace is probably the most modern of its type in Queensland.

"Other equipment designed and made here includes a guillotine for steel, an eye-rolling machine and a hole punch for spring steel.

"Designing and making our own machinery has saved us a lot of money over the years. But even more important is the fact that we've been able to create machinery that's exactly suited to our needs.

"This has meant being able to produce quality springs in the most economical manner."

Dobinson's Spring Works, 290 Murray Street, Rockhampton, Q. 4700. Telephone (079) 27 7444, Fax (079) 22 3082.



Reg Dobinson demonstrating his new invention, the 'Leaf Spring Eye Roller' 1977

BUILT ON PRIDE

Dobinsons Spring & Suspension's success throughout the Australian market sparked a desire for Reg and his sons to share their top quality products with the world.

In the mid 1980's Dobinsons exported their first order. Whilst Dobinsons now export to over 50 countries worldwide, in a time before fax machines were prevalent and the Internet existed, this meant a trip down to the local post office to purchase international phone books to find international distributors and to receive international orders.

In 1991 Dobinsons moved to its current location in Rockhampton, and in 1994 Reg retired leaving Glen and Keith as directors of the ever-growing company.

In the mid 1990's their vision saw them design and build an entire coil spring manufacturing line and Dobinsons began producing world class coil springs from their Australian production facility.

In the late 1990's with over 40 years of spring and suspension experience already under their

> 'Blacksmith' sells machine to world

Building his own workshop almost from the ground up has given Mr Reg Dobinson, of Dobinson's Spring Works more than a little knowledge in the field of metal-work — especially since much of his equipment is self-

designed and manufactured.

Mr Dobinson — a blacksmith with no design experience — is now seeking markets abroad for one of his own machines. The machine, which twists eyes on leaf springs of any size, was shown yesterday to a visiting industrial development team at Mr Dobinson's workshop in Murray Street, Postkhamaten.

Rockhampton.

Technical officer (licensing) with the Department of Commercial and Industrial Development, Mr Neville Hodgkinsen, said the workshop was one of the most modern in Queensland.

MARKET POTENTIAL

"His machine certainly is good — it has excellent market potential," Mr Hodgkinson said.

The DCID is to help Mr Dobinson find suitable markets for his device.

Mr Dobinson said yesterday the eye-fixing machine had already attracted interest from potential buyers in Germany and Belgium. The machine is to be patented shortly.

"Its got several advantages over the methods used at the

moment.
"Either they are done by hand or by a huge machine that takes three hours to assemble.
"This can be set up for different sized springs in seconds," he said.
Mr Dobinson described the machine as "my major invention."

Mr Doomson described.

He has also designed and manufactured two furnaces now in use in his workshop. Mr Dobinson first began operating the Murray Street workshop in 1953 as a general metal resource shop.

the Murray Street workshop in 1953 as a general metal re-pair shop.

The workshop began specialising in lever spring manufac-ture in 1964. Much of the shop's equipment had been de-signed by Mr Dobinson before this time.

The workshop now employs six men and is the main sup-plier of all varieties of springs in the Central Queensland.

Mr Dobinson said he hoped to have a market for his invention finalised by the end of the year.

belt, Dobinsons began designing, developing and distributing their own range of 4x4 shock

In the early 2000's Glen and Keith's children began working in the family business and with a shared passion for the suspension industry and 4x4's, Dobinsons Spring & Suspension continued to grow.

In 2009 Dobinsons began the research, development and testing of their range of 4x4 accessory products which have earned a reputation as high quality 4x4 products which compliment their extensive range of suspension products.

Over 60 years on, and three generations later Dobinsons Spring & Suspension's Rockhampton production and warehousing facility has grown to over 60,000 square feet. Dobinsons now have over 5 major warehousing distribution facilities across Australia with an Australia wide dealer network, as well as distributors in over 50 countries worldwide.

With over 60 years of experience and excellent customer service, Dobinsons Spring & Suspension are your first choice in suspension and 4x4 accessories.









COIL SPRINGS

Dobinsons Spring & Suspension™ proudly manufacture the highest quality replacement coil springs for many different applications, complying to ISO9001:2015 international quality standards from their state of the art manufacturing facility in Central Queensland, Australia.

Dobinsons™ proudly boast one of the worlds largest range of coil springs, including raised height and heavy duty 4x4 springs, lowered performance passenger car springs, 0.E. replacement springs and heavy duty springs for commercial vehicles.

As Dobinsons[™] coil springs are manufactured in-house, Dobinsons[™] can manufacture smaller quantities and in most cases there are many different coil spring options available for your vehicle. This ensures the customer receives the best spring to suit their application and avoids a 'One Size Fits All' scenario, especially important when selecting the correct spring rates and ride heights. When matched with a set of corresponding Dobinsons[™] Shock Absorbers, Dobinsons[™] can provide you with unrivalled performance and handling.

DESIGN TECHNOLOGY



Our design engineers utilize the latest coil spring design programs to ensure each spring meets or exceeds the design requirements, to achieve maximum working life. These state-of-the-art design programs are crucial when designing variable/progressive rate springs, ensuring laden and unladen spring rates are correct, providing the best possible ride comfort and handling.

STATE OF THE ART HEAT TREATMENT



Heat treatment is one of the most important steps in the coil spring manufacturing process.


All Dobinsons coil springs are 'hot wound' and the hardening and tempering of our coil springs is completed by an extremely precise electronically controlled furnace to eliminate breakage and sagging.

FORMED ON PRECISION MANDRELS



Each coil spring is precisely wound by a programmable logic computer to achieve perfect pitch. This precision is extremely important when manufacturing variable and progressive rate coil springs.

HIGH INTENSITY SHOT PEENING



All Dobinsons™ coils springs are shot peened to increase durability and dramatically reduce fatigue.

PRECISE END CONFIGURATIONS



Engineered coil ends are designed to fit directly into the original vehicle mounting points without any modification.

FULLY SCRAGGED & LOAD TESTED



All Dobinsons™ coil springs are load tested and scragged 100% to eliminate subsequent spring sag, and ensure they meet and maintain the required specifications. We also perform spring fatigue and hardness testing using in-house state of the art testing equipment.

POWDER COAT FINISH



A durable powdercoat finish provides extreme protection against the elements.

LEAF SPRINGS

With over 60 years of experience manufacturing in Australia, Dobinsons Spring & Suspension™ are no strangers to providing the highest quality spring and suspension components, and our range of leaf springs are no exception.

Our range includes raised and heavy duty leaf springs for 4x4's, heavy duty and parabolic replacement leaf springs for trucks and commercial vehicles, plus raised and replacement leaf springs for 4x2 utilities and passenger vehicles. In most cases there are multiple options available to ensure the correct leaf spring is available to meet most requirements.

HIGH QUALITY SPRING STEEL



Dobinsons[™] leaf springs are manufactured from only the highest quality raw materials. We understand the importance of selecting not only the highest quality spring steel, but also the correct grade that will give the longest life under the harshest conditions.

DESIGN



Our design engineers ensure that all our leaf springs are designed specifically for each vehicle model, with consideration given to the load and height requirements for each application.

Design is one of the most important stages in the leaf spring manufacturing process, and with over 60 years of design and manufacturing experience, we recognise the importance of this.

Design features include Drawn, tapered and thinned leaf ends for even stress distribution over the entire spring pack, two stage spring design for the rear of most vehicles to achieve optimum ride and handling both laden and unladen and carefully selected leaf lengths and thickness's to maximize the spring life, comfort, load carrying capacity, wheel travel and performance.

MANUFACTURING PROCESS



Each stage of the Dobinsons[™] leaf spring manufacturing process is vital to ensure the complete spring pack will out perform our competitors products.

Manufactured to international quality standards ISO9001:2015 using premium grade Sup 9 silicon manganese spring steel, Dobinsons™ range of leaf springs are made to world leading quality standards.

MULTIPLE OPTIONS



For most vehicles, we offer multiple options to best suit customer needs, this ensures the correct spring rate is matched for the vehicle model and the accessories added. This provides a raised height where applicable without going beyond the safe design requirements to enhance performance, load carrying capacity and off-road ability without compromising safety.

MILITARY WRAPPERS



Where possible Dobinsons leaf springs utilize full military wrappers and full length wrappers to provide additional support to the main leaf and improve safety.

ANTI-FRICTION INTER LEAF LINERS



Anti-Friction inter leaf liners are use to reduce the friction at each leaf end where the load is greatest and provides a smoother, quieter ride.

HIGH STRENGTH ALIGNMENT CLIPS



Dobinsons leaf springs feature high strength alignment clips with nylon insulators to reduce wear and noise. Nyloc nuts are also featured on bolted clips to prevent loosening off nuts which can cause tyre damage.

SHOTPEEND & SCRAGGED



Each Dobinsons leaf spring is shotpeened on the tension side of each life and completely scragged. This dramatically reduces the chance of sagging and breakage and doubles the expected working life of the spring. Random sampling from production is then also durability tested to ensure Dobinsons leaf springs will outlast the competitors.

SHOCK ABSORBERS



TWIN TUBE NITRO-GAS SHOCK ABSORBERS

Designed, developed and tested in Australia by Dobinsons Spring & Suspensions', in-house suspension design engineers, Dobinsons 4x4 shock absorbers are designed and tested to perform in the harshest conditions right across the world.

As Dobinsons Spring & Suspension export to over 50 countries worldwide from their Australian head office, the importance of quality is at the forefront in the complete design and manufacturing process. This ensures every shock can withstand the blistering heat and corrugations of the Australian outback right through to the subzero temperatures of a Russian winter.

Dobinsons Twin Tube Nitrogen Gas charged shock absorbers are made from the world's highest quality external and internal parts sourced worldwide. They provide a significant increase in performance over the standard shock absorbers.

Originally equipped shock absorbers are prone to shock fade and when a vehicle is loaded simply cannot cope with the additional weight and the harsh condition that 4x4 owners love to put them through.

Dobinsons twin tube shock absorbers feature larger bodies, larger bores and increased valving performance to dramatically improve vehicle handling and control and reduces shock fade.

NITROGEN GAS CHARGED

Each shock absorber is filled with high quality Hi-Temperature Fuch's shock absorber oil then filled with low pressure nitrogen gas to pressurize the oil and assists in reducing oil aeration commonly know as Shock Fade.

SUPERIOR DESIGN

Where possible Dobinsons design each part number to provide a longer shock absorber for more wheel travel, firmer valving for a more controlled ride and a larger body with increased oil capacity for cooler operation than the original vehicle shock absorbers.

Other hidden design features also include thicker external tube wall thickness up to 3mm on Dobinsons 4x4 struts where other brands use as small as 1.5mm.

Selected Dobinsons 4x4 struts also include single piece drop forged lower mounting stems to provide far superior strength and reliability.

HIGH QUALITY PARTS

Only the highest quality internal and external parts are used to ensure hassle free long life operation. When developing shock absorbers, Dobinsons test each component of the shock absorber to ensure each part can withstand the vast difference in operating temperatures, a variety of different environments and conditions, and also ensure each part provides long service life.

These include Japanese NOK Multi-Lip seals, Fuchs German shock absorber oil, Natural Rubber bushings for reduced Noise Vibration Harshness, high quality Teflon piston rings and Double Chrome hardened rods are just a few of the components that put Dobinsons shock absorbers ahead of the rest.

MANUFACTURING PROCESS

As Dobinsons Spring & Suspension have been manufacturing the highest quality springs and suspension components for over 60 years, they are no strangers to state of the art manufacturing processes. Dobinsons 4x4 shock absorbers are manufactured using the latest technology and are manufactured to TS16949 International Quality Assurance Systems. This includes double re-enforced robotic welding, friction welding, CNC Machined components and drop forging of high stress mounting components.

TESTING PROCESS


Dobinsons 4x4 shock absorbers are first completely quality checked and Valve Force-Velocity Dyno tested in the factory before final approval.

Dobinsons then perform further in depth quality testing in their Australian head office to ensure long life reliability.



IMS SHOCK ABSORBERS

Over 4 years of research, development and testing were undertaken to produce Dobinsons Monotube Internal Reservoir Shocks. The IMS series introduces top quality build design and features to achieve the ultimate in performance and durability. 50mm and 60mm extra large bores provide the perfect housing for an enormous oil capacity and surface area to resist fade in even the most demanding conditions. Be sure to take full advantage of these performance engineered shock absorbers.






MRR SHOCK ABSORBERS


With serious 4x4 owners now pushing their vehicles through harder, harsher terrain with more accessories fitted to their 4x4's than ever before Dobinsons saw the need for a no compromise, performance engineered shock absorber that offers the ultimate in performance.

Over four years of research, development and testing was undertaken to produce Dobinsons Monotube Remote Reservoir shock absorbers. Dobinsons MRR Series introduces premium quality build design and features to achieve the ultimate in performance and durability.

50mm and 60mm extra large bores, combined with remote oil reservoirs, provide the perfect housing for an enormous oil capacity and surface area to resist shock fade and maintain vehicle handling.

Unlike some other brands, each Dobinsons shock absorber is designed specifically for the vehicle and application and is designed to perform best when matched with Dobinsons Coil Springs. In some cases multiple options are available to ensure the best possible ride, handling, comfort and performance is achieved for the complete suspension system.





ALIGNMENT & SUSPENSION PARTS

When raised suspension has been fitted to a vehicle it can alter the vehicles suspension, brakes and steering geometry and in some cases this requires additional suspension components to ensure the vehicles handling and performance isn't compromised. This is especially important in vehicles fitted with larger lift kits. The required alignment parts are outlined in the 4x4 suspension catalogue individual pages.

Where applicable the rear brake proportioning valve adjusters/extensions should be fitted to allow normal braking operation.

For solid axle vehicles with suspension lifts of up to 50mm a castor bush kit is recommended but not mandatory, a wheel alignment is recommended to determine whether a castor bush kit is required.

For lifts above 50mm, castor correction is required.

Some vehicles also have additional driveline spacers, gearbox spacers and other parts which may be required when fitting a suspension lift.

Some of the alignment components required include:

CASTOR BUSH KITS (RUBBER & POLYURETHANE)



When raised suspension is fitted to vehicles equipped with a solid axle style front suspension setup the castor angle can be altered and can result in a small wobble or shake through the steering. To correct this Dobinsons have a range of fixed angle polyurethane castor correction bushes, fixed angle rubber castor correction bushes for improved ride and articulation and adjustable polyurethane castor correction bushes to return the castor angle to the correct position.

SWAY BAR EXTENSIONS



Raising the vehicles suspension can also cause some components such as the sway bar links to become a little too short and limit wheel travel. For this reason Dobinsons have released heavy duty sway bar link extensions to suit some Nissan Patrols and some Toyota Landcruisers.

PANHARD RODS




Raising the vehicles suspension on vehicles equipped with live axle suspension can also alter the diff alignment. Dobinsons range of heavy duty adjustable panhard rods correct this alignment and feature high quality rubber bushes for maximum articulation.

CASTOR PLATE KITS



For Nissan Patrol Y60/Y61 (GQ/GU) and Toyota Landcruiser 80/105 series that have lift kits of between 4 and 6 inches Dobinsons have 5 degree castor plate kits available to correct the castor angle.

BRAKE PROPORTIONING VALVE EXTENSIONS



When raising a vehicle the braking system can be affected as the braking bias front to rear is changed. For this reason Dobinsons recommend fitting one of their brake proportioning valve extensions when ever lifting a vehicle.

STRUT-CAPS



Dobinsons have a range of coil strut top caps available for most popular 4x4 models. These can be used to replace the original worn strut top caps or can be fitted to coil struts with coil springs allowing a complete strut assembly that is a simple install.

DRIVELINE & SUSPENSION COMPONENT SPACERS



Dobinsons Spring & Suspension also have a range of other various driveline spacer items that are required when lifting vehicles.

LEAF SPRING COMPONENTS

U BOLTS




Dobinsons 4x4 U-bolts are made from high quality, 10.9 grade high tensile steel and supplied with hardened deep nuts for maximum clamping pressure and reliability. It is recommended that when replacing leaf springs that new u-bolts are fitted.

Supplied in anti corrosion zinc finish.

SHACKLES & PINS



Dobinsons Spring & Suspension's range of 4x4 shackles and pins have been designed and manufactured to maximize the life of both the polyurethane bushes and shackles. Incorporating a recessed twin hole greasable design to ensure both halves of the polyurethane bush receive even grease distribution. Greasing polyurethane bushes not only reduces friction and wear, it also reduces the chances of corrosion on the shackle pins and reduces squeaking. Dobinsons 4x4 shackles and pins are a heavy duty design and provide simple servicing through external grease nipples.



In some cases Dobinsons also provide anti-inverse shackles to prevent the shackles from inverting on lifted leaf spring vehicles.

POLYURETHANE BUSHES



Dobinsons Spring & Suspension's polyurethane bushes have been designed and manufactured from the highest quality raw materials and unlike other competitors have been designed to suit both Dobinsons leaf springs and the original vehicle leaf springs.

Polyurethane-Bushes Dobinsons Polyurethane leaf spring bushes provide a smooth comfortable ride and when combined with Dobinsons 4x4 greasable shackles provide a far superior service life than the original vehicle bushes.

Dobinsons polyurethane bushes feature unique internal diamond grease traps to maximize bush and shackle life.

TORSION BARS

Dobinsons Spring & Suspension's range of heavy duty 4x4 torsion bars are manufactured from high quality micro alloy steel with a thicker bar diameter than the original vehicle torsion bars to improve performance when accessories are fitted. When vehicles are fitted with additional accessories such as steel bullbars, winches, dual battery kits and other frontal accessories the weight placed on the torsion bars can be dramatically increased.

TORSION BARS

The torsion bars fitted to the vehicle will not withstand the additional weight placed on the vehicle and will be prone to sag and will offer poor handling and offroad performance. Dobinsons heavy duty 4x4 torsion bars feature increased spring rate (thicker bar diameter) to better handle the additional weight and provide far improved handling, ride height and offroad performance.

INCREASED SPRING RATE

Dobinsons torsion bars feature an increased bar diameter, thicker than the original vehicle torsion bars. Dobinsons uprated torsion bars provided a far superior ride that will greatly reduce bottoming of the suspension and will improve the vehicles handling whilst also offering far greater reliability at increased ride heights.

COLD ROLLED SPLINES

Dobinsons torsion bars feature cold rolled splines to increase strength, reliability and ensure a perfect fit.

DURABLE POWDERCOAT FINISH

A thick durable powdercoat provides protection against corrosion.

DIRECTIONALLY PRESET & SCRAGGED

As torsion bars have load applied in a particular direction during compression travel, Dobinsons have their torsion bars directionally preset and scragged to prevent sagging and breakage.

SIMPLE FITMENT

Dobinsons heavy duty torsion bars have precision end fitment and are marked both left and right hand side, and also importantly front and rear to ensure correct simple fitment the first time. Fitting torsion bars on the incorrect side or back to front will damage the torsion bars as they are preset and scragged in the required direction.



STEERING DAMPERS

Dobinsons Spring & Suspension's range of 4x4 steering dampers are the perfect addition to your Dobinsons suspension kit. Featuring a larger body size for smoother, cooler operation and 50/50 valving, Dobinsons heavy duty steering dampers ensure comfortable controlled steering operation, especially on vehicles fitted with raised suspension, additional accessories or larger tyres.

Dobinsons heavy duty steering dampers feature a 18mm chromed rod, 32mm bore and 50mm body with a foam cell insert. End mountings are kept the same as the original vehicle mountings to ensure hassle free fitment.



PROMOTIONAL ITEMS

Catalogues & Brochures



Dobinsons 4x4
Suspension Catalogue



Dobinsons 4x2 Suspension Catalogue



Dobinsons 4x4 Accessories Catalogue



Dobinsons Coil Spring Catalogue

PG00-2200

PG00-2203

PG00-2201

PG00-2202



Dobinsons Trifold Brochure 4x4 Suspension



Dobinsons Trifold Brochure 4x4 Accessories



Dobinsons Bullbar Brochure

PG00-2204

PG00-2205

PG00-2206

Banners



Indoor Hanging Wall Banner 200cm Wide x 130cm High (Suspension)



Indoor Hanging Wall Banner 200cm Wide x 130cm High (4x4 Accessories)



Roll Up Banner

PG00-2210

PG00-2212

PG00-2211

Flags



Dobinsons Teardrop Flag 2.2m (Cross Base)



Dobinsons Teardrop Flag 4.7m (Spike Base)



Dobinsons Rectangle Flag 90 x 150cm

PG00-2220

PG00-2221

PG00-2222

Miscellaneous



Dobinsons Carry/Show Bag



Dobinsons Pen *Styles May Vary



Dobinsons Acrylic Sign



Dobinsons 4x4 Stubbie/ Can Cooler



/ Dobinsons Promotional

PG00-2260

PG00-2261

PG00-2263

PG00-2264

DVD **PG00-2266**

PROMOTIONAL ITEMS

Stickers/Posters



70 x 20cm

Dobinsons Oval Logo Sticker



100 x 35cm

Dobinsons Oval Logo Sticker with 'Products Sold Here'



Dobinsons Oval Logo Sticker '4x4 Accessories'

PG00-2234



27 x 7.5cm

Dobinsons Oval Logo Sticker



15 x 5cm

Dobinsons Oval Logo Silver/Grunge Sticker

PG00-2232

PG00-2236

PG00-2240

PG00-2233

PG00-2237

PG00-2241



10 x 3cm Dobinsons Oval Logo Sticker

Dobinsons

83 x 30cm 14 x 4cm

Dobinsons Oval Logo Grunge Sticker

Hologram Sticker

PG00-2235



Dobinsons Oval Logo

PG00-2248

9 x 6cm **Dobinsons Clear** MRR Logo Sticker

PG00-2239 PG00-2246



14 x 4cm

Dobinsons Oval

Logo Sticker

7 x 8cm

Dobinsons 4x4 Sticker

100 x 10cm

Dobinsons Clear Windscreen Sticker

PG00-2242

PG00-2238

60 x 10cm **Dobinsons Clear**

Windscreen Sticker

12cm Diameter

Dobinsons Round Reflective Sticker

Dobinsons White

MRR Logo Decal

30 x 20cm

PG00-2243 PG00-2247

External Aluminium Signs



825 x 275mm

Dobinsons Logo Sign Aluminium - 1.2mm Thickness


PG00-2275



825 x 1100mm

Dobinsons 4x4 Accessories Sign Aluminium - 1.2mm Thickness

PG00-2277



825 x 1100mm

Dobinsons Suspension Sign Aluminium - 1.2mm Thickness

PG00-2276

Apparel



Dobinsons Cap Grey with logos One Size Fits All



Dobinsons Hooded Jumper Black & Grey (Available in S - XXL)



Dobinsons Flat Brim Cap Black/Grey One Size Fits All



Dobinsons T-shirt Black (Available in 5 - XXXL)

PG00-2265

PG00-2279




Dobinsons Polo 1

(Available in S - XXL)

Dobinsons Polo 2 (Available in S - XXL)

PG00-2278



Dobinsons Button Up Shirt

(Available in S - XXL)

PG00-2280

PG00-2274



Dobinsons Long Sleeve T-shirt Black (Available in 5 -XXXL)

PG00-2282

PG00-2281

GENERAL INFORMATION

PART SELECTION

Firstly, you may order individually any part listed in this catalogue, but we recommend that you order and fit in pairs (sets), the springs, shock absorbers and torsion bars. They have up-rated specifications and must be fitted in pairs to ensure the vehicle operates correctly. It is also recommended that where possible a complete Dobinsons suspension kit is fitted to provide the best possible outcome for vehicle handling, performance, off-road capability and load carrying capacity.

The QTY column on the front and rear of each page will tell you how many of that particular item is required to do 1 vehicle. For example for coils QTY is 1, so 1 pair is required for that end of the vehicle. For shock absorbers the QTY might be 2, so 2 shock absorbers are required for that end of the vehicle. In some cases there may be QTY 1 listed for 2 of the same type of items, for example 1 of each leaf springs (LH & RH), one of each u-bolt kit or shock absorbers.

Pricing of all part numbers relates directly to the price list. Coil springs have a price code letter next to the part number, this letter corresponds with the letter in the price list under the Coil Spring Section. Also take note that some vehicles with a large range of parts continue over 2 pages.

SPRING SELECTION

Throughout this catalogue, there are many models of vehicles with a selection of spring variations. When selecting a spring, be careful to select the right springs to achieve your requirements, particularly in cases where the vehicle has additional accessories or constant loads for example a bullbar, winch, dual battery systems, roof racks, rear drawer system, large fuel tanks, rear tyre carrier, toolboxes etc. It may be necessary to mix and match front and rear springs to suit the loads the vehicle will be carrying. It is also important to take into account the position of extra weight, for example vehicles with weight at the very rear of a long tray may cause the front of the vehicle to sit higher than expected, and the rear lower.

LIFT MEASUREM<u>ENTS & ADDITIONAL WEIGHT</u>


In most cases there are different options available providing varying amounts of lift and different load carrying capacities. All lift measurements given are only an indication of what can reasonably be expected over the original vehicles ride height. Every vehicle is different in its own right and therefore may result in higher or lower lift measurements once fitted. Where there is not a selection of springs, we have chosen the best performing spring to suit the vehicles ride height, handling, carrying and towing capacities.

Springs that list additional accessories weight or constant load will provide the lift stated with that amount of weight. The weights listed for the front or rear springs of the vehicle are per end. For utility vehicles fitted with steel drop side trays, the additional weight of the steel tray over the original vehicle style side/well back/tub must also be included in the constant load. For example a rear spring that has 50mm lift with 300kg's constant load will lift the vehicle 50mm from the factory measurement with 300kg's of load on the rear of the vehicle. The 300kg's of constant load may consist of 200kgs of extra weight in the steel drop side tray and 100kgs of tool boxes

and tools. If the load is less than that stated in the catalogue then the vehicle will sit higher than the lift stated, and if the load is more than stated in the catalogue the vehicle will sit lower than the stated lifted. In some cases a compromise may need to be made between providing a smooth ride or additional weight carrying capacity.

Springs that do not list additional accessories weight or constant load will generally be approximately 10% firmer than the original springs and are suited to most light load applications including general passenger and luggage weights, unless stated otherwise.

Dobinsons Spring & Suspension™ recommended taking before and after centre of wheel hub to bottom of guard (bottom of flare or wheel arch) measurements. Once the suspension has been fitted, the vehicle must be taken for a test drive to settle the suspension correctly before recording the after measurement. Further settling of the suspension can be expected after a few thousand kilometers.



SELECTION OF OTHER SUSPENSION COMPONENTS

Shock Absorbers – Dobinsons offer a few different ranges of 4x4 shock absorbers - a Twin Tube Nitrogen Gas charged shock absorber, an Internal Reservoir Monotube shock absorber and a Monotube Remote Reservoir shock absorber all made from the world's highest quality external and internal parts. Where possible Dobinsons design and test each part number to provide a longer shock for more wheel travel, firmer valving for a more controlled ride and increased oil capacity for cooler operation in harsh conditions, than the original vehicle shock absorbers. Therefore Dobinsons recommends that when a suspension lift has been fitted to the vehicle, or the vehicle is carrying extra weight, that Dobinsons 4x4 shock absorbers are fitted in conjunction with springs, and in some cases it is a necessity to ensure sufficient downward wheel travel (outlined in notes on these particular vehicles). In some cases a softer option is also available and this is recommended for vehicles with light or no loads.

Torsion Bars – Dobinsons torsion bars provide an increased rate and firmer ride over the original torsion bars and are recommended when the vehicle is fitted with additional accessories of 70kgs or more. It is recommended that a minimum of 50mm downward wheel travel be kept when adjusting torsion bars.

Polyurethane Bushes – Dobinsons polyurethane leaf spring bushes have been designed to work in conjunction with the original leaf springs as well as Dobinsons 4x4 leaf springs (unless stated otherwise). For ease of fitment it is recommended Dobinsons Polyurethane Bushes are fitted when installing Dobinsons 4x4 leaf springs. For ease of bush maintenance it is also recommended that greasable shackles also be fitted in conjunction with polyurethane bushes.

Greasable Shackles – Dobinsons 4x4 greasable shackles and pins have been designed to work with both the original leaf spring bushes and Dobinsons Polyurethane Bushes (unless stated otherwise), however greasable shackles should not be greased when being used with

GENERAL INFORMATION

rubber bushes. For ease of polyurethane bush maintenance & long bush life it is recommended that greasable shackles be fitted when fitting polyurethane bushes.

U-Bolts – Dobinsons 4x4 U-Bolts are made from high quality, 10.9 grade high tensile steel and it is recommended that when replacing leaf springs that new u-bolts are fitted. Fitting Dobinsons u-bolts is also a necessity on most heavy duty leaf spring packs due to the length increase required for thicker spring packs.

Underbody Bush Kits – Dobinsons polyurethane underbody bush kits are not a necessity when fitting a suspension kit, but is recommended when the vehicles underbody bushes are worn and need replacing.

Steering Dampers – Dobinsons 4x4 steering dampers have been designed with a larger capacity and 50/50 valving to provide smooth controlled steering in both directions.

Alignment & Extension Parts – It is recommended that certain alignment parts be fitted in conjunction with the suspension kit when a suspension lift has been fitted to the vehicle. Where applicable the rear brake proportioning valve adjusters/extensions should be fitted to allow normal braking operation. For suspension lifts of up to 50mm a castor bush kit is recommended but not mandatory, a wheel alignment is recommended to determine whether a castor bush kit is required. For lifts above 50mm, castor correction is required. Some vehicles also have additional driveline spacers, gearbox spacers and other parts which may be required when fitting a suspension lift. These part requirements will be outlined in notes on each page.

BUILT ON PRIDE, DEVELOPED WITH TECHNOLOGY

Dobinsons Spring & Suspension™, established in 1953, is largely based on Leaf and Coil Spring Manufacturing and the supply of Suspension Components. With several generations of family ownership and experiences, Dobinsons has become one of the leaders in the Spring Industry in Australia applying the years of knowledge into their products.

The success of the business has come about by providing quality products, acquiring and using technical knowledge and having the equipment to perform and provide professional service. Our quality of design and manufacture is what sets us apart from our competitors, if not the price. The company manufactures and repairs a large range of springs and sells a comprehensive range of suspension components. We have over 13,000 spring specifications on hand and computerised spring design programs provide us with professional and accurate results.

For the past 25 years, Dobinsons Spring & Suspension™ have been exporting their products to different parts of the world and their name has become synonymous with quality in these countries. Our Head Office is situated in Rockhampton with Distributors worldwide.

Dobinsons Spring & Suspension™ has the ability to give a very fast service by combining our large amount of stock on hand, and by using our manufacturing plant to make the Leaf and Coil Springs quickly. A factor that, combined with our friendly and helpful staff, makes us an unbeatable supplier of quality Suspension Components.

There are thousands of parts kept in stock, including Coil Springs, Leaf Springs, Torsion Bars, Shock Absorbers, Greasable Shackle Kits and Pins, U-Bolts, Polyurethane Bushes, Centre Bolts, Castor Wedges & 4x4 Accessories.

RESEARCH AND DEVELOPMENT

Dobinsons Spring & Suspension™ is committed to quality and to achieve this, much research and development has been done in the past and will continue into the future as new products are released. Furthermore Dobinsons Spring & Suspension™ have recently gained ISO9001:2015 International quality management systems approval as we continue to develop and improve the quality of our products and service.

It is in our best interest to keep advancing our product range so the ultimate spring & suspension components are achieved. The Leaf and Coil Springs in this catalogue have all been designed to suit Australian conditions, which are some of the harshest in the world. We believe our products, in most cases, are purchased to achieve improvement in five major areas: Lift, Handling, Heavy Loading, Off-Road Capability & Towing.

By purchasing from Dobinsons' superior range of springs, the above five characteristics can be achieved to produce the ultimate combination of suspension systems.

Research and Development are in the very heart of Dobinsons Spring & Suspension™

Other Suspension Requirements (Not Listed In This Catalogue)

This 4x4 Catalogue only presents a small amount of Vehicles and Models. Dobinsons Spring & Suspension™ handle a vast range of vehicles, and have specifications for over 13,000 springs. We cater for all vehicles, from small passenger cars up to the large trucks. With an extensive stock of Leaf & Coil Springs, Shackle Pins & Kits, U-Bolts, Shock Absorbers, Torsion Bars, Polyurethane Bushes, and most other suspension components, Dobinsons Spring & Suspension™ can supply the parts for you to...

CATALOGUE INFORMATION

While we take all care in the preparation of this catalogue, we also realise errors can occur. Please confirm that the parts you are ordering are correct for your requirements. No responsibility is implied or taken. The names and reference numbers of manufacturers and suppliers, other than Dobinsons Spring & Suspension™, used in this catalogue are shown only to assist our customers in identifying replacement parts. Under no circumstances does Dobinsons Spring & Suspension™ imply that the parts are of these OE manufacturers.

Pictures used in this Catalogue are for illustration purposes only.



TYPE: Duster MODEL: Duster YEAR: 2010 on

DETAIL: 4x4 Wagon



PART NUMBER

PRICE

	FRONT	Ē	PART NUMBER	PRICE
	COIL SPRING			
	1.6 Litre Petrol Eng	gin	e	
MWWWW	Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-010	В
MWWWW	Linear Rate Raised Height (50mm Lift) Up to 70Kg Accessories	1	C52-004	В
1.2 Liti	re Petrol Turbo Engine & Tu	ırb	o Diesel Engi	ne
I	Linear Rate Raised Height (50mm Lift) Up to 70Kg Accessories	1	C52-012	В



Twin Tube Gas 2 **GS52-056** Heavy Duty

CAMBER ADJUSTMENT KIT

Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.

Kit Contains:

2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment 1 WA57-505K

	COIL SPRING			
MWWWII	Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-011	В
I	Linear Rate Raised Height (50mm Lift) 50-100Kg Constant Load	1	C52-005	В
	SHOCK ABSORBI	ΕR		
	Twin Tube Gas Heavy Duty	2	GS52-057	
	CAMBER ADJUSTME	NT	KIT	

REAR



TYPE: Feroza **MODEL:** CX12, F300

YEAR: 10/1988 to 1998

DETAIL: Narrow Track, Sportrak



FR	ONT	Σ	PART NUMBER	PRICE		REAR	ΔŢ	PART NUMBER	PRICE
	TORSION BAR					LEAF SPRING			
	Heavy Duty Rate Increased Length 1093mm		TB15-197			4 + 2 Leaves Raised Height (45mm Lift)		DAI-015-R	
1						SHACKLE BUSH H	(IT		
	SHOCK ABSORE Twin Tube Gas Heavy Duty		GS43-082S		OLI	Kit Contains: 2 x SPF239 2 x SPF238		PB15-1064K	
						U-BOLT KIT			
					_				
						Kit Contains: 2 x UB15-658	2	UB15-658K	
						SHOCK ABSORBI	ΞR		
						Twin Tube Gas			
					-	Heavy Duty	2	GS15-639S	



TYPE: Rocky

MODEL: F70, F75, F80, F85RV

YEAR: 1984 to 08/1993

DETAIL: Hardtop, Rugger, Fourtrak, Wildcat



	- 5-			
	FRONT	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING			
0 0	Right Hand Side			
	5 Leaves Raised Height (40mm Lift)	1	F77-5L-F RH	
	Left Hand Side			
و ا	5 Leaves Raised Height (40mm Lift)	1	F77-5L-F LH	
	, and a gradual state of		-	
	SHACKLE BUSH H	(IT		
	Kit Contains: 4 x SPF238			
ATI		1	PB15-1062K	
	U-BOLT KIT			
	Right Hand Side Kit Contains:			
	1 x UB15-658			
	1 x UB15-659	1	UB15-659K	
	Left Hand Side Kit Contains:			
	2 x UB15-658	1	UB15-658K	
	SHOCK ABSORBI	- 1-)		
	Twin Tube Gas			
	Heavy Duty	2	GS15-639S	

	REAR	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING	1		1
<u>_</u>	4 + 1 Leaves Raised Height (40mm Lift)	2	DAI-011-R	
	SHACKLE BUSH I	ΚΙΤ		
	Kit Contains: 2 x SPF239 2 x SPF238 4 x SPF560	1	PB15-1064K	
	U-BOLT KIT			I
Ü	Kit Contains: 2 x UB15-658	2	UB15-658K	
	SHOCK ABSORB	ΕR		
-	Twin Tube Gas Heavy Duty	2	GS15-639S	



TYPE: Rocky

MODEL: F73, F78, F85, F98 SE/SX

YEAR: 1993 to 2002

DETAIL: 2.8L TD



DETAIL: 2.8L TD							
FRON'	Г	Σ	PART NUMBER	PRICE			
TORSION BAR							
=	Heavy Duty Rate Increased Length 950mm		TB15-198		M		
SHOCK ABSORBER							
·	Twin Tube Gas Heavy Duty	2	GS15-463W		O		

	REAR	ΔŢ	PART NUMBER	PRICE
wwww.	Linear Rate Raised Height (40mm Lift)			А
1	SHOCK ABSORB			1
	Twin Tube Gas Heavy Duty	2	GS59-940S	



TYPE: Rocky MODEL: F77, F87

YEAR: 1984 to 1993
DETAIL: Pickup/Utility



	0			
	FRONT	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING	Ü	NUMBER	
	Right Hand Side			
م	5 Leaves			
	Raised Height (40mm Lift)	1	F77-5L-F RH	
0	Left Hand Side 5 Leaves			
	Raised Height (40mm Lift)	1	F77-5L-F LH	
1	SHACKLE BUSH I	(I)		
	Kit Contains:			
	4 x SPF238 4 x SPF560	1	PB15-1062K	
	+ X 51 1 500	_	FB13-1002K	
	U-BOLT KIT			
	Right Hand Side Kit Contains:			
	1 x UB15-658			
	1 x UB15-659	1	UB15-659K	
	Left Hand Side Kit Contains:			
	2 x UB15-658	1	UB15-658K	
1				1
	SHOCK ABSORB	35		
	Twin Tube Gas Heavy Duty	2	GS15-639A	
	, ,			
1				

lity				
	REAR LEAF SPRING	ΔŢ	PART NUMBER	PRICE
٥	5 + 2 Leaves Raised Height (40mm Lift)		F77-5+2-R	
*	SHACKLE BUSH I	ΚΙΊ		
	Kit Contains: 2 x PT267 2 x PT549-34	1	PB15-1063K	
	U-BOLT KIT			
	Kit Contains: 2 x UB59-667	2	UB59-667K	
	SHOCK ABSORB	ΕR		
	Twin Tube Gas Heavy Duty	2	GS59-631A	



TYPE: Terios **MODEL**: J100, J102 **YEAR**: 1997 to 2006



DETAIL: 5 Door

	FRONT	6	NUMBER	PRICE
	COIL SPRING			
MWWWM	Linear Rate Standard Height	1	C15-028	В
 	Linear Rate Raised Height (35mm Lift)	1	C15-024	В

	REAR	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			;
wwww	Linear Rate Standard Height	1	C15-029	В
wwww	Linear Rate Raised Height (35mm Lift)	1	C15-025	В



TYPE: Ram **MODEL: 2500 HD** YEAR: 2009 on

DETAIL: Coil Spring Rear, 4x4



	FRONT	F	PART NUMBER	PRICE
	COIL SPRING			
M	Linear Rate Raised Height (50mm Lift) Comfort Option Up to 80Kg Accessories	1	C16-026	D
M	Linear Rate Raised Height (50mm Lift) Heavy Duty 100-200Kg Accessories	1	C16-028	E
	SHOCK ABSORBI	ĒR		
•				

	REAR	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load	1	C16-027T	D
M	Linear Rate Raised Height (50mm Lift) Heavy Duty 300-500Kg Constant Load	1	C16-029T	E
	SHOCK ABSORBI	ER		1
	Twin Tube Gas Heavy Duty	2	GS16-301	



TYPE: Courier / Ranger MODEL: U.F.S, PC/PH 4.0L V6 YEAR: 1987 to 11/2006

DETAIL: Pickup / Dual Cab, (Mazda Proceed, Ranger 2000)



- 9 -									
FRONT	Ł	PART NUMBER	PRICE			REAR	ŲΤ	PART NUMBER	PRICE
TORSION BAR			1			LEAF SPRING		(
Heavy Duty Rate Increased Length 926mm		TB39-1546		<u></u>	0	5 + 2 Leaves Raised Height (35mm Lift) Up to 100Kg Constant Load		MAZ-003-R	
 SHOCK ABSORB Twin Tube Gas Heavy Duty				<u></u>	<u> </u>	6 + 2 Leaves Heavy Duty Raised Height (35mm Lift) 200Kg Constant Load	2	B2600-4X4-R	
						SHACKLE BUSH I	(II		
				01		Kit Contains: 2 x SPF311 4 x PB39-1533 4 x PB39-1549	1	PB39-1058K	
						U-BOLT KIT			
					=	Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
						SHOCK ABSORB	ER		
				0	-	Twin Tube Gas Heavy Duty	2	GS19-081T	
					ĺ	SHACKLE KIT			
				.23.	本1	Greasable: Fit in Pairs		SK59-010	



TYPE: Ranger MODEL: PJ, PK

YEAR: 2007 to 08/2011

DETAIL: Pickup / Dual Cab (Mazda), Suspension Fits 4x4 & 4x2 Highrider



FRONT	F	PART NUMBER	PRICE
TORSION BAR			
NOTE: For Latin American Models Check the C Ordering, as there are Some Models with a			
Heavy Duty Rate Increased Length 1024mm x 27mm	1	TB39-1551	
Heavy Duty Rate Increased Length 926mm	1	TB39-1546	
SHOCK ABSORB	ER		
Twin Tube Gas Heavy Duty	2	GS19-082P	

	REAR	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING		HOPIDER	
ڡ_٥	3 + 2 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	L39-030-R	
	4 + 2 Leaves Heavy Duty Raised Height (45mm Lift) 280Kg Constant Load	2	L39-031-R	
	5 + 2 Leaves Super Heavy Duty Raised Height (40mm Lift) 420Kg Constant Load	2	L39-032-R	
· · · · · · · · · · · · · · · · · · ·	SHACKLE BUSH H	77-1		
011	Kit Contains: 2 x PB59-1503 4 x PB39-1533 4 x PB39-1549		PB39-1056K	
1	U-BOLT KIT			
	Kit Contains: 2 x UB21-466	2	UB21-466K	
	SHOCK ABSORBI	.		
	Twin Tube Gas Heavy Duty		GS19-081T	
1	SHACKLE			
なな!	Greasable: Fit in Pairs	2	SK59-010	
	PIN			
●+	Greasable: Fit in Pairs	2	SP59-060	



TYPE: Ranger **MODEL**: PX / T6 / T7 **YEAR**: 08/2011 on



DETAIL: Pickup/Style Side/Ranger T6 South Africa,


Well Back/Tray Back Also Suits 4x2 Highrider


	FRONT	ΔŢ	PART	PRICE	REAR PART PRICE
			NUMBER		, , , , , , , , , , , , , , , , , , , ,
	COIL SPRING All 2.2L Engines				LEAF SPRING 3 + 3 Leaves
M	4x2 Highrider Linear Rate Raised Height (40mm Lift)	_			Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load 2 L19-131-R
M	Comfort Option (Reduced Rate) 50-90Kg Accessories Linear Rate	1	C19-428	В	4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 280Kg Constant Load
MWWW	Raised Height (40mm Lift) No Accessories	1	C19-420	В	(Recommended) 2 L19-132-R 5 + 3 Leaves
I	Linear Rate Raised Height (40mm Lift) 50-90Kg Accessories	1	C19-422	В	Super Heavy Duty Raised Height (40mm Lift) 500Kg Constant Load 2 L19-133-R
	All 3.2L Engine 4x	4s			Q 3 + 1 Leaves Parabolic
*************************************	Linear Rate Raised Height (35mm Lift) Comfort Option (Reduced Rate) 50-90Kg Accessories	1	C19-428	В	Raised Height (60mm Lift) 2 L19-135-RP 3 + 1 Leaves Parabolic Raised Height (50mm Lift) 150Kg Constant Load Comfort Option 2 L19-135-RP
M	Linear Rate Raised Height (40mm Lift) No Accessories	1	C19-422	В	TAILSHAFT SPACER KIT
MWWW	Linear Rate Raised Height (40mm Lift) 50-90Kg Accessories	1	C19-424	В	Tailshaft Centre Bearing Spacer Kit 1 WA19-526K Helps to Reduce Driveline Vibration in Lifted Vehicles
	Linear Rate				SHACKLE BUSH KIT
IWWWW	Raised Height (55mm Lift) No Accessories Linear Rate	1	C19-424	В	Kit Contains: 2 x PB19-1523 4 x PB19-1524
I	Raised Height (55mm Lift) 50-100Kg Accessories	1	C19-474	В	4 x PB19-1525 1 PB19-1104K
	SHOCK ABSORB	-			U-BOLT KIT
o -	Twin Tube Gas Heavy Duty		GS19-092		Kit Contains: 2 x UB21-466K
	Internal Monotube				SHOCK ABSORBER
O	Adjustable Spring Seat Heavy Duty X = 190mm / 7.48"			2	Twin Tube Gas Heavy Duty 2 GS19-081T
	X - Centre of Eye to Spri	ng !	Seat		Internal Monotube Heavy Duty 2 IMS19-50081T
-	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty X = 190mm / 7.48"	2	MR19-50092		Monotube Remote Reservoir Heavy Duty 2 MR19-50081T
	X - Centre of Eye to Spri	ng !	Seat		SHACKLE
			CVCT		
	SHOCK ABSORBER BI imended For Optimal Remote rvoir Positioning And Fitment				Greasable: Fit in Pairs 2 SK19-058
	Only For Use With MR19				PIN
					Greasable: Fit in Pairs 2 SP59-060
	STRUT CAP				
	Strut Top Cap	2	SC19-009		
	UPPER CONTROL	AR	М		
	(Pair) 3º Castor Built In Rubber Bushes Ball Joint Not Included				



TYPE: Ranger

MODEL: PX / T6 / T7 (3" Lift)





Well Back/Tray Back,

75mm (3" Lift) Also Suits 4x2 Highrider

	FRONT	Ł	PART NUMBER	PRICE		REAR	ΔŢ	PART NUMBER	PRICE
	COIL SPRING		ı		l I	PARABOLIC LEAF S	PR	ING	
	All 2.2L Engines	&			0 0	3 + 1 Leaves			
	4x2 Highrider					Raised Height (60mm Lift)	2	L19-135-RP	
	Linear Rate Raised Height (3" Lift)	1	C19-442	В	0	3 + 1 Leaves		110 120 00	
	All 3.2L Engine 4	x 4s				Raised Height (3" Lift)	2	L19-139-RP	
MANANANA	Linear Rate					TAILSHAFT SPAC	B I	(TT	
	Raised Height (3" Lift) No Accessories	1	C19-458	В	Tailshaf	t Centre Bearing Spacer Kit			
	Linear Rate					s to Reduce Driveline Vibratio			
MWWWI	Raised Height (3" Lift)		610 476		·				
	50-100Kg Accessories	1	C19-4/6	В		SHACKLE BUSH	ΚI		
	SHOCK ABSORB	3-				Kit Contains:			
	Twin Tube Gas					2 x PB19-1523 4 x PB19-1524			
O	Heavy Duty	2	GS19-092			4 x PB19-1525	1	PB19-1104K	
	Internal Monotube				1				
	Adjustable Spring Seat Heavy Duty					U-BOLT KIT			
~ -	Original Setting of	_				Kit Contains: 2 x UB21-466	2	UB21-466K	
	X = 190mm / 7.48"			2		2 X 0B21 400	_	0D21 400K	
	X - Centre of Eye to Spri Monotube Remote Reservoir	ng	Seat		1	SHOCK ABSORI	3ER		
	Adjustable Spring Seat					Twin Tube Gas			
	Heavy Duty Original Setting of					Heavy Duty		GS19-081T	
	X = 190 mm / 7.48''	2	MR19-50092		0	Internal Monotube		IMS19-	
	X - Centre of Eye to Spri	ng	Seat			Heavy Duty		50081T	
			1			Monotube Remote Reservoir Heavy Duty		MR19- 50081T	
	SHOCK ABSORBER B	RA	CKET			,,			
	nmended For Optimal Remote rvoir Positioning And Fitment	1	RM19-002			SHACKLE		(
Rese	Only For Use With MR19				25:52:1				
					4 46 g	Greasable: Fit in Pairs	2	SK19-058	
	STRUT CAP								
: • • • • • • • • • • • • • • • • • • •	Church Ton Com	_	5510 000			PIN			
	Strut Top Cap	2	SC19-009		●+	Greasable: Fit in Pairs	2	SP59-060	
	UPPER CONTROL	ΛE	м						
	(Pair) 3º Castor Built In	/A\.	М			ARNING - LIFTS EXCEEDI n components listed on this p			use only
	Rubber Bushes					to Local Laws before Fitting			
	Ball Joint Not Included	1	UCA19-004K		CAUTION - An En	ngineering Certificate may be ling Characteristics will Dimir	requ	uired	
						modifications (but not limited			` '
						vehicle before the kit i	s fitt	ed.	
					- Modifi	table Panhard Rods ied Leading/Trailing Arms		 Gear Box & Dr Modifications 	ive Line
					- Brake	Hoses Ided Bump Stops		- Steering Arms - Swaybar Modif	
						ring & Suspension do not		,	
					for injury cau	used to person or proper products listed on th	ty tl	rough the us	e of the
					These pro	oducts do not come with any			ee.



TYPE: Maverick MODEL: Y60

YEAR: 1988 to 1994

DETAIL: Station Wagon, SWB and LWB Australia



	FRONT	<u>}</u>	PART NUMBER	PRICE		REAR	Σ	PART NUMBER	PRIC
	COIL SPRING					COIL SPRING			
	Suits 3.0L Petro	ol			WWWW	Linear Rate			
MWWWW	Linear Rate Standard Height	1	C45-092	В	MMMM	Standard Height Linear Rate	1	C45-323	В
MWWW	Linear Rate Raised Height (40mm Lift)	1	C45-094	В		Raised Height (45mm Lift) Variable Rate	1	C45-103	В
MWWW	Variable Rate Raised Height (40mm Lift)	1	C45-096V	В	MWWW	Raised Height (45mm Lift) Up to 100Kg Constant Load	1	C45-111V	В
I	Linear Rate Raised Height (50mm Lift) 50-80Kg Accessories (Bullbar OR Winch)	1	C45-102	В	www	Variable Rate Standard Height (10mm Lift) Extra Heavy Duty Medium Load	1	C45-145VT	С
MWWW	Linear Rate Raised Height (75mm Lift)	1	C45-108	В	MWWW	Variable Rate Raised Height	1	C45-115VT	С
	Suits 4.2L Petrol & 2	.81	. TD			Extra Heavy Duty	1	C45-115V1	C
M	Linear Rate Standard Height	1	C45-098	В	I	Linear Rate Raised Height (50mm Lift) 250Kg Constant Load	1	C45-129	В
N	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-102	В	I	Linear Rate Raised Height (75mm Lift) No Load	1	C45-129	В
MWWW	Linear Rate Raised Height (75mm Lift)	1	C45-108	В	I	Linear Rate Raised Height (75mm Lift) 350Kg Constant Load	1	C45-309T	С
	Suits 4.2L Diese	el				Linear Rate			
M	Variable Rate Raised Height (45mm Lift) Linear Rate	1	C45-110V	В	I	Raised Height (45mm Lift) Extra Heavy Duty 450Kg Constant Load	1	C45-105T	С
maaaaaaaa	Raised Height (45mm Lift)								
MWWWI	Extra Heavy Duty 70-120Kg Accessories (Bullbar AND Winch)	1	C45-104	В	0	SHOCK ABSORE Twin Tube Gas Heavy Duty		GS45-115	
	Linear Rate Raised Height (75mm Lift) Heavy Duty				•	Twin Tube Gas Extra Heavy Duty For Loaded Vehicles		GS59-703	
	60-110Kg Accessories (Bullbar AND Winch)	1	C45-108	В	•	Monotube Remote Reservoir Heavy Duty		MR45-60115	
	SHOCK ABSORB	ER							
_	Twin Tube Gas					RUBBER COIL SE	Α		
	Heavy Duty Monotube Remote Reservoir	2	GS45-114		Replace	ement Upper Rubber Coil Seat	2	RS45-4027	
		2	MR45-60114			UNDER BODY BUSI	НК	(IT	
						Kit Includes Front & Rear Unde			
	STEERING DAME 1988 to 08/198		₹		* Excludes	Spherical Panhard Rod Bush for Pre 1989	Wa	gon Models 02/2	2000 on
0	Heavy Duty (Big Bore) Complete with Fittings		SD45-834			t Radius Arm to Chassis Bush Front Radius Arm to Diff Bush			
	08/1989 on					2 x Front Panhard Rod Bush 2 x Rear Panhard Rod Bush			
	Heavy Duty (Big Bore) Complete with Fittings	1	SD45-836			8 x Rear Trailing Arm Bush 1989 on	1	PB45-1231K	
						t Radius Arm to Chassis Bush			
	RUBBER COIL SE	Α			1	Front Radius Arm to Diff Bush ont & Rear Panhard Rod Bush			
Replace	ment Upper Rubber Coil Seat	2	RS45-4026			per & Lower Trailing Arm Bush	1	PB45-1239K	
	UNDER BODY BUSI	ΙK	411			CONTINUED ON NEX		PAGE	
	SEE REAR UNDER BODY B					CONTINUED ON NEX			

CONTINUED ON NEXT PAGE



TYPE: Maverick MODEL: Y60

YEAR: 1988 to 1994

DETAIL: Station Wagon, SWB and LWB Australia



FRONT

PART NUMBER

PRICE

REAR

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

1 RB45-6027 Lower/Diff Bush

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit Arm to Diff

4 x Rubber Bushes

1 RB59-536K

Arm to Chassis Bush Kit

4 x Rubber Bushes 1 RB45-535K

CASTOR KIT

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

DRAGLINK

38mm Solid Adjustable 1 SA45-1422

SWAY BAR EXTENSION

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift) 1 SE45-520

GEARBOX SPACER KIT

Recommended For Reducing Drive Line

Vibration On Raised Vehicles 1 TC45-001K

COIL SPACER

15mm 2 PS45-4010

30mm 2 **PS45-4011**

BUMP STOP

Adjustable Soft-Hit Bump Stop (Suits 0-56mm Extension)

2 **BS45-528**

CONTINUED FROM PREVIOUS PAGE

ALIGNMENT PART

Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift)

Stem Upper/Right Angle Lower Joint* 1 SE45-520

> Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

Right Angle Upper/Right Àngle Lower Joint* 1 SE45-521

BUMP STOP

Adjustable Soft-Hit Bump Stop

(Suits 0-56mm Extension) 2 BS45-529

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2" to 6" Lift) 1 BA45-005

COIL SPACER

2 PS45-4012 15mm

30mm 2 **PS45-4013**



TYPE: Maverick MODEL: Y60

YEAR: 1988 to 1994
DETAIL: Pickup / Ute,

Leaf Spring Suspension



FRONT	ŢΔ	PART NUMBER	PRICE	REAR	ΩT	PART PRICE	
LEAF SPRING				LEAF SPRING		1	
7 Leaves				Right Hand Side			
Raised Height (45mm Lift) No Accessories 8 Leaves	2	Y60-7L-F		5 + 2 Leaves Raised Height (50mm Lift) Up to 150Kg Constant Load	1	Y60-5+2-R RH	
Raised Height (45mm Lift)				Left Hand Side			
50-100Kg Accessories (Bullbar AND Winch) Heavy Duty (Recommended)	2	Y60-8L-F		5 + 2 Leaves Raised Height (50mm Lift) Up to 150Kg Constant Load	1	Y60-5+2-R LH	
,				Right Hand Side			
SHACKLE BUSH H	(IT			6 + 2 Leaves Raised Height (50mm Lift)			
Kit Contains: 8 x PB59-1517 4 x PB59-1518	1	PB45-1018K		300Kg Constant Load Heavy Duty (Recommended)	1	Y60-6+2-R RH	
				Left Hand Side 6 + 2 Leaves			
U-BOLT KIT Kit Contains:				Raised Height (50mm Lift) 300Kg Constant Load Heavy Duty (Recommended)	1	Y60-6+2-R LH	
2 x UB45-669	2	UB45-669K		Right Hand Side	-		
SHOCK ABSORBI			,	7 + 2 Leaves		VC0 7+2 B	
Twin Tube Gas				Raised Height (50mm Lift) 500Kg Constant Load	1	Y60-7+2-R RH	
Heavy Duty	2	GS45-640		Left Hand Side 7 + 2 Leaves			
STEERING DAMP	ER		Y	Raised Height (50mm Lift) 500Kg Constant Load	1	Y60-7+2-R LH	
Heavy Duty				Soong constant Load	-		
Complete with Fittings	1	SD45-022		SHACKLE BUSH	ΚIΊ		
CHACK F				Kit Contains:			
SHACKLE Greasable: Fit Right & Left				12 x PB59-1517	1	PB59-1019K	
as Pair				U-BOLT KIT			
Right Hand Side (AntiReverse)	1	SK59-048		Kit Contains:			
Greasable: Fit Right & Left				2 x UB45-670-1	2	UB45-670-1K	
as Pair Left Hand Side							
(AntiReverse)	1	SK59-047		SHOCK ABSORE	ER		4
4+1	_			Twin Tube Gas Heavy Duty			
Greasable: Fit in Pairs	2	SK59-019		(Big Bore)	2	GS45-125	
PIN				CHACKLE			
				SHACKLE Greasable: Fit Right & Left			
Greasable: Fit in Pairs	2	SP45-026		as Pair Right Hand Side		CKEO 040	
				(AntiReverse)	1	SK59-048	
				Greasable: Fit Right & Left as Pair			
				Left Hand Side (AntiReverse)	1	SK59-047	
				Greasable: Fit in Pairs	2	SK59-019	
				PIN			
				Greasable: Fit in Pairs	2	SP45-026	



TYPE: 'F' Series **MODEL**: F150

YEAR: 2009 to 2013

DETAIL: 4x4



	FRONT	È	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Linear Rate Raised Height (60mm Lift)	1	C19-292	С
 	Linear Rate Raised Height (60mm Lift) Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-286	С

	SHOCK ABSORBI	ΞR		
	2009 to 2013 Mod	els		
	Twin Tube Gas Heavy Duty	2	GS19-032	
2014 on Models	with Studs Pressed	int	to Lower Bush	Bar
O	Twin Tube Gas Heavy Duty	2	GS19-042	

	REAR	占	PART NUMBER	PRICE				
	LEAF SPRING							
م	2 + 2 Leaves Raised Height (50mm Lift)	2	L19-8187-R					
م	3 + 2 Leaves Heavy Duty Raised Height (75mm Lift)	2	L19-8188-R					
When Fitting the Above Springs, Larger U-Bolts are Required. The OE Coil Spacer Block can be Removed to Reduce Lift Heights by 30mm.								

1		1		
	SHACKLE BUSH I	(IT		
	Kit Contains: 2 x PB19-1545 2 x PB19-1546 2 x PB19-1547	1	PB19-1106K	
	U-BOLT KIT			
	Kit Contains: 2 x UB19-921	2	UB19-921K	
	SHOCK ABSORB	ΕR		
•	Heavy Duty Hydraulic	2	TS90-314	



TYPE: 'F' Series **MODEL**: F250 4x4

YEAR: 2001 to 11/2006

DETAIL: 4.2L 6 Cyl Turbo Diesel, 7.3L Diesel



	FRONT		PART UMBER	PRICE			REAR	ΙŁ	PART NUMBER	PRICE
	LEAF SPRING						LEAF SPRING			
When Fitting th	he Below Springs, U-Bolt Part I		UB19-921K	Must be	١	When Fit	tting the Below Springs, Longe		Bolts are Requir	ed.
	Fitted. 7.3L Turbo Diese					0	4 + 2 Leaves			
	Left Hand Side	•					Raised Height (50mm Lift) Up to 100Kg Constant Load	2	FORD-014-R	
<u></u>	Raised Height (50mm Lift) 6 Leaf Multi Leaf Spring Replaces 2 Leaf Parabolic		RD-010-F		<u></u>	ه_	5 + 2 Leaves Heavy Duty Raised Height (50mm Lift) 300Kg Constant Load	2	FORD OLF R	
ي	Right Hand Side Raised Height (50mm Lift) 6 Leaf Multi Leaf Spring Replaces 2 Leaf Parabolic		D-010-F			,	SHACKLE BUSH			
	4.2L Turbo Diese									
<u>_</u>	Left Hand Side Raised Height (50mm Lift) 5 Leaf Multi Leaf Spring Replaces 2 Leaf Parabolic		D-011-F		01		Front of Front Rear of Front			
	Right Hand Side									
<u> </u>	Raised Height (50mm Lift) 5 Leaf Multi Leaf Spring Replaces 2 Leaf Parabolic		D-011-F			=	U-BOLT KIT Kit Contains: 2 x UB19-922	2	UB19-922K	
1	SHACKLE BUSH I	(IT					SHOCK ABSORB	ER	1	
	Front of Front	2 PB1	9-1504		0		Twin Tube Gas Heavy Duty	4	GS45-915A	
OTI	Rear of Front	2 PB1	9-1505							
1	U-BOLT KIT									
	Kit Contains: 2 x UB19-921	2 UB1	.9-921K							
	SHOCK ABSORB	ER								
	Twin Tube Gas Heavy Duty	2 GS5	9-651A							
	AIR BAG KIT									
	Bellows Type	1 RR4	1557							
· ·	ADJUSTABLE PANHA	RD ROL	D							
	Complete with Bushes	1 PRI	9-1400							



TYPE: 'F' Series **MODEL:** F250 4x4

YEAR: 2009 to 2016

DETAIL: Single & Dual Cab, Super Duty



	FRONT	F	PART NUMBER	PRICE
	COIL SPRING			
	Petrol			
MMMM	Linear Rate Raised Height (95mm Lift) Comfort Option Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-346	С
mmmm	Linear Rate Raised Height (85mm Lift) 80-170Kg Accessories (Bullbar AND Winch)	1	C19-342	С
	Diesel			
MMMM	Linear Rate Raised Height (65mm Lift) Comfort Option Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-342	С
mmmm	Linear Rate Raised Height (65mm Lift) Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-322	D
MWWWI	Linear Rate Raised Height (65mm Lift) 80-170Kg Accessories (Bullbar AND Winch)	1	C19-324	E

SHOCK ABSORBER

Will Only Suit 60mm Lift

Heavy Duty 2 MR43-50784

Monotube Remote Reservoir

	REAR	ΡŢ	PART NUMBER	PRICE
	LEAF SPRING			
مے	3 + 2 Leaves Raised Height (75mm Lift) Heavy Duty	2	L19-8169-R	
	Fit OE U-Bolt Cap to this	Sp	ring	
	SHACKLE BUSH F	(IT		
OLI	Rear of Rear	2	PB19-1505	
OTI	Shackle	2	PB19-1505	
	U-BOLT KIT			
	Kit Contains: 2 x UB19-5061	2	UB19-5061K	
	SHOCK ABSORBI	ER		
·	Heavy Duty Hydraulic	2	TS90-314	
V	VARNING - 75MM (3") OR H	110	HER LIFT	
The suspensio	n components listed on this pag	ge a	are for off-road	use only.

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.

- Adjustable Panhard Rods

- Modified Leading/Trailing Arms - Brake Hoses

- An Engineering Certificate may be required

- Extended Bump Stops

- Gear Box & Drive Line Modifications

Steering ArmsSwaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

- Refer to Local Laws before Fitting to Registered/Road Vehicles

- Handling Characteristics will Diminish on Lifts Above 50mm (2")

These products do not come with any warranty or guarantee.



TYPE: 'F' Series **MODEL:** F350 4x4

YEAR: 2005 to 2008

DETAIL: Single and Dual Cab, SWB and LWB,

Mono Beam Front Axle with Coil Suspension Single Rear Wheel



	FRONT	F	PART NUMBER	PRICE
	COIL SPRING			
	Petrol			
M	Linear Rate Raised Height (95mm Lift) Comfort Option Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-346	С
mmmm	Linear Rate Raised Height (85mm Lift) 80-170Kg Accessories (Bullbar AND Winch)	1	C19-342	С
	Diesel			
M	Linear Rate Raised Height (60mm Lift) Comfort Option Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-342	С
MMMM	Linear Rate Raised Height (60mm Lift) Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-322	D
M	Linear Rate Raised Height (60mm Lift) 80-170Kg Accessories (Bullbar AND Winch)	1	C19-324	E
	SHOCK ABSORBI	ΕR		
	Twin Tube Gas Heavy Duty	2	GS43-784	
	Will Only Suit 60mm	Lift		

	REAR	Ł	PART NUMBER	PRICE
	LEAF SPRING			
<u>_</u>	Main Spring - 5 + 2 Leaves Helper Spring - 6 Leaves Heavy Duty Raised Height (70mm Lift) 300Kg Constant Load	2	FORD-021-R	
<u>_</u>	Main Spring - 5 + 2 Leaves Helper Spring - 7 Leaves Extra Heavy Duty Raised Height (70mm Lift) 500Kg Constant Load	2	FORD-022-R	
<u>_</u> o	Main Spring - 6 + 2 Leaves Helper Spring - 7 Leaves Super Heavy Duty Raised Height (70mm Lift) 1000Kg Constant Load	2	FORD-023-R	
1	SHACKLE BUSH H	(I T		
OLI	Front of Rear	2	PB19-1504	
OTI	Rear of Rear	2	PB19-1505	
OTI	Shackle	2	PB19-1505	
	U-BOLT KIT			
	Kit Contains: 2 x UB19-924	2	UB19-924K	
	SHOCK ABSORB	ER		

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.

Heavy Duty Hydraulic 2 TS90-314



- Refer to Local Laws before Fitting to Registered/Road Vehicles
- An Engineering Certificate may be required
- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.



- Adjustable Panhard Rods
- Modified Leading/Trailing Arms
- Brake Hoses
- Extended Bump Stops
- Gear Box & Drive Line
- Modifications
- Steering Arms
- Swaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



TYPE: Escape
MODEL: BA, ZA, ZB
YEAR: 2001 to 2012
DETAIL: V6 3.0L



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
	Suits V6 3.0L			
MWWWWI	Linear Rate Standard Height	1	C19-222	В
MWWW	Linear Rate Raised Height (35mm Lift) Comfort Option No Load	1	C19-266	В
MWWW	Linear Rate Raised Height (45mm Lift) Comfort Option No Load	1	C19-264	В
MWWWW	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories	1	C19-224	В

	REAR	ΣĮ	PART NUMBER	PRICE
	COIL SPRING			
MWWWM	Linear Rate Standard Height	1	C19-223	В
WWWW	Linear Rate Raised Height (35mm Lift) Up to 100Kg Constant Load	1	C19-267	В
MWWWM	Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load	1	C19-225	В



TYPE: Everest MODEL: UA

YEAR: 09/2015 on

DETAIL: 4x4,

Solid Axle



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING 4x4 2.2L			
MWWW	Linear Rate Raised Height (45mm Lift)			
/11111111111W	Comfort Option 0-50Kg Accessories Linear Rate	1	C19-420	В
MWWW	Raised Height (45mm Lift) 50-90Kg Accessories	1	C19-422	В
	4x4 3.2L			
	Linear Rate Raised Height (35mm Lift) Comfort Option (Reduced Rate) 60-100Kg Accessories	1	C19-428	В
MWWW	Linear Rate Raised Height (45mm Lift) No Accesories	1	C19-422	В
MWWW	Linear Rate Raised Height (45mm Lift) 50-90Kg Accesories	1	C19-424	В
1	SHOCK ABSORB	32		
 -	Twin Tube Gas Heavy Duty		GS19-092	
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of			
	X = 190mm/7.48"		MR19-50092	
	X - Centre of Eye to Spri	ng :	Seat	
1	STRUT CAP			
	JIRUICAF			
:	Strut Top Cap	2	SC19-009	
		2	SC19-009	
		2	SC19-009	
.⊞: ⊙		2	SC19-009	
		2	SC19-009	

Models Onl	у			
	REAR COIL SPRING	ΔT	PART NUMBER	PRICE
	4x4			
I	Variable Rate Raised Height (45mm Lift) 0-100Kg Accessories	1	C19-423V	В
I	Variable Rate Raised Height (45mm Lift) 150-250Kg Accessories	1	C19-425V	В
	CUCCY ARCORD			
	SHOCK ABSORB	17.		
	Twin Tube Gas Heavy Duty	2	GS19-093	
	Internal Monotube Heavy Duty	2	IMS19-50093	



TYPE: Expedition **MODEL**: 119" Wheelbase

YEAR: 2008 on DETAIL: 4x4,

119" Wheelbase



	FRONT	È	PART NUMBER	PRICE
	COIL SPRING			
MWWWI	Linear Rate Raised Height (45mm Lift) No Accessories	1	C19-430	С
M	Linear Rate Raised Height (45mm Lift) 80-100Kg Accessories (Bullbar AND Winch)	1	C19-432	С
				1
	SHOCK ABSORB	3:		

	2008 to 2013 Mod	els		
O	Twin Tube Gas Heavy Duty	2	GS19-030	
2014 on Models	with Studs Pressed	int	to Lower Bush	Bar
O	Twin Tube Gas Heavy Duty	2	GS19-040	

	REAR	ŢŢ	PART NUMBER	PRICE
	COIL SPRING			
MWWWWI	Linear Rate Raised Height (45mm Lift)	1	C19-431	D
MWWW	Linear Rate Raised Height (45mm Lift) 200Kg Constant Load	1	C19-433	D
	SHOCK ABSORBI	ΕR		
C	Twin Tube Gas Heavy Duty	2	GS19-031	



TYPE: Explorer MODEL: U502
YEAR: 2012 on

DETAIL: AWD 3.5L, 3.7L



	FRONT	ΔŢ	PART NUMBER	PRICE		REAR	ΩTY	PART NUMBER	PRICE
	COIL SPRING		_			COIL SPRING		_	
MWWWW	Linear Rate Raised Height (50mm Lift)	1	C19-438	С	MWWWI	Linear Rate Raised Height (50mm Lift)	1	C19-439	С
1	SHOCK ABSORB	ER		ì	1	SHOCK ABSORBI	≡R		Y
	Right Hand Side Twin Tube Gas Heavy Duty		GS19-035 RH		⊃	Twin Tube Gas Heavy Duty			
	Left Hand Side Twin Tube Gas Heavy Duty	1	GS19-035 LH						



TYPE: Tunland MODEL: Tunland YEAR: 2012 on DETAIL: 4x4



	FRONT	ĬÀ	PART NUMBER	PRICE
	COIL SPRING			
* Vehicles Fi	itted with this Part Number MUS Shock Absorber.	T b	e Fitted with G	559-220
	Single Cab			
I	Linear Rate Standard Height	1	C59-134	В
MWWW	Linear Rate Raised Height (40mm Lift)	1	C59-296	В
MWWW	Linear Rate Raised Height (50mm Lift)*	1	C59-300	В
MWWW	Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch)*	1	C59-302	В
	Dual Cab			
mmmm	Linear Rate Raised Height (45mm Lift) Up to 75Kg Accessories (Bullbar Only)*	1	C59-302	В
M	Linear Rate Raised Height (45mm Lift) 80-120Kg Accessories (Bullbar AND Winch)*	1	C59-350	В
1	SHOCK ABSORB	ER		ì
o -	Twin Tube Gas Heavy Duty	2	GS59-220	
	STRUT CAP			
:E: 0	Strut Top Cap	2	SC59-001	

	REAR	₹	PART NUMBER	PRICE
	LEAF SPRING		HOHDER	
* It is a Requ	uirement that the Brake Adjuste using these leaf sprir	r B		ed when
ڡ	3 + 3 Leaves Raised Height (50mm Lift) Medium Duty			
	Up to 100Kg Constant Load	2	L59-040-R	
When using L!	59-040-R, the Longer Leaf on th Upside Down to Give a Sol	fter	Ride.	e Turned
	Will Reduce Load Carrying 4 + 3 Leaves	Cap	oacity.	
و	Raised Height (50mm Lift) Heavy Duty 280Kg Constant Load	2	L59-041-R	
When using L	59-041-R, the Longer Leaf on th	ne 2	Ind Stage may b	e Turned
	Upside Down to Give a Sol Will Reduce Load Carrying			
	5 + 3 Leaves Raised Height (50mm Lift)			
وو	Super Heavy Duty			
	450Kg Constant Load	2	L59-042-R	
	SHACKLE BUSH I	(11		
	Kit Contains: 2 x PB59-1501			
OTI	4 x PB59-1502			
	4 x PB59-1503	1	PB59-1094K	
	U-BOLT KIT			
	Suits L59-040-R 2 x UB59-453-2	2	UB59-453-2K	
	Suits L59-041-R 2 x UB59-453-2	2	UB59-453-2K	
<u> </u>	Suits L59-042-R	_	11050 4071	
	2 x UB59-437	2	UB59-437K	
	SHOCK ABSORB	3-1		
	Twin Tube Gas	-154		
	Heavy Duty Medium Load	2	GS59-649	
	Twin Tube Gas			
	Extra Heavy Duty Over 350Kg Constant Load	2	GS59-651	
	Sver Soong constant Load	_	2337 031	
	BRAKE ADJUSTI	3.7		
Recomn	nended when Raising Vehicle	1	BA59-002	
	the state of the s			
	SHACKLE			
oj-jo ojjo 0				
なな!	Greasable: Fit in Pairs	2	SK59-053	
	PIN			
	Croscoble: Eit in Dei	7	CDEO-060	
	Greasable: Fit in Pairs	2	SP59-060	



TYPE: Wingle, Sailor MODEL: V200, V240 YEAR: 06/2009 on

DETAIL: 4x2, 4x4 Pickup 2.4L,

Suspension Fits 4x2 and 4x4 Models



FRONT	PART NUMBER	PRICE		REAR	ΣĎ	PART NUMBER	PRICE
TORSION BAR	1			LEAF SPRING	1		
Heavy Duty Rate Increased Length 1145mm 1	TB21-1550		0	4 + 2 Leaves		RODE-011-R	
			The				
Check Length Before Order	iiig		I ne /	Above Spring has a 200Kg Reduce	ea c	Larrying Capacit	У
SHOCK ABSORBER			<u></u>	4 + 3 Leaves Raised Height (50mm Lift)	2	RODE-012-R	
Twin Tube Gas Heavy Duty 2	GS21-463			5 + 3 Leaves Raised Height (50mm Lift) 150Kg Constant Load	2	RODE-013-R	
				SHACKLE BUSH I	KTT	7	
					· ·		
				Kit Contains: 2 x PB59-1529 8 x PB59-1530	1	PB59-1069K	
				U-BOLT KIT			
				Kit Contains:	2	UB21-466K	
				SHOCK ABSORB	-		
					-1.1		
					2	GS59-649	
				Twin Tube Gas Heavy Duty	2	GS59-651	
				SHACKLE			
			#1	SHACKLE Greasable: Fit in Pairs	2	SK59-009	
			#1	Greasable: Fit in Pairs	2	SK59-009	
			## 1				
			## 1	Greasable: Fit in Pairs			
			## 1	Greasable: Fit in Pairs			
			## I	Greasable: Fit in Pairs			
			## I	Greasable: Fit in Pairs			
			## I	Greasable: Fit in Pairs			
			## I	Greasable: Fit in Pairs			
			## I	Greasable: Fit in Pairs			
			## I	Greasable: Fit in Pairs			



TYPE: Hover, Safe, Haval

MODEL: X200, X240 (Australia) H3 and H5

YEAR: 2005 on

DETAIL: TD 2.0L, Petrol 2.4L, 4x4, Rigid Axle



550-0,00									
	FRONT	Ĕ	PART NUMBER	PRICE		REAR	ΣĎ	PART NUMBER	PRICE
	TORSION BAR	1 1				COIL SPRING			
	Heavy Duty Rate Increased Length 1145mm	1 7	TB21-1550		MWWWII	Linear Rate Standard Height	1	C45-009	В
					MWWWM	Linear Rate Raised Height (30mm Lift)	1	C45-091	В
	SHOCK ABSORB Twin Tube Gas	ER			namana	Linear Rate			
	Heavy Duty	2 (GS21-463		N	Raised (30mm Lift) 250Kg Constant Load	1	C45-089	В
						SHOCK ABSORB	ER		
					O	Twin Tube Gas Heavy Duty	2	GS59-225A	

HOLD-51



TYPE: Jackaroo MODEL: UBS 13, 16, 52 YEAR: 1982 to 10/1986

DETAIL: LWB Wagon, Isuzu-Trooper, Big Horn

(Up to Chassis No. 4524288)



	(6)			(-1		,			
	FRONT	Σ	PART NUMBER	PRICE		REAR	ΔŢ	PART NUMBER	PRICE
	TORSION BAR Heavy Duty Rate Increased Length 927mm		TB39-1546			4 + 2 Leaves Raised Height (30mm Lift) Up to 100Kg Constant Load		RODE-008-R	
,	SHOCK ABSORB	ER		1	·	SHACKLE BUSH	KIT		
	Twin Tube Gas		GS43-082S		OLI	Kit Contains: 4 x SPF2053 8 x PB59-1530			
						U-BOLT KIT			
						Kit Contains: 2 x UB45-451	2	UB45-451K	
						SHOCK ABSORB	ER		
					0	Twin Tube Gas Comfort Option Medium Load	2	GS59-649	
					0	Twin Tube Gas Heavy Duty	2	GS59-651	
					1	SHACKLE			
					# 1	Greasable: Fit in Pairs	2	SK59-009	

HOLD-53



TYPE: Jackaroo

MODEL: UBS 16, 17, 52, 55 **YEAR**: 11/1986 to 1991

DETAIL: LWB Wagon, Isuzu-Trooper

(From Chassis No. 4524289)



FRONT	7	PART NUMBER	PRICE		REAR	ΣĎ	PART NUMBER	PRICE
TORSION BAR	1				LEAF SPRING		i .	
Heavy Duty Rate Increased Length 1000mm		TB21-1548		٥	4 + 2 Leaves Raised Height (30mm Lift) Up to 100Kg Constant Load		RODE-008-R	
SHOCK ABSORB	Ħ.	I		1	SHACKLE BUSH I	ΚΤ	Γ	
Twin Tube Gas Heavy Duty	2	GS43-082S		OLI	Kit Contains: 4 x PB59-1529 8 x PB59-1530			
					U-BOLT KIT			
					Kit Contains: 2 x UB45-451	2	UB45-451K	
					SHOCK ABSORB	ΕR		
				·	Twin Tube Gas Heavy Duty			
					SHACKLE KIT			
				#:1	Greasable: Fit in Pairs		SK59-009	
				1	PIN KIT			
				• ++•	Greasable: Fit in Pairs	2	SP59-060	





TYPE: Jackaroo

MODEL: UBS 26, 69, 73

YEAR: 1992 to 2000, 2001 on

DETAIL: SWB and LWB Wagon, Isuzu-Trooper

Opel/Vauxhall Monterey



FRONT	≥ PART NUMBER	PRICE		REAR	ΣĎ	PART NUMBER	PRICE
TORSION BAR		1		COIL SPRING		1	
Heavy Duty				1992 to 2000			
Rate Increased Length 1220mm	1 TB21-1549		MMMMM	Variable Rate Standard Height (10mm Lift)	1	C21-167V	В
SHOCK ABSORBE Twin Tube Gas	iR		MWWW	Variable Rate Raised Height (40mm Lift) Up to 100Kg Constant Load	1	C21-165V	В
Heavy Duty	2 GS21-463			2001 on			
			M	Variable Rate Raised Height (40mm Lift)	1	C21-215V	В
				SHOCK ABSORB	ΞĐ	1	
				Twin Tube Gas Heavy Duty	2	GS21-015B	
				COIL SPACER			
				10mm	2	PS21-4008	
				30mm	2	PS21-4009	

HOLD-56



TYPE: Frontera/Amigo

MODEL: UT

YEAR: 1995 to 1998

DETAIL: SWB - Frontera Sport - Opel/Vauxhall, LWB - Frontera Long - Opel/Vauxhall (5 Doors)

	FRONT	ΣĎ	PART NUMBER	PRICE
	TORSION BAR			
	Heavy Duty Rate Increased Length 1000mm	1	TB21-1547	
	Check Length Before Or	der	ing	
	Heavy Duty Rate Increased Length 1220mm	1	TB21-1549	
	Check Length Before Or	der	ing	
,				
	SHOCK ABSORBI	ΕR		
	Twin Tube Gas Heavy Duty	2	GS21-463	

tera Long -	Opel/Vauxhall (5 Door	'5)		
	REAR	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
WWWWW	Variable Rate Raised Height (35mm Lift) Up to 70Kg Constant Load	1	C21-161V	В
	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS21-016	

HOLD-57



TYPE: Frontera/Amigo

MODEL: UES25

YEAR: 02/1999 to 2002

DETAIL: SWB & LWB, 3.2L V6, 2.2L TDi



FRONT & PART PRICE REAR & NUMBER NUMBER	RT PRICE
TORSION BAR COIL SPRING	
Heavy Duty Rate Increased Raised Height (35mm Lift)	
Length 1145mm 1 TB21-1550 Up to 100Kg Constant Load 1 C45-0	09 B
Check Length Before Ordering	
SHOCK ABSORBER Twin Tube Gas	
Twin Tube Gas Heavy Duty 2 GS43-	788
Heavy Duty 2 GS21-463	

HOLD-54



TYPE: Rodeo

MODEL: KB/TFS-55 (Inc. V6) YEAR: 08/1988 to 2003





FRONT 6	PART NUMBER	PRICE		REAR	ŲΤΥ	PART NUMBER	PRICE
TORSION BAR		1		LEAF SPRING	1 1		
Heavy Duty Rate Increased Length 1000mm 1	TB21-1547			4 + 2 Leaves Raised Height (35mm Lift) 200Kg Constant Load	2	RODE-008-R	
SHOCK ABSORBER				SHACKLE BUSH I	(IT		
Twin Tube Gas Heavy Duty 2	GS21-463		OLI	Kit Contains: 2 x PB59-1529 8 x PB59-1530	1	PB59-1069K	
				U-BOLT KIT			
				Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
			·	SHOCK ABSORB	ER		
				Twin Tube Gas Heavy Duty	2	GS43-081B	
			,	SHACKLE KIT			
			# 1	Greasable: Fit in Pairs	2	SK59-009	
			,	PIN KIT			
			•+-	Greasable: Fit in Pairs	2	SP59-060	

HOLD-59



TYPE: Rodeo RA, Colorado RC, D-Max 1st Gen

MODEL: TFS-77, TFS-85

YEAR: 03/2003 to 2008 Rodeo,

2008 to 05/2012 Colorado and D-Max

DETAIL: Pickup, Isuzu KB,



BEIAN	D-Max 2.		.OL TDi, 2.5L TDi			
FRONT PART NUMBER	R PRICE		REAR	Σ	PART NUMBER	PRICE
TORSION BAR			LEAF SPRING			
Heavy Duty Rate Increased Length 1145mm 1 TB21-1550		٥	4 + 2 Leaves Raised Height (35mm Lift) Softer Option		RODE-011-R	
Check Length Before Ordering		The Ab	ove Spring has a 200Kg Reduc			ty
SHOCK ABSORBER	}	م٥	4 + 3 Leaves Raised Height (35mm Lift)		RODE-012-R	,
Twin Tube Gas Heavy Duty 2 GS21-463			5 + 3 Leaves Raised Height (45mm Lift) 150Kg Constant Load	2	RODE-013-R	
		1	SHACKLE BUSH	VII		
			Kit Contains: 2 x PB59-1529 8 x PB59-1530			
		\	U-BOLT KIT			
			Kit Contains: 2 x UB21-466	2	UB21-466K	
		1	SHOCK ABSORE	ER		
		·	Twin Tube Gas Comfort Option Medium Load		GS59-649	
			Twin Tube Gas Heavy Duty	2	GS59-651	
			SHACKLE			
		# 1	Greasable: Fit in Pairs	2	SK59-009	
			PIN			
		•++	Greasable: Fit in Pairs	2	SP59-060	

HOLD-60



TYPE: Colorado RG **MODEL:** RG - GM 1700.

MMU 142 / 143 / 145 / 147 / 148

YEAR: 05/2012 on

DETAIL: 2.8L Turbo Diesel, Single Cab/Dual Cab





issued with a recall notice to change the Coil Spring Stepped Isolator.
Take care when ordering
Coil Springs or Shock

This vehicle has been

									Coll Springs of Absorbe	
	FRONT	À	PART NUMBER	PRICE			REAR	OTV	PART NUMBER	PRICE
	COIL SPRING						LEAF SPRIN	IG		
	For vehicles with the Flat Type U Linear Rate Standard Height (10mm Lift) 50-80Kg Accessories		r Coil Isolator	В	Q_	0	3 + 3 Leave Medium Dut Raised Height (40mm Lifi Up to 100Kg Constant Loa	y :)	L21-140-R	
	No Accessories	1	C59-134	В	<u>_</u>	0	2 + 1 Paraboli Raised Height (50mm Lifi Up to 70Kg Constant Loa Comfort Optio	t) d	L21-182-RP	
Suits	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories s vehicles with the Coil Spring S		C59-296	В	<u>_</u>	ه_	4 + 3 Leave Heavy Dut Raised Height (40mm Lift	y :)		
Suits	Linear Rate	cepi	rea isolator fitte	u			250Kg Constant Loa (Recommended		L21-141-R	
	Standard Height (10mm Lift) 50-100Kg Accessories Linear Rate	1	C21-382	В	و_	ه_	5 + 3 Leave Super Heavy Dut Raised Height (40mm Lift	s y t)		
MWWWM	Raised Height (40mm Lift) Up to 50Kg Accessories	1	C21-384	В			450Kg Constant Loa		2 L21-142-R	
		1	C21-304	ь			icles 09/2016 on - the following		· · · · · · · · · · · · · · · · · · ·	red.
I	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories	1	C21-386	В			Leaf Spring Cable Adapter K			
							SHACKLE BUSI		T	
	SHOCK ABSORE Twin Tube Gas Heavy Duty		GS21-470		0.1		Kit Contains 2 x PB59-150 4 x PB59-153 4 x PB59-153	3 0	PB21-1105K	
	Internal Monotube Adjustable Spring Seat					1				
O-	Heavy Duty Original Setting of X = 190mm / 7.48"		IMS21-50470			\equiv	U-BOLT KI Suits L21-140- Kit Contains	R S:		
	X - Centre of Eye to Spr	ing	Seat				2 x UB59-453-		UB59-453-2K	
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty					=	Suits L21-141- Kit Contains 2 x UB59-453-	s:	UB59-453-2K	
	Original Setting of X = 190mm / 7.48" X - Centre of Eye to Spr	2	MR21-50470 Seat			=	Suits L21-142- Kit Contains 2 x UB59-43	s:	UB59-437K	
				1		1				
	STRUT CAP						SHOCK ABSOR	33;	2	
	Strut Top Caps Can only be used with C59-13				0	-	•	y 2	GS43-801	
	,	T UI	10 C37 270		0	-	•	y 2	IMS21-50471	
	<u> </u>	_	DD21-533K		○		Monotube Remote Reservo Heavy Dut		MR43-50801	
Mue	Decreases CV And Not Be Fitted Without Ball Join		250r WA21-546L	/			SHACKLE			
inus	t Not be littled Without ball John	t Sp	deer WAZ1-3401		ാ	☆!	Greasable: Fit in Pair		SK21-059	
							Greasasie. The in Fair			
							PIN			
					01	+	Greasable: Fit in Pair	s 2	SP59-060	

HOLD-61



TYPE: Colorado 7 SUV / Trailblazer

MODEL: 2nd Generation

YEAR: 2012 on

DETAIL: 2.8L Diesel, 2.5L Diesel, 3.6L Petrol



This vehicle has been issued with a recall

	FRONT	Ł	PART NUMBER	PRICE
	COIL SPRING			
	For vehicles with Flat Coil Spi	ing	Isolator	
MMMM	Linear Rate Raised Height (40mm Lift) No Accessories	1	C59-134	В
MWWW	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories	1	C59-296	В
SUITS	S vehicles with the Coil Spring St	epp	ed Isolator fitte	ed
MWWW	Linear Rate Standard Height (10mm Lift) 50-100Kg Accesories	1	C21-382	В
MWWW	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accesories	1	C21-384	В
M	Linear Rate Raised Height (40mm Lift) 50-100Kg Accesories	1	C21-386	В
1	SHOCK ABSORB	32		
	Twin Tube Gas Heavy Duty		GS21-470	
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm/7.48"	2	MR21-50470	
	X - Centre of Eye to Spri	ng S	Seat	
- 1				
	STRUT CAP			
:Et 0	Strut Top Cap	2	SC59-002	

Can only be used with C59-134 and C59-296

et, 2.5t Dieset, 3.6t Petrot			TION	notice to chang Spring Stepped Take care whe Coil Springs of Absorbe	ge the Coil d Isolator. n ordering or Shock	
	REAR		ΣĎ	PART NUMBER	PRICE	
	COIL SPR	ING			ı	
MMMMI	NO L	ift) oad	1	C21-403	В	
MWWWI	Linear R Raised Height (40mm L 150-250Kg Constant L	ift)	1	C21-407	В	
"	SHOCK ABSO		₽R			
	Twin Tube (Heavy D		2	GS59-940		
-	Monotube Remote Reserv Heavy D		2	MR59-50940		

GMC-50



TYPE: Avalanche, Tahoe,

Suburban 1500 (1/2 Ton)

MODEL: Including XL Models YEAR: 2007 to 06/2014

DETAIL: GMT 900 Series Platform, 4x4



DOES NOT SUIT
MAGNERIDE CONTROL
OR AIRBAG SUSPENSION

	0						MAGNERIDE OR AIRBAG SU	CONTROL ISPENSION	
	FRONT	PART NUMBER	PRICE		REAR	È	PART NUMBER	PRICE	
	COIL SPRING				COIL SPRI	NG			
I	Linear Rate Raised Height	1 C09-044	С	I	Linear Ra Raised Heig	te ht 1	C09-045	В	
1	SHOCK ABSORB	ER			SHOCK ABSOI	RBEF	?		
	Twin Tube Gas	2 GS09-170			Twin Tube G	as	GS09-171		
1				l i					





TYPE: Cadillac Escalade,

Yukon (Incl. XL & Denali)

MODEL: ESV/EXT, 1500 (1/2 Ton)

YEAR: 2007 to 06/2014

DETAIL: GMT 900 Series Platform, 4x4



DOES NOT SUIT
MAGNERIDE CONTROL
OR AIRBAG SUSPENSION

						<u> </u>	OR AIRBAG SU	JSPENSION	
FR	TNC	PART NUMBER	PRICE		REAR) L	PART NUMBER	PRICE	
	COIL SPRING	NUMBER			COIL SPRIN		NUMBER		
MWWW	Linear Rate			BAAAAAAAA	Linear Rat				
IVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVV	Raised Height	1 C09-044	С	MWWWWI	Raised Heigh	t 1	C09-045	В	
1	SHOCK ABSORBE	· P			SHOCK ABSOR	BE			
	Twin Tube Gas				Twin Tube Ga				
	Heavy Duty	2 GS09-170			Heavy Dut	y 2	GS09-171		



TYPE: Suburban 1500 (1/2 Ton), Yukon XL (Denali XL)

MODEL: 1500 K2YC o 2015



		-	YEAR: DETAIL:	06/2014 GMT K2 I		
	FRONT	Σ	PART NUMBER	PRICE		
	COIL SPRING				Ì	
MWWWW	Linear Rate Raised Height (50mm Lift)	1	C09-044	С		
	SHOCK ABSORB	ER				
	Twin Tube Gas Heavy Duty	2	GS09-174			

atform 4x4				
atiorm 4x4		<u> </u>	DOES NOT MAGNERIDE OR AIRBAG SU	CONTROL
	REAR	ΔŢ	PART NUMBER	PRICE
	COIL SPRI	NG		
WWWW	Linear Ra Raised Height (50mm Li	ate	C09-045	В
WWWW	Linear Ra Raised Heig 100-200Kg Constant Lo	ht	C09-043	С
wwww	Linear Ra Raised Heig 300-400Kg Constant Lo	ht	C09-037	В
				-
	SHOCK ABSO	RBER		
	Twin Tube G Heavy Du		GS09-171	

GMC-53



TYPE: Tahoe, Suburban 1500 (1/2 Ton), Yukon XL (Denali XL)

MODEL: Cadillac Escallade, 1500 K2YC



8			YEAR: DETAIL:	2016 on GMT K2 I	Pl	ā
	FRONT	ΣĎ	PART NUMBER	PRICE		
 	COIL SPRING Linear Rate Raised Height (50mm Lift)		C09-044	С		
	SHOCK ABSORB					
	Twin Tube Gas Heavy Duty	2	GS09-176			f
						•
						(
I					ıΙ	

atform 4x4				
			DOES NOT MAGNERIDE (OR AIRBAG SU	CONTROL
	REAR	ΩT	PART NUMBER	PRICE
	COIL SPRING			
WWWW	Linear Rate Raised Height (50mm Lift)	1	C09-045	В
IWWWWI	Linear Rate Raised Height 100-200Kg Constant Load	1	C09-043	С
IWWWWI	Linear Rate Raised Height 300-400Kg Constant Load	1	C09-037	В
	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS09-171	



TYPE: D-Max 2nd Gen

MODEL: TFS85
YEAR: 05/2012 on

DETAIL: V-CROSS, 3.0L Turbo Diesel Single

Cab/Dual Cab



	FRONT	₽TĀ	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Linear Rate Raised Height (20mm Lift) No Accessories	1	C59-134	В
MWWWW	Linear Rate Raised Height (40mm Lift) Up to 60Kg Accessories	1	C59-296	В
MWWW	Linear Rate Raised Height (40mm Lift) 70-120Kg Accessories	1	C59-300	В
	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty		GS21-470	
o -	Internal Monotube Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm / 7.48"	2	IMS21-50470	
	X - Centre of Eye to Spri	ng S	Seat	
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm / 7.48"	2	MR21-50470	
	X - Centre of Eye to Spri	ng s	Seat	
	,	Ĭ		
:E: 0	STRUT CAP	2	6650 003	
	Strut Top Cap	2	SC59-002	
	DIFF DROP			
	Diff Drop Kit	1	DD21-533K	
	Decreases CV Angl	le		
I				

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
ڡ_	2 + 1 Parabolic Raised Height (50mm Lift) Up to 70Kg Constant Load Comfort Option	2	L21-182-RP	
ڡ_	3 + 3 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	L21-140-R	
ڡ_	4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 250Kg Constant Load (Recommended)	2	L21-141-R	
	5 + 3 Leaves Super Heavy Duty Raised Height (40mm Lift) 450Kg Constant Load	2	L21-142-R	
	SHACKLE BUSH I	4 11		
	Kit Contains:	7.7		
OLI	2 x PB59-1503 4 x PB59-1530 4 x PB59-1532	1	PB21-1105K	
	U-BOLT KIT			
	Suits L21-140-R Kit Contains: 2 x UB59-453-2	2	UB59-453-2K	
	Suits L21-141-R Kit Contains: 2 x UB59-453-2	2	UB59-453-2K	
	Suits L21-142-R Kit Contains: 2 x UB59-437	2	UB59-437K	
	SHOCK ABSORB	ΕR		
•	Twin Tube Gas Heavy Duty	2	GS43-801	
0	Internal Monotube Heavy Duty	2	IMS21-50471	
	Monotube Remote Reservoir Heavy Duty	2	MR43-50801	
	SHACKLE			
なな』	Greasable: Fit in Pairs	2	SK21-059	
	PIN			
•+-	Greasable: Fit in Pairs	2	SP59-060	

HOLD-58



TYPE: MU MODEL: USC55D

YEAR: 07/1990 to 1995



		DETAIL:	3 Door
FRONT	ΣĎ	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 1000mm	1	TB21-1547	
Check Length Before Or	der	ing	
Heavy Duty Rate Increased Length 1220mm		TB21-1549	
 Check Length Before Or	der	ing	
SHOCK ABSORB	-		1
 Twin Tube Gas Heavy Duty	2	GS21-463	

	REAR	ΔŢ	PART NUMBER	PRICE
<u>_</u>	LEAF SPRING 4 + 2 Leaves Raised Height		RODE-008-R	
011	SHACKLE BUSH I Kit Contains: 2 x PB59-1529 8 x PB59-1530		PB59-1069K	
	U-BOLT KIT Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
1	SHOCK ABSORB	∃R		
•	Twin Tube Gas Comfort Option Medium Load	2	GS59-649	
0	Twin Tube Gas Heavy Duty (Big Bore)	2	GS59-651	
	SHACKLE KIT			
# 1	Greasable: Fit in Pairs	2	SK59-009	
	Greasable. Fit iii Falis	_		
	Greasable. Fit III Falls	_		
	Greasable. Fit III Falls	_		
	Greasable. Fit III Falls			
	Greasable. Fit III Falls			
	Greasable. Fit III Falls			
	Greasable. Fit III Fall's			
	Greasable. Fit III Falls			
	Greasable. Fit III Falls			
	Greasable. Fit III Falls			

HOLDEN - GM - ISUZU

ISUZ-50



TYPE: MU-7 / Alterra MODEL: MU-7 / Alterra YEAR: 2005 to 2012

DETAIL: 4x4 Station Wagon, 3.0L DOHC



FRONT	PART NUMBER	PRICE		REAR	ÓΤΥ	PART NUMBER	PRICE
TORSION BAR		\		LEAF SPRING		NOMBER	
Heavy Duty Rate Increased Length 1145mm			م٥	4 + 2 Leaves Raised Height (35mm Lift)		RODE-011-R	
Check Length Before O			<u></u> o	4 + 3 Leaves Raised Height (35mm Lift) Up to 150Kg Constant Load	2	RODE-012-R	
Twin Tube Gas	-R			SHACKLE BUSH	KIT		
Heavy Duty	2 GS21-463		OTE	Kit Contains: 2 x PB59-1529 8 x PB59-1530			
			1	U-BOLT KIT			
				Kit Contains: 2 x UB21-466	2	UB21-466K	
				SHOCK ABSORB	ER		
			0	Twin Tube Gas Comfort Option Medium Load	2	GS59-649	
				Twin Tube Gas Heavy Duty	2	GS59-651	
				SHACKLE			
			# 1	Greasable: Fit in Pairs	2	SK59-009	

HOLDEN - GM - ISUZU

ISUZ-52



TYPE: MU-X
MODEL: USC85
YEAR: 2013 on

DETAIL: 3.0L Turbo Diesel



	1		DETAIL:	3.OL Tur
	FRONT	₽Ţ	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Linear Rate Raised Height (20mm Lift) No Accessories	1	C59-134	В
MWWWW	Linear Rate Raised Height (45mm Lift) No Accessories	1	C59-296	В
MMMM	Linear Rate Raised Height (45mm Lift) 50-100Kg Accessories	1	C59-300	В
+	SHOCK ABSORB	= R		1
	Twin Tube Gas Heavy Duty		GS21-470	
Y.	STRUT CAP			
·Er O	Strut Top Cap	2	SC59-002	

Diesel				
	REAR	ΔĬ	PART NUMBER	PRICE
wwww	COIL SPRING Linear Rate Raised Height (45mm Lift)	1	C21-355	В
wwww	Linear Rate Raised Height (45mm Lift) 100-200Kg Constant Load	1	C21-357	В
,	SHOCK ABSORB	3:1		,
	Twin Tube Gas Heavy Duty		GS59-940	



TYPE: CRV

MODEL: 1st Generation RD1 - RD3

YEAR: 1997 to 2001

DETAIL: 2.0L




	FRONT	PART NUMBER	PRICE		REAR	PART NUMB	r PRICE
	COIL SPRING				COIL SPRING		
M	Linear Rate Raised Height (30mm Lift)	1 C23-072	В	MWWW	Linear Rate Raised Height (30mm Lift)	1 C23-073	С



TYPE: CRV

MODEL: 2nd Generation RD4 - RD9



DETAIL: 2.4L



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
CAUTION	Linear Rate Lowered Height (35mm Drop)	1	C23-100	В
MWWW	Linear Rate Standard Height (10mm Lift)	1	C23-102	В
MWWW	Linear Rate Raised Height (40mm Lift)	1	C23-104	В

COIL SPRING Linear Rate Lowered Height (35mm Drop) Linear Rate Standard Height (10mm Lift) Linear Rate Raised Height (40mm Lift) C23-101 B C23-103 B C23-105 B
Linear Rate Lowered Height (35mm Drop) 1 C23-101 B Linear Rate Standard Height (10mm Lift) 1 C23-103 B Linear Rate
Lowered Height (35mm Drop) 1 C23-101 B Linear Rate Standard Height (10mm Lift) 1 C23-103 B Linear Rate
Standard Height (10mm Lift) 1 C23-103 B
Raised Height (40mm Lift) 1 C23-105 B



TYPE: CRV

MODEL: 4th Generation YEAR: 2012 to 2016

DETAIL: 4x4



		FRONT	ΔŢ	PART NUMBER	PRICE			ΣĎ	PART NUMBER	PRICE	
		COIL SPRING					COIL SPRING				
MW	WWW	Linear Rate Raised Height (35mm Lift)	1	C23-194	С	MWWWWI	Linear Rate Raised Height (35mm Lift)	1	C23-195	В	



TYPE: HRV Joy Machine

MODEL: GH

YEAR: 1999 to 2002 **DETAIL:** 1.6L, 3 & 5 Doors



	FRONT	6	NUMBER	PRIC
	COIL SPRING			
MWWWM	Linear Rate Standard Height	1	C23-090	С
MWWWW	Linear Rate Raised Height (20mm Lift)	1	C23-074	С

	REAR	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWWM	Linear Rate Standard Height	1	C23-091	С
MWWWW	Linear Rate Raised Height (25mm Lift)	1	C23-075	С



TYPE: Terracan

MODEL: HP

YEAR: 11/2001 to 2008 **DETAIL**: 3.5L V6, 2.9L



		DETAIL:	3.5L V6,	2.
FRONT	ΣĎ	PART NUMBER	PRICE	
TORSION BAR		_		
Heavy Duty Rate Increased Length 1275mm	1	TB25-1248		
SHOCK ABSORBI	ER			
Twin Tube Gas Heavy Duty	2	GS43-082S		

-				
	REAR	ΔŢ	PART NUMBER	PRICE
	COIL SPRING			
WWWWW	Variable Rate Standard Height (10mm Lift)		C43-047V	В
WWWW	Variable Rate Raised Height (45mm Lift) Up to 100Kg Constant Load	1	C43-043V	В
				1
	SHOCK ABSORB	33		
	Twin Tube Gas Heavy Duty	2	GS59-225	



TYPE: Santa Fe **MODEL**: SM

YEAR: 2000 to 05/2006 **DETAIL:** 2.7L V6, 2.4L, 2.0L TD




	FRONT	ĬÀ	PART NUMBER	PRICE
	COIL SPRING			
MWWWM	Linear Rate Standard Height	1	C25-026	В
MWWWM	Linear Rate Raised Height (20mm Lift)	1	C25-028	В

	REAR	ΣĎ	PART NUMBER	PRICE	
	COIL SPRING				
MWWWWI	Linear Rate Standard Height	1	C25-027	В	
WWWW	Linear Rate Raised Height (35mm Lift)	1	C25-029	В	
	SHOCK ABSORB	- 1-)			
	Twin Tube Gas				
	Heavy Duty	2	GS59-940		



MODEL: XJ



DETAIL: Classic, Limited, Sport, Midsize



	FRONT	ŢΤ	PART NUMBER	PRICE	REAR	<u>}</u>	PART NUMBER	PRICE
	COIL SPRING				LEAF SPRIN	G		
CHERO	DKEE SPORTS models have a hi LIMITED and CLASSIC r			an	CHEROKEE SPORTS models have a LIMITED and CLASSIC			an
WWWW	Linear Rate Raised Height (45mm Lift)				Left Hand Drive models require both s Right Hand Spri		to be fitted with	the
MAAAAAAAA	No Accessories Linear Rate Raised Height (35mm Lift)	1	C29-016	В	Right Hand Side 5 Leave: Raised Height (45mm Lift	;	JEEP-005-R RH	
MINIM	50-100Kg Accessories (Bullbar AND Winch)	1	C29-016	В	Left Hand Side 5 Leave: Raised Height (45mm Lift	;	JEEP-005-R LH	
	SHOCK ABSORB	ER			SUASKI E BUSI		-	
	Twin Tube Gas Heavy Duty	2	GS29-420		SHACKLE BUSH Kit Contains 2 x SPF969 2 x SPF97			
	STEERING DAME)El	?				PB29-1080K	
•	Heavy Duty (Big Bore) Complete with Fittings	1	SD29-840					
SD29-840 is	supplied with two styles of mou		ng pin.Dispose o	of the pin	U-BOLT KIT Suits Chrysler Differential - 77:	_	Inside Diamet	er
	that is not require Above part to suit LH and RH I DOES NOT SUIT LIMITED	Driv			Kit Contains		UB45-451K	
					Suits Dana 35 Differential - 67r	nm :	Inside Diamet	er
Ēs_	COIL SPACER		PS29-4014		Kit Contains 2 x UB29-900		UB29-900K	
		_			SHOCK ABSOR	3ER		1
	30mm	2	PS29-4015		Twin Tube Gar Heavy Duty		GS29-425	



MODEL: KJ, Liberty (USA)
YEAR: 10/2001 to 2008
DETAIL: 3.7L V6, 2.4L, 2.8L




	FRONT	È	PART NUMBER	PRICE
	COIL SPRING			
	3.7L V6, 2.4L			
MWWW	Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch)	1	C29-020	В
MWWW	Linear Rate Raised Height (35mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C29-022	В
	2.8L CRD			
M	Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch)	1	C29-022	В


.4L, 2.8L CRD				
	REAR	ΩTĄ	PART NUMBER	PRIC
	COIL SPRING			
MWWWW	Linear Rate Raised Height (35mm Lift)	1	C29-021	В
MWWWI	Linear Rate Raised Height (40mm Lift) 180Kg Constant Load	1	C29-023	В
1	CHOCK ADCORD			
	SHOCK ABSORB	37		
• ••• •	Twin Tube Gas Heavy Duty	2	GS29-724	

WWWWW	Raised Height (35mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C29-022	В
	2.8L CRD			
wwww	Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch)	1	C29-022	В
	SHOCK ABSORB	FÐ		l
_		7.		
	Twin Tube Gas Heavy Duty	2	GS29-723	



MODEL: KK








8		ì	DETAIL:	3.7L V6, 2
	FRONT	ΔŢ	PART NUMBER	PRICE
MWWW	Linear Rate Raised Height (10mm Lift) Linear Rate Raised Height (40mm Lift)		C29-082	ВВ
	SHOCK ABSORB	ΞR		
	Twin Tube Gas Heavy Duty	2	GS29-723	

	REAR	ŢŢ	PART NUMBER	PRICE
	COIL SPRING			
WWWW	Linear Rate Raised Height (10mm Lift)	1	C29-083	В
www	Linear Rate			
vvvvvv	Raised Height (40mm Lift)	1	C29-085	В
1	SHOCK ABSORB	ER		N.
-	Twin Tube Gas Heavy Duty	2	GS29-724	
	Heavy Duty	2	U323-724	



MODEL: KL **YEAR: 2014**

PART




Latitude



	FRONT	ĬÀ	PART NUMBER	PRICE
	COIL SPRING			
America	n, Australian & Middle Easte	rn	Delivered Vel	nicles
M	Linear Rate Raised Height (45mm Lift) - Over Standard Suspension (25mm Lift) - Over Trailhawk Suspension No Accessories	1	C29-144	В
M	Linear Rate Raised Height (45mm Lift) - Over Standard Suspension (25mm Lift) - Over Trailhawk Suspension 40-80Kg Accessories	1	C29-150	В
	Asia Delivered Vehi	icle	es	
MMMM	Linear Rate Raised Height (45mm Lift) - Over Standard Suspension (25mm Lift) - Over Trailhawk Suspension 0-50Kg Accessories	1	C29-202	В
1				

—	Twin Tube Gas Right Hand Side Heavy Duty	1	GS29-430 RH	
	Twin Tube Gas Left Hand Side Heavy Duty	1	GS29-430 LH	

SHOCK ABSORBER



Heavy Duty

2 **GS29-431**





MODEL: ZJ - ZG

YEAR: 04/1996 to 1999

DETAIL: 3.1L 5 Cyl., 4.0L 6 Cyl., 5.7L V8




	EDONT	>	PART	PRICE
	FRONT	6	NUMBER	PRICE
	COIL SPRING			
	3.1L 5 Cyl. 4.0L 6 Cyl.			
MMMM	Linear Rate Raised Height (35mm Lift) No Accessories	1	C29-002	В
MMMM	Linear Rate Raised Height (35mm Lift) 40-90Kg Accessories (Bullbar AND Winch)	1	C29-016	В
	5.7L V8			
MMMM	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories (Bullbar OR Winch)	1	C29-036	В
	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS29-420	
	STEERING DAMP	Εŀ		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD29-840	
SD2	9-840 is supplied with two style Dispose of the pin that is no			

4.0L 6 Cyl.,	5.7L V8			
	REAR	ΔĬ	PART NUMBER	PRICE
N	COIL SPRING Linear Rate Raised Height (35mm Lift)	1	C29-003	В
I	Linear Rate Raised Height (50mm Lift) 150-200Kg Constant Load	1	C29-005	В
	SHOCK ABSORB	= 17		1
·	Twin Tube Gas Heavy Duty		GS29-683	



MODEL: WJ (Austria), WG (USA)



DETAIL: 4.7L V8, 2.7L D, 4.0L Petrol, 3.1L TD



		>	PART	
	FRONT	6	NUMBER	PRICE
	COIL SPRING			
	4.7L V8 4.0L Petrol			
MWWW	Linear Rate Standard Height	1	C29-008	В
MMMMI	Linear Rate Raised Height (35mm Lift) Up to 40Kg Accessories (Bullbar OR Winch)	1	C29-010	В
mmmmi	Linear Rate Raised Height (40mm Lift) 40-90Kg Accessories (Bullbar AND Winch)	1	C29-024	В
	2.7L Turbo Diese 3.1L Turbo Diese			
MWWWM	Linear Rate Raised Height (35mm Lift)	1	C29-024	В
M	Linear Rate Raised Height (35mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C29-030	В
	SHOCK ABSORB	ER		
·	Twin Tube Gas Heavy Duty	2	GS29-424B	
	STEERING DAMP	Ħ:		
○	Heavy Duty (Big Bore) Complete with Fittings	1	SD29-840	
SD29	-840 is supplied with two style Dispose of the pin that is no			

	REAR	₹Ď	PART NUMBER	PRICE
MANAGAM	COIL SPRING Linear Rate			
MWWWW	Standard Height	1	C29-011	В
MWWWW	Linear Rate Raised Height (40mm Lift)	1	C29-025	В
,	SHOCK ABSORB	≡R)
•	Twin Tube Gas Heavy Duty	2	GS59-649C	
	, ,			



MODEL: WH, WK **YEAR:** 2005 to 2010

DETAIL: Laredo - 3.0L TD, 3.7L V6

4.7L, 5.7L, 6.1L V8




4				
	FRONT	₽	PART NUMBER	PRICE
	COIL SPRING			
	3.0L TD, 3.7L V6 & 4.	7L	V8	
IWWWWI	Linear Rate Raised Height (45mm Lift)	1	C21-020	Α
	5.7L & 6.1L V8			
MWWWW	Linear Rate Raised Height (45mm Lift)	1	C21-054	В
	SHOCK ABSORB	ER		1
10 0	Twin Tube Gas Heavy Duty	2	GS29-726	

.OL TD, 3.7L 6.1L V8	V6,			
	REAR	ΔŢ	PART NUMBER	PRICE
	COIL SPRING			
WWWWW	Linear Rate Raised Height (45mm Lift)	1	C29-027	В
WWWW	Linear Rate Raised Height (45mm Lift) 180Kg Constant Load	1	C29-029	В
	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS29-727	



MODEL: WK2
YEAR: 2011 on



Will Not Suit Vehicles Equipped with

Quadra-Lift



	FRONT	É	PART NUMBER	PRICE
	COIL SPRING			
	3.6L V6 Petrol			
MMMM	Linear Rate Raised Height (40mm Lift) Up to 40Kg Accessories (Bullbar)	1	C29-120	В
wwww.	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C29-122	В
	3.0L CRD V6 Dies 5.7L V8 Petrol			
MWWWIII	Linear Rate Raised Height (40mm Lift)	1	C29-128	В
M	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C29-148	В

13	SHOCK ABSORBER
Į	В
R	o
OR	Ŋ
SOR	В
BSOR	Α
ABSOR	К
K ABSOR	C
CK ABSOR	0
OCK ABSOR	н
HOCK ABSOR	S

Suits 2011- 2015 Models WITHOUT Sway Bar bracket on lower shock clevis

Twin Tube Gas
Heavy Duty

Twin Tube Gas
Extra Heavy Duty
*Increased Valve Force
*HD Forged Clevis 2 GS29-732

Suits 2016 Models WITH Sway Bar bracket on lower shock clevis

Right Hand Side
*HD Forged Clevis 1 GS29-742 RH

Twin Tube Gas

Left Hand Side

Extra Heavy Duty 1 GS

Extra Heavy Duty 1 GS29-742 LH

	REAR	ΤÒ	PART NUMBER	PRICE
	COIL SPRING			
Only to be	fitted to vehicles WITH Self L Absorber (OE 63mm OD			Shock
MWWW	Linear Rate Raised Height (40mm Lift)	1	C29-123T	С
MWWW	Linear Rate Raised Height (40mm Lift) 150-300Kg Constant Load	1	C29-143T	С
Only to be f	itted to vehicles WITHOUT wit Shock Absorber (OE 50mm			ivomat
MWWW	Linear Rate Raised Height (40mm Lift)	1	C29-125T	С
MWWWI	Linear Rate Raised Height (40mm Lift) 150-200Kg Constant Load	1	C29-127T	С
	SHOCK ABSORB	ΕR		

Will Not Replace Self Levelling Nivomat Shock Absorber on Vehicles with 3.5 Ton Towing Capacity.

For Nivomat Suspension Conversion, Coil Spring C29-125T and Shock Absorber GS29-733 can be Fitted; PLEASE NOTE - Towing Capacity will be Reduced to 2.5 Ton

Twin Tube Gas Heavy Duty 2 **GS29-733**

Note: Check OD of OE Rear Shock Body before Ordering Coil Springs.



MODEL: TJ

YEAR: 10/1996 to 2007

DETAIL: 2.5L 4 Cyl. Sport
4.0L 6 Cyl. Sahara



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Linear Rate Raised Height (35mm Lift) No Accessories	1	C29-006	В
MMMM	Linear Rate Raised Height (35mm Lift) 40-80Kg Accessories (Bullbar OR Winch)	1	C29-002	В
M	Linear Rate Raised Height (40mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C29-016	В
	SHOCK ABSORB	=R		
+	Twin Tube Gas Heavy Duty		GS29-721	
	STEERING DAMP	13:		
○	Heavy Duty (Big Bore) Complete with Fittings		SD29-840	
SD29	9-840 is supplied with two style Dispose of the pin that is no			
	UNDER BODY BUSH SEE REAR UNDER BODY B			
	SEE KEAK UNDER BODT D	USi	1 K11	
	COIL SPACER			
	15mm	2	PS29-4014	
	30mm	2	PS29-4015	

	REAR	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Linear Rate Raised Height (35mm Lift)	1	C29-007	В
	SHOCK ABSORB	ΞR		
	Twin Tube Gas Heavy Duty	2	GS29-722	
	UNDER BODY BUSH	ı K	111	l
4 x Fr 4 x Fr 4 x R	Kit Contains: Panhard Rod to Diff End Only ront Trailing Arm Upper Bush ront Trailing Arm Lower Bush 1 x Rear Panhard Rod Bush Rear Trailing Arm Upper Bush Rear Trailing Arm Lower Bush		PB29-1212K	
	COIL SPACER			
1	10mm	2	PS29-4016	
	15mm	2	PS29-4017	
Ē	30mm	2	PS29-4018	



MODEL: TJ



DETAIL: 2.5L 4 Cyl. Sport, 4.0L 6 Cyl. Sahara

75mm (3" Lift)



	FRONT	ĬÀ	PART NUMBER	PRICE
	COIL SPRING			
MWWWM	Linear Rate Raised Height (3" Lift)	1	C29-048	В
	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty Suits (3" Lift)	2	GS29-420	
	STEERING DAMP	ΕR	2	1
	Heavy Duty (Big Bore) Complete with Fittings	1	SD29-840	
SD2	9-840 is supplied with two style Dispose of the pin that is no		J 1	

	REAR	λĒ	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Linear Rate Raised Height (3" Lift)	1	C29-049	В
MWWWI	Linear Rate Raised Height (<mark>3" Lift)</mark> 150Kg Constant Load	1	C29-047	В
	SHOCK ABSORBI	ER		
	Twin Tube Gas			

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.



- Refer to Local Laws before Fitting to Registered/Road Vehicles

Heavy Duty 2 **GS29-425S**

- An Engineering Certificate may be required
- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.



- Adjustable Panhard Rods
- Modified Leading/Trailing Arms
- Brake Hoses
- Extended Bump Stops
- Gear Box & Drive Line
- Modifications
- Steering ArmsSwaybar Modification
- Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: JK

YEAR: 2007 on

DETAIL: 2 Door, 4 Door



	FRONT	Ě	PART NUMBER	PRICE
	COIL SPRING			
	3.8L V6			
MWWW	Linear Rate Raised Height (50mm Lift)	1	C29-074	В
	2.8L CRD Turbo Die	ese	el	
MWWW	Linear Rate Raised Height (50mm Lift)	1	C29-078	В
MMMM	Linear Rate Raised Height (50mm Lift) 70Kg Accessories (Bullbar OR Winch)	1	C29-088	В
	STEERING DAMP	ΕR		1
·	Right Hand Drive Only Complete with Fittings	1	SD45-022S	
	Left Hand Drive Only Complete with Fittings	1	SD29-840	
	SHOCK ABSORB	ΞR		

Twin Tube Gas

Heavy Duty 2 **GS29-728**

7001				
	REAR	ΔŢ	PART NUMBER	PRICE
	COIL SPRING			
	2 Door			
	Linear Rate Raised Height (60mm Lift)	1	C29-073	В
	4 Door			
WWWW	Linear Rate Raised Height (50mm Lift)	1	C29-075	В
	Linear Rate Raised Height (50mm Lift) 200Kg Constant Load	1	C29-089	В
WWWW	Linear Rate Raised Height (50mm Lift) 350Kg Constant Load	1	C29-091	В
1	SHOCK ABSORB	ΞR		1
	Twin Tube Gas		6620 720	
	Heavy Duty	2	GS29-729	



MODEL: JK

YEAR: 2007 on **DETAIL**: 2 Door, 4 Door

65mm (2.5" Lift), 90mm (3.5" Lift), 100mm (4" Lift) 110mm (4.5" Lift)



					,	,			
	FRONT	\¥	PART NUMBER	PRICE		REAR	OTV	PART NUMBER	PRICE
	COIL SPRING					COIL SPRING			
	4 Door					4 Door			
MWWWW	Variable Rate - Flexi Raised Height (65mm Lift) Extra Soft Option	1	C29-166V	В	N	Variable Rate - Flexi Raised Height (65mm Lift) Extra Soft Option	1	C29-167V	В
I	Variable Rate - Flexi Raised Height (65mm Lift)	1	C29-176V	В	MWWWW	Variable Rate - Flexi Raised Height (65mm Lift)	1	C29-177V	В
MMMMM	Variable Rate - Flexi Raised Height (90mm Lift) Extra Soft Option	1	C29-168V	В	I	Variable Rate - Flexi Raised Height (90mm Lift) Extra Soft Option	1	C29-169V	В
IWWWWI	Variable Rate - Flexi Raised Height (90mm Lift)	1	C29-170V	В	MWWWW	Variable Rate - Flexi Raised Height (90mm Lift)	1	C29-171V	В
MWWWW	Linear Rate Raised Height (100mm Lift) Soft Option	1	C29-098	С	MMMM	Linear Rate Raised Height (100mm Lift) Soft Option	1	C29-099	C
MWWW	Linear Rate Raised Height (100mm Lift)	1	C29-086	С	MWWW	Linear Rate Raised Height (100mm Lift)	1	C29-087	С
IWWWW	Variable Rate - Flexi Raised Height (110mm Lift)	1	C29-182V	В	MWWW	Variable Rate - Flexi Raised Height (110mm Lift)	1	C29-181V	В
	2 Door					2 Door			
I	Variable Rate - Flexi Raised Height (65mm Lift)	1	C29-172V	В	MWWWW	Variable Rate - Flexi Raised Height (65mm Lift)	1	C29-173V	В
I	Variable Rate - Flexi Raised Height (90mm Lift)	1	C29-174V	В	MWWWW	Variable Rate - Flexi Raised Height (90mm Lift)	1	C29-175V	В
I	Variable Rate - Flexi Raised Height (65mm Lift) Extra Soft Option	1	C29-178V	В	MMMM	Variable Rate - Flexi Raised Height (65mm Lift) Extra Soft Option	1	C29-179V	В
MWWWW	Variable Rate - Flexi Raised Height (90mm Lift) Extra Soft Option	1	C29-166V	В	N	Variable Rate - Flexi Raised Height (90mm Lift) Extra Soft Option	1	C29-167V	В
M	Variable Rate - Flexi Raised Height (110mm Lift) Extra Soft Option	1	C29-170V	В	MWWW	Variable Rate - Flexi Raised Height (110mm Lift) Extra Soft Option	1	C29-171V	В
	STEERING DAME	ÈF	2			SHOCK ABSORE	ER		1
•	Right Hand Drive Only Complete with Fittings		SD45-022S		O	Twin Tube Gas Medium Duty Suits 65mm Lift			
	Left Hand Drive Only Complete with Fittings	1	SD29-840			Twin Tube Gas Medium Duty Suits 90mm, 100mm,	۷	G323-717	
	SHOCK ABSORB	Ħ;				110mm Lift			
·	Twin Tube Gas Medium Duty Suits 65mm Lift	2	GS29-716			(Also Suits 65mm Lift - Extra Soft Coil Option)		GS29-719	
1	Twin Tube Gas					WARNING - 100MM (4") OR			
	Medium Duty Suits 90mm, 100mm,					on components listed on this pa er to Local Laws before Fitting t	<u> </u>		
	110mm Lift (Also Suits 65mm Lift - Extra				CAUTION - An E	Engineering Certificate may be dling Characteristics will Dimin	req	uired	
	Soft Coil Option)	2	GS29-718		The following	g modifications (but not limited vehicle before the kit is			e to the
					STOP - Mod - Brak	ustable Panhard Rods lified Leading/Trailing Arms ke Hoses ended Bump Stops		- Gear Box & Dr Modifications - Steering Arms - Swaybar Modif	
					Dobinsons S	pring & Suspension do not aused to person or propert	aco y ti	ept any respo nrough the us	onsibility
					These p	products listed on the products do not come with any v			ee.



TYPE: Commander

MODEL: XH
YEAR: 2006 on

DETAIL: Petrol & Diesel



	FRONT	Ł	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Raised Height (40mm Lift)	1	C21-020	Α
MMMM	Linear Rate Raised Height (40mm Lift) 80Kg Accessories (Bullbar OR Winch)	1	C21-054	В
	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS29-726	

iesei				
	REAR	ΔŢ	PART NUMBER	PRICE
	COIL SPRING			
WWWW	Linear Rate Raised Height (40mm Lift)	1	C29-027	В
WWWW	Linear Rate Raised Height (40mm Lift) 180Kg Constant Load	1	C29-029	В
	SHOCK ABSORB	ER		i
	Twin Tube Gas Heavy Duty	2	GS29-727	



TYPE: Sportage

MODEL: JA

YEAR: 04/1994 to 03/2002

DETAIL: 2.0L



	FRONT	Ł	PART NUMBER	PRICE
	COIL SPRING			
	SWB & LWB 2.0	L		
MWWWM	Linear Rate Raised Height (40mm Lift)	1	C31-002	А
MWWW	Linear Rate Raised Height (70mm Lift)	1	C31-044	Α
When Fitting t	the Above Part Number, Suspen	sio	n Changes are F	Required.

	REAR	ΣĎ	PART NUMBER	PRICE		
	COIL SPRING					
	2 Door (Soft & Hard Top) 04/1994 to 2000 Short Body, 5 Door					
	Spare Wheel Mounted on	Tai	lgate			
MWWW	Linear Rate Raised Height (40mm Lift)	1	C31-003	А		
	2000 to 03/2002 Long Bo	dy	, 5 Door			
	Spare Wheel Mounted Insid	le ∖	/ehicle			
MWWWII	Linear Rate Raised Height (40mm Lift)	1	C31-033	А		
MWWWM	Linear Rate Raised Height (70mm Lift)	1	C31-049	А		
When Fitting	Above Part Number, Suspensi	on	Changes are Re	quired.		



TYPE: Sportage

MODEL: KM

YEAR: 08/2005 to 04/2010

DETAIL: 2.0L



	FRONT	ΔŢΔ	PART NUMBER	PRICE		REAR	Σ	PART NUMBER	PRICE
	COIL SPRING					COIL SPRING			
MWWW	Linear Rate Raised Height (40mm Lift)	1	C31-062	В	MWWW	Variable Rate Raised Height (40mm Lift)	1	C31-063V	В



TYPE: Sportage

MODEL: SL, SL Platinum YEAR: 04/2010 to 2015



DETAIL: 2.0L/2.4L Unleaded, 2.0L Turbo Diesel

	FRONT	É	PART NUMBER	PRICE
	COIL SPRING			
	AWD Vehicle			
MWWW	Linear Rate Raised Height (40mm Lift)	1	C25-096	В
	4x2 Vehicle			
MWWWW	Linear Rate Raised Height (40mm Lift)	1	C31-076	В

	REAR	₹Ď	PART NUMBER	PRICE
	COIL SPRING AWD Vehicle			
WWWW	Linear Rate Raised Height (40mm Lift)	1	C25-097	В
	4x2 Vehicle Linear Rate			
WWWW	Raised Height (40mm Lift)	1	C31-077	В



TYPE: Sorento MODEL: BL

YEAR: 2003 to 2007

DETAIL: 4x4



	FRONT	ΣĎ	PART NUMBER	PRICE		REAR	F	PART NUMBER	PRICE
	COIL SPRING					COIL SPRING			
	3.5L V6 Petro 2.5L Diesel	I				3.5L V6 Petrol 3.0L Diesel			
wwww	Linear Rate Raised Height (35mm Lift)	1	C31-024	В	MWWWI	Linear Rate Raised Height (35mm Lift)		C31-025	В
					1	SHOCK ABSORB	ER		
					0	Twin Tube Gas		GS33-635W	



TYPE: Sorento MODEL: BL (LX, EX)

YEAR: 07/2007 to 2009



	% □			DETAIL:	4x4
	FRONT		ΣĎ	PART NUMBER	PRICE
		COIL SPRING			
		Petrol			
MWWWM		Linear Rate Raised Height	1	C31-024	В
		Diesel			
M		Linear Rate Raised Height	1	C31-026	В

	REAR		ΣĎ	PART NUMBER	PRICE
		COIL SPRING Petrol & Diesel			
MWWWM		Linear Rate Raised Height		C31-027	В



TYPE: Sorento
MODEL: LX, EX, SX
YEAR: 2010 on

DETAIL: 2nd Generation XMA



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
	2010 - 2015 Mode	els		
M	Linear Rate Raised Height (35mm Lift)	1	C31-074	В
	2016 on Models			
M	Linear Rate Raised Height (35mm Lift)	1	C31-042	В

wwww.	2010 - 2015 MOD With Self Levelling Rear S Linear Rate Raised Height (40mm Lift) Without Self Levelling Rear Linear Rate	Sus 1	pension	
V	With Self Levelling Rear S Linear Rate Raised Height (40mm Lift) Without Self Levelling Rea Linear Rate	Sus 1	pension	
V	Raised Height (40mm Lift) Without Self Levelling Real Linear Rate			
	Linear Rate		C31-029	В
wwww		30	ispension	
	Raised Height (40mm Lift)	1	C31-075	В
	2016 an Madal			
	2016 on Models Linear Rate	•		
wwww	Raised Height (35mm Lift)	1	C31-043	В



TYPE: Rover

MODEL: Series II, IIA, III **YEAR:** 1958 to 1984

DETAIL: LWB Pickup & Station Wagon,

Snatana 109, SWB Santana 88



PRICE

	FRONT	T	PART NUMBER	PRICE		REAR	ΤŲ	PART NUMBER
	LEAF SPRING			1		LEAF SPRING		_
	Right Hand Side					Suits SWB		
و	9 Leaves		LAND-9L-F			Right Hand Side		
	Raised Height (40mm Lift)	Т	КН			11 Leaves Raised Height (45mm Lift)	1	LAND-SWB-R RH
0 0	Left Hand Side 9 Leaves		LAND-9L-F			,	1	KII
	Raised Height (40mm Lift)	1	LH		<u>Q</u>	Left Hand Side 11 Leaves		LAND-SWB-R
						Raised Height (45mm Lift)	1	LH
	SHACKLE BUSH I					Suits LWB		
	SWB Series II, IIA LWB Series II, II		ıı		0 0	Right Hand Side 8 Leaves		LAND-8L-R
	Kit Contains:						1	RH
	4 x SPF2154		PB51-1029K			Left Hand Side		
	1973 on, Series I		PB51-1029K			8 Leaves Raised Height (45mm Lift)	1	LAND-8L-R LH
	LWB only	,				,		
	Kit Contains:					SHACKLE BUSH I	(IT	
OTI	4 x SPF2154 2 x SPF2155	1	PB51-1081K		OLI	Kit Contains:		
						6 x SPF2154	1	PB51-1030K
	U-BOLT KIT					U POLT 1/7T		
	Series II, IA					U-BOLT KIT Series II, IIA		
	Right Hand Side					Kit Contains:		
	Kit Contains: 1 x UB51-601-1					2 x UB51-601-1	2	UB51-601-1K
	1 x UB51-901	1	UB51-901K			Series III		
	Left Hand Side					Kit Contains:		
	Kit Contains: 2 x UB51-601-1	2	UB51-601-1K			2 x UB51-904	2	UB51-904K
	Series III					SUNCY ARSODR	7.0	
	Right Hand Side					SHOCK ABSORB		
	Right Hand Side Kit Contains:	1	UB51-903K			SHOCK ABSORB Suits SWB, (LWB pre Twin Tube Gas		
	Right Hand Side Kit Contains:	1	UB51-903K		•	Suits SWB, (LWB pre Twin Tube Gas	19	
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains:	1	UB51-903K		0	Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o	19 2	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side					Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
Ü	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902					Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902	1	UB51-902K			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas	1	UB51-902K			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB	1	UB51-902K			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore)	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore)	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore)	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore)	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore)	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore)	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore)	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore)	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore)	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore)	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C
	Right Hand Side Kit Contains: 2 x UB51-903 Left Hand Side Kit Contains: 1 x UB51-902 1 x UB51-903 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore)	1 2	UB51-902K GS51-090			Suits SWB, (LWB pre Twin Tube Gas Heavy Duty Suits LWB (1958 o Twin Tube Gas	19 2 on)	58) GS21-015C



TYPE: Range Rover **MODEL**: Range Rover YEAR: 1971 to 1998

DETAIL: Coil Spring Suspension (Not With Air Suspension)



	FRONT	ΙÀ	PART NUMBER	PRICE		RE/
	COIL SPRING		ı	1		
MWWWM	Linear Rate Raised Height (20mm Lift)	1	C51-016	В	MWWW	Standard
MWWWM	Linear Rate Raised Height (45mm Lift)	1	C51-014	В	MWWW	Raised
	Linear Rate Raised Height (40mm Lift) Diesel Engine Up to 50Kg Accessories (Bullbar OR Winch)	1	C51-018	В		Raiseo 1
	SHOCK ABSORB	ER		ì	0	•
	Twin Tube Gas Heavy Duty	2	GS51-116			L
	STEERING DAMF	垣;	2	}		Kit Includ
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-811			nt Radius <i>i</i> Front Rad
	UNDER BODY BUSI				2 v Pe	2 x Fron
	SEE REAR UNDER BODY B	USI	H KIT		2	x Rear Lover
	CASTOR KIT					
	Raising Vehicle Will Effect Ca ent is Recommended to Determ Fit to Automatic Models as Front Radius Arm Castor 4 x Polyurethane Eccent	nine Vib r Ki	if a Castor Kit is ration May Oct ±2.5°		4 x	nt Radius / Front Rad 2 x Fror ear Upper /
Su	Pre 1986 its 38mm Wide Leading Arm	1	PB51-501K			x Rear Lov ear Lower A
Su	After 1986 its 44mm Wide Leading Arm	1	PB51-502K			1
	COIL SPACER		! 	1		Ì
	5mm	2	PS59-4001		Be_	

10mm 2 **PS59-4002**

20mm 2 **PS59-4003**

2 **PS59-4004**

30mm

	REAR	₽	PART NUMBER	PRICE
	COIL SPRING			
MWWW s	Linear Rate tandard Height (20mm Lift)	1	C51-017	В
WWWWW	Linear Rate Raised Height (45mm Lift)	1	C51-015	В
MWWWM	Linear Rate Raised Height (45mm Lift) 150Kg Constant Load	1	C51-022	В
	SHOCK ABSORB	ΕR		
·	Twin Tube Gas Heavy Duty	2	GS51-117	
	UNDER BODY BUSI	1 К	IT	
K	(it Includes Front & Rear Under			
	Non EFI, Pre 01/1	986		
4 x Fro 2 x Rear 2 x R	Kit Contains: Radius Arm to Chassis Bush ont Radius Arm to Diff Bush 2 x Front Panhard Rod Bush Upper Arm to Chassis Bush Rear Lower Arm to Diff Bush Lower Arm to Chassis Bush	1	PB51-1242K	
	With EFI, 02/1986	or	1	
4 x Fro 2 x Rear 2 x F	Kit Contains: Radius Arm to Chassis Bush ont Radius Arm to Diff Bush 2 x Front Panhard Rod Bush Upper Arm to Chassis Bush Rear Lower Arm to Diff Bush Lower Arm to Chassis Bush	1	PB51-1243K	
	COIL SPACER			
	5mm	2	PS59-4001	
- -	10mm	2	PS59-4002	
- -	20mm	2	PS59-4003	
	30mm	2	PS59-4004	

PART NUMBER

PB51-1243K

PS59-4001 PS59-4002

PS59-4003

PS59-4004

PRICE

В

В

В

В



TYPE: Discovery MODEL: Series I

YEAR: 1991 to 03/1999

DETAIL: 4x4



FRONT	<u>}</u>	PART NUMBER	PRICE		REAR	7	PART NUMBER
COIL SPRING					COIL SPRING	1	
Linear Rate Standard Height (20mm Lift)	1	C51-016	В	MWWWW	Variable Rate Standard Height (20mm Lift)	1	C51-023V
Linear Rate Raised Height (45mm Lift)		C51-014	В	I	Linear Rate Raised Height (35mm Lift)	1	C51-015
Linear Rate Raised Height (40mm Lift) Diesel Engine Up to 50Kg Accessories				M	Linear Rate Raised Height (50mm Lift) Up to 50Kg Constant Load	1	C51-022
(Bullbar OR Winch)		C51-018	В	MWWW	Variable Rate Raised Height (50mm Lift) Extra Heavy Duty 100-220Kg Constant Load	1	C51-027V
SHOCK ABSORE Twin Tube Gas	177				100 220Ng Constant Load	_	C31-027 V
Heavy Duty	2	GS51-116			SHOCK ABSORB Twin Tube Gas	=;:	
STEERING DAM! Heavy Duty (Big Bore)	1=:	2			Heavy Duty	2	GS51-117
Complete with Fittings	1	SD51-811			UNDER BODY BUSH	1 k	(IT
					Kit Includes Front & Rear Under	r Bo	ody Bushes
SEE REAR UNDER BODY E CASTOR KIT Raising Vehicle Will Effect C	asto	H KIT or Angle.	Daguinad	4 x F 2 x Rea 2 x	Kit Contains: Radius Arm to Chassis Bush ront Radius Arm to Diff Bush 2 x Front Panhard Rod Bush r Upper Arm to Chassis Bush Rear Lower Arm to Diff Bush r Lower Arm to Chassis Bush	1	PB51-1243
Wheel Alignment is Recommended to Detern Do NOT Fit to Automatic Models as	Vib	ration May Oc		4 X Red	Lower Arm to enassis busin	_	1 551 1245
Front Radius Arm Castor 4 x Polyurethane Eccent					COIL SPACER		
Suits 44mm Wide Leading Arm	1	PB51-502K			5mm	2	PS59-4001
COIL SPACER	2		Y		10mm	2	PS59-4002
5mm	2	PS59-4001			20mm	2	PS59-4003
10mm	2	PS59-4002			30mm	2	PS59-4004
20mm	2	PS59-4003					
30mm	2	PS59-4004					

LANDROVER

LAND-58

PART



TYPE: Discovery MODEL: Series II

YEAR: 03/1999 to 2004

DETAIL: TD5, V8



	FRONT	Ł	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Standard Height (20mm Lift)	1	C51-032	В
 	Linear Rate	1	C51-042	В
M	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 40-100Kg Accessories (Bullbar AND Winch)	1	C51-052	В
1	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS51-118	

	REAR	6	NUMBER	PRILE
	COIL SPRING			
MWWW	Variable Rate Standard Height (20mm Lift)	1	C51-023V	В
I	Linear Rate Raised Height (45mm Lift)	1	C51-015	В
MWWW	Linear Rate Raised Height (50mm Lift)	1	C51-022	В
MWWW	Variable Rate Raised Height (50mm Lift) 200Kg Constant Load	1	C51-027V	В
	SHOCK ABSORB	=₹		

	STEERING DAMP	₹;	
·	Heavy Duty (Big Bore) Complete with Fittings	1	•

1 SD51-802






TYPE: Discovery MODEL: Series III LR3

YEAR: 01/2005 to 2009

DETAIL: 2.7L V6 TD, 4.0L V6 Petrol,

Coil Spring Models Only



	REAR	ŢŪ	PART NUMBER	PRICE
	COIL SPRING			
wwww	Linear Rate Raised Height (45mm Lift)	1	C51-067	С
wwww	Linear Rate Raised Height (45mm Lift) 200Kg Constant Load	1	C51-079	С
WWWW	Linear Rate Raised Height (45mm Lift) 400Kg Constant Load	1	C51-065	D
1	SHOCK ABSORBI	ΞR		
	Twin Tube Gas Heavy Duty	2	GS51-121	



TYPE: Defender

MODEL: 90 Series

YEAR: 1984 to 1990

DETAIL: SWB



	FRONT	Ţ	PART NUMBER	PRICE
	COIL SPRING			
	Petrol			
MWWWM	Linear Rate Raised Height (40mm Lift)	1	C51-014	В
MWWW 5	Linear Rate Raised Height (45mm Lift) 0-80Kg Accessories (Bullbar AND Winch)	1	C51-018	В
	Diesel			
M	Linear Rate Raised Height (45mm Lift) Up to 80Kg Accessories (Bullbar OR Winch)	1	C51-018	В

SHOCK ABSORBI	ΞR	
 Twin Tube Gas Heavy Duty	2	GS51-116

	STEERING DAMP	٦;	
-	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-832

UNDER BODY BUSH KIT

SEE REAR UNDER BODY BUSH KIT

CASTOR KIT Raising Vehicle Will Effect Castor Angle.

Raising Vehicle Will Effect Castor Angle.

A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Do NOT Fit to Automatic Models as Vibration May Occur.

Front Radius Arm Castor Kit (± 4 x Polyurethane Eccentric Bu	•
Pre 1986	

Suits 38mm Wide Leading Arm 1 PB51-501K

After 1986

Suits 44mm Wide Leading Arm 1 **PB51-502K**

	COIL SPACER		
	5mm	2	PS59-4001
	10mm	2	PS59-4002
B	20mm	2	PS59-4003
	30mm	2	PS59-4004

	REAR	₽	PART NUMBER	PRICE
	COIL SPRING			
I	Linear Rate Raised Height (45mm Lift) Up to 50Kg Constant Load	1	C51-015	В
MWWWM	Variable Rate Raised Height (50mm Lift) 100-220Kg Constant Load	1	C51-027V	В
	SHOCK ABSORBI	ĒR		
·	Twin Tube Gas Heavy Duty	2	GS51-117	

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes

Chassis Number up to LA930455

Kit Contains:
4 x Front Radius Arm to Chassis Bush
4 x Front Radius Arm to Diff Bush
2 x Front Panhard Rod Bush
2 x Rear Upper Arm to Chassis Bush
2 x Rear Lower Arm to Diff Bush

4 x Rear Lower Arm to Chassis Bush 1 **PB51-1244K**

Chassis Number LA930456 on

Kit Contains:

4 x Front Radius Arm to Chassis Bush
4 x Front Radius Arm to Diff Bush
2 x Front Panhard Rod Bush
2 x Rear Upper Arm to Chassis Bush
2 x Rear Lower Arm to Diff Bush
4 x Rear Lower Arm to Chassis Bush
1 PB51-1243K



TYPE: Defender MODEL: 110 Series YEAR: 1984 to 1992

DETAIL: Pickup, 110 Country Wagon, Trayback



	FRONT	E	PART NUMBER	PRICE
	COIL SPRING			
	Suits: 110 V8 Pet 2.5L Diesel	rol		
MWWW	Linear Rate Raised Height (40mm Lift)	1	C51-017	В
M	Linear Rate Raised Height (40mm Lift) 80-100Kg Accessories (Bullbar AND Winch)	1	C51-015	В
	Suits: 110 Isuzu Diesel	(Pi	ickup)	
MWWW	Linear Rate Raised Height (30mm Lift)	1	C51-015	В
MMMM	Linear Rate Raised Height (40mm Lift) 80-100Kg Accessories (Bullbar AND Winch)	1	C51-022	В
	SHOCK ABSORB	ER		

Twin Tube Gas Heavy Duty

2 **GS51-116**



UNDER BODY BUSH KIT

SEE REAR UNDER BODY BUSH KIT

CASTOR KIT

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

> Front Radius Arm Castor Kit (±2.0°) 4 x Polyurethane Eccentric Bushes

Isuzu Diesel Engine

Suits 38mm Wide Leading Arm 1 PB51-501K

Petrol Only

Suits 38mm Wide Leading Arm 1 PB51-501K

COTI SDACED

Suits 44mm Wide Leading Arm 1 PB51-502K

	COIL JFACER		
	5mm	2	PS59-4001
-	10mm	2	PS59-4002
-	20mm	2	PS59-4003
-	30mm	2	PS59-4004

REAR			PART NUMBER	PRICE
	COIL SPRING			
Suits: 110	Wagon & Pickup with Self	Le	velling Suspe	nsion
MWWW	Linear Rate Raised Height (30mm Lift)	1	C51-001	В
Suits: 110 \	Wagon & Pickup without Se	lf L	evelling Sus	ension
MWWW	Linear Rate Raised Height (45mm Lift) Up to 250Kg Constant Load	1	C51-019	В
MWWW	Linear Rate Raised Height (45mm Lift) 350Kg Constant Load	1	C51-011	С
	SHOCK ABSORB	ER		
·	Twin Tube Gas Heavy Duty	2	GS51-117	

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes

Chassis Number up to LA930434

 $\begin{tabular}{ll} Kit Contains: \\ 4 x Front Radius Arm to Chassis Bush \\ \end{tabular}$ 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush $2\ x\ Rear\ Upper\ Arm\ to\ Chassis\ Bush$ 2 x Rear Lower Arm to Diff Bush

4 x Rear Lower Arm to Chassis Bush 1 PB51-1244K

Chassis Number LA930435 on

Kit Contains:

4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Upper Arm to Chassis Bush 2 x Rear Lower Arm to Diff Bush

4 x Rear Lower Arm to Chassis Bush 1 PB51-1243K



TYPE: Defender

MODEL: 110 and 130 Series

YEAR: 1992 to 2001

DETAIL: LWB 110" Wheel Base 300 TDi,

130" Wheel Base Double Cab



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			i
	Suits: 110 Series			
	130 Series			
MWWW	Linear Rate Standard Height	1	C51-020	В
	Linear Rate Raised Height (30mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C51-018	В
 	Linear Rate Raised Height (45mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C51-026	В
1	SHOCK ABSORB	30		
	Twin Tube Gas	7.		
	Heavy Duty	2	GS51-116	
1	STEERING DAMP	Ħ;		
-	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-832	
	UNDER BODY BUSH	łΚ	IT	
	SEE REAR UNDER BODY B	USI	H KIT	
	CASTOR KIT			
	Raising Vehicle Will Effect Ca			
A Wheel Alignm	nent is Recommended to Determ Front Radius Arm Castor			Required
	4 x Polyurethane Eccent	ric	Bushes	
	110 Series			
	uits 38mm Wide Leading Arm		PB51-501K	
Sı	uits 44mm Wide Leading Arm 130 Series	1	PB51-502K	
Sı	uits 44mm Wide Leading Arm	1	PB51-502K	
	COIL SPACER			
	5mm	2	PS59-4001	
	10mm	2	PS59-4002	
	20mm	2	PS59-4003	
	30mm	2	PS59-4004	

	REAR	₽	PART NUMBER	PRICE		
	COIL SPRING					
	Suits: 110 Serie	S				
I	Linear Rate Standard Height	1	C51-051	В		
MMMM	Linear Rate Raised Height (45mm Lift) Up to 250Kg Constant Load	1	C51-019	В		
MWWW	Linear Rate Raised Height (45mm Lift) Up to 350Kg Constant Load	1	C51-011	С		
MMMM	Linear Rate Raised Height (50mm Lift) 500Kg Constant Load	1	C51-059T	С		
Suits: 130 Series						
Reuse I	nner Coil Helper for Maximum L	oad	Carrying Capac	city		
MWWWW	Linear Rate Raised Height (45mm Lift)	1	C51-009T	С		
MWWW	Linear Rate Raised Height (45mm Lift) 500Kg Constant Load	1	C51-059T	С		
	SHOCK ABSORB	ΕR				
·	Twin Tube Gas Heavy Duty	2	GS51-117			

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes

Chassis Number LA930435 on

Kit Contains: 4 x Front Radius Arm to Chassis Bush

4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Upper Arm to Chassis Bush

2 x Rear Lower Arm to Chassis Bush

4 x Rear Lower Arm to Chassis Bush 1 **PB51-1243K**



TYPE: Defender

MODEL: 110 and 130 Series

YEAR: 2007 on

DETAIL: TD4 2.4 Turbo Diesel



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Standard Height	1	C51-020	В
MWWW	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C51-018	В
MMMM	Linear Rate Raised Height (50mm Lift) 50-80Kg Accessories (Bullbar OR Winch)	1	C51-017	В
MMMM	Linear Rate Raised Height (50mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C51-026	В
	STEERING DAMP	Ξŧ		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-832	
1	SHOCK ABSORB	ER		
-	Twin Tube Gas Heavy Duty	2	GS51-116	
	UNDER BODY BUSH	łΚ	IT	
	SEE REAR UNDER BODY B			

				0
	UNDER BODY BUSH	ΙK	IT	
	SEE REAR UNDER BODY B	USI	H KIT	
	COIL SPACER			
0	5mm	2	PS59-4001	4 x Front
i a_	10mm	2	PS59-4002	'*'
8e_	20mm		PS59-4003	2 x Rea 2 x 4 x Rea
	30mm	2	PS59-4004	

	REAR	Ł	PART NUMBER	PRICE
	COIL SPRING			
	Suits: 110 Serie	s		
I	Linear Rate Standard Height	1	C51-051	В
MWWW	Linear Rate Raised Height (45mm Lift) Up to 250Kg Constant Load	1	C51-019	В
MWWWW	Linear Rate Raised Height (45mm Lift) Up to 350Kg Constant Load	1	C51-011	C
MMMM	Linear Rate Raised Height (50mm Lift) 500Kg Constant Load	1	C51-059T	C
	Suits: 130 Serie	s		
Replace I	Inner Coil Helper for Maximum L	oad	d Carrying Capa	city.
I	Linear Rate Raised Height (45mm Lift)	1	C51-009T	С
MMMM	Linear Rate Raised Height (45mm Lift) 500Kg Constant Load	1	С51-059Т	С
	SHOCK ABSORB	ER		
·	Twin Tube Gas Heavy Duty	2	GS51-117	
	UNDER BODY BUSI	ł K	IT	

Kit Includes Front & Rear Under Body Bushes

Chassis Number up to LA930435 on

Kit Contains:
4 x Front Radius Arm to Chassis Bush
4 x Front Radius Arm to Diff Bush
2 x Front Panhard Rod Bush
2 x Rear Upper Arm to Chassis Bush
2 x Rear Lower Arm to Diff Bush

x Rear Lower Arm to Chassis Bush 1 PB51-1243K



TYPE: Freelander MODEL: Freelander

YEAR: 1997 to 1999, 1999 to 2006


DETAIL: Petrol & TD4



	FRONT	ΣĎ	PART NUMBER	PRICE			
	COIL SPRING						
1997 to 1999 1.8L Petrol 2.0L Turbo Diesel (To Chassis No WA624944)							
MWWW	Linear Rate Raised Height (30mm Lift)	1	C51-012	В			
	1999 to 2006 2.5L V6 Petrol 2.0L TD DOHC (From Chassis No WA6	524	945)				
	Linear Rate Raised Height (30mm Lift)	1	C51-046	В			

D4					
	REAR SOLL ERRING	ΔTΔ	PART NUMBER	PRICE	
	1997 to 1999 1.8L Petrol 2.0L Turbo Dieso (To Chassis No WA62		44)		
MWWWM	Linear Rate Raised Height (30mm Lift)	1	C51-013	В	
	1999 to 2006 2.5L V6 Petrol 2.0L TD DOHC (From Chassis No WA6		945)		
WWWW	Linear Rate Raised Height (30mm Lift)		C51-047	В	









=	Heavy Duty Rate Increased Length 1063mm	1	TB38-1673				
SHOCK ABSORBER							
	Twin Tube Gas Heavy Duty	2	GS21-463				

	REAR	ΔTΛ	PART NUMBER	PRICE
	COIL SPRING Linear Rate			
MWWWM	Raised Height (40mm Lift) Up to 100Kg Constant Load	1	C38-003	В
1				
	SHOCK ABSORB Twin Tube Gas	32		
	Heavy Duty	2	GS21-015BC	



TYPE: Scorpio (Getaway) **MODEL**: CRDE Pick-Up

YEAR: 2008 to 2012,

2012 on

DETAIL: 4x4 2.5L



PRICE

			DETAIL:	4X4 2.5L				
	FRONT	F	PART NUMBER	PRICE		REAR	F	PART NUMBER
	TORSION BAF	2				LEAF SPRING		
	Heavy Duty Rate Increased Length 1063mm	1	TB38-1673		و	4 + 2 Leaves Raised Height (40mm Lift) Up to 100Kg Constant Load	2	L38-220-R
	SHOCK ABSORB	Ξ:				SHACKLE BUSH	ΚΤ	
O	Suits 2008 to 2012 Twin Tube Gas Heavy Duty		GS43-082S		OLI	Kit Contains: 12 x PB59-1517	1	PB59-1019K
						U-BOLT KIT		
						Kit Contains: 2 x UB59-415	2	UB59-415K
					1	SHOCK ABSORB	ER	
					0	Twin Tube Gas Heavy Duty	2	GS59-649D
						SHACKLE		
					## •	Right Hand Side (Anti-Reverse)	1	SK59-048
					## •	Left Hand Side (Anti-Reverse)	1	SK59-047



TYPE: Bravo

MODEL: B2200/2500/2600/4000

YEAR: 03/1987 to 11/2006

DETAIL: Pickup, Ford Raider/Courier, Proceed

Suspension Fits 4x2 Highrider and




	4x4 B4000 4.0L V6		
FRONT & P	ART PRICE	REAR	PART PRICE
Heavy Duty Rate Increased Length 926mm 1 TB39	00		2 MAZ-003-R
SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS19	00	6 + 2 Leaves Heavy Duty Raised Height (35mm Lift) 200Kg Constant Load	2 B2600-4X4-R
		SHACKLE BUSH KI	T
	0.1	Kit Contains: 2 x SPF311 4 x PB39-1533 4 x PB39-1549	PB39-1058K
		U-BOLT KIT	
		Kit Contains: 2 x UB59-453-3 2	2 UB59-453-3К
		SHOCK ABSORBE	₹
	0	Twin Tube Gas Heavy Duty 2	2 GS19-081T
		SHACKLE	
	22.27.1	Greasable: Fit In Pairs 2	2 SK59-010



TYPE: BT-50

MODEL: Series I - UN





DETAIL: Pickup/Dual Cab, Ford Ranger PJ, PK
Suspension Fits 4x4 and 4x2 Highrider




FRONT	ΔŢ	PAF NUMI		PRICE
TORSION	BAR			
Note: For Latin American models check ordering, as there are some models w				
Heavy I Rate Increa Length 1024mm x 27	sed	TB39-1	551	
Heavy I Rate Increa Length 926	ased	TB39-1	546	
SHOCK ABS	ORBER			ì
Twin Tube Heavy [GS19-0	82P	

	REAR	ŢŢ	PART NUMBER	PRICE
	LEAF SPRING			
	3 + 2 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	L39-030-R	
و	4 + 2 Leaves Heavy Duty Raised Height (45mm Lift) 280Kg Constant Load	2	L39-031-R	
0	5 + 2 Leaves Super Heavy Duty Raised Height (40mm Lift) 420Kg Constant Load	2	L39-032-R	
1	SHACKLE BUSH I	711		
	Kit Contains:	711		
	2 x PB59-1503 4 x PB39-1533 4 x PB39-1549	1	PB39-1056K	
	U-BOLT KIT			
Ü	Kit Contains: 2 x UB21-466	2	UB21-466K	
1	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS19-081T	
	SHACKLE			
ははに	Greasable: Fit in Pairs	2	SK59-010	
	PIN			
• +	Greasable: Fit in Pairs	2	SP59-060	



TYPE: BT-50

MODEL: Series II - UP/UR



DETAIL: 3.2L Pickup/Well Back/Tray Back,

Also Suits 4x2 Highrider



PRICE

	FRONT	ΤŲ	PART NUMBER	PRICE		REAR	ŢŢ	PART NUMBER	
	COIL SPRING					LEAF SPRING		1	
I	4x2 High Rider Linear Rate Raised Height (40mm Lift) No Accessories		C19-420	В	<u></u>	3 + 3 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	L19-131-R	
I	Linear Rate Raised Height (40mm Lift) 50-90Kg Accessories 4x4	1	C19-422	В	<u></u>	4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 280Kg Constant Load (Recommended)	2	L19-132-R	
MMMM	Linear Rate Raised Height (40mm Lift) No Accessories	1	C19-422	В	<u></u>	5 + 3 Leaves Super Heavy Duty Raised Height (40mm Lift) 500Kg Constant Load		L19-132-R	
MWWWI	Linear Rate Raised Height (40mm Lift) 50-90Kg Accessories	1	C19-424	В	<u></u>	3 + 1 Leaves Parabolic Raised Height (60mm Lift)		L19-135-RP	
*************************************	Linear Rate Raised Height (55mm Lift) No Accessories Linear Rate	1	C19-424	В	<u></u>	3 + 1 Leaves Parabolic Raised Height (50mm Lift) 150Kg Constant Load Comfort Option	2	L19-135-RP	
MWWWW	Raised Height (55mm Lift) 50-100Kg Accessories	1	C19-474	В		TAILSHAFT SPACE			
1					То	ailshaft Centre Bearing Spacer Kit			j
	SHOCK ABSORB	ΕR				Helps to Reduce Driveline Vibration			
0	Twin Tube Gas Heavy Duty	2	GS19-092					2	
	Internal Monotube	_	0515 052			SHACKLE BUSH I	(IT	•	ı
o -	Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm / 7.48"		IMS19-50092		O I	Kit Contains: 2 x PB19-1523 4 x PB19-1524 4 x PB19-1525	1	PB19-1104K	
	X - Centre of Eye to Spri	ng S	Seat						
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm / 7.48"	2	MR19-50092			Kit Contains: 2 x UB21-466	2	UB21-466K	
	X - Centre of Eye to Spri	ng S	Seat			SHOCK ABSORB	ER		ı
	STRUT CAP				0	Twin Tube Gas Heavy Duty	2	GS19-081T	Ī
	Strut Top Cap	2	SC19-009		0	Internal Monotube Heavy Duty	2	IMS19-50081T	
					•—	Monotube Remote Reservoir Heavy Duty	2	MR19-50081T	
						SHACKLE			ĺ
					共 \$		2	SK19-058	
						PIN			ĺ


Greasable: Fit in Pairs 2 SP59-060



TYPE: BT-50

MODEL: Series II - UP/UR

YEAR: 10/2011 on



Also Suits 4x2 Highrider,

3" Lift



	FRONT	E	PART NUMBER	PRICE
	COIL SPRING			
	4x2 High Rider			
MWWW	Linear Rate Raised Height (3" Lift)	1	C19-442	В
	4x4			
M	Linear Rate Raised Height (3" Lift) No Accessories	1	C19-458	В
MWWW	Linear Rate Raised Height (3" Lift) 50-100Kg Accessories	1	C19-476	В
,	SHOCK ABSORB	ER		
o -	Twin Tube Gas Heavy Duty	2	GS19-092	
o -	Internal Monotube Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm / 7.48"	2	IMS19-50092	
	X - Centre of Eye to Sprii	ng S	Seat	
-	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm / 7.48"	2	MR19-50092	
	X - Centre of Eye to Sprii	ng S	Seat	
	STRUT CAP			
	Strut Top Cap	2	SC19-009	

		DADT	
REAR	6	PART NUMBER	PRICE
PARABOLIC LEAF S	PR	ING	
3 + 1 Leaves Raised Height (60mm Lift)	2	L19-135-RP	
3 + 1 Leaves	2	L19-135-RP	
Raised Height (3" Lift)	2	L19-139-RP	
TAILSHAFT SPACE			
Tailshaft Centre Bearing Spacer Kit Helps to Reduce Driveline Vibration			
ricips to reduce briveline vibration		Litted Verificies	
SHACKLE BUSH I	ΚT		
Kit Contains: 2 x PB19-1523			
4 x PB19-1524			
4 x PB19-1525	1	PB19-1104K	
U-BOLT KIT			
Kit Contains:			
2 x UB21-466	2	UB21-466K	
SHOCK ABSORB	70		
Twin Tube Gas	7.1		
Heavy Duty	2	GS19-081T	
Internal Monotube	2	IMS19-50081T	
Heavy Duty Monotube Remote Reservoir	2	114313-300011	
Heavy Duty	2	MR19-50081T	
SUASKI S			
SHACKLE			
Greasable: Fit in Pairs	2	SK19-058	
7.11			
PIN			
Greasable: Fit in Pairs	2	SP59-060	
WARNING - 75MM (3") OR I	110	HER LIFT	
The suspension components listed on this par			use only.
- Refer to Local Laws before Fitting to - An Engineering Certificate may be r			Vehicles
- Handling Characteristics will Dimini	sh	on Lifts Above 5	
The following modifications (but not limited vehicle before the kit is			e to the
- Adjustable Panhard Rods - Modified Leading/Trailing Arms		- Gear Box & Dr Modifications	ive Line
- Brake Hoses		Steering Arms	
- Extended Bump Stops Dobinsons Spring & Suspension do not a	acc		nsibility
for injury caused to person or property products listed on this	y ti	rough the us	
These products do not come with any w		_	ee.



TYPE: Tribute, Escape **MODEL**: BA, ZA, ZB

YEAR: 2001 on

DETAIL: 5 Door, 4 Cyl 2.0L Petrol, V6 3.0L Petrol



	FRONT	占	PART NUMBER	PRICE
	COIL SPRING			
	Suits V6 3.0L			
MWWWM	Linear Rate Standard Height	1	C19-222	В
MMMM	Linear Rate Raised Height (35mm Lift) Comfort Option No Load	1	C19-266	В
mmmm	Linear Rate Raised Height (45mm Lift) Comfort Option No Load	1	C19-264	В
MMMM	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories	1	C19-224	В

	REAR	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Standard Height	1	C19-223	В
MWWWM	Linear Rate Raised Height (35mm Lift) Up to 100Kg Constant Load	1	C19-267	В
MWWWM	Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load	1	C19-225	В



TYPE: G-Wagon MODEL: G230, G300 YEAR: 1982 to 2001

DETAIL: G230: 2.3L and 2.8L Petrol, G300: 3.0L Turbo Diesel



MER-49

	FRONT	Ł	PART NUMBER	PRICE
	COIL SPRING			
MWWMI	Linear Rate Raised Height (45mm Lift)	1	C41-042	В
	SHOCK ABSORB	ER		
·	Twin Tube Gas Heavy Duty	2	G545-125B	

		S.	DART	
	REAR	QTV	PART NUMBER	PRICE
	COIL SPRING			
WWWWW	Variable Rate Raised Height (45mm Lift) Comfort Spring	1	C43-045VE	В
wwww	Variable Rate Raised Height (45mm Lift) Extra Heavy Duty		C41 055V	D
	250Kg Constant Load	1	C41-055V	В
	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS43-784D	



TYPE: G-Wagon MODEL: G55
YEAR: 2005 on

ETAIL: 4 Door Station Wagon



			DETAIL:	4 Door St
	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Linear Rate Raised Height (45mm Lift)	1	C41-060	В
MWWWW	Linear Rate Raised Height (75mm Lift)	1	C41-062	В
· · · · · · · · · · · · · · · · · · ·	SHOCK ABSORB	ΕR		
-	Twin Tube Gas Heavy Duty	2	GS51-117S	

	REAR	ΔŢ	PART NUMBER	PRICE
	COIL SPRING			
wwww	Variable Rate Raised Height (45mm Lift) Comfort Spring	1	C43-045VE	В
wwww	Variable Rate Raised Height (45mm Lift) Extra Heavy Duty 250Kg Constant Load	1	C41-055V	В
1	CUOCI/ A DCODD			
	SHOCK ABSORB	374		
	Twin Tube Gas Heavy Duty	2	GS43-784D	



TYPE: G-Wagon
MODEL: G500 / G550
YEAR: 2005 on
DETAIL: 5.6L V8



	FRONT	₽	PART NUMBER	PRICE
	COIL SPRING			
	G500 Models			
I	Linear Rate Raised Height (50mm Lift)	1	C41-060	В
	G550 Models			
M	Linear Rate Raised Height (45mm Lift)	1	C41-048	В
	SHOCK ABSORB	ER		1
·	Twin Tube Gas Heavy Duty	2	GS45-125B	

	REAR	ΔŢ	PART NUMBER	PRICE
	COIL SPRING			
wwww	Linear Rate Raised Height (50mm Lift)	1	C41-055V	В
1	SHOCK ABSORB	ΞR		1
	Twin Tube Gas Heavy Duty	2	GS43-784D	



TYPE: Triton, L200

MODEL: ME, MF, MG, MH, MJ, MK


YEAR: 1987 to 09/2006

DETAIL: Pickup, Colt Rodeo (South Africa),

Mighty Max, L200 (PNG)



F	RONT	ΣĎ	PART NUMBER	PRICE					
TORSION BAR Petrol & Diesel (Pre 1992)									
==	Heavy Duty Rate Increased Length 1282mm		7B43-200						
	Check Length Before Or	der	ing						
V6 Petrol (06/1991 - 2000) Turbo Diesel (1992 on) Diesel (1997 - 2000)									
==	Heavy Duty Rate Increased Length 1370mm	1	TB43-204						
	Check Length Before Or	der	ing						
,									
	SHOCK ABSORB 1987 - 11/1996								
	Twin Tube Gas Heavy Duty		GS43-082						
	11/1996 on								
	Twin Tube Gas Heavy Duty	2	GS43-082S						
	STEERING DAMP	Ξŧ		1					
•	Heavy Duty Complete with Fittings	1	SD45-022						





TYPE: Triton, L200 MODEL: ML, MN

YEAR: 05/2006 to 2015

DETAIL: Warrior, 4x2 Highrider



	FRONT	≥	PART NUMBER	PRICE		REAR	λ	PART NUMBER	PRICE
	COIL SPRING		_		,	LEAF SPRING		- 1	
Due to Vast	ly Different OE Ride Heights a Possible in Some Mo			May be	After Fitting	g The Springs Below, We Recon Proportioning Val	nme	nd Adjusting the	Brake
	4x2 Highrider 4x4 MN 2.5 T/D Single	Ca	b Only		م٥	3 + 2 Leaves Raised Height (40mm Lift)	2	1 42 04 4 B	
MWWWM	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories	1	C43-186	В	0 0	Comfort Spring 4 + 2 Leaves Raised Height (45mm Lift)	2	L43-014-R	
MWWW	Linear Rate Raised Height (45mm Lift) 70-120Kg Accessories					Medium Duty 100Kg Constant Load 5 + 2 Leaves	2	L43-015-R	
	(Bullbar AND Winch) 4x4 ML 3.5 V6 Pet		C43-192	В	وسو	Raised Height (45mm Lift) Heavy Duty			
4	1x4 MN 2.5 T/D Dual Cab G					350Kg Constant Load	2	L43-016-R	
MWWWMI	Linear Rate Raised Height (40mm Lift) Up to 20Kg Accessories	1	C43-192	В	م	6 + 2 Leaves Raised Height (45mm Lift) Extra Heavy Duty			
MWWW	Linear Rate Raised Height (40mm Lift) 50-70Kg Accessories	1	C43-206	В		550Kg Constant Load		L43-017-R	
	Linear Rate	_	C43-200	Ь		SHACKLE BUSH	ΚI		
MWWWMI	Raised Height (45mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C43-188	В	OLE	Kit Contains: 2 x PB43-1508 4 x PB43-1528 4 x PB43-1527	1	PB43-1085K	
	4x4 ML 3.2 T/D)							
MWWWM	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories	1	. C43-188	В		U - BOLT KIT 05-2006 - 04/20	13		
MWWWW	Linear Rate Raised Height (45mm Lift) 70-120Kg Accessories					Kit Contains: 2 x UB43-701 04/2013 on	2	UB43-701K	
	(Bullbar AND Winch)	1	C43-190	В		Kit Contains: 2 x UB45-800	2	UB45-800K	
	SHOCK ABSORB	=;							
	Twin Tube Gas Heavy Duty	2	GS43-800			SHOCK ABSORE]=;		
~ —	Internal Monotube Adjustable Spring Seat					Twin Tube Gas Heavy Duty Twin Tube Gas	2	GS43-801	
· -	Heavy Duty Original Setting of X = 210mm/8.26"	2	IMS43-50800			Heavy Duty, Long Travel (Big Bore)	2	GS59-651	
	X - Centre of Eye to Spri	ng	Seat			Internal Monotube Heavy Duty	2	IMS43-50801	
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of				• —— ••	Monotube Remote Reservoir Heavy Duty	2	MR43-50801	
	X = 210mm / 8.26" X - Centre of Eye to Spri					SHACKLE		i i	
		ilig	Jeat	Y	\$7:27:1	Greasable: Fit in Pairs	2	SK43-037	
	STRUT CAP								
	Strut Top Cap	2	SC43-005			PIN Constable 5th in Drive	2	CDEO OCO	
	TOP OUT STOP H	(I1				Greasable: Fit in Pairs	2	5453-060	
	Top Out Stop Kit					TAILSHAFT SPA	93	₹	
Recommende	d To Fit This Kit With All Susper Travel	nsic	on Kits To Mainta	nin Droop		aised Suspension, a Tailshaft S aring and Prolong Life in Mode	рас	er is Required to	
						Tailshift Spacer	1	S43-001	



TYPE: Triton, L200

MODEL: MQ 5th Generation

YEAR: 03/2015 on

DETAIL: 4x4,

Also Suits 4x2 Highrider



	FRONT	Ł	PART NUMBER	PRICE		
	COIL SPRING					
Can Not Exc	ceed 30mm Lift Due to Suspens Linear Rate Raised Height (30mm Lift) Up to 40Kg Accessories		Geometry Rest	rictions B	<u></u>	ڡ
WWWW	Linear Rate Raised Height (30mm Lift) 40-90Kg Accessories	1	C43-316	В	<u></u>	ڡ
1	SHOCK ABSORB	ER		,		^
** Batch Nu	umber 10250 on only, Spring Se 215mm		nust not be low	er than		کی
O 	Twin Tube Gas Heavy Duty	2	GS43-800		<u></u>	ڡ
o -	Internal Monotube Adjustable Spring Seat Heavy Duty Spring Seat Height X = 215mm / 8.45" **	2	IMS43-50800			•
	X - Centre of Eye to Spri	ng S	Seat			
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Spring Seat Height X = 215mm / 8.45" **	2	MR43-50800			
	X - Centre of Eye to Spri	ng S	Seat			-
+	STRUT CAP					_
:	Strut Top Cap	2	SC43-005			•
	TOP OUT STOP I	(IT		1		•
	Top Out Stop Kit	1	WA43-539K			_
Recommende	ed To Fit This Kit With All Susper Travel	nsio	n Kits To Mainta	ain Droop		•
						= ○
					共 立	:1

	REAR	ŢΪ	PART NUMBER	PRICE
	LEAF SPRING		NOMBER	
	3 + 2 Leaves			
ول	Raised Height (30mm Lift) Comfort Option			
	Minimal Load	2	L43-163-R	
0 0	4 + 1 Leaves Raised Height (30mm Lift)			
	Medium Duty Up to 80Kg Constant Load	2	L43-162-R	
و ٥	4 + 2 Leaves Raised Height (30mm Lift)			
	200-250Kg Constant Load 5 + 2 Leaves	2	L43-164-R	
	Raised Height (30mm Lift) Heavy Duty			
	350-400Kg Constant Load	2	L43-165-R	
	SHACKLE BUSH I	(IT		
	Kit Contains: 2 x PB43-1550			
OTI	4 x PB43-1551 4 x PB43-1528	1	PB43-1109K	
	U-BOLT KIT			
	Suits L43-162-R Kit Contains:			
<u> </u>	2 x UB59-453-2	2	UB59-453-2K	
	Suits L43-163-R			
	Kit Contains: 2 x UB59-453-2	2	UB59-453-2K	
	Suits L43-164-R			
	Kit Contains: 2 x UB59-437	2	UB59-437K	
	Suits L43-165-R Kit Contains:	2	UDEO 427K	
	2 x UB59-437	2	UB59-437K	
	SHOCK ABSORB	ER		
·	Twin Tube Gas Heavy Duty	2	GS43-801	
	SHACKLE			
なな!	Greasable: Fit in Pairs	2	SK43-063	
	PIN			
●+	Greasable: Fit in Pairs	2	SP59-060	
	TAILSHAFT SPAC	13:		
When Fitting Ra	aised Suspension a Tailshaft			
Spacer is F	Required to Align the Centre Prolong Life in Models with a		642.004	
	2 Piece Tailshaft	1	S43-001	



TYPE: Challenger / Pajero Sport

MODEL: PA

YEAR: 06/2000 to 2006 **DETAIL:** 2.8L TD, 3.0L V6, Nativa



FRONT	ΔŢ	PART NUMBER	PRICE		REAR	ΣĎ	PART NUMBER	PRICE
	RSION BAR				COIL SPRING			
Ra	Heavy Duty te Increased			MWWW	Variable Rate Raised Height (20mm Lift)	1	C43-065V	В
Len	gth 1307mm 1	1843-203		MWWWW	Variable Rate Raised Height (30mm Lift)			
	CK ABSORBER			/*************************************	200Kg Constant Load	1	C43-043V	В
Tv	win Tube Gas Heavy Duty 2	GS43-082S			SHOCK ABSORB	ΞR		}
				0	Twin Tube Gas Heavy Duty	2	GS43-785	
					neavy bacy	_	00 10 700	



TYPE: Challenger / Pajero Sport

MODEL: PB, PC

YEAR: 2008 to 2015 PB, PC

DETAIL: Montero Sport (South America), Nativa, Pajero Sport (Thailand, USA)



	FRONT	ĮΔ	PART NUMBER	PRICE		
	COIL SPRING					
	4x2 Variants 4x4 3.5 V6, 3.0 V6, 2.4 I4 Petrol 4x4 2.5 T/D					
M	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories	1	C43-192	В		
mmmmi	Linear Rate Raised Height (45mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C43-188	В		
	4x4 3.2 T/D					
Due to Vas	tly Different OE Ride Heights a I Possible in Some Veh			May be		
MWWW	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories	1	C43-188	В		
MMMM	Linear Rate Raised Height (45mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C43-190	В		
	SHOCK ABSORB	ER		1		
	Twin Tube Gas Heavy Duty		GS43-800			
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of					
	X = 210mm / 8.26"		MR43-50800			
	X - Centre of Eye to Spri	ng :	Sedt			
	STRUT CAP					
:E: 0	Strut Top Cap	2	SC43-005			
	TOP OUT STOP K	4III				
	Top Out Stop Kit		WA43-539K			
Recommende	ed To Fit This Kit With All Susper	sio	n Kits To Mainta	ain Droop		

Travel

	REAR	ΤŲ	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Standard Height	1	C43-099	В
MWWW	Linear Rate Raised Height (20mm Lift)	1	C43-097	В
MWWW	Variable Rate Raised Height (35mm Lift)	1	C43-043V	В
MWWW	Linear Rate Raised Height (40mm Lift)	1	C43-203	В
MMMM	Variable Rate Raised Height (40mm Lift) 125Kg Constant Load	1	C43-045V	В
M	Linear Rate Raised Height (40mm Lift) 250Kg Constant Load	1	C43-165	В
	SHOCK ABSORB	ER)
0	Twin Tube Gas Heavy Duty	2	GS43-785	
-	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm / 8.26"	2	MR43-50785	
	X - Centre of Eye to Spri	ng :	Seat	
	,			



TYPE: Pajero Sport

MODEL: QE

YEAR: 2016 on

DETAIL: Montero Sport (South America), Nativa, Pajero Sport (Thailand, USA)



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWWI	Linear Rate Raised Height (35mm Lift) No Accessories	1	C43-186	В
	Linear Rate Raised Height (35mm Lift) 50-100Kg Accessories	1	C43-204	В
	SHOCK ABSORB	ΞR		
-	Twin Tube Gas Heavy Duty	2	GS43-800	
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm / 8.26"	2	MR43-50800	
	X - Centre of Eye to Spri	ng :	Seat	
,				1
	STRUT CAP			
	Strut Top Cap	2	SC43-005	
	TOP OUT STOP K	411	•	ì
	Top Out Stop Kit	1	WA43-539K	
Recommende	ed To Fit This Kit With All Susper Travel	sio	n Kits To Mainta	ain Droop

	REAR	₹	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Standard Height	1	C43-099	В
MWWW	Linear Rate Raised Height (20mm Lift)	1	C43-097	В
MWWW	Variable Rate Raised Height (35mm Lift)	1	C43-043V	В
MWWW	Linear Rate Raised Height (40mm Lift)	1	C43-203	В
MMMM	Variable Rate Raised Height (40mm Lift) 125Kg Constant Load	1	C43-045V	В
mmmmi	Linear Rate Raised Height (40mm Lift) 250Kg Constant Load	1	C43-165	В
1	SHOCK ABSORB	ΕR		
•	Twin Tube Gas Heavy Duty	2	GS43-785	
-	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm / 8.26"	2	MR43-50785	
	X - Centre of Eye to Spri	ng !	Seat	



TYPE: Pajero

MODEL: NA - NF, NH, NJ, NK, NL (Coil Rear) YEAR: 05/1998 to 2000, Pre 1991 (NA - NF)

DETAIL: SWB & LWB Shogun, Montero

Rear Coil Spring Suspension



FRONT	ĬÅ	PART NUMBER	PRICE
TORSION BAR	2		
Suits: V6 SWB & LWB (05/1991	to :	1994)	
Heavy Duty Rate Increased Length 1282mm	1	TB43-200	
Check Length Before O	rder	ring	
Suits: V6 & Tdi NF & NL (1995 o			
Heavy Duty Rate Increased Length 1307mm	1	TB43-203	
Check Length Before O	der	ing	
SHOCK ABSORB	ER		
NA-NF (Pre 05/19	91))	
 Twin Tube Gas Heavy Duty	2	GS43-082	
NH, NJ, NK, NL (05/1991	l to	2000)	
 Twin Tube Gas Heavy Duty	2	GS43-082S	

	REAR	Ţ	PART NUMBER	PRICE
	COIL SPRING			
	Suits: SWB			
MWWWW	Linear Rate Raised Height (25mm Lift)	1	C43-097	В
MWWW	Variable Rate Raised Height (25mm Lift)	1	C43-063V	В
	Suits: LWB			
MMMM	Linear Rate Raised Height (35mm Lift) Up to 100Kg Constant Load (Recommended)	1	C43-101	В
MWWWW	Variable Rate Raised Height (30mm Lift) Up to 100Kg Constant Load	1	C43-043V	В
mmmm	Variable Rate Raised Height (30mm Lift) Extra Heavy Duty Option 125Kg Constant Load	1	C43-045V	В
MWWW	Linear Rate Raised Height (40mm Lift) Extra Heavy Duty Option 250Kg Constant Load	1	C43-165	В
	SHOCK ABSORB	ER		
	NA-NF (Pre 05/19	91)		
·	Twin Tube Gas Heavy Duty	2	GS43-785	
	NH, NJ, NK, NL (05/1991	to	2000)	
• ••	Twin Tube Gas Heavy Duty (Big Bore)	2	GS43-788	
	UNDER BODY BUSH	łK	IT	
4 x Ra	Kit Includes: adius Arm to Diff Mount Bush 2 x Panhard Rod Bush 2 x Swaybar Link Bush			
(Suits Presse	Trailing Arm to Chassis Bush d Steel Bracket with Bushes) OR			
	Trailing Arm to Chassis Bush eel Bracket without Washers)		PB43-1226K	
	Kit Includes Rear Bushe		<u> </u>	
Kit Contains E	xtra Trailing Arm Bushes to Suit	: Tv	o Styles of Trai	ling Arms



TYPE: Pajero

MODEL: NA - NF, NH, NJ, NK (Leaf Rear)
YEAR: 1983 to 2000, Pre-1991 (NA - NF)

DETAIL: SWB & LWB

Rear Leaf Spring Suspension



			DETAIL:	SWB & L Rear Lea	
	FRONT	₹	PART NUMBER	PRICE	
	TORSION BAR	_			
	NA - NF 4 Cyl (1983 t NH, NJ 4 Cyl (1991 to NF - NG V6 (1988 to LWB	19	994)		Q
	Heavy Duty Rate Increased Length 1282mm		TB43-200		Q
	Check Length Before O V6 & TDi (1995 to 2				
===	Heavy Duty Rate Increased Length 1307mm		TB43-203		
	Check Length Before O	rder	ing		
1					
	SHOCK ABSORE Pre 06/1991	1-154			
	Twin Tube Gas Heavy Duty	2	GS43-082		
	07/1991 on				
	Twin Tube Gas Heavy Duty	2	GS43-082S		0
					0
					*
I					I I

	REAR	Þ	PART NUMBER	PRICE
	LEAF SPRING SWB			
ڡ_	3 + 1 Leaves Raised Height (40mm Lift) Up to 100Kg Constant Load LWB	2	PAJ-3+1-R	
	4 + 1 Leaves Raised Height (40mm Lift) Up to 100Kg Constant Load		PAJ-4+1-R	
	SHALKLE BUSH F	711		
	4 x SPF244 4 x PB43-1528 4 x PB43-1527	1	PB43-1015K	
	U-BOLT KIT			
	Kit Contains: 2 x UB43-671		UB43-671K	
	SHOCK ABSORBI	=1;}		
	Twin Tube Gas Comfort Option Medium Load	2	GS59-649	
0	Twin Tube Gas Heavy Duty	2	GS59-651	
,	SHACKLE			
**** 1	SHACKLE Greasable: Fit in Pairs	2	SK43-037	
.25.57.1		2	SK43-037	
.25.57 I		2	SK43-037	
.25.5¢1		2	SK43-037	
.25.5¢1		2	SK43-037	
.25.5¢1		2	SK43-037	
.25.5¢1		2	SK43-037	
.25.5¢1		2	SK43-037	
.25.5¢1		2	SK43-037	



TYPE: Pajero

MODEL: V7 - NM, NP, NS, NT, NW

YEAR: 2000 on

DETAIL: SWB, LWB V78, Station Wagon

3.5L V6, 3.8L V6, 3.2L Tdi



	FRONT	占	PART NUMBER	PRICE
	COIL SPRING			
We Recomme	end A Wheel Alignment Be Carrie	ed C	Out After Fitting	Springs.
	SWB & LWB NM - NP 3.5L V6 NS - NW 3.8L V6	_		
MWWWW	Linear Rate Standard Height (10mm Lift)	1	C43-122	В
M	Linear Rate Raised Height (45mm Lift) No Accessories Recommended	1	C43-124	В
	Linear Rate Raised Height (40mm Lift) Extra Heavy Duty Up to 100Kg Accessories (Bullbar AND Winch)	1	C43-126	В
	SWB & LWB NM - NW 3.2L To	it		
MMMM	Linear Rate Raised Height (40mm Lift) No Accessories	1	C43-126	В
MMMM	Linear Rate Raised Height (40mm Lift) 50-80Kg Accessories (Bullbar AND Winch)	1	C43-148	В
MMMM	Linear Rate Raised Height (40mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C43-144	Ī

SHULK ABSURBI	3	
 Twin Tube Gas		
Hoavy Duty	2	•

·L·O

Heavy Duty 2 **GS43-783**

Monotube Remote Reservoir
Adjustable Spring Seat
Heavy Duty
Original Setting of

X = 241mm / 9.49" 2 **MR43-50783**

X - Centre of Eye to Spring Seat

UNDER BODY BUSH KIT

SEE REAR UNDER BODY BUSH KIT

STRUT CAP

Strut Top Cap 2 SC43-008

	REAR	ΣĎ	PART NUMBER	PRICE	
COIL SPRING					
We Recomme	end A Wheel Alignment Be Carrie	ed C	Out After Fitting	Springs.	
	SWB				
MWWW	Linear Rate Standard Height (10mm Lift)	1	C43-123	С	
M	Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load Recommended	1	C43-191	В	
M	Linear Rate Raised Height (50mm Lift) 200Kg Constant Load	1	C43-125	С	
	LWB				
MWWW	Linear Rate Standard Height (10mm Lift)	1	C43-189	С	
MWWW	Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load Recommended	1	C43-125	С	
M	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 180Kg Constant Load	1	C43-193	С	
MMMM	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 250Kg Constant Load	1	C43-195	С	
M	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 400Kg Constant Load	1	C43-197	С	
	SHOCK ABSORB	3-1			
	Twin Tube Gas	71.			

UNDER BODY BUSH KIT

Heavy Duty

Monotube Remote Reservoir

Heavy Duty 2 **GS43-784**

2 MR43-50784

Kit Includes Front & Rear Under Body Bushes

Kit Contains:
4 x Front Control Arm Lower Inner
4 x Front Control Arm Upper Inner
4 x Rear Control Arm Lower Inner & Outer
4 x Rear Control Arm Upper Inner
2 x Rear Toe Control Arm Inner
2 x Rear Trailing Arm Lower Rear

2 x Rear Trailing Arm Lower Front 1 **PB43-1262K**



TYPE: Pajero iO (Pinin)

MODEL: Pajero iO

YEAR: 03/1999 to 07/2003

DETAIL: SWB: 1.6L & 2.0L LWB: 1.8L & 2.0L



	FRONT	16	PAR I NUMBER	PRICE	
	COIL SPRING				
	QA H65 1.6L SW QA H67 2.0L SW 03/1999 to 10/19	В			
For Vehicles	with O.E. Strut MR319791 / M	R45	5401 OR KYB-3	34442	
MWWWW	Linear Rate Standard Height	1	C43-120	В	
MWWW	Linear Rate Raised Height (28mm Lift)	1	C43-114	В	
	11/1999 to 07/20	03			
For Vehicles	with O.E. Strut MR519092 / M	R55	4614 OR KYB-3	34405	
MWWWW	Linear Rate Raised Height (30mm Lift)	1	C43-120	В	
	QA H76 1.8L LW QA H77 2.0L LW 03/1999 to 10/19	В			
For Vehicles	with O.E. Strut MR319792 / M	R45	5401 OR KYB-3	34442	
MWWWW	Linear Rate Raised Height (30mm Lift)	1	C43-240	В	
11/1999 to 07/2003					
For Vehicles	with O.E. Strut MR519092 / M	R55	4614 OR KYB-3	34405	
M	Linear Rate Raised Height (30mm Lift)	1	C43-258	В	
	CAMBER ADJUSTME	NT	KIT		
	Kit Contains:				

2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment 1 WA57-506K

& 2.0L & 2.0L									
	REAR	ΔŢ	PART NUMBER	PRICE					
QA H65 1.6L SWB QA H67 2.0L SWB									
MWWW	Linear Rate Raised Height (35mm Lift)		C43-135	В					
	QA H76 1.6L LW QA H77 2.0L LW	B B							
MWWWW	Linear Rate Standard Height	1	C43-121	В					
MWWWW	Linear Rate Raised Height (35mm Lift)	1	C43-115	В					



TYPE: Outlander (Airtrek)

MODEL: Outlander
YEAR: 2002 to 2015

DETAIL: CU 4, 2.0L (2002 to 12/2006), ZG - ZH, 3.0L (2007 to 2011),

ZJ - (2012 to 2015)



		FRONT	Ē	PART NUMBER	PRIC			
		COIL SPRING						
		ZE, ZF (2002 to 12/2 CU2 & CU4 Platfo						
	MWWWM	Linear Rate Standard Height	1	C55-032	В			
	MWWW	Linear Rate Raised Height (30mm Lift)	1	C43-120	В			
ZG, ZH (2007 to 2011) GS Platform								
	MWWW	Linear Rate Raised Height (30mm Lift)	1	C43-254	В			
		ZJ (2012 to 2015	5)					
	MWWWW	Linear Rate Raised Height (35mm Lift)	1	C43-172	В			

OL (2007 to to 2015)	2011),			
	REAR	ΣĎ	PART NUMBER	PRICE
	COIL SPRING CU4 Platform (2002 to 1	2/	2006)	
WWWWW	Linear Rate Standard Height		C43-145	В
WWWWW	Linear Rate Raised Height (30mm Lift)	1	C43-147	В
	ZG, ZH (2007 to 20 GS Platform	11)	
WWWW	Linear Rate Raised Height (30mm Lift)	1	C43-255	В
	ZJ (2012 to 2015	5)		
MWWW	Linear Rate Raised Height (35mm Lift)	1	C43-147	В



TYPE: L300

MODEL: P23/24, V, W, P35 **YEAR:** 11/1986 to 1994

DETAIL: Express Van, Star Wagon




FRONT	≥ PART NUMBER	PRICE		REAR	Ž	PART NUMBER	PRICE
TORSION BAR	1			LEAF SPRING			
Heavy Duty Rate Increased Length 971mm				3 + 1 Leaves Raised Height		MIT-018-R	
				SHACKLE BUSH K	(IT		
Twin Tube Gas Heavy Duty	2 GS43-082		OLI	Kit Contains: 2 x SPF1323 4 x PB43-1528 4 x PB43-1527	1	PB43-1079K	
				U-BOLT KIT			
				Kit Contains: 2 x UB43-671	2	UB43-671K	
				SHACKLE KIT			
			なな!	Greasable: Fit in Pairs	2	SK43-037	




TYPE: L400 Spacegear, Delica

MODEL: MV - P Series



DETAIL: 4x4,

Series I (05/1994 to 05/1997), Series II (06/1997 to 05/1999), Series III (06/1999 to 05/2002), Series IV (06/2002 to 03/2007)



(06/1999 to (05/2002), Series IV (06	5/2	2002 to 03/	2007)
	REAR	ĬŽ	PART NUMBER	PRICE
	COIL SPRING			
I	Linear Rate Standard Height	1	C43-111	В
I	Linear Rate Raised Height (40mm Lift)	1	C43-109	В
I	Linear Rate Raised Height (50mm Lift)	1	C43-163	В
	SHOCK ABSORB	ER.		
We Recommend	d A Visual Inspection To Verify Prior To Ordering	The	Type Of Shock	Absorber
	Suits Non-ECS Suspe Eye to Eye	ens	ion	
•	Twin Tube Gas Heavy Duty	2	GS43-081B	

Suits ECS Suspension Pin to Eye



TYPE: Delica **MODEL**: D5

YEAR: 2007 on

DETAIL: 2.4L Petrol Van




	9				
	FRONT		ΣĎ	PART NUMBER	PRICE
	CC	OIL SPRING			
MWWWW	Sta	Linear Rate ndard Height	1	C43-270	В
MWWWW	Raised Height	Linear Rate : (40mm Lift)	1	C43-272	В

	REAR	ΔĮ	PART NUMBER	PRICE
	COIL SPRING			
WWWWW	Linear Rate Standard Height	1	C43-271	В
WWWWW	Linear Rate Raised Height (40mm Lift)	1	C43-273	В



MODEL: D21 - D22, NP300




DETAIL: Pickup, Single/Dual Cab, King Cab, J66 Hardbody, Bakkie



a					·				
	FRONT	ΣÓ	PART NUMBER	PRICE		REAR	ΔŢ	PART NUMBER	PRICE
	TORSION BAR	1				LEAF SPRING		_	
	D21 (1986 to 199 Heavy Duty Rate Increase		TD45 1456		<u>_</u>	3 + 3 Leaves Raised Height (40mm Lift) Up to 70Kg Constant Load	2	NAV-4WD-R	
	Length 1202mm D22 (1997 on) J66 Hardbody, NP				م_	4 + 3 Leaves Raised Height (40mm Lift) 350Kg Constant Load	2	NAV-005-R	
	Heavy Duty Rate Increased Length 892mm	1	TB45-1446			5 + 3 Leaves Raised Height (40mm Lift) 600Kg Constant Load	2	NAV-006-R	
	SHOCK ABSORB	ER		1	1	SHACKLE BUSH I	Œ		
	Twin Tube Gas Heavy Duty	2	GS45-097		OLE	Kit Contains: 2 x PB45-1539 8 x PB45-1531			
						U-BOLT KIT			
						Kit Contains: 2 x UB45-788	2	UB45-788K	
						SHOCK ABSORB	ER		
					•	Twin Tube Gas Comfort Option Medium Load	2	GS59-649	
					0	Twin Tube Gas Heavy Duty	2	GS59-651	
						SHACKLE			
					## 1	Greasable: Fit in Pairs	2	SK45-052	
						PIN			
						Greasable: Fit in Pairs	2	SP45-061	



MODEL: D40 (Does Not Suit 550 Model)



DETAIL: 4x4 Single Cab, Dual Cab, Extra Cab, Frontier 2.5l Turbo Diesel, 4.0L V6 Petrol




	FRONT	ΣĎ	PART NUMBER	PRICE						
COIL SPRING Note: The 550 Model has a Wider Chassis to Fit the 3.0L V6 Diesel. The Front Spring and Shock Absorbers ARE NOT the Same as the 2.5L TD										
Models 2.5L Turbo Diesel 4.0L V6 Petrol										
MWWW	Linear Rate Standard Height (10mm Lift)	1	C45-252	В						
MWWW	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-256	В						
MMMM	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C45-254	В						
ı	SHOCK ABSORB	ER	i							
	Twin Tube Gas Heavy Duty	2	GS45-642							
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 106mm / 4.17"	2	MR45-50642							
	X - Centre of Eye to Spri	ng :	Seat							
1										
-E: 0	Strut Top Cap	2	SC45-004							

CE



MODEL: D40A STX550 (Only Suits 550 Model)



DETAIL: 3.0L V6 Turbo Diesel, 4x4 Single Cab Dual Cab, Extra Cab (Frontier USA)



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			i.
	e 550 Model has a Wider Chassis oring and Shock Absorbers are N Models.			
	3.0L V6 Turbo Die	sel		
MWWW	Linear Rate Standard Height (10mm Lift)	1	C45-276	В
M	Linear Rate	1	C45-278	В
MMMM	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C45-280	В
	SHOCK ABSORB	ER	1	ì
	Twin Tube Gas Heavy Duty		GS45-644	
	STRUT CAP		1	l .
:E: 0	Strut Top Cap	2	SC45-004	

	REAR	ÓΤ	PART NUMBER	PRICE
	LEAF SPRING			
	3 + 2 Leaves Raised Height (35mm Lift) Medium Duty Up to 70Kg Constant Load	2	L45-002-R	
	4 + 2 Leaves Raised Height (50mm Lift) Heavy Duty 250Kg Constant Load	2	L45-003-R	
	5 + 2 Leaves Raised Height (50mm Lift) Super Heavy Duty 380Kg Constant Load	2	L45-004-R	
The state of the s	SHACKLE BUSH I	(IT		
OLI	Kit Contains: 2 x PB59-1529 4 x PB45-1531 4 x PB45-1507	1	PB45-1095K	
	U-BOLT KIT			
Selec	t Correct U-Bolt to Suit Appropri	ate	Spring Selection	n
	Suits L45-002-R Kit Contains: 2 x UB59-667	2	UB59-667K	
	Suits L45-003-R Kit Contains: 2 x UB59-453-2	2	UB59-453-2K	
	Suits L45-004-R Kit Contains: 2 x UB59-453-2	2	UB59-453-2K	
1	SHOCK ABSORBI	= ₹?		
•	Twin Tube Gas Heavy Duty		GS45-645	
• 	Monotube Remote Reservoir Heavy Duty	2	MR45-50645	
	SHACKLE			
なな!	Greasable: Fit in Pairs	2	SK45-054	
	PIN			
●+	Greasable: Fit in Pairs	2	SP59-060	



TYPE: Navara **MODEL:** D23, NP300 YEAR: 08/2014 on




DETAIL: 4x4 Single Cab/Dual Cab/Extra Cab, Frontier, Leaf Spring Rear Suspension Models

	FRONT	₽Ţ	PART NUMBER	PRICE
	COIL SPRING			
Due to the R	estricted Suspension Geometry, Achievable in the Front of t	a N his \	laximum of 40n /ehicle.	nm Lift is
Must Fit GS45	-642 or MR45-50642 Shock Abs Than 10mm	orbe	ers If Raising Ve	hicle Mor
	2.3L & 2.5L Turbo [ies	el	
*****	Linear Rate Standard Height (10mm Lift)			
MWWWM	Heavy Duty			
	Up to 80Kg Accessories	1	C45-440	В
MWWWM	Linear Rate Raised Height (25mm Lift)	1	C45-440	В
*****	Linear Rate			
MWWWW	Raised Height (35mm Lift) Up to 50Kg Accessories	1	C45-254	В
	Linear Rate			
WWWW	Raised Height (35-40mm Lift) 60-90Kg Accessories			
	Comfort Option Linear Rate	1	C45-248X	С
www	Raised Height (40mm Lift)			
	80-120Kg Accessories (Bullbar AND Winch)	1	C45-442	В
_	SHOCK ABSORE	ER		
	Twin Tube Gas Heavy Duty	2	GS45-642	
				1
• = •••	STRUT CAP			
Æ : 0	STRUT CAP	2	SC45-004	
:E: 0		2	SC45-004	
: €		2	SC45-004	
: T : 0		2	SC45-004	
: €		2	SC45-004	
:E: 0		2	SC45-004	
:E: O		2	SC45-004	
:E: 0		2	SC45-004	
:E: O		2	SC45-004	
:E: 0		2	SC45-004	
:E: O		2	SC45-004	
:E: 0		2	SC45-004	
:E: O		2	SC45-004	
:E: O		2	SC45-004	
:E: O		2	SC45-004	
		2	SC45-004	

	REAR	ΔŢ	PART NUMBER	PRICE
	LEAF SPRING			
و	3 + 2 Leaves Raised Height (45mm Lift) Comfort Spring	2	L45-151-R	
	4 + 2 Leaves Raised Height (45mm Lift) Heavy Duty 100Kg Constant Load	2	L45-152-R	
	5 + 2 Leaves Raised Height (45mm Lift) Super Heavy Duty 250-300Kg Constant Load	2	L45-153-R	
	6 + 2 Leaves Raised Height (45mm Lift) Extra Super Heavy Duty 500-600Kg Constant Load	2	L45-154-R	
1				
	SHACKLE BUSH	(11		
OTI	Kit Contains: 2 x SPF972 8 x SPF203	1	PB45-1108K	
1	U-BOLT KIT			
	Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
	SHOCK ABSORB	ŧ₹		
	Long Travel Heavy Duty Twin Tube Gas	2	GS43-081B	
	SHACKLE			
#1	Greasable: Fit in Pairs	2	SK45-062	
	PIN			
•+-	Greasable: Fit in Pairs	2	SP59-060	
I				



MODEL: D23, NP300 YEAR: 08/2014 on



Frontier (USA),

Coil Spring Rear Suspension Models



	FRONT	¥	PART NUMBER	PRICE
	COIL SPRING			
Due to the Re	estricted Suspension Geometry, Achievable in the Front of th	a N nis Y	Maximum of 40n Vehicle.	nm Lift is
	2.3L & 2.5L Turbo D	ies	el	
M	Linear Rate Standard Height Heavy Duty Up to 80Kg Accessories	1	C45-440	В
MWWW	Linear Rate Raised Height (25mm Lift)	1	C45-440	В
M	Linear Rate Raised Height (35mm Lift) Up to 50Kg Accessories	1	C45-254	В
M	Linear Rate Raised Height (40mm Lift) 60-90Kg Accessories Comfort Option	1	C45-248X	С
M	Linear Rate Raised Height (40mm Lift) 60-120Kg Accessories (Bullbar OR Winch)	1	C45-442	В
1	SHOCK ABSORB	ΕĐ		
	Twin Tube Gas Heavy Duty	2	GS45-642	
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 106mm / 4.17"	2	MR45-50642	
	X - Centre of Eye to Spri	ng	Seat	
	STRUT CAP			
	Strut Top Cap	2	SC45-004	

	REAR	ΔĮ	PART NUMBER	PRICE
	COIL SPRING			
Remove C	DE Coil Spring Insulator and Fit t	:o C	obinsons Coil S	pring
MWWWM	Variable Rate Standard Height 50-150Kg Constant Load	1	C45-457V	В
MWWWI	Variable Rate Standard Height Heavy Duty 150-300Kg Constant Load	1	C45-459V	В
IWWWW	Variable Rate Raised Height (20mm Lift) No Load	1	C45-457V	В
I	Variable Rate Raised Height (40mm Lift) Up to 80Kg Constant Load Comfort Option	1	C45-441V	В
MWWWI	Variable Rate Raised Height (40mm Lift) 250-300Kg Constant Load	1	C45-443V	В
I	Variable Rate Raised Height (40mm Lift) 450-550Kg Constant Load	1	C45-445V	С
	SHOCK ABSORB	ER		
·	Twin Tube Gas Heavy Duty	2	GS45-646	
• ——	Monotube Remote Reservoir Heavy Duty	2	MR45-50646	
•	Internal Monotube Heavy Duty	2	IMS45-50646	
	ADJUSTABLE PANHA	RD	ROD	
	Adjustable Panhard Rod		PR45-1425	
SWAY BA	R EXTENSION & BRAKE E	VT	ENSTON RDA	CVET

VAY BAR EXTENSION & BRAKE EXTENSION BRACKET Sway Bar Extension & Brake Extension

Bracket 1 **SE45-523K**

UPPER & LOWER TRAILING ARMS Designed For More Articulation

uty Rear Upper trol Arms (Pair) te With Bushes 1 WA45-540 I	rms (Pair)	Adjustable Control
uty Rear Lower trol Arms (Pair) te With Bushes 1 WA45-541F	rms (Pair)	Adjustable Control



TYPE: Pathfinder **MODEL**: WD21

YEAR: 10/1987 to 1995

DETAIL: Terrano I, Bakkie, Tracker 4x4

2.4L, 3.0L V6, 2.7L TD



	FRONT	ξĎ	PART NUMBER	PRICE
	TORSION BAR			
	Heavy Duty Rate Increased Length 1232mm	1	TB45-1458	
	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS43-082S	
1	STEERING DAMP	13:		1
	Heavy Duty Complete with Fittings	1	SD45-035	

	REAR	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWWII	Linear Rate Standard Height	1	C45-091	В
MWWWW	Linear Rate Raised Height (20mm Lift) Up to 100Kg Constant Load	1	C45-089	В
MWWWW	Linear Rate Raised Height (35mm Lift) Extra Heavy Duty	1	C45-083	В
Damage will Od	ecur to the Drive Line Carrier Be	arii		


	SHOCK ABSORBI	ER	
	Twin Tube Gas Comfort Option Medium Load	2	GS59-649
	Twin Tube Gas Heavy Duty	2	GS59-651

is Applied.

UNDER BODY BUSH KIT					
Kit Includes Front & Rear Under	· Bo	ody Bushes			
Kit Contains: 2 x Front Upper Arm Bush 2 x Front Lower Arm Bush 2 x Front Radius Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1	PB45-1229K			



MODEL: R50





	FRONT	ξĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Standard Height	1	C45-220	В
mmmm	Linear Rate Raised Height (30mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C45-168	В
MWWW 5	Linear Rate Raised Height (35mm Lift) Extra Heavy Duty 0-90Kg Accessories (Bullbar AND Winch)	1	C45-170	В

1	WA57-506K
	1

CAMBER ADJUSTMENT KIT

	REAR	ĮΔ	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Linear Rate Standard Height	1	C45-221	В
MWWWM	Linear Rate Raised Height (35mm Lift)	1	C45-169	В



MODEL: R51 (Does Not Suit Ti 550)

YEAR: 2005 on

DETAIL: Station Wagon, Diesel 2.5L Tdi, 4.0L V6 Petrol



	FRONT	F	PART NUMBER	PRICE
	COIL SPRING			
	2.5L Tdi, 4 Cyl			
I	Linear Rate Lowered Height	1	C45-250	В
I	Linear Rate Standard Height	1	C45-252	В
MMMM	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-254	В
	SHOCK ABSORB	ΕR		
o 	Twin Tube Gas Heavy Duty	2	GS45-642	
	STRUT CAP			
-E: 0	Strut Top Cap	2	SC45-004	

	REAR	₽	PART NUMBER	PRICE
	COIL SPRING			
MWWWM	Linear Rate Lowered Height	1	C45-251	В
MWWWM	Linear Rate Standard Height	1	C45-253	В
MWWWM	Linear Rate Raised Height (40mm Lift)	1	C45-255	В
MWWWW	Linear Rate Raised Height (40mm Lift) 200Kg Constant Load	1	C45-257	С
	Linear Rate Raised Height (40mm Lift) 300Kg Constant Load	1	C45-265	С
	SHOCK ABSORB	ΕR		
	Twin Tube Gas Heavy Duty	2	GS45-643	



MODEL: R51 Ti 550 (Only Suits Ti 550)



DETAIL: Station Wagon, Diesel 3.0L Tdi



•				
	FRONT	₽	PART NUMBER	PRICE
	COIL SPRING 3.0L Turbo Diese	a I		
NWWWW	Linear Rate			
	Standard Height Linear Rate	1	C45-276	В
I	Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-278	В
I	Linear Rate Raised Height (40mm Lift) 50-100Kg Constant Load (Bullbar AND Winch)	1	C45-280	В
1	SHOCK ABSORB	ΞR		1
	Twin Tube Gas Heavy Duty		GS45-644	
	STRUT CAP			1
: ■ •	Strut Top Cap	2	SC45-004	

agon, Diesel	3.0L Tdi			
	REAR	ΔĬ	PART NUMBER	PRICE
	COIL SPRING			
WWWW	Linear Rate Standard Height	1	C45-253	В
WWWW	Linear Rate Raised Height (40mm Lift)	1	C45-255	В
WWWW	Linear Rate Raised Height (40mm Lift) 200Kg Constant Load	1	C45-257	С
WWWW	Linear Rate Raised Height (40mm Lift) 300Kg Constant Load	1	C45-265	С
	SHOCK ABSORB	⊒ ₹₹		1
•	Twin Tube Gas Heavy Duty	2	GS45-643	



MODEL: R52
YEAR: 2013 on
DETAIL: 4x4



	FRONT	ĬŽ	PART NUMBER	PRIC
	COIL SPRING			
MWWWW	Linear Rate Raised Height (30mm Lift)	1	C45-420	С
M	Linear Rate Raised Height (30mm Lift) 50-80Kg Accessories (Bullbar OR Winch)	1	C45-422	С

	REAR	ΤŲ	PART NUMBER	PRICE
	COIL SPRING			
MAAAAAAAA	Linear Rate			
	Standard Height 150-250Kg Constant Load	1	C45-421	В
WWWWW	Linear Rate		645 434	ъ.
	Raised Height (30mm Lift) Linear Rate	1	C45-421	В
MWWWW	Raised Height (30mm Lift) 150-250Kg Constant Load	1	C45-423	В



TYPE: Terrano MODEL: R20

> YEAR: 07/1993 to 2006 (Europe), 03/1997 to

DETAIL: Terrano II, M

2.4L, 2.7L TI



SHOCK ABSORBE		
SHULK ABSURB	1	
		•

Twin Tube Gas Heavy Duty 2 **GS21-463**

Length 1232mm 1 **TB45-1458**




o 2006 (Europe), o 2006 (Australia) Mistral, Ford Maverick (Europe), TD, 3.0L TDi					
	REAR	ΔŢ	PART NUMBER	PRICE	
	COIL SPRING				
MWWWW	Linear Rate Standard Height	1	C45-091	В	
MWWWW	Linear Rate Raised Height (20mm Lift) Up to 100Kg Constant Load	1	C45-089	В	
	SHOCK ABSORB	33			
	Twin Tube Gas Comfort Option Medium Load	2	GS59-649		
•	Twin Tube Gas Heavy Duty	2	GS59-651		



TYPE: Terrano

MODEL: 2nd Generation





	FRONT	Ē	PART NUMBER	PRICE
	COIL SPRING			
MMMM	Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-010	В
M	Linear Rate Raised Height (50mm Lift) Up to 70Kg Accessories	1	C52-004	В

SHOCK ABSORBER



Twin Tube Gas Heavy Duty 2 **GS52-056**

CAMBER ADJUSTMENT KIT

Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.

> Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm

Camber Adjustment 1 WA57-505K

	REAR	ΔŢ	PART NUMBER	PRICE
	COIL SPRING			
WWWW	Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-011	В
WWWW	Linear Rate Raised Height (50mm Lift) 50-100Kg Constant Load	1	C52-005	В
	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS52-057	


CAMBER ADJUSTMENT KIT

Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.

> Kit Contains: $2\ x$ Cam Bolts $\pm 1.2^{\circ}$ for Lower Control Arm Camber Adjustment 1 WA57-505K



MODEL: G160 MQ (Ebro, Safari)





	FRONT	ΣĎ	PART NUMBER	PRICE		REAR	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING	1	_			LEAF SPRING		_	
	MQ - Petrol & Die	sel				SWB & LWB			
	Right Hand Side					Station Wagon	1		
	6 Leaves Raised Height (30mm Lift) Left Hand Side	1	MQ-6L-F RH		م	Right Hand Side 5 + 2 Leaves Raised Height (45mm Lift)	1	MQ-WAG-R RH	
<u></u>	6 Leaves Raised Height (30mm Lift) Right Hand Side	1	MQ-6L-F LH		م	Left Hand Side 5 + 2 Leaves Raised Height (45mm Lift)	1	MQ-WAG-R LH	
	7 Leaves					Pickup			
	Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	MQ-7L-F RH		م	Right Hand Side 5 + 2 Leaves Raised Height (35mm Lift)	1	MQ-UTE-R RH	
	Left Hand Side 7 Leaves					Left Hand Side			
<u></u>	Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	MQ-7L-F LH			5 + 2 Leaves Raised Height (35mm Lift)		-	
·						SHACKLE BUSH I	Œ		
	SHACKLE BUSH	Κij				Kit Contains: 2 x SPF2054			
	Suits MQ				OTI	4 x SPF5051			
	Kit Contains: 2 x SPF2054					4 X SPF2052	1	PB45-1022K	
	4 x (22x16x58)	1	PB45-1021K		1	U-BOLT KIT			1
· · · · · · · · · · · · · · · · · · ·						Kit Contains:			
	U-BOLT KIT Right Hand Sid	е				2 x UB45-453	2	UB45-453K	
	Kit Contains: 2 x UB45-682	1	UB45-682K		,	SHOCK ABSORB	ER		ì
_	Left Hand Side		02.0 002.0		0	Twin Tube Gas			
	Kit Contains: 2 x UB45-451	2	UB45-451K			Heavy Duty	2	GS45-076	
1						SHACKLE			
	SHOCK ABSORB	₽₹			はなな	Greasable: Fit in Pairs	2	SK21-059	
	Twin Tube Gas Heavy Duty	2	GS45-077			PIN			1
1	STEEDING DAM	1-1-				PIN			
	STEERING DAME	44.	<u> </u>			Greasable: Fit in Pairs	2	SP45-027	
	Heavy Duty Complete with Fittings	1	SD45-022						
	SHACKLE			1					
	Suits MQ								
	Kit Contains:								
## 1	2 x Greasable Pins & Nuts 2 x Plates & 2 x Metal Bushes	2	SK45-029						
	PIN								
	Fit in Pairs	2	SP45-027						



MODEL: G160 MK SWB & LWB YEAR: 08/1983 to 1988 DETAIL: Square Headlights



	FRONT	ΣĎ	PART NUMBER	PRICE
1	LEAF SPRING			
	MK - Petrol & Dies	sel		
	Right Hand Side			
0 0	7 Leaves Raised Height (40mm Lift)			
	50-80Kg Accessories			
	(Bullbar OR Winch)	1	MK-7L-F RH	
	Left Hand Side 7 Leaves			
وو	Raised Height (40mm Lift)			
	50-80Kg Accessories (Bullbar OR Winch)	1	MK-7L-F LH	
	Right Hand Side	-	/ 2 . 2	
وو	6 Leaves			
	Raised Height (30mm Lift)	1	MK-6L-F RH	
	Left Hand Side			
	6 Leaves Raised Height (30mm Lift)	1	MK-6L-F LH	
	rtaisea rieigne (seriiin Eine)	_	0	
1	SHACKLE BUSH I	(I T		
	Suits MK			
	Kit Contains:			
	4 x SPF2053 2 x SPF2054			
	2 x (22x16x58)	1	PB45-1024K	
	U-BOLT KIT			
	Right Hand Side			
<u> </u>	Kit Contains: 2 x UB45-682	1	UB45-682K	
_	Left Hand Side			
	Kit Contains:			
	2 x UB45-451	1	UB45-451K	
	SHOCK ABSORB	30		
	Twin Tube Gas			
	Heavy Duty	2	GS45-077	
,				
	STEERING DAMP	Ξ;		
0	Heavy Duty		CD 45 CCC	
	Complete with Fittings	1	SD45-022	
1	CHACVI E			
	SHACKLE Suits MK			
	Kit Contains:			
∣‡‡‡ ▮	2 x Greasable Pins & Nuts			
	x Plates & 1 x Metal Bushes	2	SK45-025	
1	DTN			
	PIN			
	Fit in Pairs	2	SP45-027	

	REAR	Ł	PART NUMBER	PRICE
	LEAF SPRING			
	SWB & LWB Station Wagon	ı		
0 0	Right Hand Side 5 + 2 Leaves			
	Raised Height (45mm Lift)	1	MQ-WAG-R RH	
Q O	Left Hand Side 5 + 2 Leaves			
	Raised Height (45mm Lift)	1	MQ-WAG-R LH	
	Pickup Right Hand Side			
وو	5 + 2 Leaves	_	MO UTE D DU	
	Raised Height (35mm Lift) Left Hand Side	1	MQ-UTE-R RH	
ڡ	5 + 2 Leaves		MO UTE DIII	
	Raised Height (35mm Lift)	1	MQ-UTE-R LH	
	SHACKLE BUSH I	(I T		
	Kit Contains: 2 x SPF2054			
OTI	4 x SPF2051		DD 45 4022V	
	4 x SPF2052	1	PB45-1022K	
·	U-BOLT KIT			
	Kit Contains:	2	11B4E 4E3V	
	2 x UB45-453	2	UB45-453K	
*	SHOCK ABSORB	ER		
·	Twin Tube Gas Heavy Duty	2	GS45-076	
	neavy Duty	۷	G343-070	
i	SHACKLE			
なな!	Greasable: Fit in Pairs	2	SK21-059	
	PIN			
	Greasable: Fit in Pairs	2	SP45-027	



TYPE: Patrol MODEL: Y260 YEAR: 1989 on

DETAIL: 2.8L TD, SWB & LWB,

Grand Sud, Baroud



PRICE

F	RONT	趈	PART NUMBER	PRICE		REAR	ŲΤ	PART NUMBER	
	LEAF SPRING	Ī				LEAF SPRING		1	
9	6 Leaves	_				Right Hand Side			
	Raised Height (35mm Lift)	2	N1S-260-F			5 + 2 Leaves Raised Height (35mm Lift)	1	MQ-WAG-R RH	
1	SHACKLE BUSH K	44				Left Hand Side			
	Kit Contains:					5 + 2 Leaves Raised Height (35mm Lift)	1	MQ-WAG-R LH	
	4 x SPF2053 2 x SPF2054					J (,		·	
	2 x (22x16x58)	1	PB45-1024K			SHACKLE BUSH I	KIT	•	
,						Kit Contains: 2 x SPF2054			
	U-BOLT KIT Right Hand Side					4 x SPF2051			
U	Kit Contains:					4 x SPF2052	1	PB45-1022K	
	2 x UB45-682	1	UB45-682K		1	U-BOLT KIT			
	Left Hand Side Kit Contains:					Kit Contains:			
	2 x UB45-451	1	UB45-451K			2 x UB45-453	2	UB45-453K	
,					1				
	SHOCK ABSORBE Twin Tube Gas	12				SHOCK ABSORB	4:1		
	Heavy Duty	2	GS51-116		0	Twin Tube Gas Heavy Duty	2	GS45-115A	
,					,				
	STEERING DAMP	Ξ;				SHACKLE			
0	Heavy Duty (Big Bore) Complete with Fittings	1	SD45-810		**** !	Greasable: Fit in Pairs	2	SK21-059	
	g-	_	00 10 000			G. 64642161 7 16 111 7 411 5	_		
	SHACKLE					PIN		Í	
	Kit Contains: 2 x Greasable Pins & Nuts					Fit in Pairs	2	SP45-027	
なな!	2 x Plates	_			• •	TIC III Fall 5	2	3543-027	
	1 x Metal Bushes	2	SK45-025						
1	PIN								
	Fit in Pairs	2	SP45-027						



MODEL: Y60 GQ (Wagon) YEAR: 08/1987 to 1998



DETAIL: LWB Station Wagon, GR, Safari, WYG60

	FRONT	Σ	PART NUMBER	PRICE		REAR	₹	PART NUMBER	PRICE
	COIL SPRING					COIL SPRING		ı	
	3.0L Petrol				MAAAAAA	Linear Rate			
MWWW	Linear Rate Standard Height	1	C45-092	В	MWWW	Standard Height Variable Rate	1	C45-323	В
MWWW	Linear Rate Raised Height (40mm Lift)	1	C45-094	В	MWWW	Standard Height (10mm Lift) Extra Heavy Duty			
MWWWW	Variable Rate Raised Height (40mm Lift)	1	C45-096V	В	*************************************	100-200Kg Constant Load Linear Rate	1	C45-145VT	С
	Linear Rate	-	C45 0501	Б	/*************************************	Raised Height (45mm Lift) Variable Rate	1	C45-103	В
I	Raised Height (50mm Lift) 50-80Kg Accessories (Bullbar OR Winch)	1	C45-102	В	I	Raised Height (45mm Lift) Up to 100Kg Constant Load	1	C45-111V	В
MWWW	Linear Rate Raised Height (75mm Lift)	1	C45-108	В	MWWW	Variable Rate Raised Height (50mm Lift) Extra Heavy Duty			
	4.2L Petrol & 2.8L	. TE)			100-150Kg Constant Load	1	C45-115VT	С
I	Linear Rate Standard Height Linear Rate	1	C45-098	В	MWWW	Linear Rate Raised Height (50mm Lift) 250Kg Constant Load	1	C45-129	В
I	Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-102	В	*************************************	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty			
MWWW	Linear Rate Raised Height (75mm Lift)	1	C45-108	В		450Kg Constant Load	1	C45-105T	С
	4.2L Diesel					SHOCK ABSORB	ĒR	I	
MWWW	Variable Rate Raised Height (45mm Lift)	1	C45-110V	В	0	Twin Tube Gas Heavy Duty		GS45-115	
 	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 70-120Kg Accessories				0	Twin Tube Gas Extra Heavy Duty For Loaded Vehicles	2	GS59-703	
	(Bullbar AND Winch)	1	C45-104	В	•	Monotube Remote Reservoir Heavy Duty	2	MR45-60115	
	SHOCK ABSORB	=;				RUBBER COIL SE	Λ	7	1
	Twin Tube Gas Heavy Duty	2	GS45-114		Replace	ement Upper Rubber Coil Seat			
	Monotube Remote Reservoir Heavy Duty	2	MR45-60114			UNDER BODY BUSI	łΚ	(IT	1
					* F l d	Kit Includes Front & Rear Under			2000
	SHOCK ABSORBER BI	RA	CKET		* Excludes	Spherical Panhard Rod Bush for Pre 1989	wa	gon Models 02/2	2000 on
	nmended For Optimal Remote rvoir Positioning And Fitment	1	RM45-007		4 y Fron	Kit Contains: t Radius Arm to Chassis Bush			
	Only For Use With MR45	-60)114			Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush			
	STEERING DAMP	Εŀ	2			2 x Rear Panhard Rod Bush 8 x Rear Trailing Arm Bush	1	DB/5-1221V	
	1988 to 08/198	9				1989 on	_	PB43-1231K	
•	Heavy Duty (Big Bore) Complete with Fittings	1	SD45-834		4 x Fron	Kit Contains: t Radius Arm to Chassis Bush			
	08/1989 to 199	9			4 x I	Front Radius Arm to Diff Bush			
	Heavy Duty (Big Bore) Complete with Fittings	1	SD45-836			ont & Rear Panhard Rod Bush er & Lower Trailing Arm Bush	1	PB45-1239K	
	RUBBER COIL SE	,				BUMP STOP			
Replace	ment Upper Rubber Coil Seat				А	djustable Soft-Hit Bump Stop (Suits 0-56mm extension)	2	BS45-529	
1					1				

UNDER BODY BUSH KIT

SEE REAR UNDER BODY BUSH KIT

CONTINUED ON NEXT PAGE

CONTINUED ON NEXT PAGE



MODEL: Y60 GQ (Wagon) YEAR: 08/1987 to 1998



DETAIL: LWB Station Wagon, GR, Safari, WYG60

TIPE C	COM
111	
400	
	oins

FRONT

PART NUMBER

PRICE

DRAGLINK

CONTINUED FROM PREVIOUS PAGE

38mm Solid Adjustable 1 SA45-1422

PANHARD ROD BUSH

Does Not Fit OE

1 RB45-6025 Upper/Chassis Bush

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff

4 x Rubber Bushes 1 RB59-536K

Arm to Chassis Bush Kit

1 RB45-535K 4 x Rubber Bushes

CASTOR KIT

Raising Vehicle Will Effect Castor Angle.

A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

BUMP STOP

Adjustable Soft-Hit Bump Stop

2 BS45-528 (Suits 0-56mm Extension)

SWAY BAR EXTENSION

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift) 2 **SE45-520**

GEARBOX SPACER KIT

Recommended For Reducing Drive Line

Vibration On Raised Vehicles 1 TC45-001K

COIL SPACER

15mm 2 PS45-4010

30mm 2 **PS45-4011**

REAR

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

SWAY BAR EXTENSION

Check Sway Bar Link Configuration - Some Vehicles Require 2 of the Same Sway Bar and Other Vehicles Require 1 of Each Sway Bar

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift)

Stem Upper/Right Angle Lower Joint* 1 SE45-520

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift)

Right Angle Upper/Right Angle Lower Joint* 1 SE45-521

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2" to 6" Lift) 1 BA45-005

COIL SPACER

15mm 2 **PS45-4012**

30mm 2 **PS45-4013**



MODEL: Y60 GQ (Wagon) **YEAR**: 08/1987 to 1998

DETAIL: SWB GR, Safari, KYY60

Έ



	FRONT	ŁÒ	PART NUMBER	PRIC
	COIL SPRING			
MWWWW	Linear Rate Standard Height	1	C45-092	В
MWWWW	Linear Rate Raised Height (45mm Lift)	1	C45-094	В
MWWWW	Variable Rate Raised Height (45mm Lift)	1	C45-096V	В
MWWW	Variable Rate Raised Height (50mm Lift) 50-100Kg Constant Load	1	C45-110V	В

Twin Tube Gas Heavy Duty 2 GS45-114

Monotube Remote Reservoir Heavy Duty 2 MR45-60114

SHOCK ABSORBER BRACKET

Recommended For Optimal Remote
Reservoir Positioning And Fitment 1 RM45-007

Only For Use With MR45-60114

STEERING DAMPER

1988 to 08/1989

Heavy Duty (Big Bore)
Complete with Fittings 1 **SD45-834**

08/1989 to 1999

Heavy Duty (Big Bore)
Complete with Fittings 1 SD45-836

RUBBER COIL SEAT

Replacement Upper Rubber Coil Seat 2 RS45-4026

UNDER BODY BUSH KIT

SEE REAR UNDER BODY BUSH KIT

BUMP STOP

Adjustable Soft-Hit Bump Stop (Suits 0-56mm extension) 2 **BS45-528**

CASTOR KIT

Raising Vehicle Will Effect Castor Angle.

A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

SWAY BAR EXTENSION

Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

2 **SE45-520**

CONTINUED ON NEXT PAGE

	REAR	₽	PART NUMBER	PRICE
	COIL SPRING			
I	Linear Rate Standard Height	1	C45-093	В
I	Linear Rate Raised Height (45mm Lift)	1	C45-095	В
I	Variable Rate Raised Height (45mm Lift)	1	C45-101V	С
MWWW	Linear Rate Raised Height (50mm Lift) 100-200Kg Constant Load	1	C45-189	В
Recommend	led To Fit WA45-510K And TC45	5-0	01K To All Raise	d SWB

Vehicles To Reduce Driveline Vibration

SHOCK ABSORBER

•	Twin Tube Gas Heavy Duty	2	GS45-115
•	Monotube Remote Reservoir Heavy Duty	2	MR45-60115

RUBBER COIL SEAT

Replacement Upper Rubber Coil Seat 2 RS45-4027

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes * Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on

Pre 1989

Kit Contains:
4 x Front Radius Arm to Chassis Bush
4 x Front Radius Arm to Diff Bush
2 x Front Panhard Rod Bush
2 x Rear Panhard Rod Bush

8 x Rear Trailing Arm Bush 1 **PB45-1231K**

1989 on

Kit Contains: 4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush

8 x Rear Upper & Lower Trailing Arm Bush 1 **PB45-1239K**

BUMP STOP

Adjustable Soft-Hit Bump Stop (Suits 0-56mm extension) 2 BS45-529

SWAY BAR EXTENSION

* Check Sway Bar Link Configuration - Some Vehicles Require 2 of the Same Sway Bar and Other Vehicles Require 1 of Each Sway Bar

Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

Stem Upper/Right Angle Lower Joint* 1 SE45-520

Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

Right Angle Upper/Right Angle Lower Joint* 1 **SE45-521**

TRAILING ARM

2 x Upper Adjustable Trailing Arms with

Bushes 1 WA45-510K

CONTINUED ON NEXT PAGE



MODEL: Y60 GQ (Wagon) **YEAR**: 08/1987 to 1998

DETAIL: SWB GR, Safari, KYY60



FRONT

PART NUMBER

PRICE

REAR

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

GEARBOX SPACER KIT

Recommended For Reducing Drive Line Vibration On Raised Vehicles

1 TC45-001K

BRAKE ADJUSTER

Recommended when Raising Vehicle (Suits 2" to 6" Lift)

CONTINUED FROM PREVIOUS PAGE

COIL SPACER

1 BA45-005

2 **PS45-4012**

2 **PS45-4013**

DRAGLINK

38mm Solid Adjustable 1 **SA45-1422**

PANHARD ROD BUSH

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

15mm

30mm

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff 4 x Rubber Bushes

1 RB59-536K

Arm to Chassis Bush Kit

4 x Rubber Bushes 1 **RB45-535K**

COIL SPACER

15mm 2 **PS45-4012**

30mm 2 **PS45-4013**

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU (to 02/2000)

Right Hand Drive

Complete with Bushes 1 PR45-1402

Left Hand Drive

Complete with Bushes 1 PR45-1407

Suits Y61 GU Only (02/2000 on) Ball Joint to Chassis Mount

Right Hand Drive

Complete with Ball Joint and Bush 1 PR45-1416

Left Hand Drive

Complete with Ball Joint and Bush 1 PR45-1409



MODEL: Y60 GQ/Y61 GU (Big Lift)

YEAR: 08/1987 on

DETAIL: SWB,

75mm (3" Lift), 100mm (4" Lift)



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
	Petrol Engine			
I	Linear Rate Raised Height (3" Lift) No Accessories	1	C45-136	В
M	Linear Rate Raised Height (3" Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C45-134	В
M	Linear Rate Raised Height (4" Lift) No Accessories	1	C45-304	В
MMMM	Linear Rate Raised Height (4" Lift) 50-100kg Accessories	1	C45-314	В
	Diesel Engine			
M	Linear Rate Raised Height (3" Lift) No Accessories	1	C45-134	В
MMMM	Linear Rate Raised Height (3" Lift) 50-100kg Accessories	1	C45-304	В
MWWW	Linear Rate Raised Height (4" Lift) No Accessories	1	C45-314	В
MWWW	Linear Rate Raised Height (4" Lift) 50-100kg Accessories	1	C45-316	В
	SHOCK ABSORB	ΞR		
	Twin Tube Gas Heavy Duty	2	GS51-116	
	Monotube Remote Reservoir Heavy Duty (3" Lift)	2	MR51-60116	

SHULK ABSURBI	35		
 Twin Tube Gas Heavy Duty	2	GS51-116	
Monotube Remote Reservoir Heavy Duty (3" Lift)	2	MR51-60116	
Monotube Remote Reservoir Heavy Duty (4" Lift)	2	MR45-60914	

SHOCK ABSORBER BRACKET

Recommended For Optimal Remote Reservoir Positioning And Fitment 1 RM45-007

Only For Use With MR51-60116 Or MR45-60914

STEERING DAMPER

Heavy Duty (Big Bore) - Complete with Fittings

·	Y60 GQ 1988 to 08/1989	1	SD45-834
	Y60 GQ 08/1989 to 1999	1	SD45-836
	Y61 GU 12/1997 to 02/2000	1	SD51-811
ii	Y61 GU 02/2000 on	1	SD45-801

Some 02/2000 on Latin American Wagons may Require SD51-811.Check End Configuration Before Ordering.

RUBBER COIL SEAT

Replacement Upper Rubber Coil Seat 2 RS45-4026

CONTINUED ON NEXT PAGE

	REAR	ΣĎ	PART NUMBER	PRICE			
	COIL SPRING						
MWWWW	Linear Rate Raised Height (3" Lift)	1	C45-189	В			
MWWW	Linear Rate Raised Height (<mark>4" Lift</mark>)	1	C45-193	С			
Recommended To Fit WA45-510K And TC45-001K To All Raised SWB Vehicles To Reduce Driveline Vibration							

	SHOCK ABSORBI	3		
0	Twin Tube Gas Heavy Duty	2	GS45-913	
•	Monotube Remote Reservoir Heavy Duty (3" Lift)	2	MR45-60913	
•	Monotube Remote Reservoir Heavy Duty (4" Lift)	2	MR45-60915	

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes

* Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on

Pre 1989

Kit Contains: 4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Panhard Rod Bush 8 x Rear Trailing Arm Bush 1 PB45-1231K

Kit Contains: 4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush

1 PB45-1239K

RUBBER COIL SEAT

Replacement Upper Rubber Coil Seat 2 RS45-4027

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU (to 02/2000)

Right Hand Drive & Left Hand Drive

Complete with Bushes 1 PR45-1403

Suits Y61 GU Only (02/2000 on) **Ball Joint to Chassis Mount**

Complete with Ball Joint and Bush 1 PR45-1415

PANHARD ROD BUSH

Does Not Fit OE Upper/Chassis Bush 1 RB45-6025 Does Not Fit OE Lower/Diff Bush 1 RB45-6027

Does Not Fit OE Ball Joint-Upper/Chassis Bush 1 BJ45-6026

CONTINUED ON NEXT PAGE



MODEL: Y60 GO/Y61 GU (Big Lift)

YEAR: 08/1987 on

DETAIL: SWB,

75mm (3" Lift), 100mm (4" Lift)



FRONT

PART NUMBER

PRICE

REAR

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU (to 02/2000)

Right Hand Drive

Complete with Bushes 1 PR45-1402

Left Hand Drive

Complete with Bushes 1 PR45-1407

Suits Y61 GU Only (02/2000 on) **Ball Joint to Chassis Mount**

Right Hand Drive

Complete with Ball Joint and Bush 1 PR45-1416

Left Hand Drive

Complete with Ball Joint and Bush 1 PR45-1409

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OF

Lower/Diff Bush 1 RB45-6027

Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

CASTOR KIT

Raising Vehicle Will Effect Castor Angle.

A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

COIL SPACER

15mm 2 PS45-4012

> 30mm 2 PS45-4013

BUMP STOP

Adjustable Soft-Hit Bump Stop

2 BS45-528 (Suits 0-56mm extension)

SWAY BAR EXTENSION

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift) 1 SE45-520

GEARBOX SPACER KIT

Recommended For Reducing Drive Line

Vibration On Raised Vehicles 1 TC45-001K

CONTINUED FROM PREVIOUS PAGE

SWAY BAR EXTENSION

Check Sway Bar Link Configuration - Some Vehicles Require 2 of the Same Sway Bar and Other Vehicles Require 1 of Each Sway Bar

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift)

Stem Upper/Right Angle Lower Joint* 1 SE45-520

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift)

Right Angle Upper/Right Angle Lower Joint* 1 SE45-521

TRAILING ARM

2 x Upper Adjustable Trailing Arms

1 WA45-510K with Bushes

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2" to 6" Lift) 1 BA45-005

BUMP STOP

Adjustable Soft-Hit Bump Stop (Suits 0-56mm extension) 2 **BS45-529**

COIL SPACER

15mm 2 PS45-4012

30mm 2 PS45-4013

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.



- Refer to Local Laws before Fitting to Registered/Road Vehicles
- An Engineering Certificate may be required
- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.



Adjustable Panhard Rods

- Extended Bump Stops

- Modified Leading/Trailing Arms
- Brake Hoses
- Gear Box & Drive Line
- Modifications
- Steering Arms - Swaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: Y60 GQ (Pickup / Utility - Coil)



DETAIL: Pickup, GR

Leaf Spring Suspension



	FRONT	Σ	PART NUMBER	PRICE		REAR	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING					LEAF SPRING		1	
0	7 Leaves					Right Hand Side			
	Raised Height (45mm Lift) No Accessories 8 Leaves	2	Y60-7L-F			5 + 2 Leaves Raised Height (50mm Lift) Up to 150Kg Constant Load	1	Y60-5+2-R RH	
<u></u>	Raised Height (45mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Recommended	2	Y60-8L-F			Left Hand Side 5 + 2 Leaves Raised Height (50mm Lift) Up to 150Kg Constant Load Right Hand Side	1	Y60-5+2-R LH	
· · · · · · · · · · · · · · · · · · ·	SHACKLE BUSH I	ΚΙΊ				6 + 2 Leaves			
OLI	Kit Contains: 8 x PB59-1517		PB45-1018K			Raised Height (50mm Lift) 300Kg Constant Load Recommended Left Hand Side	1	Y60-6+2-R RH	
1				1		6 + 2 Leaves			
	U-BOLT KIT Kit Contains: 2 x UB45-669	2	UB45-669K			Raised Height (50mm Lift) 300Kg Constant Load Recommended	1	Y60-6+2-R LH	
,						Right Hand Side 7 + 2 Leaves			
	SHOCK ABSORB Twin Tube Gas					Raised Height (50mm Lift) 500Kg Constant Load	1	Y60-7+2-R RH	
	Heavy Duty	2	GS45-640			Left Hand Side 7 + 2 Leaves			
	STEERING DAMP	13:				Raised Height (50mm Lift) 500Kg Constant Load	1	Y60-7+2-R LH	
0	Heavy Duty Complete with Fittings	1	SD45-022						
	complete with rittings	_	3043-022			SHACKLE BUSH	(U		
	SHACKLE					Kit Contains: 12 x PB59-1517	1	PB59-1019K	
## I	Greasable: Fit in Pairs	2	SK59-019			II BOLT I/IT			
	Greasable: Fit Right & Left					U-BOLT KIT Kit Contains:			
# •	as Pair Right Hand Side (AntiReverse)	1	SK59-048			2 x UB45-670-1	2	UB45-670-1K	
	Greasable: Fit Right & Left					SHOCK ABSORB	∃ ₹}		
##	as Pair Left Hand Side (AntiReverse)	1	SK59-047		•	Twin Tube Gas Heavy Duty (Big Bore)	2	GS45-125	
	PIN				1	SHACKLE			
	Constitute First B	_	CD4F 000		#: 1				
	Greasable: Fit in Pairs	2	3P43-U26		4++ 4	Greasable: Fit in Pairs	2	SK59-019	
						Greasable: Fit Right & Left as Pair			
					# •	Right Hand Side (AntiReverse)	1	SK59-048	
						Greasable: Fit Right & Left as Pair			
					## •	Left Hand Side (AntiReverse)	1	SK59-047	
						PIN			
						Greasable: Fit in Pairs	2	SP45-026	



MODEL: Y60 GQ (Pickup / Utility - Leaf)



DETAIL: Pickup,


Coil Spring Suspension



	FRONT	Σ	PART NUMBER	PRICE		REAR	ΣŲ	PART NUMBER	PRICE
	COIL SPRING			1	,	COIL SPRING			
 	Linear Rate Raised Height (20mm Lift) Up to 30Kg Accessories (Bullbar OR Winch)	1	C45-098	В	MWWW	Variable Rate Standard Height (20mm Lift) Up to 100Kg Constant Load	1	C45-145VT	С
 	Linear Rate Raised Height (35mm Lift) Up to 50Kg Accessories				MWWW	Linear Rate Raised Height (45mm Lift) (Recommended)	1	C45-103	В
	(Bullbar OR Winch) Recommended	1	C45-102	В	MWWW	Variable Rate Raised Height (50mm Lift)	1	C45-115VT	С
MWWW	/0-120Kg Accessories				MWWW	Variable Rate Raised Height (50mm Lift) 200Kg Constant Load Linear Rate	1	C45-123VT	С
MWWW	(Bullbar AND Winch) Linear Rate Raised Height (75mm Lift)		C45-104	В	www	Raised Height (45mm Lift) Extra Heavy Duty 450Kg Constant Load	1	C45-105T	С
	4.2L Petrol & 2.8L			Б	BAAAAAAA	Linear Rate			
MWWW			C45-098	В	 		1	C45-129	В
	Linear Rate					SHOCK ABSORB	=;}		
MWWW	Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-102	В	0	• •	2	GS45-115	
MWWW	Linear Rate Raised Height (75mm Lift)	1	C45-108	В	•	Twin Tube Gas Extra Heavy Duty For Loaded Vehicles	2	GS59-703	
	4.2L Diesel				. ===	Monotube Remote Reservoir			
M	raisea rieigne (15111111 Ener	1	C45-110V	В		Heavy Duty	2	MR45-60115	
	Linear Rate Raised Height (45mm Lift)					RUBBER COIL SE			
M	Extra Heavy Duty 70-120Kg Accessories (Bullbar AND Winch)	1	C45-104	В	Керіасе	ement Upper Rubber Coil Seat	2	RS45-4027	,
 	Linear Rate Raised Height (75mm Lift) Heavy Duty 60-110Kg Accessories				А	Adjustable Soft-Hit Bump Stop (Suits 0-56mm extension)	2	BS45-529	
	(Bullbar AND Winch)	1	C45-108	В		UNDER BODY BUSH	łĸ	(IT	
	SHOCK ABSORB	-			* Excludes	Kit Includes Front & Rear Under Spherical Panhard Rod Bush for			2000 on
	Twin Tube Gas				Excidues	Kit Contains:	···	90111104613-0271	2000 011
	Heavy Duty Monotube Remote Reservoir	2	GS45-114		4 x l	It Radius Arm to Chassis Bush Front Radius Arm to Diff Bush Front & Rear Panhard Rod Bush			
	Heavy Duty	2	MR45-60114		8 x Rear Upp	per & Lower Trailing Arm Bush	1	PB45-1239K	
	SHOCK ABSORBER B	RA	CKET		1	COIL SPACER			1
	mmended For Optimal Remote	_	DM45 007				_	DC45 4043	
Rese	ervoir Positioning And Fitment Only For Use With MR45		RM45-007			15mm	2	PS45-4012	
	,					30mm	2	PS45-4013	
	STEERING DAME	13;	₹						
	Heavy Duty (Big Bore) Complete with Fittings	1	SD45-836						
	RUBBER COIL SE	Α	[·					
Replace	ement Upper Rubber Coil Seat	2	RS45-4026						
	CONTINUED ON NEX	T	PAGE						



MODEL: Y60 GQ (Pickup / Utility - Leaf)



DETAIL: Pickup,

Coil Spring Suspension



FRONT	ŲΤŲ	PART NUMBER	PRICE
CONTINUED FROM PREV	10	US PAGE	
UNDER BODY BUSH			
SEE REAR UNDER BODY B	USI	1 KIT	
BUMP STOP			1
Replacement Upper Rubber Coil Seat	2	BS45-528	
CASTOR KIT			
Raising Vehicle Will Effect Ca A Wheel Alignment is Recommended to De Required.			· Kit is
Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes	1	PB59-503K	
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K	
COIL SPACER			1
_	2	DC45 4040	
- _		PS45-4010	
30mm	2	PS45-4011	
DRAGLINK			
38mm Solid Adjustable	1	SA45-1422	
PANHARD ROD BL	JS	1	
Does Not Fit OE Upper/Chassis Bush	1	RB45-6025	
Does Not Fit OE			
Lower/Diff Bush	1	RB45-6027	
RADIUS ARM BU	SH		1
0 Degree Standard Radius Arm Bush Kit Arm to Diff			
4 x Rubber Bushes	1	RB59-536K	
Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB45-535K	



MODEL: Y61 GU, VRGY61, TCSY61, WRGY61,

WYY61, WTY61, WGY61 (Wagon)

YEAR: 12/1997 on

DETAIL: SWB and LWB Station Wagon



		SPECIAL SERVICE		
	FRONT	OTV	PART NUMBER	PRICE
	COIL SP			
	SWI			
	Linear Raised Height (30mm		C45-004	В
	LWE	3		
WWWW	Linear Standard H		C45-140	В
MWWWI	Linear Raised Height (40mm Recomme	n Lift)	C45-138	В
WWWW	Linear Raised Height (50mm No Access	n Lift)	C45-130	В
60-100Kg Acc	Linear Raised Height (50mm essories (Bullbar AND W	n Lift)	C45-232	В
		Suits 4.	5L & 4.8L Petro	I, 4.2L TD
	Linear Standard H		C45-132	В
MWWWI	Linear Raised Height (30mm Recomme	n Lift)	C45-130	В
MWWWI	Linear Raised Height (50mm 0-50Kg Access	n Lift)	C45-232	В
WWWW	Linear Raised Height (60mm No Access	n Lift)	C45-134	В
	Linear Raised Height (45mm 60-110Kg Access (Bullbar AND W	n Lift) sories	C45-134	В
	SHOCK ABS	SODRED		1
	Twin Tub Heavy	e Gas	GS45-114	
	Monotube Remote Rese Heavy	ervoir	MR45-60114	
				1
-	SHOCK ABSORB		CKET	
	nmended For Optimal Re ervoir Positioning And Fit		RM45-007	
	Only For Use With	n MR45-60	0114	
	CTEEDING	DAMBE		1
	STEERING 12/1997 to			
-	Heavy Duty (Big Complete with Fit	Bore)	SD51-811	
	02/200	0 on		

	REAR	Ž	PART NUMBER	PRICE
	COIL SPRING		NOPIDER	
	SWB			
MWWW	Linear Rate Raised Height (40mm Lift)	1	C45-121	В
Recommen	nded To Fit WA45-510K And TC45 Vehicles To Reduce Driveling			d SWB
LWB	GU Patrol Series I, II, III, I	V ((1997 to 2006)
MWWW	Linear Rate Standard Height	1	C45-323	В
MWWWI	Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load (Recommended)	1	C45-103	В
MWWWI	Linear Rate Raised Height (60mm Lift) No Load	1	C45-129	В
MWWWM	Linear Rate Raised Height (45mm Lift) 200Kg Constant Load		C45-129	В
	GU Patrol Series V on (2	200	07 on)	
MWWW	Raised Height (45mm Lift) No Accessories	1	C45-129	В
I	Linear Rate Raised Height (45mm Lift) 200Kg Constant Load	1	C45-329	С
	SHOCK ABSORB	ER		
•	Twin Tube Gas Heavy Duty	2	GS45-115	
•	Twin Tube Gas Extra Heavy Duty For Loaded Vehicles	2	GS59-703	
•	Monotube Remote Reservoir Heavy Duty	2	MR45-60115	
	RUBBER COIL SE	Αī		
Replace	ment Upper Rubber Coil Seat	2	RS45-4027	
_	UNDER BODY BUSH	l K	TT	
	Kit Includes Front & Rear Under			

Kit Includes Front & Rear Under Body Bushes * Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on

4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush

8 x Rear Upper & Lower Trailing Arm Bush 1 PB45-1239K

SWAY BAR EXTENSION

* Check Sway Bar Link Configuration - Some Vehicles Require 2 of the Same Sway Bar and Other Vehicles Require 1 of Each Sway Bar

Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

Stem Upper/Right Angle Lower Joint* 1 **SE45-520**

Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

Right Angle Upper/Right Àngle Lower Joint* 1 SE45-521

CONTINUED ON NEXT PAGE

Some 02/2000 on Latin American Wagons may Require SD51-811.Check

End Configuration Before Ordering.

RUBBER COIL SEAT

Replacement Upper Rubber Coil Seat 2 RS45-4026

Heavy Duty (Big Bore)

Complete with Fittings 1 SD45-801



MODEL: Y61 GU, VRGY61, TCSY61, WRGY61,

WYY61, WTY61, WGY61 (Wagon)

YEAR: 12/1997 on

DETAIL: SWB and LWB Station Wagon



FRONT

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

UNDER BODY BUSH KIT

SEE REAR UNDER BODY BUSH KIT

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff

1 RB59-536K 4 x Rubber Bushes

Arm to Chassis Bush Kit

1 RB45-535K 4 x Rubber Bushes

BUMP STOP

Adjustable Soft-Hit Bump Stop

2 BS45-528 (Suits 0-56mm extension)

DRAGLINK

38mm Solid Adjustable 1 SA45-1424

CASTOR KIT

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is

Recommended to Determine if a Castor Kit is Required.

Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

SWAY BAR EXTENSION

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift) 2 **SE45-520**

COIL SPACER

15mm 2 PS45-4010

30mm 2 **PS45-4011** **REAR**

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

BUMP STOP

Adjustable Soft-Hit Bump Stop

2 **BS45-529** (Suits 0-56mm extension)

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2" to 6" Lift) 1 BA45-005


COIL SPACER

15mm 2 **PS45-4012**

2 **PS45-4013**



MODEL: Y61 GU, UCLY61,



YEAR: 01/1999 on **DETAIL**: Pickup,


Front - Coil Spring, Rear - Leaf Spring




				Front - C	oit Spring, Re	ar - Leaf Spring			
	FRONT	ΣĎ	PART NUMBER	PRICE		REAR	λħ	PART NUMBER	PRICE
	COIL SPRING					LEAF SPRING			i e
	3.0L TD (2008 o					Right Hand Side			
MWWW	4.2L Diesel Linear Rate Standard Height	1	C45-140	В	م	5 + 2 Leaves Raised Height (40mm Lift) Comfort Option	1	Y60-5+2-R RH	
MWWW	Linear Rate Raised Height (40mm Lift)		C45-138	В	0 0	Left Hand Side 5 + 2 Leaves			
MWWWW	Linear Rate Raised Height (50mm Lift)					Raised Height (40mm Lift) Comfort Option	1	Y60-5+2-R LH	
		1	C45-130	В	0 0	Right Hand Side 6 + 2 Leaves Raised Height (50mm Lift)			
www	Raised Height (50mm Lift) 60Kg Accessories (Bullbar OR Winch)	1	C45-232	В		Heavy Duty 300Kg Constant Load (Recommended)	1	Y60-6+2-R RH	
	4.2L TD					Left Hand Side			
MWWW	Linear Rate Standard Height	1	C45-132	В	م	6 + 2 Leaves Raised Height (50mm Lift) Heavy Duty			
www	Linear Rate Raised Height (30mm Lift)	1	C45-130) В		300Kg Constant Load (Recommended)	1	Y60-6+2-R LH	
MWWW	Linear Rate Raised Height (50mm Lift)					Right Hand Side 7 + 2 Leaves			
	0-50Kg Accessories Linear Rate	1	C45-232	В	<u></u> 0	Raised Height (50mm Lift) Heavy Duty 500Kg Constant Load	1	Y60-7+2-R RH	
M	Raised Height (60mm Lift) No Accessories Linear Rate	1	C45-134	В		Left Hand Side 7 + 2 Leaves			
MWWWW	Raised Height (45mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C45-134	В		Raised Height (50mm Lift) Heavy Duty 500Kg Constant Load	1	Y60-7+2-R LH	
	SHOCK ABSORB			_	و ٥	7 + 3 Leaves Raised Height (50mm Lift)			
	Twin Tube Gas	-1.1				Heavy Duty 650Kg Constant Load	2	L45-061-R	
	Heavy Duty	2	GS45-114						
	Monotube Remote Reservoir Heavy Duty	2	MR45-60114			SHACKLE BUSH Kit Contains: 12 x PB59-1517		PB59-1019K	
	SHOCK ABSORBER BI	RA	CKET						
1	nmended For Optimal Remote					U-BOLT KIT		i	1
Rese	only For Use With MR45					Kit Contains: 2 x UB45-454	2	UB45-454K	
	STEERING DAMP	13:			1	SHOCK ABSORB	50		1
	Heavy Duty (Big Bore)					Twin Tube Gas	71		
	Complete with Fittings	1	SD51-811		·	Heavy Duty	2	GS45-125	
	RUBBER COIL SE					CHACKLE			
Replace	ment Upper Rubber Coil Seat	2	RS45-4026			SHACKLE			
	ADJUSTABLE DANIJA		DOD		## I	Greasable: Fit in Pairs	2	SK59-019	
	ADJUSTABLE PANHA Right Hand Drive	4.	KUD			Greasable: Fit Right & Left			
	Complete with Bushes Left Hand Drive	1	PR45-1402		## •	as Pair Right Hand Side (AntiReverse)	1	SK59-048	
	Complete with Bushes	1	PR45-1407			Greasable: Fit Right & Left			
	CONTINUED ON NEX	T	PAGE		# 6	as Pair Left Hand Side (AntiReverse)	1	SK59-047	
						CONTINUED ON NEX		PAGE	



MODEL: Y61 GU, UCLY61,





Front - Coil Spring, Rear - Leaf Spring



FRONT

PART NUMBER

PRICE

REAR

≥ PART D NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

PANHARD ROD BUSH

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

BUMP STOP

Adjustable Soft-Hit Bump Stop

(Suits 0-56mm extension) 2 **BS45-528**

RADIUS ARM BUS

0 Degree Standard Radius Arm Bush Kit

Arm to Diff 4 x Rubber Bushes

1 RB59-536K

Arm to Chassis Bush Kit

4 x Rubber Bushes 1 RB45-535K

DRAGLINK

38mm Solid Adjustable 1 **SA45-1424**

CASTOR KIT

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is

Required.

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 **PB59-503K**

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RI

1 RB59-522K

COIL SPACER

15mm 2 **PS45-4010**

30mm 2 **PS45-4011**

CONTINUED FROM PREVIOUS PAGE
PIN

Greasable: Fit in Pairs 2 SP45-026



MODEL: Y61 GU (Pickup / Utility - Coil Rear)



YEAR: 05/1999 on **DETAIL**: Pickup,

	_		_			
-101		rin	~ ~	Hen	nn	sion
CUI	וכו	ווווע	ב צו	usu	JEIII	ווטוכ

	FRONT	16	PART NUMBER	PRICE		REAR	F	PART NUMBER	PRICE
	COIL SPRING		1		,	COIL SPRING			
	2.8L TD, 4.2L Die	sel			MWWW	Linear Rate			
MWWWM	Linear Rate Standard Height	1	C45-140	В		Standard Height Linear Rate	1	C45-323	В
MWWW	Linear Rate Raised Height (40mm Lift) (Recommended)	1	C45-138	В	MWWWW	Raised Height (45mm Lift) (Recommended) Linear Rate	1	C45-103	В
MMMM	Linear Rate Raised Height (75mm Lift)	1	C45-134	В	MWWWW	Raised Height (75mm Lift) Variable Rate	1	C45-129	В
MWWW	Linear Rate Raised Height (50mm Lift) No Accessories	1	C45-130	В	M	Raised Height (50mm Lift) Variable Rate	1	C45-115VT	С
MMMM	Linear Rate Raised Height (50mm Lift)	1	C43-130	Б	M	Raised Height (50mm Lift) 200Kg Constant Load Linear Rate	1	C45-123VT	С
/*************************************	60-100Kg Accessories (Bullbar OR Winch)	1	C45-232	В	MWWWW	Raised Height (45mm Lift)			
	4.5L & 4.8L Petrol, 4				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Extra Heavy Duty 450Kg Constant Load	1	C45-105T	С
MMMMM	Linear Rate								
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Standard Height	1	C45-132	В		RUBBER COIL SE	Α		
MWWWI	Linear Rate Raised Height (30mm Lift) (Recommended)	1	C45-130	В	Replacen	nent Upper Rubber Coil Seat			
* ***********************************	Linear Rate					SHOCK ABSORB	ΞR		
M	Raised Height (50mm Lift) 0-50Kg Accessories	1	C45-232	В	•	Twin Tube Gas Heavy Duty	2	GS45-115	
MWWW	Linear Rate Raised Height (75mm Lift)	1	C45-108	В	•	Twin Tube Gas Extra Heavy Duty For Loaded Vehicles	2	GS59-703	
MWWW	Linear Rate Raised Height (60mm Lift) No Accessories	1	C45-134	В	•	Monotube Remote Reservoir Heavy Duty	2	MR45-60115	
MWWW	Linear Rate Raised Height (45mm Lift) 60-110Kg Accessories (Bullbar AND Winch)	1	C45-134	В	Same Swa	SWAY BAR EXTEN y Bar Link Configuration - Som ay Bar and Other Vehicles Requ	e V	ehicles Require	
1	SHOCK ABSORB	ER			Adj	justable Sway Bar Extension (Suits 2" to 6" Lift)			
	Twin Tube Gas Heavy Duty	2	GS45-114			per/Right Àngle Lower Joint* justable Sway Bar Extension	1	SE45-520	
	Monotube Remote Reservoir Heavy Duty	2	MR45-60114		Right Angle Upp	(Suits 2" to 6" Lift) per/Right Angle Lower Joint*	1	SE45-521	
	SHOCK ABSORBER BI	RA	CKET			BRAKE ADJUST	ΕR	1	
	nmended For Optimal Remote ervoir Positioning And Fitment	1	RM45-007		Recomm	ended when Raising Vehicle (Suits 2" to 6" Lift)	1	BA45-005	
	Only For Use With MR45	-60)114						
	CTEEDING DAME				٨ - ١	BUMP STOP			
	STEERING DAME Heavy Duty (Big Bore) Complete with Fittings		SD51-811		Au	justable Soft-Hit Bump Stop (Suits 0-56mm extension)	2	BS45-529	
						UNDER BODY BUS	ΗK	IΤ	
	RUBBER COIL SE	Α				Kit Includes Front & Rear Unde pherical Panhard Rod Bush for			2000 on
Replace	ment Upper Rubber Coil Seat	2	RS45-4026		LACITUDES 3	Kit Contains:	***	gon 1100cl3 02/2	200 011

UNDER BODY BUSH KIT

SEE REAR UNDER BODY BUSH KIT

CONTINUED ON NEXT PAGE

CONTINUED ON NEXT PAGE

4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush

4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush 1 PB45-1239K



FRONT

TYPE: Patrol

PART NUMBER

MODEL: Y61 GU (Pickup / Utility - Coil Rear)



PART

NUMBER

PRICE

YEAR: 05/1999 on **DETAIL:** Pickup,

PRICE

Coil Spring Suspension



CONTINUED FROM	PREV:	Ю	US PAG	Ε

ADJUSTABLE PANHARD ROD

Right Hand Drive

Complete with Bushes 1 PR45-1402

Left Hand Drive

1 PR45-1407 Complete with Bushes

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff 4 x Rubber Bushes

1 RB59-536K

Arm to Chassis Bush Kit

4 x Rubber Bushes 1 RB45-535K

BUMP STOP

Adjustable Soft-Hit Bump Stop

2 BS45-528 (Suits 0-56mm extension)

DRAGLINK

38mm Solid Adjustable 1 SA45-1424

CASTOR KIT

Raising Vehicle Will Effect Castor Angle.

A Wheel Alignment is Recommended to Determine if a Castor Kit is Required

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 **RB59-522K**

SWAY BAR EXTENSION

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift) 2 **SE45-520**

COIL SPACER

15mm 2 PS45-4010

30mm 2 PS45-4011

CONTINUED FROM PREVIOUS PAGE

ADJUSTABLE PANHARD ROD

Complete with Bushes 1 PR45-1403

REAR

PANHARD ROD BUSH

Does Not Fit OE

1 RB45-6025 Upper/Chassis Bush

> Lower/Diff Bush 1 RB45-6027

COIL SPACER

15mm 2 **PS45-4012**

30mm 2 **PS45-4013**



MODEL: Y60 GQ/Y61 GU (Big Lift)

YEAR: 08/1987 on

DETAIL: Station Wagon and Pickup,

75mm (3" Lift)



	FRONT	6	PART NUMBER	PRICE
	COIL SPRING			
4.!	5L Petrol, 2.8L & 3.0L T/Die	sel	, 4.2L Diesel	
wwww	No Accessories Linear Rate	1	C45-134	В
MMMMM	50-100Kg Accessories (Bullbar AND Winch)		C45-308	В
	4.8L Petrol, 4.2L T/	Die	sel	
MWWW	Linear Rate Up to 40Kg Accessories	1	C45-308	В
MMMMM	Linear Rate 50-100Kg Accessories Linear Rate	1	C45-310	В
*************************************	Extra Heavy Duty 80-120Kg Accessories	1	C45-108	В
1	SHOCK ABSORB	ΕR		
-	Twin Tube Gas Heavy Duty	2	GS51-116	
	Monotube Remote Reservoir Heavy Duty	2	MR51-60116	
	SHOCK ABSORBER BE	RA	CKET	
	nmended For Optimal Remote ervoir Positioning And Fitment	1	RM45-007	
	Only For Use With MR51	-60	116	
1	STEERING DAMP	1 3:		
Hea	vy Duty (Big Bore) - Compl	ete	with Fittings	
0	Y60 GQ 1988 to 08/1989 (Wagon)	1	SD45-834	
	Y60 GQ 08/1989 to 1999 (Wagon & Pickup)	1	SD45-836	

Some 02/2000 on Latin American Wagons May Require SD51-811. Check End Configuration Before Ordering.

Y60 GQ & Y61 GU

01/1999 on (Pickup)

02/2000 on (Wagon)

Y61 GU

Y61 GU

1 SD51-811

1 SD51-811

1 SD45-801

RUBBER COIL SEAT

Replacement Upper Rubber Coil Seat 2 RS45-4026

12/1997 to 02/2000 (Wagon)

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU - Complete with Bushes

Right Hand Drive

to 02/2000 (Wagon) 1 **PR45-1402**

Right Hand Drive

1992 on (Pickup) 1 **PR45-1402**

Left Hand Drive

to 02/2000 (Wagon) 1 **PR45-1407**

Left Hand Drive

1992 on (Pickup) 1 **PR45-1407**

Suits Y61 GU Only - Complete with Ball Joint & Bush

Right Hand Drive

02/2000 on (Wagon) 1 **PR45-1416**

Left Hand Drive

02/2000 on (Wagon) 1 PR45-1409

CONTINUED ON NEXT PAGE

	REAR	6	PART NUMBER	PRICE
	COIL SPRING			
	GQ - GU Series I, II,	III	, IV	
MWWW	No Load	1	C45-129	В
IWWWWI	Linear Rate 50-100Kg Constant Load	1	C45-329	С
MWWW	Linear Rate 100-250Kg Constant Load	1	C45-309T	С
MWWW	Linear Rate 250-350Kg Constant Load	1	C45-325T	С
	GU Series V			
I	Linear Rate No Load	1	C45-329	С
MWWWW	Linear Rate 50-100Kg Constant Load	1	C45-309T	С
MWWWW	Linear Rate 150-250Kg Constant Load	1	C45-325T	С
	SHOCK ABSORB	35		1

Monotube Remote Reservoir Heavy Duty 2 MR45-60913

UNDER BODY BUSH KIT

Twin Tube Gas

Heavy Duty

2 **GS45-913**

Kit Includes Front & Rear Under Body Bushes *Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on

Post 1989
Kit Contains:

4 x Front Radius Arm to Chassis Bush

4 x Front Radius Arm to Diff Bush

4 x Front & Rear Panhard Rod Bush

8 x Rear Upper & Lower Trailing Arm Bush 1 **PB45-1239K**

RUBBER COIL SEAT

Replacement Upper Rubber Coil Seat 2 RS45-4027

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU

Complete with Bushes

to 02/2000 (Wagon) 1 **PR45-1403**

Complete with Bushes

1992 on (Pickup) 1 **PR45-1403**

Suits Y61 GU Only (Ball Joint to Chassis Mount)

Complete with Ball Joint and Bush

02/2000 on (Wagon) 1 **PR45-1415**

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

CONTINUED ON NEXT PAGE



MODEL: Y60 GO/Y61 GU (Big Lift)

YEAR: 08/1987 on

DETAIL: Station Wagon and Pickup,

75mm (3" Lift)



FRONT

PART NUMBER

PRICE

REAR

PRICE

CONTINUED FROM PREVIOUS PAGE

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

DRAGLINK

Suits GQ/Y60

38mm Solid Adjustable 1 SA45-1422

Suits GU/Y61

38mm Solid Adjustable 1 SA45-1424

OFFSET RADIUS ARM BUSH

Raising Vehicle Will Effect Castor Angle, A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes

1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

BUMP STOP

Adjustable Soft-Hit Bump Stop

(Suits 0-56mm extension) 2 BS45-528

DROP BOX KIT

5° Drop Box Kit (Sold as a Pair)

1 x Left Hand & 1 x Right Hand 1 WA45-509K

May be Required for Vehicles Lifted Closer to 4". Extensive Modifications are Required to Fit the Right Hand and Left Hand Drop Box. Gives a 5° of Castor Adjustment.Leading Arm Modifications are not Required when Fitting this Part Number.

CASTOR PLATE KIT

5° Castor Plate Kit (Suits Both Arms) 1 WA45-513K

SWAY BAR EXTENSION

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift) 2 SE45-520

GEARBOX SPACER KIT

Recommended For Reducing Drive Line

Vibration On Raised Vehicles 1 TC45-001K

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff

4 x Rubber Bushes 1 RB59-536K

Arm to Chassis Bush Kit

4 x Rubber Bushes 1 RB45-535K

PART NUMBER

CONTINUED FROM PREVIOUS PAGE

SWAY BAR EXTENSION

Check Sway Bar Link Configuration - Some Vehicles Require 2 of the Same Sway Bar and Other Vehicles Require 1 of Each Sway Bar

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift)

Stem Upper/Right Angle Lower Joint* 1 SE45-520

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift)

Right Angle Upper/Right Angle Lower Joint* 1 SE45-521

TRAILING ARM

2 x Upper Adjustable Trailing Arms with

1 WA45-510K Bushes

BRAKE ADJUSTER

Recommended when Raising Vehicle (Suits 2" to 6" Lift)

1 BA45-005

BUMP STOP

Adjustable Soft-Hit Bump Stop

(Suits 0-56mm extension)

2 **BS45-529**

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.



- Refer to Local Laws before Fitting to Registered/Road Vehicles
- An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.

- Adjustable Panhard Rods
- Modified Leading/Trailing Arms
- Brake Hoses - Extended Bump Stops
- Gear Box & Drive Line
- Modifications
- Steering ArmsSwaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: Y60 GQ/Y61 GU (Big Lift)

YEAR: 08/1987 on

DETAIL: Station Wagon and Pickup,

100mm (4" Lift)



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
I	Variable Rate Raised Height (<mark>4" Lift</mark>) 0-70Kg Accessories	1	C45-270V	С
M	Linear Rate Raised Height (4" Lift) Light Duty 0-70Kg Accessories	1	C45-314	В
MMMM	Linear Rate Raised Height (<mark>4" Lift)</mark> Medium Duty 50-100Kg Accessories	1	C45-316	В
M	Linear Rate Raised Height (<mark>4" Lift)</mark> Heavy Duty 80-120Kg Accessories	1	C45-100	В
	SHOCK ABSORBI	ER		
	Twin Tube Gas Heavy Duty (Suits All Coils) Twin Tube Gas	2	GS51-116	
	Heavy Duty (Suits C45-270V)	2	GS45-912	
GS45-912 Used	d with C45-270V Allows Coil to St	tay	Trapped at Full	Extension.
	Monotube Remote Reservoir Heavy Duty (Suits All Coils)	2	MR45-60914	
	Monotube Remote Reservoir Heavy Duty (Suits C45-270V)	2	MR59-60683	
	SHOCK ABSORBER BE) A	CVET	Y
	nmended For Optimal Remote rvoir Positioning And Fitment	1		
	Only For Use With MR45-60914 (
	5, . or ode married 00314 c	21 T		
	STEERING DAMP	Ξ:		
Hea	vy Duty (Big Bore) - Comple			
•	Y60 GQ 1988 - 08/1989 (Wagon)	1	SD45-834	
	Y60 GQ 08/1989 - 1999 (Wagon & Pickup)	1	SD45-836	
	Y61 GU 12/1997 to 02/2000 (Wagon)	1	SD51-811	
	Y60 GQ & Y61 GU 01/1999 on (Pickup) Y61 GU	1	SD51-811	
Some 02/200	02/2000 on (Wagon) 00 on Latin American Wagons Ma	ay I		11.Check
	End Configuration Before (ر	ering.	
	RUBBER COIL SE	Λ		
Replace	ment Upper Rubber Coil Seat		RS45-4026	

	REAR	₹Ū	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Variable Rate Raised Height (4" Lift) 0-150Kg Accessories	1	C45-271V	С
mmmm	Linear Rate Raised Height (4" Lift) Medium Duty 0-100Kg Constant Load	1	C45-311T	С
mmmm	Linear Rate Raised Height (4" Lift) Extra Heavy Duty 100-250Kg Constant Load	1	C45-313T	С
MMMMI	Linear Rate Raised Height (<mark>4" Lift</mark>) Extra Extra Heavy Duty 250-400Kg Constant Load	1	C45-315T	С
	RUBBER COIL SE	Αī		
Replacen	nent Upper Rubber Coil Seat	2	RS45-4027	
	SHOCK ABSORB	≡R		1

	(Suits All Coils)	2	GS45-913	
	Twin Tube Gas Heavy Duty (Suits C45-271V)	2	GS45-915	
GS45-915 Use	d with C45-271V Allows Coil to St	ay	Trapped at Full	Extension.
•	Monotube Remote Reservoir Heavy Duty (Suits All Coils)	2	MR45-60913	
	Monotube Remote Reservoir Heavy Duty (Suits C45-271V)	2	MR45-60915	

Twin Tube Gas Heavy Duty

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes *Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on

Post 1989

4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush 1 PB45-1239K

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU (to 02/2000)

Right Hand Drive & Left Hand Drive
Complete with Bushes 1 PR45-1403

Suits Y61 GU Only (02/2000 on)

Ball Joint to Chassis Mount Complete with

Bull Joint and Bush 1 PR45-1415

CONTINUED ON NEXT PAGE

Adjustable Soft-Hit Bump Stop

BUMP STOP

CONTINUED ON NEXT PAGE

(Suits 0-56mm extension) 2 **BS45-528**



MODEL: Y60 GO/Y61 GU (Big Lift)

YEAR: 08/1987 on

DETAIL: Station Wagon and Pickup,

100mm (4" Lift)



FRONT

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff

4 x Rubber Bushes

1 RB59-536K

Arm to Chassis Bush Kit

1 RB45-535K 4 x Rubber Bushes

PANHARD ROD BUSH

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU - Complete with Bushes

Right Hand Drive

1 PR45-1402 to 02/2000 (Wagon)

Right Hand Drive

1 PR45-1402 1992 on (Pickup)

Left Hand Drive

to 02/2000 (Wagon) 1 PR45-1407

Left Hand Drive

1992 on (Pickup) 1 PR45-1407

Suits Y61 GU Only - Complete with Ball Joint & Bush

Right Hand Drive

02/2000 on (Wagon)

1 PR45-1416

Left Hand Drive

02/2000 on (Wagon) 1 PR45-1409

DRAGLINK

Suits GQ/Y60 38mm Solid Adjustable 1 SA45-1422

Suits GU/Y61

38mm Solid Adjustable 1 SA45-1424

CASTOR CORRECTION BUSH

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 **PB59-503K**

DROP BOXES

Extensive Modifications are Required to fit the Left Hand & Right Hand Drop Box. Gives a 5° of Castor Adjustment. Leading Arm Modifications are not Required when Fitting this Part Number.

5° Drop Box Kit (Sold as a Pair)

1 x Left Hand & 1 x Right Hand 1 WA45-509K

CASTOR PLATE KIT

5° Castor Plate Kit

(Suits Both Arms) 1 WA45-513K

SWAY BAR EXTENSION

Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

2 **SE45-520**

GEARBOX SPACER KIT

Recommended For Reducing Drive Line

Vibration On Raised Vehicles 1 TC45-001K

COIL SPACER

2 **PS45-4010** 15mm

30mm 2 **PS45-4011** REAR

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

PANHARD ROD BUSH

Does Not Fit OE

1 RB45-6027 Lower/Diff Bush

Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

SWAY BAR EXTENSION

Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift)

Stem Upper/Right Angle Lower Joint* 1 SE45-520

> Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

Right Angle Upper/Right Àngle Lower Joint^{*} 1 SE45-521

TRAILING ARM

2 x Upper Adjustable Trailing Arms with

1 WA45-510K Bushes

BUMP STOP

Adjustable Soft-Hit Bump Stop

2 BS45-529 (Suits 0-56mm extension)

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2" to 6" Lift)

1 BA45-005

COIL SPACER

2 PS45-4012 15mm

30mm 2 **PS45-4013**

WARNING - 75MM (3") OR HIGHER LIFT The suspension components listed on this page are for off-road use only.

CAUTION

- Refer to Local Laws before Fitting to Registered/Road Vehicles

- An Engineering Certificate may be required

- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.

Adjustable Panhard Rods

- Extended Bump Stops

- Modified Leading/Trailing Arms

- Brake Hoses

- Gear Box & Drive Line Modifications

- Steering Arms

- Swaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: Y60 GQ/Y61 GU (Big Lift)

YEAR: 08/1987 on

DETAIL: Station Wagon and Pickup,

150mm (6" Lift)



PRICE

	FRONT	Ĭ	PART NUMBER	PRICE		REAR	ΣĎ	PART NUMBER	PRICE
	COIL SPRING					COIL SPRING			
MWWWW	Linear Rate Raised Height (<mark>6" Lift)</mark> Light Duty 0-50Kg Accessories	1	C45-320	В	MWWWW	Linear Rate Raised Height (<mark>6" Lift</mark>) Light Duty 0-100Kg Constant Load	1	C45-319	С
MWWW	Linear Rate Raised Height (<mark>6" Lift)</mark> Heavy Duty 50-90Kg Accessories	1	C45-128	С	MMMMM	Linear Rate Raised Height (<mark>6" Lift)</mark> Heavy Duty 100-250Kg Constant Load	1	C45-131T	С
MWWW	Linear Rate Raised Height (6" Lift) Extra Heavy Duty 80-120Kg Accessories	1	C45-322	С	MWWW	Linear Rate Raised Height (6" Lift) Extra Heavy Duty 300-500Kg Constant Load	1	C45-317T	С
	SHOCK ABSORB	ΕR				SHOCK ABSORB	= =₹₹		
	Twin Tube Gas Heavy Duty	2	GS45-912		0	Twin Tube Gas Heavy Duty	2	GS45-915	
	Monotube Remote Reservoir Heavy Duty	2	MR59-60683		•	Monotube Remote Reservoir Heavy Duty	2	MR45-60917	
	SHOCK ABSORBER B	RA	CKET						
Recom Reser	mended For Optimal Remote rvoir Positioning And Fitment					UNDER BODY BUSI Kit Includes Front & Rear Under pherical Panhard Rod Bush for V	r Bo	ody Bushes	1000 on
	Only For Use With MR59	-60	683		*LXCludes 5	1989 on	wag	Joh Models 02/2	.000 011
Heav	STEERING DAMP vy Duty (Big Bore) - Comple					Kit Contains: Radius Arm to Chassis Bush ront Radius Arm to Diff Bush			
	Y60 GQ 1988 - 08/1989 (Wagon) Y60 G	1	SD45-834		4 x Fro	ont & Rear Panhard Rod Bush er & Lower Trailing Arm Bush	1	PB45-1239K	
-	08/1989 - 1999					DUDDED COTL CE			
	(Wagon & Pickup) Y61 GU	1	SD45-836		Replacer	RUBBER COIL SE ment Upper Rubber Coil Seat			
-	12/1997 to 02/2000	1	SD51-811						
1	Y60 GQ & Y61 GU	-	0001 011			ADJUSTABLE PANHA		,	
	01/1999 on (Pickup)	1	SD51-811		Right H	Suits Y60 GQ & Y61 GU (to Hand Drive & Left Hand Drive			
∮	Y61 GU 02/2000 on (Wagon)	1	SD45-801			Complete with Bushes		PR45-1403	
Some 02/200	00 on Latin American Wagons M			11.Check		Suits Y61 GU Only (02/ Ball Joint to Chassis			
	End Configuration Before (3		Comp	olete with Ball Joint and Bush	1	PR45-1415	
	RUBBER COIL SE								
Replacer	ment Upper Rubber Coil Seat	2	RS45-4026			PANHARD ROD BI	בני		

Does	Not	Fit O	F

Upper/Chassis Bush

1 RB45-6025

Does Not Fit OE Lower/Diff Bush

1 RB45-6027

Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

SWAY BAR EXTENSION

Check Sway Bar Link Configuration - Some Vehicles Require 2 of the Same Sway Bar and Other Vehicles Require 1 of Each Sway Bar

> Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

Stem Upper/Right Angle Lower Joint* 1 SE45-520

> Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

Right Angle Upper/Right Àngle Lower Joint* 1 **SE45-521**

CONTINUED ON NEXT PAGE

ADJUSTABLE PANHARD ROD Suits Y60 GQ & Y61 GU - Complete with Bushes

1 PR45-1402

1 PR45-1402

1 PR45-1407

1 PR45-1407

1 PR45-1416

1 PR45-1409

Right Hand Drive

to 02/2000 (Wagon)

Right Hand Drive 1992 on (Pickup)

Left Hand Drive

Left Hand Drive

Right Hand Drive

Left Hand Drive

02/2000 on (Wagon)

02/2000 on (Wagon)

1992 on (Pickup)

Suits Y61 GU Only - Complete with Ball Joint & Bush

to 02/2000 (Wagon)



MODEL: Y60 GO/Y61 GU (Big Lift)

YEAR: 08/1987 on

DETAIL: Station Wagon and Pickup,

150mm (6" Lift)



FRONT

PART NUMBER

PRICE

PANHARD ROD BUSH

CONTINUED FROM PREVIOUS PAGE

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff

4 x Rubber Bushes 1 RB59-536K

Arm to Chassis Bush Kit

4 x Rubber Bushes 1 RB45-535K

DRAGLINK

Suits GQ/Y60

38mm Solid Adjustable 1 SA45-1422

Suits GU/Y61

38mm Solid Adjustable 1 SA45-1424

BUMP STOP

Adjustable Soft-Hit Bump Stop

2 BS45-528 (Suits 0-56mm extension)

DROP BOXES

Extensive Modifications are Required to fit the Left Hand & Right Hand Drop

Box.

Gives a 5° of Castor Adjustment.

Leading Arm Modifications are not Required when Fitting this Part Number.

5° Drop Box Kit (Sold as a Pair)

1 x Left Hand & 1 x Right Hand

CASTOR PLATE KIT

5° Castor Plate Kit

(Suits Both Arms) 1 WA45-513K

1 WA45-509K

SWAY BAR EXTENSION

Adjustable Sway Bar Extension

2 SE45-520 (Suits 2" to 6" Lift)

GEARBOX SPACER KIT

Recommended For Reducing Drive Line

Vibration On Raised Vehicles 1 TC45-001K **REAR**

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

TRAILING ARM

2 x Upper Adjustable Trailing Arms with

1 WA45-510K Bushes

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2" to 6" Lift) 1 BA45-005

BUMP STOP

Adjustable Soft-Hit Bump Stop (Suits 0-56mm extension)

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.

Refer to Local Laws before Fitting to Registered/Road Vehicles CAUTION An Engineering Certificate may be required

- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the

vehicle before the kit is fitted.



- Adjustable Panhard Rods

- Modified Leading/Trailing Arms

- Brake Hoses - Extended Bump Stops

- Gear Box & Drive Line Modifications

- Steering Arms

- Swavbar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: Y60 GO/Y61 GU (Big Lift)

YEAR: 08/1987 on

DETAIL: Station Wagon and Pickup,

75mm (3" FLEXI Lift)



FRONT

PART NUMBER

PRICE

REAR

PART NUMBER

PRICE

COIL SPRING

All Coils Variable Rate

*Due to the flexi coils design requirements they are not recommended for heavily laden vehicles.


The vehicle Bump Stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.

2.8L & 3.0L T	/Diesel	, 4.2L	Diese
---------------	---------	--------	-------

	4 EL 9. 4 91 Dotrol 4 31	T /	Diocal	
MWWW	Variable Rate 80-120Kg Accessories	1	C45-710V	С
MWWW	Variable Rate 50-100Kg Accessories	1	C45-612V	С
WWWWW	Variable Rate No Accessories	1	C45-610V	С

	Variable Rate 80-120Kg Accessories	1	C45-710V	С
	4.5L & 4.8L Petrol, 4.2L	T/	Diesel	
IWWWWI	Variable Rate No Accessories	1	C45-612V	С
IWWWWI	Variable Rate 50-100Kg Accessories	1	C45-710V	С
MWWWWI	Variable Rate 80-120Kg Accessories	1	C45-730V	С

SHOCK ABSORBER



SHOCK ABSORBER BRACKET

Recommended For Optimal Remote Reservoir Positioning And Fitment 1 RM45-007

Only For Use With MR59-60683

RUBBER COIL SEAT

Replacement Upper Rubber Coil Seat 2 RS45-4026

STEERING DAMPER

Heavy Duty (Big Bore) - Complete with Fittings

SD45-834	1	Y60 GQ 1988 - 08/1989 (Wagon)	
SD45-836	1	Y60 GQ - 08/1989 - 1999 (Wagon & Pickup)	-
SD51-811	1	Y61 GU 12/1997 to 02/2000 (Wagon)	
SD51-811	1	Y60 GQ & Y61 GU 01/1999 on (Pickup)	
SD45-801	1	Y61 GU 02/2000 on (Wagon)	;

PANHARD ROD BUSH

RB45-6025	1	Upper/Chassis Bush
RB45-6027	1	Does Not Fit OE Lower/Diff Bush

Does Not Fit OE Ball Joint-Upper/ChassisBush 1 BJ45-6026

CONTINUED ON NEXT PAGE

COIL SPRING

All Coils Variable Rate

*Due to the flexi coils design requirements they are not recommended for heavily laden vehicles.

The vehicle Bump Stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.

I	Variable Rate No Load	1	C45-729V	С
I	Variable Rate 100-200Kg Constant Load	1	C45-731V	С
wwww	Variable Rate Heavy Duty 200-300Kg Constant Load	1	C45-725V	С

SHOCK ABSORBER

•	Twin Tube Gas Heavy Duty	2	GS45-915
-	Monotube Remote Reservoir Heavy Duty	2	MR45-60915

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes * Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on

Kit Contains: 4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush

8 x Rear Upper & Lower Trailing Arm Bush 1 PB45-1239K

RUBBER COIL SEAT

Replacement Upper Rubber Coil Seat 2 RS45-4027

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU

Complete with Bushes to 02/2000 (Wagon) 1 PR45-1403 Complete with Bushes

1 PR45-1403 1992 on (Pickup)

Suits Y61 GU Only **Ball Joint to Chassis Mount**

Complete with Ball Joint and Bush 02/2000 on (Wagon) 1 PR45-1415

PANHARD ROD BUSH

Does Not Fit OE 1 RB45-6025 Upper/Chassis Bush **Does Not Fit OE** Lower/Diff Bush 1 RB45-6027 Does Not Fit OE Ball Joint-Upper/Chassis Bush 1 BJ45-6026

SWAY BAR EXTENSION

Check Sway Bar Link Configuration - Some Vehicles Require 2 of the Same Sway Bar and Other Vehicles Require 1 of Each Sway Bar

Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

1 SE45-520 Stem Upper/Right Angle Lower Joint*

> Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

Right Angle Upper/Right Angle Lower Joint* 1 SE45-521

CONTINUED ON NEXT PAGE



MODEL: Y60 GO/Y61 GU (Big Lift)

YEAR: 08/1987 on

DETAIL: Station Wagon and Pickup,

75mm (3" FLEXI Lift)



FRONT

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

DRAGLINK

Suits GO/Y60

38mm Solid Adjustable 1 SA45-1422

Suits GU/Y61

38mm Solid Adjustable 1 SA45-1424

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU - Complete with Bushes

Right Hand Drive

1 PR45-1402 to 02/2000 (Wagon)

Right Hand Drive

1992 on (Pickup) 1 PR45-1402

Left Hand Drive

to 02/2000 (Wagon) 1 PR45-1407

Left Hand Drive

1992 on (Pickup) 1 PR45-1407

Suits Y61 GU Only - Complete with Ball Joint & Bush

Right Hand Drive

02/2000 on (Wagon) 1 PR45-1416

Left Hand Drive

02/2000 on (Wagon) 1 PR45-1409

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff

4 x Rubber Bushes 1 RB59-536K

Arm to Chassis Bush Kit

4 x Rubber Bushes 1 RB45-535K

CASTOR KIT

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

1 RB59-522K 4 x Rubber Eccentric Bushes

BUMP STOP

Due to the flexi coils design requirements they are not recommended for

heavily laden vehicles.

The vehicle bump stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.

Adjustable Soft-Hit Bump Stop

2 BS45-528 (Suits 0-56mm extension)

DROP BOX KIT

May be Required for Vehicles Lifted Closer to 4" Extensive Modifications are Required to Fit the Right Hand and Left Hand Drop Box. Gives a 5° of Castor Adjustment.

Leading Arm Modifications are not Required when Fitting this Part Number.

5° Drop Box Kit (Sold as a Pair)

1 x Left Hand & 1 x Right Hand 1 WA45-509K

CASTOR PLATE KIT

5° Castor Plate Kit

(Suits Both Arms) 1 WA45-513K

SWAY BAR EXTENSION

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift) 1 SE45-520

GEARBOX SPACER KIT

Recommended For Reducing Drive Line

Vibration On Raised Vehicles 1 TC45-001K **REAR**

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

TRAILING ARM

2 x Upper Adjustable Trailing Arms with

Bushes 1 WA45-510K

BUMP STOP

Adjustable Soft-Hit Bump Stop (Suits 0-56mm extension) 2 BS45-529

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2" to 6" Lift)

1 BA45-005

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only. Refer to Local Laws before Fitting to Registered/Road Vehicles

CAUTION

An Engineering Certificate may be required

- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.



Adjustable Panhard Rods

Modified Leading/Trailing Arms

- Brake Hoses

- Extended Bump Stops

- Gear Box & Drive Line Modifications

- Steering Arms

- Swavbar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: Y60 GO/Y61 GU (Big Lift)

YEAR: 08/1987 on

DETAIL: Station Wagon and Pickup,

100mm (4" FLEXI Lift)



FRONT

PART NUMBER

PRICE

COIL SPRING

All Coils Variable Rate

* Due to the flexi coils design requirements they are not recommended for heavily laden vehicles. The vehicle bump stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.

2.8L & 3.0L T/Dies	el, 4.2L Diesel
--------------------	-----------------

	4.51 & 4.81 Petrol, 4.21	T/	Diesel	
MWWW	Variable Rate 80-120Kg Accessories	1	C45-270V	С
MWWW	Variable Rate 50-100Kg Accessories	1	C45-730V	С
MWWWW	Variable Rate No Accessories	1	C45-710V	С

************	60-120kg Accessories	1	C45-2/UV	C
	4.5L & 4.8L Petrol, 4.2L	T/	Diesel	
IWWWWI	Variable Rate No Accessories	1	C45-730V	С
IWWWWI	Variable Rate 50-100Kg Accessories	1	C45-270V	С
MWWWM	Variable Rate 80-120Kg Accessories	1	C45-754V	С

SHOCK ABSORBER

 Twin Tube Gas Heavy Duty	2	GS45-912
Monotube Remote Reservoir Heavy Duty	2	MR45-60912

SHOCK ABSORBER BRACKET

Recommended For Optimal Remote Reservoir Positioning And Fitment 1 RM45-007

Only For Use With MR45-60912

STEERING DAMPER

Heavy Duty (Big Bore) - Complete with Fittings

•	Y60 GQ 1988 to 08/1989 (Wagon)	1	SD45-834
_	Y60 GQ 08/1989 to 1999 (Wagon &		

Pickup) 1 SD45-836

Y61 GU 12/1997 to 02/2000 (Wagon)

1 SD51-811

Y60 GQ & Y61 GU

01/1999 on (Pickup) 1 SD51-811

Y61 GU

02/2000 on (Wagon) 1 SD45-801

Some 02/2000 on Latin American Wagons may Require SD51-811. Check End Configuration before Ordering

RUBBER COIL SEAT

Replacement Upper Rubber Coil Seat 2 RS45-4026

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OF

Lower/Diff Bush 1 RB45-6027

Does Not Fit OF

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

CONTINUED ON NEXT PAGE

REAR

PART NUMBER

PRICE

COIL SPRING

All Coils Variable Rate

* Due to the flexi coils design requirements they are not recommended for heavily laden vehicles. The vehicle bump stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.

IWWWW	Variable Rate No Load	1	C45-725V	С
MWWW	Variable Rate 100-200Kg Constant Load	1	C45-271V	С
N	Variable Rate 200-300Kg Constant Load	1	C45-273V	С
N	Variable Rate 300-400Kg Constant Load	1	C45-775V	С

SHOCK ABSORBER

•	Twin Tube Gas Heavy Duty	2	GS45-915	
•	Monotube Remote Reservoir Heavy Duty	2	MR45-60917	

UNDER BODY BUSH KIT

* Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on

Kit Contains: 4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush

8 x Rear Upper & Lower Trailing Arm Bush 1 PB45-1239K

RUBBER COIL SEAT

Replacement Upper Rubber Coil Seat 2 RS45-4027

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU

Complete with Bushes to 02/2000 (Wagon) 1 PR45-1403 Complete with Bushes 1 PR45-1403 1992 on (Pickup)

Suits Y61 GU Only **Ball Joint to Chassis Mount**

Complete with Ball Joint and Bush 02/2000 on (Wagon)

1 PR45-1415

PANHARD ROD BUSH

Does Not Fit OF

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

1 RB45-6027 Lower/Diff Bush

Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

SWAY BAR EXTENSION

Check Sway Bar Link Configuration - Some Vehicles Require 2 of the Same Sway Bar and Other Vehicles Require 1 of Each Sway Bar

> Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

Stem Upper/Right Angle Lower Joint* 1 SE45-520

> Adjustable Sway Bar Extension (Suits 2" to 6" Lift)

Right Angle Upper/Right Àngle Lower Joint* 1 SE45-521

CONTINUED ON NEXT PAGE



MODEL: Y60 GO/Y61 GU (Big Lift)

YEAR: 08/1987 on

DETAIL: Station Wagon and Pickup,

100mm (4" FLEXI Lift)



FRONT

PART È NUMBER **PRICE**

CONTINUED FROM PREVIOUS PAGE

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU - Complete with Bushes

Right Hand Drive

to 02/2000 (Wagon) 1 PR45-1402

Right Hand Drive

1992 on (Pickup) 1 PR45-1402

Left Hand Drive

1 PR45-1407 to 02/2000 (Wagon)

Left Hand Drive

1992 on (Pickup) 1 PR45-1407

Suits Y61 GU Only - Complete with Ball Joint & Bush

Right Hand Drive

02/2000 on (Wagon) 1 PR45-1416

Left Hand Drive

02/2000 on (Wagon) 1 PR45-1409

DRAGLINK

Suits GQ/Y60

38mm Solid Adjustable 1 SA45-1422

Suits GU/Y61

38mm Solid Adjustable 1 SA45-1424

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff

4 x Rubber Bushes 1 RB59-536K

Arm to Chassis Bush Kit

4 x Rubber Bushes 1 RB45-535K

CASTOR KIT

Raising Vehicle Will Effect Castor Angle.

A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

BUMP STOP

Adjustable Soft-Hit Bump Stop

(Suits 0-56mm extension)

2 BS45-528

DROP BOX KIT

May be Required for Vehicles Lifted Closer to 4 Extensive Modifications are Required to Fit the RH and LH Drop Box. Gives a 5° of Castor Adjustment.

Leading Arm Modifications are not Required when Fitting this Part Number.

5° Drop Box Kit (Sold as a Pair)

1 x Left Hand & 1 x Right Hand 1 WA45-509K

CASTOR PLATE KIT

5° Castor Plate Kit (Suits Both Arms) 1 WA45-513K

SWAY BAR EXTENSION

Adjustable Sway Bar Extension

(Suits 2" to 6" Lift) 2 **SE45-520**

GEARBOX SPACER KIT

Recommended For Reducing Drive Line

Vibration On Raised Vehicles 1 TC45-001K **REAR**

PART 6 NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

TRAILING ARM

 $2 \times Upper Adjustable Trailing Arms$

with Bushes

1 WA45-510K

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2" to 6" Lift)

1 BA45-005

BUMP STOP

Adjustable Soft-Hit Bump Stop (Suits 0-56mm extension)

2 **BS45-529**

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.



Refer to Local Laws before Fitting to Registered/Road Vehicles

An Engineering Certificate may be required

- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.



Adjustable Panhard Rods

Modified Leading/Trailing Arms

- Brake Hoses - Extended Bump Stops

- Gear Box & Drive Line Modifications

 Steering Arms - Swavbar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the

products listed on this page. These products do not come with any warranty or guarantee.



TYPE: Patrol
MODEL: Y62

YEAR: 2010 on

DETAIL: LWB Wagon, 5.6L V8 Petrol





These parts do not suit vehicles with Hydraulic Body Motion Control System

	FRONT	ΣĎ	PART NUMBER	PRICE	
	COIL SPRING				
I	Linear Rate Raised Height (45mm Lift) No Accessories	1	C45-354	С	
M	Linear Rate Raised Height (45mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C45-356	С	
То	NOTE: Some Middle Eastern released Y62's are 45mm lower from the factory then other international models. To raise those models 45mm use the coils below. The coils listed above will provide an 80m - 90mm lift.				
I	Linear Rate Raised Height (45mm Lift) 0-50Kg Accessories	1	C45-352	В	
	SHOCK ABSORB	ER			
	Twin Tube Gas Heavy Duty	2	GS45-110		

MONSTER SHOCK ABS	5 0l	RBER
Twin Tube Gas Extra Heavy Duty Valve Force Increased to Suit Heavy Loads 45mm Piston 70mm Body for Increased Quantity of Oil and Cooling Capacity Adjustable Spring Seat 4mm Wall Thickness	2	GS45-112

	REAR	Ę	PART NUMBER	PRICE
	COIL SPRING			
WWWW	Linear Rate Raised Height (45mm Lift)	1	C45-355	С
	Wear May Occur if the Load is N Fitted. 4-Wheel Alignment is Re			
wwww	Linear Rate Raised Height (45mm Lift) 150-250Kg Constant Load	1	C45-357	С
wwww	Linear Rate Raised Height (45mm Lift) 250-350Kg Constant Load	1	C45-359	С
Ton	Middle Eastern released Y62's factory then other internation raise those models 45mm use poils listed above will provide a	nal th	models. e coils below.	
WWWW	Linear Rate Raised Height (45mm Lift) 0-100Kg Accessories	1	C45-353	В
	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS45-111	
	MONSTER SHOCK ABS	5OI	RBER	

Twin Tube Gas Extra Heavy Duty Valve Force Increased to Suit Heavy Loads 45mm Piston 70mm Body for Increased Quantity of Oil and Cooling Capacity 4mm Wall Thickness 2 GS45-113



TYPE: Xterra
MODEL: N50
YEAR: 2005 on
DETAIL: Station Wagon



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWWI	Linear Rate Raised Height (40mm Lift)	1	C45-256	В
I	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories	1	C45-254	В
	SHOCK ABSORBI	ER		
	Twin Tube Gas Heavy Duty	2	GS45-642	

REAR LEAF SPRING 4 + 2 Leaves Raised Height (40mm Lift) 5 + 2 Leaves Raised Height (40mm Lift) 200Kg Constant Load SHACKLE BUSH KIT Kit Contains: 2 x PB59-1529 4 x PB45-1531 4 x PB45-1507 1 PB45-1095K U-BOLT KIT Kit Contains: 2 x UB59-453-3 2 UB59-453-3K SHACKLE SHACKLE Greasable: Fit in Pairs 2 SK45-054 SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS45-645
LEAF SPRING 4 + 2 Leaves Raised Height (40mm Lift) 5 + 2 Leaves Raised Height (40mm Lift) 200Kg Constant Load 2 L45-8185-R 5 + 2 Leaves Raised Height (40mm Lift) 200Kg Constant Load 2 L45-8192-R SHACKLE BUSH KIT Kit Contains: 2 x PB59-1529 4 x PB45-1531 4 x PB45-1531 4 x PB45-1507 1 PB45-1095K U-BOLT KIT Kit Contains: 2 x UB59-453-3 2 UB59-453-3K SHACKLE Greasable: Fit in Pairs 2 SK45-054 SHOCK ABSORBER Twin Tube Gas
Raised Height (40mm Lift) 5 + 2 Leaves Raised Height (40mm Lift) 200Kg Constant Load 2 L45-8185-R SHACKLE BUSH KIT Kit Contains: 2 x PB59-1529 4 x PB45-1531 4 x PB45-1507 1 PB45-1095K U-EDLT KIT Kit Contains: 2 x UB59-453-3 2 UB59-453-3K SHACKLE Greasable: Fit in Pairs 2 SK45-054 SHOCK ABSORBER Twin Tube Gas
Raised Height (40mm Lift) 200Kg Constant Load SHACKLE BUSH KIT Kit Contains: 2 x PB59-1529 4 x PB45-1531 4 x PB45-1507 U-BOLT KIT Kit Contains: 2 x UB59-453-3 U-BOLT KIT SHACKLE Greasable: Fit in Pairs SHACKLE SHOCK ABSORBER Twin Tube Gas
SHACKLE BUSH KIT Kit Contains: 2 x PB59-1529
Kit Contains: 2 x PB59-1529 4 x PB45-1531 4 x PB45-1507 1 PB45-1095K U-BOLT KIT Kit Contains: 2 x UB59-453-3 2 UB59-453-3K SHACKLE Greasable: Fit in Pairs 2 SK45-054 SHOCK ABSORBER Twin Tube Gas
2 x PB59-1529 4 x PB45-1531 4 x PB45-1507 1 PB45-1095K U-BOLT KIT Kit Contains: 2 x UB59-453-3 2 UB59-453-3K SHACKLE Greasable: Fit in Pairs 2 SK45-054 SHOCK ABSORBER Twin Tube Gas
U-BOLT KIT Kit Contains: 2 x UB59-453-3 SHACKLE Greasable: Fit in Pairs 2 SK45-054 SHOCK ABSORBER Twin Tube Gas
Kit Contains: 2 x UB59-453-3 2 UB59-453-3K SHACKLE Greasable: Fit in Pairs 2 SK45-054 SHOCK ABSORBER Twin Tube Gas
Kit Contains: 2 x UB59-453-3 2 UB59-453-3K SHACKLE Greasable: Fit in Pairs 2 SK45-054 SHOCK ABSORBER Twin Tube Gas
SHACKLE Greasable: Fit in Pairs 2 SK45-054 SHOCK ABSORBER Twin Tube Gas
Greasable: Fit in Pairs 2 SK45-054 SHOCK ABSORBER Twin Tube Gas
SHOCK ABSORBER Twin Tube Gas
Twin Tube Gas
Twin Tube Gas
Heavy Duty 2 GS45-645



TYPE: Duster
MODEL: Duster
YEAR: 2010 on
DETAIL: 4x4 Wagon



	FRONT		PART NUMBER	PRICE
	COIL SPRING			
,	1.6 Litre Petrol Eng	gine	•	
MWWWW	Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-010	В
MWWWW	Linear Rate Raised Height (50mm Lift) Up to 70Kg Accessories	1	C52-004	В
1.2 Litr	e Petrol Turbo Engine & Tu	ırbo	Diesel Engi	ne
IWWWWII	Linear Rate Raised Height (50mm Lift) Up to 70Kg Accessories	1	C52-012	В



Twin Tube Gas Heavy Duty 2 **GS52-056**

CAMBER ADJUSTMENT KIT

Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.

Kit Contains:

2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment 1 WA57-505K

	REAR	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-011	В
WWWW	Linear Rate Raised Height (50mm Lift) 50-100Kg Constant Load	1	C52-005	В
	SHOCK ABSORBI	≡R		
	Twin Tube Gas Heavy Duty	2	GS52-057	

CAMBER ADJUSTMENT KIT

Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.

Kit Contains:
2 x Cam Bolts
±1.2° for Lower Control Arm
Camber Adjustment 1 WA57-505K



TYPE: Musso MODEL: SUV

YEAR: 1995 to 2006

DETAIL: Station Wagon, Sports Dual Cab Pickup



		•	DETAIL:	Station V
FF	RONT	ΔĬ	PART NUMBER	PRICE
	TORSION BAR			
	Heavy Duty Rate Increased Length 1040mm	1	TB53-1800	
	SHOCK ABSORB	ΕR		
	Twin Tube Gas Heavy Duty		GS21-463	

gon, sport	.5 Duat Cab Ріскир			
	REAR	ΔŢ	PART NUMBER	PRICE
	COIL SPRING			
wwww	Station Wagon Linear Rate Standard Height (10mm Lift)		C53-003	В
wwww	Linear Rate Raised Height (40mm Lift) Up to 100Kg Constant Load			
	(Recommended) Sports Dual Cab Pic		C53-001	В
	Linear Rate Raised Height (40mm Lift) Up to 100Kg Constant Load		C53-005	В
	SHOCK ABSORB	ER		1
	Twin Tube Gas Heavy Duty	2	GS21-637S	



TYPE: Rexton

MODEL: RX270, RX290, RX320 (Series I)



YEAR: 2002 to 12/2005 DETAIL: Station Wagon,

DETAIL: Station Wagon, RX270 2.7L TD, RX290 2.9L TD, RX320 3.2L Petrol

	FRONT	ĬŽ	PART NUMBER	PRICE		REAR	Σ	PART NUMBER	PRIC
	COIL SPRING					COIL SPRING			
WWWW	Linear Rate Raised Height (30mm Lift)	1	C53-010	В	MMMMM	Linear Rate Raised Height (30mm Lift)	1	C53-011	В
1	SHOCK ABSORB	ER				SHOCK ABSORB	ΞR		
-	Twin Tube Gas Heavy Duty	2	GS53-200			Twin Tube Gas Heavy Duty	2	GS59-225A	



TYPE: Rexton

MODEL: RX270 XDI, RX270 SPR, SX7 (Series II)



YEAR: 2006 on **DETAIL:** Station Wagon, RX270 XDI Rigid Axle, RX270 SPR Independent Suspension

	FRONT	Ł	PART NUMBER	PRICE
	COIL SPRING			
I	Linear Rate Standard Height	1	C53-002	В
I	Linear Rate Raised Height (35mm Lift)	1	C53-004	В
mmmm	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C53-010	В
	Suits 2012 on SX Mo	ode	els	
M	Linear Rate Raised Height (35mm Lift)	1	C53-006	В
1	SHOCK ABSORB	ΕR		
	Twin Tube Gas Heavy Duty	2	GS53-202	

	REAR	₹Ď	PART NUMBER	PRICE
	COIL SPRING			
	Rigid Axle Mode	ls		
I	Linear Rate Standard Height	1	C53-009	В
MWWW	Linear Rate Raised Height (35mm Lift)	1	C53-011	В
	Independent Susper	nsi	on	
MWWW	Linear Rate Raised Height (40mm Lift)	1	C53-013	В
	Suits 2012 on SX Mo	de	els	
MWWWW	Linear Rate Raised Height (35mm Lift)	1	C53-029	В
	SHOCK ABSORB	ΞR)
	Rigid Axle Mode			
o -	Twin Tube Gas Heavy Duty	2	GS57-621	
	Independent Susper	nsi	on	
-	Twin Tube Gas Heavy Duty	2	GS57-639S	
NOTE: Lifting	ng higher than 35mm may caus	e r	ear tailshaft vib	ration
I				



TYPE: Kyron
MODEL: M200 XVT
YEAR: 2006 on
DETAIL: D100 Series



	FRONT	ΣĎ	PART NUMBER	PRICE			
	COIL SPRING						
MWWWW	Linear Rate Standard Height	1	C53-006	В			
MWWW	Linear Rate Raised Height (40mm Lift)	1	C53-008	В			
SHOCK ABSORBER							
	Twin Tube Gas Heavy Duty	2	GS53-200S				

5								
	REAR	ΔĬ	PART NUMBER	PRICE				
COIL SPRING								
	Suits Rigid Axle Mode	ls (Only					
WWWWW	Linear Rate Standard Height	1	C53-007	В				
WWWW	Linear Rate Raised Height	1	C53-009	В				
1	SHOCK ABSORB	3:1		1				
	Twin Tube Gas Heavy Duty		GS57-621					

SSANGYONG



TYPE: Actyon (Sports) **MODEL**: A2005, Q100 Series **YEAR**: 2007 to 04/2012



DETAIL: Dual Cab Utility, 4 Door 2.0L Diesel (Suitable for 4x4 Vehicles Only)

	FRONT	Ę	PART NUMBER	PRICE
	COIL SPRING			
I	Linear Rate Raised Height (40mm Lift)	1	C53-008	В
MMMM	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories (Bullbar OR Winch)	1	C53-004	В
MMMM	Linear Rate Raised Height (40mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C53-010	В

	REAR	ΤÒ	PART NUMBER	PRICE
	COIL SPRING			
wwww	Linear Rate Raised Height (40mm Lift)	1	C53-003	В
WWWWW	Linear Rate Raised Height (50mm Lift) 200Kg Constant Load	1	C53-005	В
	SHOCK ABSORBI	ER		
	Twin Tube Gas Heavy Duty	2	GS57-639S	

	SHOCK ABSORBE	R		
10	Twin Tube Gas Heavy Duty (Suits only 4x4)	2	GS53-200	



TYPE: Actyon (Compact SUV)

MODEL: A200 XDI

YEAR: 2007 to 03/2012

DETAIL: 5 Door Lift Back, Rigid Rear Axle, 2.0L Diesel



0			DETAIL:	5 Door Li	ift Back
	FRONT	₽	PART NUMBER	PRICE	
I	COIL SPRING Linear Rate Raised Height (40mm Lift)	1	C53-002	В	MWW
	SHOCK ABSORB	ΞR			
	Twin Tube Gas Heavy Duty	2	GS53-200		-

	REAR	ΔŢ	PART NUMBER	PRICE	
	COIL SPRING				
wwww	Suits Rigid Rear A Linear Rate Raised Height (45mm Lift)			В	
	SHOCK ABSORB	ER			
	Twin Tube Gas Heavy Duty	2	GS57-621		



TYPE: Korando MODEL: Korando YEAR: 1995 to 2006

DETAIL: 4x4



		_			
	FRON	Т	ΣĎ	PART NUMBER	PRICE
		TORSION BAR			
==		Heavy Duty Rate Increased Length 1040mm	1	TB53-1800	
	9	HOCK ABSORBI	ER		
-		Twin Tube Gas Heavy Duty	2	GS21-463	

	REAR	ŲΤ	PART NUMBER	PRICE
	COIL SPRING			
MWWWM	Linear Rate Raised Height (30mm Lift) Up to 100Kg Constant Load	1	C53-003	В
MWWWM	Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load	1	C53-001	В
	SHOCK ABSORB	ΞR		1
-	Twin Tube Gas Heavy Duty	2	GS21-637S	



TYPE: Forester

MODEL: X, XS, XT - SF, SG, SH

YEAR: 1997 to 2013 **DETAIL:** 2.0L, 2.5L, 3.0L



	FRONT	6	NUMBER	PRICE	
	COIL SPRING				
	1997 to 06/2003 SF Models	2			
MWWWW	Linear Rate Raised Height (25mm Lift)	1	C55-044	А	
MWWW 4	Linear Rate Raised Height (30mm Lift) 0-80Kg Accessories (Bullbar OR Winch)	1	C55-046	A	
	07/2002 to 2013 SG & SH, X, XS Mo 2.0L & 3.0L (Excluding	del			
MWWWW	Linear Rate Raised Height (25mm Lift)	1	C55-044	А	
MWWW 4	Linear Rate Raised Height (30mm Lift) 0-80Kg Accessories (Bullbar OR Winch)	1	C55-046	A	
07/2002 to 2013 SG & SH, XT Models 2.0L & 2.5L Turbo					
MWWW	Linear Rate Raised Height (30mm Lift) Up to 50Kg Accessories (Bullbar/Nudge Bar)	1	C55-046	А	
	CAMBER ADJUSTME	NT	KIT		

	REAR	占	PART NUMBER	PRICE			
	COIL SPRING						
	1997 to 07/2002 SF Models						
MWWW	Linear Rate Raised Height (30mm Lift) Up to 80Kg Constant Load	1	C55-045	А			
07/2002 to 02/2008 SG Models (Without Self Levelling Suspension)							
MWWW	Linear Rate Raised Height (35mm Lift) Up to 80Kg Constant Load	1	C55-065	В			
03/2008 to 2013 SH Models (Without Self Levelling Suspension)							
MWWWW	Linear Rate Raised Height (30mm Lift)	1	C55-091	Α			


Kit Contains: 2 x Cam Bolts		
±1.2° for Lower Control Arm Camber Adjustment	1	WA57-506K

CAMBER ADJUSTMENT KIT



TYPE: Sierra, Drover QB

MODEL: SJ410, SJ413, SJ50, SJ51, LJ410, LJ413



DETAIL: Santana, Samurai, Rhino, Jimny

(Different Front U-Bolts on 410 Model)



	FRONT	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING			
	Petrol			
و	5 Leaves Raised Height (40mm Lift) 0-50Kg Accessories Fit in Pairs	2	SUZ-5L-F	
	Diesel			
ي	6 Leaves Raised Height (40mm Lift) 0-50kg Accessories Fit in Pairs	2	SUZ-6L-F	
1	SHACKLE BUSH F	(I I		
OLI	Kit Contains: 2 x PB57-1534		PB57-1034K	
	U-BOLT KIT			
	SJ410 Models			
	Right Hand Side			
	Kit Contains: 2 x UB57-655 Left Hand Side	1	UB57-655K	
	Kit Contains:			
_	2 x UB29-900		UB29-900K	
S	J413, SJ50, SJ51 Models (1	.98	5 to 1996)	
	Right Hand Side Kit Contains:			
	2 x UB57-654	1	UB57-654K	
	Left Hand Side			
	Kit Contains: 2 x UB57-655	1	UB57-655K	
1	SHOCK ABSORBI	= 2		
	Twin Tube Gas Heavy Duty		GS57-085	
	STEERING DAMP	13:		
0	Heavy Duty Complete with Fittings	1	SD57-030	
	SHACKLE			
#1	Fit in Pairs	2	SK57-041	
1	PIN			
	PIN			
•	Fit in Pairs	2	SP57-042	

	REAR	₽	PART NUMBER	PRICE
	LEAF SPRING			
ڡ_	Right Hand Side 4 + 1 Leaves Raised Height (40mm Lift) 0-100Kg Accessories Fit in Pairs		SUZ-4+1-R RH	
ڡ_	Left Hand Side 4 + 1 Leaves Raised Height (40mm Lift) 0-100Kg Accessories Fit in Pairs		SUZ-4+1-R LH	
1	SHACKLE BUSH I	(11		
OLI	Kit Contains: 2 x PB57-1534 8 x PB57-1535	1	PB57-1034K	
	U-BOLT KIT SJ410, SJ413, SJ50, SJ5	1 N	Andels	
		_ ^	iodeis	
	Kit Contains: 2 x UB57-655		UB57-655K	
	SHOCK ABSORB	=?		
· —	Twin Tube Gas Heavy Duty	2	GS57-086	
	SHACKLE			
#1	Fit in Pairs	2	SK57-041	
	PIN			
•+-	Fit in Pairs	2	SP57-042	



TYPE: Sierra **MODEL**: SJ80

YEAR: 1995 to 11/1998

DETAIL: Coil Spring Suspension




	FRONT	PART NUMBER	PRICE		REAR	ΩTΥ	PART NUMBER	PRICE	
	COIL SPRING	1 1			COIL SPRING		NOMBER		
M	Linear Rate Raised Height (30mm Lift)		Α	MWWW	Linear Rate Raised Height (30mm Lift)		C57-025	А	
	UNDER BODY BUSI	нкіт			UNDER BODY BUSI	нК	т	1	
	SEE REAR UNDER BODY B			Kit Includes Front & Rear Under Body Bushes					
				4 x F	: 4 x Front and Rear Panhard Rod Bush Front and Rear Radius Arm to Chassis Mount Front and Rear Radius Arm to Diff Mount	1	PB57-1253K		



TYPE: Jimny

MODEL: SN413, FJB33V



DETAIL: 3 Door 1.3L Hard Top/Soft Top, 1.5L TDi




	13			
	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
	G13BB 1.3L Engir	1e		
MWWWM	Linear Rate Raised Height (30mm Lift) Up to 35Kg Accessories (Bullbar OR Winch)	1	C57-028	A
WWWW	Linear Rate Raised Height (40mm Lift) 35-85Kg Accessories (Bullbar AND Winch)	1	C57-046	A
Fit Long T	ravel Shock Absorber GS57-617	7 W	ith the Above S	pring
	M13A 1.3L Petro	ı		
	Linear Rate Raised Height (40mm Lift)	1	C57-046	А
Fit Long T	ravel Shock Absorber GS57-617	7 W	ith the Above S	pring
	K9K 1.5L Turbo Die	ese	I	
	Linear Rate Raised Height (40mm Lift)	1	C57-048	А
Fit Long T	ravel Shock Absorber GS57-617	7 W	ith the Above S	pring
,				
	SHOCK ABSORB	= ₹}		
	Twin Tube Gas Heavy Duty	2	GS57-615	
To B	Be Used With Original Suzuki Sp	ring	gs OR C57-028	
	Twin Tube Gas Heavy Duty (Long Travel)	2	GS57-617	
	Can Only Be Used With C57-040	5 O	R C57-048	
,				1
	ADJUSTABLE PANHA	RD	ROD	
•	Complete with Bushes	1	PR57-1412	
	Suits Right Hand Drive	On	ly	
				1
It is Recomm	CASTOR ADJUSTMEI Raising Vehicle Will Effect Whe mended that this Castor Adjustr Wheel Alignment Carrie	el <i>A</i> ner	Alignment. nt Kit to be Fitte	ed and a
	Kit Contains: 4 x Eccentric Bushes ±2 ½ - 3° Adjustment	1	WA57-511K	

	REAR	ΔŢ	PART NUMBER	PRICE
	COIL SPRING			
WWWW	Linear Rate Raised Height (30mm Lift)	1	C57-029	Α
	Linear Rate Raised Height (40mm Lift)	1	C57-053	А
	SHOCK ABSORBI	ΕR		
•	Twin Tube Gas Heavy Duty	2	GS57-616	
То Ве	Used With Original Suzuki Sp	ring	gs OR C57-029	
•	Twin Tube Gas Heavy Duty (Long Travel)	2	GS57-618	
	Can Only Be Used With C	57-	053	
	ADJUSTABLE PANHAI	RD	ROD	
o o	Complete with Bushes	1	PR57-1413	




TYPE: Vitara SWB

MODEL: Escudo, Sidekick YEAR: 1988 to 1997



3 Door, SWB Santana, Sidekick, Escudo,

Geo Tracker




	REAR	Δ	PART NUMBER	PRICE
	COIL SPRI		NUMBER	
	Linear Ra			
WWWW	Raised Height (30mm Li		C57-013	Α
	SHOCK ABSO			}
-	Twin Tube G Heavy Du		GS57-621	
	UNDER BODY B	JSH K	(1)	
	Kit Includes Front & Rear U	nder Bo	ody Bushes	
	Front Lower Control Ar 2 x Front Bu 2 x Rear Bu	r m sh		
	Rear Control Ai 2 x Upper Bu 4 x Lower Bu	r m sh	PB57-1252K	
			1 537 1232K	
	COIL SPAC		DC20 4014	
			PS29-4014	
	30n	ım 2	PS29-4015	



TYPE: Vitara LWB

MODEL: Escudo, Sidekick



DETAIL: 1.6L, 2.0L, 2.0L V6, 2.5L V6, 2.0L TDi,

5 Door LWB



	FRONT	ΤŲ	PART NUMBER	PRICE
	COIL SPRING			
	1.6L 8 Valve Engi	ne		
mmmm	Linear Rate Raised Height (30mm Lift) Up to 35Kg Accessories (Bullbar OR Winch)	1	C57-012	Α
	1.6L 16 Valve Eng	ine		
MWWWW	Linear Rate Raised Height (30mm Lift)	1	C57-016	Α
mmmm	Linear Rate Raised Height (30mm Lift) 40-80Kg Accessories (Bullbar AND Winch)	1	C57-018	A
	2.0L 4 Cyl, 2.0L \	/6		
MWWW	Linear Rate Raised Height (30mm Lift) Up to 40Kg Accessories (Bullbar OR Winch)	1	C57-018	A
MWWW	Linear Rate Raised Height (25mm Lift) 40-80Kg Accessories (Bullbar AND Winch)	1	C57-034	А
	2.0L TDi, 2.5L V	6		
MWWWI	Linear Rate Raised Height (35mm Lift)	1	C57-034	Α

SHOCK ABSORBE	;	ļ
---------------	---	---

Twin Tube Gas

Heavy Duty 2 **GS57-620**

UNDER BODY BUSH KIT

SEE REAR UNDER BODY BUSH KIT

CAMBER ADJUSTMENT KIT

Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.

> Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm

Camber Adjustment 1 WA57-505K

	LUIL SPALER		
Ēs_	15mm	2	PS29-4014
Ēs_	30mm	2	PS29-4015

	REAR	₹Ď	PART NUMBER	PRICE
	COIL SPRING			
MMMM	Linear Rate Raised Height (30mm Lift) No Load	1	C57-017	Α
MWWWI	Linear Rate Raised Height (35mm Lift) 50-100Kg Constant Load	1	C57-047	Α
,	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty			
	UNDER BODY BUSH	1 K	IT	
	Kit Includes Front & Rear Under	r Bo	ody Bushes	
	Kit Contains: Front Lower Control Arm 2 x Front Bush 2 x Rear Bush Rear Control Arm 2 x Upper Bush 4 x Lower Bush	1	PB57-1252K	
	COIL SPACER			
	15mm	2	PS29-4014	
	30mm	2	PS29-4015	



TYPE: Grand Vitara


MODEL: Escudo - SQ420W 3 & 5 Door 4 Cyl,



YEAR: 1998 to 2005

DETAIL: SWB: 1.6L 4 Cyl, 2.0L 4 Cyl, 2.0L TDi,

LWB: 2.5L



V6, 2.0L 4 C	yl, 2.0L TDi			
	REAR	F	PART NUMBER	PRICE
	COIL SPRING			
	SWB & LWB			
MWWWW	Linear Rate Raised Height (30mm Lift) Heavy Duty	1	C57-027	Α
	Linear Rate Raised Height (35mm Lift) Heavy Duty 35-65Kg Constant Load	1	C57-045	Α
M	Linear Rate Raised Height (35mm Lift) Heavy Duty 100-150Kg Constant Load	1	C57-111	В
				Y
	SHOCK ABSORB	3:		
	Twin Tube Gas Heavy Duty	2	GS57-621	





TYPE: Grand Vitara **MODEL**: XL7 - JA627

YEAR: 10/2001 to 08/2005

DETAIL: 7 Seater 2.7L V6 H27A, 2.0L TD



			DETAIL:	7 Seater
	FRONT	₹	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Standard Height	1	C57-034	А
MWWW	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories		CE7 036	٨
	(Bullbar OR Winch)	1	C57-036	Α
	SHOCK ABSORB	ER		1
T	Twin Tube Gas Heavy Duty	2	GS57-620	
	CAMBER ADJUSTME	NT	KIT	
It is Recomm	Raising Vehicle Will Effect Whe nended that this Camber Adjust Wheel Alignment Carrie	eel <i>A</i> tme	Alignment. nt Kit to be Fitt	ed and a
	Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment	1	WA57-505K	

	,			
	REAR	ΔŢ	PART NUMBER	PRICE
	COIL SPRING			1
WWWW	Linear Rate Standard Height	1	C57-033	А
N	Linear Rate Raised Height (40mm Lift) Up to 100Kg Constant Load	1	C57-039	А
	SHOCK ABSORB	43		
	Twin Tube Gas Heavy Duty	2	GS57-621	



TYPE: Grand Vitara **MODEL**: JT Series

YEAR: 08/2005 to 2015

DETAIL: SWB: 1.6L 4 Cyl, 2.4L 4 Cyl,

LWB: 2.0L/2.4L 4 Cyl, 2.7L/3.2L V6, 1.9L TDi



	FRONT	ΤĎ	PART NUMBER	PRICE
	COIL SPRING			
	SWB			
	1.6L 4 Cyl			
MWWWM	Linear Rate Raised Height (50mm Lift)	1	C57-118	В
	2.4L 4 Cyl			
MWWWW	Linear Rate Raised Height (40mm Lift)	1	C57-118	В
MWWWWI	Linear Rate Raised Height (50mm Lift)	1	C57-116	В
NWWWW	Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C57-064	В
	LWB			
	1.9L TDi, 2.4L 4 Cyl, 2	2.71	_ V6	
	Linear Rate Raised Height (40mm Lift)	1	C57-116	В
MWWWM	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C57-112	В
	2.0L 4 Cyl			
	Linear Rate Raised Height (40mm Lift)	1	C57-118	В
MWWWM	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C57-112	В
	3.2L V6			
IWWWWI	Linear Rate Raised Height (40mm Lift)	1	C57-112	В
MWWW	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C57-114	В
	SHOCK ABSORB	30		
	Twin Tube Gas	7.5		
*************************************	Heavy Duty	2	GS57-622	
	CAMBER ADJUSTME	NT	KIT	
It is Recomm	Raising Vehicle Will Effect Whe nended that this Camber Adjust Wheel Alignment Carrie	el <i>A</i> me	Alignment. nt Kit to be Fitt	ed and a
	Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment		WA57-506K	

	REAR	ÓΤΥ	PART	PRICE
		Þ	NUMBER	PRICE
	COIL SPRING SWB			
wwww	Linear Rate Raised Height (40mm Lift)	1	C57-067	В
WWWWW	Linear Rate Raised Height (40mm Lift)	1	C57-065	В
WWWWW	Linear Rate Raised Height (40mm Lift) 100Kg Constant Load	1	C57-075	В
	SHOCK ABSORB	=R		
	Twin Tube Gas Heavy Duty		GS57-623	



MODEL: LN/RN 36/46/105, LN/YN 65/67/106, SR5 Dobinsons




YEAR: 1979 to 11/1997

DETAIL: Leaf Spring Suspension

		₹					ਢ		
	FRONT	É	PART NUMBER	PRICE		REAR	6	PART NUMBER	PRICE
	LEAF SPRING					LEAF SPRING			
	Single Cab					Right Hand Side 4 + 2 Leaves			
<u></u>	Right Hand Side 5 Leaves Raised Height (50mm Lift)	1	HIL-002-F RH		<u></u> o	Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load	1	HIL-4+2-R RH	
_	Left Hand Side 5 Leaves Raised Height (50mm Lift)	1	HIL-002-F LH			Left Hand Side 4+2 Leaves	_	1122 412 K KII	
ڡ	Right Hand Side Linear Rate Raised Height (50mm Lift)					Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load	1	HIL-4+2-R LH	
0 0	Diesel (Bullbar OR Winch) Left Hand Side Linear Rate	1	HIL-003-F RH			Right Hand Side 5 + 2 Leaves Raised Height (50mm Lift) Heavy Duty			
	Raised Height (50mm Lift) Diesel (Bullbar OR Winch) Dual Cab	1	HIL-003-F LH			200Kg Constant Load Left Hand Side 5 + 2 Leaves	1	HIL-5+2-R RH	
ڡ	Right Hand Side 5 Leaves Raised Height (45mm Lift)					Raised Height (50mm Lift) Heavy Duty 200Kg Constant Load	1	HIL-5+2-R LH	
	Petrol & Diesel	1	HIL-003-F RH			105/106 (1988 to 11/1997) S	ingle Cab	
	Left Hand Side 5 Leaves				Fitment of 2 Le	eft Hand Springs for the 105/100	6 S	ingle Cab Model i	s Correct
٥٥	Raised Height (45mm Lift) Petrol & Diesel	1	HIL-003-F LH		م٥	4 + 2 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load	2	HTI -4+2-R I H	
	SHACKLE BUSH I	(11				5 + 2 Leaves			
OLI	Kit Contains: 8 x PB59-1530 4 x PB59-1532	1	PB59-1032K			Raised Height (50mm Lift) Heavy Duty 200Kg Constant Load	2	HIL-5+2-R LH	
	II-ROLT KIT					SHACKLE BUSH I	ΚI	ſ	
JU	U-BOLT KIT Right Hand Side Kit Contains: 1 x UB59-437				OLI	SHACKLE BUSH I Kit Contains: 12 x PB59-1530		PB59-1033K	
	Right Hand Side Kit Contains:	1	UB59-449-3K		011	Kit Contains: 12 x PB59-1530			
I III	Right Hand Side Kit Contains: 1 x UB59-437 1 x UB59-449-3 Left Hand Side	1	UB59-449-3K		OTI	Kit Contains:			
UU U	Right Hand Side Kit Contains: 1 x UB59-437 1 x UB59-449-3		UB59-449-3K UB59-667K			Kit Contains: 12 x PB59-1530 U-BOLT KIT Pre 07/1988 Kit Contains: 2 x UB59-667	1	PB59-1033K UB59-667K	
UU U	Right Hand Side Kit Contains: 1 x UB59-437 1 x UB59-449-3 Left Hand Side Kit Contains:	1	UB59-667K			Kit Contains: 12 x PB59-1530 U-BOLT KIT Pre 07/1988 Kit Contains: 2 x UB59-667 105/106 (1988 to 11)	1	PB59-1033K UB59-667K	
	Right Hand Side Kit Contains: 1 x UB59-437 1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667	1 ER	UB59-667 К			Kit Contains: 12 x PB59-1530 U-BOLT KIT Pre 07/1988 Kit Contains: 2 x UB59-667	1 2 /19	PB59-1033K UB59-667K 197)	
	Right Hand Side Kit Contains: 1 x UB59-437 1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 SHOCK ABSORB Twin Tube Gas Heavy Duty	1 ER 2	UB59-667K GS59-639			Kit Contains: 12 x PB59-1530 U-BOLT KIT Pre 07/1988 Kit Contains: 2 x UB59-667 105/106 (1988 to 11) Kit Contains:	1 2 //19 2	PB59-1033K UB59-667K 197) UB59-453-2K	
	Right Hand Side Kit Contains: 1 x UB59-437 1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 SHOCK ABSORB Twin Tube Gas	1 2	UB59-667K GS59-639			Kit Contains: 12 x PB59-1530 U-BDLT KIT Pre 07/1988 Kit Contains: 2 x UB59-667 105/106 (1988 to 11, Kit Contains: 2 x UB59-453-2	2 //19 2	PB59-1033K UB59-667K 997) UB59-453-2K	
	Right Hand Side Kit Contains: 1 x UB59-437 1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore)	1 2	UB59-667K GS59-639			Kit Contains: 12 x PB59-1530 U-BOLT KIT Pre 07/1988 Kit Contains: 2 x UB59-667 105/106 (1988 to 11, Kit Contains: 2 x UB59-453-2 SHOCK ABSORB Twin Tube Gas Comfort Option	2 //19 2	PB59-1033K UB59-667K 997) UB59-453-2K	
	Right Hand Side Kit Contains: 1 x UB59-437 1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings	1 2 DER 1	UB59-667K GS59-639 SD59-821			Kit Contains: 12 x PB59-1530 U-BOLT KIT Pre 07/1988 Kit Contains: 2 x UB59-667 105/106 (1988 to 11, Kit Contains: 2 x UB59-453-2 SHOCK ABSORB Twin Tube Gas Comfort Option Medium Load Twin Tube Gas Extra Heavy Duty (Big Bore)	1 2 //19 2 2	PB59-1033K UB59-667K 997) UB59-453-2K	
	Right Hand Side Kit Contains: 1 x UB59-437 1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings SHACKLE Greasable: Fit in Pairs	1 2 DER 1	UB59-667K GS59-639 SD59-821			Kit Contains: 12 x PB59-1530 U-BOLT KIT Pre 07/1988 Kit Contains: 2 x UB59-667 105/106 (1988 to 11, Kit Contains: 2 x UB59-453-2 SHOCK ABSORB Twin Tube Gas Comfort Option Medium Load Twin Tube Gas Extra Heavy Duty (Big Bore)	1 2 //19 2 2	UB59-667K 197) UB59-453-2K GS59-649	
	Right Hand Side Kit Contains: 1 x UB59-437 1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings	1 ER 2 ER 1	UB59-667K GS59-639 SD59-821 SK59-001			Kit Contains: 12 x PB59-1530 U-BOLT KIT Pre 07/1988 Kit Contains: 2 x UB59-667 105/106 (1988 to 11, Kit Contains: 2 x UB59-453-2 SHOCK ABSORB Twin Tube Gas Comfort Option Medium Load Twin Tube Gas Extra Heavy Duty (Big Bore) 350Kg Constant Load	1 2 //19 2 2 2	UB59-667K 997) UB59-453-2K GS59-649	
************************************	Right Hand Side Kit Contains: 1 x UB59-437 1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings SHACKLE Greasable: Fit in Pairs	1 ER 2 ER 1	UB59-667K GS59-639 SD59-821 SK59-001			Kit Contains: 12 x PB59-1530 U-EOLT KIT Pre 07/1988 Kit Contains: 2 x UB59-667 105/106 (1988 to 11) Kit Contains: 2 x UB59-453-2 SHOCK ABSORB Twin Tube Gas Comfort Option Medium Load Twin Tube Gas Extra Heavy Duty (Big Bore) 350Kg Constant Load	1 2 //19 2 2 2	UB59-667K 997) UB59-453-2K GS59-649	
************************************	Right Hand Side Kit Contains: 1 x UB59-437 1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 SHOCK ABSORB Twin Tube Gas Heavy Duty STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings SHACKLE Greasable: Fit in Pairs	1 ER 2 ER 1	UB59-667K GS59-639 SD59-821 SK59-001			Kit Contains: 12 x PB59-1530 U-BOLT KIT Pre 07/1988 Kit Contains: 2 x UB59-667 105/106 (1988 to 11) Kit Contains: 2 x UB59-453-2 SHOCK ABSORB Twin Tube Gas Comfort Option Medium Load Twin Tube Gas Extra Heavy Duty (Big Bore) 350Kg Constant Load SHACKLE Greasable: Fit in Pairs	1 2 //19 2 2 2 2	UB59-667K 997) UB59-453-2K GS59-649 GS59-651	



MODEL: LN/RN/YN 110, LN111 SR5




DETAIL: Independent Front Suspension, Extra Cab



FRONT	Σ	PART NUMBER	PRICE		REAR	ΣĎ	PART NUMBER	PRICE
TORSION BAR		1			LEAF SPRING	1		
Heavy Duty Rate Increased Length 1064mm		TB59-1646			Linear Rate Raised Height (45mm Lift) Medium Duty Up to 100Kg Constant Load		HIL-034-R	
SHOCK ABSORB	ER				Linear Rate			
 Twin Tube Gas Heavy Duty	2	GS59-088			Raised Height (45mm Lift) Heavy Duty 200Kg Constant Load	2	HIL-035-R	
STEERING DAME	EF	?			SHACKLE BUSH	ΚΤ	ſ	
Heavy Duty Complete with Fittings	1	SD59-833			Kit Contains: 2 x PB59-1529 4 x PB59-1530 4 x PB59-1547			
					U-BOLT KIT			
				Ü	Kit Contains: 2 x UB59-453-2	2	UB59-453-2K	
					SHOCK ABSORB	ΞR		
				•	Twin Tube Gas Comfort Option Medium Load	2	GS59-649	
					Twin Tube Gas Extra Heavy Duty (Big Bore) 350Kg Constant Load	2	GS59-651	
				1				
					SHACKLE			
				なな!	Greasable: Fit in Pairs	2	SK59-010	
					PIN			
				•+	Greasable: Fit in Pairs	2	SP59-060	



MODEL: LN107 SR5, LN108, RN106





	,			active i forte 3a				
FRONT	Ž	PART NUMBER	PRICE		REAR	ΩTY	PART NUMBER	PRICE
TORSION I	3AR				LEAF SPRING			
Heavy D Rate Increas Length 1064r	sed	TB59-1646			3 + 2 Leaves Raised Height (45mm Lift) Medium Duty Up to 100Kg Constant Load	2	HIL-034-R	
SHOCK ABSO	RBEF	₹			4 + 2 Leaves			
Twin Tube (Gas	GS59-088			Raised Height (45mm Lift) Heavy Duty 200Kg Constant Load	2	HIL-035-R	
STEERING DA	MPE	R			SHACKLE BUSH	KIT		ľ
Heavy D Complete with Fittin	uty			01	Kit Contains: 2 x PB59-1529 4 x PB59-1530 4 x PB59-1547			
					U-BOLT KIT			ì
					Kit Contains: 2 x UB59-453-2	2	UB59-453-2K	
				i i	SHOCK ABSORE	ER		
					Twin Tube Gas Comfort Option Medium Load		GS59-649	
					Twin Tube Gas Extra Heavy Duty (Big Bore) 350Kg Constant Load	2	GS59-651	
					SHACKLE			
				なな!	Greasable: Fit in Pairs	2	SK59-010	
					PIN			
				•+-	PIN Greasable: Fit in Pairs	2	SP59-060	






LN172 3.0L D, RZN169 YEAR: 10/1997 to 2005

DETAIL: Single Cab, Dual Cab, Extra Cab,

		Independen	nt Front Sus	spension			
FRONT	PART NUMBER	PRICE		REAR	Įψ	PART NUMBER	PRICE
TORSION BAR Heavy Duty Rate Increased Length 1064mm	1 TB59-1646	C	٥	LEAF SPRING 3 + 2 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load		HIL-034-R	
SHOCK ABSORBE Twin Tube Gas Heavy Duty				4 + 2 Leaves Raised Height (50mm Lift) Heavy Duty 200Kg Constant Load			
STEERING DAMP	R		1	SHACKLE BUSH H	(I I		
Heavy Duty Complete with Fittings	1 SD59-833			Kit Contains: 2 x PB59-1529 4 x PB59-1530 4 x PB59-1547			
				U-BOLT KIT		1	
				Kit Contains: 2 x UB59-453-2	2	UB59-453-2K	
				SHOCK ABSORBI	ER		
					2	GS59-649	
				Twin Tube Gas Extra Heavy Duty (Big Bore) 350Kg Constant Load	2	GS59-651	
			•	Twin Tube Gas Heavy Duty (Long Travel)	2	GS59-229	
				SHACKLE			
			なな!	Greasable: Fit in Pairs	2	SK59-010	
				PIN			
			●+	Greasable: Fit in Pairs	2	SP59-060	



MODEL: Vigo - KUN/GGN 25/26, KZN 35/36




DETAIL: 4x4 - Single Cab, Extra Cab, Dual Cab



	FRONT	ΔŢ	PART NUMBER	PRICE	REAR	È	> -	PART NUMBER	PRICE
	COIL SPRING				LEAF SPRII	G			
* Vehicles Fi	tted with this Part Number MUS Shock Absorber.	T b	e Fitted with G	S59-220	It is a Requirement that the Brake Adjuster These Leaf Spri		9-	001 be Fitted w	hen Using
	Single Cab 4.0L V6 Petrol KUN26 3.0L TD Linear Rate				4 + 3 Leave (25mm Lif Heavy Dut Up to 280Kg Constant Loa) y	2	L59-039-R	
MWWWW	Standard Height	1	C59-134	В	4 + 3 Leave Raised Height (50mm Life	s			
MWWWW	Linear Rate Raised Height (40mm Lift)	1	C59-296	В	Heavy Dui No Loa	ý	2	L59-039-R	
M	Linear Rate Raised Height (50mm Lift)* Linear Rate	1	C59-300	В	3 + 3 Leave Raised Height (50mm Lif Medium Dut	y			
MMMMM	Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch)*	1	C59-302	В	Up to 100Kg Constant Loa When Using L59-040-R, the Longer Leaf or Upside Down to give a Softer Ride.This will	the	2		
	Extra Cab, Dual C GGN25 Petrol	ab			3 + 1 Leaves Parabol Raised Height (50mm Lif	С	uce	e Load Carrying	Сарасіту
I	Linear Rate Standard Height	1	C59-134	В	Comfort Option Up to 100Kg Constant Loa	ń	2	L59-047-RP	
MWWW	Linear Rate Raised Height (35mm Lift)	1	C59-300	В	4 + 3 Leave Raised Height (50mm Lif Heavy Dut) y			
MWWWW	Linear Rate Raised Height (50mm Lift)* Linear Rate	1	C59-302	В	280Kg Constant Loa When Using L59-041-R, the Longer Leaf or Upside Down to give a Softer Ride. This will	the	21		
MWWW	Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)*	1	C59-302	В	5 + 3 Leave Raised Height (50mm Lif Super Heavy Dut	s () y			Сарасіту
	Extra Cab, Dual C KUN26 3.0L TD				450Kg Constant Loa	d 2	2	L59-042-R	
	Linear Rate Raised Height (45mm Lift)				SHOCK ABSOF	BEI	R		
MWWW	Up to 70Kg Accessories (Bullbar Only)* Linear Rate	1	C59-302	В	Twin Tube Ga Comfort Optic Medium Loa	n	2	GS59-649	
MWWWW	Raised Height (45mm Lift) 80-120Kg Accessories (Bullbar AND Winch)*	1	C59-350	В	Twin Tube Ga Extra Heavy Dut (Big Bord 350Kg Constant Loa	y ()	2	GS59-651	
	SHOCK ABSORB	ER			Internal Monotub		_	0555 051	
o -	Twin Tube Gas Heavy Duty	2	GS59-220			y 2	2	IMS59-50649	
o -	Twin Tube Gas Heavy Duty Adjustable Spring Seat	2	GS59-224		Heavy Dut	y 2	2	MR59-50649	
	Internal Monotube Adjustable Spring Seat				U-BOLT KI	₹			
	Heavy Duty Original Setting of X = 226mm/8.9"	2	IMS59-50220		Suits I 59-040-	2 2	2	UB59-453-2K	
	X - Centre of Eye to Sprin Monotube Remote Reservoir	ng S	Seat		Kit Contain: 2 x UB59-453	:	2	UB59-453-2K	
•	Adjustable Spring Seat Heavy Duty Original Setting of X = 226mm/8.89"	2	MR59-50220		Suits L59-041- Kit Contain: 2 x UB59-453-	:	2	UB59-453-2K	
	X - Centre of Eye to Spri				Suits L59-042- Kit Contain:				
	SHOCK ABSORBER BE	RA	CKET		2 X 0B39-43		2	UB59-437K	
	mended For Optimal Remote rvoir Positioning And Fitment				Suits L59-047-R Kit Contain: 2 x UB59-43	:	2	UB59-437K	
	Only For Use With MR59								
	CONTINUED ON NEX	TF	AGE		CONTINUED ON N	XΤ	P	AGE	




MODEL: Vigo - KUN/GGN 25/26, KZN 35/36



DETAIL: 4x4 - Single Cab, Extra Cab, Dual Cab




	FRONT	ŢΩ	PART NUMBER	PRICE
	CONTINUED FROM PREV	IO	US PAGE	
	STRUT CAP			
:E: O	Strut Top Cap	2	SC59-001	
	SWAY BAR RELOCA	ij.	ON	
	Sway Bar Relocation Kit	1	SE59-524K	
	UPPER CONTROL AF	M	VIT	
		111	VII	
	(Pair) 3º Castor Built In Rubber Bushes with Ball Joint	1	UCA59-003K	





MODEL: Vigo - KUN/GGN 25/26, KZN 35/36



DETAIL: 4x4 Single Cab, Extra Cab, Dual Cab,

75mm (3" Lift)



	FRONT	ŢΤΩ	PART NUMBER	PRICE		REAR	Σ	PART NUMBER	PRICE
	COIL SPRING					LEAF SPRIN	-	1	
 	Linear Rate Raised Height (3" Lift)	1	C59-354	В	It is a Requirer	ment that the Brake Adjuster B These Leaf Sprin	A59- gs	-002 be Fitted W	hen Using
MWWW	Linear Rate Raised Height (3" Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C59-318	В	<u>L59-0</u>	3 + 1 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load 47-RP Lifts Only 50mm to Prov	2		ık
1	SHOCK ABSORB					3 + 1 Leaves			
o -	Internal Monotube Adjustable Spring Seat Heavy Duty Original Setting of	48			<u>_</u>	Raised Height (75mm Lift) Medium Duty Up to 100Kg Constant Load	2		
	X = 226mm / 8.9"	2	IMS59-50220			SHACKLE BUSH	ΚT		
• • • • • • • • • • • • • • • • • • •	X - Centre of Eye to Spri Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of				OLI	Kit Contains: 4 x PB59-1501 4 x PB59-1502 2 x PB59-1503		PB59-1094K	
	X = 226mm / 8.89"					U-BOLT KIT			
Please Note Tha	X - Centre of Eye to Spri at the Diff Drop Kit DD59-527k The Shock Absorber MR5	ΚMι	ist be Fitted Wh	nen Using		Kit Contains: 2 x UB59-437		UB59-437K	
	SHOCK ABSORBER BI	PΔſ	KET			SHOCK ABSORI	3ER	1	
	nended For Optimal Remote yoir Positioning And Fitment Only For Use With MR59	1	RM59-004		•	Twin Tube Gas Heavy Duty (Big Bore)		GS59-651	
	Only for ose with files	302	220			Internal Monotube			
	DIFF DROP KI					Heavy Duty	2	IMS59-50649	
Recommended \	When Raising Vehicle Above 50mm		DD59-527K		•— —— •	Monotube Remote Reservoir Heavy Duty		MR59-50649	
1	STRUT CAP					BRAKE ADJUST	ER		
• E • •	SIKOTCAI				Recomi	mended when Raising Vehicle	1	BA59-002	
	Strut Top Cap	2	SC59-001		N	lot required for vehicles with A	BS B	rake System	
	SWAY BAR RELOCA	711	DN			SHACKLE			
	Sway Bar Relocation Kit				なな!	Greasable: Fit in Pairs	2	SK59-053	
	UPPER CONTROL AF	₹M	KIT			PIN			
	(Pair) 3º Castor Built In Rubber Bushes with Ball Joint	1	UCA59-003K		•+-	Greasable: Fit in Pairs	2	SP59-060	
						WARNING - 75MM (3") OR	HIC	GHER LIFT	
						on components listed on this p			,
					CAUTION - An E	er to Local Laws before Fitting Engineering Certificate may be dling Characteristics will Dimir	requ	uired	
					The followin	g modifications (but not limited			e to the
					STOP - Mod - Brai	vehicle before the kit i ustable Panhard Rods lified Leading/Trailing Arms ke Hoses ended Bump Stops		ed. - Gear Box & Dr Modifications - Steering Arms - Swaybar Modif	
1						pring & Suspension do not			

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page. These products do not come with any warranty or guarantee.





GUN13 **YEAR**: 2015 on

DETAIL: 4x4

	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
	Single Cab			
I	Linear Rate Standard Height (15mm Lift) 50-100Kg Accessories	1	C59-718	В
 	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories	1	C59-302	В
 	Linear Rate Raised Height (45mm Lift) 60-100Kg Accessories	1	C59-350	В
	Dual Cab			
 	Linear Rate Standard Height 50-100Kg Accessories	1	C59-718	В
I	Linear Rate Raised Height (45mm Lift) Comfort Option Up to 40Kg Accessories	1	C59-302	В
I	Linear Rate Raised Height (45mm Lift) Heavy Duty Up to 40Kg Accessories	1	C59-350	В
 	Linear Rate Raised Height (45mm Lift) Heavy Duty Up to 40-80Kg Accessories	1	C59-354	В
I	Linear Rate Raised Height (45mm Lift) Heavy Duty 80-120Kg Accessories	1	C59-736	В
1	CHOCK ARCORD			
	SHOCK ABSORB	3:		
-	Twin Tube Gas Heavy Duty	2	GS59-228	
o -	Internal Monotube Adjustable Spring Seat Heavy Duty Original Setting of X = 226mm/8.89"	2	IMS59-50700	
	X - Centre of Eye to Spri	ng S	Seat	
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of			
	X = 226mm/8.89"		MR59-50228	
	X - Centre of Eye to Spri	ng S	seat	
	SHOCK ABSORBER BE	7 4(LKEI	
	nmended For Optimal Remote ervoir Positioning And Fitment	1	RM59-004	
	Only For Use With MR59	-50	228	
	STRUT CAP			
	Strut Top Cap	2	SC59-001	

	REAR	ΔŢ	PART NUMBER	PRICE
	LEAF SPRING			
	4 + 3 Leaves Raised Height (45mm Lift) Medium Duty Up to 100Kg Constant Load	2	L59-174-R	
٥	5 + 3 Leaves Raised Height (45mm Lift) Heavy Duty 250-300Kg Constant Load	2	L59-175-R	
	6 + 3 Leaves Raised Height (45mm Lift) Super Heavy Duty 580Kg Constant Load	2	L59-176-R	
و	2 + 1 Leaves Parabolic Raised Height (50mm Lift) Comfort Option Up to 60Kg Constant	2	L59-178-RP	
1	SHACKLE BUSH H	(IT		
OLI	Kit Contains: 2 x PB59-1503 4 x PB59-1501 4 x PB59-1502		PB59-1094K	
	U-BOLT KIT			
Ü	Kit Contains: 2 x UB59-437	2	UB59-437K	
	SHOCK ABSORBI	=R		
	Twin Tube Gas Heavy Duty	2	GS59-229	
0	Internal Monotube Heavy Duty	2	IMS59-50229	
• •	Monotube Remote Reservoir Heavy Duty	2	MR59-50229	
	SHACKLE			
# 1	Rear of Rear Spring	2	SK59-064	
• +	PIN Front of Rear Spring Greasable: Fit in Pairs		SP59-060	
This part is r	ecommended with all kits as the original bolt remova		el tank location	inhibits
	original policicality			





GUN13

YEAR: 2015 on DETAIL: 4x4,

75mm (3" Lift)

	FRONT	ΣĎ	PART NUMBER	PRICE	RE	AR	占	PART NUMBER	PRICE
	COIL SPRING		I			LEAF SPRING			
MWWW	Single Cab Linear Rate Raised Height (75mm Lift) 50-100Kg Accessories	1	C59-350	В	Raised	+ 1 Leaves Parabolic ed Height (50mm Lift) Medium Duty o 60Kg Constant Load	2	L59-178-RP	
	Dual Cab				L59-178-RP Lif	fts Only 50mm to Provid	le a	More Level Loo	k
MMMM	Linear Rate Raised Height (75mm Lift) Heavy Duty No Accessories	1	C59-354	В	Raised	F 1 Leaves Parabolic ed Height (75mm Lift) Heavy Duty o 60Kg Constant Load	2	L59-179-RP	
MMMMM	Linear Rate Raised Height (75mm Lift) Heavy Duty				,	SHACKLE BUSH K	(IT		
M	30-50Kg Accessories Linear Rate Raised Height (75mm Lift)	1	C59-318	В	OLE	Kit Contains: 2 x PB59-1503 4 x PB59-1501 4 x PB59-1502	1	PB59-1094K	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	60-110Kg Accessories	1	C59-764	В					
	SHOCK ABSORB	ER	1			U-BOLT KIT			
Must Fit Diff [Orop Kit, Upper Control Arm, Sv Boot Kit When Fitting a			Kit & C.V.		Kit Contains: 2 x UB59-437	2	UB59-437K	
	Internal Monotube Adjustable Spring Seat					SHOCK ABSORBE	ER		
	Heavy Duty Original Setting of X = 233mm / 8.9"	2	IMS59- 50220B		0	Twin Tube Gas Heavy Duty	2	GS59-229	
	X - Centre of Eye to Spri	ng :	Seat		0	Internal Monotube Heavy Duty	2	IMS59-50229	
-	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of		MR59-		Monotul	ibe Remote Reservoir		MR59-50229	
	X = 233mm / 8.9"		50220B			SHACKLE			
	X - Centre of Eye to Spri				#1	Rear of Rear Spring	2	SK59-064	
Danasa	SHOCK ABSORBER BI	₹/A\	LKET						
	mended For Optimal Remote rvoir Positioning And Fitment Only For Use With MR59-		RM59-004			Front of Rear Spring		CD-10 040	
	only for ose with fixes	502	200			Greasable: Fit in Pairs		SP59-060	n Inhihita
	SWAYBAR RELOCATI	ON	KIT		This Part Is Recommen	Original Bolt Remova		el Talik Locatio	II IIIIIDIUS
	Swaybar Relocation Kit	1	SE59-526K			NG - 75MM (3") OR H			una ambu
	DIFF DROP KI		I			onents listed on this pag al Laws before Fitting to			
Recommended	When Raising Vehicle Above 50mm	1	DD59-527K		- An Engineeri - Handling Cha	ing Certificate may be re aracteristics will Diminis cations (but not limited t	equ sh o	ired n Lifts Above 5	0mm (2")
	UPPER CONTROL AF	ЭМ	KIT	1		vehicle before the kit is			
	(Pair) 3º Castor Built In Rubber Bushes with Ball Joint				- Brake Hoses - Extended Bu	eding/Trailing Arms s ump Stops	 - -	Gear Box & Dri Iodifications Steering Arms Swaybar Modif	ication
					for injury caused to	Suspension do not a person or property	/ th	rough the use	nsibility e of the
	OUTER C.V. BOO	TS				roducts listed on this do not come with any w			00
High (Clearance Outer C.V. Boot Kit	1	CV59-554K		These products (ao not come with any w	агГа	ancy or guarant	ee.
-E: 0	Strut Top Cap	2	SC59-001						

	REAR	È	PART NUMBER	PRICE
		יטון	NUMBER	
	LEAF SPRING			
	2 + 1 Leaves Parabolic Raised Height (50mm Lift)			
سي ا	Medium Duty			
	Up to 60Kg Constant Load	2	L59-178-RP	
L59-1	.78-RP Lifts Only 50mm to Provid	de a	More Level Loc	k
	2 + 1 Leaves Parabolic			
م	Raised Height (75mm Lift) Heavy Duty			
	Up to 60Kg Constant Load	2	L59-179-RP	
	SHACKLE BUSH I	ΚΤΤ		
	Kit Contains:			
	2 x PB59-1503 4 x PB59-1501			
	4 x PB59-1502	1	PB59-1094K	
	U-BOLT KIT			
	Kit Contains:			
	2 x UB59-437	2	UB59-437K	
	SHOCK ABSORB	ΕR		
	Twin Tube Gas			
	Heavy Duty	2	GS59-229	
0	Internal Monotube	_	*******	
	Heavy Duty	2	IMS59-50229	
	Monotube Remote Reservoir Heavy Duty	2	MR59-50229	
	neav, buc,	-	11105 50225	
	SHACKLE			
	SHACKEL			
# I	Rear of Rear Spring	2	SK59-064	
	PIN			
	Front of Rear Spring			
941-	Greasable: Fit in Pairs	2	SP59-060	
This Part Is R	ecommended With All Kits As Th		uel Tank Locatio	n Inhibits
	Original Bolt Remov	dI.		
	WARNING - 75MM (3") OR I	HIG	HER LIFT	
	ion components listed on this pa	ge a	are for off-road	
CAUTION - An	er to Local Laws before Fitting to Engineering Certificate may be r Indling Characteristics will Dimini	equ	uired ,	
	ng modifications (but not limited vehicle before the kit is	to)	need to be mad	, ,
- Adj	ustable Panhard Rods		- Gear Box & Dr	ive Line
- Mod	dified Leading/Trailing Arms	1	Modifications	
- Bra	ke Hoses ended Bump Stops		 Steering Arms Swaybar Modif 	
	Pring & Suspension do not			



MODEL: 1st Generation - LN60, RN60, YN60

YEAR: Pre 08/1985

DETAIL: Leaf Spring Suspension



FRONT 6 NUMBER	PRICE
LEAF SPRING	
Right Hand Side	
5 Leaves	
Raised Height (50mm Lift) Petrol	
Diesel (No Accessories) 1 HIL-002-F RH	
Left Hand Side	
5 Leaves Raised Height (50mm Lift)	
Petrol	
Diesel (No Accessories) 1 HIL-002-F LH	
Right Hand Side 5 Leaves	
Raised Height (50mm Lift)	
Diesel (Bullbar OR Winch) 1 HIL-003-F RH	
Left Hand Side 5 Leaves	
Raised Height (50mm Lift)	
Diesel (Bullbar OR Winch) 1 HIL-003-F LH	
SHACKLE BUSH KIT	
Kit Contains:	
8 x PB59-1530	
4 x PB59-1532 1 PB59-1032K	
U-BOLT KIT	
Right Hand Side Kit Contains:	
1 x UB59-437	
1 x UB59-449-3 1 UB59-449-3K	
1 x UB59-449-3 1 UB59-449-3K	
1 x UB59-449-3 1 UB59-449-3K	
1 x UB59-449-3 1 UB59-449-3K Left Hand Side Kit Contains:	
1 x UB59-449-3 1 UB59-449-3K Left Hand Side Kit Contains:	
1 x UB59-449-3 1 UB59-449-3K Left Hand Side	
1 x UB59-449-3 1 UB59-449-3K Left Hand Side Kit Contains: 2 x UB59-667 1 UB59-667K SHOCK ABSORBER	
1 x UB59-449-3 1 UB59-449-3K Left Hand Side	
1 x UB59-449-3 1 UB59-449-3K Left Hand Side Kit Contains: 2 x UB59-667 1 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER	
1 x UB59-449-3 1 UB59-449-3K Left Hand Side	
1 x UB59-449-3 1 UB59-449-3K Left Hand Side Kit Contains: 2 x UB59-667 1 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-821	
1 x UB59-449-3 1 UB59-449-3K Left Hand Side Kit Contains: 2 x UB59-667 1 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore)	
1 x UB59-449-3 1 Left Hand Side Kit Contains: 2 x UB59-667 1 SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SHACKLE	
1 x UB59-449-3 1 UB59-449-3K Left Hand Side Kit Contains: 2 x UB59-667 1 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-821	
1 x UB59-449-3 1 Left Hand Side Kit Contains: 2 x UB59-667 1 SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SHACKLE	
1 x UB59-449-3 1 UB59-449-3K Left Hand Side Kit Contains: 2 x UB59-667 1 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-821 SHACKLE Greasable: Fit in Pairs 2 SK59-001 PIN	
1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-821 SHACKLE Greasable: Fit in Pairs 2 SK59-001	
1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-821 SHACKLE Greasable: Fit in Pairs 2 SK59-001 PIN	
1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-821 SHACKLE Greasable: Fit in Pairs 2 SK59-001 PIN	
1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-821 SHACKLE Greasable: Fit in Pairs 2 SK59-001 PIN	
1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-821 SHACKLE Greasable: Fit in Pairs 2 SK59-001 PIN	
1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-821 SHACKLE Greasable: Fit in Pairs 2 SK59-001 PIN	
1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-821 SHACKLE Greasable: Fit in Pairs 2 SK59-001 PIN	
1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-821 SHACKLE Greasable: Fit in Pairs 2 SK59-001 PIN	
1 x UB59-449-3 Left Hand Side Kit Contains: 2 x UB59-667 UB59-667K SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-639 STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-821 SHACKLE Greasable: Fit in Pairs 2 SK59-001 PIN	

	REAR	ŢŢ	PART NUMBER	PRICE
	LEAF SPRING			
0	Right Hand Side 4 + 2 Leaves			
	Raised Height (50mm Lift) Left Hand Side	1	TOY-470-R RH	
و٥	4 + 2 Leaves Raised Height (50mm Lift)	1	TOY-470-R LH	
	SHACKLE BUSH H	(17		
011	Kit Contains: 12 x PB59-1530	1	PB59-1033K	
1	U-BOLT KIT			
Ü	Kit Contains: 2 x UB59-667	2	UB59-667K	
1	SHOCK ABSORBI	= R		
	Twin Tube Gas Comfort Option			
	Medium Load	2	GS59-649	
0	Twin Tube Gas Extra Heavy Duty			
	(Big Bore) 350Kg Constant Load	2	GS59-651	
	SHACKLE			
# 1	Greasable: Fit in Pairs	2	SK59-009	
	PIN			
♣ ₩	Greasable: Fit in Pairs	2	SP59-005	



MODEL: 1st Generation - LN61, YN63

YEAR: 08/1985 to 1989

DETAIL: Independent Front Suspension



FRONT	PART NUMBER	PRICE		REAR	ΣĎ	PART NUMBER	PRICE
TORSION BAR				LEAF SPRING			
Heavy Duty Rate Increased Length 1064mm	1 TB59-1646			Right Hand Side 4 + 2 Leaves Raised Height (50mm Lift) Up to 100Kg Constant Load		TOY-470-R RH	
SHOCK ABSORBE	R			Left Hand Side			
Twin Tube Gas Heavy Duty				4 + 2 Leaves Raised Height (50mm Lift) Up to 100Kg Constant Load	1	TOY-470-R LH	
STEERING DAMPE	R			SHACKLE BUSH I	ŹΤ	•	
Complete with Fittings			OTI	Kit Contains: 12 x PB59-1530			
				U-BOLT KIT			
				Kit Contains: 2 x UB59-667	2	UB59-667K	
				SHOCK ABSORB	ER		
			•	Twin Tube Gas Comfort Option Medium Load		GS59-649	
			•	Twin Tube Gas Extra Heavy Duty (Big Bore) 350Kg Constant Load	2	GS59-651	
				GUAGIA E			
			##: 1	SHACKLE			
				Greasable: Fit in Pairs	2	SK59-009	
				PIN			
			4	Greasable: Fit in Pairs	2	SP59-005	



MODEL: 2nd Generation - LN130, RN130, YN130, VZN130 (V6)



YEAR: 11/1989 to 1997

DETAIL: Surf, Independent Front Suspension

FRONT	Ł	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 1064mm	1	TB59-1646	
SHOCK ABSORBI	ER		
 Twin Tube Gas Heavy Duty	2	GS59-088	
STEERING DAMP	Ħ:		
Heavy Duty Complete with Fittings	1	SD59-833	

	REAR	ΔTΛ	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C59-163	В
	Linear Rate Raised Height (50mm Lift)	1	C59-161	В
MWWW	Variable Rate Raised Height (50mm Lift)	1	C59-159V	В
MWWWI	Linear Rate Raised Height (50mm Lift) Extra Heavy Duty 150Kg Constant Load	1	C59-165	В
	SHOCK ABSORB	ΞR		
	Twin Tube Gas Heavy Duty (Big Bore)		GS59-225	
	UNDER BODY BUSI			
	Kit Includes Front & Rear Under Kit Contains:	ВС	ouy busiles	
	2 x Rear Panhard Rod Bush 2 x Rear Trailing Arm Bush	1	PB59-1254K	



MODEL: 3rd Generation - Surf, KZN185 3.0L TD,



RZN185 2.7L Petrol, VZN185 3.4L V6 YEAR: 1996 to 2003 DETAIL: Station Wagon

COIL SPRING RZN185 / VZN185 Linear Rate Standard Height 1 C59-132 B Linear Rate Raised Height (20mm Lift) (Recommended) 1 C59-274 B Linear Rate Raised Height (45mm Lift) 1 C59-276 B KZN185 TD Linear Rate Standard Height 1 C59-274 B Linear Rate Standard Height 1 C59-276 B Linear Rate Raised Height (30mm Lift) (Recommended) 1 C59-276 B Linear Rate Raised Height (30mm Lift) (Recommended) 1 C59-276 B SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-222		0		DETAIL:	Station
RZN185 / VZN185 Linear Rate Standard Height 1 C59-132 B Linear Rate Raised Height (20mm Lift) (Recommended) 1 C59-274 B Linear Rate Raised Height (45mm Lift) 1 C59-276 B KZN185 TD Linear Rate Standard Height 1 C59-274 B Linear Rate Standard Height 1 C59-274 B Linear Rate Raised Height (30mm Lift) (Recommended) 1 C59-274 B Linear Rate Raised Height (30mm Lift) (Recommended) 1 C59-274 B Linear Rate Raised Height (50mm Lift) 1 C59-276 B SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-222		FRONT	ΣŢ	PART NUMBER	PRICE
Linear Rate Standard Height 1 Linear Rate Raised Height (20mm Lift) (Recommended) 1 Linear Rate Raised Height (45mm Lift) 1 C59-274 B Linear Rate Raised Height (45mm Lift) 1 Linear Rate Standard Height 1 Linear Rate Standard Height 1 Linear Rate Raised Height (30mm Lift) (Recommended) 1 C59-274 B Linear Rate Raised Height (30mm Lift) (Recommended) 1 C59-274 B Linear Rate Raised Height (50mm Lift) 1 C59-274 B SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-222					
Standard Height 1 C59-132 B Linear Rate Raised Height (20mm Lift) (Recommended) 1 C59-274 B Linear Rate Raised Height (45mm Lift) 1 C59-276 B KZN185 TD Linear Rate Standard Height 1 C59-274 B Linear Rate Raised Height (30mm Lift) (Recommended) 1 C59-274 B Linear Rate Raised Height (30mm Lift) (Recommended) 1 C59-276 B Linear Rate Raised Height (50mm Lift) 1 C59-134 B SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-222	******	•	5		
Raised Height (20mm Lift) (Recommended) 1 C59-274 B Linear Rate Raised Height (45mm Lift) 1 C59-276 B KZN185 TD Linear Rate Standard Height 1 C59-274 B Linear Rate Raised Height (30mm Lift) (Recommended) 1 C59-276 B Linear Rate Raised Height (50mm Lift) 1 C59-276 B SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-222		Standard Height	1	C59-132	В
Raised Height (45mm Lift) KZN185 TD Linear Rate Standard Height 1 Linear Rate Raised Height (30mm Lift) (Recommended) 1 Linear Rate Raised Height (50mm Lift) 1 C59-274 B Linear Rate Raised Height (50mm Lift) 2 SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 STRUT CAP	MWWWW	Raised Height (20mm Lift)	1	C59-274	В
Linear Rate Standard Height Linear Rate Raised Height (30mm Lift) (Recommended) Linear Rate Raised Height (50mm Lift) The standard Height (50mm Lift) SHOCK ABSORBER Twin Tube Gas Heavy Duty STRUT CAP	MWWWM	Raised Height (45mm Lift)	1	C59-276	В
Standard Height 1 C59-274 B Linear Rate Raised Height (30mm Lift) (Recommended) 1 C59-276 B Linear Rate Raised Height (50mm Lift) 1 C59-134 B SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-222 STRUT CAP	*****				
Raised Height (30mm Lift) (Recommended) 1 C59-276 B Linear Rate Raised Height (50mm Lift) 1 C59-134 B SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-222 STRUT CAP	wwww	Standard Height	1	C59-274	В
Raised Height (50mm Lift) 1 C59-134 B SHOCK ABSORBER Twin Tube Gas Heavy Duty 2 GS59-222 STRUT CAP	MWWWM	Raised Height (30mm Lift)	1	C59-276	В
Twin Tube Gas Heavy Duty 2 GS59-222 STRUT CAP	WWWW		1	C59-134	В
Heavy Duty 2 GS59-222 STRUT CAP	1	SHOCK ABSORB	≡R		
·E· A			2	GS59-222	
·E· A		STRUT CAP			1
	:E: 0		2	SC59-002	

4L V6 103 agon				
	REAR	₽TĀ	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Linear Rate Raised Height (50mm Lift) Variable Rate	1	C59-131	В
WWWWW	Raised Height (50mm Lift) Heavy Duty 100Kg Constant Load	1	C59-137V	В
	·			
	SHOCK ABSORB	3:		
	Twin Tube Gas Heavy Duty	2	GS59-225	



MODEL: 4th Generation - GRN215, KDN215,

TRN215

YEAR: 2003 to 2009

DETAIL: 4.0L V6 Petrol, 4.7L V8, 3.0L Diesel



	EDONIT	>	PART	DOTES
	FRONT	6	NUMBER	PRICE
	COIL SPRING			
	4.0L V6 Petrol 3.0L Diesel			
I	Linear Rate Raised Height (45mm Lift)	1	C59-300	В
MWWWM	Linear Rate Raised Height (45mm Lift) 50-100Kg Accessories	1	C59-302	В
	4.7L V8			
MWWW	Linear Rate Raised Height (45mm Lift)	1	C59-302	В
MWWW	Linear Rate Raised Height (45mm Lift) 50-100Kg Accessories	1	C59-314	В
	SHOCK ABSORB	-		
	JIIOCK ADJUKDI	-13		
○-	Twin Tube Gas Heavy Duty	2	GS59-221	
• •	Twin Tube Gas Heavy Duty Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty		GS59-221	
• 	Twin Tube Gas Heavy Duty Monotube Remote Reservoir Adjustable Spring Seat	2	GS59-221 MR59-50221	
• •	Twin Tube Gas Heavy Duty Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of	2	MR59-50221	
• •	Twin Tube Gas Heavy Duty Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm / 8.38" X - Centre of Eye to Spring	2	MR59-50221	
• •	Twin Tube Gas Heavy Duty Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm / 8.38"	2	MR59-50221	
	Twin Tube Gas Heavy Duty Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm / 8.38" X - Centre of Eye to Spring	2	MR59-50221	
	Twin Tube Gas Heavy Duty Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm / 8.38" X - Centre of Eye to Spring STRUT CAP	2 2 ng \$	MR59-50221 Seat SC59-001	

	REAR	Ł	PART NUMBER	PRIC
	COIL SPRING			
WWWW	Linear Rate Raised Height (45mm Lift)	1	C59-325	В
WWWW	Linear Rate Raised Height (45mm Lift) 100-300Kg Constant Load	1	C59-327	В
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 300-400Kg Constant Load	1	C59-329	В
IWWWWI	Variable Rate Raised Height (60mm Lift) No Load	1	C59-675V	В
IWWWWI	Variable Rate Raised Height (75mm Lift) No Load	1	C59-677V	В
MWWWW	Variable Rate Raised Height (60mm Lift) 150Kg Constant Load	1	C59-677V	В
	SHOCK ABSORB	ΞR		i e
	Twin Tube Gas Heavy Duty Standard Height Only		GS59-637	
	Twin Tube Gas Heavy Duty (Long Travel)	2	GS59-575	
GS!	59-575 Suitable Only With C59-			
• —— •	Monotube Remote Reservoir Heavy Duty		MR59-50637	
	ADJUSTABLE PANHAI	RD	ROD	i e
• •• •	Complete with Bushes	1		
	UPPER & LOWER TRAIL	IN	G ARMS	i e
Ad	Heavy Duty Rear Lower djustable Control Arms (Pair) Complete With Bushes		WA59-520K	
Ac	Heavy Duty Rear Upper djustable Control Arms (Pair) Complete With Bushes	1	WA59-522K	
Ad	justable Sway Bar Extension (Suits 2" to 4" Lift)	2	SE59-529	



MODEL: 5th Generation - GRN285

YEAR: 2009 on

DETAIL: 4.0L V6 Petrol,

45mm Lift, 75mm Lift (3")



	FRONT	Ł	PART NUMBER	PRICE		REAR	占	PA NUM
	COIL SPRING	_				COIL SPRING		
If Below C	Suits 45mm Life oil Springs Are Fitted With GS5	9-5	74, They Will Pr	rovide	MWWW	Linear Rate Raised Height (20mm Lift)No		650.54
MAAAAAAA	Approximately 3" L Linear Rate	ift				Accessories	1	C59-59
MWWWM	Raised Height (45mm Lift) Linear Rate	1	C59-300	В		Linear Rate Raised Height (35mm Lift) Without 3rd Row Seat	1	C59-50
MWWWW	Raised Height (45mm Lift) 50-100Kg Accessories (Bullbar AND Winch)		C59-302	В		Linear Rate Raised Height (30mm Lift) With 3rd Row Seat	1	C59-50
The Below Coil	Springs Will Provide Approxima			itted With	MWWW	Linear Rate Raised Height (50mm Lift)		
	Travel Shock Absorbers With C					Without 3rd Row Seat	1	C59-32
MWWWW	Linear Rate Raised Height (75mm Lift) No Accessories Comfort Option	1	C59-448	В		Linear Rate Raised Height (45mm Lift) With 3rd Row Seat	1	C59-32
WWWW	Linear Rate Raised Height (75mm Lift) 40-70Kgs Accessories	1	C59-314	В		Linear Rate Raised Height (45mm Lift) 100-300Kg Constant Load	1	C59-32
MWWW	Linear Rate Raised Height (75mm Lift) 60-120Kg Accessories	1	C59-352	В		Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 300-400Kg Constant Load	1	C59-32
	TRD Pro Models					Variable Rate		
Approxi	coil Springs Suit Only TRD Promately 25mm Of Lift Over The Linear Rate	Orig	ruts And Will Pr ginal TRD Pro C	oils	MWWWW	Raised Height (60mm Lift) 0-100Kg Accessories Comfort Option	1	C59-67
************	Raised Height (25mm Lift) No Accessories	1	C59-748	В		Variable Rate Raised Height (75mm Lift) 200-300Kg Accessories		
	SHOCK ABSORB Suits 0-50mm Li			,		Comfort Option	1	C59-67
	Twin Tube Gas	It				CHOCK ARCORD		
	Heavy Duty	2	GS59-700			SHOCK ABSORB Suits 0-50mm Li		
o -	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of					Twin Tube Gas Comfort Option Extra Soft - No Load	2	GS59-7
	X = 213mm / 8.38"		IMS59-50700)		Twin Tube Gas Heavy Duty	2	GS59-
	X - Centre of Eye to Sprin Monotube Remote Reservoir Adjustable Spring Seat	ng s	Seat			Internal Monotube Heavy Duty		IMS59
<u> </u>	Heavy Duty Original Setting of X = 213mm / 8.38"	2	MR59-50700			Monotube Remote Reservoir Extra Soft Comfort - No Load		MR59-
	X - Centre of Eye to Spri	ng S	Seat			Monotube Remote Reservoir	2	MDEO
	Suits 75mm Lift	t				Heavy Duty Suits 75mm Lift		МКЭ9-
O	Twin Tube Gas Heavy Duty					Twin Tube Gas		
- -	(Extra Long Travel)		GS59-574			Heavy Duty (Extra Long Travel)	2	GS59-
Pacom	SHOCK ABSORBER BE mended For Optimal Remote	ZZAL	LKEI					
	rvoir Positioning And Fitment	1	RM59-004		D	SHOCK ABSORBER BE	ZA	CKET
	Only For Use With MR59	-50	700			nmended For Optimal Remote rvoir Positioning And Fitment	1	RM59-
	DIFF DROP KI				(Only For Use With MR59-50701 (Or N	4R59-50
	Diff Drop Kit	1	DD59-527K			CONTINUED ON NEX	7	PAGE
	SWAY BAR RELOCA	TI (ON			CONTINUED ON NEX		AGE
	Sway Bar Relocation Kit	1	SE59-525K					
	UPPER CONTROL	AR	М					
F	3º Castor Built In Rubber Bushes with Ball Joint	1	UCA59-002K					

	REAR	ΔŢ	PART NUMBER	PRICE
,	COIL SPRING			
www	Linear Rate Raised Height (20mm Lift)No Accessories	1	C59-599	В
M	Linear Rate Raised Height (35mm Lift) Without 3rd Row Seat	1	C59-505	В
wwww	Linear Rate Raised Height (30mm Lift) With 3rd Row Seat	1	C59-505	В
MWWW	Linear Rate Raised Height (50mm Lift) Without 3rd Row Seat	1	C59-325	В
MWWW	Linear Rate Raised Height (45mm Lift) With 3rd Row Seat	1	C59-325	В
MWWWW	Linear Rate Raised Height (45mm Lift) 100-300Kg Constant Load	1	C59-327	В
MWWW	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 300-400Kg Constant Load	1	C59-329	В
MMMM	Variable Rate Raised Height (60mm Lift) 0-100Kg Accessories Comfort Option	1	C59-675V	В
M	Variable Rate Raised Height (75mm Lift) 200-300Kg Accessories Comfort Option	1	C59-677V	В
1	SHOCK ABSORB	ER.		
	Suits 0-50mm Li			
	Twin Tube Gas Comfort Option Extra Soft - No Load	2	GS59-705	
	Twin Tube Gas Heavy Duty	2	GS59-701	
	Internal Monotube Heavy Duty	2	IMS59-50701	
• 	Monotube Remote Reservoir Extra Soft Comfort - No Load	2	MR59-50705	
•— ——	Monotube Remote Reservoir Heavy Duty Suits 75mm Lift	2	MR59-50701	
	Twin Tube Gas			
	Heavy Duty (Extra Long Travel)	2	GS59-575	
	SHOCK ABSORBER BI	RΑ	CKET	
	nmended For Optimal Remote ervoir Positioning And Fitment	1	RM59-014	
	Only For Use With MR59-50701 (Or N	4R59-50705	



MODEL: 5th Generation - GRN285

YEAR: 2009 on

DETAIL: 4.0L V6 Petrol,

45mm Lift,



75mm Lift (3") PART NUMBER PART NUMBER **PRICE REAR** FRONT **PRICE CONTINUED FROM PREVIOUS PAGE TRAILING ARM Designed For More Articulation** Heavy Duty Rear Upper Adjustable Control Arms (Pair) Complete With Bushes 1 WA59-522K Heavy Duty Rear Lower Adjustable Control Arms (Pair) Complete With Bushes 1 WA59-520K **ADJUSTABLE PANHARD ROD** Complete with Bushes 1 PR59-1423 **SWAY BAR EXTENSION** Adjustable Sway Bar Extension (Suits 2" to 4" Lift) 2 SE59-529 WARNING - 75MM (3") OR HIGHER LIFT The suspension components listed on this page are for off-road use only. Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2") The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted. - Adjustable Panhard Rods - Gear Box & Drive Line Modified Leading/Trailing Arms Modifications - Brake Hoses - Steering Arms - Extended Bump Stops - Swaybar Modification Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page. These products do not come with any warranty or guarantee.



MODEL: 1st Generation **YEAR**: 1998 to 2004

DETAIL: 4x4 V6 + 4 Cylinder, Also suits Pre-Runner 4x2 models



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWWM	Linear Rate Standard Height	1	C59-274	В
ıwww.	Linear Rate Raised Height (35mm Lift) Up to 60Kg Accessories (Bullbar OR Winch	1	C59-276	В
M	Linear Rate Raised Height (35mm Lift) Up to 90Kg Accessories (Bullbar OR Winch)	1	C59-134	В
1	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS59-222	
	STRUT CAP			
ਜੂ 0	Strut Top Caps	2	SC59-002	

RE	AR	Ł	PART NUMBER	PRICE
	QUICK RIDE KI	T		
	Quick Ride Kit (50mm Lift)	1	QR59-551K	
	SHOCK ABSORB	3-)		1
	Twin Tube Gas			
·	Heavy Duty (Big Bore)	2	GS59-649	
•	Twin Tube Gas Extra Heavy Duty (Big Bore)	2	GS59-651	
0	Twin Tube Gas Heavy Duty (Long Travel)	2	GS59-229	
	(Long maver)	۷	G339-229	



MODEL: 2nd Generation - TRN/GRN 240, 245, 250 Dobinsons



YEAR: 2005 to 2015


DETAIL: 4x4 Single Cab, Extra Cab, Dual Cab

	FRONT	PART NUMBER	PRICE		REAR	QTV IN	PART UMBER	PRICE
	COIL SPRING				LEAF SPRING	1 1		
MWWWI	Single Cab 2.7L Linear Rate Raised Height (45mm Lift) No Accessories	C59-238	В		3 + 2 Leaves Raised Height (55mm Lift) Medium Duty Up to 100Kg Constant Load	L59	-110-R	
wwww	Linear Rate Raised Height (50mm Lift) 80-120Kg Accessories Dual Cab 4.0L	C59-300	В		4 + 2 Leaves Raised Height (55mm Lift) Heavy Duty 280Kg Constant Load	L59	-111-R	
MWWWI	Linear Rate Raised Height (40mm Lift) No Accessories	C59-302	В		5 + 2 Leaves Raised Height (55mm Lift) 400-550Kg Constant Load	L59	-112-R	
M	Linear Rate Raised Height (45mm Lift)	307 502			SHACKLE BUSH	KIT		
	80-120Kg Accessories	C59-314	В	OLI	Kit Contains: 6 x PB59-1503	PB5	9-1101K	
	SHOCK ABSORBE	R						
	Twin Tube Gas Heavy Duty	GS59-221			U-BOLT KIT			
_	Monotube Remote Reservoir Adjustable Spring Seat				Kit Contains: 2 x UB59-453-2	UB5	59-453-2K	
• 	Heavy Duty Original Setting of				SHOCK ABSORB	ER		
	X = 213mm / 8.38" X - Centre of Eye to Sprin	MR59-50221			Twin Tube Gas Heavy Duty	GS5	9-940	
	X Centre of Eye to Spriii	g Scat			Monotube Remote Reservoir			
	STRUT CAP				Heavy Duty	MRS	59-50940	
T. O	Strut Top Caps	SC59-001			PIN			
	UPPER CONTROL AR	M KIT	1	●+	Greasable: Fit in Pairs	SP5	9-060	
	UPPER CONTROL AR (Pair) 3º Castor Built In Rubber Bushes with Ball Joint	M KIT UCA59-003K			Greasable: Fit in Pairs	SP5	9-060	



MODEL: 3rd Generation

YEAR: 2016 on



4x4,

2.7L i4, 3.5L V6




	FRONT	Σ	PART NUMBER	PRICE
	COIL SPRING			
	Single Cab Linear Rate			
WWWWW	Raised Height (45mm Lift) No Accessories	1	C59-238	В
WWWW	Linear Rate Raised Height (50mm Lift) 80-120Kg Accessories	1	C59-300	В
	Dual Cab			
wwww	Linear Rate Raised Height (40mm Lift) No Accessories	1	C59-302	В
wwww	Linear Rate Raised Height (50mm Lift) 0-50Kg Accessories	1	C59-314	В
	Linear Rate Raised Height (50mm Lift) Comfort Option - Reduced	•	C37 314	D
•	Rate 0-40Kg Accessories	1	C59-448	В
wwww	Linear Rate Raised Height (50mm Lift) Heavy Duty		650 353	
	80-120Kg Accessories		C59-352	В
	SHOCK ABSORB	ΞR		
-	Twin Tube Gas Heavy Duty	2	GS59-221	
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of			
	X = 210 mm / 8.25"	2	MR59-50221	
	X - Centre of Eye to Spri	ng S	Seat	
·	STRUT CAP			1
: ■ •	Strut Top Caps	2	SC59-001	
	UPPER CONTROL AF	RΜ	KIT	1
	(Pair) 3º Castor Built In Rubber Bushes with Ball Joint		UCA59-003K	

5L V6				
	REAR	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING			
٥	3 + 2 Leaves Raised Height (55mm Lift) Medium Duty Up to 100Kg Constant Load	2	L59-110-R	
	4 + 2 Leaves Raised Height (55mm Lift) Heavy Duty 280Kg Constant Load	2	L59-111-R	
<u>_</u>	5 + 1 Leaves Raised Height (55mm Lift) 400-550Kg Constant Load	2	L59-112-R	
	SHACKLE BUSH I	ΚΙΤ		
OLI	Kit Contains: 6 x PB59-1503	1	PB59-1101K	
	U-BOLT KIT			
	Kit Contains: 2 x UB59-453-2		UB59-453-2K	
	SHOCK ABSORB	=;		
	Twin Tube Gas Heavy Duty Monotube Remote Reservoir	2	GS59-940	
•— ——	Heavy Duty	2	MR59-50940	
	PIN			
•+-	Greasable: Fit in Pairs	2	SP59-060	



MODEL: 3rd Generation (3" Lift)



DETAIL: Single Cab, Extra Cab, Dual Cab,

4x4,

2.7L i4, 3.5L V6, 75mm (3" Lift)

				/ / / / / / / / / / / / / / / / / / / /	, cirt)				
	FRONT	Ţ	PART NUMBER	PRICE		REAR	ΔT	PART NUMBER	PRICE
	COIL SPRING					LEAF SPRING			
	Dual Cab					3 + 1 Leaves			
	Linear Rate					Raised Height (75mm Lift)			
MMMM	Raised Height (75mm Lift)					Medium Duty			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	No Accessories	1	C59-314	В		Up to 50kg Constant Load	2	L59-117-RP	
	Linear Rate								
	Raised Height (75mm Lift)					SHACKLE BUSH	ΚŒ		
MWW	Comfort Option - Reduced					_			
	Rate No Accessories	1	CE0-449	В		6 x PB59-1503	1	PB59-1101K	
		1	C59-446	D					
	Linear Rate					II BOLT WIT			
MWWW.	Raised Height (75mm Lift) Heavy Duty					U-BOLT KIT			
	50-100Kg Accessories	1	C59-352	В		Kit Contains:	_		
	-					2 x UB59-453-2	2	UB59-453-2K	
	SHOCK ABSORB	-0							
		-1.				SHOCK ABSORE	= ;	!	
	Twin Tube Gas Heavy Duty				0	Twin Tube Gas			
	(Long Travel)	2	GS59-220			Heavy Duty	2	GS59-940	
	Internal Monotube		-		•	■ Monotube Remote Reservoir			
	Adjustable Spring Seat					Heavy Duty	2	MR59-50940	
	Heavy Duty								
'	Original Setting of	_				PIN			
	X = 226mm / 8.9"	2	IMS59-50220)		-			
	X - Centre of Eye to Spri	ng	Seat		04	Greasable: Fit in Pairs	2	SP59-060	
	Monotube Remote Reservoir								
	Adjustable Spring Seat					WARNING - 75MM (3") OR	HIC	GHER LIFT	
	Heavy Duty Original Setting of				The sus	spension components listed on this pa	ge	are for off-road (use only.
	X = 226 mm / 8.9"	2	MR59-50220			- Refer to Local Laws before Fitting t	o R	egistered/Road \	Vehicles
	X - Centre of Eye to Spri	ng	Seat		CAUTION	 An Engineering Certificate may be Handling Characteristics will Dimin 			0mm (2")
	, ,				The fe	ollowing modifications (but not limited			<u> </u>
	STRUT CAP		1		THE	vehicle before the kit is			e to the
	JIKOTEAF					- Adjustable Panhard Rods		- Gear Box & Dri	ive Line
	Strut Top Caps	2	SC59-001		STOP	- Modified Leading/Trailing Arms		Modifications	
						Brake HosesExtended Bump Stops		 Steering Arms Swaybar Modifi 	ication
	UPPER CONTROL AF	эм	VIT		Dobins	ons Spring & Suspension do not			
		M	NI I		for inj	ury caused to person or propert	y ti	hrough the use	e of the
	(Pair) 3º Castor Built In Rubber Bushes					products listed on th			
	with Ball Joint	1	UCA59-003K		Т	hese products do not come with any	varı	anty or guarante	ee.
					1				
					1				
					1				
					1				
					1				
					1				



TYPE: Tundra

MODEL: UCK, UPK, USK 55/56

YEAR: 03/2007 on

DETAIL: Pickup 4x4, 4.7L & 5.7L



TOY-104

			DETAIL:	. ienap
	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			1
MWWWW	Linear Rate Standard Height	1	C59-478	С
MWWWW	Linear Rate Raised Height (55mm Lift)	1	C59-610	В
MWWWW	Linear Rate Raised Height (75mm Lift) Comfort Option	1	C59-578	В
C59-578 May	Require Longer Shock Absorbe	r T	o Maintain Dowr	Travel.
1	SHOCK ABSORB	≡R		v
o -	Twin Tube Gas Heavy Duty		GS59-710	
	STRUT CAP			1
	Strut Top Cap	2	SC59-006	
	DIFF DROP KIT			1
	Diff Drop Kit	1	DD59-530K	

	REAR	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING			
ڡ_	4 + 2 Leaves Raised Height (55m Lift) Heavy Duty	2	L59-120-R	
	5 + 2 Leaves Raised Height (55m Lift) Heavy Duty	2	L59-121-R	
	SHACKLE BUSH I	(I T		
OLI	Kit Contains: 2 x PB59-1540 2 x PB59-1503 2 x PB59-1514	1	PB59-1102K	
	U-BOLT KIT			
	Kit Contains: 2 x UB59-437	2	UB59-437K	
	SHOCK ABSORB	ΕR		
	Twin Tube Gas Heavy Duty	2	GS59-711	
	PIN			
●++-	Greasable: Fit in Pairs	2	SP59-060	



TYPE: Sequoia MODEL: UCK35/45 YEAR: 2001 to 2007

DETAIL: Station Wagon, 4.7L V8




	FRONT	Ł	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Linear Rate Lowered Height	1	C59-340	В
MWWWW	Linear Rate Standard Height	1	C59-342	В
MWWWI	Linear Rate Raised Height (45mm Lift)	1	C59-344	В
	SHOCK ABSORB	ER		
o 	Twin Tube Gas Heavy Duty	2	GS59-222	

	REAR	₹Ď	PART NUMBER	PRICE
	COIL SPRING			
WWWW	Linear Rate Lowered Height	1	C59-341	В
IWWWWI	Linear Rate Standard Height	1	C59-343	В
MWWWI	Linear Rate Raised Height (45mm Lift)	1	C59-345	В
	CHUCK VBCUDBI			



TYPE: Sequoia

MODEL: UCK65 4.7L, USK 5.7L



DETAIL: 4x4 Station Wagon,

Does Not Suit Airbag Suspension




	FRONT	₽	PART NUMBER	PRICE		REAR	F	PART NUMBER	PRICE
	COIL SPRING					COIL SPRING			
MWWWW	Linear Rate Raised Height (45mm Lift)	1	C59-476	В	MWWWW	Linear Rate Raised Height (45mm Lift)	1	C59-477	С
	SHOCK ABSORB	ΕR				SHOCK ABSORBI	₽R		
O	Twin Tube Gas Heavy Duty	2	GS59-710			Twin Tube Gas Heavy Duty	2	GS59-713	



TYPE: Landcruiser

MODEL: 40 Series - BJ40, FJ40, HJ40



YEAR: 1960 to 1980

DETAIL: SWB,

25mm Spring Eye



	FRONT	Ł	PART NUMBER	PRICE		REAR	P	PART NUMBER	PRICE
	LEAF SPRING					LEAF SPRING			
	25mm Spring Eye	9				25mm Spring Eye			
<u>_</u>	7 Leaves Raised Height (45mm Lift) 7 Leaves	2	HJ40-7L-F		<u>_</u>	6 Leaves Raised Height (45mm Lift) 25mm Longer Main Leaf		TOY-034-R	
<u> </u>	Raised Height (45mm Lift) 200Kg Accessories (Bullbar AND Winch)	2	HJ45-7L-F		م	7 Leaves Raised Height (50mm Lift) 150Kg Constant Load 25mm Longer Main Leaf	2	TOY-029-R	
	SHACKLE BUSH	ΚΤΊ	7						
						SHACKLE BUSH I	ΚI		
OLI		1	PB59-1013K		OTI	Kit Contains: 12 x SPF2230	1	PB59-1013K	
	U-BOLT KIT					U-BOLT KIT		1	
UU U	Right Hand Side Kit Contains: 1 x UB59-453-1 1 x UB59-453-3	1	UB59-450K			Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
	Left Hand Side					SHOCK ABSORB	ER		
	Kit Contains:		UDEO 452 2K			Pre 01/1975			
	2 x UB59-453-3	1	UB59-453-3K			Twin Tube Gas			
	SHOCK ABSORB	ΕR				Heavy Duty 01/1975 on	2	GS59-635	
	Twin Tube Gas Heavy Duty	2	GS59-635		•	Twin Tube Gas Heavy Duty (Big Bore)	2	GS59-651	
	STEERING DAME	E:				(3 - 3)			
	Heavy Duty (Big Bore)					SHACKLE			
	Complete with Fittings	1	SD59-823		# 1	Greasable: Fit in Pairs	2	SK59-002	
	SHACKLE								
# •	Greasable: Fit in Pairs	2	SK59-002		▲ +→	PIN Greasable: Fit in Pairs	2	SP59-006	
1	PIN					Greasable. The first all 5	_	5. 55 666	
4 +-	Greasable: Fit in Pairs	2	SP59-006						



MODEL: 40 Series - BJ42, FJ40

(Confirm Build Date)

YEAR: 1980 to 1984

DETAIL: SWB,

35mm Spring Eye



	FRONT	ŢŢ	PART NUMBER	PRICE		REAR	ΔT	PART NUMBER	PRICE
	LEAF SPRING					LEAF SPRING		1	
	35mm Spring Eye	9				35mm Spring Eye	9		
<u></u>	7 Leaves Raised Height (45mm Lift) 7 Leaves	2	BJ42-7L-F		<u></u>	6 Leaves Raised Height (50mm Lift) 25mm Longer Main Leaf	2	TOY-035-R	
<u>_</u>	Raised Height (45mm Lift) 200Kg Accessories (Bullbar AND Winch)	2	HJ47-7L-F		<u>_</u>	7 Leaves Raised Height (50mm Lift) Heavy Duty 150Kg Constant Load 25mm Longer Main Leaf	2	TOV 026 B	
	SHACKLE BUSH	ΚÜ				25IIIII Longer Maiii Lear	2	101-030-K	
OTI	Kit Contains: 12 x PB59-1517	1	PB59-1019K			SHACKLE BUSH Kit Contains:	ΚΙΊ		
	U-BOLT KIT			}		12 x PB59-1517	1	PB59-1019K	
	Right Hand Side								
UU U	Kit Contains: 1 x UB59-453-3 1 x UB59-449	1	UB59-449K			U-BOLT KIT Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
	Left Hand Side Kit Contains:					SHOCK ABSORB			
	2 x UB59-453-3	2	UB59-453-3K			Twin Tube Gas	I-I-V		
	SHOCK ABSORB	ER		3		Heavy Duty (Big Bore)	2	GS59-651	
0	Twin Tube Gas Heavy Duty	2	GS59-635			SHACKLE		1	
,						Use HJ47 Shackle Kits (Left			
	STEERING DAME	E,	2		9	Slightly Longer Than Original, As Greasable: Fit Right & Left	sist	s Lift on Rear.	
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-823		##	as Pair Right Hand Side (AntiReverse)	1	SK59-048	
	SHACKLE					Greasable: Fit Right & Left			
#:1	Greasable: Fit Right & Left as Pair Right Hand Side (AntiReverse)	1	SK59-048		# •	as Pair Left Hand Side (AntiReverse)	1	SK59-047	
	Greasable: Fit Right & Left					PIN			
# 1	as Pair Left Hand Side (AntiReverse)	1	SK59-047		♣ —	Greasable: Fit in Pairs	2	SP59-007	
1	PIN			1					
& +-	Greasable: Fit in Pairs	2	SP59-007						




MODEL: 45 Series - FJ45, HJ45

(Confirm Build Date)

YEAR: Pre 08/1980

DETAIL: LWB Pickup, Troop Carrier,

Note Spring Eye Sizes,



Greasable: Fit in Pairs 2 SP59-006

	REAR	ŢŢ	PART NUMBER	PRICE
	LEAF SPRING			
	25mm Spring Eye			
<u>_</u>	Right Hand Side 6 + 3 Leaves Raised Height (40mm Lift)	1	HJ45-6+3-R RH	
م	Left Hand Side 6 + 3 Leaves Raised Height (40mm Lift)	1	HJ45-6+3-R LH	
م_	Right Hand Side 7+3 Leaves Raised Height (40mm Lift) Heavy Duty 200Kg Constant Load	1	HJ45-7+3-R RH	
م_ه	Left Hand Side 7 + 3 Leaves Raised Height (40mm Lift) Heavy Duty 200Kg Constant Load	1	HJ45-7+3-R LH	
1	SHACKLE BUSH I	(IT		
OTE	Kit Contains: 12 x SPF2231A		PB59-1014K	
	U-BOLT KIT			
	Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
	SHOCK ABSORB	ER		
·	Twin Tube Gas Heavy Duty (Big Bore)		GS59-651	
	SHACKLE			
# 1	Right Hand Side Greasable: Fit Right & Left as Pair	1	SK59-016	
## L	Left Hand Side Greasable: Fit Right & Left as Pair	1	SK59-015	
	DIN			
• 	Fit in Pairs	2	SP59-022	



MODEL: 45 Series - FJ45, HJ47, BJ45, BJ46



(Confirm Build Date) **YEAR**: 07/1980 to 1985

DETAIL: LWB Pickup, Troop Carrier,

35mm Spring Eye

	FRONT	Ł	PART PRI	ICE	REAR	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING				LEAF SPRING		i	
	35mm Spring Eye				35mm Spring Eye			
<u>_</u>	7 Leaves Raised Height (40mm Lift) 8 Leaves	2	HJ47-7L-F	MWWWWI	Right Hand Side 6 + 3 Leaves Raised Height (40mm Lift)	1	HJ47-6+3-R RH	
٩	Raised Height (40mm Lift) Heavy Duty 40Kg Accessories			MWWWW	Left Hand Side 6 + 3 Leaves Raised Height (40mm Lift)	1	HJ47-6+3-R LH	
	(Bullbar OR Winch) (Recommended)				Right Hand Side 7+3 Leaves Raised Height (40mm Lift) Heavy Duty		HJ47-7+3-R	
	SHACKLE BUSH I	(11				1	RH	
OLI	Kit Contains: 12 x PB59-1517	1	PB59-1019K		Left Hand Side 7 + 3 Leaves Raised Height (40mm Lift)			
	U-BOLT KIT			71111111111111	Heavy Duty		HJ47-7+3-R	
	Right Hand Side				200Kg Constant Load	1	LH	
\Rightarrow	Kit Contains: 1 x UB59-453-3				SHACKLE BUSH I	4.		
	1 x UB59-449	1	UB59-449K			~1		
UU U	Left Hand Side Kit Contains: 2 x UB59-453-3	1	UB59-453-3K	011	Kit Contains: 12 x PB59-1517	1	PB59-1019K	
					U-BOLT KIT			
	SHOCK ABSORB Twin Tube Gas				Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
	Heavy Duty	2	GS59-635	·	SHOCK ABSORB	ER		
·	STEERING DAMP				Twin Tube Gas			
	Heavy Duty (Big Bore) Complete with Fittings		SD59-823		Heavy Duty (Big Bore)	2	GS59-651	
					SHACKLE			
4+	SHACKLE Right Hand Side Greasable: Fit Right & Left			# •	,	1	SK59-048	
***	as Pair (AntiReverse) Left Hand Side	1	SK59-048	# •	Left Hand Side (AntiReverse)	1	SK59-047	
4+	Greasable: Fit Right & Left				PIN			
	as Pair (AntiReverse)	1	SK59-047	♣ +→	Greasable: Fit in Pairs	2	SP59-007	
	PIN							
	Greasable: Fit in Pairs	2	SP59-007					



TYPE: Landcruiser

MODEL: 55 Series - FJ55

YEAR: 1970 to 1980



	FRONT	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING			
	6 Leaves Raised Height (45mm Lift)	2	TOY-055-F	
	SHACKLE BUSH I	(II		
OLI	Kit Contains: 12 x SPF2231A	1	PB59-1014K	
	U-BOLT KIT			
	Right Hand Side Kit Contains: 1 x UB59-453-1 1 x UB59-453-3	1	UB59-450K	
	Left Hand Side Kit Contains: 2 x UB59-453-3	1	UB59-453-3K	
	SHOCK ABSORB	=1?		
-	Twin Tube Gas Heavy Duty	2	GS15-639S	
	STEERING DAMP	13:		
;	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-823	
	SHACKLE			
## L	Right Hand Side Greasable: Fit Right & Left as Pair	1	SK59-015	
# 1	Left Hand Side Greasable: Fit Right & Left as Pair	1	SK59-016	

DETAIL: 9	Station V	Vagon					
PART NUMBER	PRICE		REAR	ΔTΔ	PART NUMBER	PRICE	
ГОҮ-055-F		<u> </u>	LEAF SPRING 8 Leaves Raised Height (45mm Lift)		TOY-056-R		
PB59-1014K		OTE	SHACKLE BUSH F Kit Contains: 12 x SPF2231A		PB59-1014K		
			U-BOLT KIT Kit Contains: 2 x UB59-453-3	2	UB59-453-3K		
JB59-450K JB59-453-3K		0	SHOCK ABSORB Twin Tube Gas Heavy Duty		GS59-636		
		**-1*	SHACKLE				
GS15-639S		#	Greasable: Fit Right & Left as Pair Left Hand Side Greasable: Fit Right & Left as Pair		SK59-015 SK59-016		
SD59-823			us i un	-	SKSS GIG		
6K59-015							
6K59-016							



MODEL: 60 Series - FJ60, FJ62, HJ60, HJ61



YEAR: 1980 to 1990 **DETAIL**: Station Wagon

	FRONT	ΣĎ	PART NUMBER	PRICE		REAR	ŢŢ	PART NUMBER	PRICE
	LEAF SPRING			V.		LEAF SPRING			
ڡ	5 Leaves Raised Height (45mm Lift) Petrol (No Accessories)	2	HJ61-5L-F		For Left Hand D	rive Vehicles, Fit the Higher Ca Side of the Vehicle Right Hand Side		er Spring to the	Left Hand
م	6 Leaves Raised Height (45mm Lift) Petrol (With Accessories) Diesel (No Accessories)	2	HJ61-6L-F		_	7 Leaves Raised Height (50mm Lift) Plus 1 Spacer Leaf (Top of Spring Pack)	1	HJ61-7L-R RH	
_	7 Leaves Raised Height (45mm Lift) Diesel (50-100Kg Accessories)		HJ61-7L-F		_	Left Hand Side 7 Leaves Raised Height (50mm Lift) Plus 1 Spacer Leaf (Top of Spring Pack)	1	HJ61-7L-R LH	
	HJ61 Turbo Dies	el				HJ61 Turbo Dies			
	7 Leaves Raised Height (45mm Lift)	2	HJ61-7L-F		0 0	Right Hand Side 7 Leaves Raised Height (45mm Lift)			
	SHACKLE BUSH I Kit Contains:	(I)		,		Plus 1 Spacer Leaf (Bottom of Spring Pack)	1	HJ61-7L-R RH	
OII	12 x PB59-1517 U-BOLT KIT	1	PB59-1019K		ي	Left Hand Side 7 Leaves Raised Height (45mm Lift) Plus 1 Spacer Leaf (Pottern of Spacer Research)		HJ61-7L-R LH	
	Kit Contains: 2 x UB59-436		UB59-436K		٥٥	(Bottom of Spring Pack) Right Hand Side 8 Leaves Raised Height (45mm Lift)	1		
ا ف س اف	SHOCK ABSORB Twin Tube Gas Heavy Duty		GS59-637			Heavy Duty 300Kg Constant Load Left Hand Side	1	HJ61-8L-R RH	
•	ricavy Buty	_	4555 657			8 Leaves			
	STEERING DAMP	ER		1		Raised Height (45mm Lift) Heavy Duty			
•	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824			300Kg Constant Load		HJ61-8L-R LH	
	SHACKLE					SHACKLE BUSH I	(11		
#1	Greasable: Fit in Pairs	2	SK59-019		OTI	Kit Contains: 12 x PB59-1517	1	PB59-1019K	
	Right Hand Side					U-BOLT KIT			
++-	Greasable: Fit Right & Left as Pair Left Hand Side	1	SK59-048			Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
# •	Greasable: Fit Right & Left as Pair	1	SK59-047		· · · · · · · · · · · · · · · · · · ·	SHOCK ABSORB	=R		
,	PIN					Twin Tube Gas Comfort Option			
4 —	Greasable: Fit in Pairs	2	SP59-007		0	Twin Tube Gas Heavy Duty (Big Bore)	2	GS59-651	
					'	SHACKLE			
					# •	Greasable: Fit in Pairs	2	SK50-010	
						Right Hand Side	2	JRJ-013	
					↔ 	(AntiReverse)	1	SK59-048	
					# •	Left Hand Side (AntiReverse)	1	SK59-047	
						PIN			
						Greasable: Fit in Pairs	2	SP59-007	



MODEL: 70 Series - Bundera - LJ70, LJ73, RJ70,



YEAR: 11/1984 to 12/1989 **DETAIL**: Round Headlights



	FRONT	Ł	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Standard Height	1	C59-084	В
mmmm	Linear Rate Raised Height (45mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C59-082	В
MMMM	Linear Rate Raised Height (60mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C59-404	В
	SHOCK ABSORB	ER		
-	Twin Tube Gas Heavy Duty	2	GS45-114	

STE	ERING	DAMP	ER	

Heavy Duty (Big Bore)

Complete with Fittings 1 SD59-824

UNDER BODY BUSH KIT

SEE REAR UNDER BODY BUSH KIT

RADIUS ARM BUSH

Front Radius Arm Castor Kit (±2.5°)

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Kit Contains: 4 x Polyurethane Eccentric Bushes

Complete with Steel Inner Sleeve (+ 1 Grease Tube) 1 **WA59-512K**

	REAR	Ţ	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Linear Rate Standard Height	1	C59-085	В
MWWWW	Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load	1	C59-083	В
MWWW	Linear Rate Raised Height (65mm Lift) Up to 100Kg Constant Load	1	C59-405	В

SHOCK ABSORBER

This Vehicle has 2 Different Shock Absorbers on the Rear. When Ordering Only One Side, Please Make Sure that the Correct Part Number is Ordered.

Twin Tube Gas
Heavy Duty
(Big Bore)
Right Hand Side
1 x GS59-651 (Eye to Eye)
Left Hand Side
1 x GS45-640 (Eye to Pin)
1 GS59-652K

Kit Contains: 2 Different Part Numbers

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes

Kit Contains:

2 x Front Radius Arm to Chassis Bush
4 x Front Radius Arm to Diff Bush
2 x Front Panhard Rod Bush
2 x Rear Radius Arm to Chassis Bush
4 x Rear Radius Arm to Diff Bush
2 x Rear Panhard Rod Bush
1 PB59-1255K



MODEL: 70 Series - LJ70, LJ72, LJ73, LJ77,

(RJ70, RJ73, KZJ 70/73 - 1994 on)

YEAR: 01/1990 to 05/1993 **DETAIL:** Square Headlights



FRONT	5	NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-288	В
Linear Rate Super Raised Height (60mm Lift) Up to 50Kg Accessories (Bullbar AND Winch)	1	C59-244	В
Fit Long Travel Shock Absorber GS59-634	wi	th the Above Sp	oring

	SHOCK ABSORB	=R		
·	Twin Tube Gas Heavy Duty	2	GS59-632	
	To Be Used With Original Toyota Sp	ring	gs OR C59-288	
·	Twin Tube Gas Heavy Duty (Long Travel)	2	GS59-634	

Can Only Be Used with C59-244

STEERING DAMPER Heavy Duty (Big Bore)

Complete with Fittings 1 SD59-824

UNDER BODY BUSH KIT

SEE REAR UNDER BODY BUSH KIT

CASTOR BUSH KIT

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Adjustable Front Radius Arm Castor Kit Angle Settings:±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit Arm to Diff

4 x Rubber Bushes

1 RB59-536K

Arm to Chassis Bush Kit

2 x Rubber Bushes 1 RB59-534K

	REAR	₹Ď	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Raised Height (40mm Lift)	1	C59-289	В
MMMM	Linear Rate Super Raised Height (65mm Lift) Up to 100Kg Constant Load	1	C59-247	В
	op to 100kg Constant Load	1	C59-247	Б
Fit Long	Travel Shock Absorber GS59-633	3 w	ith the Above S	pring

•	Twin Tube Gas Heavy Duty	2	GS59-631	
Т	o Be Used With Original Toyota Sp	rin	gs OR C59-289	
·	Twin Tube Gas Heavy Duty (Long Travel)	2	GS59-633	
	Can Only Be Used with C	59	-247	

SHOCK ABSORBER

UNDER BODY BUSH KIT

Kit Contains: 2 x Front Radius Rod to Chassis Bush 4 x Front Radius Rod to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Radius Rod to Chassis Bush 4 x Rear Radius Rod to Diff Bush 2 x Rear Panhard Rod Bush

Kit Includes Front & Rear Under Body Bushes

1 PB59-1260K



TYPE: 70 Series Prado I, Landcruiser II

MODEL: LJ78/79, RJ77, KZJ78

YEAR: 1987 to 1996

DETAIL: Station Wagon SX5, 2.4L Petrol, 2.4L TD



	FRONT	Ě	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Linear Rate Standard Height	1	C59-290	В
M	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-288	В
M	Linear Rate Raised Height (45mm Lift) 50-110Kg Accessories (Bullbar AND Winch)	1	C59-206	В
mmmm	Linear Rate Raised Height (60mm Lift) Up to 50Kg Accessories (Bullbar AND Winch)	1	C59-244	В
Fit Long T	ravel Shock Absorber GS59-63	4 w	ith the Ahove S	pring

Fit Long Travel Shock Absorber GS59-634 with the Above Spring

SHOCK ABSORBER

Twin Tube Gas
Heavy Duty 2 **GS59-632**

To Be Used with Original Toyota Springs OR C59-290, C59-288, C59-206

Twin Tube Gas
Heavy Duty
(Long Travel) 2 **GS59-634**

Can Only Be Used with C59-244

STEERING DAMPER

Heavy Duty (Big Bore)
Complete with Fittings 1

s 1 **SD59-824**

CASTOR KIT

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0° or ±2.5°

4 x Polyurethane Eccentric Bushes 1 **PB59-503K**

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

SWAYBAR EXTENSION

Swaybar Extensions (Suits 60mm Lift) 2 **SE59-516**

	REAR	F	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Standard Height	1	C59-291	В
MWWW	Linear Rate Raised Height (45mm Lift)	1	C59-289	В
MWWW	Linear Rate Super Raised Height (65mm Lift) Up to 100Kg Constant Load	1	C59-247	В
Fit Long	Travel Shock Absorber GS59-633			

SHOCK ABSORBER

Twin Tube Gas
Heavy Duty 2 **GS59-631**

To Be Used with Original Toyota Springs **OR** C59-291, C59-289

Twin Tube Gas
Heavy Duty
(Long Travel) 2 **GS59-633**

Can Only Be Used with C59-247

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes

Kit Contains: 2 x Front Radius Rod to Chassis Bush 4 x Front Radius Rod to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Radius Rod to Chassis Bush 4 x Rear Radius Rod to Diff Bush

2 x Rear Panhard Rod Bush 1 **PB59-1260K**

ALIGNMENT PART

Sway Bar Extension (Suits 60mm Lift)

Side of Chassis Mount 2 **SE59-517**

Chassis Variants May Require An Additional Hole Drilled In SE59-517 Bracket



MODEL: 70 Series - FJ/BJ 70, BJ71, FJ/BJ 73,



YEAR: 1985 to 12/1989


DETAIL: Short Wheel Base/Mid Wheel Base



	FRONT	ΣĎ	PART NUMBER	PRICE		REAR	ΔŢ	PART NUMBER	PRICE
	LEAF SPRING					LEAF SPRING		i i	
<u></u>	7 Leaves Raised Height (45mm Lift) 8 Leaves	2	HJ75-7L-F		ڡ	Right Hand Side 7 Leaves Plus 1 Spacer Leaf			
_	Raised Height (45mm Lift) 60-100Kg Accessories	2	HJ75-8L-F		٥	Raised Height (50mm Lift) Left Hand Side 7 Leaves Plus 1 Spacer Leaf		HJ60-7L-R RH	
	SHACKLE BUSH I	(T	Ī			Raised Height (50mm Lift)	1	HJ60-7L-R LH	
OLI	Kit Contains: 12 x PB59-1517		PB59-1019K		<u>_</u>	Right Hand Side 7 Leaves Plus 1 Spacer Leaf Raised Height (50mm Lift) 150Kg Constant Load	1	HJ61-7L-R RH	
	U-BOLT KIT					Left Hand Side			
			UB59-436K		م	7 Leaves Plus 1 Spacer Leaf Raised Height (50mm Lift) 150Kg Constant Load	1	HJ61-7L-R LH	
	SHOCK ABSORB	3					_		
C	Twin Tube Gas Heavy Duty				و	Right Hand Side 8 Leaves Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load	1	HJ61-8L-R RH	
	STEERING DAMP	4	ł.			Left Hand Side			
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824		م	8 Leaves Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load	1	HJ61-8L-R LH	
	SHACKLE								
# •	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-048			SHACKLE BUSH I Kit Contains: 12 x PB59-1517		PB59-1019K	
##	Left Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-047			U-BOLT KIT Kit Contains:			
						2 x UB59-453-3	2	UB59-453-3K	
	PIN								
						SHOCK ABSORB	ER		
	Greasable: Fit in Pairs	2	SP59-007		•	Twin Tube Gas Comfort Option Twin Tube Gas	2	GS59-649	
					•	Heavy Duty	2	GS59-651	
					i i	SHACKLE		1	
					# •	Greasable: Fit in Pairs	2	SK59-019	
					## •	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-048	
					# •	Left Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK50-047	
						(,	_		
						PIN		``	
					4	Greasable: Fit in Pairs	2	SP59-023	
					1				



MODEL: 70 Series - HZJ70, HZJ73, PZJ70, PZJ73



DETAIL: Short Wheel Base / Mid Wheel Base



	8								
	FRONT	ΣĎ	PART NUMBER	PRICE		REAR	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING					LEAF SPRING		1	
<u>_</u>	7 Leaves Raised Height (45mm Lift) 8 Leaves		HJ75-7L-F		<u>_</u>	Right Hand Side 7 Leaves Plus 1 Spacer Leaf			
<u></u>	Raised Height (45mm Lift) 60-100Kg Accessories	2	HZJ75-8L-F		٥	Raised Height (50mm Lift) Left Hand Side 7 Leaves Plus 1 Spacer Leaf		HJ60-7L-R RH	
1	SHACKLE BUSH I	/TT				Raised Height (50mm Lift)	1	HJ60-7L-R LH	
OLI	Kit Contains: 12 x PB59-1517		PB59-1019K		<u>_</u>	Right Hand Side 7 Leaves Plus 1 Spacer Leaf Raised Height (50mm Lift) 150Kg Constant Load	1	HJ61-7L-R RH	
	U-BOLT KIT						-	IIJOI / L K KII	
			UB59-436K		ڡ	Left Hand Side 7 Leaves Plus 1 Spacer Leaf Raised Height (50mm Lift) 150Kg Constant Load	1	HJ61-7L-R LH	
	SHOCK ABSORB	ŧR				•	-	IIJOI-7 E-IX EII	
	Twin Tube Gas Heavy Duty				م	Right Hand Side 8 Leaves Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load	1	HJ61-8L-R RH	
	STEERING DAMP	3;	•			Left Hand Side			
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824		م	8 Leaves Raised Height (50mm Lift) Heavy Duty	1	HJ61-8L-R LH	
	SHACKLE								
# •	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-048			SHACKLE BUSH I Kit Contains: 12 x PB59-1517		PB59-1019K	
# •	Left Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-047			U-BOLT KIT	_		
,	PIN	Y				Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
	FIN					SHOCK ABSORB	30		
8 —	Greasable: Fit in Pairs	2	SP59-007		·	Twin Tube Gas Comfort Option		GS59-649	
					0	Twin Tube Gas Heavy Duty (Big Bore)	2	GS59-651	
						SHACKLE			
					# •	Greasable: Fit in Pairs Right Hand Side	2	SK59-019	
					# •	Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-048	
					## •	Left Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-047	
					<u>, , , , , , , , , , , , , , , , , , , </u>				
						PIN			
					4	Greasable: Fit in Pairs	2	SP59-023	



MODEL: 70 Series - FZJ77, HZJ77, PZJ77

YEAR: 1993 to 1999

DETAIL: Station Wagon, 5 Door




_	_			
	FRONT	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING			i
ڡ	7 Leaves Raised Height (45mm Lift)		HZJ75-7L-F	
و	8 Leaves Raised Height (50mm Lift)	2	HZJ75-8L-F	
	8 Leaves Raised Height (45mm Lift)			
	Up to 80Kg Accessories (Bullabr OR Winch)	2	HJ75-8L-F	
1	SHACKLE BUSH I	(I T		ì
OLI	Kit Contains: 12 x PB59-1517	1	PB59-1019K	
1	U-BOLT KIT			1
	Kit Contains:			
	2 x UB59-668	2	UB59-668K	
	SHOCK ABSORB	=1;		
	Twin Tube Gas Heavy Duty	2	GS59-637	
1	STEERING DAMP	= :		ì
	Heavy Duty (Big Bore) Complete with Fittings		SD59-824	
1	SHACKLE			
	Right Hand Side			
# •		1	SK59-048	
# 6	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse) Left Hand Side Greasable: Fit Right & Left	1	SK59-048	
# 6	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse) Left Hand Side		SK59-048 SK59-047	
#6	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse) Left Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)			
# 6	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse) Left Hand Side Greasable: Fit Right & Left as Pair	1	SK59-047	
# 6	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse) Left Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-047	
# 6	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse) Left Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-047	
# 6	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse) Left Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-047	
# 6	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse) Left Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-047	
# 6	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse) Left Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-047	
# 6	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse) Left Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-047	
	Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse) Left Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-047	

	REAR	ΔŢ	PART NUMBER	PRICE
	LEAF SPRING			
ڡ_	4 + 2 Leaves Raised Height (50mm Lift) Standard Duty Up to 100-150Kg Constant Load	2	L59-020-R	
<u></u>	5 + 2 Leaves Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load	2	L59-021-R	
9	6 + 2 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load	2	L59-022-R	
	SHACKLE BUSH F	(I T		
OLI	Kit Contains: 12 x PB59-1518		PB59-1020K	
	U-BOLT KIT			
Ü	Suits L59-020-R Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
U	Suits L59-021-R	2	UB59-453-3K	
	Kit Contains: 2 x UB59-453-1		UB59-453-1K	
		ļ		
	SHOCK ABSORBI	=1;		
•	Twin Tube Gas Soft Option (Big Bore) Not for Loaded Vehicles		GS45-115	
•	Twin Tube Gas Soft Option (Big Bore)	2	GS45-115 GS59-079	
	Twin Tube Gas Soft Option (Big Bore) Not for Loaded Vehicles Twin Tube Gas Heavy Duty (Big Bore) Twin Tube Gas Heavy Duty, (Big Bore) (Big Bore)	2		
	Twin Tube Gas Soft Option (Big Bore) Not for Loaded Vehicles Twin Tube Gas Heavy Duty (Big Bore) Twin Tube Gas Heavy Duty	2	GS59-079	
	Twin Tube Gas Soft Option (Big Bore) Not for Loaded Vehicles Twin Tube Gas Heavy Duty (Big Bore) Twin Tube Gas Heavy Duty, Long Travel (Big Bore) SHACKLE Greasable: Fit in Pairs Right Hand Side	2	GS59-079 GS59-703	
	Twin Tube Gas Soft Option (Big Bore) Not for Loaded Vehicles Twin Tube Gas Heavy Duty (Big Bore) Twin Tube Gas Heavy Duty, Long Travel (Big Bore) SHACKLE Greasable: Fit in Pairs	2 2 2	GS59-079 GS59-703	
	Twin Tube Gas Soft Option (Big Bore) Not for Loaded Vehicles Twin Tube Gas Heavy Duty (Big Bore) Twin Tube Gas Heavy Duty, Long Travel (Big Bore) SHACKLE Greasable: Fit in Pairs Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	2 2 2	GS59-079 GS59-703 SK59-019	
	Twin Tube Gas Soft Option (Big Bore) Not for Loaded Vehicles Twin Tube Gas Heavy Duty (Big Bore) Twin Tube Gas Heavy Duty, Long Travel (Big Bore) SHACKLE Greasable: Fit in Pairs Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse) Left Hand Side Greasable: Fit Right & Left as Pair (AntiReverse)	2 2 2	GS59-079 GS59-703 SK59-019 SK59-048	
	Twin Tube Gas Soft Option (Big Bore) Not for Loaded Vehicles Twin Tube Gas Heavy Duty (Big Bore) Twin Tube Gas Heavy Duty, Long Travel (Big Bore) SHACKLE Greasable: Fit in Pairs Right Hand Side Greasable: Fit Right & Left as Pair (AntiReverse) Left Hand Side Greasable: Fit Right & Left as Pair	2 2 2 1	GS59-079 GS59-703 SK59-019 SK59-048	



MODEL: 70 Series - FZJ/HZJ 71, 74, 76





	FRONT	QTV	PART NUMBER	PRICE
	COIL SPRING			
WWWW	Linear Rate Standard Height	1	C59-250	В
 	Linear Rate Raised Height (50mm Lift) Comfort Option Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-246	В
WWWW	Linear Rate Raised Height (50mm Lift) Up to 50Kg Accessories	1	C59-248	В
M	Linear Rate Raised Height (50mm Lift) Super Heavy Duty 50-100Kg Accessories (Bullbar and Winch)	1	C59-252	В
	SHOCK ABSORE	ER		
	Twin Tube Gas Heavy Duty	2	GS45-114	
	STEERING DAME	PER		i
 	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
	UNDER BODY BUS	нк	IT	1
	Kit Includes Front & Rear Unde			
2 x Fro	Kit Contains: 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush Leading Arm to Chassis Bush		PB59-1261K	
	RADIUS ARM BL	JSH		1
	Raising Vehicle Will Effect C			
	ent is Recommended to Detern Front Radius Arm Castor Kit	nine	if a Castor Kit is	Required.
An	gle Settings: ±0° or ±2.5° blyurethane Eccentric Bushes	1	PB59-503K	
Fixed Rubber	Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes		RB59-522K	

	REAR	ŲΤΥ	PART NUMBER	PRICE
	LEAF SPRING			
	FZJ/HZJ 71 SWE	3		
<u>_</u>	Right Hand Side 7 Leaves Plus 1 Spacer Leaf Raised Height (50mm Lift)	1	L59-071-R RH	
ڡ	Left Hand Side 7 Leaves Plus 1 Spacer Leaf Raised Height (50mm Lift)		L59-071-R LH	
	FZJ/HZJ 74 MWI	В		
<u> </u>	Right Hand Side 7 Leaves Plus 1 Spacer Leaf Raised Height (50mm Lift)	1	L59-074-R RH	
ڡ	Left Hand Side 7 Leaves Plus 1 Spacer Leaf Raised Height (50mm Lift)		L59-074-R LH	
	FZJ/HZJ 76 LWE	3		
<u>_</u>	7 Leaves Raised Height (50mm Lift) 250Kg Constant Load	2	L59-021-R	
	SHACKLE BUSH F	(IT	•	
OLI	Kit Contains: 4 x PB59-1536 2 x PB59-1538 4 x PB59-1537	1	PB59-1090K	
	U-BOLT KIT			
	Suits 71 SWB Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
	Suits 74 MWB Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
	Kit Contains:		UB59-453-3K UB59-453-1K	
	Kit Contains: 2 x UB59-453-3 Suits 76 LWB Kit Contains:	2		
	Kit Contains: 2 x UB59-453-3 Suits 76 LWB Kit Contains: 2 x UB59-453-1 SHOCK ABSORB Twin Tube Gas Comfort Option Light Load	2		
	Kit Contains: 2 x UB59-453-3 Suits 76 LWB Kit Contains: 2 x UB59-453-1 SHOCK ABSORB Twin Tube Gas Comfort Option Light Load Twin Tube Gas Heavy Duty (Big Bore)	2 ER 2	UB59-453-1K	
	Kit Contains: 2 x UB59-453-3 Suits 76 LWB Kit Contains: 2 x UB59-453-1 SHOCK ABSORBI Twin Tube Gas Comfort Option Light Load Twin Tube Gas Heavy Duty	2 ER 2	UB59-453-1K GS59-649	
	Kit Contains: 2 x UB59-453-3 Suits 76 LWB Kit Contains: 2 x UB59-453-1 SHOCK ABSORB Twin Tube Gas Comfort Option Light Load Twin Tube Gas Heavy Duty (Big Bore)	2 2 2	UB59-453-1K GS59-649	
•	Kit Contains: 2 x UB59-453-3 Suits 76 LWB Kit Contains: 2 x UB59-453-1 SHOCK ABSORS Twin Tube Gas Comfort Option Light Load Twin Tube Gas Heavy Duty (Big Bore)	2 2 2	UB59-453-1K GS59-649 GS59-651	
•	Kit Contains: 2 x UB59-453-3 Suits 76 LWB Kit Contains: 2 x UB59-453-1 SHOCK ABSORE Twin Tube Gas Comfort Option Light Load Twin Tube Gas Heavy Duty (Big Bore) SHACKLE Greasable: Fit in Pairs	2 2 2	UB59-453-1K GS59-649 GS59-651	



MODEL: 70 Series - GRJ71, HZJ71

YEAR: 08/2009 on

DETAIL: 4x4



	FRONT	ΙŽ	PART NUMBER	PRICE		REAR	È	PART NUMBER	PRICE
	COIL SPRING					LEAF SPRING			
M	Variable Rate Standard Height Linear Rate	1	C59-454V	В	<u>_</u>	Right Hand Side 7 Leaves + 1 Spacer Raised Height (50mm Lift)	1	L59-071-R RH	
M	Raised Height (40mm Lift) Comfort Option No Accessories	1	C59-246	В	و_	Left Hand Side 7 Leaves + 1 Spacer Raised Height (50mm Lift)	1	L59-071-R LH	
M	Linear Rate Raised Height (40mm Lift) 50Kg Accessories (Bullbar)	1	C59-250	В	<u>_</u>	Right Hand Side 7 Leaves + 1 Spacer Raised Height (50mm Lift) 250-350Kg Constant Load	1	L59-074-R RH	
MMMM	Linear Rate Raised Height (50mm Lift) Up to 100Kg Accessories (Bullbar AND Winch)	1	C59-248	В	<u>_</u>	Left Hand Side 7 Leaves + 1 Spacer Raised Height (50mm Lift) 250-350Kg Constant Load		L59-074-R LH	
	SHOCK ABSORB	ER							
	Twin Tube Gas	_	CC4F 44 1			SHACKLE BUSH	(11		
	Heavy Duty Monotube Remote Reservoir Heavy Duty		GS45-114 MR45-60114			Kit Contains: 8 x PB59-1537 4 x PB59-1536	1	PB59-1100K	
	SHOCK ABSORBER B		CVET			U-BOLT KIT			
	mended For Optimal Remote rvoir Positioning And Fitment	1	RM59-006			Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
	Only For Use With MR45	0-00	114			SHOCK ABSORB	ER		
	STEERING DAME)Ek				Twin Tube Gas			
i−−i	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-825			Soft Option (Big Bore) Not for Loaded Vehicles	2	GS45-115	
	UNDER BODY BUS		TT		0	Twin Tube Gas Heavy Duty			
	Kit Includes Front & Rear Unde	_				(Big Bore)	2	GS59-079	
	Kit Contains: 2 x Front Panhard Rod Bush		ay Duomee		•	Twin Tube Gas Heavy Duty, Long Travel (Big Bore)	2	GS59-703	
	ont Leading Arm to Diff Bush Leading Arm to Chassis Bush	1	PB59-1261K		•	Monotube Remote Reservoir		MR45-60115	
	CASTOR KIT					, , , ,			
	Vehicle Will Effect Castor Angle					SHACKLE			
Adjustable An	mmended to Determine if a Case Front Radius Arm Castor Kit gle Settings: ±0° or ±2.5° blyurethane Eccentric Bushes		·		なな!	Greasable: Fit in Pairs	2	SK59-051	
	Front Radius Arm Castor Kit	_	1 233 303K			PIN			
	Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K			Greasable: Fit in Pairs	2	SP59-057	



MODEL: 75 Series - FJ75, HJ75, BJ75

YEAR: 11/1984 to 01/1990


DETAIL: Pickup, Troop Carrier,
Rear Drum Brake




	FRONT	ΤŪ	PART NUMBER	PRICE		REAR	OTY	PART NUMBER	PRICE
	LEAF SPRING		ı			LEAF SPRING		I	1
م٥	7 Leaves Raised Height (45mm Lift) No Accessories	2	HJ75-7L-F		It Is A Requi	rement That The Brake Adjuste Using These Leaf Spi			ed When
	8 Leaves Raised Height (50mm Lift)	2	HJ/3-/L-F			6 + 2 Leaves Raised Height (50mm Lift) Up to 100Kg Constant Load	2	HJ75-6+2-R	
	Heavy Duty 40-70Kg Accessories (Bullbar OR Winch) (Recommended	2	HJ75-8L-F			7 + 2 Leaves Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load	2	HJ75-7+2-R	
1	SHACKLE BUSH	ΚΤ	r		0 0	8 + 2 Leaves Raised Height (50mm Lift)			
OLI	Kit Contains: 12 x PB59-1517	1	PB59-1019K			Super Heavy Duty 500Kg Constant Load	2	HJ75-8+2-R	
	U-BOLT KIT					SHACKLE BUSH	ΚI		
	Kit Contains: 2 x UB59-668	2	UB59-668K		OTE	Kit Contains: 12 x PB59-1518	1	PB59-1020K	
1	SHOCK ABSORB	ΕĐ				U-BOLT KIT		ı	1
·	Twin Tube Gas Heavy Duty		GS59-637			Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
1	STEERING DAME					SHOCK ABSORB	ER		1
	Heavy Duty (Big Bore) Complete with Fittings		SD59-824			Twin Tube Gas Soft Option (Big Bore) Not for Loaded Vehicles	2	GS45-115	
	SHACKLE					Twin Tube Gas			
11.	Right Hand Side Greasable: Fit Right & Left as Pair				•	Heavy Duty (Big Bore)	2	GS59-079	
	(AntiReverse) Left Hand Side	1	SK59-048		•	Twin Tube Gas Heavy Duty, Long Travel (Big Bore)	2	GS59-703	
#: •	Greasable: Fit Right & Left as Pair					BRAKE ADJUST	= -		1
	(AntiReverse)	1	SK59-047		Recomm	mended when Raising Vehicle			
	PIN						_		
	1-21/					SHACKLE		ı	1
8 —	Greasable: Fit in Pairs	2	SP59-007		# •	Greasable: Fit in Pairs	2	SK59-019	
					# •	Right Hand Side Greasable: Fit Right & Left as Pair			
						(AntiReverse)	1	SK59-048	
					# •	Left Hand Side Greasable: Fit Right & Left as Pair			
						(AntiReverse)	1	SK59-047	
						PIN			1
					4	Greasable: Fit in Pairs	2	SP59-023	
					İ				



MODEL: 75 Series - FZJ75, HZJ75





For Model with Rear Drum Brake (Pre 10/1991) use Rear Spring Part Number HJ75-6+2-R

27.7				use Rear	r Spring Part Number HJ75-6+2-R
	FRONT	Ž	PART NUMBER	PRICE	REAR
	LEAF SPRING		1		LEAF SPRING
ڡ	7 Leaves Raised Height (45mm Lift)				It Is A Requirement That The Brake Adjuster Using These Leaf Spr
	No Accessories 8 Leaves Raised Height (50mm Lift)	2	HZJ75-7L-F		6 + 2 Leaves Raised Height (50mm Lift) Up to 100Kg Constant Load
	Heavy Duty 0-40Kg Accessories (Bullbar Recommended)	2	HZJ75-8L-F		7 + 2 Leaves Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load
<u>_</u>	8 Leaves Raised Height (50mm Lift) Heavy Duty 50-100Kg Accessories	2	HJ75-8L-F		8 + 2 Leaves Raised Height (50mm Lift) Super Heavy Duy 500Kg Constant Load
	SHACKLE BUSH I	ΚΤ			
OLE	Kit Contains: 12 x PB59-1517	1	PB59-1019K		SHACKLE BUSH I Kit Contains: 12 x PB59-1518
	U-BOLT KIT				
	Kit Contains:				U-BOLT KIT
	2 x UB59-668K	2	UB59-668K		Kit Contains: 2 x UB59-453-1
	SHOCK ABSORB	ER			
	Twin Tube Gas				SHOCK ABSORB
	Heavy Duty		GS59-637		Twin Tube Gas Soft Option (Big Bore)
	STEERING DAMP	13;	₹		Not for Loaded Vehicles
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824		Twin Tube Gas Heavy Duty (Big Bore)
	SHACKLE				Twin Tube Gas
# •	Right Hand Side Greasable: Fit Right & Left as Pair				Heavy Duty, Long Travel (Big Bore)
	(AntiReverse)	1	SK59-048		BRAKE ADJUSTI
# •	Left Hand Side Greasable: Fit Right & Left as Pair				Recommended when Raising Vehicle
	(AntiReverse)	1	SK59-047		SHACKLE
1					Right Hand Side
	PIN Greasable: Fit in Pairs	2	CDE0 007		Greasable: Fit Right & Left as Pair (AntiReverse)
	Greasable. Fit III Fall's	_	SP59-007		Left Hand Side Greasable: Fit Right & Left as Pair
					as Pair (AntiReverse)
1					PIN
					Greasable: Fit in Pairs

	REAR	ΔĮ	PART NUMBER	PRICE
1	LEAF SPRING			
It Is A Requir	ement That The Brake Adjuster Using These Leaf Spri	BA	159-001 Be Fitte	d When
ڡ_	6 + 2 Leaves Raised Height (50mm Lift) Up to 100Kg Constant Load	2	HZJ75-6+2-R	
ڡ_	7 + 2 Leaves Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load	2	HZ375-7+2-R	
_	8 + 2 Leaves Raised Height (50mm Lift) Super Heavy Duy	2	112373-712-R	
	500Kg Constant Load		HZJ75-8+2-R	
	SHACKLE BUSH I	(IT		
	Kit Contains: 12 x PB59-1518	1	PB59-1020K	
İ	U-BOLT KIT			
	Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
1	SHOCK ABSORB	ΕR		
•	Twin Tube Gas Soft Option (Big Bore)			
	Not for Loaded Vehicles	2	GS45-115	
	Twin Tube Gas Heavy Duty (Big Bore)	2	GS59-079	
•	Twin Tube Gas Heavy Duty, Long Travel (Big Bore)	2	GS59-703	
Recomm	BRAKE ADJUSTE nended when Raising Vehicle		BA59-001	
1	SHACKLE			
# 6	Right Hand Side Greasable: Fit Right & Left			
	as Pair (AntiReverse) Left Hand Side	1	SK59-048	
# •	Greasable: Fit Right & Left as Pair (AntiReverse)	1	SK59-047	
	PTV			
	PIN			
4	Greasable: Fit in Pairs	2	SP59-023	



MODEL: 76 Series - FZJ76, HZJ76, VDJ76

YEAR: 04/2007 on


DETAIL: Station Wagon, V8 Turbo Diesel



25.787675								
	FRONT	Ě	PART NUMBER	PRICE	REAR	E	PART NUMBER	PRICE
	COIL SPRING				LEAF SPRIN	5		
MWWWI	Variable Rate Standard Height Linear Rate	1	C59-454V	В	4 + 2 Leaves Raised Height (45mm Lift) Medium Duty Up to 100Kg Constant Load		L59-020-R	
M	Raised Height (40mm Lift) Comfort Option No Accessories	1	C59-246	В	5 + 2 Leaves Raised Height (50mm Lift) Heavy Duty			
MWWWW	Linear Rate Raised Height (40mm Lift)	1	C59-250	В	300Kg Constant Load 6 + 2 Leaves		L59-021-R	
M	Linear Rate Raised Height (55mm Lift) Up to 80Kg Accessories (Bullbar OR Winch)	1	C59-248	В	Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load		L59-022-R	
MWWW	Linear Rate Raised Height (50mm Lift) Super Heavy Duty 80-110Kg Accessories (Bullbar AND Winch)		C59-252	В	SHACKLE BUSH Kit Contains: 4 x PB59-1538 2 x PB59-1538 4 x PB59-1537		PB59-1090K	
	SHOCK ABSORB Twin Tube Gas	ER			U-BOLT KIT			
	Heavy Duty Monotube Remote Reservoir Heavy Duty		GS45-114 MR45-60114		Suits L59-020-R Kit Contains: 2 x UB59-453-3		UB59-453-3K	
	SHOCK ABSORBER B				Suits L59-021-R Kit Contains: 2 x UB59-453-3		UB59-453-1K	
	nmended For Optimal Remote rvoir Positioning And Fitment Only For Use With MR45				Suits L59-022-R Kit Contains: 2 x UB59-453-1		UB59-453-1K	
	STEERING DAME	13-		3	SHOCK ABSOR	3 - 1 - 1		
	Heavy Duty (Big Bore) Complete with Fittings				Twin Tube Gas Soft Option (Big Bore)		GS45-115	
~ ~	ADJUSTABLE PANHA Right Hand Drive Complete with Bushes				Twin Tube Gas Heavy Duty (Big Bore)	2	GS59-079	
	UNDER BODY BUS				Monotube Remote Reservoir	2	GS59-703	
	Kit Contains: 2 x Front Panhard Rod Bush		, 11100				MR45-60115	
	ont Leading Arm to Diff Bush Leading Arm to Chassis Bush	1	PB59-1261K		SHACKLE		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	RADIUS ARM BU	S!		1	Greasable: Fit in Pairs	2	SK59-051	
0 Degree S	tandard Radius Arm Bush Kit	-11			PIN			
	Arm to Diff 4 x Rubber Bushes	1	RB59-536K					
	Arm to Chassis Bush Kit 2 x Rubber Bushes	1	RB59-534K		Greasable: Fit in Pairs	2	SP59-044	
	CONTINUED ON NEX	T	PAGE					



MODEL: 76 Series - FZJ76, HZJ76, VDJ76



DETAIL: Station Wagon, V8 Turbo Diesel



FRONT	V QTV	PART IUMBER	PRICE
CONTINUED FROM PREV	IOUS	PAGE	
CASTOR KIT			
Raising Vehicle Will Effect Ca A Wheel Alignment is Recommended to De	stor An	ngle. e if a Castor	· Kit is
Required.		e ii u custoi	Kicis
Adjustable Front Radius Arm Castor Kit			
Angle Settings: ±0° or ±2.5° 4 x Polyurethane Eccentric Bushes	1 PB!	59-503K	
Fixed Rubber Front Radius Arm Castor Kit			
Angle Setting: ±2.5°	1 00	F0 F33K	
4 x Rubber Eccentric Bushes	1 KB	59-522K	
SWAY BAR EXTEN	STON		
Adjustable Sway Bar Extension	JAGIN		
(Suits 2" to 4" Lift)	1 WA	\59-543K	
Must Be Fitted for Tail-Shaft/Swa	ybar Cl	learance	
ABS CABLE BRACK			
ABS Cable Bracket Kit			
Must Be Fitted To Vehicles Wit	n ABS B	Brakes	
COIL SPACER			
_			
10mm	2 PS 2	21-4008	
30mm	2 05	21-4009	
3011111	Z P32	21-4009	



TYPE: Landcruiser **MODEL**: 78 Series -

FZJ78, HZJ78 (09/1999 to 04/2007),

FZJ78, HZJ78, VDJ78 V8 Diesel (04/2007 on)

Dobinsons

YEAR: 09/1999 on **DETAIL**: Troop Carrier


	FRONT	ΣĎ	PART NUMBER	PRICE	REAR	ΣĎ	PART NUMBER	PRICE
	COIL SPRING				LEAF SPRING			
**********	Linear Rate Standard Height Up to 50Kg Accessories				It is a Requirement that the Brake Adjuster Brake Leaf Spring	159	-001 be Fitted w	hen Using
	(Bullbar OR Winch) Linear Rate	1	C59-250	В	6 + 2 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load	2	TOV 082 B	
M	Raised Height (45mm Lift) Up to 40Kg Accessories (Bullbar OR Winch)	1	C59-248	В	7 + 2 Leaves Raised Height (50mm Lift)	2	TOY-082-R	
I	Linear Rate Raised Height (45mm Lift) 50-110Kg Accessories (Bullbar AND Winch)		C59-236	В	Heavy Duty 300Kg Constant Load 8 + 2 Leaves	2	TOY-083-R	
MAAAAAAAA	Linear Rate Raised Height (35mm Lift)	1	C39-236	Б	Raised Height (50mm Lift) Super Heavy Duty 500Kg Constant Load	2	TOY-084-R	
IWWWWW	Extra Heavy Duty 70-120Kg Accessories (Bullbar AND Winch)	1	C59-252	. В	SHOCK ABSORE	ΕR		
1				1	Twin Tube Gas Soft Option			
	SHOCK ABSORB Twin Tube Gas Heavy Duty		GS45-114		(Big Bore) Not for Loaded Vehicles	2	GS45-115	
	Monotube Remote Reservoir		MR45-60114		Twin Tube Gas Heavy Duty (Big Bore)	2	GS59-079	
	SHOCK ABSORBER B	RA	CKET		Twin Tube Gas Heavy Duty, Long Travel (Big Bore)	2	GS59-703	
	mended For Optimal Remote rvoir Positioning And Fitment Only For Use With MR45				Monotube Remote Reservoir Heavy Duty	2	MR45-60115	
				1	SHACKLE BUSH	ΚΤ	· -	
	STEERING DAME	-			to 07/2009			
	FZJ79, HZJ79 (to 04/	/20	07)		Kit Contains:			
	Heavy Duty (Big Bore) Complete with Fittings FZJ79, HZJ79, VDJ79 (04				4 x PB59-1536 2 x PB59-1538 4 x PB59-1537	1	PB59-1090K	
, ,	Heavy Duty (Big Bore)	,	, o ,		08/2009 on (Air Bag	Da	sh)	
	Complete with Fittings			,	Kit Contains: 8 x PB59-1537 4 x PB59-1536	1	PB59-1100K	
	ADJUSTABLE PANHA							
	Right Hand Drive V8				U-BOLT KIT		i i	
<u> </u>	Complete with Bushes				Suits TOY-082-R			
•	Right Hand Drive 6 Cyl Complete with Bushes				Kit Contains: 2 x UB59-453-1 Suits TOY-083-R Kit Contains: 2 x UB59-416 Suits TOY-084-R Kit Contains:	2	UB59-453-1K	
	LINDED BODY BUG			1	Suits TOY-083-R Kit Contains:			
	UNDER BODY BUSI Kit Includes Front & Rear Unde				2 x UB59-416	2	UB59-416K	
2 x Fr	Kit Contains: 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush	ГВО	dy busiles		Suits TOY-084-R Kit Contains: 2 x UB59-416	2	UB59-416K	
	Leading Arm to Chassis Bush	1	PB59-1261K					
					BRAKE ADJUST	4:4		
0 Degree S	RADIUS ARM BU tandard Radius Arm Bush Kit Arm to Diff	5			Recommended when Raising Vehicle (Suits 2" to 3" Lift)	1	BA59-001	
	4 x Rubber Bushes	1	RB59-536K		SHACKLE			
	Arm to Chassis Bush Kit 2 x Rubber Bushes	1	RB59-534K		Greasable: Fit in Pairs	2	SK59-051	
1					·			



FRONT

TYPE: Landcruiser

MODEL: 78 Series -



FZJ78, HZJ78, VDJ78 V8 Diesel (04/2007 on)

YEAR: 09/1999 on **DETAIL:** Troop Carrier

≥ PART NUMBER

PRICE

REAR

≥ PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

CASTOR KIT

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Adjustable Front Radius Arm Castor Kit
Angle Settings: ±0° or ±2.5°

4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit
Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 **RB59-522K**

SWAY BAR EXTENSION

Adjustable Sway Bar Extension

(Suits 2" to 4" Lift) 1 **WA59-543K**

Must Be Fitted for Tail-Shaft/Swaybar Clearance

ABS CABLE BRACKET KIT

ABS Cable Bracket Kit 1 WA59-544K

30mm 2 **PS21-4009**

Must Be Fitted To Vehicles With ABS Brakes

COIL SPACER

10mm 2 **PS21-4008**

CONTINUED FROM PREVIOUS PAGE

PIN


to 07/2009

Greasable: Fit in Pairs 2 SP59-044

08/2009 on (Air Bag Dash)

Greasable: Fit in Pairs 2 SP59-057









YEAR: 09/1999 on

DETAIL: Pickup, 4.5L Turbo Diesel Pickup/Dual


Cab,

Front Coil Spring Suspension

1	9 -			Front Coi	l Spring Sus	pension			
	FRONT	₹	PART NUMBER	PRICE		REAR	Y	PART NUMBER	PRICE
	COIL SPRING					LEAF SPRING			
MWWWW	Linear Rate Standard Height Up to 50Kg Accessories				It is a Requirer	nent that the Brake Adjuster BA These Leaf Spring		-001 be Fitted W	hen Using
	(Bullbar OR Winch) Linear Rate	1	C59-250	В	م٥	6 + 2 Leaves Raised Height (45mm Lift) Comfort Spring	2	TOY-078-R	
 	Raised Height (45mm Lift) Up to 40Kg Accessories (Bullbar OR Winch)	1	C59-248	В	و ه	6 + 2 Leaves Raised Height (50mm Lift)	2	101-076-R	
I	Linear Rate Raised Height (45mm Lift) 50-110Kg Accessories	1	CEO 226	В		Standard Duty Up to 100Kg Constant Load 7 + 2 Leaves	2	TOY-082-R	
M AAAAAAA	(Bullbar AND Winch) Linear Rate Raised Height (35mm Lift)	1	C59-236	В	م	Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load	2	TOY-083-R	
IVWWWW.	Extra Heavy Duty 70-120Kg Accessories (Bullbar AND Winch)	1	C59-252	В	م_	8 + 2 Leaves Raised Height (50mm Lift) Super Heavy Duty 500Kg Constant Load	2	TOY-084-R	
	SHOCK ABSORB	ER				9 + 2 Leaves			
	Twin Tube Gas Heavy Duty Monotube Remote Reservoir	2	GS45-114		و	Raised Height (50mm Lift) Super Heavy Duty 800Kg Constant Load	2	TOY-085-R	
	Heavy Duty		MR45-60114		م	8 + 3 Leaves Raised Height (50mm Lift) Super Heavy Duty 1200Kg Constant Load	2	TOV 000-D	
	SHOCK ABSORBER BI	₹Α	CKET			1200kg Constant Load	_	101-066-K	
	mended For Optimal Remote rvoir Positioning And Fitment					SHOCK ABSORB	= :		
	Only For Use With MR45	-60	114			Twin Tube Gas			
						Soft Option (Big Bore)			
	STEERING DAMP	-				Not for Loaded Vehicles	2	GS45-115	
; → ;	FZJ79, HZJ79 (to 04/ Heavy Duty (Big Bore) Complete with Fittings		•			Twin Tube Gas Heavy Duty (Big Bore)	2	GS59-079	
	FZJ79, HZJ79, VDJ79 (04					Twin Tube Gas	_	0000	
;─	Heavy Duty (Big Bore) Complete with Fittings		•			Heavy Duty, Long Travel (Big Bore)	2	GS59-703	
1	ADJUSTABLE DANIJA	n n	DOD		•	Monotube Remote Reservoir Heavy Duty	2	MR45-60115	
	ADJUSTABLE PANHA Right Hand Drive V8								
F	Panhard Rod Lengths Vary Betw					SHACKLE		1	
	Confirm Length Below Whe					to 07/2009			
•	Genuine Panhard Rod Approx 940mm Long Centre of Bush to Centre of Bush				44.44.1	Greasable: Fit in Pairs			
	Complete with Bushes	1	PR59-1418			08/2009 on (Air Bag	Da	ash)	
•	Genuine Panhard Rod Approx 810mm Long Centre of Bush to Centre of Bush				****1	Greasable: Fit in Pairs	2	SK59-051	
	Complete with Bushes					SHACKLE BUSH	ĶΙ	Т	
_	Right Hand Drive 6 Cyl	I Me	odels			to 07/2009			
	Complete with Bushes	1	PR59-1420		OLE	Kit Contains: 4 x PB59-1509 4 x PB59-1538	1	PB59-1089K	
	UNDER BODY BUSI	_				08/2009 on (Air Bag	Da	ash)	
	Kit Includes Front & Rear Unde	r Bo	dy Bushes			Kit Contains:			
	Kit Contains: 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush Leading Arm to Chassis Bush	1	PB59-1261K		OLI	8 x PB59-1537 4 x PB59-1536			
	-					CONTINUED ON NEX	T	PAGE	
	CONTINUED ON NEV		ACE		1				

CONTINUED ON NEXT PAGE









GRJ79 YEAR: 09/1999 on

DETAIL: Pickup, 4.5L Turbo Diesel Pickup/Dual Cab,

Front Coil Spring Suspension

FRONT

PART NUMBER

PRICE

REAR

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit Arm to Diff

> 4 x Rubber Bushes 1 RB59-536K

Arm to Chassis Bush Kit

2 x Rubber Bushes 1 RB59-534K

CASTOR KIT

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0° or ±2.5°

4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

1 RB59-522K 4 x Rubber Eccentric Bushes

SWAY BAR EXTENSION

Adjustable Sway Bar Extension

(Suits 2" to 4" Lift) 1 WA59-543K

Must Be Fitted for Tail-Shaft/Swaybar Clearance

ABS CABLE BRACKET KIT

ABS Cable Bracket Kit 1 WA59-544K

Must Be Fitted To Vehicles With ABS Brakes

COIL SPACER

10mm 2 **PS21-4008**

30mm 2 **PS21-4009**

CONTINUED FROM PREVIOUS PAGE

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2" to 3" Lift) 1 BA59-001

U-BOLT KIT

Suits TOY-078-R & O.E. Spring with 2 Leaf

2nd Stage Kit Contains:

2 x UB59-453-1 2 UB59-453-1K

Suits TOY-082-R

Kit Contains: 2 x UB59-453-1 2 UB59-453-1K

Suits TOY-083-R &

O.E. Spring with 3 Leaf 2nd Stage

Kit Contains:

2 UB59-416K 2 x UB59-416

Suits TOY-084-R

Kit Contains:

2 x UB59-416 UB59-416K

Suits TOY-085-R

Kit Contains: 2 x UB59-914 2 UB59-914K

Suits TOY-088-R

Kit Contains:

2 x UB59-914 2 UB59-914K

PIN


to 07/2009

Greasable: Fit in Pairs 2 SP59-044

08/2009 on (Air Bag Dash)

Greasable: Fit in Pairs 2 SP59-057





VDJ79/78, GRJ79

YEAR: 09/1999 to 07/2016 Single Cab,

09/1999 on Troop Carrier Dual Cab

4.5L Turbo Diesel Dual Cab/Pickup, Troop Carrier,

3") and 100mm (4") Lifts

.0-0	-	•	DETAIL:	Pickup, 4 <mark>75mm (</mark> 3
	FRONT	ΣĎ	PART NUMBER	PRICE
	WARNING			
	oes not suit 08/2016 on, Single Crossmember Under Tailshaft engineered to allow clea	nee	eds to be modifie	ed and
·	COIL SPRING			
MWWW	Linear Rate Raised Height (3" Lift) Up to 50Kg Accessories	1	C59-240	В
MWWWW	Linear Rate Raised Height (3" Lift) 50-100Kg Constant Load	1	C59-256	В
M	Linear Rate Raised Height (4" Lift) Medium Duty 50-80Kg Accessories (Bullbar AND Winch)	1	C59-508	С
M	Linear Rate Raised Height (4" Lift) Super Heavy Duty 80-120Kg Accessories (Bullbar AND Winch)	1	C59-458	В
	SHOCK ABSORB	ΞR		

SHOCK ABSORBI	32	
 Twin Tube Gas Heavy Duty	2	GS51-116
Monotube Remote Reservoir Heavy Duty (3" Lift)	2	MR51-60116
Monotube Remote Reservoir Heavy Duty (4" Lift)	2	MR45-60914

SHOCK ABSORBER BRACKET

Recommended For Optimal Remote Reservoir Positioning And Fitment 1 RM59-006

Only For Use With MR45-60116 And MR45-60914

STEERING DAMPER

FZJ79, HZJ79 (to 04/2007)

Heavy Duty (Big Bore) Complete with Fittings 1 SD59-824

FZJ79, HZJ79, VDJ79 (04/2007 on)

Heavy Duty (Big Bore) Complete with Fittings 1 SD59-825

ADJUSTABLE PANHARD ROD

Right Hand Drive V8 Models

Panhard Rod Lengths Vary Between V8 Models. Confirm Length Below When Ordering

Genuine Panhard Rod Approx 940mm Long Centre of Bush to Centre of Bush

Complete with Bushes 1 PR59-1418 Genuine Panhard Rod

Approx 810mm Long Centre of Bush to Centre of Bush Complete with Bushes

1 PR59-1420

Complete with Bushes 1 PR59-1420

Right Hand Drive 6 Cyl Models

CONTINUED ON NEXT PAGE

PART REAR **PRICE** NUMBER

LEAF SPRING

It Is A Requirement That The Brake Adjuster BA59-001 Be Fitted When Using These Leaf Springs

3 + 1 Leaves Parabolic Raised Height (3" Lift) Medium Duty

Up to 100Kg Constant Load 2 TOY-090-RP

3 + 1 Leaves Parabolic Raised Height (4" Lift) Heavy Duty

Up to 100Kg Constant Load 2 TOY-091-RP

3 + 1 Leaves Parabolic Raised Height (3" Lift) Extra Heavy Duty

400Kg Constant Load 2 TOY-091-RP

6 + 2 Leaves Standard Duty Raised Height (4" Lift) Up to 150 Kg Constant Load

2 TOY-200-R

7 + 2 Leaves Standard Duty Raised Height (4" Lift) 300 Kg Constant Load 2 TOY-201-R

SHOCK ABSORBER

Twin Tube Gas Heavy Duty, Long Travel (Big Bore)

Not For Loaded Vehicles 2 **GS45-913**

Monotube Remote Reservoir **Heavy Duty**

(3" Lift) 2 MR45-60913

Monotube Remote Reservoir Heavy Duty (4" Lift)

2 MR45-60915

SHACKLE

Greasable: Fit in Pairs 2 SK59-051

SHACKLE BUSH KIT

Kit Contains: 8 x PB59-1537 4 x PB59-1536

1 PB59-1100K

U-BOLT KIT

Kit Contains: 2 x UB59-416

2 UB59-416K

BRAKE ADJUSTER

Recommended when Raising Vehicle (Suits 2" to 3" Lift) 1 BA59-001

PIN



Greasable: Fit in Pairs 2 SP59-057

CONTINUED ON NEXT PAGE



MODEL: 78/79 Series - FZJ79/78, HZJ79/78,

HDJ79, VDJ79/78, GRJ79



09/1999 on Troop Carrier Dual Cab

DETAIL: Pickup, 4.5L Turbo Diesel Dual Cab/Pickup, Troop Carrier,

75mm (3") and 100mm (4") Lifts

FRONT

PART NUMBER

PRICE

REAR

≥ PART B NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes

Kit Contains: 2 x Front Panhard Rod Bush 2 x Front Leading Arm to Diff Bush

4 x Front Leading Arm to Chassis Bush 1 PB59-1261K

CASTOR KIT

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

SWAY BAR EXTENSION

Adjustable Sway Bar Extension

(Suits 2" to 4" Lift) 1 WA59-543K

Must Be Fitted for Tail-Shaft/Swaybar Clearance

ABS CABLE BRACKET KIT

ABS Cable Bracket Kit 1 WA59-544K

Must Be Fitted To Vehicles With ABS Brakes

COIL SPACER

10mm 2 **PS21-4008**

30mm 2 **PS21-4009**

CONTINUED FROM PREVIOUS PAGE

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.



- Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required
- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.

- STOP
- Adjustable Panhard Rods
 - Modified Leading/Trailing Arms Modifications
 - Modified Leading/Trailing Arms - Brake Hoses
- Steering Arms
- Extended Bump Stops
- Swaybar Modification

- Gear Box & Drive Line

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: 80 Series - FJ80, HZJ80, HDJ80



(Confirm Build Date)
YEAR: 05/1990 to 08/1991
DETAIL: Station Wagon

	FRONT	¥	PART NUMBER	PRICE
	COIL SPRING			I
MWWW	Linear Rate Standard Height	1	C59-168	В
M	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch) (Recommended)	1	C59-166	В
M	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 50-110Kg Accessories (Bullbar AND Winch)	1	C59-170	В
ï	SHOCK ABSORB	E 12		
	Twin Tube Gas Heavy Duty	2	GS59-683	
	Monotube Remote Reservoir Heavy Duty	2	MR59-60683	
	STEERING DAMP	3-		
i−− i	Heavy Duty (Big Bore) Complete with Fittings		SD59-824	
	UNDER BODY BUSH	łΚ	IT	
	SEE REAR UNDER BODY B	USI	H KIT	
	CASTOR KIT			
A Wheel Aligna	Raising Vehicle Will Effect Ca nent is Recommended to Determ			Peguired
	e Front Radius Arm Castor Kit	ille	ii a Castoi Kit is	Requireu.
An	gle Settings: ±0°, ±2.5° or olyurethane Eccentric Bushes	1	PB59-503K	
Fixed Rubbe	r Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K	
	DARTIE ARM DI			
0 Dagra - 0	RADIUS ARM BU	<u>-1i</u>		
o Degree S	Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
	Arm to Chassis Bush Kit 2 x Rubber Bushes	1	RB59-534K	
	COIL SPACER			
	5mm	2	PS59-4001	
	10mm	2	PS59-4002	
-	20mm		PS59-4003	
	30mm	2	PS59-4004	

	REAR	Ě	PART NUMBER	PRICE
	COIL SPRING			
MWWWM	Linear Rate Standard Height	1	C59-169	В
I	Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load Recommended	1	C59-167	В
I	Variable Rate Raised Height (45mm Lift) Up to 100Kg Constant Load	1	C59-175V	В
 	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 350Kg Constant Load	1	C59-171	С
1	SHOCK ABSORB	ΕR		
	Twin Tube Gas Heavy Duty		GS59-682	
-	Monotube Remote Reservoir Heavy Duty	2	MR59-60682	
	UNDER BODY BUSH Kit Includes Front & Rear Under			
4 x	Kit Contains: t Radius Arm to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush Rear Upper Trailing Arm Bush Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1	PB59-1258K	
	BRAKE ADJUST	R		
Recom	mended when Raising Vehicle (Suits 2" to 3" Lift)	1	BA45-005	
1	COIL SPACER			
1	10mm	2	PS59-4005	
-	15mm	2	PS59-4006	
	30mm	2	PS59-4007	



MODEL: 80 Series - FJ80, FZJ80, HZJ80

(Confirm Build Date)

YEAR: 08/1991 to 1998 **DETAIL:** Station Wagon



	FRONT	ΔŢ	PART	PRICE		REAR	ΔŢ	PART	PRICE
	COIL SPRING		NUMBER					NUMBER	
MAAAAAAA	Variable Rate					COIL SPRING			
MMMMM	Standard Height Variable Rate	1	C59-210V	В	www	Variable Rate Standard Height	1	C59-221V	В
MMMMI	Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch) Variable Rate	1	C59-220V	В	 	Variable Rate Raised Height (45mm Lift) Comfort Spring - Petrol Only No Load	1	C59-269V	В
MWWWW	Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C59-222V	В	www	Linear Rate Standard Height	1	C59-243	В
MWWW	Linear Rate Standard Height Linear Rate		C59-174	В	MWWW	Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load (Recommended)	1	C59-169	В
MMMM	Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch) (Recommended)	1	C59-168	В	MMMM	Linear Rate Raised Height (60mm Lift) Up to 100Kg Constant Load		C59-167	В
MWWWW	Linear Rate Raised Height (45mm Lift) Up to 100Kg Accessories	1	C59-166	В	MWWWW	Variable Rate Raised Height (45mm Lift) Up to 100Kg Constant Load	1	C59-223V	В
MWWWW	Linear Rate Raised Height (60mm Lift) No Accessories Linear Rate	1	C59-166	В	MWWW	Linear Rate Raised Height (50mm Lift) 350Kg Constant Load	1	C59-171	С
MANAGAMA	Raised Height (40mm Lift)					SHOCK ABSORB	ER		
www	Comfort Spring - Petrol Only Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-234	В		Twin Tube Gas Heavy Duty	2	GS59-682	
1	SHOCK ABSORB	1		D		Monotube Remote Reservoir Heavy Duty	2	MR59-60682	
	Twin Tube Gas					neavy Duty	2	MK59-00082	
	Heavy Duty	2	GS59-683			UNDER BODY BUSI			
	Monotube Remote Reservoir Heavy Duty	2	MR59-60683			Kit Includes Front & Rear Under	r Bo	ody Bushes	
·	STEERING DAMF	ΕR		1	2 x Fron	Kit Contains: t Radius Rod to Chassis Bush			
	Heavy Duty (Big Bore) Complete with Fittings					4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush Rear Upper Trailing Arm Bush Rear Lower Trailing Arm Bush			
	UNDER BODY BUSH SEE REAR UNDER BODY B					2 x Rear Panhard Rod Bush	1	PB59-1258K	
	CASTOR KIT			I .		BRAKE ADJUSTI	ER		
A Wheel Alignm	Raising Vehicle Will Effect Ca nent is Recommended to Determ			Required.	Recomr	mended when Raising Vehicle	1	BA45-005	
An	Front Radius Arm Castor Kit gle Settings: ±0° or ±2.5°		DDF0 F03K			COIL SPACER			
	olyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5°	1	PB59-503K			10mm	2	PS59-4005	
	4 x Rubber Eccentric Bushes	1	RB59-522K	,		15mm	2	PS59-4006	
	RADIUS ARM BU	Sŀ				30mm	2	PS59-4007	
0 Degree S	tandard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K						
	Arm to Chassis Bush Kit 2 x Rubber Bushes	1	RB59-534K						
	COIL SPACER			1					
			PS59-4001						
	10mm	2	PS59-4002						
	20mm	2	PS59-4003						
	30mm	2	PS59-4004						



MODEL: 80/105 Series - FZJ, HZJ, HDJ 80/105



YEAR: 08/1991 on **DETAIL:** Station Wagon,

75mm (3" Lift)



				, , , , , , , , , , , , , , , , , , , ,
	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MMMM	Linear Rate Raised Height (3" Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-176	В
MMMM	Linear Rate Raised Height (3" Lift) Up to 100Kg Accessories (Bullbar AND Winch)	1	C59-170	В
	SHOCK ABSORB	ER		
	Twin Tube Gas			
	Heavy Duty Monotube Remote Reservoir	2	GS59-683	
	Heavy Duty	2	MR59-60683	
	STEERING DAMP	13:		
i ——i	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
	UNDER BODY BUSH	łΚ	IT	
	SEE REAR UNDER BODY B			
	CASTOR KIT			
	Vehicle Will Effect Castor Angle. ommended to Determine if a Cas			
An	E Front Radius Arm Castor Kit Igle Settings: ±0° or ±2.5° Olyurethane Eccentric Bushes	1	PB59-503K	
Fixed Rubbe	r Front Radius Arm Castor Kit Angle Setting: ±2.5°			
	4 x Rubber Eccentric Bushes	1	RB59-522K	
	OFFSET ADJUSTABLE PAI	NH	ARD ROD	
	Right Hand Drive Complete with Bushes		PR59-1404	
	Left Hand Drive Complete with Bushes	1	PR59-1408	
	RADIUS ARM BU	SI		
0 Degree S	Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
	Arm to Chassis Bush Kit 2 x Rubber Bushes	1	RB59-534K	
	SWAY BAR EXTENS) (DN	
	Sway Bar Extension (Suits 2" to 6" Lift)	2	SE59-516	
	COIL SPACER			
	5mm	2	PS59-4001	
	10mm	2	PS59-4002	
	20mm	2	PS59-4003	
	30mm	2	PS59-4004	

	REAR	ξĎ	PART NUMBER	PRICE
	COIL SPRING			
IWWWWI	Linear Rate Raised Height (3" Lift) Up to 100Kg Constant Load	1	C59-185	В
I	Linear Rate Raised Height (3" Lift) Up to 200Kg Constant Load	1	C59-171	С
IWWWWI	Linear Rate Raised Height (3" <mark>Lift)</mark> Up to 400Kg Constant Load	1	C59-153	С
	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS59-682	
<u> </u>	Monotube Remote Reservoir Heavy Duty	2	MR59-60682	
	UNDER BODY BUSI	ΗК	IT	
	Kit Includes Front & Rear Under			
4 x l	Kit Contains: t Radius Arm to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush Rear Upper Trailing Arm Bush Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1	PB59-1258K	
	ADJUSTABLE PANHA	RD	ROD	
	Complete with Bushes		PR59-1405	
	ALIGNMENT PA	RT		
* Check Sway	Bar Link Configuration - 80 Ser or SE59-519. All 105 Series Require S			SE59-517
	Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount*	2	SE59-517	
	Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount*	2	SE59-519	
	BRAKE ADJUSTI	ΕR		
			BA45-005	
Recomi	mended when Raising Vehicle (Suits 2" to 6" Lift)	1	BA45-005	
Recomi			BA45-005	
Recomi	(Suits 2" to 6" Lift)			
Recomi	(Suits 2" to 6" Lift) COIL SPACER	2		
Recomi	(Suits 2" to 6" Lift) COIL SPACER 10mm	2	PS59-4005	
8a_ 8a_ 8a_	(Suits 2" to 6" Lift) COIL SPACER 10mm 15mm 30mm WARNING - 75MM (3") OR F	2 2 2	PS59-4005 PS59-4006 PS59-4007 HER LIFT	
The suspension - Reference - An E	(Suits 2" to 6" Lift) COIL SPACER 10mm 15mm 30mm	2 2 HIG	PS59-4005 PS59-4006 PS59-4007 HER LIFT are for off-road of the control of the con	Vehicles

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.

Adjustable Panhard Rods

- Extended Bump Stops

- Brake Hoses

- Modified Leading/Trailing Arms

- Gear Box & Drive Line

- Swaybar Modification

Modifications

- Steering Arms



TYPE: Landcruiser **MODEL**: 80/105 Series -

FZJ, HZJ, HDJ 80/105 (4" lift)

YEAR: 08/1991 on
DETAIL: Station Wagon,
100mm (4") Lift



		>	PART	
	FRONT	6	NUMBER	PRICE
	COIL SPRING	I		
www	Linear Rate Raised Height (4" Lift) Heavy Duty 50-80Kg Accessories (Bullbar AND Winch)	1	C59-308	С
MMMM	Linear Rate Raised Height (4" Lift) Heavy Duty 80-150Kg Accessories (Bullbar AND Winch)	1	C59-312	С
1	SHOCK ABSORB	-		
	Twin Tube Gas Heavy Duty		GS45-912	
	Monotube Remote Reservoir Heavy Duty	2	MR45-60912	
	STEERING DAMP	ER		
·	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
	ADJUSTABLE PANHA	RD	ROD	
~	Right Hand Drive Complete with Bushes	1	PR59-1404	
~ ~	Left Hand Drive Complete with Bushes		PR59-1408	
	UNDER BODY BUSH			
	SEE REAR UNDER BODY B	US	H KIT	Y
	RADIUS ARM BU			
A Wheel Alignm	Raising Vehicle Will Effect Ca ent is Recommended to Determ	isto ine	or Angle. if a Castor Kit is	Required.
Ang	Front Radius Arm Castor Kit gle Settings: ±0° or ±2.5° slyurethane Eccentric Bushes	1	PB59-503K	
	Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K	
	CASTOR PLATE			
5º Casto	or Plate Kit (Suits Both Arms)	1	WA59-514K	
	SWAY BAR EXTENS) (DN	
Ad	justable Sway Bar Extension (Suits 2" to 6" Lift)	2	SE59-516	
	RADIUS ARM BU	Si		
	Radius Arm Bushes Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
	Arm to Chassis Bush Kit 2 x Rubber Bushes	1	RB59-534K	
, , , , , , , , , , , , , , , , , , ,	COIL SPACER			
0	COIL SPACER 5mm	2	PS59-4001	
0a_ 0a_			PS59-4001 PS59-4002	
	5mm	2		

REAR	Σ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (4" Lift) Heavy Duty 60-100Kg Constant Load Linear Rate	1	C59-309	С
Raised Height (4" Lift) Extra Heavy Duty 200 - 350Kg Constant Load	1	C59-313	С
SHOCK ABSORB	ΞR		
Twin Tube Gas Heavy Duty	2	GS59-687	
Monotube Remote Reservoir Heavy Duty	2	MR59-60687	
UNDER BODY BUSI	нк	IT	
Kit Includes Front & Rear Unde	r Bo	dy Bushes	
Kit Contains: 2 x Front Radius Arm to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush 4 x Rear Upper Trailing Arm Bush 4 x Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1	PB59-1258K	
ADJUSTABLE PANHA	RD	ROD	
Complete with Bushes	1	PR59-1405	
* Check Sway Bar Link Configuration - 80 Ser or SE59-519.	ries		SE59-517
* Check Sway Bar Link Configuration - 80 Set or SE59-519. All 105 Series Require S	ries		SE59-517
* Check Sway Bar Link Configuration - 80 Set or SE59-519.	ries E59		SE59-517
* Check Sway Bar Link Configuration - 80 Set or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift)	E59	-519	SE59-517
* Check Sway Bar Link Configuration - 80 Set or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift)	2 2	-519 SE59-517	SE59-517
* Check Sway Bar Link Configuration - 80 Set or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount*	E59 2 2	-519 SE59-517	SE59-517
* Check Sway Bar Link Configuration - 80 Set or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount* ERAKE ADJUST Brake Adjuster	2 2 ER	-519 SE59-517 SE59-519	SE59-517
* Check Sway Bar Link Configuration - 80 Set or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount* BRAKE ADJUST Brake Adjuster (Suits 2" to 4" Lift)	2 2 2 1	-519 SE59-517 SE59-519	SE59-517
* Check Sway Bar Link Configuration - 80 Set or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount* BRAKE ADJUST Brake Adjuster (Suits 2" to 4" Lift) COIL SPACER	2 2 ER 1	-519 SE59-517 SE59-519 BA45-005	SE59-517
* Check Sway Bar Link Configuration - 80 Set or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount* BRAKE ADJUST Brake Adjuster (Suits 2" to 4" Lift) COIL SPACER 10mm	2 2 ER 1 2 2 2	-519 SE59-517 SE59-519 BA45-005 PS59-4005	SE59-517
* Check Sway Bar Link Configuration - 80 Set or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount* BRAKE ADJUST Brake Adjuster (Suits 2" to 4" Lift) COIL SPACER 10mm 15mm	2 2 ER 1 2 2 2 HIG	-519 SE59-517 SE59-519 BA45-005 PS59-4005 PS59-4006 PS59-4007 SHER LIFT	

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.

- Adjustable Panhard Rods

- Extended Bump Stops

- Brake Hoses

- Modified Leading/Trailing Arms

- Gear Box & Drive Line

- Swaybar Modification

Modifications

- Steering Arms



TYPE: Landcruiser **MODEL**: 80/105 Series -

FZJ, HZJ, HDJ 80/105 (6" lift)

YEAR: 08/1991 on DETAIL: Station Wagon,



				150mm (
	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
I	Linear Rate Raised Height (<mark>6" Lift)</mark> 50-120Kg Constant Load	1	C59-310	С
	SHOCK ABSORB	ER		
-	Twin Tube Gas Heavy Duty	2	GS59-684	
	Monotube Remote Reservoir Heavy Duty	2	MR59-60684	
	CTEEDING DAMP			
	STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings		SD59-824	
	ADJUSTABLE PANHAI	RD	RUD	
	Right Hand Drive Complete with Bushes		PR59-1404	
	Left Hand Drive Complete with Bushes	1	PR59-1408	
	CASTOR PLATE I	(TT		
5° Casto	or Plate Kit (Suits Both Arms)		WA59-514K	
	SWAY BAR EXTENS	310	DN	
Ad	justable Sway Bar Extension (Suits 2" to 6" Lift)	2	SE59-516	
	RADIUS ARM BU	SI:		
	Radius Arm Bushes Arm to Diff 4 x Rubber Bushes			
	Arm to Chassis Bush Kit 4 x Rubber Bushes		RB59-536K RB59-534K	
,				
	COIL SPACER			
	5mm	2	PS59-4001	
	10mm	2	PS59-4002	
	20mm	2	PS59-4003	
	30mm	2	PS59-4004	

	REAR	Σ	PART NUMBER	PRICE
	COIL SPRING		_	
wwww	Linear Rate Raised Height (<mark>6" Lift</mark>) No Load	1	C59-317	С
WWWW	Linear Rate Raised Height (6" Lift) Heavy Duty 100Kg Constant Load	1	C59-319	С
WWWW	Linear Rate Raised Height (6" Lift) Extra Heavy Duty 400Kg Constant Load	1	C59-311	С
1	-		007 011	
	SHOCK ABSORE Twin Tube Gas Heavy Duty	2	GS59-685	
Mo	onotube Remote Reservoir Heavy Duty		MR59-60685	
Kit	UNDER BODY BUS Includes Front & Rear Under			
2 x Front Ra 4 : 2 : 4 x Rea 4 x Rea	Kit Contains: adius Arm to Chassis Bush x Front Leading Arm Bush x Front Panhard Rod Bush r Upper Trailing Arm Bush r Lower Trailing Arm Bush x Rear Panhard Rod Bush		PB59-1258K	
			DOD.	1
	ADTHETABLE BY NILA	חם		
	ADJUSTABLE PANHA Complete with Bushes		PR59-1405	
		1		
* Check Sway Ba	Complete with Bushes ALIGNMENT PA r Link Configuration - 80 Se or SE59-519.	1 RT ries	PR59-1405 Require Either	SE59-517
* Check Sway Ba	Complete with Bushes ALIGNMENT PA r Link Configuration - 80 Se	1 RT ries E59	PR59-1405 Require Either	SE59-517
	Complete with Bushes ALIGNMENT PA r Link Configuration - 80 Se or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift)	1 ries E59	PR59-1405 Require Either -519	SE59-517
	Complete with Bushes ALIGNMENT PA r Link Configuration - 80 Se or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift)	1 RT ries E59 2	PR59-1405 Require Either -519 SE59-517	SE59-517
ŗ	Complete with Bushes ALIGNMENT PA r Link Configuration - 80 Se or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount*	1 RT ries E59 2 2 ER	PR59-1405 Require Either -519 SE59-517	SE59-517
ŗ	Complete with Bushes ALIGNMENT PA r Link Configuration - 80 Se or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount* BRAKE ADJUST Inded when Raising Vehicle	1 RT ries E59 2 2 ER	PR59-1405 Require Either519 SE59-517 SE59-519	SE59-517
ŗ	Complete with Bushes ALIGNMENT PA r Link Configuration - 80 Se or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount* BRAKE ADJUST Inded when Raising Vehicle (Suits 2" to 6" Lift)	1 RT ries E59 2 2 ER 1	PR59-1405 Require Either519 SE59-517 SE59-519	SE59-517
ŗ	Complete with Bushes ALIGNMENT PA r Link Configuration - 80 Se or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount* BRAKE ADJUST Inded when Raising Vehicle (Suits 2" to 6" Lift) COIL SPACER 10mm 15mm	1 RT ries E59 2 2 ER 1 2 2	PR59-1405 Require Either 2-519 SE59-517 SE59-519 BA45-005 PS59-4005 PS59-4006	SE59-517
Recommer	Complete with Bushes ALIGNMENT PA r Link Configuration - 80 Se or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount* BRAKE ADJUST Inded when Raising Vehicle (Suits 2" to 6" Lift) COIL SPACER 10mm 15mm 15mm	1 RT ries E59 2 2 ER 1 2 2 2 2 2	PR59-1405 Require Either 2-519 SE59-517 SE59-519 BA45-005 PS59-4006 PS59-4007	SE59-517
Recommen	Complete with Bushes ALIGNMENT PA r Link Configuration - 80 Se or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount* BRAKE ADJUST Inded when Raising Vehicle (Suits 2" to 6" Lift) COIL SPACER 10mm 15mm	1 RT ries E59 2 2 ER 1 2 2 HIG	PR59-1405 Require Either519 SE59-517 SE59-519 BA45-005 PS59-4006 PS59-4007 HER LIFT	
Recommer WA The suspension of the suspension of	Complete with Bushes ALIGNMENT PA r Link Configuration - 80 Se or SE59-519. All 105 Series Require S Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount* Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount* BRAKE ADJUST Inded when Raising Vehicle (Suits 2" to 6" Lift) COIL SPACER 10mm 15mm 30mm RNING - 75MM (3") OR	1 RIT ries E59 2 2 ER 1 2 2 HIGGS Regular requirements	Require Either -519 SE59-517 SE59-519 BA45-005 PS59-4006 PS59-4007 GHER LIFT are for off-road egistered/Road aired	use only. Vehicles

vehicle before the kit is fitted.

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.

- Adjustable Panhard Rods

- Extended Bump Stops

- Brake Hoses

- Modified Leading/Trailing Arms

- Gear Box & Drive Line


- Swaybar Modification

Modifications

- Steering Arms



MODEL: 105 Series - FZJ105R, HZJ105R





	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Standard Height	1	C59-174	В
M	Linear Rate Raised Height (40mm Lift) Comfort Spring Petrol Only Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-234	В
M	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch) (Recommended)	1	C59-168	В
I	Linear Rate Raised Height (45mm Lift) 60-100Kg Accessories	1	C59-166	В
M	*Linear Rate Raised Height (60mm Lift) No Accessories	1	C59-166	В
* Sw	ay Bar Extensions and Panhard I	Rod	s recommended	1
	SHOCK ABSORBI	ΕR		
	Twin Tube Gas Heavy Duty	2	GS59-683	
	Monotube Remote Reservoir Heavy Duty	2	MR59-60683	
	STEERING DAMP	٦;		
ii	Heavy Duty (Big Bore)		CDE0 024	
	Complete with Fittings	1	SD59-824	
	UNDER BODY BUSH	ΙK	ш	
		ΙK	ш	
	UNDER BODY BUSH SEE REAR UNDER BODY BE CASTOR KIT Vehicle Will Effect Castor Angle.	I K	IT H KIT Wheel Alignmen	
Reco Adjustable	UNDER BODY BUSH SEE REAR UNDER BODY BO CASTOR KIT	I K	IT H KIT Wheel Alignmen	
Adjustable At x Pe	UNDER BODY BUSI- SEE REAR UNDER BODY BU CASTOR KIT Vehicle Will Effect Castor Angle. Ommended to Determine if a Case Front Radius Arm Castor Kit ngle Settings: ±0°or ±2.5° olyurethane Eccentric Bushes r Front Radius Arm Castor Kit	I K	IT H KIT Wheel Alignmen Kit is Required.	
Reco Adjustable Au 4 x Pe	UNDER BODY BUSI- SEE REAR UNDER BODY BU CASTOR KIT Vehicle Will Effect Castor Angle. Demmended to Determine if a Castor Front Radius Arm Castor Kit ngle Settings: ±0°or ±2.5° Olyurethane Eccentric Bushes	A tor	IT H KIT Wheel Alignmen Kit is Required.	
Adjustable At x Pe	UNDER BODY BUSI- SEE REAR UNDER BODY BUSI- CASTOR KIT Vehicle Will Effect Castor Angle. Demmended to Determine if a Castor Kit Angle Settings: ±0°or ±2.5° Olyurethane Eccentric Bushes of Front Radius Arm Castor Kit Angle Setting: ±2.5° A x Rubber Eccentric Bushes	A tor	H KIT Wheel Alignmen Kit is Required. PB59-503K RB59-522K	
Adjustable Au Ax Po Fixed Rubbe	UNDER BODY BUSI- SEE REAR UNDER BODY BUSI- CASTOR KIT Vehicle Will Effect Castor Angle. Commended to Determine if a Case Front Radius Arm Castor Kit ngle Settings: ±0°or ±2.5° Olyurethane Eccentric Bushes r Front Radius Arm Castor Kit Angle Setting: ±2.5°	A tor	H KIT Wheel Alignmen Kit is Required. PB59-503K RB59-522K	
Adjustable Au Ax Po Fixed Rubbe	UNDER BODY BUSH- SEE REAR UNDER BODY BUSH- CASTOR KIT Vehicle Will Effect Castor Angle. Commended to Determine if a Castor Kit Description of the Castor Kit Angle Settings: ±0°or ±2.5° olyurethane Eccentric Bushes of Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes RADIUS ARM BU Standard Radius Arm Bush Kit Arm to Diff	A tor 1 1 1	Wheel Alignmen Kit is Required. PB59-503K RB59-522K	
Adjustable Au Ax Po Fixed Rubbe	UNDER BODY BUSH- SEE REAR UNDER BODY BUSH- CASTOR KIT Vehicle Will Effect Castor Angle. Commended to Determine if a Castor Kit Commend	1	Wheel Alignmen Kit is Required. PB59-503K RB59-522K RB59-536K RB59-534K	
Recc Adjustable Au 4 x Po Fixed Rubbe	UNDER BODY BUSH- SEE REAR UNDER BODY BU CASTOR KIT Vehicle Will Effect Castor Angle. Demmended to Determine if a Castor Kit angle Settings: ±0°or ±2.5° Dolyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes RADIUS ARM BU Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes Arm to Chassis Bush Kit 2 x Rubber Bushes	A tor 1 1 1 RD	Wheel Alignmen Kit is Required. PB59-503K RB59-522K RB59-536K RB59-534K	
Recc Adjustable Au 4 x Po Fixed Rubbe	UNDER BODY BUSH- SEE REAR UNDER BODY BUSH- CASTOR KIT Vehicle Will Effect Castor Angle. Demmended to Determine if a Castor Kit Commended to Determine if a Castor Kit Description of the Commended to Determine if a Castor Kit Commended to Determine if a Castor Kit Commended to Determine if a Castor Kit Commended to Determine Bushes Front Radius Arm Castor Kit Commended to Park Tagenton Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes RADIUS ARM BU Standard Radius Arm Bush Kit Commended to Diff Commended to Determine the Commended to Diff Commended to Determine if a Castor to Castor the Commended to Determine if a Castor to Castor the Commended to Determine if a Castor the Commended the Commended to Determine if a Castor the Castor the Commended the Castor	A tor 1 1 1 1 1 1 1 1 1	Wheel Alignmen Kit is Required. PB59-503K RB59-522K RB59-536K RB59-534K	
Recc Adjustable Au 4 x Po Fixed Rubbe	UNDER BODY BUSI- SEE REAR UNDER BODY BUSI- CASTOR KIT Vehicle Will Effect Castor Angle. Commended to Determine if a Castor Kit Ingle Settings: ±0°or ±2.5° olyurethane Eccentric Bushes In Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes RADIUS ARM BUSI- Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes Arm to Chassis Bush Kit 2 x Rubber Bushes ADJUSTABLE PANHAL Right Hand Drive	A tor 1 1 1 1 1 1 1 1 1	Wheel Alignmen Kit is Required. PB59-503K RB59-522K RB59-536K RB59-534K RUD PR59-1404	
Recc Adjustable Au 4 x P Fixed Rubbe	UNDER BODY BUSH- SEE REAR UNDER BODY BUSH- CASTOR KIT Vehicle Will Effect Castor Angle. Demended to Determine if a Castor Kit Demended to Determine if a Castor Kit Demended to Determine if a Castor Kit Demended to Determine if a Castor Kit Demended to Determine if a Castor Kit Demended to Determine if a Castor Kit Demended to Determine Bushes Front Radius Arm Castor Kit Demended to Particle Bushes RADIUS ARM BUSH Arm to Diff Demended to Diff Demended to Determine Bush Kit Demended to Determine Bush Kit Demended to Determine if a Castor Kit Demended to Determine if a Castor Hand Diff Demended to Determine if a Castor Hand Drive Hand Drive Ha	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Wheel Alignmen Kit is Required. PB59-503K RB59-522K RB59-536K RB59-534K RUD PR59-1404	
Adjustable Ai 4 x Pi Fixed Rubbe 0 Degree S	UNDER BODY BUSH- SEE REAR UNDER BODY BUSH- CASTOR KIT Vehicle Will Effect Castor Angle. Commended to Determine if a Castor Kit Commended to Determine if a Castor Kit Commended to Determine if a Castor Kit Commended to Determine if a Castor Kit Commended to Determine if a Castor Kit Commended to Determine if a Castor Kit Commended to Determine Bushes Front Radius Arm Castor Kit Commended to Particle Bushes RADIUS ARM BUSH Arm to Diff Commended to Diff Commended to Determine Bush Kit Commended to Determine Bush Kit Commended to Determine Bushes ADJUSTABLE PANHAL Right Hand Drive Left Hand Drive COIL SPACER	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Wheel Alignmen Kit is Required. PB59-503K RB59-522K RB59-536K RB59-534K RB59-534K RP59-1404 PR59-1408	
Adjustable Au Ax Po Fixed Rubbe	UNDER BODY BUSH- SEE REAR UNDER BODY BUSH- CASTOR KIT Vehicle Will Effect Castor Angle. Commended to Determine if a Castor Kit Castor Angle. Commended to Determine if a Castor Kit Castor Angle Settings: ±0°or ±2.5° Colyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5° A x Rubber Eccentric Bushes RADIUS ARM BUSTANDER Carter Bushes Arm to Diff A x Rubber Bushes Arm to Chassis Bush Kit Arm to Chassis Bush Kit Arm to Chassis Bush Kit Ax Rubber Bushes ADJUSTABLE PANHAL Right Hand Drive Left Hand Drive COIL SPACER	1 1 1 1 1 1 1 1 2 2 2 2	Wheel Alignmen Kit is Required. PB59-503K RB59-522K RB59-536K RB59-534K RB59-1404 PR59-1408 PS59-4001	

/agon GX, G g Suspensic				
	REAR	ĮŢ	PART NUMBER	PRICE
	COIL SPRING			
MMMM	Variable Rate Raised Height (45mm Lift) Comfort Spring - Petrol Only No Load	1	C59-269V	В
MWWWW	Linear Rate Standard Height	1	C59-243	В
MMMM	Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load (Recommended)	1	C59-169	В
M	Linear Rate Raised Height (45mm Lift) 60-100Kg Constant Load	1	C59-167	В
MMMM	Linear Rate Raised Height (50mm Lift) 200-350Kg Constant Load	1	C59-171	С
M	*Linear Height Raised Height (60mm Lift) No Load		C59-167	В
* Sw	ay Bar Extensions and Panhard F	Rod	s Recommende	d
1	SHOCK ABSORB	ER		
	Twin Tube Gas Heavy Duty	2	GS59-682	
•	Monotube Remote Reservoir Heavy Duty	2	MR59-60682	
	UNDER BODY BUSH			
	Kit Includes Front & Rear Under Kit Contains:	r Bo	dy Bushes	
4 x	t Radius Arm to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush Rear Upper Trailing Arm Bush Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1	PB59-1258K	
	ADJUSTABLE PANHAI	RD	ROD	
	Complete with Bushes	1	PR59-1405	
* 01	ALIGNMENT PAI			0550 515
↑ Check Sway	, Bar Link Configuration - 80 Ser or SE59-519. All 105 Series Require SI		•	SE59-51/
	Sway Bar Extension (Suits 3" to 6" Lift) Side of Chassis Mount*	2	SE59-517	
	Sway Bar Extension (Suits 3" to 6" Lift) Bottom of Chassis Mount*	2	SE59-519	

Recommended when Raising Vehicle (Suits 2" to 6" Lift)

BRAKE ADJUSTER

COIL SPACER

1 BA45-005

10mm 2 **PS59-4005**

15mm 2 **PS59-4006**

30mm 2 **PS59-4007**



MODEL: 100 Series - HDJ100, HZJ100, UZJ100

YEAR: 1998 to 11/2007 **DETAIL:** Petrol and Diesel,

Independent Front Suspension



This vehicle may be fitted with a Hydraulic Ride System. To convert this system to a conventional suspension system, a COMPLETE KIT

	FRONT	Σ	PART NUMBER	PRICE
	TORSION BAR			
	V8 Petrol			
===	Heavy Duty Rate Increased Length 1160mm	1	TB59-1600	
	Check Length Before Or	der	ing	
	Diesel/Turbo Diesel/6 C	yl.	Petrol	
===	Heavy Duty Rate Increased Length 1210mm	1	TB59-1610	
	Check Length Before Or	der	ing	
	SHOCK ABSORBI	ΕR		
	Twin Tube Gas Heavy Duty	2	GS59-782	

		<u> </u>	suspension a COMPLET must be fi	EKIT
	REAR	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Standard Height (10mm Lift)	1	C59-169	В
MWWW	Linear Rate Raised Height (30mm Lift) Up to 100Kg Constant Load (Recommended)	1	C59-167	В
MMMM	Linear Rate Raised Height (30mm Lift) 200Kg Constant Load	1	C59-185	В
MWWW	Linear Rate Raised Height (30mm Lift) 400Kg Constant Load	1	C59-171	С
1	SHOCK ABSORB	ER		
Î	Twin Tube Gas Heavy Duty	2	GS59-682	
•	Monotube Remote Reservoir Heavy Duty	2	MR59-60682	
	UNDER BODY BUSH	łΚ	IT	
	Kit Includes Front & Rear Under	Вс	dy Bushes	
	Kit Contains: 2 x Panhard Rod Bush Rear Upper Trailing Arm Bush Rear Lower Trailing Arm Bush	1	PB59-1259K	
	COIL SPACER			
	10mm	2	PS59-4005	



MODEL: 200 Series - UZJ/URJ/GRJ/VDJ 200



YEAR: 11/2007 on **DETAIL**: Station Wagon

		.	DADT	
	FRONT	6	PART NUMBER	PRICE
	COIL SPRING			
MAAAAAAA	GRJ200 4.0L 6 Cyl. F Linear Rate	'et	roi	
	Standard Height Linear Rate	1	C59-536	В
wwww	Raised Height (50mm Lift)		C59-540	В
	URJ200 5.7L V8 Pe			
MWWWM	Linear Rate Raised Height (25mm Lift)	1	C59-538	В
MWWWW	Linear Rate Raised Height (35mm Lift)	1	C59-540	В
MWWWW	Linear Rate Raised Height (50mm Lift) 0-50Kg Accessories	1	C59-542	В
MMMM	Linear Rate Raised Height (50mm Lift) 80-120Kg Accessories (Bullbar OR Winch)	1	C59-544	В
	VDJ200 4.5L Twin T	_		J
MANA	V8 Diesel			
M	Linear Rate Raised Height (30mm Lift) Linear Rate	1	C59-540	В
MWWW	Raised Height (50mm Lift) 0-50Kg Accessories	1	C59-544	В
M	Linear Rate Raised Height (50mm Lift) 80-120Kg Accessories (Bullbar OR Winch)	1	C59-568	В
1	SHOCK ABSORB	ER)		
○	Twin Tube Gas Heavy Duty	2	GS59-688	
o -	Twin Tube Gas Extra Heavy Duty	2	GS59-690	
o -	Twin Tube Gas Monster Shock Extra Heavy Duty 45mm Piston, 75mm Body	2	GS59-734	
o -	Internal Monotube Adjustable Spring Seat Heavy Duty Original Setting of X = 222mm / 8.74"	2	IMS59-60688	
	X - Centre of Eye to Sprii			
_=	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty			
	Original Setting of $X = 222mm / 8.74$ "		MR59-60688	
	X - Centre of Eye to Sprii	ng s	Seat	
	STRUT CAP			
:E: 0	Strut Top Cap	2	SC59-006	
	UPPER CONTROL A	AΒ	М	
	3º Castor Built In Rubber Bushes with Ball Joint		UCA59-001K	

	REAR	Ł	PART NUMBER	PRICE
	COIL SPRING			
MWWWI	Linear Rate Standard Height	1	C59-543	В
I	Variable Rate Raised Height (10mm Lift) This Variable Rate Coil Allows Less Height Change and Provides a Firmer Ride When Loading	1	C59-559V	В
MWWW	Linear Rate Raised Height (30mm Lift)	1	C59-535	В
MMMMI	Linear Rate Raised Height (30mm Lift) 100-200Kg Constant Load	1	C59-545	В
MMMM	Linear Rate Raised Height (50mm Lift) No Load	1	C59-545	В
MMMM	Linear Rate Raised Height (30mm Lift) 400Kg Constant Load	1	C59-547	В
MMMM	Linear Rate Raised Height (50mm Lift) 250-300Kg Constant Load	1	C59-547	В
I	Linear Rate Raised Height (50mm Lift) 500Kg Constant Load	1	C59-549	В
1	SHOCK ABSORB			
	Twin Tube Gas Heavy Duty	2	GS59-682	
	Twin Tube Gas Monster Shock Extra Heavy Duty 45mm Piston, 70mm Body	2	GS59-698	
-	Monotube Remote Reservoir Heavy Duty	2	MR59-60682	
	ADJUSTABLE DANHAL		DOD	
	ADJUSTABLE PANHAL			
Docomer	Complete with Bushes ended for Lifts Above 35mm to C		PR59-1421	mont



TYPE: Landcruiser Prado

MODEL: 90 Series - RZN/VZN/KZN/KDJ

90SWB/95LWB

YEAR: 1996 to 2003

DETAIL: Station Wagon




	FRONT	놁	PART NUMBER	PRICE
	COILSPRING SWB RZJ90 2.7L Petr VZJ90 3.4L V6 KZJ90 3.0L T/Die			
MMMMI	Linear Rate Raised Height (35mm Lift) Up to 60Kg Accessories (Bullbar OR Winch)	1	C59-276	В
mmmm	Linear Rate Raised Height (35mm Lift) 60-90Kg Accessories (Bullbar AND Winch)	1	C59-134	В
	KDJ90 3.0L T/Die	sel		
MWWWM	Linear Rate Raised Height (40mm Lift)	1	C59-134	В
MMMM	Linear Rate Raised Height (40mm Lift) 60-90Kg Accessories (Bullbar AND Winch)	1	C59-296	В
	LWB	_	300 =00	_
	RZJ95 2.7L Petr VZJ95 3.4L V6	ol		
MWWWM	Linear Rate Standard Height	1	C59-274	В
MMMM	Linear Rate Raised Height (35mm Lift) Up to 60Kg Accessories (Bullbar OR Winch)	1	C59-276	В
MMMM	Linear Rate Raised Height (35mm Lift) Up to 90Kg Accessories (Bullbar OR Winch)	1	C59-134	В
	KZJ95 3.0L T/Dies KDJ95 3.0L T/Dies			
MMMMI	Linear Rate Raised Height (35mm Lift) No Accessories		C59-134	В
MMMM	Linear Rate Raised Height (35mm Lift) 60-90Kg Accessories (Bullbar OR Winch)	1	C59-296	В
	SHOCK ABSORB	39		1
	Twin Tube Gas Heavy Duty		GS59-222	
	STRUT CAP			1
-1 •	Strut Top Caps	2	SC59-002	

	REAR	ŲΤΥ	PART NUMBER	PRICE
1	COIL SPRING			
MWWW	Linear Rate Standard Height	1	C59-133	В
MWWW	Variable Rate Raised Height (40mm Lift) Up to 50Kg Constant Load	1	C59-137V	В
M	Variable Rate Raised Height (40mm Lift) Heavy Duty 150Kg Constant Load	1	C59-297V	В
M	Linear Rate Raised Height Super Heavy Duty 300Kg Constant Load	1	C59-303	В
1	CHOCK ARCORD	-		
	SHOCK ABSORB	-1.1		
	Twin Tube Gas Heavy Duty (Big Bore)	2	GS59-225	
	UNDER BODY BUSH	1 K	IT	
	Kit Includes Front & Rear Under			
	Kit Contains:	50	, Daoiles	
	2 x Rear Panhard Rod Bush Rear Lower Trailing Arm Bush Rear Upper Trailing Arm Bush	1	PB59-1256K	
	COIL SPACER			
_	COIL DI ACEN			
8e_	20mm		PS51-4019	
	30mm	2	PS51-4020	



TYPE: Landcruiser Prado

MODEL: 120 Series - RZJ/VZJ/KZJ/KDJ 125,



YEAR: 2003 to 11/2009

DETAIL: Station Wagon, SWB & LWB



	FRONT	Ĭ	PART NUMBER	PRICE
	COIL SPRING			
	SWB RZJ125 2.7L Petr VZJ125 3.4L VG KZJ125 3.0L T/Did	5	l	
MMMM	Linear Rate Raised Height (45mm Lift) Up to 60Kg Accessories (Bullbar OR Winch)	1	C59-296	В
	KDJ125 3.0L T/Die	se	I	
MMMM	Linear Rate Raised Height (35mm Lift) Up to 60Kg Accessories (Bullbar OR Winch)	1	C59-300	В
M	Linear Rate Raised Height (35mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C59-302	В
	LWB RZJ120 2.7L Pet	rol		
MWWWM	Linear Rate Raised Height (45mm Lift)	1	C59-296	В
	VZJ120/121 3.4L	V6		
MWWWM	Linear Rate Raised Height (45mm Lift)	1	C59-300	В
	GRJ120 4.0L V6 KDJ120/121 3.0L T/		sel	
MWWWM	Linear Rate Standard Height	1	C59-134	В
MWWWM	Linear Rate Raised Height (35mm Lift)	1	C59-300	В
MWWWW	Linear Rate Raised Height (35mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C59-302	В
	KZJ120 3.0L T/Die	se		
MWWWW	Linear Rate Raised Height (40mm Lift)	1	C59-302	В
MWWW	Linear Rate Raised Height (45mm Lift) 80-150Kg Accessories (Bullbar AND Winch)	1	C59-314	
	UNDER BODY BUSH	I IZ	TT	
	SEE REAR UNDER BODY B			
	SHOCK ABSORB	= 0		
	Twin Tube Gas			
_	Heavy Duty	2	GS59-221	

	REAR	₹Ď	PART NUMBER	PRICE
	COIL SPRING			
	SWB			
IWWWWI	Linear Rate Raised Height (20mm Lift)	1	C59-323	В
I	Linear Rate Raised Height (50mm Lift) 60-100Kg Constant Load	1	C59-325	В
	Linear Rate Raised Height (50mm Lift) 100-300Kg Constant Load	1	C59-327	В
	LWB			
WWWWW	Linear Rate Standard Height	1	C59-323	В
WWWW	Linear Rate Raised Height (45mm Lift)	1	C59-325	В
	Linear Rate Raised Height (50mm Lift) 100-300Kg Constant Load	1	C59-327	В
	Linear Rate Raised Height (45mm Lift) 300-400Kg Constant Load	1	C59-329	В
I	Linear Rate Raised Height (45mm Lift) 400-500Kg Constant Load	1	C59-331	В
1	SHOCK ABSORBI	-		
	Twin Tube Gas	7.7		
	Comfort Option Extra Soft - No Load	2	GS59-705	
	Twin Tube Gas Heavy Duty (Long Travel)	2	GS59-701	
	Twin Tube Gas Extra Heavy Duty Standard Height Only	2	GS59-637	
	Internal Monotube Heavy Duty	2	IMS59-50701	

SHOCK ABSORBER BRACKET

Extra Soft Comfort - No Load 2 MR59-50705

Heavy Duty

2 MR59-50701

Recommended For Optimal Remote

Monotube Remote Reservoir

Monotube Remote Reservoir

Reservoir Positioning And Fitment 1 RM59-014

Only For Use With MR59-50701 Or MR59-50705

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes

Kit Contains: 2 x Front Control Arm Lower Inner Front 2 x Front Control Arm Lower Inner Rear 4 x Front Control Upper Inner 2 x Rear Panhard Rod Bush

4 x Rear Trailing Arm Lower

4 x Rear Trailing Arm Upper 1 **PB59-1263K**

ADJUSTABLE PANHARD ROD

Complete with Bushes 1 PR59-1423

X - Centre of Eye to Spring Seat

Heavy Duty 2 **GS59-221**

X = 213mm / 8.38" 2 MR59-50221

Strut Top Cap 2 SC59-001

Original Setting of

ہ بک

Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty



TYPE: Landcruiser Prado

MODEL: 150 Series - KDJ150, GRJ150, KDJ155



DETAIL: SWB & LWB Wagon,

Does Not Suit Models with Self-Levelling

Suspension



0	<u> </u>	KDSS = KI DYNAMIC SUS SYSTI	SPENSION
	≥	PART	PRICE

	FRONT	₹	PART NUMBER	PRICE
	COIL SPRING			
	SWB & LWB Petr Without KDSS			
M	Linear Rate Raised Height (40mm Lift)	1	C59-300	В
 	Linear Rate Raised Height (40mm Lift) 70-100Kg Accesories (Bullbar AND Winch)	1	C59-302	В
	SWB & LWB Dies Without KDSS	el		
MWWW	Linear Rate Raised Height (30mm Lift)	1	C59-300	В
M	Linear Rate Raised Height (40mm Lift)	1	C59-350	В
M	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C59-352	В
	SWB & LWB With KDSS			
M	Linear Rate Raised Height (30mm Lift)	1	C59-722	В
MWWW	Linear Rate Raised Height (40mm Lift)	1	C59-724	В
I	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C59-726	В
	SHOCK ABSORB	ER		
-	Twin Tube Gas Heavy Duty	2	GS59-700	
o -	Internal Monotube Adjustable Spring Seat Heavy Duty			
	Original Setting of $X = 213 \text{mm/8.38}$ "	2	IMS59-50700	
	X - Centre of Eye to Spri	ng s	Seat	
_	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty			
·	Original Setting of X = 213mm/8.38"	2	MR59-50700	
	X - Centre of Eye to Spri	ng S	Seat	
	1			
	STRUT CAP			
Tr 0	Strut Top Cap	2	SC59-001	
	SWAY BAR RELOCA	170	ON	
	Sway Bar Relocation Kit		SE59-525K	
	DIFF DROP KI			
	Diff Drop Kit		DD59-527K	
	UPPER CONTROL	AR	М	
	3º Castor Built In			
	Rubber Bushes with Ball Joint	1	UCA59-002K	

	REAR	ŢŢ	PART NUMBER	PRICE
	COIL SPRING			
	SWB Without KDSS			
M	Linear Rate Raised Height (20mm Lift) Linear Rate	1	C59-323	В
M	Raised Height (50mm Lift) 60-100Kg Constant Load Linear Rate	1	C59-325	В
MWWWW	Raised Height (50mm Lift) 100-300Kg Constant Load LWB	1	C59-327	В
	Without KDSS			
MWWWW	Linear Rate Raised Height (45mm Lift) Linear Rate	1	C59-325	В
MWWWW	Raised Height (45mm Lift) 100-300Kg Constant Load Linear Rate	1	C59-327	В
MWWWW	Raised Height (45mm Lift) 300-400Kg Constant Load LWB	1	C59-329	В
	With KDSS			
	Linear Rate Raised Height (35mm Lift) Linear Rate	1	C59-723	В
	Raised Height (45mm Lift) Linear Rate Raised Height (45mm Lift)	1	C59-725	В
	100-300Kg Constant Load Linear Rate	1	C59-727	В
MWWW	Raised Height (45mm Lift) 300-400Kg Constant Load	1	C59-729	В
	SHOCK ABSORB Twin Tube Gas	37		
	Comfort Option Extra Soft - No Load Twin Tube Gas	2	GS59-705	
	Heavy Duty (Long Travel) Twin Tube Gas	2	GS59-701	
	Extra Heavy Duty Standard Height Only Internal Monotube	2	GS59-637	
	Heavy Duty Monotube Remote Reservoir Extra Soft Comfort	2	IMS59-50701	
~ _	No Load Monotube Remote Reservoir	_	MR59-50705	
	Heavy Duty		MR59-50701	
	SHOCK ABSORBER BE	A	CKET	
Rese	nmended For Optimal Remote rvoir Positioning And Fitment Only For Use With MR59-50701 (RM59-014	
	<u> </u>			
	ADJUSTABLE PANHA	RD	ROD	
-	Complete with Bushes	1	PR59-1423	
	UPPER & LOWER TRAIL	IN	G ARMS	
	Designed For More Artic			
А	Heavy Duty Rear Lower djustable Control Arms (Pair) Complete With Bushes Heavy Duty Rear Upper	1	WA59-520K	
А	djustable Control Arms (Pair) Complete With Bushes	1	WA59-522K	
	SWAY BAR EXTENS) (DN	
	Extended Swaybar Link (Suits 2" to 4" Lift)	2	SE59-529	



TYPE: Fortuner MODEL: KUN/TGN 51

YEAR: 2005 to 06/2015

DETAIL: 2.7L Petrol TGN51,
3.0L Diesel KUN51,



4.0L Petrol (South America)

	FRONT	ΔTΛ	PART NUMBER	PRICE		REAR	ΔŢ	PART NUMBER	PRICE
1	COIL SPRING					COIL SPRING		ı	
MMMM	Linear Rate Standard Height Comfort Option Linear Rate	1	C59-338	В	MWWWI	Linear Rate Standard Height Comfort Option Recommended	1	C59-377	В
MWWW	Raised Height (20mm Lift) Comfort Option 2.7L Petrol	1	C59-316	В	N	Linear Rate Raised Height (20mm Lift) Comfort Option Recommended	1	C59-875	В
MWWW	3	1	C59-136	В	N	Linear Rate Standard Height		C59-875	В
M	Linear Rate Raised Height (25mm Lift) Linear Rate	1	C59-274	В	MWWW	Linear Rate Raised Height (30mm Lift) Comfort Option			
M	Raised Height (50mm Lift) 50-100Kg Accessories	1	C59-276	В		Recommended Linear Rate Raised Height (45mm Lift)	1	C59-691	В
	3.0L Diesel, 4.0L Pe	etr	ol		MWWW	Comfort Option			
I	_	1	C59-274	В	MAAAAAAA	Recommended Linear Rate	1	C59-697	В
MWWW	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories		SE0 205	D	NWWWW	Raised Height (35mm Lift) Heavy Duty Linear Rate	1	C59-355	В
M	Linear Rate Raised Height (40mm Lift)	1	C59-296	В	M	Raised Height (35mm Lift) 100-200Kg Accessories Heavy Duty	1	C59-385	В
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	50-100Kg Accessories (Bullbar AND Winch)	1	C59-300	В	N	Linear Rate Raised Height (45mm Lift) Heavy Duty	1	C59-385	В
	SHOCK ABSORB	ΕR							
	Twin Tube Gas					SHOCK ABSORB	ER		
	Heavy Duty	2	GS59-220		GS59-701 & M	1R59-50705 for use only with C5	9-3	885, C59-691 &	C59-697.
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 226mm / 8.89"	2	MR59-50220		- 	Twin Tube Gas Extra Heavy Duty		GS59-705 GS59-701	
	X - Centre of Eye to Spri	ng	Seat			(Extra Long Travel)	2	G559-701	
	STRUT CAP				•	Monotube Remote Reservoir Heavy Duty	2	MR59-50705	
	Strut Top Cap	2	SC59-001			TAILSHAFT SPACE	R I	(IT	
					To Reduce	etre Bearing Spacer Kit Helps e Driveline Vibration In Lifted Vehicles. e Fitted To All Lifted Vehicles.			
							1	WA59-553K	



TYPE: Fortuner
MODEL: N160, N156
YEAR: 07/2015 on
DETAIL: 4x4 Wagon



	FRONT	ΣĎ	PART NUMBER	PRICE
	COIL SPRING			
	2.4L Turbo Diese	el		
MWWWI	Linear Rate Raised Height (45mm Lift) No Accessories	1	C59-296	В
MWWWI	Linear Rate Raised Height (45mm Lift) 40-60Kg Accessories	1	C59-300	В
MWWWI	Linear Rate Raised Height (45mm Lift) 80-120Kg Accessories	1	C59-302	В
	2.8L Turbo Diese	el		
MWWWI	Linear Rate Raised Height (45mm Lift) Up to 60Kg Accessories	1	C59-300	В
MWWW	Linear Rate Raised Height (45mm Lift) Comfort Option 60-100Kg Accessories	1	C59-302	В
MWWWI	Linear Rate Raised Height (45mm Lift) Heavy Duty 80-120Kg Accessories	1	C59-728	В
	SHOCK ABSORB	32		1
	Twin Tube Gas Heavy Duty	2	GS59-228	
o -a -	Internal Monotube Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm / 8.38"	2	IMS59-50700	
	X - Centre of Eye to Spri	ng S	Seat	
<u> </u>	Monotube Remote Reservoir Spring Seat Height $X = 226 mm$	2	MR59-50700	
	X - Centre of Eye to Sprii	ng S	Seat	
	STRUT CAP			
: I : 0	Strut Top Caps	2	SC59-001	

	REAR	Ţψ	PART NUMBER	PRICE
	COIL SPRING			i
I	Linear Rate Standard Height Comfort Option Recommended	1	C59-377	В
I	Linear Rate Raised Height (20mm Lift) Comfort Option Recommended	1	C59-875	В
WWWW	Linear Rate Standard Height	1	C59-353	В
M	Linear Rate Raised Height (30mm Lift) Comfort Option Recommended	1	C59-691	В
NWWWW	Linear Rate Raised Height (45mm Lift) Comfort Option Recommended	1	C59-697	В
I	Linear Rate Raised Height (30mm Lift) Extra Heavy Duty	1	C59-355	В
NWWWW	Linear Rate Raised Height (30mm Lift) 100-200Kg Constant Load Extra Heavy Duty	1	C59-385	В
N	Linear Rate Raised Height (40mm Lift) Extra Heavy Duty	1	C59-385	В
	SHOCK ABSORB	ER		1
GS59-701 & M	R59-50705 for use only with C5		691, C59-697 &	C59-385.
GS59-701 & M	Twin Tube Gas Heavy Duty	9-6	691, C59-697 & GS59-705	C59-385.
GS59-701 & M	Twin Tube Gas	2		C59-385.
GS59-701 & M	Twin Tube Gas Heavy Duty Twin Tube Gas Extra Heavy Duty	2	GS59-705	C59-385.
	Twin Tube Gas Heavy Duty Twin Tube Gas Extra Heavy Duty (Extra Long Travel) Internal Monotube	2 2	GS59-705 GS59-701	C59-385.
	Twin Tube Gas Heavy Duty Twin Tube Gas Extra Heavy Duty (Extra Long Travel) Internal Monotube Heavy Duty Monotube Remote Reservoir Heavy Duty	2 2 2 2	GS59-705 GS59-701 IMS59-50701 MR59-50705	C59-385.
	Twin Tube Gas Heavy Duty Twin Tube Gas Extra Heavy Duty (Extra Long Travel) Internal Monotube Heavy Duty Monotube Remote Reservoir Heavy Duty	2 2 2 2	GS59-705 GS59-701 IMS59-50701 MR59-50705	C59-385.
Tailshaft Ce To Reduce Should Be	Twin Tube Gas Heavy Duty Twin Tube Gas Extra Heavy Duty (Extra Long Travel) Internal Monotube Heavy Duty Monotube Remote Reservoir Heavy Duty TAILSHAFT SPACE tre Bearing Spacer Kit Helps Driveline Vibration In Lifted Vehicles. Fitted To All Lifted Vehicles.	2 2 2 2	GS59-705 GS59-701 IMS59-50701 MR59-50705	C59-385.
Tailshaft Ce To Reduce Should Be	Twin Tube Gas Heavy Duty Twin Tube Gas Extra Heavy Duty (Extra Long Travel) Internal Monotube Heavy Duty Monotube Remote Reservoir Heavy Duty TAILSHAFT SPACE tre Bearing Spacer Kit Helps Driveline Vibration In Lifted Vehicles.	2 2 2 2	GS59-705 GS59-701 IMS59-50701 MR59-50705	C59-385.
Tailshaft Ce To Reduce Should Be	Twin Tube Gas Heavy Duty Twin Tube Gas Extra Heavy Duty (Extra Long Travel) Internal Monotube Heavy Duty Monotube Remote Reservoir Heavy Duty TAILSHAFT SPACE tre Bearing Spacer Kit Helps Driveline Vibration In Lifted Vehicles. Fitted To All Lifted Vehicles.	2 2 2 2	GS59-705 GS59-701 IMS59-50701 MR59-50705	C59-385.
Tailshaft Ce To Reduce Should Be	Twin Tube Gas Heavy Duty Twin Tube Gas Extra Heavy Duty (Extra Long Travel) Internal Monotube Heavy Duty Monotube Remote Reservoir Heavy Duty TAILSHAFT SPACE tre Bearing Spacer Kit Helps Driveline Vibration In Lifted Vehicles. Fitted To All Lifted Vehicles.	2 2 2 2	GS59-705 GS59-701 IMS59-50701 MR59-50705	C59-385.
Tailshaft Ce To Reduce Should Be	Twin Tube Gas Heavy Duty Twin Tube Gas Extra Heavy Duty (Extra Long Travel) Internal Monotube Heavy Duty Monotube Remote Reservoir Heavy Duty TAILSHAFT SPACE tre Bearing Spacer Kit Helps Driveline Vibration In Lifted Vehicles. Fitted To All Lifted Vehicles.	2 2 2 2	GS59-705 GS59-701 IMS59-50701 MR59-50705	C59-385.
Tailshaft Ce To Reduce Should Be	Twin Tube Gas Heavy Duty Twin Tube Gas Extra Heavy Duty (Extra Long Travel) Internal Monotube Heavy Duty Monotube Remote Reservoir Heavy Duty TAILSHAFT SPACE tre Bearing Spacer Kit Helps Driveline Vibration In Lifted Vehicles. Fitted To All Lifted Vehicles.	2 2 2 2	GS59-705 GS59-701 IMS59-50701 MR59-50705	C59-385.



TYPE: FJ Cruiser **MODEL**: GSJ15

YEAR: 11/2006 to 11/2010 (USA),

01/2011 on (AUST)

DETAIL: 4.0L V6



	FRONT	Ł	PART NUMBER	PRICE
	COIL SPRING	יםו	NUMBER	i
	11/2006 to 11/20	10		
MWWWW	Linear Rate Raised Height (35mm Lift)	1	C59-238	В
MMMMI	Linear Rate Raised Height (60mm Lift) Up to 50Kg Accessories	1	C59-300	В
mmmmi	Linear Rate Raised Height (60mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C59-302	В
	2011 on			
MWWWW	Linear Rate Raised Height (35mm Lift)	1	C59-296	В
M	Linear Rate Raised Height (60mm Lift) Up to 50Kg Accessories	1	C59-302	В
MMMM	Linear Rate Raised Height (60mm Lift) 60-110Kg Accessories	1	C59-350	В
1	SHOCK ABSORBI	ER	(1
	11/2006 to 11/20			
o -	Twin Tube Gas Heavy Duty	2	GS59-221	
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of			
	X = 213mm / 8.38"		MR59-50221	
	X - Centre of Eye to Sprin 2011 on	ıg :	Seat	
	Twin Tube Gas			
0	Heavy Duty	2	GS59-700	
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty			
	Original Setting of $X = 213mm / 8.38$ "	2	MR59-50700	
	X - Centre of Eye to Sprir	ng :	Seat	
	STRUT CAP			

	REAR	ΔŢ	PART NUMBER	PRICE
	COIL SPRING			
I	Linear Rate Raised Height (30mm Lift)	1	C59-599	В
MWWWW	Linear Rate Raised Height (60mm Lift)	1	C59-325	В
WWWWW	Linear Rate Raised Height (80mm Lift)	1	C59-327	В
IWWWWI	Linear Rate Raised Height (60mm Lift) 150-300Kg Constant Load	1	C59-327	В
I	Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load	1	C59-329	В
	SHOCK ABSORBI	ΕR		
	Twin Tube Gas Comfort Option Extra Soft - No Load	2	GS59-705	
	Twin Tube Gas Heavy Duty (Long Travel)	2	GS59-701	
	Twin Tube Gas Extra Heavy Duty Standard Height Only	2	GS59-637	
	Internal Monotube Heavy Duty	2	IMS59-50701	
	Monotube Remote Reservoir extra Soft Comfort - No Load	2	MR59-50705	
·	Monotube Remote Reservoir Heavy Duty	2	MR59-50701	
	SHOCK ABSORBER BF	ĮΑ	CKET	
Recom	mended For Optimal Remote			
	voir Positioning And Fitment	1	RM59-014	
0	only For Use With MR59-50701 (۲ N	1R59-50705	
	ADJUSTABLE PANHAI	30	ROD	
o o	Complete with Bushes	1	PR59-1423	

UPPER & LOWER TRAILING ARMS

Designed For More Articulation

Adjustable Sway Bar Extension
(Suits 2" to 4" Lift) 2 SE59-529

Complete With Bushes 1 WA59-520K

1 WA59-522K

Heavy Duty Rear Lower Adjustable Control Arms (Pair)

Complete With Bushes

Heavy Duty Rear Upper Adjustable Control Arms (Pair)

SIRUILAP

Strut Top Cap 2 **SC59-001**

SWAY BAR RELOCATION

Sway Bar Relocation Kit 1 SE59-525K

DIFF DROP KIT

Diff Drop Kit 1 DD59-527K

UPPER CONTROL ARM


3º Castor Built In Rubber Bushes with Ball Joint 1 UCA59-002K



TYPE: Rav 4

MODEL: SXA10, SXA11,







	FRONT	Ę	PART NUMBER	PRICE	
	COIL SPRING				
	1993 - 05/2000 SXA10 - 3 Door SXA11 - 5 Door				
I	Linear Rate Raised Height (35mm Lift)	1	C59-088	В	
05/2000 - 2006 ACA20 2.0L 3 Door ACA21 2.0L 5 Door ACA22 2.4L 3 Door ACA23 2.4L 5 Door					
I	Linear Rate Raised Height (45mm Lift)	1	C59-088	В	
	05/2000 - 2006 2.0L Diesel	•			
I	Linear Rate Raised Height	1	C59-364	В	
2006 - 2011 ACA33 4 Cylinder					
I	Linear Rate Raised Height (25mm Lift)	1	C59-424	В	
2009 - 2011 GSA33 V6					
I	Linear Rate Standard Height	1	C59-424	В	
I	Linear Rate Raised Height (30mm)	1	C59-438	В	

	REAR	ĮΔ	PART NUMBER	PRICE
	COIL SPRING			
	1993 - 05/2000 SXA10 - 3 Door			
MWWWW	Linear Rate Raised Height (35mm Lift)	1	C19-016	Α
	1993 - 05/2000 SXA10 - 5 Door			
MWWW	Linear Rate Raised Height (35mm Lift)	1	C19-022	А
05/2000 - 2006 ACA20 2.0L 3 Door ACA21 2.0L 5 Door ACA22 2.4L 3 Door ACA23 2.4L 5 Door				
MWWW	Linear Rate Raised Height (45mm Lift)	1	C59-091	В
	2006 - 2011 ACA33 4 Cylinde	er		
MWWW	Linear Rate Raised Height (25mm Lift)	1	C59-425	В
	2009 - 2011 GSA33 V6			
MWWWM	Linear Rate Standard Height	1	C59-425	В
MWWWW	Linear Rate Raised Height (30mm Lift)	1	C59-439	В
	SHOCK ABSORB	ER		
	1993 - 2006 (NOT for 2	00	6 on)	
	Twin Tube Gas Heavy Duty	2	GS59-940	



TYPE: Patriot
MODEL: UAZ-3163
YEAR: 2005 on
DETAIL: Station Wagon



	FRONT	È	PART NUMBER	PRICE
	COIL SPRING			
I	Linear Rate Raised Height (40mm Lift) Up to 40Kg Accessories (Bullbar OR Winch)	1	C45-083	В
M	Linear Rate Raised Height (50mm Lift) 40-100Kg Accessories (Bullbar AND Winch)	1	C29-030	В
	STEERING DAMP	= :		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-832	
	SHOCK ABSORBI	ΕR		
	SHOCK ABSORB Twin Tube Gas Heavy Duty		GS21-637S	
	Twin Tube Gas		GS21-637S	
	Twin Tube Gas		GS21-637S	
	Twin Tube Gas		GS21-637S	
	Twin Tube Gas		GS21-637S	

	REAR	ΣĎ	PART NUMBER	PRICE
	LEAF SPRING			
<u>_</u>	Single Stage 5 Leaves Raised Height (50mm Lift) Up to 60Kg Constant Load	2	UAZ-004-R	
	Two Stage 4 + 2 Leaves Raised Height (50mm Lift)	2	UAZ-006-R	
1	SHACKLE BUSH I	ΚΤ		
OLI	Kit Contains: 12 x PB62-1512		PB62-1097K	
	U-BOLT KIT			
	Kit Contains: 2 x UB59-453-2	2	UB59-453-2K	
	SHOCK ABSORB	=12		
•	Twin Tube Gas Comfort Option Medium Load	2	GS59-649	
·	Twin Tube Gas Heavy Duty	2	GS59-651	
	SHACKLE			
なな!	Greasable: Fit in Pairs	2	SK62-056	



TYPE: Amarok

MODEL: TDI400, TDI420

YEAR: 2010 on

DETAIL: 4x4, Independent Front Suspension



	FRONT	16	PART NUMBER	PRIC
	COIL SPRING			
Lifting	the Vehicle Above 35mm May			S
	TDI400 Cab Chassis 8	Ut	tility	
MMMMI	Linear Rate Raised Height (35mm Lift) Up to 70Kg Accessories (Bullbar OR Winch)	1	C63-034	В
mmmmi	Linear Rate Raised Height (35mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C63-036	В
	TDI400/420 Dual TDI400/420 Dual Cab TDI400/420 All Trendlir	Cha	assis	
MMMMI	Linear Rate Raised Height (35mm Lift) Up to 70Kg Accessories (Bullbar OR Winch)	1	C63-036	В
MMMM	Linear Rate Raised Height (35mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C63-032T	С
TDI40	00/420 All Highline, Core 8 and All V6 Turbo Diesel			s
mmmm	Linear Rate Raised Height (35mm Lift) Up to 70Kg Accessories (Bullbar OR Winch)	1	C63-032T	С
M	Linear Rate Raised Height (35mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C63-038T	С

SHOCK ABSORBER

Twin Tube Gas Heavy Duty 2 **GS63-010**

	REAR	Ł	PART NUMBER	PRICE
	LEAF SPRING			
	3 + 2 Leaves Raised Height (25mm Lift) Comfort Option No Load	2	L63-033-R	
	3 + 3 Leaves Raised Height (35mm Lift) Medium Duty Up to 180Kg Constant Load	2	L63-035-R	
	4 + 3 Leaves Raised Height (35mm Lift) 300Kg Constant Load	2	L63-037-R	
	SHACKLE BUSH I	(I T		
011	Kit Contains: 2 x PB63-1520 2 x PB63-1521 2 x PB63-1522 4 x PB63-1526	1	PB63-1103K	
Additional Bus	hes Included. Some Vehicles wi Will Use PB63-1520		se PB63-1522 a	nd Others
	U-BOLT KIT			
	Suits L63-033-R Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
	Suits L63-035-R Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
	Suits L63-037-R Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
· ·	SHOCK ABSORB	3-)		
	Twin Tube Gas	-11,		
	Heavy Duty	2	GS63-011	

VEHICLE APPLICATION GUIDES



QUICK-RIDE LIFT KITS VEHICLE APPLICATION GUIDE

VEHICLE MAKE & MODEL		KIT P/N	QТY
FORD / MAZDA			
Courier / Bravo	1987 - 11-2006	QR19-501K	1
Ranger / BT-50	2007 - 08/2011	QR19-502K	1
Ranger PX / BT-50 B32P	10/2011 on	QR19-502K	1
ISUZU / CHEVROLET / HOLDEN			
D-Max / Colarado RG	05/2012 on	QR59-551K	1
MITSUBISHI			
Triton ML / MN	05/2006 on	QR43-521K	1
Triton MQ	03/2015 on	QR59-551K	1
NISSAN			
Navara D21, D22	09/1985 on	QR59-551K	1
Navara D40	11/2002 - 2015	QR59-551K	1
ТОУОТА			
Hilux	10/1997 on	QR59-551K	1
Tacoma	1998 on	QR59-551K	1
Tundra	03/2007 on	QR59-551K	1
VOLKSWAGEN			
Amarok (for use with OE Springs Only)	2010 on	QR63 - 561K	1
Amarok	2010 on	QR63 - 562K	1





Kit Contains:

2 pairs of U-Bolts & 1 pair of Spacer Blocks.

*Each vehicle requires different U-Bolts & Spacer Blocks. The above image is for illustration purposes only.

^{*}Raises rear of vehicle approximately 50mm.



Vehicle Modification Standards in your State or Territory may differ.

Certifications and specifications must meet your State or Territory's Vehicle Modification Guides, Road Rules or Code of Practice.



Please note: There may be brake-line modifications required.

Please check your local State or Territory for brake-line modifications guidelines.

EXTENDED SHACKLES VEHICLE APPLICATION GUIDE

	1	
VEHICLE MAKE & MODEL		QTY
FORD / MAZDA		
Ranger PX / BT-50 B32P	SK19-070	2
ISUZU / CHEVROLET		
D-Max TFS 85 / Colarado RG	SK21-071	2
MITSUBISHI		
Triton ML / MN	SK43-072	2
NISSAN		
Navara D40	SK45-073	2
ТОУОТА		
Hilux Vigo	SK59-074	2
Landcruiser 78 Series 08/09 on	SK59-075 LH SK59-075 RH	2
Landcruiser 79 Series (Airbag in dash) 08/09 on	SK59-075	2
Landcruiser 74/76 Series	SK59-075	2

Please Refer to the 4x4 Catalogue for the Front Suspension Components for each vehicle.

Extended shackles are approximately 50mm (2") longer than O.E and will provide about 25-30mm of lift




Vehicle Modification Standards in your State or Territory may differ.

Certifications and specifications must meet your State or Territory's Vehicle Modification Guides, Road Rules or Code of Practice.




Please note: There may be brake-line modifications required.
Please check your local State or Territory for brake-line modifications guidelines.




SUSPENSION VEHICLE APPLICATION GUIDE

MITSUBISHI PAJERO (2000 ON)




MITSUBISHI PAJERO (2000-ON) RIGHT HAND STRUT SHOWN

MITSUBISHI TRITON (MQ), PAJERO SPORT (2016 ON)




MITSUBISHI TRITON (MQ) RIGHT HAND STRUT SHOWN

MITSUBISHI TRITON (MN-ML) CHALLENGER (2008-15), PAJERO SPORT (2008-15)



MITSUBISHI TRITON (MN-ML) RIGHT HAND STRUT SHOWN

TOYOTA HILUX (2005 on)



TOYOTA HILUX (2005-ON) RIGHT HAND STRUT SHOWN

VOLKSWAGON AMAROK



VOLKSWAGEN AMAROK RIGHT HAND STRUT SHOWN


SUSPENSION VEHICLE APPLICATION GUIDE

TOYOTA LANDCRUISER (PRADO 150) FJ CRUISER / 4 RUNNER (5 GEN)




TOYOTA LANDCRUISER (PRADO 150) / FJ CRUISER / 4RUNNER (GEN 5) RIGHT HAND STRUT SHOWN

TOYOTA LANDCRUISER (PRADO 120) / 4RUNNER (GEN 4)




TOYOTA LANDCRUISER (PRADO 120) / 4RUNNER (GEN 4) RIGHT HAND STRUT SHOWN

TOYOTA LANDCRUISER (200 SERIES)



TOYOTA LANDCRUISER (200 SERIES) RIGHT HAND STRUT SHOWN


TOYOTA LANDCRUISER (PRADO 90)



TOYOTA LANDCRUISER (PRADO 90) RIGHT HAND STRUT SHOWN


SUSPENSION VEHICLE APPLICATION GUIDE

ISUZU DMAX & HOLDEN COLORADO (RG)



ISUZU DMAX & HOLDEN COLORADO (RG)
RIGHT HAND STRUT SHOWN

NISSAN NAVARA / FRONTIER / PATHFINDER (D40/D23-NP300/R51)




NISSAN NAVARA / FRONTIER / PATHFINDER (D40/D23-NP300/R51) LEFT HAND STRUT SHOWN

NISSAN NAVARA / FRONTIER / PATHFINDER (D40/R51 - ALL V6 DIESEL 550 MODELS)



NISSAN NAVARA / FRONTIER / PATHFINDER (D40/R51 - ALL V6 DIESEL 550 MODELS)
LEFT HAND STRUT SHOWN

MAZDA BT50 & FORD RANGER PX



MAZDA BT50 & FORD RANGER (PX) LEFT HAND STRUT SHOWN

TERMS & CONDITIONS OF SALE

INTERPRETATION

In these Terms and Conditions of Sale ("Terms"), "Goods" means the goods subject of the Contract; "Dobinsons Spring & Suspension™" means the entity selling the Goods; "Client" means the entity purchasing the Goods; "Contract" means each contract between Dobinsons Spring & Suspension™ and Client for the sale and purchase of Goods.

TITLE

Title to the goods will not pass to the Client until the following is completed:

1. Dobinsons Spring & Suspension™ being paid in full under all Contracts.

Until the Goods pass to Client, Client must:

- 1. Hold the Goods as bail for Dobinsons Spring & Suspension™ and keep them in good order and condition; and
- 2. Not remove any markings placed by Dobinsons Spring & Suspension™ and ensure that the Goods can be readily identified and distinguished from other property in Client's possession; and
- 3. Deliver the Goods to Dobinsons Spring & Suspension™ immediately upon demand and, for this purpose, Dobinsons Spring & Suspension™ is authorized to enter at any time any premises in which the Goods may be located (the costs incidental to which will be borne by Client).

QUOTATIONS & ORDERS

Any quotation made by Dobinsons Spring & Suspension™ will not be construed or operate as an offer or obligation to sell. Dobinsons Spring & Suspension™ reserve the right to accept or reject in its absolute discretion any order received. Client will not be entitled to cancel or refuse delivery of, or payment for, any order made by him, which has been accepted by Dobinsons Spring & Suspension™.

PRICE

The price payable to Dobinsons Spring & Suspension™ by Client for the Goods will be the price agreed, failing which it will be the price prevailing at the date the Goods are dispatched by Dobinsons Spring & Suspension™ for delivery to Client. Prices are payable in Australian currency and exclusive of delivery costs, taxes, duties and other imposts which, if chargeable, are payable by Client. Prices quoted in any Dobinsons Spring & Suspension™ price list are suggested prices only and may be changed by Dobinsons Spring & Suspension™ without notice.

PAYMENT

All Goods will be paid for in full before receiving or dispatching of Goods from Dobinsons Spring & Suspension™ unless previously arranged.

DAMAGE

Buyer acknowledges that the Goods leaving Dobinsons Spring & Suspension's premises are adequately packed. Claims for damage in transit must be made against the carrier and, while Dobinsons Spring & Suspension™ will not accept liability for any damage, details of any claim must be promptly advised to Dobinsons Spring & Suspension Prior to acknowledging delivery to the carrier, Client must ensure that the complete consignment has been received as specified in the carrier's note. Any shortage or visible damage to outer packaging must be endorsed on the carrier's note. Any shortages and/or damages must be reported to Dobinsons Spring & Suspension™ within 72 hours of receipt.

IMPLIED TERMS, LIMITATION OF LIABILITY & CLIENT INDEMNITY

Subject to these Terms, Dobinsons Spring & Suspension™ will not be liable for any loss, damage, expense or injury of any kind or nature suffered or incurred by Client or any other person, arising out of or in connection with, the Contract (including, without limitation, liability due to negligence or wilful default of Dobinsons Spring & Suspension™ and any delay in delivery) or any error (whether negligent or not) in information supplied to Client in connection with its subject matter or the use, possession or delivery of the Goods or the exercise by Dobinsons Spring & Suspension™ of its right under Breach by Client will indemnify Dobinsons Spring & Suspension™ in relation to any such loss, damage, expense or injury.

FORCE MAJEURE

Despite any other term or condition of the Contract, Dobinsons Spring & Suspension™ will not be liable for any loss, damage, expense or injury of any kind or nature suffered or incurred by Client or any other person, arising out of or in connection with any delay in delivery, or failure to perform any other term or condition of the Contract where that delay or failure is caused by an act of God, fire, labour dispute, civil commotion, intervention of a government, inability to obtain labour, materials or manufacturing facilities, accidents, interruptions of or delay in transportation or any other cause beyond Dobinsons Spring & Suspension's reasonable control.

BREACH BY CLIENT

If Client breaches a Contract or Dobinsons Spring & Suspension™ is not satisfied of a Client's ability to pay or otherwise comply with each Contract, Dobinsons Spring & Suspension™ may by notice to Client, but without compensation, terminate every Contract, suspend or cease deliveries under all Contracts, set-off all deposits against amounts due and make all amounts then outstanding by Client to Dobinsons Spring & Suspension™ immediately due and payable.

ERRORS AND OMISSIONS

Dobinsons Spring & Suspension™ has the right to correct any clerical errors or omissions, whether in computation or otherwise in any quotation, acknowledgment, or document forming part of a Contract. Although care has been taken to ensure the accuracy of the data contained in this publication, Dobinsons Spring & Suspension™ does not assume any liability for errors or omissions.

WARRANTY

WARRANTIES

Dobinsons Spring & Suspension™ at its sole discretion will repair or replace any products supplied by them that are found to be defective in either materials or workmanship providing that Dobinsons Spring & Suspension™ are actually notified in writing from the Client of the alleged defect within two years (2 years) from date of invoice for Coil Springs, Leaf Springs and Shock Absorbers, and within twelve months (12 months) from date of invoice for all other parts. Any claim not made within this period shall conclusively be deemed waived by the Client. Repair or replacement is pre-conditioned on the examination of the goods which on instructions from Dobinsons Spring & Suspension™ on, should be returned for further inspection to Dobinsons Spring & Suspension™ or to an Approved Importer.

Coil Springs listed in this catalogue have a 2 year warranty against the following:

- 1. Faulty Manufacture
- 2. Breakage
- 3. Sagging (being loss of free height of more than 10mm).

Leaf Springs listed in this catalogue have the 2 year warranty against the following:

- 1. Faulty Manufacture
- 2. Breakage
- 3. Sagging (being the loss of free camber by more than 12mm).

Shock Absorbers listed in this catalogue have a 2 year warranty providing the vehicle does not have a modified exhaust system.

Fridges listed in the catalogue have a 5 year warranty on the motor and a 1 year warranty on all other parts against:

1. Faulty Manufacture

Winches listed in the catalogue have a 2 year warranty against:

1. Faulty Manufacture

All other accessories listed in the catalogue have a 1 year warranty against:

1. Faulty Manufacture

Dobinsons Spring & Suspension™ products are designed for normal use and are in no way, covered under warranty should the vehicle be used in any form of extreme sports, competition racing or produce lift of 50mm or more. It is the responsibility of the fitter, to ensure that the customer or the owner of the vehicle is aware of the warranty conditions under which the products have been sold. It is highly recommended that the words "Suspension Components Fitted are for Normal Use Only. Warranty Void if used in extreme conditions" is written on their receipt to avoid any confusion.

Dobinsons Spring & Suspension™ will not pay for costs incurred in forwarding or returning goods. This warranty does not cover and Dobinsons Spring & Suspension™ makes no warranty with respect to; (1) any merchandise that is abused, misused, misupplied, neglected or altered; or that is improperly or incorrectly installed or maintained or used; or that is subjected to abnormal conditions of use, temperature, moisture, dirt or corrosive matter; (2) Goods bought for industrial, mining or agricultural use; (3) Goods no longer required by Client; (4) Goods incorrectly chosen by Client; (5) Goods modified or altered by client; and (6) any merchandise, materials, parts or other components supplied by someone other than Dobinsons Spring & Suspension™.

Dobinsons Spring & Suspension™ shall not be liable for any expenses incurred by Client in order to remedy any defect in its product. Dobinsons Spring & Suspension™ shall not be liable for any freight, labour, consequential, special, indirect or contingent damage or expense arising Directly or Indirectly from any defect in its products or from use of any products.

Client agrees to indemnify and hold Dobinsons Spring & Suspension™ harmless from and against any loss, injury or damage, to person or property, that extends beyond the warranties set forth above, whether the claims against Dobinsons Spring & Suspension™ or the damages are incidental or consequential.

Installation of after-market items to your vehicle may adversely affect, void or violate the Manufacturers terms of warranty on your vehicle. Review the terms of your vehicle warranty prior to purchase and/or installation of any after-market part or accessory. Dobinsons Spring & Suspension™ does not make any representations or warranties of any kind as to suitability or fitness for a particular vehicle or purpose. Dobinsons Spring & Suspension™ shall not be responsible or liable for direct or indirect damages as a result of the purchase and/or installation of these after-market products.

TERMS & CONDITIONS

The only terms of the Contract are those agreed to in writing by Dobinsons Spring & Suspension™, these Terms (to the extent they are not inconsistent with terms agreed to in writing by Dobinsons Spring & Suspension™) and those which are implied or imposed by law (including the Trade Practices Act 1974) to the extent that it is not lawful or possible to exclude them. All other terms, conditions and warranties are expressly excluded. If a conflict arises between the terms of any order made by Client and these Terms, these Terms will prevail. An agreement to deliver the Goods in installments is taken to be separate Contract for each installment. The laws of Queensland govern these Terms and Conditions and any Contract that includes them and Dobinsons Spring & Suspension™ and Client submit to the jurisdiction of the courts of the State. If a term is held to be unenforceable, the remaining terms will apply.

Dobinsons Spring & Suspension™ will not be liable to the Client in the event that delivery of goods is delayed irrespective of the cause.

Manufacturers and Suppliers of...

- Improved 4x4 Leaf Springs
 Performance Coil Springs
- Greasable 4x4 Shackles & Pins Polyurethane Bushes
 - Shock Absorbers U-Bolts & Nuts
 - 4x4 Torsion Bars 4x4 Accessories



HEAD OFFICE

58 Hollingsworth Street North Rockhampton QLD Australia 4701 **Tel: 617 4927 7444**

Email: admin@dobinsonsprings.com

SYDNEY BRANCH

Unit 1/6 Waler Crescent Smeaton Grange NSW Australia 2567 **Tel: 61 2 4647 8295**

Email: sydney.sales@dobinsonsprings.com

BRISBANE BRANCH

Unit 118B/193 South Pine Road Brendale QLD Australia 4500

Tel: 617 3205 6979

Email: brisbane.sales@dobinsonsprings.com

MELBOURNE BRANCH

Unit 1/13a Abbotts Road Dandenong South VIC Australia 3175

Tel: 61 3 9706 5200

Email: melbourne.sales@dobinsonsprings.com

ADELAIDE BRANCH

572 North East Road Holden Hill SA Australia 5088

Tel: 61 8 8369 1377

Email: adelaide.sales@dobinsonsprings.com

www.dobinsonsprings.com



Proudly Supplied by: