## RACOR STAINLESS STEEL T-HANDLE VACUUM GAUGE KIT

- Racor's stainless steel T-handle with vacuum gauge
- Replaces Original T-Handle
- Applications: All Racor 500, 900 and 1000 Turbine Series Fuel Filters / Water Separators, Including UL marine listed models (MA versions)
- · Vacuum / restriction indicators monitor filter condition as the filter slowly becomes clogged with contaminants
- As the filter gets dirty, restriction increases and less fuel is delivered to the engine causing the engine to lose power and eventually stall
- Eliminates the guesswork from fuel filter maintenance · Installing a vacuum / restriction indicator in your fuel system, visual
- monitoring of filter condition is possible at a glance · Increasing fuel system troubleshooting efficiency
- · Eliminating guess work
- · Lengthening filter change-out intervals
- · Lowers operational costs and extends filter life
- Stainless steel body material provides superior corrosion resistance Model <u>Ship</u> Item Net
- 301945 RK23284 \$74.99 2 lbs

## SHURHOLD DUAL ACTION PROFESSIONAL GRADE POLISHER PRO

- · Similar to the original Shurhold Dual Action Polisher but the PRO is heavier duty and features an larger 21 mm orbit
- The increased Orbit and pad size make this is a more powerful polisher
- The unique Dual Action motion will still protect your finish and give you the professional results you desire Includes:
- 6" Quick Change Backing Plate
- (2) Different Ergonomic Gripping Styles
- EZ Change Carbon Brush Ports
- Thumb Controlled Variable Speed Dial
- Locking ON Button
- Includes Detailed User Guide and Canvas Storage Bag Requires Specific Pads: (Sold Separately) Net
- ltem <u>Model</u> Ship 9 lbs 756641 3500 \$226.99

## SHURHOLD PRO POLISH 7" FOAM PAD

- Red (Light Polishing), Orange (Light Oxidation), Please Select: Blue (Medium to Heavy Oxidation
- <u>ltem</u> <u>Ship</u> <u>Net</u> 756642 \$17.99 I lbs

## MILDEW STAIN BLOCKER WITH NANO TECH BARRIER

Nano-tech barrier prevents mold stains & mildew stains from forming. Features:

- · Easy to use; just spray on area to be treated
- Lasts up to 3 months (interior areas)
- Non-toxic formula; safe for use around people & pets
- · For use on fiberglass, vinyl, plastic, rubber, fabric and painted surfaces Model <u>Ship</u> ltem Net

\$14.99

#### 756643 086622 22oz 2 lbs TAYLOR MADE SUPER YACHT FENDER COVERS


- Covers the Entire Fender to Maximize Your Gelcoat's Protection
- 100% Heavy Duty Loop Knit Acrylic
- Machine Washable
- UV, Abrasion and Stain Resistant
- Heavy Duty Sewn-in Draw String and Barrel Lock Ensures a Custom Fit
- Compatible with other brand fenders

Please Specify Black or Navy

ltem	Model	Size	<u>Ship</u>	Net	
012334	5100	18" D x 29" L	2 lbs	\$76.99	
012335	5101	18" D x 42" L	3 lbs	99.99	
012336	5102	18" D x 58" L	4 lbs	136.99	
012337	5103	24" D x 42" L	4 lbs	136.99	
012338	5104	24" D x 58" L	4 lbs	186.99	
012339	5105	36" D x 48" L	6 lbs	251.99	

### **TAYLOR MADE FLAG-KLIPS**

For ease in attaching and removing flags from poles. Vinyl covered, rustproof, unbreakable. Fits pole diameters 5/8" to 7/8" Item 401663 Model 57997 Ship I Ibs Net \$3.99



- A feature rich personal distress light that combines intense LED technology with increased operating life to provide you with the ultimate steady-on distress light
- Features an impact resistant case making it a reliable, multi-purpose light whenever efficient distress lighting is needed
- This waterproof steady-on light boasts a 20 lumen LED
- Operates typically for 30 hours continuously
- The light can easily be activated with a simple push of the On/Off button
- In the armed position, it can be activated automatically when immersed in water
- Many attachement options
- Ideal for life jackets, camping, biking, auto, etc.
- Designed for location assistance during low-light emergencies
- Exceedingly bright 20 Lumen White LED
- Extensive continuous operating life of greater than 30 hours
- Water activation sensors Automatic activation when in contact with water
- Impact resistant case
- USCG/SOLAS Approved
- Specifications:
- Size: 5.56" x 1.38" x 1.2" (14.1 x 3.5 x 3.0 cm)
- Operational Life: >30 hr. at 30°C (>20 hr. at -1°C)
- Operation: Manual On/Off button or Water Activation Method:
- Water or Manual Activation
- Waterproof: Tested for 24 hrs. @ 3.3 ft. (Im)
- Lamp:20 Lumen White LED Light
- Type: Steady On
- Battery: (2) AA batteries (not included)
- Battery Protection: Yes

NEW

- Limited Warranty: I year
- Item 552567 Model 3962.1

## SWITLIK TECHFLOAT™ LIFT AND RESCUE DEVICE

The TechFloat is a throwable, inflatable rescue device for all-season water and ice rescue that has incorporated lifting capability. The TechFloat is worn with an over-the-shoulder strap, which connects the rescuer directly to the victim and leaves both hands free. The inflatable is removed from its valise, and easily thrown to the victim. After activation, the victim places the inflated bladder around themselves, and the rescuer is

Net \$17.99

Ship 2 lbs

NEW PRODUCTS

PHONE 800-628-8225 • FAX 800-654-1616

Net \$71.99

Ship I lbs

free to retrieve the victim by means of the line attached between them. Features:

- Provides 35 lbs of buoyancy
- 100 ft. of 1/4" High Visibility Multi-filament Polypropylene Floating Line (Yellow)
- Quick-disconnect snap shackle attached to the shoulder strap for use in swift water rescue scenarios. Can be used to tie-off unit to a stationary object.
- Webbing enclosed over-the-shoulder strap connects rescuer directly to the Person in Water (PIW) and leaves both hands free to assist in rescue
- Water-Activated auto-inflation system
- 1,600 lb. lifting strength for hoisting PIW out of water
- Self-rearming kits available that include replacement cylinder and inflation bobbin Specifications:
- Bag Dimensions: 13"L x 8"H x5"W
- Weight: 4.5 lbs. packed
- Bag Material: Coated Nylon
- Bag Color: Orange/Black
- Line Material: 1/4" Multi-filament Polypropylene Floating Line
- Horseshoe: 35lb Inflated Buoyancy
- Horseshoe Material: Double Coated Polyurethane Nylon (210D)
- Chest Straps: I-I/2" nylon web. with Quick Release Buckle
- Inflation: Replaceable 33g CO2 Cylinder
- Deflation: Via oral valve

◭

₼

\* For more detailed product specifications and our complete selection visit www.defender.com or call 800-628-8225. \*

- Techfloat Rearm Kit : p/n S-4121-1
- Repacking: One or two Rearm Kits should be carried aboard. The Techfloat is easy to rearm the owner/user should become familiar.

<u>ltem</u>	Model	<u>Ship</u>	<u>Net</u>
551090	TF-3500-1	5 lbs	\$379.00
551091	S-4121-1 Re-Arm Kit	I lbs	29.99

Stanchion diameter: 25 or 30 mm Dimensions: 58 mm W x 72 mm H

Item 608788

ELDÉN	DOUBLE LINE STANCHION FAIRLEAD
-------	--------------------------------

Model 480-501-01

Designed specifically for use with continuous furling lines Double fairlead consists of a composite bracket with a Stainless Steel twisting retainer

502	<ul><li>SLOW CLOSE LID</li><li>Updated base</li></ul>	PERFLUSH MANUAL TOILET ) provides a cleaner installation t bolt hole pattern as other		-	• The Speedy St	titcher 110 Sewing	g Awl, is a hand t	NEW!	
	<ul> <li>competing toil</li> <li>Piston housing units allowing 1</li> <li>Dry flush optic</li> </ul>	ets in the manual class is 66% larger than the comp for a faster clearing of the bo on			<ul> <li>It's a helpful to or any place w or repaired</li> </ul>	w any heavy mate ool to have around where leather, car Stitcher is Made i	l the house, farm was or vinyl has	to be sewn	SPEED THE SPEED
	<ul> <li>Efficient LEVEF</li> <li>Powerful flushi</li> <li>Reversible pun</li> <li>Air vent reduc</li> <li>Double-action</li> </ul>	at and Lid ouble-free quiet operation R Handle as opposed to verti ing action np mounting for choice of rig :es back pressure piston pump draws new flus	ght or left-hand installa h water as it discharge		<ul> <li>high-tensile wa</li> <li>With a little p</li> <li>Uses for the S <ul> <li>Assem</li> <li>Climbi</li> <li>Athlet</li> </ul> </li> <li>Package Include</li> </ul>	axed thread and o practice, it sews a Speedy Stitcher In hbly and repair of ing and camping g tic equipment <b>des:</b>	custom-made di perfect lock stit clude: leather goods rear	amond point ne ch every time, j - Canvas t - Saddlery - Shoes an	ust like a sewing machine arps and tack items
	<ul> <li>Specifications:</li> <li>Height: standar</li> <li>Bowl Style: corr</li> </ul>	mpact	ally tested		<ul> <li>(4) needles</li> <li>(2) curved</li> <li>Instructions Item 612284</li> </ul>		• (2) straight • 180-yard Tub	-	vaxed coarse thread Net \$25.49
	<ul> <li>Materials: whit</li> <li>Water Supply:</li> <li>Inlet Hose: 3/4</li> </ul>	raw sea or lake water, hand	-operated piston pump	•		ER SEWING NEED			
Ś	<ul> <li>Discharge Hos <u>ltem</u></li> <li>503566</li> </ul>	se: I-I/2" ID <u>Model</u> <b>PIOI</b> Compact Bowl	<u>Ship</u> 49 lbs	<u>Net</u> \$294.99	<ul> <li>Size: #4 (Smal</li> <li>Type: Straight</li> <li>Material: Stair</li> </ul>	ll) t nless Steel	where the		NEW!
L S	D 503567 GROCO RAW WA	P102 Household Bowl ATER MANIFOLD	42 lbs	314.99	Applications: <u>ltem</u> 612577	Designed for use <u>Model</u>	<u>Ship</u>	<u>Net</u>	
NEW PRODUCTS	• While it is not	recommended to supply raw umers" from a single inlet so		NEW!	SPEEDY STITCHE	130 ER SEWING NEED t Sewing Needle	I Ibs LE - #8 STRAIG	\$2.99 HT	
PR	washdown pun that it is comm	nps, air conditioners, generat ion practice to do so, particu	cors, etc) it is recognize Ilarly when one or mor	ed re	• Size: #8	t Diamond-Point			NEW!
Ē	<ul> <li>If this is your in</li> </ul>	ers is an intermittent consum itention, protect your equipm			Material: Stain		with Course Th	read	
Ζ		ided to use proper pipe or ho			<u>ltem</u> 612578	Model I30A	<u>Ship</u> I Ibs	<u>Net</u> \$2.99	
	consumers	of imposing dangerous restruc		ne <b>V</b>	SPEEDY STITCHE	ER SEWING NEED Needle - Curved	LE - #8 CURVE		
	(your main eng	tlet is connected to the prim gine, for example), and is sma	ller than the		• Size: #8	d Diamond-Point			NEW
	outlet of the ne	which screws into a seacock ext larger pipe size (see samp	ole installations)		Material: Stair		with Course T	hread	
	<ul> <li>The larger thre inlet seacock b</li> </ul>	eaded end requires that a large used, thus assuring adequate	ger strainer or 👘 🔍		<u>ltem</u> 612579	Model I30B	<u>Ship</u> I Ibs	<u>Net</u> \$2.99	
	<ul><li>consumers</li><li>The combined</li></ul>	cross-sections of the primary	consumer plus			ER 150 SEWING			EW
		econdary consumer connection example) does not exceed the dialet and		CONNECTION	<ul> <li>Length: 180-y</li> </ul>		er Thread		SPEEDY
		Inlet Pipe <u>Thread A Hose ID</u>	<u>BC Port-D</u>	Port-E Port-F	Material: 4-Fi	ilament, High-Ten	sile Thread		Sewing Awl
	RWM-1250	I-1/4" NPT 3.75" I" I-1/2" NPT 4.13" I-1/4"	1.37" 1/2" NPT 1		<u>ltem</u> 612580	Model I 50	<u>Ship</u> I Ibs	<u>Net</u> \$9.99	
		1-1/2" NPT 4.13" 1-1/4" 2" NPT 4.65" 1-1/2"	1.57" 1/2" NPT	I" NPT I/4" NPT /4" NPT I/4" NPT		ER 170 SEWING	THREAD		
MC	RWM-2000-1	2" NPT 4.65" I-1/2" 2-1/2" NPT 5.00" 2"	2.00" 3/4" NPT	I" NPT I/4" NPT I" NPT I/4" NPT	<ul> <li>Length: 180-y</li> </ul>		hread		
С. С	RWM-3000	3" NPT 5.50" 2-1/2" Item <b>503576 • Plea</b> s	2.00" I" NPT I-	1/4" NPT 1/4" NPT	Material: 3-Fi	ilament, High-Ten Indoor and Outo	sile		
NDE		Our Price From \$	65.99 to \$184.99		<u>ltem</u> 612581	<u>Model</u> I 70	<u>Ship</u> I Ibs	<u>Net</u> \$8.99	Minute Vo. 000 Annual Province of Province
FEN	TPC Series 90	IES 90 DEGREE TAIL PIECES ° tail pieces are comprised o	f two pieces	EWI		ER SEWING AWL titcher 200 Sewing			
AT WWW.DEFENDER.COM	of hook-up; th	y be rotated in any direction en the nut is tightened			to sew any he				
M M	female pipe th				place where le	eather, canvas or Stitcher is Made i	vinyl has to be s	sewn or repaire	d i 🚺 🚺 🧲
3	(tapered) pipe	C Series tail pieces on produ thread is recommended only		lications, and then	signature high point needles	-tensile waxed th	read and custon	n-made diamon	d Second
ZAT		pipe sealant or thread tape			like a sewing r			ch every time -	just
24/7	<ul> <li>Applications: C thread</li> <li>Material: Cast</li> </ul>	GROCO SV Series seacocks Bronze	or with any product w	ith straight male pipe	- Assem - Climbi	Speedy Stitcher In obly and repair of ing and camping g	leather goods	<ul><li>Canvas t</li><li>Saddlery</li></ul>	and tack items
SHOP	Model	Thread Hose ID			- Athlet Package Includ	tic equipment		- Shoes an	d belts
S	TPC-750 TPC-1000	3/4" 3/4"  "  "	Item 503577 • Pleas	e Specify Model	<ul> <li>170 Sewing T</li> <li>Length: 180-y</li> </ul>	yard Tube	_		
	TPC-1250 TPC-1500	- /4"  - /4"  - /2  - /2	Our Price From \$		Material: 3-Fi	Vaxed Polyester T ilament, High-Ter	sile		
	TPC-2000 TPC-2500	2" 2" 2-1/2" 2-1/2"			ltem	Indoor and Outo <u>Model</u>	<u>Ship</u>	Net	
					612582	200	l lbs	\$14.99	

NOBELTEC®	COME ON BOARD HANDLE • Stainless Steel Type 304 • Unique finger molded groove handle design for comfort grip • Multiple piece design for easy storage • Packaged in mesh bag for easy drying if stored wet and to avoid • merchine deal near surface on the batter	503
Image: State of the state	scratching deck or storage surfaces on the boat One year limited warranty tem Model 02796 F16-0800 Handle 02797 F16-0800 Receiver 11.99 02797 F16-0800 Receiver 11.99 020707 F16-0800 Receiver 11.99 020707 F16-0800 Receiver 10 LEDs/50 lumens 10 LEDs/50 lumens 10 LEDs/50 lumens 10 LEDs/50 lumens 10 LEDs/50 lumens 11 Glitter finish 10 Atteries needed - just the sun 10 Atteries needed of the sun 10 Atteries	NEW PRODUCTS
<ul> <li>Micegrates the Cutting-Euge WASsF solution with InfEZERO Cutting in the Solution of t</li></ul>	<ul> <li>Applications: Best used for Coastal or Near Shore Boating</li> <li>Capacity Up to (6) People</li> <li>Packed in a lightweight and tough</li> <li>Packed Dimensions: 16-1/2" L x 13" W x 6-1/2" H</li> <li>Container: Valise</li> <li>Ballast 5 Pockets; 100 Pounds Each</li> <li>Six-sided construction</li> <li>Material Polyurethane Proofed Nylon</li> <li>Fabric: Bright Yellow to help aid in visual detection by rescuers</li> <li>Includes a loading ladder to improve the speed to board</li> <li>Multiple Lifelines</li> <li>Warranty: One Year Subject to Annual Servicing by Survitec Approved Service Station</li> <li>▲ Item 552571 Model 55-00010 Ship 25 lbs Net \$999.99</li> <li>CONVERSION PLATE</li> <li>Optional conversion plate for mounting CO Sentinel Carbon</li> <li>Monoxide Detectors in places where larger CMD-3M or CMD-2M units were previously installed. This cover plate covers up unsightly wear or openings from previous installations. Four mounting screws are included.</li> <li>Item 550863 Model 100102 Ship 1 lbs Net \$2.49</li> </ul>	PHONE 800-628-8225 • FAX 800-654-1616

\* For more detailed product specifications and our complete selection visit www.defender.com or call 800-628-8225. \*



**NEW PRODUCTS** 

## TRADITIONAL DOUBLE BRAID LINE

- Doublebraid 12-Strand with Braided Polyester Core
- Braided Polyester 24 Plait Cover
- Applications: Sheets, Guys, Control lines, Out/downhauls,
- Runner-Tails, Reefing lines, Vangs, Furlers Braid on Braid Construction
- Easily Spliced

· Construction provides a soft and flexible rope for easy handling Item 607850 • Color: White • Specify Diameter

Item 607851 • Color: Navy • Specify Diameter

item	terr ourosi - Color. Navy - Specily Diameter								
	Size	Tensile	Average Ship	Net		Size	Tensile	Average Ship	Net
<u>Dia.</u>	<u>mm</u>	<u>Strength</u>	Weight /100'	<u>per ft</u>	<u>Dia.</u>	<u>mm</u>	<u>Strength</u>	<u>Weight /100'</u>	<u>per ft</u>
I/4"	6	1,390 lbs	3 lbs	\$0.49	7/16"	11	4,760 Ibs	7 lbs	1.09
5/16"	8	2,560 lbs	4 lbs	0.55	1/2"	12	6,050 lbs	9 lbs	1.60
3/8"	10	3,690 lbs	5 lbs	0.76	5/8"	16	7,230 lbs	12 lbs	2.10

## MAS RATIO MIX AND MEASURE CUPS

- Applications: Epoxies, Resins, Varnishes and Thinners
- Made of semi-clear plastic

Graduated in Standard and Metric units for easier measuring

<u>ltem</u>	Model	Size	<u>Ship</u>
756559	35-023	Up to I ounce (10 pk)	l Ibs
756560	35-021	Up to 2 ounces (10 pk)	l lbs
756561	35-846	Up to 8 ounces (10 pk)	l lbs
756562	35-847	Up to 16 ounces (10 pk)	2 lbs

## WEEGO 12 VDC ADAPTER

Allows you to bring portable power to the campsite, dock, on board your boat, or on the road. It's an essential accessory to Weego Jump Starter Battery+. Just connect the 12 VDC Adapter to your Weego Jump Starter Battery+ 12V output and any 12 VDC plug on air compressors, heaters, fans, camping appliances,

lanterns, and more for instant power.

- · Works with Weego Jump Starter Battery+ Heavy Duty (JS12) and Professional (IS18) models
- Convenient 3.5" long cable requires minimal storage
- Easy to use just connect to Weego and the DC plug from the portable appliance Crazy Long 18-month warranty
- Item 202359 Model JSFSA Ship I Ibs

## **WEEGO MARINE/AUTO TETHER**

Allows you to jump and charge with one tether! It is the ultimate convenience tool for anyone that needs access to a hard-to-reach

battery. An SAE adapter for trickle charging included

- it attaches right onto your tether for a no-hassle alternative.\* Perfect for cars, trucks, boats & more!

· Works with Weego Jump Starter Battery+ Standard (JS6) and Heavy Duty (JS12) models Use tether for jumping and simply attach the included SAE adapter to a trickle charger for convenient charging

Ship 2 lbs

<u>Outlet</u>

1/2"

1/2"

· Extremely quiet operation

Inlet

1-1/4"

Net \$9.99

1.6 A

<u>Voltage</u>

115/230 VAC 50/60Hz

11.7

• 316 Stainless Steel shaft

Max Liquid Temp

212°F

9 lbs

<u>Ship</u>

33 lbs

**Specify** 

115 or 230 VDC

115 or 230 VDC

• Applications include: marine air conditioning, engine block temperature control, radiator and heat exchanger circulation, baitwell circulation

<u>Outlet</u>

1"

- 10mm eyelet rings fit most marine and auto battery terminals
- 24" cable leads for maximum reach
- Includes 400A fuse & diode protections to ensure your safety
- SAE Adapter has weatherproof cap
- Crazy long 18-month warranty

\*Note: you cannot use your Weego Jump Starter to trickle charge, you need a separate device Net \$29.99

Item 202360 Model JSMT524 Ship I lbs

## UST SOLAR SHOWER

Enjoy a warm shower in the outdoors with the UST Solar Shower. Simply fill with water and place it in the sun. Features & Specifications:

- · Black material absorbs the heat to warm the water inside
- · Holds five gallons of water at once to provide multiple showers per use
- · Works great in situations at home when hot water isn't available

<u>GPH</u>

500

1000

OBERDORFER 107M CENTRIFUGAL AIR CONDITIONING PUMP

<u>Inlet</u>

3/4"

1"

• Mechanical-type shaft seal with Buna rubber element suitable for water, oils and some mild solvents

Specify GPH

1950 or 2100

I8"H x 22"W x 0.5"D

<u>ltem</u>

Item

901383

901763

901764

 2-Year Limited Warranty Model 2002047-01 Item 503582

<u>Model</u>

Rugged bronze construction

Model

PM500-115

PM1000-115

#### KOOLAIR SUBMERSIBLE MAGDRIVE PUMPS Magnetically driven pumps, with no shaft seal


Pumps are not self-priming and requires a suction

107MA-F25/107MB-F25

### SEAHAWK TUFF STUFF LOW VOC **HIGH-BUILD EPOXY PRIMER Premium Blister Protection with Microsheet Silicate Technology**

The Tuff Stuff LOW VOC Epoxy Primer complies with rigid VOC limits set by the California Air Quality Management Board and offers a Low VOC alternative when applying water barrier or corrosion protection.

Tuff Stuff Low VOC is an extremely high-build two-part epoxy primer that dries fast, enabling



Consists of  $(\tilde{2})$  1/2 gallon containers = (1) full gallon product

<b>Please Specify:</b>	White or Gray
ltom	Model

ltem	Model	, <u>Color</u>	<u>Ship</u>	Net
<b>G</b> 756657	1286	Gray	I 4 lbs	\$129.99
G	1287	White	14 lbs	129.99

## **ONYX MOVEVENT CURVE PFD**

- Conforms to your body like a glove, yet its innovative vented channels help to keep you cool while paddling
- Features excellent mobility, sculpted foam designs that conform to your body, and mesh ventilation in the front and back to allow for maximum airflow
- Soft, lightweight flotation foam
- 200 denier nylon outer shell
- Provides excellent mobility for recreational paddle sports
- Ventilation in front and back to keep you cool
- Mesh in lower back fits high back seats and sit-on-top kayaks Shoulder adjustments with neoprene comfort pads
- Adjustable side belts
- Strong, durable zipper closure
- Zip assist loop at zipper base

USCG Approved Type III PFD						
ltem	Model	<u>Size</u>	<u>Ship</u>			
552572	122000-500-020-16	XS/S	l Ibs			
	12200-500-040-16	M/L	2 lbs			

XL/XXL

## **MCLUBE SAILKOTE HIGH PERFORMANCE DRY LUBRICANT**

122000-500-060-16


- An easy to apply high-tech, high performance dry lubricant Function: It makes sails, hulls, rigging, deck hardware, and anything that moves on your boat run smoother, work more efficiently and last longer than you ever thought possible
- Specifically designed for marine use, Sailkote is a translucent liquid that sprays or wipes on and completely dries in seconds
- The same dry lubricant technology that has been developed for, and race proven by America's Cup Teams, Olympics Medalists, and One Design World Champions

It dries quickly to a hard, smooth, ultra-slick, hydrophobic dry coating that bonds tenaciously to almost any surface

- Because Sailkote is a dry lubricant, it will not attract dirt or
- contaminants and will not transfer to other surfaces, or you Sailkote is typically five times as effective, and lasts much longer than, wax, oil or Teflon® based lubricants

2 lbs

Net \$14.99



250.00

<u>Net</u>

\$674.99

1 Year

Warranty



Net

\$5.99

12.99 11.99

12.99





Net

\$39.99

39.99

39.99


NEW PRODUCTS

PHONE 800-628-8225 • FAX 800-654-1616



RONSTAN 30 MM SERIES 30 ORBIT BLOCK • Clew Ring Linked with (2) Single Blocks • Mainsheet systems and spinnaker sheets on dinghies to 16' • Halyard, vang and backstay applications on boats to 16' • Control line applications on larger yachts	ACR C-LIGHT PERSONAL DISTRESS LIGHT • MANUAL ACTIVATION Manually twist on/off activation steady-on personal distress light. Lamp: 20 Lumen White LED Visibility: 360° Battery Type: 2 "AA" alkaline (not included) Life: 30 hours continuous Size: 5.06" x 1.38" x 1.2" Approval: USCG/SOLAS, CE, Transport CAN Warranty: Limited I year	507
Safe Working       Breaking       Sheave       Max.         Item       Model       Load       Load       Dia.       Line Size       Ship       M.A.P.         615276       RF35286       660 lbs       I 323 lbs       Z.2oz       I-3/16"       5/16"       I lbs       \$33.95         OFFIT HOSE CLAMP TIP JACKETS         • For standard hose clamps       For T-bolt hose clamps         • EDM rubber       • For T-bolt hose clamps       • EDM rubber         • Specify 1/2" (Black) or 5/16" (Blue) Width       All ship I lbs       • Color: Black	Item       Model       Ship       Net         552568       3963.1       I lbs       \$11.99         ACR C-LIGHT H2O PERSONAL DISTRESS LIGHT         • MANUAL OR WATER ACTIVATION         Manual On/Off button or Water activation steady-on personal distress light.         Lamp: 20 Lumen White LED Visibility: 360° Battery Type: 2 "AA" alkaline (not included) Life: 30 hours continuous Size: 5.56" x 1.38" x 1.2" Approval: USCG/SOLAS, CE, Transport CAN Warranty: Limited I year	
<ul> <li>Specify Package of 25 or 100 Item 503579 1/2" or 5/16" (25 Pk) \$5.99 I/2" or 5/16" (100 Pk) 16.99</li> <li>ANCOR REPAIR TAPE</li> <li>Self-fusing when applied under tension</li> <li>Creates a permanent air and water tight seal</li> <li>No sticky residue remains</li> <li>Tear Strength: 60 PPI</li> <li>Operates and remains flexible from -60°F to 500°F</li> <li>Please Specify: Black, Blue, Clear, Green, Gray, Red, White or Yellow Item 205018 Roll Size: I" x 10' Ship I lbs Net \$8.99</li> </ul>	Item       Model       Ship       Net         552567       3962.1       2 lbs       \$17.99         ACR C-STROBE PERSONAL DISTRESS STROBE LIGHT       • MANUAL ACTIVATION         Manually twist on/off activation personal distress strobe light. Lamp: 45         Lumen White LED Visibility: 360° Battery Type: 2 "AA" alkaline (not included) Life: 120 hours continuous Size: 5.06" x 1.38" x 1.2" Approval:         USCG/SOLAS, CE, Transport CAN Warranty: Limited I year         Item       Model         552570       3965.1	7
UST SEE-ME 1.0 STEADY-ON LED PERSONAL LOCATOR LIGHT • Manual Twist On / Off • Provides 20 lumens of light • Runs for 17 hrs continuously • Can be seen up to 3.4 miles away in complete darkness • Lifetime LED bulb never needs to be replaced • Uses (2) AAA alkaline batteries (not included) • Dimensions: 5" H x 1" W • Lifetime Limited Warranty <u>Item Model Ship Net</u> 552573 20-5150-08 I lbs \$7.99	ACR C-STROBE PERSONAL DISTRESS STROBE LIGHT • MANUAL OR WATER ACTIVATION Manual On/Off button or Water activation personal distress strobe light. Lamp: 45 Lumen White LED Visibility: 360° Battery Type: 2 "AA" alkaline (not included) Life: 120 hours continuous Size: 5.56" x 1.38" x 1.2" Approval: USCG/ SOLAS, CE, Transport CAN Warranty: Limited I year <u>Item Model Ship Net</u> 552569 3964.1 I lbs \$20.99	<b>NEW PRODUCTS</b>
UST SEE-ME 1.0 LED STROBE PERSONAL LOCATOR LIGHT • Manual Twist On / Off • Provides 28 lumens of light • Can be seen up to 2.7 miles away in complete darkness • Lifetime LED bulb never needs to be replaced • Uses (2) AAA alkaline batteries (not included) • Dimensions: 5'' H x 1'' W • Lifetime Limited Warranty <u>tem Model Ship Net</u> 552574 20-51152-08   lbs \$11.99	<ul> <li>SELDEN SELF TAILING REVERSIBLE STAINLESS STEEL WINCH</li> <li>Unique and patented reverse function operated with a push of your thumb on the winch handle</li> <li>Stainless Steel drum with 10 flat faces makes for excellent grip</li> <li>Compatible with all winch handles on the market, but only the Selden winch handle offers 2-speed forward and 1-speed reverse Base Power Line</li> <li>Item Model Speed Dia.mm PL/P2 Dia.mm Ship Net 608784 470-530-10 2-Speed 143 10,1/30.1</li> </ul>	
UST SEE-ME 2.0 LED STROBE PERSONAL LOCATOR LIGHT • Manual Twist On / Off • USCG approved • Provides 45 lumens of light • Runs for 120 hrs continuously • Can be seen up to 3.1 miles away in complete darkness • Lifetime LED bulb never needs to be replaced • Uses (2) AA alkaline batteries (not included) • Dimensions: 5.5" H x 1.5" W • Lifetime Limited Warranty <u>Item Model Ship Net</u> 552575 20-4075A-08 I lbs \$23.99	608784       470-530-10       2-Speed       143       10.1/30.1       8-12       12 lbs       \$1299.99         608785       470-540-10       2-Speed       151       10.1/40.1       8-12       13 lbs       1534.99         608786       470-546-10       2-Speed       178       10.1/40.1       8-12       13 lbs       1534.99         608786       470-546-10       2-Speed       178       10.1/46.1       10-14       16 lbs       1999.99         ARROWORTHY MICROFIBER MINI ROLLER KIT       Roller Length: 4"       10.1/46.1       10-14       16 lbs       1999.99         Surfaces: Smooth to Semi-Smooth       Includes (1) Barracuda Handle, (10) Microfiber       Includes (1) Barracuda Handle, (10) Microfiber       Includes (1) Plastic Tray       Includes (1) Plastic Tray       Includes (1) Plastic Tray         756656       Ship I lbs       Net \$13.99       Includes (1) Plastic Tray       Includes (1) Plastic Tray	PH
WHITECAP POLISHED BRASS HOLLOW BASE DECK CLEAT           Item         Model         Length         Height         Ship         Net           002910         S-970B         5-1/2"         1-3/16"         1 lbs         \$15.99           S-971B         6-1/2"         1-1/4"         1 lbs         24.99           S-972B         8"         1-11/16"         1 lbs         28.99           S-973B         10"         2-1/8"         2 lbs         59.99           WHITECAP POLISHED BRASS SKENE BOW CHOCKS         Max Line         Ship         Net	STAR BRITE MILDEW STAIN BLOCKER WITH NANO TECH BARRIER • Lasts up to (3) Months • Non-Toxic - Safe for People and Pets • For Fiberglass, Vinyl, Plastic, Rubber, Fabric and Painted Surfaces <u>Item Size Ship Net</u> 756643 22 oz. 2 lbs \$14.99	PHONE 800-628-822
Index         Indx         Line         Sinp         Tele           002911         S-980B         4"         1/2"         I lbs         \$19.99           S-981B         4-1/2"         5/8"         I lbs         28.99           S-982B         5-1/2"         3/4"         2 lbs         44.99           MOELLER         3-WAY FUEL VALVE         (3) Connections:         3/8" NPT, Connects (2) permanent tanks to a single motor ltem         Ship I lbs         Net \$35.99	STAR BRITE PERFORMACIDE MOLD & MILDEW ELIMINATOR         • Use as Often as Needed       •         • For Vinyl and Fiberglass Surfaces       •         • 32 Once Kit Contains Spray Bottle and Chlorine Dioxide Generating Pouch       Image: Contain Spray Bottle and Chlorine Dioxide Generating Pouch         Item       Size       Ship       Net         © 756644       32 oz.       I lbs       \$15.99         3M MARINE ADHESIVE SEALANT 3000 UV       Image: Contain Spray Bottle Statement Stat	5 • FAX
<ul> <li>SCOPREGA BRAVO 5 FOOT PUMP</li> <li>Compact foot pump fits most common valves</li> <li>Stainless Steel metal parts</li> <li>Reinforced coated fabric bellows</li> <li>Includes: Triple nozzle adapter, hose, closing clip and valve adaptors <ul> <li>Item Model Ship Net</li> <li>456810 Bravo 5 2 lbs \$17.99</li> </ul> </li> </ul>	<ul> <li>Waterproof Seal Resistant to UV Exposure</li> <li>Single Component Elastometric</li> <li>For use above/below the waterline</li> <li>290 ml Cartridge • 50 minute skin time <u>Item Model Color</u> 756699 98242 Black 2 lbs \$12.99 98241 White 2 lbs 12.99 </li> </ul>	800-654-1616

\* For more detailed product specifications and our complete selection visit www.defender.com or call 800-628-8225. \*



Approvals: USCG SOLAS, MED SOLAS Warranty: I year Item 552576

Model 3764.1

Net \$19.99 Ship I lbs

<u>ltem</u>

★ ARC – Audio Return Chanel –connect your ARC device to the TV and the Audio is sent down the HDMI Cable. Designed specifically to integrate to Fusion Head units that have ARC available. No more need to run an audio cable for Stereo sound.

Net

manufacturer to see if your device is compatible)					
ltem <u>Model</u>		Description	<u>Ship</u>	<u>Net</u>	
261082	LED193GS	19" LED TV with Global Tuner	10 lbs	\$392.99	
261081	LED222GS	22" LED TV with Global Tuner	II lbs	479.99	
260949	LED322GS	32" LED TV with Global Tuner	18 lbs	699.00	

Model Description Ship Net 261084 ARMLA-55-2 Swing arm mount 180° movement 7 lbs \$164.99 261085 **ARMLA-55-3** Swing arm mount horizontal movement 5 lbs 144.99 259759 **BKTLA-7C** Wall bracket 2 lbs 23.99

# SG Triton<sup>2</sup> Digital (NEW Display

Multi-purpose sailing instrument and autopilot display with a 4.1' color screen, optically bonded for zero condensation and featuring transflective LCD technology for exceptional contrast and visibility in all lighting conditions.

 Sailing features inclding the award winning SailSteer and WindPlot screens

- Integration with Zeus and Vulcan navigation systems for AIS, and Sailing Time data
- · Low Profile Design- 8mm: stays in the background with no interference
- NMEA 2000® Certified
- · Packages include (1) display, backbone starter kit and applicable transducer

ltem	Model	Description	Ship	Net	
261062	000-13294-001	Triton2 Digital Display	2 lbs	\$549.00	
261063	000-13299-001	Triton2 Display/Transducer/Wind Sensor	10 lbs	1399.00	
261064	000-13298-001	Triton2 Display/Transducer	6 lbs	949.00	
SIMRAD IS42 Color NEW! SIMRAD					

## Digital Color Autopilot Instrument Display

The Simrad IS42 is a smart multi-purpose instrument featuring a full color display and modern glass helm styling. • Applications: Simrad AC12, AC42, NAC-2 and NAC-3

- Autopilot Computers
- Display: 4.1" Full Color Display with Rotary-Dial Course Adjustment
- Low Power Consumption Water Resistance: IPX7 View Wind, Speed, Depth, Engine Data, Autopilot Status,
- AIS Data\* and more
- Ultra wide 170-degree viewing angle
- Certified NMEA 2000® connectivity

* Additional	sold separately			
ltem	Model	Description	Ship	Net
261068	000-13285-001	IS42 Instrument Display	2 lbs	\$549.00
261069	000-13287-001 PUSH BUTTON	OP12 Controller	I Ibs	269.00



#### NorCross NEW Blue backlit LED display Dual depth alarms warn of shallow or deep water Measures depth with air and water temperature Model Description Ship <u>Net</u> Item 260950 14T/PI9T With Thru Hull Transducer 2 lbs \$119.99 260951 14T/P23T With Transom Mount Transducer 3 lbs 109.99 ROCA W SERIES WIPER BLADES All ship | LBS. Black Stainless Steel This wiper blade is compatible with W25 & W38 wiper systems Specify Size: 22", 24", 28" or 30" Starting at \$29.99 Item 551041 **ROCA W25 WIPER MOTOR** 3 Yea Bulkhead mount Two speeds • Drive system powers up to 35" arms and blades • Sweep angle adjusts from 45-110° for maximum visibility · Dynamic parking can be changed from Left to Right Please specify voltage: 12 or 24 VDC Please specify shaft: 1.1", 2.1", 3.1" Item 551038 Prices Starting at \$274.99 18-30" Pantograph Arm, **Specify:** SS or Black Ship 4 lbs Net \$179.99 Item 551039 Item 551040 18-30" Pendulum Arm, Specify: SS or Black 124.99 2 lbs NEWA **MAST PRODUCTS WALL/READING LIGHT - INTERIOR** Surface Mounted, Chrome Finish with Warm White LED Bulb 3200K light output • 10 Volt -30 Volt AC and DC Built-in dimmer switch controlled by a push button on the base Flexible Can be controlled on a circuit of lights **Description** Arm <u>ltem</u> Model <u>Watts</u> <u>Ship</u> Net WR010102 701736 Flexible Arm I lbs \$65.99 .5 .5 WR010101 Hinged Arm I Ibs 61.99 SCANDVIK LED READING LIGHT Hinged Arm High output economical LED, swivels in any direction. · Polished brass with (16) LED bulbs · On/off switch located on base

<u>Net</u>

 Power: 8-30 VDC Draw: 0.258 Amps @ 12V DC or 0.129 Amps @ 24V DC <u>ltem</u> <u>Model</u> Ship 701702 19052 I lbs \$54.99

#### NorCross Norcross Fishfinders & Instruments FISHTRAX™ THE GO ANYWHERE, DO ANYTHING, FISH FINDER...

For beginning to experienced anglers looking for affordability and ease of use, the Hawk-Eye/Norcross FishTrax Fishfinders can go anywhere and get you hi-def fishing capability on a convenient 3" display.

## All units provide

- Easytouch<sup>™</sup> User Interface Makes System Setup And Adjustment Effortless
- Transducer Is Trollable, Boat Mountable, Floatable and Portable
- Built-In Expandability Allows Addition Of Accessories
- 2 Year Warranty With 24 Hour Online Technical Support
- Runs off 4 ea AAA Batteries (not included)

Included in the box is:

• Operators Manual Transducer (requires ACC-FS-1659 bracket) FISHTRAX™ 1 ICON DISPLAY

## The entry-level FishTrax<sup>™</sup> I has a VirtuView<sup>™</sup> ICON LCD screen that depicts sonar data in a series of icons, which provides valuable fishing data in an easy-to-understand readout. And the battery life of

the FishTrax<sup>™</sup> I is second to none!

- Fishtrax<sup>™</sup> Intelligent Sonar Delivers Precise Fish Finder Reading
- Audible Fish Alarm Signal the Presence Of Fish
- Variablezone™ Water Temperature Sensor
- Weed And Rock Indicators Indicate Bottom Compositions Glare-Free Virtuview<sup>™</sup> Icon LCD Display With Led Backlight
- Display Type: VirtuView<sup>™</sup> ICON
- Frequency: 200 kHz • Beam Angle: 20 Degrees Item 260828 Model FT IP Ship 2 lbs

## FISHTRAX™ 1X DOT MATRIX DISPLAY

For intermediate anglers looking for advanced features to pinpoint optimal fish habitats. It incorporates a VirtuView™ Dot Matrix LCD screen that can be adjusted to show raw sonar data, or FishTarget™ symbols that display fish as icons with a numeric depth readout. This model also includes auto-switching, dual-beam FishTrax™ Intelligent Sonar as well as a 10-level sensitivity adjustment, multi-level depth ranges, and auto-zoom bottom tracking that intensifies prey targeting

- Auto Switching Dual Beam Fishtrax<sup>™</sup> Intelligent Sonar Delivers Precise Fish Finder Reading Up To 240 Ft With I/10Th Precision
- Audible Fish & Depth Alarms Signal The Presence Of Fish & Changes In Water Depth
- Variablezone<sup>™</sup> Water Temperature Sensor Shows Water Glare-Free Virtuview™ Dot Matrix Display With Led Backlight
- Display Type: VirtuView<sup>™</sup> Dot Matrix
- Frequency: Dual-Beam 200/83 kHz Beam Angle: 20/60 Degrees Item 260829 Model FTIPX Ship 2 lbs

## FISHTRAX™ 1C HD COLOR DISPLAY

Designed for experienced anglers. Incorporates a full-colo high-definition display and has three operating modes: Fish Finder, Data, and Ice-Mode Digital Flasher.

- User Selectable Dual Beam Fishtrax<sup>™</sup> Intelligent Sonar Delivers Precise Fish Finder Reading Up To 240 Ft With I/I0Th Precision
- Audible Fish & Depth Alarms Signal The Presence Of Fish & Changes In Water Depth
- Variablezone<sup>™</sup> water Temperature Sensor Shows Water Temperature
- 100-Level Sensitivity Adjustment, Multi-Level Depth Ranges & Auto Zoom Bottom Tracking Intensifies Prey Targeting
- Ice-Mode Digital Flasher Portrayal Fine Tunes Display For Ice Fishing Glare-Free Virtuview™ HD Color Display
- Easytouch™ User Interface Makes System Setup And Adjustment Effortless Frequency: Dual-Beam - 200/83 kHz • Beam Angle: 20/60 Degrees Model FTIPXC Net \$164.99 Item 260830 Ship 2 lbs

## MAST PRODUCTS G4 LED REPLACEMENT BULB

- Input voltage: 10 Volt DC 30 Volt DC • Power consumption 1.5 watts • Replaces G4 20 Watt halogen bulb Item Model Color Lumens 701733 RB181818 Cool White 210 \$13.99 200 RB151515 Warm White MAST PRODUCTS MR11 & MR16 LED **REPLACEMENT BULBS**
- The MRII and MRI6 LED replacement bulbs from Mast Products allow you to convert your existing halogen fixtures to LED without having to change housings. With only a 1.2 watts of power consumption, these LED bulbs will ensure a long lasting and maintenance free life.
  - Model RB121212 MRII, 7 Super Bright Chip LED Replacement Bulb, 1.2 Watt, Warm White 3200K, 10V-30V/DC or 10V-24V/AC, IP 55 Rated. Model RB222223 - MR16, 7 Super Bright Chip LED Replacement Bulb, 1.2 Watt, Soft White 3900K, 10V-30V/DC or 10V-24V/AC, IP55 Rated.

<u>ltem</u>	Model	Color	Net
701750	RB121212	Warm White	\$17.99
701749	RB222223	Soft White	17.99

<u>Net</u>

13.99







209





NEW

NEW PRODUCTS



IS42 Display

OP12

Controller

510	TZ NAVIGATOR v3 is the entry level product for the v3 TIMEZERO TZ NAVIGATOR v3 is the entry level product for the v3 TIMEZERO	Hella Marine VALUEFIT 12-LED Light Bar with Flood Beam • (12) High performance LEDs • 10-30 VDC • Die-cast aluminum housing • Measured lumen: 1700 • Coated aluminum bracket included
	technology. The product is designed for both recreational sailing and mo- tor boat users. TZ Navigator software is sold as a package with one chart zone* to be selected from a large variety of electronic marine charts, in Wide or Mega Wide. <b>TZ NAVIGATOR</b> also includes many other features: • Worldwide tide database and free worldwide weather forecast • Marine charts, 3D data and satellite photos are wisely mixed through PhotoFusion. • Routes and Waypoints management with new Route Planning Wizard • AIS function	Power consumption: 36 W     Dimensions: 8.2" W x 3.0" H x 3.5" D     Description     Ship     Net     701706     357208011     12-LED Light Bar with flood beam     2 lbs     \$157.99  Hella Marine VALUEFIT 6-LED     Mini Light Bar with Flood Beam
	• TZ Navigator v3 may be installed on two different PCs Item 260893 Model TZ-100 Ship 0 lbs M.A.P. \$475.00 The options available for both TZ NAVIGATOR and TZ PROFESSIONAL:	<ul> <li>(6) High performance LEDs</li> <li>Die-cast aluminum housing</li> <li>Coated aluminum bracket included</li> <li>Dimensions: 6.3" W x 1.8" H x 2.5" D</li> </ul>
	Item 260907 Furuno radar module ship 0 lbs M.A.P. \$475.00 Display and control of radars DRS and FAR within TZ Software Item 260895 Furuno sounder module ship 0 lbs M.A.P. \$475.00	Item         Model         Description         Ship         Net           701705         357203051         12-LED Light Bar with flood beam         2 lbs         \$59.99           Hella Marine VALUEFIT Cube
	Display and control of Furuno sounders via Ethernet within TZ Software. Item <b>260896</b> Routing module ship 0 lbs M.A.P. <b>\$285.00</b> Calculate the optimal route considering wind, waves, and currents of each angle.	<ul> <li>4-LED Lamp with Flood Beam</li> <li>(4) High performance LEDs • 10-30 VDC</li> <li>Die-cast aluminum housing • Measured lumen: 700</li> <li>Power: 12 W • Stainless steel bracket • Dimensions: 3.2" W x 2.9" H x 3.2" D</li> </ul>
212	TZ PROFESSIONAL V 3 is the latest version of Nobeltec marine navigation software and the one, sole product that suits all the needs of professionals at sea. This new version offers an	Item         Model         Description         Ship         Net           701704         357204041         12-LED Light Bar with flood beam         2 lbs         \$79.99
PRODUCIS	<ul> <li>Suits an une needs of professionals at sea. This new version oners an incredible amount of new features specifically designed for both professional fishermen and workboats, including: Commercial Fishing Workboats     </li> <li>Advanced Layer Management (marks, tracks)         Weather and oceanographic forecasts         (option)     </li> </ul>	HELLA EUROLED 75 LED DOWN LIGHT - SCREW MOUNT • Interior/exterior • Completely sealed • 190 Lumens • Wide, even illumination reducing individual light source glare • Dimming via PWM or voltage resistive dimmer • Pre-wired and sized for a standard cut out. • Power consumption: < 3 Watts <0.19 A @12V, <0.1 A @24V
NEW	<ul> <li>PBG module and profile window (option)</li> <li>Fishing Workspace</li> <li>BOTH Commercial Fishing and Workboats</li> <li>Furuno radars integration (FAR and DRS)</li> <li>WASSP integration (option)</li> <li>Furuno sounders integration via ethernet (option)</li> </ul>	<ul> <li>Dimensions: 2.83" dia. (stainless rim) or 2.95" dia. (plastic rim) .29" depth (cutout: .63")         <u>Item Model VDC Bezel Light Color Ship Net</u> <b>701747</b> 958109021 12 Stainless Steel Warm White I lbs \$49.99         958100011 12 White Warm White I lbs 42.99         958110021 12 Stainless Steel White I lbs 49.99         958110011 12 White White I lbs 42.99         </li> </ul>
	TZ PROFESSIONAL may be installed on only one PC.         Item 260894       Model TZ-108       Ship 0 lbs       M.A.P. \$1425.00         The options available for TZ PROFESSIONAL ONLY:       Item 260898       PBG Module       ship 0 lbs       M.A.P. \$1425.00         Creation in real time of bathymetry 3D charts       Item 260899       S63 Module       ship 0 lbs       M.A.P. \$1425.00	958109121 24 Stainless Steel Warm White I lbs 49.99 958109111 24 White Warm White I lbs 42.99 HELLA EUROLED 75 LED DOWN LIGHT - SPRING MOUNT Interior/Exterior • Completely sealed • 190 Lumens • Wide, even illumination reducing individual light source glare.
	Display of ENC charts in the official S63 Item <b>260900</b> WASSP Module ship 0 lbs M.A.P. <b>\$1425.00</b> Advanced integration of multi-beam WASSP sonar Item <b>260901</b> VDR (Voyage Data Recording) Module ship 0 lbs M.A.P. <b>\$1425.00</b> Allows you to save and replay radar image, AIS and events	<ul> <li>Dimming via PWM or voltage resistive dimmer</li> <li>Pre-wired and sized for a standard cutout.</li> <li>Power consumption: &lt; 3 Watts &lt;0.19 A @12V, &lt;0.1 A @24V</li> <li>Dimensions: 2.83" dia. (stainless rim) or 2.95" dia. (plastic rim) .29" depth (cutout: .81")</li> <li>Please specify: White or Stainless Steel bezel and White or Warm White bulb.</li> </ul>
	PLEASE NOTE: Sales and support for legacy Nobeltec products are longer available. SEA-DOG DELUXE LED COURTESY LIGHT - LARGE	Item         Model         VDC         Bezel         Light Color         Ship         Net           701748         958109521         12         Stainless Steel         Warm White         I bs         \$51.99           958109511         12         White         Warm White         I bs         \$44.99           958110521         12         Stainless Steel         White         I bs         \$1.99
MOD	<ul> <li>Modern and streamlined profile.</li> <li>Three LEDs draw little amperage and have a long life.</li> <li>Voltage: 9-28</li> <li>3-15/16" L x 11/16" T x 7/16" D</li> <li>Waterproof IP67</li> <li>Cast 316 Stainless Steel exterior ltem Specify Light Direction Specify Light Color Ship Net 701717 Forward or Down White or Blue I lbs \$23.99</li> </ul>	958110511         12         White         White         I lbs         44.99           958109621         24         Stainless Steel         Warm White         I lbs         51.99           958109611         24         White         Warm White         I lbs         51.99           958110621         24         Stainless Steel         Warm White         I lbs         51.99           958110621         24         Stainless Steel         White         I lbs         51.99           958110611         24         White         White         I lbs         51.99
VV VV VV. UEFEINDEK.	SEA-DOG DELUXE LED COURTESY LIGHT - SMALL       • Modern and streamlined profile. • Three LEDs draw little amperage and have a long life. • Voltage: 9-28       • 2-3/4" L x   1/16" T x 3/8" D • Waterproof IP67       • Own         • 304 Stamped Stainless Steel exterior ltem       Specify Light Direction       Specify Light Color       Ship       Net         • 701718       Forward or Down       White or Blue       I lbs       \$19.99	SEA-DOG FLUSH MOUNT ROUND COURTESY LIGHT • Stainless Steel cover keeps the light from projecting upwards. • I-1/2" Diameter x I-1/4" L • Fits I-1/8" Diameter hole <u>Item Light Color Ship Net</u> 701715 Specify White or Blue I lbs \$15.99 SEA-DOG FLUSH MOUNT OVAL COURTESY LIGHT
AI WWW	<ul> <li>SEA-DOG DELUXE HIGH POWER LED OVERHEAD LIGHT</li> <li>Excellent LED light dispersion and brightness</li> <li>Ideal for cabins, walkways, interior compartments and cockpit lighting</li> <li>Spring mounted • Voltage: 12-28 • 1-5/8" L x 2-3/4" T x 2-7/16" D Item Model Switch Ship Net</li> </ul>	Stainless Steel cover keeps the light from projecting upwards.     2-1/2" W x 1-1/4" H x 1-1/4" L • Fits 1-1/8" Diameter hole <u>Item Light Color Ship Net</u> <b>701716</b> Specify White or Blue I lbs \$15.99
OP 24//	701720       404510-1       No       I lbs       \$79.99         404511-1       Yes       I lbs       89.99         SEA-DOG DELUXE HIGH POWER LED OVERHEAD LIGHT ADJUSTABLE ANGLE         • Excellent LED light dispersion and brightness         • Ideal for cabins, walkways, interior compartments and cockpit lighting.	IMTRA ST. MAARTEN GLASS READING LIGHT Excellent for accenting a painting, illuminating small spaces or swivelling to desired location. • G4 Halogen or ILTWG4-15W bulb sold separately • Operating voltage: 10-30 VDC • Integrated On / Off toggle switch
E S	<ul> <li>Spring mounted</li> <li>Voltage: 12-28</li> <li>2-5/8" Diameter</li> <li>Fits I-13/16" Diameter hole x I-1/16" Deep <u>Item Model Ship Net</u> 701721 404520-1 I lbs \$59.99</li> </ul>	Item Model <u>Description Ship Net</u> 701699 ILSH41081 Stainless Steel housing; blue-green swirl globe I lbs \$181.99



## Adventure HD Cams by Cobra/WASPcam

141

Adventure HD

The Adventure HD Cams by Cobra/WASPcam provide high definition quality, at a price point you can afford.

## **WASPCAM ACTION & SPORTS CAMERA SYSTEMS**

WASPcam offers a family of rugged, high-quality HD cameras and accessories which cater to the bold, free-spirited mobile lifestyle of its customers. Its bold and feature-rich product lineup delivers advanced capabilities at competitive prices.

- Affordable 1080P & 4K action cameras
- All Cobra/WASPcam cameras have a viewing display on camera-
- Three cameras with displays that are waterproof without a case
- CAMO Camera includes wireless wrist remote
- All Cobra & WASPcam cameras include tons of accessories.. far more than the competition
- Products with WiFi to view live video on devices, edit and share instantly
- Video all cameras feature 1080P or 4K
- Photography- 12MP-20MP (unlike the competition at only12MP)
- Smartphone app live viewing, remote, and instant sharing

### **Key Feature Descriptions**

- 'WASP"-Wide Angle Sportsman Photography
- WiFi-connectivity to smartphone for live viewing, remote control, and instant online sharing
- Optional Power stick (Power Stubbie) extends battery life up to 10 hours-compatible with all action cameras (including the competition)
- All mounts compatible with the competition
- Optional Micro SD card required (not included)

	Adventure HD	Adventure HD + WiFi	9905 WiFi	9906 CAMO	4K
ltem	261095	261096	261098	261099	261100
Model	5200	5210	9905	9906	9907
Ship	2 lbs	2 lbs	2 lbs	3 lbs	2 lbs
M.A.P.	\$99.99	\$129.99	\$229.99	\$279.99	\$329.99
Waterproof -No Case	No	No	Yes*	Yes*	Yes *
View Display-Back	Yes*	Yes*	Yes*	Yes*	Yes
Built-in WIFI	No	Yes	Yes	Yes	Yes
Camo Color	No	No	No	Yes*	No
Wide Angle	Yes	Yes	Yes	Yes	Yes
HD Video Resolution	1080mp	1080mp	1080mp	1080mp	4K
Top End Megapixels	I2MP	I2MP*	I2MP*	I6MP*	20MP
Power stick capable	Yes*	Yes*	Yes*	Yes*	Yes*
App Compatible	Yes	Yes	Yes	Yes	Yes
Wireless Remote included	No	No	Yes*	Yes*	No
# of Accessories/Mounts included	14/10*	14/10*	12/6*	/7*	10/5*

# **Thermal Imaging Night Vision**

## FLIR Ocean Scout TK™

The FLIR Ocean Scout TK is a marine thermal camera that extends your vision on the water, day or night, for greater awareness and safety. As a thermal imager, the Ocean Scout TK creates images based on heat, not visible light. Vessels, watercraft, buoys, and other obstacles give off heat and appear clearly in all lighting conditions - from

# pitch darkness to blinding sun glare. GREATER AWARENESS ON THE WATER

See obstacles and objects like boats, buoys, and channel markers up to 130 yards away, and steer clear of rocks and floating debris. Identify landmarks like docks, inlets, and jetties and locate people and pets overboard.

Ocean Scout TK starts up in seconds, and with easy-to-use buttons no training is required. Submersible (IP67) and built to withstand harsh marine environments.

## FLIR Ocean Scout TK Features

3/4", 1", 1-1/2"

3/4", 1", 1-1/2"

503626

503627

GRAB AND GO SIMPLICITY See marine mammals, or discover wildlife back on shore See Heat, Instead of Light Video & Image Capture Store up to 1000 thermal snapshots. Record thermal video Video Detection Palettes Choose from multiple color palettes FLIR Ocean Scout TK Specifications Video Refresh Rate <9Hz Detector Type 160 × 120 VOx Microbolometer Field of View (H x V) 20° x 16° Shutter Yes Built-In Display 640 x 480 LCD Display Start up < 5 seconds Image Processing FLIR Proprietary Digital Detail Enhancement™ Selectable: Black Hot, White Hot, InstAlert™ Rainbow, Iron, Lava, Arctic & Graded Fire Color Palettes For more information please visit www.defender.com Model Item Ship <u>M.A.P</u> 432-0012-22-00S 260879 2 lbs \$599.00 BOSWORTH SEA-LECT EASY-TURNING Y-VALVES Compact "Y" valves eliminate extra fittings. Available in three different orientations to suit any application; Inline, base-mount, or flush-mount. Specify port size. Corrosion resistant. <u>Ship</u> Item Port Sizes Available Description Net Inline Valve 503625 3/4". 1' I lbs \$46.99

Base Mount

Flush Mount

I lbs

l lbs

46.99

54.99














55-2370-S

55-2370-M

55-2370-L

55-2370-XL 22"-26"

12"-14"

14"-18"

**I 8**"-22"

2 lbs

2 lbs

2 lbs

2 lbs

41.99

41.99

41.99

41.99