

### EARTHQUAKE GAS SHUTOFF VALVES

HORIZONTAL INSTALLATION



	MAX P.S.I.	
3/4"	5	#EVH7
1"	5	#EVH10
1-1/4"	5	#EVH12
1-1/2"	5	#EVH15
2"	5	#EVH20

GAS FLOW



VERTICAL INSTALLATION (DOWN FLOW)



	MAX P.S.I.	
3/4"	10	#EVV7
1"	10	#EVV10
1-1/4"	10	#EVV12
1-1/2"	5	#EVV15
2"	5	#EVV20

OTHER SIZES AVAILABLE

[www.LittleFireFighter.com](http://www.LittleFireFighter.com)

### RAGS

WHITE COTTON

12 PACK



14" x 17" #TCRAGS

### SOLENOID VALVE, BRASS



ASCO RED-HAT

BRASS BODY

GENERAL PURPOSE  
NORMALLY CLOSED  
5# OF PRESSURE REQUIRED ON  
INLET SIDE OF VALVE TO OPEN  
STANDARD VOLTAGE: 120 VOLT AC

#### GOOD TO 180°F:

1/4"	#8210B20
3/8"	#8210G1
1/2"	#8210G2
3/4"	#8210G9
1"	#8210G4
1-1/4"	#8210G8
1-1/2"	#8210G22
2"	#8210G100

#### GOOD TO 210°F:

1/2"	#8210G2-HW
3/4"	#8210G9-HW

VOLTAGE OPTIONS:  
AC – 24, 240 & 480 VOLTS  
DC – 6, 12, 24, 120 & 240 VOLTS

OPTIONS:  
– STAINLESS STEEL BODY  
– NORMALLY OPEN  
– 0# DIFFERENTIAL  
– EXPLOSION PROOF

REPLACEMENT COILS AND REPAIR KITS IN STOCK.

MANY OTHER VALVES AVAILABLE

[www.ascovalve.com](http://www.ascovalve.com)

*We gladly accept...*



### GAS REGULATOR



**3/4"** #1813C-7  
– 1/2" ORIFICE  
– OUTLET: 6"-15" WATER COLUMN  
– FLOW RATE: 500 CFH @ 5# INLET

**1"** #1813C-10  
– 9/16" ORIFICE  
– OUTLET: 6"-15" WATER COLUMN  
– FLOW RATE: 1500 CFH @ 5# INLET

**1-1/4"** #1813C-12  
– 9/16" ORIFICE  
– OUTLET: 6"-15" WATER COLUMN  
– FLOW RATE: 2200 CFH @ 5# INLET

OTHER SIZES AND CONFIGURATIONS AVAILABLE

### SOLENOID VALVE, PLASTIC



PLASTIC BODY (NORYL)

GENERAL PURPOSE  
NORMALLY CLOSED  
GOOD TO 180°F  
VITON SEALS  
120 VOLT AC

1/2"	#PISV5
3/4"	#PISV7
1"	#PISV10

LARGER SIZES AVAILABLE

**WATER REGULATORS**

**WILKINS**



MODEL #70      MODEL #NR3

**BRASS BODY**

DOUBLE UNION – SWEAT ENDS

**25# - 75# (SET 50#)**

- 3/4" #WIL70DUC7
- 1" #WIL70DUC10

- 1-1/4" #NR3DUC12
- 1-1/2" #NR3DUC15
- 2" #NR3DUC20

**WILKINS #500**

**BRASS BODY, THREADED**



**25# - 75# (SET 50#)**

- 3/4" #WIL5007
- 1" #WIL50010
- 1-1/4" #WIL50012
- 1-1/2" #WIL50015
- 2" #WIL50020
- 2-1/2" #WIL50025
- 3" #WIL50030

(2-1/2" & 3" NO UNION)

**WATTS #26A**

**BRASS BODY, THREADED**



**10# - 125# (SET 25#)**

- 1/4" #26A2
- 3/8" #26A3
- 1/2" #26A5

**WATER REGULATORS**



**WILKINS #600**

**BRASS BODY, THREADED**

**25# - 75# (SET 50#)**

- 3/4" #WIL6007
- 1" #WIL60010
- 1-1/4" #WIL60012
- 1-1/2" #WIL60015
- 2" #WIL60020

**75# - 125# (SET 85#)**

- 1" #WIL600HR10
- 1-1/2" #WIL600HR15
- 2" #WIL600HR20

REPAIR KITS IN STOCK



**WATTS #25AUB**

**BRASS BODY, THREADED**

**25# - 75# (SET 50#)**

- 1/2" #25AUB5
- 3/4" #25AUB7
- 1" #25AUB10
- 1-1/4" #25AUB12
- 1-1/2" #25AUB15
- 2" #25AUB20

**10# - 35# (SET 30#)**

- 1/2" #25AUB-LP5
- 3/4" #25AUB-LP7
- 1" #25AUB-LP10

REPAIR KITS IN STOCK

**\*\*WEBSITES\*\***

WILKINS: [www.zurn.com](http://www.zurn.com)  
[www.watts.com](http://www.watts.com)  
[www.bellgossett.com](http://www.bellgossett.com)

**STEAM REGULATOR**



**WATTS #152A**

**IRON BODY**

**RANGE**

- |      |         |           |
|------|---------|-----------|
| 1/2" | 3-15#   | #152A53   |
| 1/2" | 10-50#  | #152A510  |
| 1/2" | 30-140# | #152A530  |
| 3/4" | 3-15#   | #152A73   |
| 3/4" | 10-50#  | #152A710  |
| 3/4" | 30-140# | #152A730  |
| 1"   | 3-15#   | #152A103  |
| 1"   | 10-50#  | #152A1010 |
| 1"   | 30-140# | #152A1030 |

LARGER SIZES AVAILABLE

**CIRCUIT SETTER**



**BELL & GOSSETT**

**BALANCING VALVE**

**SWEAT ENDS:**

- 1/2" #117412
- 3/4" #117413
- 1" #117401
- 1-1/4" #117402
- 1-1/2" #117403
- 2" #117404

**THREADED ENDS:**

- 1/2" #117414
- 3/4" #117415
- 1" #117416
- 1-1/4" #117103
- 1-1/2" #117104
- 2" #117105

LARGER SIZES AVAILABLE

**PRESSURE RELIEF VALVES**

**MODEL #174A**

**BRONZE BODY**



FOR HOT WATER HEATING BOILER EQUIPMENT

<u>FEMALE INLET &amp; OUTLET</u>	<u>RELIEF SETTING</u>	
3/4"	30#	#174A730
3/4"	100#	#174A7100
3/4"	125#	#174A7125
3/4"	150#	#174A7150
1"	30#	#174A1030
1"	100#	#174A10100
1"	125#	#174A10125
1"	150#	#174A10150

OTHER VALVES AVAILABLE

[www.watts.com](http://www.watts.com)

**MODEL #740**

**IRON BODY**



FOR HOT WATER SPACE HEATING BOILER EQUIPMENT

<u>FEMALE INLET</u>	<u>RELIEF SETTING</u>	
3/4"	30#	#740730
3/4"	50#	#740750
3/4"	75#	#740775

1" FEMALE OUTLET

OTHER VALVES AVAILABLE

**RELIEF VALVE TEMPERATURE & PRESSURE (T&P VALVE)**



RELIEF SETTING:  
150# AND/OR 210°F

<u>MALE INLET</u>	<u>FEMALE OUTLET</u>	
3/4"	3/4"	#100XL 100,000 B.T.U.
3/4"	3/4"	#L100XL LONG SHANK 100,000 B.T.U.
3/4"	3/4"	#40XL-5 200,000 B.T.U.
1"	1"	#40XL-4 500,000 B.T.U.

PROVIDES FULLY AUTOMATIC TEMPERATURE AND PRESSURE RELIEF PROTECTION FOR HOT WATER STORAGE TANKS AND HEATERS.

OTHER T&P VALVES AVAILABLE

**STEAM RELIEF VALVE (LOW PRESSURE)**



**MODEL #415**

<u>MALE INLET</u>	<u>RELIEF SETTING</u>	
3/4"	8#	#41578
3/4"	15#	#415715

**WATER RELIEF VALVE**



**MODEL #3L**

<u>MALE INLET</u>	<u>RELIEF SETTING</u>	
3/4"	100#	#3L7100
3/4"	125#	#3L7125
3/4"	150#	#3L7150

3/4" FEMALE OUTLET

**WATER RELIEF VALVE, ADJUSTABLE**



**MODEL #530C**

<u>MALE INLET</u>	<u>RELIEF SETTING</u>	
1/2"	50-175#	#530C5
3/4"	50-175#	#530C7

**RELIEF VALVES**



TO ORDER A RELIEF VALVE NOT SHOWN, CALL WITH YOUR REQUIREMENTS.

- REQUIRED INFORMATION:
- PIPE SIZE (INLET & OUTLET) (MALE OR FEMALE)
  - MEDIA (WATER, AIR, STEAM, ETC.)
  - RELIEF SETTING
  - TEMPERATURE

**AIR RELIEF VALVE**

FOR COMPRESSED AIR APPLICATIONS



MALE	RELIEF SETTING	
1/4"	25#	#KIN3
1/4"	50#	#KIN4
1/4"	75#	#KIN5
1/4"	100#	#KIN6
1/4"	125#	#KIN7
1/4"	150#	#KIN8
1/4"	175#	#KIN9
1/4"	200#	#KIN10
<hr/>		
1/2"	100#	#KIN30
1/2"	125#	#KIN31
1/2"	150#	#KIN32
1/2"	175#	#KIN33
1/2"	200#	#KIN34

**STEAM TRAPS**

ARMSTRONG

INVERTED BUCKET TRAP



RATED 125#

#800 SERIES

1/2"	#ARM3
3/4"	#ARM4

#811 SERIES

1/2"	#ARM8
3/4"	#ARM9

SARCO

DISC STEAM TRAP



AVAILABLE SIZES: 3/8" - 1"

**AIR VENTS**



HOFFMAN #79

RATED 75#

3/4" MALE (& 1/2" FEMALE THREADS) #79



HOFFMAN #78

CAST BRASS

RATED 150#

3/4" MALE #78



BELL & GOSSETT #400

RATED 150#

1/8" MALE #400

**AIR ADMITTANCE VALVE**



FIXTURE VENT

SEE PAGE 220

**VACUUM RELIEF VALVE**



FOR WATER SERVICE

1/2" #N365

AUTOMATICALLY VENTS A SYSTEM WHEN VACUUM OCCURS

**WATER HEATER GAS SHUT-OFF VALVE**



#210-5-7

TANK CONNECTION: 3/4" MALE

GAS CONNECTION: 1/2" FEMALE

PROVIDES PROTECTION FOR GAS WATER HEATERS AGAINST OVER HEATING BY SHUTTING OFF GAS SUPPLY AT 210°F. USE WITH #3L-7150 RELIEF VALVE.

**UNIVERSAL AIR VALVE (COMBINATION)**

BRONZE & STAINLESS INTERNALS



CRISPIN

1" #UL10.1  
2" #UL20.1

ALL STAINLESS INTERNALS AVAILABLE

**WATER HAMMER ARRESTOR**

DESIGNED TO PREVENT NOISES FROM BANGING PIPES AND WATER HAMMER



- 1/2" #WHA5
- 3/4" #WHA7
- 1" #WHA10
- 1-1/4" #WHA12
- 1-1/2" #WHA15
- 2" #WHA20

**WATER HAMMER ARRESTOR, MINI**

1/2" MIP MINI (4" LONG)

#660-G2



**ANGLE STOP HAMMER ARRESTOR**

#660-GTR1



ATTACH TO 3/8" COMPRESSION ANGLE STOP OUTLET

**WASHING MACHINE HAMMER ARRESTOR**

#660-H

FOR WASHING MACHINES. 3/4" HOSE THREADS.



**TRAP PRIMERS, 1/2"**



MIFAB

#MR-500



**MIFAB DISTRIBUTION UNIT**

2, 3 OR 4 OUTLETS (5/8" COMPRESSION OUTLETS)

#MIDU-625



**SIOUX CHIEF**

#695-01



**WATTS**

#A200T5



**FLOOR DRAIN TRAP SEAL**

- 2" #DTS20
- 3" #DTS30
- 4" #DTS40

PREVENTS SEWER GASES/ODORS AND INSECTS FROM ENTERING UP THROUGH FLOOR DRAIN GRATES.

**COMBINATION DUAL UNIT VALVE**

FOR HYDRONIC APPLICATIONS



COMBINATION RELIEF AND REDUCING VALVE SET.

RELIEF VALVE: SET AT 30#  
REDUCING VALVE: SET AT 12#

1/2" BRASS #F-3

[www.bellgossett.com](http://www.bellgossett.com)

**PRESSURE REDUCING VALVE**

FOR HYDRONIC APPLICATIONS



**RANGE:**  
10-25#

**FACTORY SET:**  
12#

1/2" BRASS BODY #B-38  
3/4" BRASS BODY #B7-12

**FLOW SWITCH**



1" MIP

#FS-200-W

PADDLE TYPE FLOW SWITCH ACTUATED BY LIQUID FLOW. EQUAL TO McDONNELL MILLER #FS4-3

**FLOAT BALL**

**COPPER**



<u>DIAMETER</u>	<u>ROD SIZE</u>	
4"	1/4	#CFC4
6"	1/4	#CFC6
7"	5/16	#CFC7
8"	3/8	#CFC8

(ROD SIZE = BOLT THREAD)

**FLOAT ROD**



<u>ROD SIZE</u>	<u>LENGTH</u>	
1/4 x 1/4	10"	#FR11
1/4 x 5/16	12"	#FR115
5/16 x 5/16	12"	#FR12
5/16 x 3/8	12"	#FR125
3/8 x 3/8	12"	#FR13

(ROD SIZE = BOLT THREAD)

**EXPANSION TANK**

**FOR PORTABLE HOT WATER SYSTEMS**




3/4" MALE INLET

<u>TANK VOLUME</u>	
2.1 GALLON	#PLT5
4.5 GALLON	#PLT12
8.5 GALLON	#PLT20

**FLOAT VALVES**



BRASS FLOAT VALVE FOR CONTROLLING WATER FLOW TO COOLING TOWERS AND OTHER COMMERCIAL APPLICATIONS



<u>MALE INLET</u>	<u>ROD SIZE</u>	
3/8"	1/4	#FV375
1/2"	1/4	#FV500
3/4"	1/4	#FV750

(ROD SIZE = BOLT THREAD)



<u>FEMALE INLET</u>	<u>ROD SIZE</u>	
1"	5/16	#FV1000
1-1/4"	3/8	#FV1250
1-1/2"	3/8	#FV1500
2"	3/8	#FV2000

(ROD SIZE = BOLT THREAD)



COOLER VALVE  
1/4" COMPRESSION  
#FVC14F  
(FLOAT INCLUDED)

**VACUUM BREAKER (WATTS)**



**ANTI-SYPHON  
ATMOSPHERIC  
TYPE**

**CHROME PLATED:**

3/8"	#288AC3
1/2"	#288AC5
3/4"	#288AC7

**ROUGH BRASS:**

1/2"	#288A5
3/4"	#288A7
1"	#288A10

**REPAIR KITS FOR ABOVE:**

1/4" & 3/8"	#288A-T025
1/2"	#288A-T050
3/4" & 1"	#288A-T075

**VACUUM BREAKER, HOSE BIBB**

FITS HOSE BIBB OUTLET



ROUGH BRASS #58ABP-B  
SATIN FINISH #58ABP-SAT

**VACUUM BREAKER, LABORATORY FAUCET**



**CHROME  
PLATED**

3/8" #NLF93

FITS STANDARD LABORATORY FAUCET OUTLET

**BACKFLOW DEVICES**

**R.P. TYPE**  
(REDUCED PRESSURE)



**FEBCO #825Y**

3/4"	#825Y7
1"	#825Y10
1-1/4"	#825Y12
1-1/2"	#825Y15
2"	#825Y20

REPAIR KITS:

3/4" - 1-1/4"	#905-111
1-1/2" - 2"	#905-112

AIR GAP:

3/4" - 2"	#905-082
-----------	----------

[www.febcoonline.com](http://www.febcoonline.com)



**FEBCO #825YA**  
**ANGLE PATTERN**

3/4"	#825YA7
1"	#825YA10
1-1/2"	#825YA15
2"	#825YA20

**PRESSURE  
VACUUM  
BREAKER**



**FEBCO #765**

1/2"	#7655
3/4"	#7657
1"	#76510
1-1/4"	#76512
1-1/2"	#76515
2"	#76520

**BACKFLOW DEVICES**

**R.P. TYPE**  
(REDUCED PRESSURE)



**WILKINS #975XL**

1/2"	#975XL5
3/4"	#975XL7
1"	#975XL10
1-1/4"	#975XL12
1-1/2"	#975XL15
2"	#975XL20

REPAIR KITS:

1/2"	#RK975XL14
3/4" & 1"	#RK975XL34
1-1/4" - 2"	#RK975XL114

AIR GAPS:

1/2"	#AG8
3/4" & 1"	#AG4
1-1/4" - 2"	#AG5

[www.zurn.com](http://www.zurn.com)



**WILKINS #375**

FLANGED  
R.P. TYPE  
NON-RISING STEM GATE VALVES

IF REPLACING AN EXISTING  
FLANGED DEVICE, MUST VERIFY  
OVERALL LENGTH.

	<u>OVERALL LENGTH</u>	
2-1/2"	31"	#37525
3"	32"	#37530
4"	37-5/8"	#37540
6"	44-3/4"	#37560

**BACKFLOW DEVICES**

**R.P. TYPE**  
(REDUCED PRESSURE)



**WILKINS #375XL**  
PLASTIC BODY  
HELPS DETER THEFT

3/4"	#375XL7
1"	#375XL10
1-1/4"	#375XL12
1-1/2"	#375XL15
2"	#375XL20

WITH BLACK EPOXY VALVES:

1-1/2"	#375XLB15
2"	#375XLB20

[www.zurn.com](http://www.zurn.com)



**WATTS #009QT**

1/2"	#009QT5
3/4"	#009QT7
1"	#009QT10
1-1/4"	#009QT12
1-1/2"	#009QT15
2"	#009QT20

AIR GAPS:

1/2" & 3/4"	#909AGA
1" - 1-1/2"	#909AGC
2"	#909AGF

[www.watts.com](http://www.watts.com)

**BACKFLOW PROTECTIVE CAGE**



#BC2424	#BC4230
24" LONG	42" LONG
24" HIGH	30" HIGH
12" WIDE	16" WIDE

OUTSIDE DIMENSIONS SHOWN  
MANY OTHER SIZES AVAILABLE

[www.allspecenclosures.com](http://www.allspecenclosures.com)

**BACKFLOW DEVICE TEST COCK**

**BRASS BODY**



SCREWDRIVER STOP

MALE x FEMALE

1/8" x 1/4"	#755-MFZ0
1/4" x 1/4"	#755-MFZ1

**BACKFLOW DEVICE BALL VALVE**

**BRASS BODY**



TAPPED FOR TEST COCK

1/2"	#BVTC5
3/4"	#BVTC7
1"	#BVTC10
1-1/4"	#BVTC12
1-1/2"	#BVTC15
2"	#BVTC20

(TEST COCK SOLD SEPARATELY)

**WATER METER**



**BRASS BODY**

READS G.P.M.  
TOTALIZER  
(NON-RESETTABLE)

MALE ENDS:

3/4"	#T107
1"	#T1010

FEMALE FLANGED ENDS:

1-1/2"	#T1015
2"	#T1020

**WATER METER WASHER & GASKET**



3/4" WASHER	#T10W7
1" WASHER	#T10W10
1-1/2" GASKET	#T10W15
2" GASKET	#T10W20

**WATER METER COUPLER & FLANGE**



3/4" COUPLER	#T10A7
1" COUPLER	#T10A10
1-1/2" FLANGE	#T10A15*
2" FLANGE	#T10A20*

\*FLANGE INCLUDES:

1 FLANGE  
1 GASKET  
2 BOLTS/NUTS

**HOSE REEL**



**REELCRAFT**

1/4" x 50'	#5450-OLP
3/8" x 50'	#5650-OLP
1/2" x 50'	#A5850-OLP
3/8" x 100'	#81100-OLP
1/2" x 75'	#82075-OLP

OTHER REELS AVAILABLE



**CAN'T FIND IT?**

**GIVE US A CALL**

**(714) 241-7050**

*We gladly accept...*



*Come on by!*



**FLOW METER**

**BLUE  
WHITE**

**#F-300  
SERIES**



SADDLE TYPE.  
FOR INSTALLATION ON  
HORIZONTAL PLASTIC PIPE.

FITS PIPE SIZE	G.P.M. SCALE	
1-1/2"	20-100	#F30150P
2"	40-150	#F30200P
2-1/2"	60-240	#F30250P
3"	80-300	#F30300P
4"	125-500	#F30400P

OTHER PIPE SIZES AND  
SCALES AVAILABLE

**SIGHT FLOW  
INDICATOR**

**BRONZE  
BODY**



PADDLE MOVEMENT INDICATES  
FLOW IN LINE

FEMALE ENDS	
1/2"	#SF13
3/4"	#SF14
1"	#SF15
1-1/4"	#SF16
1-1/2"	#SF17
2"	#SF18

**FLOW METERS**



**BLUE  
WHITE**

**#F-400N,  
#F-410N, &  
#F-430N  
SERIES**

FEMALE ENDS	G.P.M. SCALE	
1/2"	.5-5	#F40500LN-8
3/4"	1-10	#F40750LN-12
3/4"	1-17	#F41017LN-12
1"	1-10	#F40750LN-16
1"	1-17	#F41017LN-16
1-1/2"	4-40	#F43040LNS-24
1-1/2"	6-60	#F43060LNS-24
1-1/2"	8-80	#F43080LNS-24
1-1/2"	20-100	#F43100LNS-24
2"	4-40	#F43040LNS
2"	6-60	#F43060LNS
2"	8-80	#F43080LNS
2"	20-100	#F43100LNS

[www.blue-white.com](http://www.blue-white.com)



**BLUE  
WHITE**

**#F-440  
SERIES**

**UNION  
ENDS**

MALE ENDS	G.P.M. SCALE	
3/8"	.5-5	#F44500L-6
1/2"	.2-2	#F44376L-8
1/2"	.5-5	#F44500L-8
3/4"	1-10	#F44750L-12

OTHER PIPE SIZES AND  
SCALES AVAILABLE

**WATER GAUGE SET**



**COMPLETE  
SET WITH  
2 VALVES**

**GLASS:  
5/8" x 12"**

**#20-351**

OTHER STYLES AVAILABLE

**GAUGE GLASS**



5/8" O.D. x 12" LONG #906C

MANY OTHER SIZES AVAILABLE  
INCLUDING RED LINE GLASS

**GAUGE GLASS WASHER**



**FITS 5/8"  
O.D. GLASS**

**#UNV907**

**GLASS TUBE CUTTER**



**#69012**

CUTS 1/4" - 3/4" O.D.  
GAUGE GLASS

**THERMOMETER**

(ECONOMY)

5" SCALE

40° - 280°F

3/4" M.I.P.



STRAIGHT #1445  
ANGLE #1444

**PRESSURE & TEMPERATURE TEST PORT**

(PETE'S PLUG)

BRASS BODY



MALE  
1/4" #N76-02  
1/2" #N78-02

CAN'T FIND IT?



(714) 241-7050

**THERMOMETER**

VARI-ANGLE

9" SCALE

BRASS WELL SOLD SEPARATELY



3/4" MALE CONNECTION  
3-1/2" LONG STEM

30° - 240°F #VAT9240  
0° - 100°F #VAT9100

BRASS WELL ONLY: #VATWO

**TEMPERATURE & PRESSURE GAUGE**



3-1/2" SQUARE FACE

1/2" MALE BACK CONNECTION

TEMPERATURE: 60° - 260°F

0 - 60# #Y-22002  
0 - 200# #Y-22012

**DIAL THERMOMETERS**

BACK MOUNT



0° - 250°F

2-1/2" STEM

FACE	MALE CONNECTION	
2-1/2"	1/4"	#TRM2
3"	1/2"	#TRM3
5"	1/2"	#TRM5



BOTTOM MOUNT

0° - 250°F

2-1/2" STEM

FACE	MALE CONNECTION	
3"	1/2"	#TRM8
5"	1/2"	#TRM9

**THERMOMETER WELL**



STAINLESS

2-3/4" LONG

FEMALE	MALE	
1/4"	1/2"	#STW52
1/2"	1/2"	#STW5

(FOR ABOVE THERMOMETERS)

**POCKET DIAL THERMOMETER**



0° - 220°F #PDT-220



**PRESSURE GAUGES**

**1/4" BACK CONNECTION**



**1-1/2" FACE:** (1/8" CONNECTION)

- 0 - 30# #J0642
- 0 - 60# #J0646
- 0 - 100# #J0648
- 0 - 160# #J0652
- 0 - 200# #J0654

**2" FACE:**

- 0 - 15# #J2040
- 0 - 30# #J2042
- 0 - 60# #J2046
- 0 - 100# #J2048
- 0 - 160# #J2052
- 0 - 200# #J2054
- 0 - 300# #J2058

**2-1/2" FACE:**

- 0 - 15# #J5440
- 0 - 30# #J5442
- 0 - 60# #J5446
- 0 - 100# #J5448
- 0 - 160# #J5452
- 0 - 200# #J5454
- 0 - 300# #J5458

**MANOMETER**

READS IN 1/10" INCREMENTS

#MANOM



FOR GAS LINE TEST.  
WATER COLUMN 0" - 16".



**PRESSURE GAUGES**

**1/4" BOTTOM CONNECTION**



**1-1/2" FACE:** (1/8" CONNECTION)

- 0 - 30# #J0442
- 0 - 60# #J0446
- 0 - 100# #J0448
- 0 - 160# #J0452
- 0 - 200# #J0454

**2" FACE:**

- 0 - 15# #J1440
- 0 - 30# #J1442
- 0 - 60# #J1446
- 0 - 100# #J1448
- 0 - 160# #J1452
- 0 - 200# #J1454
- 0 - 300# #J1458

**2-1/2" FACE:**

- 0 - 15# #J4640
- 0 - 30# #J4642
- 0 - 60# #J4646
- 0 - 100# #J4648
- 0 - 160# #J4652
- 0 - 200# #J4654
- 0 - 300# #J4658
- 0 - 400# #J4660
- 0 - 600# #J4664

**3-1/2" FACE:**

- 0 - 60# #J8046
- 0 - 100# #J8048
- 0 - 160# #J8052
- 0 - 200# #J8054

**4-1/2" FACE:**

- 0 - 15# #J9040
- 0 - 30# #J9042
- 0 - 60# #J9046
- 0 - 100# #J9048
- 0 - 160# #J9052
- 0 - 200# #J9054
- 0 - 300# #J9058

**PRESSURE GAUGES - LIQUID FILLED -**

**1/4" BOTTOM CONNECTION, LIQUID FILLED**



STAINLESS STEEL CASE WITH BRASS CONNECTION

**2-1/2" FACE:** (LIQUID)

- 0 - 15# #J7640P
- 0 - 30# #J7642P
- 0 - 60# #J7646P
- 0 - 100# #J7648P
- 0 - 160# #J7652P
- 0 - 200# #J7654P
- 0 - 300# #J7658P
- 0 - 600# #J7664P

**1/4" BOTTOM CONNECTION, LIQUID FILLED**



- ALL STAINLESS -  
STAINLESS STEEL CASE WITH STAINLESS CONNECTION

**2-1/2" FACE:** (LIQUID)

- 0 - 30# #J7842P
- 0 - 60# #J7846P
- 0 - 100# #J7848P
- 0 - 160# #J7852P
- 0 - 200# #J7854P

**1/4" BACK CONNECTION, LIQUID FILLED**



STAINLESS STEEL CASE WITH BRASS CONNECTION

**2-1/2" FACE:** (LIQUID)

- 0 - 60# #J6446P
- 0 - 100# #J6448P
- 0 - 160# #J6452P
- 0 - 200# #J6454P

**DIAPHRAGM GAUGE,  
LOW PRESSURE**

**1/4"  
BOTTOM  
CONNECTION**  
  
**2-1/2" FACE**



READS IN WATER  
COLUMN (INCHES).  
GOOD FOR NATURAL GAS.

**FOR PRESSURE:**

- 0 - 15" #G24500
- 0 - 30" #G22704
- 0 - 60" #G22705

**FOR VACUUM:**

- 0 - 15" #G22912
- 0 - 30" #G22914
- 0 - 60" #G22918
- 0 - 100" #G24502
- 0 - 200" #G22921

**PET COCK VALVE**

**1/4"  
BRASS  
BODY**



- MALE x FEMALE #PMF2
- FEMALE x FEMALE #PFF2

**PRESSURE SNUBBER**

**1/4"  
BRASS  
BODY**



SNUBBERS DAMPEN  
PULSATION BEFORE IT  
REACHES THE GAUGE

- AIR SERVICE #872-1
- WATER & LIGHT  
FLUIDS #872-2

**VACUUM GAUGE**



**1/4"  
BOTTOM  
CONNECTION**

**2-1/2" FACE:**

- 0 - 30" #J4605

**3-1/2" FACE:**

- 0 - 30" #J8005

**COMPOUND GAUGE  
(VACUUM & PRESSURE)**



**1/4"  
BOTTOM  
CONNECTION**

**2-1/2" FACE:**

- 0-30" x 30# #J4612
- 0-30" x 60# #J4614
- 0-30" x 100# #J4616

**3-1/2" FACE:**

- 0-30" x 30# #J8012
- 0-30" x 60# #J8014
- 0-30" x 100# #J8016

**GAUGE PIGTAIL SYPHON**

PROTECTS GAUGES  
FROM STEAM



- 1/4" 180°  
STRAIGHT #1459
- 1/4" 90°  
ANGLE #1460

**AIR TEST GAUGE**

FOR NATURAL GAS LINES



**3/4"  
FEMALE  
INLET**

**MARKINGS**

- 0 - 15# 1/10 PSI #ATG15
- 0 - 30# 1/2 PSI #ATG30
- 0 - 60# 1 PSI #ATG60
- 0 - 100# 2 PSI #ATG100

**WATER TEST GAUGE**



**3/4"  
FEMALE  
GARDEN  
HOSE  
INLET**

- 0 - 160# #WTG160
- 0 - 300# #WTG300
- 0 - 300# #WTG300LH  
WITH LAZY HAND

**PVC GAUGE GUARD**



**VITON  
SEALS**

**GAUGE  
SOLD  
SEPARATELY**

PROTECT GAUGES AND  
OTHER INSTRUMENTS  
FROM CORRODING.  
ALSO PREVENTS GAUGES  
FROM CONTAMINATING  
SENSITIVE FLUIDS.

- 1/4" x 1/4" #G0003-002
- 1/2" x 1/4" #G0003-005
- GLYCERIN, 4 OZ. #GLY