

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending December 7, 2021.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

#### BANKING INSTITUTIONS

##### Branch Applications

##### Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-06-2021	CNB Bank Clearfield Clearfield County	<i>To:</i> 4781 Transit Road Depew Erie County, NY  <i>From:</i> 3619 Walden Avenue Lancaster Erie County, NY	Approved

#### CREDIT UNIONS

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

RICHARD VAGUE,  
*Secretary*

[Pa.B. Doc. No. 21-2113. Filed for public inspection December 17, 2021, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Maximum Lawful Rate of Interest for Residential Mortgages for the Month of January 2022

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of January 2022, is 4 1/4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of

Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which such individual owns and which such individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 1.82 to which was added 2.50 percentage points for a total of 4.32 that by law is rounded off to the nearest quarter at 4 1/4%.

RICHARD VAGUE,  
*Secretary*

[Pa.B. Doc. No. 21-2114. Filed for public inspection December 17, 2021, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

---

### APPLICATIONS

---

#### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES\_NERO@pa.gov.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1593413	Land Application and Reuse of Sewage Individual WQM Permit	Renewal	Upper Uwchlan Township Municipal Authority 140 Pottstown Pike Chester Springs, PA 19425-9516	Upper Uwchlan Township Chester County	SERO
1489412	Major Sewage Treatment Facility Individual WQM Permit	Amendment	University Area Joint Authority 1576 Spring Valley Road State College, PA 16801-8401	Benner Township Centre County	NCRO
5012201	Manure Storage and Wastewater Impoundments Individual WQM Permit	Amendment	MW Smith Farm 562 Bucks Church Road Newport, PA 17074-8240	Buffalo Township Perry County	SCRO
0880206	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	PA DCNR 28 Entrance Road Troy, PA 16947-8506	West Burlington Township Bradford County	NCRO
2503414	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	David J Tomczak 9485 Old Waterford Road Erie, PA 16509-5659	Greene Township Erie County	NWRO
NNOEXSW23	No Exposure Certification	Renewal	The Sherwin Williams Manufacturing Co. 2000 Westhall Street Pittsburgh, PA 15233-1018	Pittsburgh City Allegheny County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXSC373	No Exposure Certification	New	Georgia Pacific Corrugated, LLC 122 Bordnersville Road Jonestown, PA 17038-8206	Union Township Lebanon County	SCRO
NOEXSE024	No Exposure Certification	Transfer	GXO Warehouse Co. Inc. 41 Runway Road Levittown, PA 19057	Bristol Township Bucks County	SERO
PAG123927	PAG-12 NPDES General Permit for CAFOs	New	Burkholder David N 540 S Fairmount Road Ephrata, PA 17522-8533	West Earl Township Lancaster County	SCRO
PAG124862	PAG-12 NPDES General Permit for CAFOs	Renewal	Kucharski Robert R 9351 Route 414 Liberty, PA 16930-9505	Liberty Borough Tioga County	SCRO
2221404	Pump Stations Individual WQM Permit	New	Steelton Borough Dauphin County 123 N Front Street Steelton, PA 17113-2238	Steelton Borough Dauphin County	SCRO
PA0266792	Single Residence STP Individual NPDES Permit	Transfer	Creany Alexandra M 179 Atlas Drive Hollidaysburg, PA 16648	Frankstown Township Blair County	SCRO
PA0289906	Single Residence STP Individual NPDES Permit	Transfer	Alicia McGill & Kenneth Bluska 8741 Talmadge Road Erie, PA 16509-4359	McKean Township Erie County	NWRO
0719401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Creany Alexandra M 179 Atlas Drive Hollidaysburg, PA 16648	Frankstown Township Blair County	SCRO
1521413	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Wavrek Dorothy 518 Beechwood Drive Kennett Square, PA 19348-1804	East Marlborough Township Chester County	SERO
2521426	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Alicia McGill & Kenneth Bluska 8741 Talmadge Road Erie, PA 16509-4359	McKean Township Erie County	NWRO

**II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.**

*Northcentral Regional Office*

**PA0113051**, Industrial, SIC Code 4941, **City of DuBois**, 16 W Scribner Avenue, DuBois, PA 15801-2210. Facility Name: DuBois Water Treatment Plant. This existing facility is located in Sandy Township, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Laborde Branch, is located in State Water Plan watershed 17-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.46	XXX	1.51
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	75
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	0.75
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

**PAS804806**, Storm Water, SIC Code 4213, **Davidson Brothers, Inc.**, 450 Runville Road, Bellefonte, PA 16823-4715. Facility Name: Davidson Brothers, Inc. This existing facility is located in Boggs Township, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Wallace Run, is located in State Water Plan watershed 9-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed monitoring requirements for Outfall 001 are as follows:

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

**PA0114758**, Sewage, SIC Code 6515, **GSP Management, Co.**, P.O. Box 677, Morgantown, PA 19543-0677. Facility Name: Bucknell View MHP. This existing facility is located in West Chillisquaque Township, **Northumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Susquehanna River (WWF, MF), is located in State Water Plan watershed 10-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0186 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0102385**, Sewage, SIC Code 5812, **IBI RR, LLC**, 1438 Perry Highway, Mercer, PA 16137-3738. Facility Name: Iron Bridge Inn. This existing facility is located in Springfield Township, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.



The receiving stream, the Neshannock Creek (TSF), is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.011 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	XXX	XXX	XXX	25.0	XXX	50
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
				Avg Qrtly		

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0264555**, Sewage, SIC Code 4952, 8800, **Andrew McMichael**, 133 Route 44, Shinglehouse, PA 16748-3615. Facility Name: Andrew McMichael SRSTP. This existing facility is located in Ceres Township, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Oswayo Creek (WWF), is located in State Water Plan watershed 16-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	Annl Avg XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	Avg Mo 10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0290122**, Sewage, SIC Code 4952, 8800, **Matthew Shollenberger**, 8200 Keefer Road, Girard, PA 16417-8030. Facility Name: Matthew Shollenberger SRSTP. This proposed facility is located in Fairview Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary to Elk Creek, located in State Water Plan watershed 15-A and classified for Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Daily Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0012211**, Industrial, SIC Code 3321, **Boyertown Foundry Company**, P.O. Box 443, New Berlinville, PA 19545-0443. Facility Name: Boyertown Foundry Company. This existing facility is located in Boyertown Borough, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Swamp Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of .048 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Instream Monitoring pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Instream Monitoring Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.37	XXX	1.2
Instream Monitoring Total Suspended Solids	Report	Report	XXX	30.0	60.0	70
Instream Monitoring Copper, Total	0.005	0.01	XXX	0.013	0.026	0.033
Instream Monitoring Lead, Total	0.002	0.003	XXX	0.004	0.008	0.01
Instream Monitoring						

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0054852**, Industrial, SIC Code 4953, **Western Berks Landfill Acquisition Co., LLC**, 1000 New Ford Mill Road, Morrisville, PA 19067. Facility Name: Western Berks Community Landfill & Recycling Ctr/Birdsboro. This existing facility is located in Cumru Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .047 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.64
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	9.8	19.6	XXX	25.0	50.0	75
Total Suspended Solids	10.6	23.5	XXX	27.0	60.0	75
Total Dissolved Solids	4,704	9,408	XXX	12,000.0	24,000.0	30,000
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	1.9	3.9	XXX	4.9	10.0	12.2
Zinc, Total	0.043	0.078	XXX	0.11	0.20	0.275
Phenol	0.006	0.010	XXX	0.015	0.026	0.037
a-Terpineol	0.006	0.013	XXX	0.016	0.033	0.04
Benzoic Acid	0.028	0.047	XXX	0.071	0.120	0.177
p-Cresol	0.005	0.010	XXX	0.014	0.025	0.035
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for stormwater Outfalls 002, 009, and 011 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Cyanide, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Mercury, Total	XXX	XXX	XXX	XXX	Report	XXX
Selenium, Total	XXX	XXX	XXX	XXX	Report	XXX
Silver, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Any use of Chemical Additives in accordance with DEP notification procedures and approval
- Annual Stormwater Report submitted to DEP
- A Preparedness, Prevention and Contingency (PPC) Plan
- A PCB Pollutant Minimization Plan submitted to DEP and implemented

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.



**PA0261505**, Industrial, SIC Code 2875, 2879, **Lebanon Seaboard Corp**, 1600 E Cumberland Street, Lebanon, PA 17042-8323. Facility Name: Lebanon Seaboard Corporation. This existing facility is located in South Lebanon Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of industrial stormwater and treated groundwater.

The receiving stream, Quittapahilla Creek (TSF, MF), is located in State Water Plan watershed 7-D and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Internal Monitoring Point (IMP) 001 are based on a design flow of 0.014 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Internal Monitoring Point			Daily Min			
Chlorobenzene	XXX	XXX	XXX	0.05	0.10	0.12
Internal Monitoring Point						

The proposed effluent limits for Outfall 001.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Requirements Applicable to Stormwater Outfalls including:
  - o The permittee is authorized to discharge non-polluting stormwater from its site, alone or in combination with other wastewaters, through the following outfalls:

Outfall No.	Area Drained (ft <sup>2</sup> )	Latitude	Longitude	Description
001	433,770	40° 20' 51.4"	-76° 23' 4.5"	Macadam parking lot, on-site buildings, and street runoff for the northern portion of the site—impacted groundwater from a historic spill that seasonally infiltrates into stormwater collection system
002	623,080	40° 20' 51.2"	-76° 23' 4.4"	Macadam parking lot, on-site buildings and southern portion of the site

Monitoring requirements and effluent limitations for these outfalls are specified in Part A of this permit, if applicable.

- o Stormwater Annual Report
- o Best Management Practices (BMPs)
- o Routine Inspections
- o Preparedness, Prevention and Contingency (PPC) Plan
- o Stormwater Monitoring Requirements including:

<i>Parameter</i>	<i>Benchmark Value (mg/L)</i>
Total Suspended Solids (TSS)	100
Chemical Oxygen Demand (COD)	120
Oil and Grease	30

- Groundwater Cleanup—Granulated Activated Carbon, Chlorobenzene.
  - o If the applicable standard or effluent guideline limitation relating to the application for Best Available Technology Economically Achievable (BAT) or to Best Conventional Technology (BCT) is developed by the Department, or by EPA for this type of industry, and if such standard or limitation is more stringent than the corresponding conditions of this permit (or if it controls pollutants not covered by this permit), then the Department reserves the right to modify, or to revoke and reissue the permit to conform with that standard or limitation.
  - o Sludges and other solids shall be handled and disposed of in compliance with 25 Pa. Code Chapters 262—264 (related to permits and requirements for landfilling and storage of hazardous sludge) and applicable Federal regulations, the Federal Clean Water Act, RCRA and their amendments. The permittee is responsible to obtain or assure that contracted agents have all necessary permits and approvals for the handling, storage, transport and disposal of solid waste materials generated as a result of wastewater treatment.

o A GRS Annual Report shall be submitted annually to the Clean Water Program on January 28 (for the previous calendar year). The Groundwater Remediation System (GRS) Annual Report shall address activities under the permit for the previous calendar year including groundwater quality data. If modification to the operation is proposed, details must be submitted along with the GRS Annual Report.

o A minimum of monthly sampling of the influent to the GRS for chlorobenzene is required. The results shall be included on the GRS Annual Report.

o The GRS shall continue until a minimum of one year’s data of the untreated groundwater have documented a concentration that is protective of the environment. The cleanup operation shall not be considered terminated until the permittee further documents for a minimum of one year after treatment has ceased (samples taken quarterly) that a concentration of pollutants protective of the environment has been maintained in the untreated groundwater. Written approval to terminate must be received from DEP’s Clean Water Program prior to shut down.

o The permittee shall operate the treatment facilities approved herein on a continual basis. If accidental breakdown or normal periodic maintenance should cause cessation of operation, the permittee shall take satisfactory measures to ensure the treatment works are placed back in operation at the earliest possible time. The permittee shall orally report to the Department within 24 hours of an unanticipated temporary shutdown of the treatment facility that is longer than 24 hours in duration or at least 24 hours prior to an anticipated maintenance shutdown.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0033111**, Sewage, SIC Code 7033, **Oak Creek Campgrounds, Inc.**, P.O. Box 128, Bowmansville, PA 17507-0128. Facility Name: Oak Creek Campground. This existing facility is located in Brecknock Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Muddy Creek (HQ-TSF, MF), is located in State Water Plan watershed 7-J and is classified for Migratory Fishes and High-Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00423 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameter	Effluent Limitations Mass Units (lbs/day)			Concentrations (mg/L)		
	Monthly	Annual	Monthly	Monthly Average	Maximum	Instant. Maximum
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Chesapeake Bay nutrients requirements
- Solids management
- Optimization of chlorine usage

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0081868**, Sewage, SIC Code 4952, **PA American Water Co.**, 852 Wesley Drive, Mechanicsburg, PA 17055-4436. Facility Name: American Water Co., Fairview Township North STP. This existing facility is located in Fairview Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 7-E and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .726 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	151	242	XXX	25	40	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	182	272	XXX	30	45	60
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	Geo Mean XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Mo						

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	Report XXX	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	Report XXX	XXX	XXX
Total Phosphorus	12	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	21,697 Total	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	2,262 Total Annual	XXX	XXX	XXX	XXX

\*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

**PA0083607**, Sewage, SIC Code 4952, **Union Township Lebanon County**, 3111 State Route 72, Jonestown, PA 17038-8741. Facility Name: Union Township Lickdale STP. This existing facility is located in Union Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Forge Creek (WWF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min XXX	0.07	XXX	0.24
CBOD <sub>5</sub>	13	19	XXX	10.0	15.0	20
BOD	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	13	19	XXX	10.0	15.0	20
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)		Daily Max				
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Total Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs)	Total Mo					
Effluent Net						
Ammonia-Nitrogen						
Nov 1 - Apr 30	3.8	XXX	XXX	3.0	XXX	6
May 1 - Oct 31	1.3	XXX	XXX	1.0	XXX	2
Ammonia-Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Total Phosphorus	1.3	XXX	XXX	1.0	XXX	2.5
Total Phosphorus	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Total Phosphorus	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs)	Total Mo					
Effluent Net						
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen	XXX	7,306	XXX	XXX	XXX	XXX
(Total Load, lbs)		Total				
Effluent Net		Annual				
Total Nitrogen	XXX	Report	XXX	XXX	XXX	XXX
(Total Load, lbs)		Total				
Ammonia-Nitrogen	XXX	Report	XXX	XXX	XXX	XXX
(Total Load, lbs)		Total				
Total Phosphorus	XXX	Report	XXX	XXX	XXX	XXX
(Total Load, lbs)		Total				
Total Phosphorus	XXX	Annual	XXX	XXX	XXX	XXX
(Total Load, lbs)		974				
Effluent Net		Total				
		Annual				

\*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.



In addition, the permit contains the following major special conditions:

- Stormwater Prohibition, Approval Contingencies, Solids Management, Restriction on receipt of hauled in waste under certain conditions, and Chlorine minimization.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

**PA0085367**, Sewage, SIC Code 7033, **Sills Family Campground**, 1906 Bowmansville Road, Mohnton, PA 19540. Facility Name: Sills Family Campground. This existing facility is located in Brecknock Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), UNT to Little Muddy Creek (TSF, MF), is located in State Water Plan watershed 7-J and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00759 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly Daily Max		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	XXX	XXX	XXX	12.5	XXX	25
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Monthly	Annual		Average Monthly	Maximum	
Ammonia-Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0087548 A-1**, Sewage, SIC Code 4952, **Artillery Ridge Campground, LLC**, P.O. Box 544, Glenmoore, PA 19343-0544. Facility Name: Artillery Ridge Camping Resort. This existing facility is located in Cumberland Township, **Adams County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Rock Creek (WWF), is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0058 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.03	XXX	0.09
CBOD <sub>5</sub>	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen				Geo Mean		
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	XXX	XXX	XXX	6.0	XXX	12.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0058 MGD.—Limits.

Parameter	Mass Units (lbs) <sup>(1)</sup>		Effluent Limitations			Instant. Maximum
	Monthly	Annual	Monthly	Annual Average	Maximum	
Ammonia—N	XXX	Report	XXX	Report	XXX	XXX
Kjeldahl—N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	Report	XXX	Report	XXX	XXX
Total Phosphorus	XXX	Report	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.05
CBOD <sub>5</sub>	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen				Geo Mean		
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	XXX	XXX	XXX	6.0	XXX	12.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.—Limits.

Parameter	Mass Units (lbs) <sup>(1)</sup>		Effluent Limitations			Instant. Maximum
	Monthly	Annual	Monthly	Annual Average	Maximum	
Ammonia—N	XXX	Report	XXX	Report	XXX	XXX
Kjeldahl—N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	486.0	XXX	Report	XXX	XXX
Total Phosphorus	XXX	46.0	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management for non-lagoon system, Chlorine minimization, Notification of designation of responsible operator.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0267643**, Sewage, SIC Code 8800, **Scott Barrick**, 35 Mel Ron Court, Carlisle, PA 17015-8421. Facility Name: Barrick SRSTP. This proposed facility is located in Middlesex Township, **Cumberland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Spring Run (WWF, MF), is located in State Water Plan watershed 7B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0024058**, Sewage, SIC Code 4952, **Kennett Square Borough, Chester County**, 120 Marshall Street, Kennett Square, PA 19348-3108. Facility Name: Kennett Square Borough WWTP. This existing facility is located in Kennett Square Borough, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Red Clay Creek (TSF, MF) and Unnamed Tributary to West Branch Red Clay Creek (TSF, MF), is located in State Water Plan watershed 3-I and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Daily Maximum</i>	<i>Average Quarterly</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Nov 1 - Apr 30	230	365	XXX	25 Avg Mo	40 Wkly Avg	50
May 1 - Oct 31	152	228	XXX	17 Avg Mo	25 Wkly Avg	33
Influent	Report	Report	XXX	Report Avg Mo	Report Wkly Avg	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> ) Influent	Report	Report	XXX	Report Avg Mo	Report Wkly Avg	XXX
Total Suspended Solids	275	412	XXX	30 Avg Mo	45 Wkly Avg	60
Total Suspended Solids Influent	Report	Report	XXX	Report Avg Mo	Report Wkly Avg	XXX
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	XXX	Report Avg Mo	XXX	XXX
Total Nitrogen	91.8	XXX	XXX	10.0 Avg Mo	20.0 Daily Max	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	55	XXX	XXX	6.0 Avg Mo	XXX	12
May 1 - Oct 31	18	XXX	XXX	2.0 Avg Mo	XXX	4

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Daily Maximum</i>	<i>Average Quarterly</i>	
Total Phosphorus Nov 1 - Mar 31	18	XXX	XXX	2.0	XXX	4
Apr 1 - Oct 31	12	XXX	XXX	Avg Mo 1.3	XXX	2.6
Cadmium, Total	XXX	XXX	XXX	Avg Mo Report	XXX	XXX
Copper, Total	0.14	0.22	XXX	0.0153	0.0239	0.0383
Zinc, Total	1.2	Daily Max 1.87	XXX	Avg Mo 0.131	Daily Max 0.204	0.327
Phenolics, Total	0.21	Daily Max 0.42	XXX	Avg Mo 0.023	Daily Max 0.046	0.058

The proposed effluent limits for Outfall 001 are based on a design flow of 1.1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Daily Maximum</i>	<i>Average Quarterly</i>	
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Avg Qrtly Report	Report	XXX
Cyanide, Free	XXX	XXX	XXX	Avg Qrtly Report	Daily Max Report	XXX
Silver, Total	XXX	XXX	XXX	Report	Report	XXX
2,4-Dinitrophenol	XXX	XXX	XXX	Report	Report	XXX
4,6-dinitro-o-cresol	XXX	XXX	XXX	Report	Report	XXX
3,3-Dichlorobenzidine	XXX	XXX	XXX	Report	Report	XXX
Benzidine	XXX	XXX	XXX	Report	Report	XXX
Bis(2-Ethylhexyl) Phthalate	XXX	XXX	XXX	Report	Report	XXX
Hexachlorobutadiene	XXX	XXX	XXX	Report	Report	XXX
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	Report	XXX	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	Report	XXX	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	Report	XXX	XXX
Toxicity, Chronic - Pimephales Growth (TUc)	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD (stormwater).—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Hauled-in Waste Restrictions
- UV System Monitoring Requirements
- Pretreatment Program Implementation
- Solids Management
- WET Testing
- WQBELs Below the Detection Limit
- Stormwater Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

*Southwest Regional Office*

**PA0252816**, Sewage, SIC Code 1222, **Rosebud Mining Co.**, 301 Market Street, Kittanning, PA 16201-1504. Facility Name: Madison Deep Mine. This existing facility is located in Jackson Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream, Saltlick Run (HQ-CWF), is located in State Water Plan watershed 18-E and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00193 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.00193	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.17
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )						
Nov 1 - Apr 30	XXX	XXX	XXX	20	XXX	40
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	20	XXX	40
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	15.0	XXX	30.0
May 1 - Oct 31	XXX	XXX	XXX	5.0	XXX	10.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

### **III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.**

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD360075	New	Robert Sensenig 276 Scott Road Quarryville, PA 17566	Little Britain Lancaster County	SCRO
PAD670059	New	Helena Agri-Enterprises, LLC 225 Schilling Boulevard Suite 300 Collierville, TN 38017-7177	North Hopewell Township York County	SCRO
PAD140048	Renewal/ Transfer	Berks at Nittany Glen, LLC 590 S. Fillmore Road State College, PA 16803	Benner Township Centre County	NCRO
PAD020018A-1	New	Hammock Beach Partners, LLC 4276 Green Glade Court Allison Park, PA 15101	Fox Chapel Borough Allegheny County	SWRO
PAD020043	New	Moon Marketplace, LLC 965 Greentree Road Suite 400 Pittsburgh, PA 15220	Moon Township Allegheny County	SWRO
PAD020048	New	UPMC 200 Lothrop St Pittsburgh, PA 15213	City of Pittsburgh Allegheny County	SWRO



<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD020049	New	Sheetz, Inc. 5700 Sixth Avenue Altoona, PA 16602	Neville Township Allegheny County	SWRO
PAD020053	New	Urban Redevelopment Authority 412 Boulevard of the Allies Suite 901 Pittsburgh, PA 15219	City of Pittsburgh Allegheny County	SWRO
PAD020054	Renewal	Riviera Land Partners, LP 2585 Washington Road Bldg 100 Suite 130 Pittsburgh, PA 15241	Pine Township Allegheny County	SWRO
PAD020055	New	Pittsburgh- SSW Waterfront LLC 424 S 27th Street Suite 300 Pittsburgh, PA 15203	City of Pittsburgh Allegheny County	SWRO
PAD260013A-2	Amendment	Nemacolin Woodlands, Inc. 1001 Lafayette Drive Farmington, PA 15437	Wharton Township Fayette County	SWRO
PAD630062	New	North Strabane Township 1929 Route 19 Canonsburg, PA 15317	North Strabane Township Washington County	SWRO
PAD370008	New	Ellwood City Borough 525 Lawrence Avenue Ellwood City, PA 16117	Ellwood City Borough Lawrence County	NWRO
PA290001D	New	PA Turnpike Commission P.O. Box 67676 Harrisburg, PA 17106-7676	Taylor Township Fulton County	Regional Permit Coordination Office (RPCO) Rachel Carson State Office Building 400 Market Street Harrisburg, PA 17101 Email: RA-EPREGIONAL PERMITW@pa.gov

## STATE CONSERVATION COMMISSION

### PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Steve and Lynn Hykes 1239 Hykes Road Greencastle, PA 17225	Franklin	632.3	682.86	Swine, Heifers	NA	Renewal

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Southeast Region: Safe Drinking Water, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5887.*

*Contact: Kimberleigh Rivers, Clerk Typist 2, 424.250.5887.*

**Permit No. 1521524, Public Water Supply.**

Applicant	<b>Downingtown Municipal Water Authority</b> 100 Water Plant Way Downingtown, PA 19335
Borough	Downingtown
County	<b>Chester</b>

Responsible Official	Downingtown Municipal Water Authority 100 Water Plant Way Downingtown, PA 19335
Type of Facility	PWS
Consulting Engineer	Remington & Vernick 922 Fayette Street Conshohocken, PA 19428
Application Received Date	November 30, 2021
Description of Action	Installation of groundwater chemical dosing equipment.

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995  
PREAMBLE 1**

**Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as

a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**645 Belmont Avenue**, 645 Belmont Avenue, Mount Pocono, PA 18344, Mount Pocono Borough, **Monroe County**. JMT Industrial & Environmental Contracting Services, 710 Uhler Road, Easton, PA 18040, on behalf of Carolyn Howie Boyle, 209 Tenth Avenue, San Francisco, CA 94118, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an underground storage tank. Future use of the site will be residential. The Notice of Intent to Remediate was published in the *Pocono Record* on November 7, 2021.

**W. Brooks Pad 2**, 147 Phillips Road, Springville. PA 18844, Springville Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of drilling mud and produced fluid (brine) to soil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on December 1, 2021.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**First National Bank Edgewood Drive Property**, 8 Edgewood Drive, Transfer, PA 16125, Pymatuning Township, **Mercer County**. Civil & Environmental Consultants, Inc., 4350 Northern Pike, Suite 141, Monroeville, PA 15146 on behalf of First National Bank, One FNB Boulevard, Hermitage, PA 16148 has submitted a Notice of Intent to Remediate. Historically, a gasoline station was operating on the property. After the underground storage tanks were removed, it was discovered site soil was contaminated with 1,2,4-TMB, 1,3,5-TMB, and Naphthalene; site groundwater contaminated with EDB, Benzene, 1,2-DCA, Ethylbenzene, Naphthalene, 1,2,4-TMB, and 1,3,5-TMB. The intended future use of

the property will be nonresidential. The Notice of Intent to Remediate was published in the *Record-Argus* on December 4, 2021.

#### **OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE**

**Application(s) Administratively Complete Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit Application No. 301291. Ashland, LLC**, 5200 Blazer Parkway, Dublin, OH 43017. An application for the change of ownership of the residual waste facility, Ashland Neville Island Facility in Neville Township, PA 15236-2532 in Baldwin Borough, **Allegheny County** to INEOS Composites US, LLC, 5200 Blazer Parkway, Dublin, OH 43017 was accepted as administratively complete in the Regional Office on October 22, 2019.

Comments concerning the application should be directed to the Southwest Regional Office Resource Account at RA-EP-EXTUPLSWRO@pa.gov. Persons interested in obtaining more information about the permit application may contact the Southwest Regional Office, Regional Files, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

### **AIR QUALITY**

#### **PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS**

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain



the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

---

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief, (484) 250-5920.*

**09-0152E: Gelest, Inc.** (11 E. Steel Road, Morrisville, PA 19067) for installation of a new chilled dewar trap (condenser) at their facility in Falls Township, **Bucks County**. The plan approval is for a Synthetic Minor facility, proposing an alternative VOC control method, the Dewar Trap, on an existing source (101) for use with materials of specific properties, to prevent any potential solid material getting entrained or plugging the existing condenser. The plan approval will include monitoring and recordkeeping requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the plan approval can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**05-05021D: Creative Pultrusions, Inc.** (214 Industrial Lane, Alum Bank, PA 15521-8304) to issue a Plan Approval for additional In-Mold coating (IMC) units for the fiberglass pultrusion operation located in West Saint Clair Township, **Bedford County**. The estimated potential emissions increase related to this project is approximately 30.94 tpy of VOCs. The Plan Approval will include emission limits and work practice standards along with testing, monitoring, recordkeeping, and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from the 25 Pa. Code §§ 129.52 and 129.52d and 40 CFR 63 Subpart PPPP. Review by the Department indicates that the air contamination sources as constructed will comply with all regulatory requirements including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into a Title V Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.*

**14-00044A: TRS Technologies, Inc.** (2820 E. College Ave., Ste. J, State College, PA 16801) for the modification of an existing piezoelectric/dielectric materials manufacturing process (identified as the Crystallization Process) at its facility in College Township, **Centre County**. The application also identified other existing equipment including: a ceramics process; machining operations; plating process; associated cleanup operations; two emergency generator engines (one existing and one proposed); one parts washer. The Department of Environmental Protection's (Department's) review of the information submitted by the company indicates that the air contamination sources will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination source and the emission of air contaminants including 25 Pa. Code Chapter 123, the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines and 40 CFR Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. Based on this finding, the Department proposes to issue a plan approval for the proposed modification to the Crystallization Process and the other sources. The emissions from the Crystallization Process will not exceed the following limits: 0.002 grain per dry standard cubic foot of particulate matter (PM/PM<sub>10</sub>/PM<sub>2.5</sub>) and 16.90 tons per 12-consecutive month period of volatile organic compounds (VOCs). In addition to the emission limitations,

the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure the Crystallization Process complies with all applicable air quality regulatory requirements: only ethanol or other non-HAP containing solvents may be used; the permittee shall engage in good housekeeping practices with respect to the use of VOC-containing solvents; the air contaminant emissions from the Crystallization Process shall be controlled by a GlasFloss HEPA filter; the permittee shall follow its Standard Operating Procedures with respect to inspecting and maintaining the HEPA filter. The facility is a State Only facility. If the Department determines that the Crystallization Process is modified and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 14-00044A, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

**18-00011M: Croda, Inc.** (8 Croda Way, Mill Hall, PA 17751) for the removal of the existing methyl chloride thermal oxidizer, water quench, and hydrochloric acid scrubber and the installation of a new regenerative thermal oxidizer (RTO), water quench assembly, and packed bed acid gas control scrubber to control VOC and HAP emissions generated from the manufacture of quaternary ammonium and methylation products at the Mill Hall Facility located in Bald Eagle Township, **Clinton County**. The Department of Environmental Protection's (Department) review of the information submitted by Croda, Inc. indicates that the proposed equipment will comply with all regulatory requirements pertaining to air cleaning devices and the emission of air contaminants including the best available technology requirement of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the installation of the proposed control devices. The emissions of VOCs from the Methyl Chloride Production Area shall not exceed 1.42 tons in any 12 consecutive month period. The emissions of total combined HAPs from the Methyl Chloride Production Area shall not exceed 2.08 tons in any 12 consecutive month period. The packed bed scrubber shall provide a HCl removal efficiency of at least 99.5%. The Methyl Chloride RTO shall subject all methyl chloride emissions to a minimum destruction efficiency of at least 99% or reduce the methyl chloride emissions to a concentration of less than 10 ppmv (as propane). In addition to the emission limitations, the proposed plan approval includes monitoring, work practice, recordkeeping and reporting requirements in order to ensure and verify compliance with the emission limits and control efficiency requirements as well as all applicable air quality regulatory requirements. The facility is a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 18-00011M, the requirements established in the plan approval will be incorporated into State Only Operating Permit 18-00011 pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street,

Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

#### OPERATING PERMITS

##### **Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6328.*

**24-00083: Mersen USA GS Corporation—Saint Marys (Mersen)** (1032 Trout Run Rd, Saint Marys, PA 15857), the Department intends to issue the renewal Title V Operating Permit of a graphite manufacturing facility located in Saint Marys City, **Elk County**. Permitted air contamination sources at the facility include: units for different operations performed, namely crushing and screening, grinding, pulverizing, mixing, blending, baking, graphitizing, and machining; natural gas-fueled emergency generators; and parts cleaners. In this renewal, a screening operation, a roller mill, units controlled by common dust collectors, a corner grinder mill, and five natural gas-fueled emergency generators are added as permitted sources. Three emergency generators are subject to 40 CFR 63 Subpart ZZZZ while the other two emergency generators are subject to 40 CFR 60 Subpart JJJJ. Provisions on source test submittals are revised based on the latest instructions from Source Testing Section. A source no longer onsite and a source ID no longer used are removed from the permit.

##### **Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.*

**46-00140: Amatex, LLC** (1032 Stanbridge Street, Norristown, PA 19404) for the renewal of a Non-Title V Facility, State-Only, Natural Minor Permit in Norristown Borough, **Montgomery County**. Amatex LLC manufactures heat resistant fiberglass yarn and textiles. The emissions of concern which vent from the heat-treating units, drying ovens, and a texturizer have the following potential to emit: Particulate Matter is 2.43 tons per year, Nitrogen oxides is 5.51 tons of per year, Sulfur oxides is 7.71 tons of per year, and Volatile Organic Compounds is 2.11 tons of per year. The renewal contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

**46-00044: Glasgow, Inc.** (Church & Flint Hill Roads, King of Prussia, PA 19406), located in Upper Merion Township, **Montgomery County**, for a renewal of State Only (Synthetic Minor) Operating Permit No. 46-00044 for its McCoy Quarry & Asphalt Plant facility. The facility's air emissions sources consist of a batch hot mix



asphalt (HMA) plant, a primary stone crushing plant, and a secondary stone crushing plant. The batch HMA plant is subject to a HMA production restriction of 576,000 tons per year, and the facility is subject to site-level nitrogen oxide (NO<sub>x</sub>) and volatile organic compound (VOC) emission restrictions of less than 25 tons/yr each. No changes have occurred at the facility since the State Only Operating Permit (SOOP) was last amended in May 2018.

The batch HMA plant is subject to the provisions of 40 CFR Part 60, Subpart I, for HMA facilities, and the primary stone crushing plant and two of the three secondary stone crushers of the secondary stone crushing plant are subject to the provisions of 40 CFR Part 60, Subpart OOO, for nonmetallic mineral processing plants. The SOOP renewal will include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

**15-00137: Johnson Matthey/Advanced Glass Technologies Division** (498 Acorn Lane, Downingtown, PA 19335) located in Downingtown, **Chester County** for the renewal of a State-Only Operating Permit. This facility is classified as Natural Minor facility. Johnson Matthey manufactures enamel and conductive pastes for glass windshields used in the automotive industry, decorative enamel pastes for ceramic glass decoration and decorative precious metal products. There is no increases of Volatile Organic Compounds (VOCs) or Hazardous Air Pollutants (HAPS) with this renewal. The facility VOC emissions remains capped at 12.20 tons per year and the facility HAP emission limit remain capped at 6.75 tons per year. The Operating Permit will contain monitoring, recordkeeping, reporting and work practice conditions designed to address all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

**09-00121: Philadelphia Macaroni Co.** (40 Jacksonville Road, Warminster, PA 18974) for a non-Title V (State-Only), Natural Minor, Operating Permit Renewal. This facility manufactures pasta products in Warminster Township, **Bucks County**. The major sources of air emissions are the pneumatic conveying system controlled by five dust collectors and two boilers. The facility has a potential to emit 22.59 tons of particulate matter. The renewal will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**38-03016: PA Precision Cast Parts, Inc.** (521 North 3rd Street, P.O. Box 1429, Lebanon, PA 17042) to issue a State-Only Operating Permit for the operation of a steel investment foundry in the City of Lebanon, **Lebanon County**. Potential emissions from the facility are estimated to be 3.25 tpy CO, 1.59 tpy NO<sub>x</sub>, 0.29 tpy PM, 0.02 tpy SO<sub>x</sub>, 5.19 tpy VOC and 0.06 tpy combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63, Subpart ZZZZZ—National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries Area Sources and 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

**67-03175: Cintas Corp.** (27 Whitney Drive, Milford, OH 45150) to issue a State Only Operating Permit for the industrial laundering facility located in City of York, **York County**. The restricted potential emissions from the facility are calculated to be 6.39 tpy NO<sub>x</sub>, 5.37 tpy CO, 0.04 tpy SO<sub>x</sub>, 4.47 tpy PM<sub>10</sub>, 3.33 tpy PM<sub>2.5</sub>, 9.65 tpy VOC and 3.41 tpy HAPs. The Operating Permit will include emission limits, throughput limits, fuel restrictions, and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**19-00004: Cheetah Chassis Corp.** (P.O. Box 388, Berwick, PA 18603) for issuance of a State-Only (Synthetic Minor) Operating Permit for their facility in the Borough of Berwick, **Columbia County**. The facility is currently operating under Title V Operating Permit 19-00004. The facility has voluntarily requested coating content and throughput limitations to qualify for synthetic minor status. The facility's main sources include 19 natural gas-fired space heaters less than 2.5 million Btu per hour, two natural gas-fired space heaters less than 5.0 million Btu per hour, two chassis painting lines, equipment cleanup activities, two curing ovens, spray guns washer, two shot blast booths, and miscellaneous sources determined to be of minor significance. The facility has potential emissions of 6.17 tons per year of carbon monoxide, 7.35 tons per year of nitrogen oxides, 0.04 ton per year of sulfur oxides, 53.76 tons per year of particulate matter with an aerodynamic diameter of less than 10 microns, 53.76 tons of particulate matter with an aerodynamic diameter of less than 2.5 microns, 49.99 tons per year of volatile organic compounds, 19.31 tons per year of total hazardous air pollutants (HAPs), and

8,750 tons per year of carbon dioxide equivalents (greenhouse gases). Revisions include incorporating spray-booth monitoring requirements approved via Request for Determination and incorporating coating content and throughput limits to qualify for synthetic minor status. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping, and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the SMOP have been derived from the applicable requirements of 40 CFR Part 64 and 25 Pa. Code Article III, Chapters 121–145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1–1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301–3326); the Clean Streams Law (35 P.S. §§ 691.1–691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51–30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1–1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001–4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated

above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121–77.123 and 86.31–86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

### *Coal Applications Received*

*Effluent Limits*—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH <sup>1</sup>		greater than 6.0; less than 9.0	
Alkalinity greater than acidity <sup>1</sup>			

<sup>1</sup> The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).*

**Permit No. 17110101 and NPDES No. PA0257516. A.W. Long Coal Company, 127 Logan Street, Philipsburg, PA 16866.** Permit renewal application for a bituminous surface coal mine and associated NPDES permit located in Morris Township, **Clearfield County**, affecting 361.9 acres. Receiving stream(s): Bell Run and unnamed tributaries to Bell Run classified for the following use(s): CWF, MF. Application received: November 29, 2021.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).*

**Permit No. 53200301 and NPDES No. PAM221027. Duffy, Inc.,** P.O. Box 374, 1 Delta Drive, Smethport, PA 16749. New permit application for commencement, operation, and restoration of a large noncoal (industrial minerals) surface mine located in Roulette Township, **Potter County**, affecting 61.0 acres. A land use change from forestland to unmanaged natural habitat is proposed with this application. The surface mining operation proposes to conduct blasting. Receiving stream(s): Allegheny River classified for the following use(s): CWF. A variance is included to conduct mining and support activities within 100 feet of and extending up to the northern right of way line of a portion of PA Route 6. Application received: November 18, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).*

**NPDES Permit No. PA0225622. Wayco, Inc.,** 198 O'Connell Road, Waymart, PA 18472, renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation on Surface Mining Permit No. 64160301 in Palmyra Township, **Wayne County**, affecting 36 acres. Receiving stream: unnamed tributary to Wallenpaupack Creek, classified for the following uses: HQ-WWF and migratory fishes. Application received: November 24, 2021.

**MINING ACTIVITY NPDES DRAFT PERMITS**

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity\*

\*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.



*Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

*Noncoal NPDES Draft Permits*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, (570) 621.3118.*

**NPDES Permit No. PA0225282 (Mining Permit No. 7873SM1). Penn Big Bed Slate Co., Inc.**, P.O. Box 184, Slatington, PA 18080, relocation of outfall and renewal of NPDES Permit on the Manhattan Quarry in Washington Township, **Northampton County**, affecting 50.07 acres. Receiving stream: unnamed tributary to Trout Creek Watershed, classified for the following uses: CWF, MF. The Department has made a tentative determination to impose effluent limitations, within the ranges specified in Table 1 in addition to the limits identified in Table 2. Application received: June 23, 2020.

Outfall Nos.	New Outfall (Y/N)		Type	
	001	No	Pitwater/Stormwater	
<i>Outfalls: 001</i>				
<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Total Alkalinity (as CaCO <sub>3</sub> ) (mg/L)			Report	
Total Acidity (as CaCO <sub>3</sub> ) (mg/L)			Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Discharge (MGD)		0.45	1.03	

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401

or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if

deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

#### **WATER OBSTRUCTIONS AND ENCROACHMENTS**

#### **Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Northcentral Region: Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E1404221-006: Haines Township**, P.O. Box 244, Aaronsburg, PA 16820, Ingleby Road Culverts, Haines Township, **Centre County**, U.S. Army Corps of Engineers Baltimore District (Coburn Quadrangle; 40° 51' 32.3744" N; 77° 25' 29.4268" W).

The applicant proposes to construct and maintain nine culvert installations within the floodway of High Valley Run (HQ-CWF). The purpose and need of this project is to increase the safety of the traveling public on Ingleby Road. The project proposes .03 acre of permanent direct floodway impacts.

*Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

*Contact: Robert Marquez, Senior Project Manager, Telephone Number: 570-327-3636.*

**E0829221-025: Chesapeake Appalachia, LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Wilmot Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. A well pad access road impacting 1,568 square feet (0.036 acre) of a Palustrine Scrub-Shrub Wetland (EV) (Colley, PA Quadrangle Latitude: 41.590691°, Longitude: -76.321368°).

This project is an after-the-fact permit that is associated with the Chesapeake Audit and will result in 1,568 square feet (0.036 acre) of permanent PSS wetland impacts, all for the purpose of installing a natural gas well pad and permanent access road for Marcellus Shale development in Wilmot Township, Bradford County. The permittee will provide 0.10 acre of PSS wetland mitigation at Camp Brook Restoration (Elkland, PA Quadrangle, Latitude: 41.988385°, Longitude: -77.337152°), permit application number E5929221-006.

**Permit No. E0829221-018, Chesapeake Appalachia, LLC**, 14 Chesapeake Lane, Sayre, PA 18840-1567, Freshwater Impoundment and associated infrastructure. Keystone Lane, City of Troy, **Bradford County**; ACOE, Baltimore Office.

To construct, operate, and maintain:

1) a temporary wetland impact from construction activities impacting 5,227 square feet (0.120 acre) of Palustrine Emergent Wetlands (PEM) (East Troy, PA Quadrangle; Latitude: 41° 45' 52", Longitude: -76° 41' 34"),

2) a temporary wetland impact from construction activities impacting 1,089 square feet (0.025 acre) of Palustrine Emergent Wetlands (PEM) (East Troy, PA Quadrangle; Latitude: 41° 45' 52", Longitude: -76° 41' 32"),

3) a permanent wetland impact from fill materials impacting 305 square feet (0.007 acre) of Palustrine Emergent Wetlands (PEM) (East Troy, PA Quadrangle; Latitude: 41° 45' 52", Longitude: -76° 41' 35"),

4) a temporary wetland impact from wetland restoration activities impacting 5,009 square feet (0.115 acre) of Palustrine Emergent Wetlands (PEM) (East Troy, PA Quadrangle; Latitude: 41° 45' 52", Longitude: -76° 41' 34"),

5) a temporary wetland impact from wetland restoration activities impacting 436 square feet (0.010 acre) of Palustrine Emergent Wetlands (PEM) (East Troy, PA Quadrangle; Latitude: 41° 45' 52", Longitude: -76° 41' 34"),

6) a permanent wetland impact from wetland restoration activities impacting 174 square feet (0.004 acre) of Palustrine Emergent Wetlands (PEM) (East Troy, PA Quadrangle; Latitude: 41° 45' 51", Longitude: -76° 41' 34").

The Brad 14—Ward Frac Pond, located in West Burlington Township, Bradford County, seeks after-the-fact authorization in accordance with the Consent Decree Chesapeake Appalachia, LLC entered into with the U.S. Environmental Protection Agency and the PA Department of Environmental Protection on May 20, 2021. Prior unauthorized impacts resulted in 6,316 square feet (0.145 acre) of temporary PEM wetland impacts and 305 square feet (0.007 acre) of permanent PEM wetland impacts. Wetland restoration activities will result in 5,445 square feet (0.125 acre) of temporary PEM wetland impacts and 174 square feet (0.004 acre) of permanent PEM wetlands impacts to restore and mitigate for prior activities adjacent to the Freshwater Impoundment and supporting infrastructure.

**Permit No. E6629221-006, Chesapeake Appalachia, LLC**, 14 Chesapeake Lane, Sayre, PA 18840-1567, Freshwater Impoundment and associated infrastructure. Brooks Hill Road, City of Meshoppen, **Wyoming County**; ACOE, Baltimore Office.

To construct, operate, and maintain:

1) 1.a temporary wetland impact from construction activities impacting 15,028 square feet (0.34 acre) of Palustrine Emergent Wetlands (PEM) (Springville, PA Quadrangle; Latitude: 41° 38' 39", Longitude: -75° 57' 55"),

2) a temporary wetland impact from construction fill activities impacting 174 square feet (0.01 acre) of Palustrine Emergent Wetlands (PEM) (Springville, PA Quadrangle; Latitude: 41° 38' 39", Longitude: -75° 57' 55"),

3) a temporary wetland impact from construction activities impacting 348 square feet (0.01 acre) of Palustrine Emergent Wetlands (PEM) (Springville, PA Quadrangle; Latitude: 41° 38' 39", Longitude: -75° 57' 56"),



4) a temporary wetland impact from construction activities impacting 1,002 square feet (0.02 acre) of Palustrine Emergent Wetlands (PEM) (Springville, PA Quadrangle; Latitude: 41° 38' 30", Longitude: -75° 58' 01"),

5) a temporary wetland impact from construction activities impacting 2,483 square feet (0.06 acre) of Palustrine Emergent Wetlands (PEM) (Springville, PA Quadrangle; Latitude: 41° 38' 35", Longitude: -75° 57' 58"),

6) a permanent wetland impact from construction fill activities impacting 10,716 square feet (0.25 acre) of Palustrine Emergent Wetlands (PEM) (Springville, PA Quadrangle; Latitude: 41° 38' 3", Longitude: -75° 57' 58"),

7) a permanent wetland impact from construction fill activities impacting 18,905 square feet (0.43 acre) of Palustrine Emergent Wetlands (PEM) (Springville, PA Quadrangle; Latitude: 41° 38' 35", Longitude: -75° 57' 58"),

8) a temporary wetland impact from wetland restoration activities impacting 15,547 square feet (0.36 acre) of Palustrine Emergent Wetlands (PEM) (Springville, PA Quadrangle; Latitude: 41° 38' 39", Longitude: -75° 57' 55"),

9) a temporary wetland impact from wetland restoration activities impacting 600 square feet (0.01 acre) of Palustrine Emergent Wetlands (PEM) (Springville, PA Quadrangle; Latitude: 41° 38' 39", Longitude: -75° 57' 56"),

10) a temporary wetland impact from wetland restoration activities impacting 3,507 square feet (0.08 acre) of Palustrine Emergent Wetlands (PEM) (Springville, PA Quadrangle; Latitude: 41° 38' 30", Longitude: -75° 57' 59"),

11) a temporary wetland impact from wetland restoration activities impacting 2,758 square feet (0.06 acre) of Palustrine Emergent Wetlands (PEM) (Springville, PA Quadrangle; Latitude: 41° 38' 30", Longitude: -75° 58' 00").

The Wyom 5—Gustin Frac Pond, located in Washington Township, Wyoming County, seeks after-the-fact authorization in accordance with the Consent Decree Chesapeake Appalachia, LLC entered into with the U.S. Environmental Protection Agency and the PA Department of Environmental Protection on May 20, 2021. Prior unauthorized impacts resulted in 19,035 square feet (0.44 acre) of temporary PEM wetland impacts and 29,621 square feet (0.68 acre) of permanent PEM wetland impacts. Wetland restoration activities will result in 22,412 square feet (0.51 acre) of temporary PEM wetland impacts to restore and mitigate for prior activities adjacent to the Freshwater Impoundment and supporting infrastructure.

#### ENVIRONMENTAL ASSESSMENTS

*Northwest Region: Oil & Gas Office, 230 Chestnut Street Meadville PA 16335, 814-332-6860.*

**E2408221-003, National Fuel Gas Midstream Clermont, LLC**, 6363 Main Street, Williamsville, NY 14221, Beechwood Phase I, in St. Marys Township, Jones Township, **Elk County**, ACOE Pittsburgh District & Baltimore District, Rich Valley, Wildwood Fire Tower, PA Quadrangle N: 41°, 31', 42.49"; W: 78°, 19', 24.97".

The proposed project is for the installation of steel natural gas pipelines and a waterline to connect proposed

and existing natural gas well pads to an existing compressor station along Shawmut Grade Road. The total proposed alignment is approximately 14 miles long. Roughly half of the route is in Elk County and half is in Cameron County. The proposed project impacts in Elk County include a total of 100 linear feet of permanent impacts, and 612 linear feet of temporary impacts to Clear Creek (EV, MF), UNT's to Little Clear Creek (EV, MF), Little Clear Creek (EV, MF) and UNT's to Straight Creek (EV). Eight floodways will be impacted having 0.05 acre of permanent impacts and 1.08 acres of temporary impacts. 0.03 acre of permanent impacts and 0.90 acre of temporary impacts to Palustrine Emergent wetland(s) are also proposed.

**E1208221-001, National Fuel Gas Midstream Clermont, LLC**, 6363 Main Street, Williamsville, NY 14221, Beechwood Phase I, in Shippen Township, **Cameron County**, ACOE Pittsburgh District & Baltimore District, Rich Valley, Wildwood Fire Tower, PA Quadrangle N: 41°, 31', 42.49"; W: 78°, 19', 24.97".

The proposed project is for the installation of steel natural gas pipelines and a waterline to connect proposed and existing natural gas well pads to an existing compressor station along Shawmut Grade Road. The total proposed alignment is approximately 14 miles long. Roughly half of the route is in Elk County and half is in Cameron County. The proposed project impacts in Elk County include a total of 60 linear feet of permanent impacts, and 457 linear feet of temporary impacts to Clear Creek (EV, MF), UNT's Clear Creek (EV, MF), and UNT's to Bobby Run (EV, MF). Eight floodways will be impacted having 0.03 acre of permanent impacts and 0.90 acre of temporary impacts. 0.06 acre of permanent impacts and 0.02 acre of temporary impacts to Palustrine Emergent wetland(s) and 0.03 acre of permanent impacts to Palustrine Forested wetland(s) are also proposed. Mitigation for project impact will be located adjacent to the pipeline right of way with 0.21 acre of wetland being created.

*Central Office: Waterways Engineering & Wetlands, Rachel Carson State Office Building, 400 Market Street, 2nd Floor, Harrisburg, PA 17101, (717) 787-3411.*

**EA4615221-001. Perkiomen Township**, 1 Trappe Road, Collegeville, PA 19426, Perkiomen Township, **Montgomery County**, U.S. Army Corps of Engineers Philadelphia District.

Project proposes to remove approximately 2,750 cubic yards of legacy sediment along unnamed tributaries to Perkiomen Creek (TSF, MF) for the purpose of restoring natural aquatic resources, including restoration of approximately 1.09 acres of integrated wetlands and streams within the floodplain; to realign approximately 1,775 linear feet of watercourses; to place stream and valley grade control structures; to place log sills, woody debris, and other aquatic habitat structures within the restoration areas; to construct rock construction entrances, temporary stream crossings, and other erosion controls during restoration activities. The restoration project is located within floodplain areas of the unnamed tributaries to Perkiomen Creek beginning upstream of the Bridge Street crossing in Schwenksville, PA USGS Quadrangle: Collegeville, Latitude 39.828271; Longitude -77.223888.

*Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**EA6629221-001: Chesapeake Appalachia, LLC**, 14 Chesapeake Lane, Sayre, PA 18840-1567, Dunny Wyo Pad in Windham Township, **Wyoming County**, ACOE Baltimore District.

This Joint Permit Application is being submitted for after-the-fact authorization of permanent wetland impacts at the Dunny Wyo Pad in accordance with the Consent

Decree United States, et al. v. Chesapeake Appalachia, LLC, Civil Action No. 4:21—00538-MWB CALLC entered into with the U.S. Environmental Protection Agency and PADEP on May 20, 2021. The project is to construct, operate and maintain 0.100 acre of temporary impact to on-site wetlands. All impacts are associated with the Dunny Wyo Pad construction in 2011.

There are no stream and floodway impacts associated with this after-the-fact authorization. The project will result in a total of 4356 SF (0.100 acre) of temporary wetland impacts.

#### Wetland Impact Table:

Resource Name	Municipality Quadrangle	Activity	Cow. Class	Listed Trout	Impact Length Temp. (LF)	Impact Area Temp. (SF)	Impact Length Perm. (LF)	Impact Area Perm. (SF)	Lat. Long.
Construction W-SLH-054-T	Windham Meshoppen	Temporary Workspace	PFO; EV	None	125	4,356			41.595127° 76.120606°
TOTAL IMPACTS					125	4,356			

#### EROSION AND SEDIMENT CONTROL

The following parties have applied for an Erosion and Sediment Control Permit (ESCP) for an earth disturbance activity associated with either a road maintenance or timber harvesting operation.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office listed above the application within 30-days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address, and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

#### Applications received under Sections 5 and 402 of the Clean Streams Law (35 P.S. §§ 691.5 and 691.402).

*Southwest District: Oil & Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4281.*

ESCGP-3 # ESG073021006-00

Applicant Name EQM Gathering OPCO LLC

Contact Person Gregg West

Address 2200 Energy Drive

City, State, Zip Canonsburg, PA 15317

County Greene

Township(s) Springhill

Receiving Stream(s) and Classification(s) Pennsylvania Fork Fish Creek (WWF), Pigeon Run (WWF), Bissett Run (WWF)

Secondary Receiving Water—Fish Creek in Ohio, Pennsylvania Fork Fish Creek (WWF)

#### ACTIONS

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in

the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPUBLICNOTICE](http://www.dep.pa.gov/CWPUBLICNOTICE).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 717.826.5472. Email: RA-EPNPDES\_NERO@pa.gov.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

#### **I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOS.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAS232209	Industrial Stormwater Individual NPDES Permit	Issued	Jeld Wen Inc. 700 W Main Street P.O. Box 259 Ringtown, PA 17967	Ringtown Borough Schuylkill County	NERO
PA0260738	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Nitterhouse Concrete Products Inc. P.O. Box 2013 Chambersburg, PA 17201-0813	Guilford Township Franklin County	SCRO
PA0096792	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Techs Ind 2400 2nd Avenue Pittsburgh, PA 15219-3116	Pittsburgh City Allegheny County	SWRO
PA0036765	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Scranton Hospital Co. LLC 746 Jefferson Avenue Scranton, PA 18510-1624	Tunkhannock Township Wyoming County	NERO

## NOTICES

7917

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0095362	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Laurelville Mennonite Church Center Assoc 941 Laurelville Lane Mt Pleasant, PA 15666-2540	Mount Pleasant Township Westmoreland County	SWRO
PA0097233	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	South Versailles Township Allegheny County 471 Weigles Hill Road Elizabeth, PA 15037-2125	South Versailles Township Allegheny County	SWRO
PA0102717	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Jones Estates Sandy Hills LLC 230 Sandy Hill Road Valencia, PA 16059-3332	Middlesex Township Butler County	NWRO
PA0218901	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Totteridge Properties 2029 Totteridge Drive Greensburg, PA 15601-8521	Salem Township Westmoreland County	SWRO
PA0255173	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Consol PA Coal Co. LLC 1000 Consol Energy Drive Suite 100 Canonsburg, PA 15317-6506	Morris Township Washington County	SWRO
PA0260134	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Lebanon County Comm 400 South 8th Street Lebanon, PA 17042-6794	Cornwall Borough Lebanon County	SCRO
PA0272795	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Matthew R Hinkle 5137 Clayton Circle New Castle, PA 16156	Slippery Rock Township Lawrence County	NWRO
PA0033871	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Perano Frank T P.O. Box 677 Morgantown, PA 19543-0677	White Township Indiana County	NWRO
PA0056413	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Lower Salford Township Authority Montgomery County 57 Main Street Harleysville, PA 19438-2515	Lower Salford Township Montgomery County	SERO
PA0065048	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Nicholson Borough Authority Wyoming County P.O. Box 324 Nicholson, PA 18446-0324	Nicholson Township Wyoming County	NERO
PA0084174	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Envigo Global Svcs Inc. 310 Swamp Bridge Road Denver, PA 17517-8723	West Cocalico Township Lancaster County	SCRO



<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3693415	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Envigo Global Svcs Inc. 310 Swamp Bridge Road Denver, PA 17517-8723	West Cocalico Township Lancaster County	SCRO
3809405	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Lebanon County Comm 400 South 8th Street Lebanon, PA 17042-6794	Cornwall Borough Lebanon County	SCRO
NOEXSE024	No Exposure Certification	Issued	GXO Warehouse Co. Inc. 41 Runway Road Levittown, PA 19057	Bristol Township Bucks County	SERO
PAG043934	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Sergey & Olga Pinchuk 1363 Gabriel Lane Warwick, PA 18974	Hopewell Township Huntingdon County	SCRO
PAG120002	PAG-12 NPDES General Permit for CAFOs	Issued	Hickory Hollow Farm LLC 491 Barnsley Road Oxford, PA 19363-4105	East Nottingham Township Chester County	SCRO
PAG120002	PAG-12 NPDES General Permit for CAFOs	Issued	Hickory Hollow Farm LLC 491 Barnsley Road Oxford, PA 19363-4105	East Nottingham Township Chester County	SCRO
PAG120009	PAG-12 NPDES General Permit for CAFOs	Issued	Windy Pine Farm 410 Barnsley Road Oxford, PA 19363-4105	East Nottingham Township Chester County	SCRO
PAG122210	PAG-12 NPDES General Permit for CAFOs	Issued	Joe Jurgielewicz & Son Ltd P.O. Box 257 Shartlesville, PA 19554-0257	Hegins Township Schuylkill County	SCRO
PAG123640	PAG-12 NPDES General Permit for CAFOs	Issued	Melmar Acres 1612 Pecks Road Middletown, PA 17057	Londonderry Township Dauphin County	SCRO
PAG123658	PAG-12 NPDES General Permit for CAFOs	Issued	Bange Harley 15629 Trough Creek Valley Pike Huntingdon, PA 16652-3785	Union Township Huntingdon County	SCRO
PAG123679	PAG-12 NPDES General Permit for CAFOs	Issued	Terry L Hershey Farm 573 Strasburg Road Paradise, PA 17562-9703	Paradise Township Lancaster County	SCRO
PAG123701	PAG-12 NPDES General Permit for CAFOs	Issued	Cathy L & David W Reifsneider 2596 New Bridgeville Road Felton, PA 17322-7705	Chanceford Township York County	SCRO
PAG123721	PAG-12 NPDES General Permit for CAFOs	Issued	Staub Dennis & Staub Denise 352 Fleshman Mill Road New Oxford, PA 17350-9080	Reading Township Adams County	SCRO
PAG123749	PAG-12 NPDES General Permit for CAFOs	Issued	Sweigart Kenton L 465 Colebrook Road Mount Joy, PA 17552-9777	East Donegal Township Lancaster County	SCRO
PAG123750	PAG-12 NPDES General Permit for CAFOs	Issued	Meadow Wood Farms 2075 Colebrook Road Lebanon, PA 17042-9512	North Cornwall Township Lebanon County	SCRO
PAG123826	PAG-12 NPDES General Permit for CAFOs	Issued	Weaver Garrett 1501 Eshelman Mill Road Willow Street, PA 17584-9550	West Lampeter Township Lancaster County	SCRO
PAG123898	PAG-12 NPDES General Permit for CAFOs	Issued	Mountain View Swine Farms 411 Chestnut Street Lebanon, PA 17042-6142	Bethel Township Berks County	SCRO
PAG123899	PAG-12 NPDES General Permit for CAFOs	Issued	Finkbiner Craig D 2452 Free Spring Church Road McAlisterville, PA 17049-8593	Fayette Township Juniata County	SCRO



## NOTICES

7919

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG124853	PAG-12 NPDES General Permit for CAFOs	Issued	Beaver Run Farms Inc. 3038 Beaver Run Road Mifflinburg, PA 17844-7808	West Buffalo Township Union County	SCRO
1502419	Pump Stations Individual WQM Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Valley Township Chester County	SERO
1503404	Pump Stations Individual WQM Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Valley Township Chester County	SERO
1506413	Pump Stations Individual WQM Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Valley Township Chester County	SERO
1072419	Sewage Treatment Facilities Individual WQM Permit	Issued	Jones Estates Sandy Hills LLC 230 Sandy Hill Road Valencia, PA 16059-3332	Middlesex Township Butler County	NWRO
3915403	Sewage Treatment Facilities Individual WQM Permit	Issued	Allentown City Lehigh County Department of Public Works 435 Hamilton Street Allentown, PA 18101	Allentown City Lehigh County	NERO
6221411	Sewage Treatment Facilities Individual WQM Permit	Issued	Geer James 1252 Scandia Road Warren, PA 16365-8440	Glade Township Warren County	NWRO
PA0093955	Single Residence STP Individual NPDES Permit	Issued	Decarlo Mark P 2800 Washington Boulevard McKeesport, PA 15037	Middlecreek Township Somerset County	SWRO
PA0232980	Single Residence STP Individual NPDES Permit	Issued	Laura L & Terry L Clary 6601 Chestnut Grove Highway Luthersburg, PA 15848-5014	Bloom Township Clearfield County	NCRO
PA0255122	Single Residence STP Individual NPDES Permit	Issued	Rosier Benjamin A 6201 Penn Drive Butler, PA 16002-0443	Bell Acres Borough Allegheny County	SWRO
PA0267511	Single Residence STP Individual NPDES Permit	Issued	Mahone Alan D 531 Maple Grove Road Abbottstown, PA 17301	Franklin Township Adams County	SCRO
PA0267597	Single Residence STP Individual NPDES Permit	Issued	Nail Edward J Jr 3794 Kettle Road Altoona, PA 16601-8522	Tyrone Township Blair County	SCRO
PA0276456	Single Residence STP Individual NPDES Permit	Issued	Scott Petersen 9 Paige Trail Perkasie, PA 18944-2646	Upper Saucon Township Lehigh County	NERO
PA0287962	Single Residence STP Individual NPDES Permit	Issued	Siegler Richard 455 Dutch Road Fairview, PA 16415-1633	Fairview Township Erie County	NWRO
PA0289868	Single Residence STP Individual NPDES Permit	Issued	Amanda & Jason Hoag 7117 Clark Road Erie, PA 16510-5940	Harborcreek Township Erie County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0121402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Mahone Alan D 531 Maple Grove Road Abbottstown, PA 17301	Franklin Township Adams County	SCRO
0721405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Nail Edward J Jr 3794 Kettle Road Altoona, PA 16601-8522	Tyrone Township Blair County	SCRO
1718401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Laura L & Terry L Clary 6601 Chestnut Grove Highway Luthersburg, PA 15848-5014	Bloom Township Clearfield County	NCRO
2519420	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Siegler Richard 455 Dutch Road Fairview, PA 16415-1633	Fairview Township Erie County	NWRO
2521425	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Amanda & Jason Hoag 7117 Clark Road Erie, PA 16510-5940	Harborcreek Township Erie County	NWRO
3921402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Scott Petersen 9 Paige Trail Perkasie, PA 18944-2646	Upper Saucon Township Lehigh County	NERO
PA0263672	Small Flow Treatment Facility Individual NPDES Permit	Issued	Jacquelyn D & Ty A Sornberger 7321 W Lake Road Fairview, PA 16415-1459	Fairview Township Erie County	NWRO
PA0289761	Small Flow Treatment Facility Individual NPDES Permit	Issued	Geer James 1252 Scandia Road Warren, PA 16365-8440	Glade Township Warren County	NWRO
WQG01311301	WQG-01 WQM General Permit	Issued	Sergey & Olga Pinchuk 1363 Gabriel Lane Warwick, PA 18974	Hopewell Township Huntingdon County	SCRO
WQG02150618	WQG-02 WQM General Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Valley Township Chester County	SERO
WQG02150710	WQG-02 WQM General Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Valley Township Chester County	SERO
WQG02152103	WQG-02 WQM General Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Valley Township Chester County	SERO

---

**II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.**

---

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090014	PAG-02 General Permit	Issued	US Home Corporation DBA Lennar 1285 Drummers Lane Wayne, PA 19087-1572	Plumstead Township Bucks County	SERO

## NOTICES

7921

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090035 A-1	PAG-02 General Permit	Issued	Kalimar Properties, LLC 1 Elsa Way Richboro, PA 18954-1411	Falls Township Bucks County	SERO
PAC090479	PAG-02 General Permit	Issued	Britton Realty of Morrisville, LLC 227 Bakers Basin Road Lawrenceville, PA 08648-3307	Falls Township Morrisville Borough Bucks County	SERO
PAD510225	PAG-02 General Permit	Issued	Spring Philadelphia Owner, LLC 3990 Hillsboro Pike Suite 400 Nashville, TN 37215	City of Philadelphia Philadelphia County	SERO
PAC090484	PAG-02 General Permit	Issued	Woodhaven Property Associates, LLC 1717 Woodhaven Drive Bensalem, PA 19020-7107	Bensalem Township Bucks County	SERO
PAC090463	PAG-02 General Permit	Issued	Walnut Creek Acquisitions, LP 404 Sumneytown Pike North Wales, PA 19454-2537	Warrington Township Bucks County	SERO
PAC510234	PAG-02 General Permit	Issued	5001 Umbria Partners, LLC 4127 Main Street Philadelphia, PA 19127	City of Philadelphia Philadelphia County	SERO
PAC150269	PAG-02	Issued	WCASD 782 Springdale Drive Exton, PA 19341	West Goshen Township Chester County	SERO
PAC150282	PAG-02	Issued	Diamant Building Corp Byers Road P.O. Box 471 Uwchlan, PA 19480	East Bradford Township Chester County	SERO
PAD230012 A-10	PAG-02 General Permit	Major Amendment	City of Philadelphia Division of Aviation (DOA) Terminal D-E Philadelphia International Airport Third Floor Philadelphia, PA 19153	Delaware River Schuylkill River	SERO
PAD150227	PAG-02 General Permit	Renewal	Waynesborough Country Club 440 Darby Paoli Road Paoli, PA 19301-2006	Easttown Township Chester County	SERO
PAC390161	PAG-02 General Permit	Issued	Da Vinci Science City, LLC 3145 Hamilton Blvd. Bypass Allentown, PA 18103	City of Allentown Lehigh County	Lehigh County Conservation District 4184 Dorney Park Road Suite 105 Allentown, PA 18104 610-391-9583
PAD130031	Individual NPDES	Issued	Dynamic Capital Properties, LLC P.O. Box 204 Palmerton, PA 18071	Lower Towamensing Township Carbon County	NERO
PAC390001	PAG-02 General Permit	Issued	Lehigh Northampton Airport Authority 3311 Airport Road Allentown, PA 18109	Hanover Township Lehigh County	Lehigh County Conservation District 4184 Dorney Park Road Suite 105 Allentown, PA 18104 610-391-9583

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD450142	Individual NPDES	Issued	Ronald A. & Elizabeth M. Eick 474 Jonas Road Effort, PA 18330	Chestnuthill Township Monroe County	NERO
PAC400212	PAG-02 General Permit	Issued	HUD, Inc. t/a Emerald Anthracite II Thomas Doughton P.O. Box 27 Nanticoke, PA 18634-0027	Newport Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAD480162	Individual NPDES	Issued	Annunciation Hellenic Orthodox Church c/o Aristides Manolas 319 S. 20th Street Easton, PA 18042	Bethlehem Township Northampton County	NERO
PAC450022	PAG-02 General Permit	Issued	Latona Trucking Inc. 620 South Main Street Pittston, PA 18640	Chestnuthill Township Monroe County	Monroe County Conservation District 8050 Running Valley Road Stroudsburg, PA 18347 570-629-3060
PAD640027	Individual NPDES	Issued	Pennsylvania Fish and Boat Commission 595 East Rolling Ridge Drive Bellefonte, PA 16823-9620	Mount Pleasant Township Wayne County	NERO
PAC360641	PAG-02 General Permit	Issued	Costello Builders Inc. P.O. Box East Petersburg, PA 17520	West Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 7117.299.5361, ext. 5
PAC360685	PAG-02 General Permit	Issued	Marcus Waldner 85 Creamery Road Reinholds, PA 17569	West Cocalico Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 7117.299.5361, ext. 5
PAC360165 A-1	PAG-02 General Permit	Issued	Hankin Group 707 Eagleview Boulevard Exton, PA 19341	Lancaster City Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 7117.299.5361, ext. 5
PAC360417 A-1	PAG-02 General Permit	Issued	Turkey Hill Mini Markets LLC 165 Flanders Road Westborough, MA 01581	East Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 7117.299.5361, ext. 5

## NOTICES

7923

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360671	PAG-02 General Permit	Issued	Peace of Mind Self Storage LP 2468 Creek View Drive Lancaster, PA 17602	Manor Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 7117.299.5361, ext. 5
PAC360681	PAG-02 General Permit	Issued	Sylvan Fisher 2816B Irishtown Road Ronks, PA 17572	Leacock Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 7117.299.5361, ext. 5
PAC360691	PAG-02 General Permit	Issued	Beiler Development, LLC 1096 May Post Office Road Quarryville, PA 17566	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 7117.299.5361, ext. 5
PAC360667	PAG-02 General Permit	Issued	Chris Lapp 3835 Yost Road Gordonville, PA 17529	Leacock Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 7117.299.5361, ext. 5
PAC500036	PAG-02 General Permit	Issued	Lake Heron Retreat 183 Riverview Road Liverpool, PA 17045	Liverpool Township Perry County	Perry County Conservation District 31 West Main Street P.O. Box 36 New Bloomfield, PA 17068 717.582.8988, ext. 4
PAC670009 A-1	PAG-02 General Permit	Issued	Falling Creek Investments, Inc. P.O. Box 655 Brodheads ville PA 18322	Loganville Borough York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670485	PAG-02 General Permit	Issued	Hershey Command Center Associates, LLC 4 Barlo Circle Dillsburg PA 17019	Carroll Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC080062	PAG-02 GP	Issued	Patrick Cotton Bradford County Fireman's Association 29 VanKuren Drive Towanda, PA 18848	North Towanda Township Bradford County	Bradford County Conservation District 200 Lake Rd Suite E Towanda, PA 18848



<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC080063	PAG-02 GP	Issued	Andrew Bishop Wysox S&G Inc. 22488 Route 187 Wysox, PA 18854	Wysox Township Bradford County	Bradford County Conservation District 200 Lake Rd Suite E Towanda, PA 18848
PAC140007	PAG-02 GP	Issued	Christine Weikert Dreibelbis Street State College, PA 16801	College Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823-1400
PAC140042 A-1	PAG-02 GP	Issued	Happy Valley Blended Products, LLC Penntech Drive Bellefonte, PA 16823	Benner Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823-1400
PAC140042	PAG-02 GP	Issued	Benner Commerce Park Property Owners Assoc. Penntech Drive Bellefonte, PA 16823	Benner Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823-1400
PAC180021	PAG-02 GP	Issued	Robert Maguire P.O. Box 400 McElhatten, PA 17748	Grugan Township Clinton County	Clinton County Conservation District 45 Cooperation Ln Mill Hall, PA 17751-8978
PAC180022	PAG-02 GP	Issued	LTT Trucking Lee Thompson P.O. Box 254 North Bend, PA 17760	Chapman Township Clinton County	Clinton County Conservation District 45 Cooperation Ln Mill Hall, PA 17751-8978
PAC170053	PAG-02 GP	Issued	Michael J Dilullo Dilullo Transport Inc. 349 DuBois St DuBois, PA 15801	Sandy Township Clearfield County	Clearfield County Conservation District 6395 Clearfield- Woodland Hwy Suite 2 Clearfield, PA 16830-1923
PAC550057	PAG-02 GP	Issued	Ryan Martin 5280 Ridge Road Beaver Springs, PA 17812	West Beaver Township Snyder County	Snyder County Conservation District 10541 Route 522 Middleburg, PA 17842-7840
PAC020279A-5	PAG-02 General Permit	Issued	NP Pittsburgh Industrial 2, LLC 4805 Montgomery Road Suite 310 Cincinnati, OH 45212	Findlay Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011

## NOTICES

7925

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC020367A-1	PAG-02 General Permit	Issued	Chen Family Pleasantview, LP 99 Brookside Lane Corapolis, PA 15108	Robinson Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020377A-1	PAG-02 General Permit	Issued	AR Building Company, Inc. 310 Seven Field Blvd Suite 350 Seven Fields, PA 16046	Monroeville Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020389	PAG-02 General Permit	Issued	South Fayette Township 515 Millers Run Rd South Fayette, PA 15064	South Fayette Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020432A-1	PAG-02 General Permit	Issued	Frank Zokaites 375 Golfside Drive Wexford, PA 15090	Pleasant Hills Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020490A-1	PAG-02 General Permit	Issued	Carnegie Mellon University 5000 Forbes Avenue Pittsburgh, PA 15213	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020530A-1	PAG-02 General Permit	Issued	Allegheny County Airport Authority P.O. Box 12370 Pittsburgh, PA 15231	Findlay Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020561A-1	PAG-02 General Permit	Issued	Deerfield Estates, LP 202 Gabriel Drive Mars, PA 16046	Franklin Park Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011

## NOTICES

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC020736	PAG-02 General Permit	Issued	Joseph Kissane 4002 Lorigan Street Pittsburgh, PA 15224	Reserve Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020753	PAG-02 General Permit	Issued	Geoff Shorts, LLC 2212 Noblestown Road Pittsburgh, PA 15205	Collier Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020756	PAG-02 General Permit	Issued	The Bungalow Company, LP 3819 Old William Penn Hwy Suite 500 Murrysville, PA 15668	Wilkins Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020767	PAG-02 General Permit	Issued	Allegheny County Parks Dept. County Office Building 21 542 Forbes Avenue Pittsburgh, PA 15219	North Fayette Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020769	PAG-02 Individual Permit	Issued	Rashid Hassan Tennis Center, LLC 126 Horizon Drive Monroeville, PA 15146	Municipality of Monroeville Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020771	PAG-02 General Permit	Issued	Pittsburgh Water & Sewer Authority 1200 Penn Avenue Pittsburgh, PA 15222	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020774	PAG-02 General Permit	Issued	David Tessmer 300 Pinkertown Road Wexford, PA 15090	Pine Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011

## NOTICES

7927

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC020784	PAG-02 General Permit	Issued	Castlegate Green, LLC 115 N Beatty Street Pittsburgh, PA 15206	Mt. Lebanon Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020793	PAG-02 General Permit	Issued	Gateway School District 7000 Campus Boulevard Monroeville, PA 15146	Municipality of Monroeville Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAC020797	PAG-02 General Permit	Issued	Whitehall Township 100 Borough Park Drive Pittsburgh, PA 15236	Whitehall Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8011
PAD020041	PAG-02 Individual Permit	Issued	Riverfront 47, LP 535 Smithfield Street Suite 715 Pittsburgh, PA 15222	Sharpsburg Borough Allegheny County	SWRO
PAD300014	PAG-02 Individual Permit	Issued	Peoples Natural Gas Company, LLC 195 Donohoe Road Greensburg, PA 15601	Freeport Township Gilmore Township Jackson Township Springhill Township Greene County	SWRO
PAC560042	PAG-02 General Permit	Issued	PA Turnpike Commission 700 South Eisenhower Blvd Middletown, PA 17057	Allegheny Township New Baltimore Borough Somerset County Juniata Township Bedford County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-289-4250
PAC630084A-2	PAG-02 General Permit	Issued	The Streets at the Meadows, LP 375 Southpointe Blvd Canonsburg, PA 15317	North Strabane Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Rd Suite 1 Washington, PA 15301 724-705-7098
PAC630138A-1	PAG-02 General Permit	Issued	Burgettstown Road Associates 100 Leetsdale Industrial Drive Leetsdale, PA 15056	Robinson Township Findlay Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Rd Suite 1 Washington, PA 15301 724-705-7098

## NOTICES

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC630182A-1	PAG-02 General Permit	Issued	Scarmazzi Highland, LLC 127 Adams Avenue Canonsburg, PA 15317 and Stewart Contracting 6 Cecil Reissing Road Cecil, PA 15057	Union Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Rd Suite 1 Washington, PA 15301 724-705-7098
PAC630195	PAG-02 General Permit	Issued	Kinsale Land Partners, LLC 2543 Washington Road Pittsburgh, PA 15241	Peters Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Rd Suite 1 Washington, PA 15301 724-705-7098
PAC630219	PAG-02 General Permit	Issued	ABC&D Properties 3132 Millers Run Road Cecil, PA 15321	Smith Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Rd Suite 1 Washington, PA 15301 724-705-7098
PAC630220	PAG-02 General Permit	Issued	ZNS Properties, LLC 28 3rd Street, NE # 692 Faribault, MN 55021	Mt. Pleasant Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Rd Suite 1 Washington, PA 15301 724-705-7098
PAC630238	PAG-02 General Permit	Issued	Peoples Natural Gas Company, LLC 375 North Shore Drive Pittsburgh, PA 15212	Morris Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Rd Suite 1 Washington, PA 15301 724-705-7098
PAD630046	PAG-02 Individual Permit	Issued	GSP Management Co. P.O. Box 677 Morgantown, WV 19543	Donegal Township Washington County	SWRO
PAD630060	PAG-02 Individual Permit	Issued	Eighty-Four Land Company 163 Lelak Lane Venetia, PA 15367	Somerset Township Washington County	SWRO
PAC650008	PAG-02 General Permit	Issued	F&H Development P.O. Box 297 Wexford, PA 15090	North Huntingdon Township Westmoreland County	Westmoreland County Conservation District 218 Donohoe Rd Greensburg, PA 15601 724-837-5271



<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC650160	PAG-02 General Permit	Issued	Dondia, LLC 1300 White Oak Court North Huntingdon, PA 15642	North Huntingdon Township Westmoreland County	Westmoreland County Conservation District 218 Donohoe Rd Greensburg, PA 15601 724-837-5271
PAC650279	PAG-02 General Permit	Issued	Weaver Development, Inc. 3121 Deerfield Court Murrysville, PA 15668	Penn Township Westmoreland County	Westmoreland County Conservation District 218 Donohoe Rd Greensburg, PA 15601 724-837-5271
PAC650287	PAG-02 General Permit	Issued	Wyatt WC Properties LLC 4545 Campbells Run Rd Pittsburgh, PA 15205	South Huntingdon Township Westmoreland County	Westmoreland County Conservation District 218 Donohoe Rd Greensburg, PA 15601 724-837-5271
PAC650290	PAG-02 General Permit	Issued	Colony Realty Associates, LP 8954 Hills Drive North Huntingdon, PA 15642	North Huntingdon Township Westmoreland County	Westmoreland County Conservation District 218 Donohoe Rd Greensburg, PA 15601 724-837-5271
PAC650301	PAG-02 General Permit	Issued	Robert Queale 307 Satinwood Lane Greensburg, PA 15601	Hempfield Township Westmoreland County	Westmoreland County Conservation District 218 Donohoe Rd Greensburg, PA 15601 724-837-5271
PAC030041	PAG-02 General Permit	Issued	Holbein Inc 180 Park Road Sarver, PA 16055	South Buffalo Township Armstrong County	Armstrong County Conservation District 120 S Grant Avenue Suite 2 Kittanning, PA 16201 724-548-3425

## STATE CONSERVATION COMMISSION

### NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Terry Hershey Terry Hershey Farm 573 Strasburg Road Paradise, PA 17562	Lancaster	82	122.80	Swine	NA	Approved
Garrett Weaver Willows Farm 1501 Eshelman Mill Road Willow Street, PA 17584	Lancaster	212	0.58	Ducks Beef Finisher	NA	Approved
Carl & John Myer Walnut Run Farms 292 Elm Road Lititz, PA 17543	Lancaster	1200	1.61	Dairy	NA	Approved
David H. Martin 420 Nottingham Road Nottingham, PA 19362	Lancaster	221.4	3.39	Swine	HQ	Approved
Clair Hurst 788 Kingpen Road Kirkwood, PA 17536	Lancaster	105.6	6.34	Swine Dairy	HQ	Approved
Jay Deiter 2040 River Road Bainbridge, PA 17502	Lancaster	201.1	2.81	Swine Heifer	NA	Approved
Mitchell Shellenberger Shelmar Acres, LLC 580 Colebrook Road Mount Joy, PA 17552	Lancaster	199.3	7.3	Swine Heifer	NA	Approved
Brent Hershey Meadow Run Farm 4270 Harvest Rd. Manheim, PA 17545	Lebanon	105.9	996.12	Swine	N/A	Approved
Hershberger CAFO Farm Brock Hite 612 Viall Hill Road Towanda, PA 18848	Bradford	140.8	652.30	Swine Beef Goats Sheep	NA	Approval

## PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*

unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

## SAFE DRINKING WATER

**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1-721.17).**

*Northcentral Region: Safe Drinking Water Program, 208 West Third Street, Williamsport, PA 17701.*

**Permit No. 1821502MA, Minor Amendment.** Public Water Supply.

Applicant	<b>South Renovo Borough Council</b> 455 Pine Street South Renovo, PA 17764
Borough or Township	South Renovo Borough
County	<b>Clinton</b>
Type of Facility	Public Water Supply
Consulting Engineer	K. Alan Uhler Jr., P.E. Kerry A. Uhler & Associates 140 West High Street Bellefonte, PA 16823
Permit Issued	December 2, 2021

**Operations Permit** issued to: **Municipal Authority of the City of Sunbury**, 462 South 4th Street, Sunbury, PA 17801, PWSID No. 4490007, City of Sunbury, **Northumberland County**, on December 2, 2021 for the operation of facilities approved under construction permit # 4919502MA. This permit authorizes the authority to operate Filters No. 1 and 2 and to replace multiple valves, actuators, and their appurtenances, turbidimeters and media at the water-filter plant. The authority is also authorized to increase the size of the re-wash drain to 6 inches to handle the backwash water flow.

## WATER ALLOCATIONS

**Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. § 631–641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.**

*Northcentral Region: Safe Drinking Water Program, 208 West Third Street, Williamsport, PA 17701.*

**WA 17-106B, Water Allocations. Houtzdale Municipal Authority**, 561 Kirk Street, Houtzdale, PA 16651, Rush Township, **Centre County**. Water Allocation Permit No. WA 17-106B, issued August 29, 2018, granted the right to withdraw up to a maximum of 700,000 gallons per day, when available, from an Upper Intake on Mountain Branch, up to a maximum of 700,000 gallons per day, when available, from a Lower Intake on Mountain Branch, but not more than a maximum of 700,000 gallons per day from both Mountain Branch Intakes combined, and up to a maximum of 300,000 gallons per day from an Intake on Moshannon Creek, when available, all intakes located in Rush Township, Centre County. Modification Order No. 2 is hereby issued. Modification Order No. 2 removes all references to the Lower Intake from the permit's narrative. Also, former Special Condition 4 has been deleted and former Special Condition 2 has been modified to remove the Lower Intake.

**WA 19-144C, Water Allocations. SUEZ Water Pennsylvania, Inc.**, 6310 Allentown Boulevard, Harrisburg, PA 17112, Town of Bloomsburg, **Columbia County**. This permit incorporates the schedule for removal of Boone Dam, monitoring requirements before and after dam removal, instream flow triggers and withdrawal reduc-

tions, and includes service area changes from Modification Order 1 into one new, complete, revised permit.

## SEWAGE FACILITIES ACT PLAN APPROVAL

**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.**

*Southcentral Region: Clean Water Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Plan Location:*

<i>Township</i>	<i>Township Address</i>	<i>County</i>
Menallen Township	170 Memory Lane Aspers, PA 17304	Adams

*Plan Description:*

Approval of a revision to the official plan of Menallen Township, Adams County. The project is known as the **Kirk Re Small Flow Treatment Facility (SFTF)**. The plan provides for a SFTF proposal to replace a malfunctioning on-lot disposal system serving an existing single-family residential dwelling on 0.89 acre. Total estimated sewage flows are 400 gpd, and there is a proposed discharge to an unnamed tributary of Opossum Creek. The proposed development is located at 2570 Carlisle Road in Menallen Township, Adams County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-01923-279-3s and the APS Id is 1052045. Permits for on lot sewage disposal systems must be obtained in the name of the property owner.

*Plan Location:*

<i>Township</i>	<i>Township Address</i>	<i>County</i>
Jackson Township	13233 Greenwood Road Huntingdon, PA 16652	Huntingdon

*Plan Description:*

Approval of a revision to the official plan of Jackson Township, Huntingdon County. The project is known as **Susan Pletcher Property SFTF**. The plan provides for the installation of a small flow treatment facility with a discharge on the property into Standing Stone Creek (HQ-CWF), to replace a failing on-lot sewage disposal system for a single-family dwelling on a 0.43-acre lot. The property is located at 5504 McAlevys Fort Road. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-31919-110-3s and the APS Id is 1043863. Any permits must be obtained in the name of the property owner.

*Plan Location:*

<i>Township</i>	<i>Township Address</i>	<i>County</i>
West Hempfield Township	3476 Marietta Avenue Lancaster, PA 17601	Lancaster

*Plan Description:*

Approval of a revision to the official plan of West Hempfield Township, Lancaster County has been issued. This action is a result of the review of a planning module for the **Reichardt Tract Subdivision** (DEP Code No. A3-36960-316-3; APS ID No. 1050212). The proposed development—to be located at 3809 Concordia Road in Columbia—consists of a 9-lot residential subdivision using a low-pressure sewer system for seven proposed single-family dwellings. The Department's review of the

plan revision has not identified any significant impacts resulting from this proposal. Any permits must be obtained in the name of Lancaster Area Sewer Authority.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995  
PREAMBLE 2

---

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

---

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Cintas/Former RUS Facility**, 164 East Main Street, Emmaus, PA 18049, Emmaus Borough, **Lehigh County**, Arcadis, 10 Friends Lane, Newtown, PA 18940, on behalf of Cintas, 27 Whitney Drive, Milford, OH 45150, submitted a revised final report concerning remediation of soil and groundwater contaminated with chlorinated solvents from historical dry cleaning operations. The report is intended to document remediation of the site to meet site-specific standards.

**645 Belmont Avenue**, 645 Belmont Avenue, Mount Pocono, PA 18344, Mount Pocono Borough, **Monroe County**. JMT Industrial & Environmental Contracting Services, 710 Uhler Road, Easton, PA 18040, on behalf of Carolyn Howie Boyle, 209 Tenth Avenue, San Francisco, CA 94118, submitted a Final Report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide health standards.

**W. Brooks Pad 2**, 147 Phillips Road, Springville, PA 18844, Springville Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated by a release of drilling mud and produced fluid (brine). The report is intended to document remediation of the site to meet a combination of Background and Statewide health standards.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Williamsport, PA 17701.*

**Pavao Property**, 101 East Sycamore Street, Snow Shoe, PA 16874, Snow Shoe Borough, **Centre County**. DMS Environmental Services, LLC, 103 S. Spring Street, Bellefonte, PA 16823, on behalf of Beatrice Holdings, LP, 100 Ryan Ct., Suite 21, Pittsburgh, PA 15205-1324, has submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide health standard.

**Inflection TLC Well Site Release**, 367 Yeagle Road, Montoursville, PA 17754, Eldred Township, **Lycoming County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of Inflection Energy PA, LLC, 101 W 3rd Street, 5th Fl, Williamsport, PA 17701, has submitted a Final Report concerning remediation of site soil contaminated with brine. The report is intended to document remediation of the site to meet the Statewide health standard.

**Timberend Estates MHC**, 528 Ruben Kehrler Rd., Lots 98 & 99, Muncy, PA 17756, Fairfield Township, **Lycoming County**. Keystone Consulting Engineers, Inc., 2870 Emrick Blvd, Bethlehem, PA 18020, on behalf of Timberend Estates LLC/ARX Management, 1199 Lancaster Ave, Ste 100, Berwyn, PA 19312, has submitted a Final Report concerning remediation of site soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide health standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995  
PREAMBLE 3

---

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

---

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to



one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Warner's Central Garage**, 8-10 Hudsonale Street, Weatherly, PA 18255, Weatherly Borough, **Carbon County**. Barry Isett & Associates, 1170 Highway 315, Wilkes-Barre, PA 18702, on behalf of Mauch Chunk Trust Company, 1111 North Street, P.O. Box 289, Jim Thorpe, PA 18229, submitted a Remedial Investigation Report and a Cleanup Plan concerning soil contaminated with lead and hydrocarbons from historic fill. The reports were approved by DEP on December 6, 2021.

**Buckeye Macungie Terminal Tank 220 Release**, 5131 Buckeye Road, Macungie, PA 18062, Lower Macungie and Upper Milford Townships, **Lehigh County**. GES, 440 Creamery Way, Suite 500 Exton, PA 19341, on behalf of Buckeye Partners LP, Five TEK Park 9999 Hamilton Blvd, Breinigsville, PA 18031, submitted a Final Report concerning remediation of soil and groundwater contaminated by a release of petroleum from an aboveground storage tank. The Final Report demon-

strated attainment of combination of site-specific and Statewide health standards and was approved by DEP on December 3, 2021

**Hawkey Property**, 5382 Chapmans Road, Orefield, PA 18069, Upper Macungie Township, **Lehigh County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Dean Hawkey, 5382 Chapmans Road, Orefield, PA 18069, submitted a Final Report concerning remediation of soil contaminated by a release of heating oil from an aboveground storage tank. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on December 2, 2021.

#### HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

**Draft permits issued, revised or withdrawn under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.**

*Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**PAR000030874. Copperhead Chemical Company, Inc.**, 120 River Road, Tamaqua, PA 18252. The Commonwealth of Pennsylvania, Department of Environmental Protection (DEP) intends to issue to Copperhead Chemical Company (Copperhead) a Solid Waste Management Act Permit. This permit is a renewal of the permit to operate a Hazardous Waste treatment facility in Walker Township, **Schuylkill County**. The renewed permit will allow the existing Facility to remain in operation for another ten (10) years. Copperhead is a manufacturer of nitrate esters and pharmaceutical grade nitroglycerin and other products for use in various pharmaceutical blends. The facility consists of a thermal treatment unit for the safe disposal of waste materials generated in the manufacturing process, as well as off-spec products. The thermal treatment unit is located in an isolated area of the western section of Copperhead's property. The unit consists of three elevated concrete slabs with concrete block walls on three sides which house 1/4" thick steel burn pans supported by fire brick. The loading/unloading area in front of the burn bays is paved with asphalt to minimize the potential for spills to impact soils or groundwater.

The public will be given forty-five (45) days to comment on the draft permit, issued December 15, 2021 and prepared under the Solid Waste Management Act. The comment period will begin on December 18, 2021 and will end on February 1, 2022. Any person interested in commenting on the application or draft permit must do so within this comment period. An information repository has been established at the DEP Northeast Regional Office. To request to view the draft permit and related information, contact Roger Bellas at 570-826-2511 or rbellas@pa.gov for further information.

All persons wishing to comment on any of the permit conditions or permit application should submit the comments in writing to DEP, Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915; Attention Roger Bellas, Regional Solid Waste Manager. Comments should include all reasonably available references, factual grounds and supporting materials.

When making a determination regarding the issuance of a hazardous waste permit to Copperhead, DEP will



consider all written comments received during the comment period, the requirements of the hazardous waste regulations of 25 Pa. Code Chapter 260—270, and DEP's permitting policies.

*Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Christina Wilhelm.*

**PAR0005223226. Zambelli Fireworks Manufacturing Company**, 782 Garner Road, Edinburg, PA 16116, Mahoning Township, **Lawrence County**. Draft permit issued on December 13, 2021. The draft permit is for the treatment of specific hazardous waste generated by the Zambelli Fireworks Manufacturing Company. Damaged or otherwise unusable fireworks are considered hazardous waste once they are declared unrepairable. A thermal treatment process is used to destroy this waste. The residual ash generated as part of this operation is collected and shipped off-site for proper disposal.

Comments concerning the application should be directed to Christina Wilhelm, Waste Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Persons interested in obtaining more information about the general permit application may contact the Regional Office, (814) 332-6848. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 45 days of this notice and may recommend revisions to, and approval or denial of, the application.

#### **DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS**

**Determination of Applicability for General Permit Rescinded Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**General Permit No. WMGR123SW051. Range Resources-Appalachia, LLC**, 3000 Town Center Boulevard, Canonsburg, PA 15317. A Determination of Applicability for operation under General Permit WMGR123 for the processing and beneficial use of oil and gas liquid waste at the Hanover 32 Tank Pad Reuse Water Storage Facility, 106 Clinton Frankfort Road, Clinton, PA 15026 in Hanover Township, **Beaver County**, was issued by the Regional Office on October 8, 2021. On October 21, 2021, Range Resources requested the permit be withdrawn. The Regional Office rescinded the Determination of Applicability on November 29, 2021.

Persons interested in reviewing the general permit or the application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

## **AIR QUALITY**

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**GP7-36-03118A: ITP of USA, Inc.** (200 South Chestnut Street, Elizabethtown, PA 17022) on November 30, 2021, for three (3) existing sheet-fed offset lithographic printing presses, under GP7, at the printing facility located in Elizabethtown Borough, **Lancaster County**. The general permit authorization was renewed.

**GP3-06-03100C: Martin Stone Quarries, Inc.** (1355 North Reading Avenue, Bechtelsville, PA 19505) on November 30, 2021, for portable nonmetallic mineral processing equipment under GP3 at the Gabel Quarry, in Washington Township, **Berks County**.

**GP9-06-03100C: Martin Stone Quarries, Inc.** (1355 North Reading Avenue, Bechtelsville, PA 19505) on November 30, 2021, for 2 nonroad engines under GP9, to power portable nonmetallic mineral processing equipment at the Gabel Quarry, in Washington Township, **Berks County**.

**GP4-67-05113: Oldcastle Building Envelope, Inc.** (1551 Mt. Rose Avenue, York, PA 17403-2909) on November 30, 2021, for operation of an existing burnoff oven, under GP4, at the metal window and door manufacturing facility in Spring Garden Township, **York County**.

*Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**GP5-30-00224C: EQM Gathering Opco, LLC** (2200 Energy Drive, Canonsburg, PA 15317-1001) on December 2, 2021, to operate previously installed sources: six (6) natural gas-fired Caterpillar engines at 1,775 bhp controlled by oxidation catalyst, one (1) Tri Ethylene Glycol (TEG) dehydrator rated at 150 MMsfd with a reboiler rated at 2.67 MMBtu/hr; 1-rich glycol Flash Tank, 15-storage tanks of various capacities at their Ten Mile (Waynesburg) CS in Franklin Township, **Greene County**.

**GP14-65-00995A: West Newton Animal Clinic, Inc.** (114 Mount Pleasant Road, West Newton, PA 15089) on December 1, 2021, to allow the operation of one (1) US Cremation US 75/300 (Gen II) natural gas-fired animal crematory incinerator equipped with primary and secondary burners rated at 0.5 MMBtu/hr and 1.0 MMBtu/hr, with a maximum cremation rate of 75 lbs/hr, at its facility located in South Huntingdon Township, **Westmoreland County**. This authorization is to change ownership and authorize continued operation to December 1, 2026. There are no other changes at the facility.

---

**Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

---

*Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.*

*Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.*

The City of Philadelphia, Air Management Services (AMS) issued on December 1, 2021 a Plan Approval for installation of air pollution sources at the following facility:

**IP20-000495: Temple University—Health Sciences Campus**—(3401 North Broad Street, Philadelphia, PA 19140) on December 1, 2021, was issued a Plan Approval for the installation of air emission sources at a University, in the City of Philadelphia, **Philadelphia County**. The air emission sources that are part of the Plan Approval are 2 new boilers that will replace two existing boilers, with the new boilers firing natural gas primarily and No. 2 oil during periods of natural gas curtailment each rated 89.98 MMBtu/hr (natural gas)/86.33 MMBtu/hr (No. 2 oil), and one (1) rental boiler firing natural gas primarily and No. 2 oil during periods of natural gas curtailment rated 94.7 MMBtu/hr (natural gas)/91.3 MMBtu/hr (No. 2 oil). The potential emission from the installation are as follows: (1) 26.28 tons per year (tpy) of Carbon Monoxide (CO), (2) 23.59 tpy of Nitrogen Oxides (NO<sub>x</sub>), (3) 17.35 tpy of Sulfur Oxides (SO<sub>x</sub>), (4) 5.05 tpy of Particulate Matter (PM), and (5) 1.85 tpy of Volatile Organic Compound (VOC). The plan approval contains operating, monitoring, and recordkeeping requirements to ensure operation within all applicable requirements.

The City of Philadelphia, Air Management Services (AMS) issued on December 1, 2021 a Plan Approval for installation of air pollution sources at the following facility:

**IP20-000143: Northeast Water Pollution Control Plant**—(3899 Richmond Street, Philadelphia, PA 19137-1415) on December 1, 2021, was issued a Plan Approval for the installation of new air emission sources at a water pollution control plant, in the City of Philadelphia, **Philadelphia County**, and modification of AMS Plan Approval No. IP17-000101 issued April 5, 2017 for a Gravity Thickener Facility (GTF) and Odor Control Facility at the same plant. The new air emission sources that are part of the Plan Approval are one (1) Preliminary Treatment Facility (PTF) for the Frankford High Level Interceptor System with the capacity to process up to 300 million gallons per day of influent flow and two (2) odor control systems each with a biotrickling scrubber (BTS) and a carbon adsorber. The potential emission from the installation are as follows: 2.20 tons per year (tpy) of Volatile Organic Compound (VOC) from the new PTF & Odor Control Systems and 1.51 tpy of VOC from the existing GTF and Odor Control Facility. The plan approval contains operating, monitoring, and recordkeeping requirements to ensure operation within all applicable requirements.

---

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702*

**28-03068B: Pennsylvania Cherry, LLC** (P.O. Box 269, Mercersburg, PA 17236-0269) on December 2, 2021, for the construction of a new lumber drying kiln at the lumber manufacturing facility located in Montgomery Township, **Franklin County**. The plan approval was extended.

**06-05040D: East Penn Manufacturing Co., Inc.** (P.O. Box 147, Lyon Station, PA 19536) on November 30, 2021, for approval of a Reasonably Available Control Technology (RACT 2) plan, as a plan approval and proposed SIP revision, for the secondary lead smelting facility located in Richmond Township, **Berks County**. The plan approval was extended.

**06-05069AA: East Penn Manufacturing Co., Inc.** (P.O. Box 147, Lyon Station, PA 19536) on November 30, 2021, for proposed changes to operations in the Industrial Battery Manufacturing Facility. The Industrial Battery Manufacturing Facility is located at the Lyon Station Plant in Richmond Township, **Berks County**. The plan approval was extended.

**06-05069AC: East Penn Manufacturing Co., Inc.** (P.O. Box 147, Lyon Station, PA 19536) on November 30, 2021, for the installation of a new fabric filter dust collector in the S-1 Facility and modification of dust collectors C59/C59A and C64/C64A in the A-3 Facility. These facilities are located in Richmond Township, **Berks County**. The plan approval was extended.

---

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-05081: Lancaster County SWMA** (1299 Harrisburg Avenue, Lancaster, PA 17603-2515) on December 1, 2021, for the Frey Farm-Creswell Landfill located in Manor Township, **Lancaster County**. The Title V permit was renewed.

**67-05001: Magnesita Refractories Co.** (425 S. Salem Church Rd., York, PA 17408-5955) on November 30, 2021, for the refractory materials manufacturing facility located in West Manchester Township, **York County**. The Title V permit was renewed.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*



**01-05017: Berryville Graphics, Inc.** (100 N. Miller St., Fairfield, PA 17320-9707) on November 23, 2021, for the book printing facility located in Fairfield Borough, **Adams County**. The State-Only permit was renewed.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**12-00008: Metaldyne Sintered Ridgway, LLC** (1 Airport Road, Emporium, PA 15834) on December 3, 2021, was issued a renewal State Only (Natural Minor) Operating Permit for the Metaldyne Sintered Ridgway, LLC powder metal parts manufacturing facility located in Borough of Emporium, **Cameron County**. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

*Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**OP-56-00199: Shade-Central City School District** (203 McGregor Ave., Cairnbrook, PA 15924). On December 2, 2021, the Department issued a renewal Synthetic Minor Operating Permit to authorize the operation of Shade-Central City High School located in Shade Township, **Somerset County**. The emission sources covered by this Operating Permit include 1 CNB Model # T-185 L.5 tri-fuel boiler rated at 6.4 MMBtu/hr equipped with a Breslove separator to control particulate matter emissions, one (1) Burnham Model # 3L-200.50.OWEB boiler rated at 8.4 MMBtu/hr firing on No. 2 fuel oil, and two (2) Ford Power Products emergency electric generators engines rated at 30 kW each. The facility is subject to the applicable requirements of Pa. Code Title 25, Article III, Chapters 121—145. The proposed Operating Permit includes emission limitations, monitoring, work practice standards, reporting, and recordkeeping requirements for the facility.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**43-00321: Northeast Industrial Manufacturing, Incorporated** (640 Keystone Road, Greenville, PA 16125), on November 30, 2021, the Department issued the renewal State-Only Operating Permit of a steel fabrication facility, which manufactures waste, scrap, construction-demolition, and recycling equipment, located in Hempfield Township, **Mercer County**. Permitted air contamination sources are two paint booths and cleaning solvent usage. For permitting purposes, the facility is Natural Minor. In this renewal, 25 Pa. Code § 129.52d, which was promulgated on October 22, 2016, is added as a permit requirement for the paint booths and replaces 25 Pa. Code § 129.52. 25 Pa. Code § 129.52d, which has provisions for coating-related cleaning activities, also applies to cleaning solvent usage for precoating surface preparation and paint spray gun cleaning. Promulgated on August 11, 2018, 25 Pa. Code § 129.63a is added as a permit requirement for cleaning solvent usage for maintenance.

**62-00163: IA Construction Corporation/Garland Mine** (4754 Route 27, Garland, PA 16416). On December 2, 2021, the Department issued the renewal State Only Natural Minor Operating Permit for operation of the aggregate plant located in Pittsfield Township, **Warren**

**County**. The facility's primary emission source consists of the stationary and portable processing plants, roadways, a stationary engine for the portable radial stacker conveyor, and a nonroad engine that powers the portable plant. The potential emission of the primary pollutants is as follows: PM<sub>10</sub>: 22.55 TPY, NO<sub>x</sub>: 14.82 TPY, CO: 4.1 TPY, and VOC: 0.86 TPY; thus, the facility is a natural minor. The facility is subject to Plan Approval 62-163B, which includes a facility throughput limit of 525,000 tons of material processed in any 12 consecutive month period. The stationary engine is subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary RICE. The aggregate plants are subject to 40 CFR 60 Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

---

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

---

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-05108: International Paper Co.** (801 Fountain Avenue, Lancaster, PA 17601-4532) on December 2, 2021, for the laminate solid shipping fiber container manufacturing facility located in Manheim Township, **Lancaster County**. The State-Only permit underwent a minor modification in order to do the following: 1) change permit to natural minor status, along with associated changes to recordkeeping and reporting 2) update the permit contact, 3) update malfunction reporting condition to current standard language, 4) update Federal regulation references, and 5) make minor administrative corrections.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**59-00021: Phoenix Resources, Inc.** (782 Antrim Road, Wellsboro, PA 16901) on December 1, 2021, was issued a revised State Only Operating Permit to incorporate the terms and conditions of Plan Approval 59-00021B for their Phoenix Resources Landfill located in Duncan Township, **Tioga County**. The revised State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

**08-00003: JELD-WEN, Inc.** (P.O. Box 311, Towanda, PA 18848) issued a modified Title V Operating Permit on December 3, 2021 to remove a spray booth and incorporate an HVHA oven into the Lap Siding surface coating operation at their facility located in Wysox Township, **Bradford County**. The modified State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

### Coal Permits Issued

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Ford-Wigfield).*

**Permit No. 32901601 and NPDES No. PA0213586. Millcreek Processing**, P.O. Box 435, Seward, PA 15954, renewal of the NPDES permit and mining activity permit for the Challenger Coal Yard Preparation Plant in East Wheatfield Township, **Indiana County**. Receiving stream: Conemaugh River classified for the following use: WWF. Application received: February 4, 2021. Permit issued: November 30, 2021.

**Permit No. 32841602 and NPDES No. PA0092631. Rosebud Mining Company**, 301 Market Street, Kittanning, PA 16201-1504, renewal of the NPDES permit and mining activity permit for the Clymer Tipple in Cheryhill Township, **Indiana County**. Receiving stream: Dixon Run classified for the following use: CWF. Application received: December 28, 2020. Permit issued: November 30, 2021.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Cayleigh Boniger).*

**Permit No. 33140105 and NPDES Permit No. PA0259527. Original Fuels, Inc.**, P.O. Box 343, Punxsutawney, PA 15767, Renewal of an existing bituminous surface mine and associated NPDES permit located in Perry and Young Townships, **Jefferson County**, affecting 441.5 acres. Receiving stream(s): Mahoning Creek, Rose Run, and unnamed tributaries to Mahoning Creek. Application received: May 12, 2021. Permit Issued: November 23, 2021.

**Permit No. 10920112 and NPDES No. PA0211401. State Industries, Inc.**, P.O. Box 1022, Kittanning, PA 16201, Renewal of an existing bituminous surface mine and associated NPDES permit located in Concord Township, **Butler County**, affecting 22.6 acres. Receiving stream(s): Bear Creek and unnamed tributaries to Bear Creek. Application received: June 10, 2021. Permit Issued: November 30, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 40663013R7. Jeddo-Highland Coal Company**, 144 Brown Street, Yatesville, PA 18640, renewal of an anthracite coal refuse reprocessing, refuse disposal and preparation plant operation in Hazle Township, **Luzerne County** affecting 304.0 acres. Receiving stream: Black Creek. Application received: December 23, 2020. Renewal issued: December 2, 2021.

**Permit No. PAM111096R2. Jeddo-Highland Coal Company**, 144 Brown Street, Yatesville, PA 18640, renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 40663013 in Hazle Township, **Luzerne County**. Receiving stream: Black Creek. Application received: December 23, 2020. Renewal issued: December 2, 2021.

**Permit No. 40663034R7 and NPDES Permit No. PA0225215. Pagnotti Enterprises, Inc.**, 144 Brown Street, Yatesville, PA 18640, renewal of an anthracite surface mine and coal refuse reprocessing operation and NPDES Permit for discharge of treated mine drainage in Foster Township, **Luzerne County** affecting 347.3 acres. Receiving streams: Oley Creek and Pond Creek. Application received: March 1, 2021. Renewal issued: December 2, 2021.

**Permit No 40663034C8. Pagnotti Enterprises, Inc.**, 144 Brown Street, Yatesville, PA 18640, correction to update the post-mining land use of an anthracite surface mine and coal refuse reprocessing operation in Foster Township, **Luzerne County** affecting 347.3 acres. Receiving streams: Oley Creek and Pond Creek. Application received: March 1, 2021. Renewal issued: December 2, 2021.

**Permit No. 54940203R5. Wilbur White Coal Co.**, 1 Low Road, Pottsville, PA 17901, renewal of an anthracite coal refuse reprocessing operation in Butler Township, **Schuylkill County** affecting 27.3 acres. Receiving stream: Mahanoy Creek. Application received: September 3, 2021. Renewal issued: December 2, 2021.

**Permit No. 40850102R6. Northeast Energy Company**, 254 Johnson Street, Wilkes-Barre, PA 18702, renewal for reclamation activities only of an anthracite surface operation in Laurel Run Borough, **Luzerne County** affecting 111.1 acres. Receiving stream: Spring Creek. Application received: November 8, 2021. Renewal issued: December 2, 2021.

**Permit No. 54851305R7. S & J Coal Mine**, 15 Motter Drive, Pine Grove, PA 17963, renewal of an anthracite underground mine operation in Cass and New Castle Townships, **Schuylkill County** affecting 1.7 acres. Receiving stream: West Branch Schuylkill River. Application received: September 14, 2020. Renewal issued: December 3, 2021.

**Permit No. 54851305C6. S & J Coal Mine**, 15 Motter Drive, Pine Grove, PA 17963, correction to an underground mine operation to add subsurface mining area in Cass and New Castle Townships, **Schuylkill County**. Receiving stream: West Branch Schuylkill River. Application received: September 14, 2020. Correction issued: December 3, 2021.

**Permit No. PAM112053C2. S & J Coal Mine**, 15 Motter Drive, Pine Grove, PA 17963, renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104)



on Underground Mining Permit No. 54851305 in Cass and New Castle Townships, **Schuylkill County**. Receiving stream: West Branch Schuylkill River. Application received: September 14, 2020. Renewal issued: December 3, 2021.

**Permit No. 54803004R7. Rausch Creek Land, LP**, 978 Gap Street, Valley View, PA 17983, renewal of an anthracite surface mine operation in Porter and Hegins Townships, **Schuylkill County**, affecting 214.0 acres. Receiving stream: Good Spring Creek. Application received: November 6, 2020. Renewal issued: December 3, 2021.

**Permit No. PAM110006R2. Rausch Creek Land, LP**, 978 Gap Street, Valley View, PA 17983, renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 54803004 in Porter and Hegins Townships, **Schuylkill County**, receiving stream: Good Spring Creek. Application received: November 6, 2020. Renewal issued: December 3, 2021.

#### *Noncoal Permits Issued*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Cayleigh Boniger).*

**Permit No. 10160304 and NPDES Permit No. PA0280763. Allegheny Mineral Corporation**, P.O. Box 1022, Kittanning, PA 16201, Commencement, operation, and restoration of a large industrial minerals surface mine in Worth Township, **Butler County**, affecting 367.0 acres. Receiving stream(s): Black Run, unnamed tributaries to Black Run, and an unnamed tributary to Hogue Run. Application received: February 2, 2021. Permit Issued: December 3, 2021.

### **ACTIONS ON BLASTING ACTIVITY APPLICATIONS**

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

#### *Blasting Permits Issued*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).*

**Permit No. 17214001. RES Coal, LLC**, 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920. Blasting for contracting and reclamation work on GFCC No. 17-18-02 in Chest Township, **Clearfield County** with an expiration date of December 31, 2022. This Blasting Activity Permit (BAP) was to be issued on November 4, 2021; however, due to an oversight, the BAP was never issued. Permit issued: December 3, 2021.

**Permit No. 14214112. Douglas Explosives, Inc.**, 2052 Philipsburg Bigler Hwy., Philipsburg, PA 16866. Blasting for commercial development of Benner Shopping Center located in Benner Township, **Centre County** with an expiration date of April 15, 2022. Permit issued: December 1, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 67214122. Newville Construction Services, Inc.**, 408 Mohawk Road, Newville, PA 17241,

construction blasting for St. Mary's Road pond in Paradise Township, **York County** with an expiration date of November 30, 2022. Permit issued: November 30, 2021.

**Permit No. 35214110. Wampum Hardware Company**, 636 Paden Road, New Galilee, PA 16141, construction blasting for Dolph Mine Fire in Olyphant Borough, **Lackawanna County** with an expiration date of December 31, 2022. Permit issued: December 2, 2021.

**Permit No. 40214123. Maurer & Scott Sales, Inc.**, 122 Thomas Street, Coopersburg, PA 18036, construction blasting for 424 Hazleton Beltway in Hazle Township, **Luzerne County** with an expiration date of December 31, 2022. Permit issued: December 2, 2021.

### **FEDERAL WATER POLLUTION CONTROL ACT SECTION 401**

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

### **WATER OBSTRUCTIONS AND ENCROACHMENTS**

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**



*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**E3902221-005. Borough of Catasauqua**, 90 Bridge Street, Catasauqua, PA 18032, Catasauqua Borough, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To fill and maintain a 0.22 acre area of the floodway of Catasauqua Creek (CWF, MF) with work consisting of a 32 space asphalt parking lot, 2 access roads adjoining Race Street (S.R. 1004), an underground stormwater management facility, sidewalks, curbing, landscaping, and utilities. This project will result in a 540 ft<sup>3</sup> net cut within the floodway. The project is located directly southwest of the intersection of Pineapple Street and Race Street (Catasauqua, PA Quadrangle, Latitude: 40° 38' 59"; Longitude: -75° 27' 59") in Catasauqua Borough, Lehigh County.

**E4002221-010. John Siegal**, 1963 Lakeside Drive, Harveys Lake, PA 18618, Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the John Segal dock project at Pole # 178:

1) To remove an existing structure and to construct and maintain a 1,100 sq. ft. pile-supported wooden dock within the normal pool elevation of Harveys Lake (HQ-CWF). The dock will consist of wood decking, eighteen (18) wooden support pilings, a canopy, a fire pit, and a sitting bench.

2) To rehabilitate an existing, 3-foot high, 35-LF stacked stone retaining wall within the normal pool elevation of Harveys Lake (HQ-CWF) with work consisting of an in-kind replacement of the structure.

The project is located approximately 0.1 mile southwest of the intersection of Lakeside Drive (S.R. 415) and Rock Lane (Harveys Lake, PA Quadrangle, Latitude: 41° 22' 1"; Longitude: -76° 3' 20") in Harveys Lake Borough, Luzerne County.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E0603219-005. Stephen Stoltzfus**, 2025 Valley Road, Morgantown, PA 19543, Caernarvon Township, **Berks County**, ACOE Baltimore District.

To install and maintain an extension to an existing stream enclosure permanently impacting 57 linear feet of UNT to Conestoga River (WWF, MF) and 1,280 square feet of PEM wetlands, all for the purpose of expanding the existing businesses parking and storage area. The project is located at 2025 Valley Road, Morgantown, PA (Latitude: 40° 9' 12" N; Longitude: 75° 52' 23" W) in Caernarvon Township, Berks County. Wetland impacts are de minimus and replacement is not required. Permit issued December 2, 2021.

*Northcentral Region: Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E1804221-004: Gary L. & Patti A. Young**, 584 Island Road, Lock Haven, PA 17745. Accessory Shed in Floodway, Dunnstable Township, **Clinton County**, U.S. Army Corps of Engineers Baltimore District (Lock Haven Quadrangle; 41.144123, -77.395222).

The Small Projects permit authorizes to replace (2) 8 FT x 10 FT Accessory Sheds with one (1) 14 FT x 25 FT Accessory Shed. The two 8' by 10' Accessory Sheds will be permanently removed from the property. The new 14 FT x 25 FT Accessory Shed will be placed on an at grade concrete slab. The project is in the floodway of West Branch Susquehanna River (WWF, MF) and will result in 1,008 sq. ft. of direct floodway impact.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000, Dana Drake.*

**E0205221-002, Edgeworth Borough**, 301 Beaver Road, Edgeworth, PA 15143, Edgeworth Borough, **Allegheny County**, Pittsburgh ACOE District.

Has been given consent to:

1. Construct, operate, and maintain 255 linear feet of an unnamed tributary (UNT) to the Ohio River (WWF) as a low-flow channel, which involves regrading the stream banks from a bank height ratio of 1.4 to 1.0;

2. Construct, operate, and maintain 35 linear feet of riparian buffer along both banks of the UNT;

3. Operate and maintain 25 linear feet of gabion baskets along the left descending bank of the UNT;

For the purpose of providing nutrient and sediment load reduction toward Edgeworth Borough's MS4 requirements of their NPDES permit. Cumulatively, the project will permanently impact 255 linear feet of the UNT, temporarily impact 270 feet of the UNT, permanently impact 0.29 acre of the floodway of the UNT, and temporarily impact 0.3 acre of the floodway of UNT. The project site is located near the intersection of Creek Drive and Woodland Road (Ambridge, PA USGS topographic quadrangle; N: -40°, 32', 59.0"; W: -80°, 11', 10.0"; Sub-basin 20G; USACE Pittsburgh District), in Edgeworth Borough, Allegheny County.

**E6505221-004, Municipal Authority of Westmoreland County**, 124 Park and Pool Road, New Stanton, PA 15672, **Westmoreland County**, Pittsburgh ACOE District

Construct, operate, and maintain, an expansion of the existing pump station building, installation of a blacktop access drive around the northwest side of the building, excavation around the northwest side to accommodate the access drive, additional stone between the building and the new access drive, installation of fill around the southeast side of the building, installation of a concrete pad at the back corner, installation of a PCSM outfall apron, and installation of fencing around the entire building, within the floodway and floodplain of Beaver Run. Permanent impacts are 0.04 acre to the floodway and 0.07 to the floodplain. Temporary impacts are 0.10 acre to the floodway and 0.10 acre to the floodplain.

For the purpose upgrading the pump station to improve public water service.

The project site is located 2.6 miles southeast of the SR66 & SR380 intersection, Apollo, PA 15613 (Vandergrift, PA USGS topographic quadrangle; N: 40°, 30', 48"; W: -79°, 33', 6"; Sub-basin 18B; USACE Pittsburgh District), in Washington Township, Westmoreland County.

*Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

*Contact: Robert Marquez, Senior Project Manager, Telephone Number: 570-327-3636.*

**Permit No. E5829221-008, Williams Field Services Company, LLC**, 30351 Route 6, Wysox, PA 18854; Bridgewater Township, **Susquehanna County**; ACOE, Baltimore District.

To construct, operate, and maintain:

1. a 10-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 7,059 square feet (0.16 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 51' 06", Long. -75° 52' 01");

2. a temporary mat/bridge crossing impacting 186 square feet (0.01 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 51' 06", Long. -75° 52' 00");

3. a 30-inch diameter culvert and permanent access crossing impacting 17 lineal feet of an unnamed tributary to Snake Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 44' 08", Long. -75° 38' 53");

4. a temporary bridge crossing impacting 256 square feet (0.01 acre) of floodway only impacts to an unnamed tributary to Snake Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 51' 06", Long. -75° 52' 00");

5. a temporary mat/bridge crossing impacting 155 square feet (0.01 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 51' 01", Long. -75° 52' 00");

6. a temporary mat/bridge crossing impacting 181 square feet (0.01 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 51' 01", Long. -75° 51' 59");

7. a stream bank restoration activity impacting 167 lineal feet of stream bank and 1,656 square feet (0.04 acre) of stream area impacts to an unnamed tributary to Snake Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 51' 01", Long. -75° 51' 58");

8. a 30-inch diameter smooth-lined HDPE culvert and permanent access road crossing impacting 49 lineal feet stream impacts and 23,226 square feet (0.53 acre) of floodway impacts to an unnamed tributary to Snake Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 51' 01", Long. -75° 51' 01").

The 0.37-mile Tucker H. P1 Well Connect natural gas gathering line project will convey natural gas from the Tucker H. P1 well site to a proposed surface site located in Bridgewater Township, Susquehanna County. The project will result in 234 lineal feet of stream impacts with 0.55 acre (24,045 square feet) of floodway impacts, 256 square feet of floodway only stream impacts, and 0.18 acre (7,681 square feet) of PEM wetland impacts all for the purpose of constructing, operating, and maintaining a natural gas gathering line for conveyance to market.

*Southwest District Oil & Gas. 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E3007220-029, EQM Gathering OPCO, LLC**, 2200 Energy Drive, Canonsburg, PA 15317. To remediate two slope failures, RP-138 and RP-128, on the existing right of way of Beta Trunk natural gas pipeline and reconstruct sections of floodway for three unnamed tributaries to

Harts Run, a Warm Water Fisheries. The project is located within Aleppo Township, **Greene County**, Pittsburgh USACE District (RP-138 (39.8180, -80.4809), RP-128 (39.8109, -80.4817), Sub-Basin 20E (Wheeling Buffalo Creeks Watershed), Quad Name: New Freeport). The project will result in permanent impacts to 0.021 acre of PEM wetland and 0.097 acre of floodway due to subsurface drains, fill placement and reconstruction of the slope with engineered soil fill. The project will temporarily impact 68 linear feet of stream and 0.395 acre of floodway.

<i>Resource</i>	<i>Coordinates</i>	<i>Permanent Direct</i>	<i>Temporary Direct</i>
Wetland WT-14 (PEM)	39.815875, -80.480728	918 sq ft (0.021 ac)	
RP-138 Stream 1 (UNT to Harts Run) Floodway	39.816069, -80.481053	93 sq ft (0.002 ac)	1485 sq ft (0.034 ac)
RP-128 Stream 1 (UNT to Harts Run)	39.810839, -80.481819		68 LF
RP-128 Stream 1 (UNT to Harts Run) Floodway	39.810839, -80.481819	2426 sq ft (0.056 ac)	7004 sq ft (0.161 ac)
RP-128 Stream 2 (UNT to Harts Run) Floodway	39.811019, -80.481633	1702 sq ft (0.039 ac)	8700 sq ft (0.20 ac)

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000, Dana Drake.*

ESCGP-3# ESG00007170003-01  
 Applicant Name Shell Pipeline Company, LP  
 Contact Person Alan Hunsberger  
 Address 150 N. Dairy Ashford  
 City, State, Zip Houston, TX 77079  
 County Allegheny, Beaver, Washington  
 Township(s) North Fayette, Findlay, Independence, Raccoon, Greene, Potter, Chartiers, Mount Pleasant and Robinson Townships  
 Receiving Stream(s) and Classification(s) UNT Robinson Run (WWF)

*Northwest Region: Oil & Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

ESCGP-3 # ESG082421001-00—Clermont Pad H to Pad NF A Pipeline ESX  
 Applicant Name Seneca Resources Co, LLC  
 Contact Person Douglas S Kepler  
 Address 51 Zents Blvd  
 City, State, Zip Brookville, PA 15825-2701  
 County Elk  
 Township(s) Jones Township  
 Receiving Stream(s) and Classification(s) Naval Hollow (HQ-CWF), Briggs Hollow (HQ-CWF) and Straight Creek (HQ-CWF).  
 Secondary Straight Creek (EV) and East Branch Clarion River (HQ-CWF).

*Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

ESCGP-3 # ESG290821059-00  
 Applicant Name Chesapeake Appalachia, LLC  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre PA 18840  
 County Bradford  
 Township(s) Wysox  
 Receiving Stream(s) and Classification(s) Hollow Run (CWF, MF), UNT to Wysox Creek (CWF, MF)  
 Secondary: Wysox Creek (CWF, MF)

ESCGP-3 # ESG295821030-00  
 Applicant Name Coterra Energy, Inc  
 Contact Person Kenneth Marcum  
 Address 2000 Park Lane Suite 300  
 City, State, Zip Pittsburgh, PA 15275-1121  
 County Susquehanna  
 Township(s) Jessup  
 Receiving Stream(s) and Classification(s) UNT # 48585 to Forest Lake Creek (CWF, MF), UNT # 8783 to East Branch Wyalusing Creek (CWF, MF)  
 Secondary: Forest Lake Creek (CWF, MF), East Branch Wyalusing Creek (CWF, MF)

ESCGP-3 # ESG291221002-00  
 Applicant Name NFG Midstream Clermont, LLC  
 Contact Person Duane Wassum  
 Address 1100 State Street  
 City, State, Zip Erie, PA 16501  
 County Cameron  
 Township(s) Shippen  
 Receiving Stream(s) and Classification(s) UNTs to Clear Creek (EV), UNTs to West Creek (HQ)  
 Secondary: Sinnemahoning Creek (HQ, TSF)

ESCGP-3 # ESG295821029-00  
 Applicant Name Chesapeake Appalachia, LLC  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre PA 18840  
 County Susquehanna  
 Township(s) Auburn  
 Receiving Stream(s) and Classification(s) S-SLH-015 (INT) to UNT Deer Lick Creek (CWF, MF), UNT Deer Lick Creek (CMF, MF)  
 Secondary: Deer Lick Creek (CWF, MF)

## **CORRECTIVE ACTION UNDER ACT 32, 1989**

### **PREAMBLE 2**

**The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**Jims Berwyn Auto Repair Ctr**, 15-39025, 576 Lancaster Ave., Berwyn, PA 19312, Easttown Township, **Chester County**. Welsh Environmental, Inc., 131 Clearview Drive, Downingtown, PA 19335, on behalf of Berwyn Owner, LLC, 775 Lancaster Avenue, Suite 210, Villanova, PA 19075, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater



contaminated with petroleum products. The report is intended to document remediation of the site to meet site-specific standards.

**Lukoil 69265**, 51-41440, 9499 E. Roosevelt Blvd., Philadelphia, PA 19114, City of Philadelphia, **Philadelphia County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A-2&3, Ambler, PA 19002, on behalf of Lukoil North America LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Former Exxon Station # 21753 (Moyer's Car Care Center)**, Storage Tank ID # 54-50862, 102 South Route 183, Schuylkill Haven, PA 17972, Wayne Township, **Schuylkill County**. Arcadis, 6041 Wallace Road Extension, Suite 300, Wexford, PA 15090, on behalf of ExxonMobil Environmental and Property Solutions, 875 West Poplar Avenue, Suite 23, # 353, Collierville, TN 38017, has submitted a revised Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document the remedial actions for meeting a combination of site-specific and Statewide health standards.

*Northcentral Regional Office: Environmental Cleanup & Brownfields Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3636.*

*Contact: Randy Farmerie, Environmental Program Manager.*

**Turkey Hill # 207**, Storage Tank Facility ID # 49-30642, 122 East Valley Avenue, Elysburg, PA 17824, Ralpho Township, **Northumberland County**. Kleinfelder, Inc., 51 Dutilh Rd., Suite 240, Cranberry Township, PA 16066, on behalf of TH Minit Markets, LLC, 165 Flanders Road, Westborough, MA 01581, submitted a Site Characterization Report Addendum and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting the Statewide health standard.

**Williamsport West Terminal**, Storage Tank Facility ID # 41-70544, 1606 Sylvan Dell Road, South Williamsport, PA 17702, Armstrong Township, **Lycoming County**. Piedmont Geologic, 6003 Chapel Hill Rd., Raleigh, NC 27607, on behalf of Lucknow-Highspire Terminals, LLC, 900 S. Eisenhower Blvd, Middletown, PA 17057, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet the Statewide health standard.

**Turkey Hill Minit Marts**, Storage Tank Facility ID # 41-27288, 18 East Water Street, Muncy, PA 17756, Muncy Township, **Lycoming County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Turkey Hill Minit Markets, 165 Flanders Road, Westborough, MA 01581, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet the site-specific and Statewide health standards for groundwater and site-specific standard for soil.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Environmental Group Manager, Storage Tanks Program.*

**Barber Oil Co.**, Primary Facility ID # 11-25044, 503 Cedar St., Beaverdale, PA 15921, Summerhill Township, **Cambria County**. Letterle & Associates, Inc., 2022 Axemann Rd., Ste. 201, Bellefonte, PA 16823, on behalf of Barber Oil Co., 503 Cedar St., Beaverdale, PA 15921, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

**Former BP Service Station No. 09131**, Primary Facility ID # 11-14138, 1133 Scalp Ave., Johnstown, PA 15904, Richland Township, **Cambria County**. Antea USA, Inc., 535 Rt. 38, Ste. 203, Cherry Hill, NJ 08002, on behalf of BP Products North America, Inc., 201 Helios Way, Floor 6, Houston, TX 77079, submitted a combined Site Characterization Report, Remedial Action Plan, and Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the site specific standard.

**Former Sunoco 0364-1602**, Primary Facility ID # 65-32519, 99 Tarentum Bridge Rd., New Kensington, PA 15068, New Kensington City, **Westmoreland County**. EnviroTrac Ltd., 176 Thorn Hill Road, Warrendale, PA 16365, on behalf of Sunoco, Inc., 2 Righter Parkway, Ste. 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the site specific standard.

**Best Deal Tire**, Primary Facility ID # 02-07379, 89 Clever Rd., McKees Rocks, PA 15136, Kennedy Township, **Allegheny County**. Flynn Environmental, Inc., 5640 Whipple Ave., N.W., North Canton, OH 44720, on behalf of Bill Ostapchenko, 89 Clever Rd., McKees Rocks, PA 15136, submitted a combined Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

**Stahl Oil**, Primary Facility ID # 56-81539, 659 Berlin Plank Rd., Somerset, PA 15501, Somerset Township, **Somerset County**. P. Joseph Lehman, Inc., P.O. Box 419, Hollidaysburg, PA 16648, on behalf of Stahl Oil Co., P.O. Box 773, Somerset, PA 15501, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

**Morrow Refuse**, Primary Facility ID # 02-81370, 4985 Bakerstown-Culmerville Rd., Tarentum, PA 15084, West Deer Township, **Allegheny County**. Flynn Environmental, Inc., 5640 Whipple Ave., N.W., North Canton, OH 44720, on behalf of John & Elaine Morrow, 4985 Bakerstown-Culmerville Rd., Tarentum, PA 15084, submitted a combined Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

#### The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

*Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**F Street Sunoco**, 51-43814, 3951 Roosevelt Blvd, Philadelphia, PA 19124, **City of Philadelphia**. Synergy Environmental, Inc., 155 Railroad Plaza, First Floor, Royersford, PA 19468, on behalf of 3951 Roosevelt Blvd., Realty Corp., 439 S. Prince Boulevard, Essington, PA 19029, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report was acceptable to meet site-specific standards and was approved by the Department on November 24, 2021.

**Mervine Svc Ctr**, 46-43324, 1258 N. Charlotte St., Pottstown, PA 19464, Lower Pottsgrove Township, **Montgomery County**. Reliance Environmental, Inc., 235 N. Duke St., Lancaster, PA 17602, on behalf of CJD Group, LLC, 1700 Oregon Pike, Lancaster, PA 17601 submitted a Remedial Action Completion Report concerning remediation

of soil and groundwater contaminated with unleaded gasoline and used motor oil. The report demonstrated attainment of nonresidential Statewide health and site-specific standards and was approved by the Department on November 29, 2021.

**Lukoil 69717**, 46-41558, 1685 Sumneystown Pike, Kulpville, PA 19443, **Montgomery County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A-2&3, Ambler, PA 19002, on behalf of LUKOIL North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet residential Statewide health standards in soil and groundwater and was approved by the DEP on November 29, 2021.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Former Warner's Central Garage**, Storage Tank ID # 13-23965, 8 Hudsonale Street, Weatherly, PA 18255 Weatherly Borough, **Carbon County**. Barry Isett & Associates, 85 South Route 100, Allentown, PA 18106, on behalf of Mauch Chunk Trust Company, 1111 North Street, P.O. Box 289, Jim Thorpe, PA 18229, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of Statewide health standards and was approved by DEP on December 2, 2021.

**Liberty Oil Station 38**, Storage Tank ID # 54-51586, 700 North Railroad Street, Tamaqua, PA 18252, Tamaqua Borough, **Schuylkill County**. Converse Consultants, 2738 West College Avenue, State College, PA 16801, on behalf of Norwood Klotz, 600 East Main Street, Schuylkill Haven, PA 17972, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report was not acceptable to meet Statewide health standards and was disapproved by DEP on December 3, 2021.

*Northcentral Regional Office: Environmental Cleanup & Brownfields Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3636.*

*Contact: Randy Farmerie, Environmental Program Manager.*

**Turkey Hill # 207**, Storage Tank Facility ID # 49-30642, 122 East Valley Avenue, Elysburg, PA 17824, Ralpho Township, **Northumberland County**. Kleinfelder, Inc., 51 Dutilh Rd., Suite 240, Cranberry Township, PA 16066, on behalf of TH Minit Markets, LLC, 165 Flanders Road, Westborough, MA 01581, submitted a Site Characterization Report Addendum and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on November 30, 2021.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Environmental Group Manager, Storage Tanks Program.*

**Farmington Shell**, Primary Facility ID # 26-83712, 100 Farmington-Ohiopyle Rd., Farmington, PA 15437, Wharton Township, **Fayette County**. Flynn Environmen-



tal, Inc., 5640 Whipple Ave., N.W., North Canton, OH 44720, on behalf of Earl Johnson, P.O. Box 44, Farmington, PA 15437, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on November 23, 2021.

**Former Pennzoil-Quaker State Fac. No. 3112**, Primary Facility ID # 65-01194, 731 South Main St., Greensburg, PA 15601, Southwest Greensburg Borough, **Westmoreland County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Dr., Cranberry Township, PA 16066, on behalf of Shell Oil Products US, 20945 S. Wilmington Ave., Carson, CA 90810, submitted a revised Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on November 29, 2021.

**CoGo's # 802**, Primary Facility ID # 65-32338, 219 East Pittsburgh St., Greensburg, PA 15601, Greensburg City, **Westmoreland County**. Letterle & Associates, Inc., 2859 Oxford Blvd, Allison Park, PA 15101, on behalf of Coen Markets, Inc., 1000 Philadelphia St., Canonsburg, PA 15314, submitted a Remedial Action Completion Re-

port concerning the remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on November 29, 2021.

**Loftus Sunoco**, Primary Facility ID # 04-08231, 1100 Merchant St., Ambridge, PA 15003, Ambridge Borough, **Beaver County**. Insite Group, Inc., 611 S. Irvine Avenue, Sharon, PA 16146, on behalf of Loftus Auto Service, 101 Loftus Dr., Monaca, PA 15061, submitted a Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan demonstrated attainment of the Statewide health standard and was approved by DEP on November 05, 2021.

**BFS Foods Connellsville**, Primary Facility ID # 26-31699, 1014 Morrell Ave., Connellsville, PA 15425, Connellsville City, **Fayette County**. Letterle & Associates, Inc., 2859 Oxford Blvd, Allison Park, PA 15101, on behalf of Bruceton Farm Service, Inc., 116 Shannon Dr., Morgantown, WV 26508, submitted a combined Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The Site Characterization Report and Remedial Action Plan did not demonstrate attainment of the site specific standard and was disapproved by DEP on November 16, 2021.

---

## SPECIAL NOTICES

---

### RADIATION PROTECTION

---

#### Notice of Certification to Perform Radon-Related Activities in Pennsylvania

---

In the month of November 2021, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Chad M. Albright	4101 Beale Avenue Altoona, PA 16601	Mitigation
Robert A. Anderson	282 Longstreet Drive Gettysburg, PA 17325	Mitigation
Stephen P. Ballasy	1786 Clearview Avenue Blue Bell, PA 19422	Testing
Jason R. Barber	368 Wayne Street Baden, PA 15005	Testing
Aaron Bowser	328 Murtland Street Springdale, PA 15144	Testing
Michael J. Cantor	412 Bow Hill Avenue Hamilton, NJ 08610	Testing
Joseph A. Cline	P.O. Box 1145 Mechanicsburg, PA 17055	Testing
Bryan M. Cole	317 McWilliams Road Trafford, PA 15085	Testing
James J. Debellis	2700 Cumberland Avenue Reading, PA 19606	Mitigation
James J. Debellis	2700 Cumberland Avenue Reading, PA 19606	Testing
Stephen C. DiSalvio	34 Penn Circle Holland, PA 18966	Testing

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Mark W. Droege	238 Pheasant Drive Columbia, PA 17512	Testing
Andrew D. Fritsch	110 S Line Road Ephrata, PA 17522	Mitigation
Thomas M. Giambrone	6233 Frankford Avenue Philadelphia, PA 19135	Testing
Steven J. Gorman	282 Longstreet Drive Gettysburg, PA 17325	Testing
Larry D. Grove	929 S. High St Suite 169 West Chester, PA 19382	Testing
William P. Kennihan	530 Steiner Bridge Road Valencia, PA 16059	Mitigation
Ryan Lingold	P.O. Box 651 Macungie, PA 18062	Testing
Glendon W. Llewellyn	P.O. Box 211 Worthington, PA 16262	Testing
Ralph T. Mansfield	454 Somer Street Lectonin, OH 44431	Mitigation
Ralph T. Mansfield	454 Somer Street Lectonin, OH 44431	Testing
Justin T. McCurry	722 Main Street Pennsburg, PA 18073	Testing
Robert J. Petrillo	P.O. Box 587 Dunmore, PA 18512	Testing
John C. Quimby, IV	9163 Lancelot Drive Pittsburgh, PA 15237	Testing
Edward Robbins	13 Charter Oak Ct Doylestown, PA 18901	Testing
Keith Rogers	305 Cameron Street Douglasville, PA 19518	Mitigation
Dominic Romagnoli, Jr.	8020 Mine Street Fogelsville, PA 18051	Mitigation
Mark Schlott	347 Indian Manor Drive Leesport, PA 19533	Testing
Robert C. Tsas	20914 Merle Drive Gaithersburg, MD 20882	Testing
Robert Vail, Jr.	24 Amanda Lane Scott Township, PA 18433	Mitigation

### WATER PROGRAMS

#### Erosion and Sediment Control Permit Amendment

#### Water Obstruction and Encroachment Permit Amendment

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160.*

The Department of Environmental Protection (Department) provides notice of the Department's approval of permit modifications to the following Chapter 102, Erosion and Sediment Control Permit and Chapter 105 Water Obstruction and Encroachment Permits issued for the Pennsylvania Pipeline Project (PPP)/Mariner East II.

<i>Ch. 102 Permit No.</i>	<i>Applicant Name and Address</i>	<i>Counties</i>	<i>DEP Regional Office</i>
ESG0100015001	Sunoco Pipeline, LP (SPLP) 535 Fritztown Road Sinking Spring, PA 19608	Delaware and Chester	Southeast Region

<i>Ch. 105 Permit No.</i>	<i>Applicant Name and Address</i>	<i>Counties</i>	<i>DEP Regional Office</i>
E15-862	Sunoco Pipeline, LP (SPLP) 535 Fritztown Road Sinking Spring, PA 19608	Chester	Southeast Region

**Chapter 102 Permit No. ESG0100015001:** This request, received April 7, 2021, is entitled Major Amendment, HDD S3-0290 Installation Method Change and Additional Temporary Workspace, Upper Uwchlan Township, **Chester County**. This amendment consists of a change in the route and installation method for the 20-inch diameter pipeline previously permitted as Horizontal Directional Drill (HDD) 290.

This amendment is being requested for earth disturbance activities associated with a change in the horizontal directional drill (HDD) installation method for the 20-inch diameter pipeline to a conventional open trench construction. The new installation plan will involve use of the open cut construction method across Wetland H17 and dry open cut construction methods across Streams S-H10 and S-H11, and open cut construction under the intersection of Milford Road and Little Conestoga Road and under Highview Road. Additional temporary workspace will be required.

An increase to the limits of disturbance of 5.42 acres is being requested.

**Chapter 105 Permit No. E15-862:** This request, received April 7, 2021, is entitled Major Amendment, HDD S3-0290 Installation Method Change, Upper Uwchlan Township, **Chester County**. This amendment consists of a change in the route and installation method for the 20-inch diameter pipeline previously permitted as Horizontal Directional Drill (HDD) 290.

This amendment is being requested for water obstruction and encroachment activities associated with a change in the horizontal directional drill (HDD) installation method for the 20-inch diameter pipeline to a conventional open trench construction. The new installation plan will involve use of the open cut construction method across Wetland H17 and dry open cut construction methods across Streams S-H10 and S-H11.

For more detailed information regarding the Chapter 102 Permit (ESG0100015001) and Chapter 105 Permit (E15-862) related to this project, which is available in the Department's Southeast Regional Office and available online at [dep.pa.gov/pipelines](http://dep.pa.gov/pipelines), contact the Southeast Regional Office, (484) 250-5160 to request a file review.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, 800-654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

[Pa.B. Doc. No. 21-2115. Filed for public inspection December 17, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Board and Committee Meeting Schedules for 2022

The following is a list of 2022 advisory board and committee meetings associated with the Department of Environmental Protection (Department). Meetings will have an in-person as well as a remote participation option. These schedules and an agenda for each meeting, including meeting materials, will be available on the Department's web site at [www.dep.pa.gov](http://www.dep.pa.gov) through the Public Participation tab. Prior to each meeting, the Department encourages individuals to visit the web site to confirm meeting date, time, location and remote participation options.

Persons in need of accommodations, as provided for in the Americans with Disabilities Act of 1990, should contact the individual listed for each board or committee, or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

#### *Aggregate Advisory Board*

The Aggregate Advisory Board will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

February 2, 2022  
May 4, 2022  
August 3, 2022  
November 2, 2022

*Contact:* Daniel E. Snowden, Bureau of Mining Programs, 400 Market Street, Harrisburg, PA 17101 at [dsnowden@pa.gov](mailto:dsnowden@pa.gov) or (717) 783-8846.

#### *Agricultural Advisory Board*

The Agricultural Advisory Board has not yet scheduled meetings for 2022. Notices for upcoming meetings will be published in future issues of the *Pennsylvania Bulletin*.

*Contact:* Jay Braund, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17101 at [jbraund@pa.gov](mailto:jbraund@pa.gov) or (717) 772-5636.

#### *Air Quality Technical Advisory Committee*

The Air Quality Technical Advisory Committee will meet at 9:15 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

February 10, 2022  
April 7, 2022  
June 2, 2022  
August 18, 2022  
October 13, 2022  
December 8, 2022

*Contact:* Kirit Dalal, Bureau of Air Quality, 400 Market Street, Harrisburg, PA 17101 at [kdalal@pa.gov](mailto:kdalal@pa.gov) or (717) 772-3436.

*Board of Coal Mine Safety*

The Board of Coal Mine Safety will meet at 10 a.m. in Conference Rooms A and B, Cambria Office, 286 Industrial Park Road, Ebensburg, PA 15931. The meeting dates are as follows:

March 2, 2022  
June 9, 2022  
September 6, 2022  
December 7, 2022

*Contact:* Peggy Scheloske, Bureau of Mine Safety, P.O. Box 133, New Stanton, PA 15672 at mscheloske@pa.gov or (724) 404-3143.

*Citizens Advisory Council*

The Citizens Advisory Council (CAC) will meet at 12:30 p.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 18, 2022  
February 15, 2022  
March 15, 2022  
April 19, 2022  
May 18, 2022 (Wednesday)  
June 21, 2022  
July 19, 2022  
September 20, 2022  
October 18, 2022  
November 15, 2022—a portion of this meeting will be held with the Environmental Justice Advisory Board

*Contact:* Keith Salador, Citizens Advisory Council, P.O. Box 8459, Harrisburg, PA 17105-8459 at ksalador@pa.gov or (717) 787-8171.

*Cleanup Standards Scientific Advisory Board*

The Cleanup Standards Scientific Advisory Board will meet at 9:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

April 6, 2022  
August 17, 2022  
December 14, 2022

*Contact:* Mike Maddigan, Bureau of Environmental Cleanup and Brownfields, 400 Market Street, Harrisburg, PA 17101 at mmaddigan@pa.gov or (717) 772-3609.

*Climate Change Advisory Committee*

The Climate Change Advisory Committee will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

February 22, 2022  
April 14, 2022  
June 23, 2022  
August 23, 2022  
October 25, 2022  
December 13, 2022

*Contact:* Lindsay Byron, Energy Programs Office, 400 Market Street, Harrisburg, PA 17101 at lbyron@pa.gov or (717) 772-8951.

*Coal and Clay Mine Subsidence Insurance Fund Board*

The Coal and Clay Mine Subsidence Insurance Fund Board will meet at 10 a.m. in the 12th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting date is as follows:

January 13, 2022

*Contact:* James Charowsky, Bureau of Mining Programs, 400 Market Street, Harrisburg, PA 17101 at jcharowsky@pa.gov or (717) 787-7007.

*Coastal Zone Advisory Committee*

The Coastal Zone Advisory Committee will meet at 9:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 12, 2022  
June 15, 2022

*Contact:* Joe Sieber, Compacts and Commissions Office, 400 Market Street, P.O. Box 8465, Harrisburg, PA 17105-8465 at josieber@pa.gov or (717) 787-4726.

*Environmental Justice Advisory Board*

The Environmental Justice Advisory Board will meet at 9 a.m. in the 16th Floor Delaware Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

February 17, 2022  
May 19, 2022

November 15, 2022—a portion of this meeting will be held with the CAC in Room 105, Rachel Carson State Office Building

*Contact:* John Brakeall, Office of Environmental Justice, 400 Market Street, Harrisburg PA 17101 at jbrakeall@pa.gov or (717) 783-9731.

*Environmental Quality Board*

The Environmental Quality Board will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Meetings will only be held when there is a sufficient number of agenda items for consideration. The meeting dates are as follows:

January 18, 2022  
February 15, 2022  
March 15, 2022  
April 19, 2022  
May 18, 2022 (Wednesday)  
June 21, 2022  
July 19, 2022  
August 16, 2022  
September 20, 2022  
October 18, 2022  
November 15, 2022  
December 20, 2022

*Contact:* Laura Griffin, Environmental Quality Board, P.O. Box 8477, Harrisburg, PA 17105-8477 at laurgriffi@pa.gov or (717) 772-3277.

*Laboratory Accreditation Advisory Committee*

The Laboratory Accreditation Advisory Committee has not yet scheduled meetings for 2022. Notices for upcoming meetings will be published in future issues of the *Pennsylvania Bulletin*.

*Contact:* Annmarie Beach, Bureau of Laboratories, 2575 Interstate Drive, Harrisburg, PA 17110 at eplabaccredit@pa.gov or (717) 346-7200.



*Low-Level Radioactive Waste Advisory Committee*

The Low-Level Radioactive Waste Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting date is as follows:

September 30, 2022

*Contact:* Kristina Hoffman, Bureau of Radiation Protection, 400 Market Street, Harrisburg, PA 17101 at krihoffman@pa.gov or (717) 787-2480.

*Mine Families First Response and Communications Advisory Council*

The Mine Families First Response and Communications Advisory Council has not yet scheduled meetings for 2022. Notices for upcoming meetings will be published in future issues of the *Pennsylvania Bulletin*.

*Contact:* Peggy Scheloske, Bureau of Mine Safety, P.O. Box 133, New Stanton, PA 15672 at mscheloske@pa.gov or (724) 404-3143.

*Mining and Reclamation Advisory Board*

The Mining and Reclamation Advisory Board will meet at 10 a.m. in the 16th Floor Delaware Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 20, 2022

April 7, 2022

July 21, 2022

October 12-13, 2022

*Contact:* Daniel E. Snowden, Bureau of Mining Programs, 400 Market Street, Harrisburg, PA 17101 at dsnowden@pa.gov or (717) 783-8846.

*Oil and Gas Technical Advisory Board*

The Oil and Gas Technical Advisory Board will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 14, 2022

April 25, 2022

July 18, 2022

October 20, 2022

*Contact:* Todd M. Wallace, Office of Oil and Gas Management, 400 Market Street, Harrisburg, PA 17101 at twallace@pa.gov or (717) 783-9438.

*Pennsylvania Energy Development Authority*

The Pennsylvania Energy Development Authority has not yet scheduled meetings for 2022. Notices for upcoming meetings will be published in future issues of the *Pennsylvania Bulletin*.

*Contact:* Allen Landis, Energy Programs Office, 400 Market Street, Harrisburg, PA 17101 at alllandis@pa.gov or (717) 787-7389.

*Public Water System Technical Assistance Center Board*

The Public Water System Technical Assistance Center Board will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

February 8, 2022

April 21, 2022

July 14, 2022

October 27, 2022

*Contact:* Dawn Hissner, Bureau of Safe Drinking Water, 400 Market Street, Harrisburg, PA 17101 at dhissner@pa.gov or (717) 772-2189.

*Radiation Protection Advisory Committee*

The Radiation Protection Advisory Committee will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

March 3, 2022

October 6, 2022

*Contact:* John Chipppo, Bureau of Radiation Protection, 400 Market Street, Harrisburg, PA 17101 at jchippo@pa.gov or (717) 783-9730.

*Recycling Fund Advisory Committee*

The Recycling Fund Advisory Committee has not yet scheduled meetings for 2022. Notices for upcoming meetings will be published in future issues of the *Pennsylvania Bulletin*.

*Contact:* Laura Henry, Bureau of Waste Management, 400 Market Street, Harrisburg, PA 17101 at lahenry@pa.gov or (717) 783-2388.

*Sewage Advisory Committee*

The Sewage Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

March 30, 2022

September 14, 2022

*Contact:* Janice Vollero, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17101 at jvollero@pa.gov or (717) 772-5157.

*Small Business Compliance Advisory Committee*

The Small Business Compliance Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 27, 2022

April 27, 2022

July 28, 2022

October 26, 2022

*Contact:* Lucas Hershey, Bureau of Air Quality, 400 Market Street, Harrisburg, PA 17101 at luchershey@pa.gov or (717) 787-7019.

*Solid Waste Advisory Committee*

The Solid Waste Advisory Committee has not yet scheduled meetings for 2022. Notices for upcoming meetings will be published in future issues of the *Pennsylvania Bulletin*.

*Contact:* Laura Henry, Bureau of Waste Management, 400 Market Street, Harrisburg, PA 17101 at lahenry@pa.gov or (717) 783-2388.

*State Board for Certification of Sewage Enforcement Officers*

The State Board for Certification of Sewage Enforcement Officers will meet at 10 a.m. in the 12th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

April 20, 2022

September 7, 2022

October 12, 2022

November 30, 2022



*Contact:* Amy Forney, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17101 at ra-seotrng@pa.gov or (717) 772-2186.

*State Board for Certification of Water and Wastewater Systems Operators*

The State Board for Certification of Water and Wastewater Systems Operators will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

February 9, 2022  
April 13, 2022  
June 8, 2022  
August 10, 2022  
October 5, 2022  
December 7, 2022

*Contact:* Laura Chambers, Bureau of Safe Drinking Water, 400 Market Street, Harrisburg, PA 17101 at lchambers@pa.gov or (717) 772-5158.

**State Water Plan—Regional Water Resource Committees**

*Delaware Regional Water Resource Committee*

The Delaware Regional Water Resource Committee will meet at 9 a.m. in the 16th Floor Delaware Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 11, 2022  
April 12, 2022  
October 11, 2022

*Contact:* Mark Matlock, Compacts and Commissions Office, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.

*Great Lakes Regional Water Resource Committee*

The Great Lakes Regional Water Resource Committee will meet at 9 a.m. in the 16th Floor Delaware Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 26, 2022  
April 27, 2022  
October 26, 2022

*Contact:* Mark Matlock, Compacts and Commissions Office, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.

*Lower Susquehanna Regional Water Resource Committee*

The Lower Susquehanna Regional Water Resource Committee will meet at 9 a.m. in the 16th Floor Delaware Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 12, 2022  
April 13, 2022  
October 12, 2022

*Contact:* Mark Matlock, Compacts and Commissions Office, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.

*Ohio Regional Water Resource Committee*

The Ohio Regional Water Resource Committee will meet at 1 p.m. in the 16th Floor Delaware Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 25, 2022  
April 26, 2022  
October 25, 2022

*Contact:* Mark Matlock, Compacts and Commissions Office, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.

*Potomac Regional Water Resource Committee*

The Potomac Regional Water Resource Committee will meet at 1 p.m. in the 16th Floor Delaware Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 13, 2022  
April 14, 2022  
October 13, 2022

*Contact:* Mark Matlock, Compacts and Commissions Office, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.

*Upper/Middle Susquehanna Regional Water Resource Committee*

The Upper/Middle Susquehanna Regional Water Resource Committee will meet at 9 a.m. in the 16th Floor Delaware Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 27, 2022  
April 28, 2022  
October 27, 2022

*Contact:* Mark Matlock, Compacts and Commissions Office, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.

*Statewide Water Resources Committee*

The Statewide Water Resources Committee will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 19, 2022  
March 16, 2022  
May 11, 2022  
July 20, 2022  
September 21, 2022  
November 9, 2022

*Contact:* Mark Matlock, Compacts and Commissions Office, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.

*Storage Tank Advisory Committee*

The Storage Tank Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

March 8, 2022  
June 7, 2022  
September 7, 2022  
December 6, 2022

*Contact:* Kris A. Shiffer, Bureau of Environmental Cleanup and Brownfields, 400 Market Street, Harrisburg, PA 17101 at kshiffer@pa.gov or (717) 772-5809.

*Technical Advisory Committee on Diesel-Powered Equipment*

The Technical Advisory Committee on Diesel-Powered Equipment will meet at 10 a.m. in the Westmoreland Room, New Stanton Office, 131 Broadview Road, New Stanton, PA 15672. The meeting dates are as follows:

January 12, 2022  
 April 13, 2022  
 July 13, 2022  
 October 12, 2022

Contact: Peggy Scheloske, Bureau of Mine Safety, P.O. Box 133, New Stanton, PA 15672 at mscheloske@pa.gov or (724) 404-3143.

*Water Resources Advisory Committee*

The Water Resources Advisory Committee will meet at 9:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 20, 2022  
 March 17, 2022  
 May 19, 2022  
 July 21, 2022  
 September 15, 2022  
 November 17, 2022

Contact: Bob Haines, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17101 at robhaines@pa.gov or (717) 705-4090.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 21-2116. Filed for public inspection December 17, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### State Board for Certification of Sewage Enforcement Officers; Examination Schedule for 2022

The State Board for Certification of Sewage Enforcement Officers (Board) has scheduled the certification examination schedule for 2022.

To qualify to sit for the certification examination, all Sewage Enforcement Officer (SEO) candidates must successfully complete the Pre-Certification Academy. Examination applications must be received (not postmarked) by the Board, complete and correct, by close of business on the dates indicated. Applications received after these dates will not be considered for examination. Applications that do not contain all the required information will be returned and will not be considered eligible for the examination. The examination schedule for 2022 is as follows:

<i>Examination Date:</i>	Friday, April 1, 2022 (12:30 p.m. registration, exam 1 p.m. to 4:30 p.m.)
<i>Examination Application Deadline:</i>	Wednesday, March 16, 2022
<i>Location:</i>	Pennsylvania State Association of Township Supervisors PSATS Education Center 4855 Woodland Drive Enola, PA 17025
<i>Examination Date:</i>	Friday, August 26, 2022 (12:30 p.m. registration, exam 1 p.m. to 4:30 p.m.)
<i>Examination Application Deadline:</i>	Wednesday, August 10, 2022
<i>Location:</i>	Pennsylvania State Association of Township Supervisors PSATS Education Center 4855 Woodland Drive Enola, PA 17025
<i>Examination Date:</i>	Monday, September 19, 2022 (8:30 a.m. registration, exam 9 a.m. to 12:30 p.m.)
<i>Examination Application Deadline:</i>	Friday, September 2, 2022
<i>Location:</i>	Pennsylvania Department of Environmental Protection Southcentral Regional Office Susquehanna Conference Room Main entrance 909 Elmerton Avenue Harrisburg, PA 17110
<i>Examination Date:</i>	Friday, November 18, 2022 (12:30 p.m. registration, exam 1 p.m. to 4:30 p.m.)
<i>Examination Application Deadline:</i>	Wednesday, November 2, 2022
<i>Location:</i>	Pennsylvania State Association of Township Supervisors PSATS Education Center 4855 Woodland Drive Enola, PA 17025

Additional examination dates will be posted as scheduled. Individuals are encouraged to visit the Board's webpage to confirm date, time and location prior to each examination.

The SEO written examination contains 100 multiple-choice questions covering sewage planning requirements, administration and enforcement of the onlot sewage permitting program, and technical criteria for soils and onlot sewage

disposal systems. The examination must be completed within a 3 1/2-hour time limit. The passing grade is 50% correct responses in each subject area and an overall minimum of 70 correct answers on the entire examination. This is an open book examination. Applicants are not permitted to bring their own materials. Necessary reference materials will be provided at the test site.

Examination applications may be obtained by contacting the Department of Environmental Protection, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8774, Harrisburg, PA 17105-8774, ra-seotrng@pa.gov or (717) 772-2186.

Applicants will receive a confirmation e-mail from the Board prior to the date of the examination.

Persons who anticipate the need for a testing accommodation due to a disability should contact the Board at (717) 772-5157 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss their request. This request must be submitted with the application form.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 21-2117. Filed for public inspection December 17, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Buffalo Valley Lutheran Village  
189 East Tressler Boulevard  
Lewisburg, PA 17838  
FAC ID # 023602

Mountain View, A Nursing and Rehabilitation Center  
2050 Trevorton Road  
Coal Township, PA 17866  
FAC ID # 390302

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(j):

The Bethlen Home of the Hungarian Reformed Federation of America  
66 Carey School Road  
Ligonier, PA 15658  
FAC ID # 021402

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or

hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-2118. Filed for public inspection December 17, 2021, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Disproportionate Share Payments and Supplemental Hospital Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funds in Fiscal Year (FY) 2021-2022 for several classes of inpatient disproportionate share hospital (DSH) payments and supplemental payments to Medical Assistance (MA) enrolled, qualifying inpatient acute care general hospitals. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments. The qualifying criteria and payment methodology for each payment are described in Pennsylvania's Medicaid State Plan.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment, and that no hospital may receive DSH payments in excess of its hospital-specific limit.

The allocation of the funds for DSH payments described as follows is contingent on the availability of Federal financial participation for these payments.

#### *Allocation of Funds*

The Department intends to allocate \$1.057 million in total funds for DSH payments to qualifying acute care general hospitals that have a low commercial-payer ratio, a negative trend in their net patient revenue and are located in an area of this Commonwealth with a disproportionate need for MA services to promote continued access to care for the MA population, upon approval by the Centers for Medicare & Medicaid Services (CMS).

The Department intends to allocate \$1.585 million in total funds for DSH payments to qualifying acute care general hospitals to promote access to acute care services



for MA eligible persons in less urban areas of this Commonwealth, upon approval by CMS.

The Department intends to allocate \$18.293 million in total funds for DSH payments to MA enrolled acute care general hospitals that qualify as a trauma center for the purpose of improving access to readily available and coordinated trauma care for the citizens of this Commonwealth, upon approval by CMS.

The Department intends to allocate \$111.585 million in total funds for DSH payments to qualifying MA enrolled acute care hospitals that promote access to comprehensive inpatient services for MA eligible persons by providing an adequate supply of health care professionals who have been trained in high volume MA enrolled hospital settings, upon approval by CMS.

The Department intends to allocate \$9.377 million in total funds for DSH payments to qualifying acute care general hospital burn centers, upon approval by CMS.

The Department intends to allocate \$14.119 million in total funds for DSH payments to qualifying acute care general hospitals providing obstetrical and neonatal services, upon approval by CMS.

The Department intends to allocate \$0.500 million in total funds for DSH payments to qualifying teaching hospitals that provide psychiatric services to MA beneficiaries in order to help offset medical education costs of psychiatrists that are incurred by hospitals providing assistance to MA beneficiaries and uninsured persons, upon approval by CMS.

The Department intends to allocate \$34.356 million in total funds for DSH payments to critical access and qualifying rural hospitals, upon approval by CMS.

The Department intends to allocate \$ 0.695 million in total funds for DSH payments to qualifying acute care general hospitals that, in partnership with an independent facility listed as a Cleft and Craniofacial Team by the American Cleft Palate-Craniofacial Association, provide surgical services to patients with cleft palate and craniofacial abnormalities, upon approval by CMS.

The Department intends to allocate \$0.737 million in total funds funding for DSH payments made to qualifying MA enrolled acute care general hospitals that provide a high volume of inpatient services to MA eligible and low-income populations, upon approval by CMS.

The Department intends to allocate \$4.333 million in total funds for DSH payments to qualifying acute care general hospitals that qualify as academic medical centers, upon approval by CMS.

The Department intends to allocate \$23.946 million in total funds for DSH payments to qualifying acute care general hospitals to provide additional support for the operation of academic medical programs through the medical education of health care professionals needed to treat the MA population, upon approval by CMS.

The Department intends to allocate \$7.397 million in total funds DSH payments to qualifying acute care general hospitals that participate in an academic medical program, upon approval by CMS.

The Department intends to allocate \$5.290 million in total funds for supplemental payments to qualifying acute care general hospitals that provide medical and surgical ocular services to MA beneficiaries to ensure continued access to these critical eye related services, upon approval by CMS.

The Department intends to allocate \$0.900 million in total funds for supplemental payments to qualifying acute care general hospitals that provide a substantial portion of their inpatient services to MA beneficiaries, upon approval by CMS.

#### *Fiscal Impact*

The FY 2021-2022 impact, as a result of the funding allocation for these payments, is \$234.170 million in total funds (State and Federal), upon approval by CMS.

#### *Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,  
*Acting Secretary*

#### **Fiscal Note:** 14-NOT-1471. (1) General Fund;

(7) MA—Fee-for-Service; (2) Implementing Year 2021-22 is \$53,460,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$808,350,000; 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000;

(7) MA—Critical Access Hospitals; (2) Implementing Year 2021-22 is \$13,057,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$9,777,000; 2019-20 Program—\$8,850,000; 2018-19 Program—\$10,400,000;

(7) MA—Hospital-Based Burn Centers; (2) Implementing Year 2021-22 is \$4,437,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$3,862,000; 2019-20 Program—\$3,792,000; 2018-19 Program—\$3,782,000;

(7) MA—Obstetric and Neonatal Services; (2) Implementing Year 2021-22 is \$3,681,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$2,814,000; 2019-20 Program—\$2,709,000; 2018-19 Program—\$3,681,000;

(7) MA—Academic Medical Centers; (2) Implementing Year 2021-22 is \$17,831,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$21,479,000; 2019-20 Program—\$21,092,000; 2018-19 Program—\$24,681,000;

(7) MA—Physician Practice Plans; (2) Implementing Year 2021-22 is \$2,000,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$9,618,000; 2019-20 Program—\$7,502,000; 2018-19 Program—\$10,071,000;

(7) Autism Intervention; (2) Implementing Year 2021-22 is \$450,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$27,262,000; 2019-20 Program—\$27,052,000; 2018-19 Program—\$30,842,000;

(7) MA—Trauma Centers; (2) Implementing Year 2021-22 is \$8,656,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21



Program—\$7,534,000; 2019-20 Program—\$7,397,000; 2018-19 Program—\$8,656,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 21-2119. Filed for public inspection December 17, 2021, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Consumer Price Index Adjustment of Base Amounts on Bids Effective January 1, 2022

Each year the Department of Labor and Industry (Department) is required by the following statutes to publish changes to the base amounts triggering the requirement for public bids, telephonic bids or separate bids, or both, for certain contracts. The Department is required to announce the percentage change in the Consumer Price Index for All Urban Consumers (CPI-U): All Items for the United States City Average for the 12-month period ending September 30 of each year. The Department utilizes the most current nonseasonally adjusted series, as published by the United States Bureau of Labor Statistics (BLS), which at present uses 1982—1984 as the index base period (set equal to 100). The percentage change for the 12-month period ending September 30, 2021, is 5.4%.

The change to the base rate is determined as follows:

1) Calculate the percentage change in CPI-U (I) from September 2020 to September 2021. This is derived as  $I = (CPI_{21} - CPI_{20}) / CPI_{20}$ , where the subscripts refer to Sep-

tember 2021 and 2020 values of CPI-U. As reported by the BLS these values are  $(274.310 - 260.280) / 260.280 = +14.030 / 260.280 = +5.3903\%$ , which when rounded to 1 decimal place = 5.4%. (This was also reported as 5.4% in Table A of the BLS News release on the Consumer Price Index Summary for September 2021.)

2) The legislation puts a floor of 0 and a cap of 3% on the percentage change to be utilized in the calculations (technically these restrictions are on the Preliminary Adjusted Base (PAB), defined in step 4, however this is mathematically equivalent). The truncated value of the percentage change to be used in the adjustment formula is denoted as PC, resulting in:

- a)  $PC = I$ , for  $0 \leq I \leq 3\%$ ,
- b)  $PC = 0$ , for  $I < 0$  and
- c)  $PC = 3\%$ , for  $I > 3\%$ .

3) The base value (either original for new legislation or the prior year's PAB) is designated as B and the product of B and PC (determined previously) is P. (There are different values of the base depending on the entity and the type of bid, so technically B could be designated with 2 subscripts. For illustration purposes, the subscripts are omitted.) Then  $P = B * PC$ . A common value for the base amount in 2021 for a public bid is \$21,253.23. (The other two prior PABs, which are this year's bases for a variety of bid types, were \$11,488.22 and \$28,720.57.) For example, using  $B = \$21,253.23$ , results in  $P = \$21,253.23 * 3.0\% = \$637.60$ . (Since  $I = 5.4\%$ ,  $PC = 3\%$  as stated previously in 2c.)

4) Then the Preliminary Adjusted Base,  $PAB = P + B$ , which reduces to  $\$637.60 + \$21,253.23 = \$21,890.83$ .

5) The Final Adjusted Base Amount, FAA, (which is used as the limit for the next year that is 2022) is the PAB rounded to the nearest 100. Therefore, the FAA = \$21,900.00.

<i>Entity and Legislation</i>	<i>Final Adjusted Base Amount for Use in 2022</i>			
	<i>Public Bid</i>	<i>Written / Telephonic Bid</i>	<i>Separate Bids</i>	<i>Concessions</i>
The County Code (16 P.S. §§ 1801—1803 and 2317)	\$21,900	\$11,800	\$21,900	
Second Class County Code (16 P.S. §§ 3112, 5001, 5511-A and 5517)	\$21,900	\$11,800	\$21,900	
Public School Code (24 P.S. §§ 1-120, 7-751 and 8-807.1)	\$21,900	\$11,800	\$21,900	
Public School Code, Thaddeus Stevens College of Technology (24 P.S. § 19-1913.1-B)	\$21,900			
Public School Code, State System of Higher Education (24 P.S. §§ 20-2003-A.1 and 20-2010-A)	\$21,900			
Prevention and Control of Floods, Flood Control Districts (32 P.S. §§ 662 and 662.1)	\$21,900			
Housing Authorities (35 P.S. § 1551)	\$21,90	\$11,800		
Intergovernmental Cooperation (53 Pa.C.S. §§ 2308, 2311 and 2312)	\$21,900	\$11,800		
General Municipal Law, Flood Control (53 P.S. § 2863)	\$21,900	\$11,800		
Political Subdivisions Joint Purchases Law (53 P.S. § 5432)	\$21,900	\$11,800		
Parking Authorities (53 Pa.C.S. § 5511)	\$29,600	\$11,800		
Municipal Authorities (53 Pa.C.S. § 5614)	\$21,900	\$11,800		

Entity and Legislation	Final Adjusted Base Amount for Use in 2022			
	Public Bid	Written/ Telephonic Bid	Separate Bids	Concessions
Public Auditorium Authorities Law (53 P.S. § 23851)	\$21,900	\$11,800		
Third Class City Code (11 Pa.C.S. §§ 11901.1, 11901.2, 11901.4, 11902, 11903.1 and 11909)	\$21,900		\$21,900	
Boroughs and Incorporated Towns (8 Pa.C.S. §§ 1402, 1403 and 1405)	\$21,900	\$11,800	\$21,900	
Incorporated Towns (53 P.S. §§ 53202, 53202.1, 53203, 53203.1 and 53205)	\$21,900	\$11,800	\$21,900	
First Class Township Code (53 P.S. §§ 56802, 56803 and 56805)	\$21,900	\$11,800	\$21,900	
Second Class Township Code (53 P.S. §§ 68102 and 68107)	\$21,900	\$11,800	\$21,900	
Economic Development Financing Law (73 P.S. § 382)	\$21,900	\$11,800		
Metropolitan Transportation Authorities (74 Pa.C.S. § 1750)	\$29,600			\$21,900

JENNIFER BERRIER,  
Secretary

[Pa.B. Doc. No. 21-2120. Filed for public inspection December 17, 2021, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania WILLY WONKA GOLDEN TICKET™ Fast Play Lottery Game 5131; Change to Game Rules; Amended Notice

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue) the Secretary of Revenue hereby provides public notice of changes to the Pennsylvania WILLY WONKA GOLDEN TICKET™ Fast Play Game 5131 (hereinafter referred to as “WILLY WONKA GOLDEN TICKET™”) Fast Play lottery game rules that were published at 51 Pa.B. 5787 (September 4, 2021).

The Pennsylvania Lottery is providing notice of additional prizes to be awarded in the Pennsylvania Lottery’s EVERLASTING MILLION Second-Chance Drawing for qualifying WILLY WONKA GOLDEN TICKET™ Fast Play lottery game tickets, and a change to the published drawing dates. The Lottery has added 50 prizes of \$100 iLottery Bonus Money, which were advertised, but not originally provided for in the Second-Chance Drawing rules, as described herein. Further, to ensure a fair drawing, the Lottery has provided a separate drawing date for the 50 winners of \$100 iLottery Bonus Money, as further described herein. Sections have been renumbered accordingly. The correct version of this document is as follows, with ellipses referring to the existing text as it appeared at 51 Pa.B. 5787—5798:

\* \* \* \* \*

9. *Second-Chance Drawing:* The Pennsylvania Lottery’s (hereafter, the “Lottery”) EVERLASTING MILLION Second-Chance Drawing for qualifying Fast Play lottery game tickets (hereafter, the “Drawing”).

\* \* \* \* \*

(c) *Drawing description:*

(1) The Lottery will conduct two drawings associated with the EVERLASTING MILLION Second-Chance

Drawing for qualifying Fast Play Lottery game tickets. All time references are Eastern Prevailing Time.

(2) *Drawings:*

(i) *EVERLASTING MILLION Prize Package drawing:* All entries received after 4:59:59 a.m. September 7, 2021, through 11:59:59 p.m. December 2, 2021, will be entered into the EVERLASTING MILLION Prize Package drawing to be held between December 6, 2021 and December 14, 2021.

(ii) *iLottery Bonus Money drawing:* All non-winning entries from the EVERLASTING MILLION Prize Package drawing will be carried forward into a separate iLottery Bonus Money drawing to be held between December 20, 2021 and December 28, 2021.

\* \* \* \* \*

(d) *Prizes available to be won, determination of winners and odds of winning:*

\* \* \* \* \*

(4) *EVERLASTING MILLION Prize Package drawing prizes:* The first through the third entries selected in the EVERLASTING MILLION Prize Package drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of one EVERLASTING MILLION CHALLENGE™ Trip Prize Package, as described in section 9(e) (relating to EVERLASTING MILLION CHALLENGE™ trip prize package description) of these rules.

(5) *iLottery Bonus Money drawing prizes:* The first through the fiftieth entries selected from all non-winning entries entered into the EVERLASTING MILLION Prize Package Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(6) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(7) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(8) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(9) A computer-generated randomizer will be used to select the Drawing winners.

\* \* \* \* \*

(i) *Drawing restrictions:*

\* \* \* \* \*

(13) Winners of iLottery Bonus Money must abide by the iLottery Terms & Conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 9(d)(6). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(14) Prizes are not transferrable.

(15) Other restrictions may apply.

\* \* \* \* \*

C. DANIEL HASSELL,  
Secretary

[Pa.B. Doc. No. 21-2121. Filed for public inspection December 17, 2021, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania WILLY WONKA GOLDEN TICKET™ Instant Lottery Game 1540; Change to Game Rules; Amended Notice

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of changes to the Pennsylvania WILLY WONKA GOLDEN TICKET™ (hereinafter referred to as "WILLY WONKA GOLDEN TICKET™") instant lottery game rules that were published at 51 Pa.B. 5934 (September 11, 2021).

The Pennsylvania Lottery is providing notice of additional prizes to be awarded in the Pennsylvania Lottery's EVERLASTING MILLION Second-Chance Drawing for qualifying WILLY WONKA GOLDEN TICKET™ instant lottery game tickets, and a change to the published drawing dates. The Lottery has added 50 prizes of \$100 iLottery Bonus Money, which were advertised, but not originally provided for in the Second-Chance Drawing rules, as described herein. Further, to ensure a fair drawing, the Lottery has provided a separate drawing date for the 50 winners of \$100 iLottery Bonus Money, as further described herein. Sections have been renumbered accordingly. The correct version of this document is as follows, with ellipses referring to the existing text as it appeared at 51 Pa.B. 5934—5940:

\* \* \* \* \*

10. *Second-Chance Drawing:* Pennsylvania Lottery's EVERLASTING MILLION Second-Chance Drawing for qualifying instant lottery game tickets (hereafter, the "Drawing"):

\* \* \* \* \*

(c) *Drawing description:*

(1) The Lottery will conduct two drawings associated with the EVERLASTING MILLION Second-Chance Drawing for qualifying instant lottery game tickets. All time references are Eastern Prevailing Time.

(2) *Drawings:*

(i) *EVERLASTING MILLION Prize Package drawing:* All entries received after 11:59:59 p.m. September 12, 2021, through 11:59:59 p.m. December 2, 2021 will be entered into the EVERLASTING MILLION Prize Package drawing to be held between December 6, 2021 and December 14, 2021.

(ii) *iLottery Bonus Money drawing:* All non-winning entries from the EVERLASTING MILLION Prize Package drawing will be carried forward into a separate iLottery Bonus Money drawing to be held between December 20, 2021 and December 28, 2021.

\* \* \* \* \*

(d) *Prizes available to be won, determination of winners, and odds of winning:*

\* \* \* \* \*

(3) *EVERLASTING MILLION Prize Package drawing prizes:* The first through the thirty-fifth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of one EVERLASTING MILLION CHALLENGE™ Trip Prize Package, as described in section 10(e) (relating to EVERLASTING MILLION CHALLENGE™ trip prize package description) of these rules.

(4) *iLottery Bonus Money drawing prizes:* The first through the fiftieth entries selected from all non-winning entries entered into the EVERLASTING MILLION Prize Package Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(5) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(6) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(7) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(8) A computer-generated randomizer will be used to select the Drawing winners.

\* \* \* \* \*

(i) *Drawing restrictions:*

\* \* \* \* \*

(16) Winners of iLottery Bonus Money must abide by the iLottery Terms & Conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 10(d)(5). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required

to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(17) Prizes are not transferrable.

(18) Other restrictions may apply.

\* \* \* \* \*

C. DANIEL HASSELL,  
*Secretary*

[Pa.B. Doc. No. 21-2122. Filed for public inspection December 17, 2021, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

**Frank R. Zokaites and Zokaites Contracting, Inc. v.  
Department of Environmental Protection; EHB  
Doc. No. 2021-119-R**

Frank R. Zokaites and Zokaites Contracting, Inc. have appealed the denial by the Department of Environmental Protection of coverage under NPDES General Permit PAG-02, to renew Permit No. PAG-02 0004-06-014R, for a project site located in Beaver County.

The appeal is filed with the Environmental Hearing Board (Board). The notice of appeal, and other filings related to the appeal, may be reviewed by any interested person through the Board's web site at <http://ehb.courtapps.com>. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania Hamilton Relay Center at (800) 654-5984. A date for the hearing on the appeal has not yet been scheduled.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available online and upon request from the Board.

THOMAS W. RENWAND,  
*Chairperson*

[Pa.B. Doc. No. 21-2123. Filed for public inspection December 17, 2021, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

**Frank R. Zokaites and Zokaites Properties, LP v.  
Department of Environmental Protection; EHB  
Doc. No. 2021-118-R**

Frank R. Zokaites and Zokaites Properties, LP have appealed the denial by the Department of Environmental Protection of coverage under NPDES General Permit PAG-02, to renew Permit No. PAG-02 0004-06-016R, for a project site located in Beaver County.

The appeal is filed with the Environmental Hearing Board (Board). The notice of appeal, and other filings related to the appeal, may be reviewed by any interested person through the Board's web site at <http://ehb.courtapps.com>. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania Hamilton Relay

Center at (800) 654-5984. A date for the hearing on the appeal has not yet been scheduled.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available online and upon request from the Board.

THOMAS W. RENWAND,  
*Chairperson*

[Pa.B. Doc. No. 21-2124. Filed for public inspection December 17, 2021, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

**Upper Merion Sanitary and Stormwater Authority v.  
Department of Environmental Protection; EHB  
Doc. No. 2021-116-B**

Upper Merion Sanitary and Stormwater Authority has appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PA0026085, for discharges from a facility known as U Merion-Matsunk STP, located in Upper Merion Township, Montgomery County.

The appeal is filed with the Environmental Hearing Board (Board). The notice of appeal, and other filings related to the appeal, may be reviewed by any interested person through the Board's web site at <http://ehb.courtapps.com>. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania Hamilton Relay Center at (800) 654-5984. A date for the hearing on the appeal has not yet been scheduled.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available online and upon request from the Board.

THOMAS W. RENWAND,  
*Chairperson*

[Pa.B. Doc. No. 21-2125. Filed for public inspection December 17, 2021, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

**Upper Merion Sanitary and Stormwater Authority v.  
Department of Environmental Protection; EHB  
Doc. No. 2021-117-B**

Upper Merion Sanitary and Stormwater Authority has appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PA0026131, for discharges from a facility known as Upper Merion Municipal Sewer System and STP Trout Run, located in Upper Merion Township, Montgomery County.

The appeal is filed with the Environmental Hearing Board (Board). The notice of appeal, and other filings related to the appeal, may be reviewed by any interested person through the Board's web site at <http://ehb.courtapps.com>. If information concerning this notice is required in an alternative form, contact the Secretary to



the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania Hamilton Relay Center at (800) 654-5984. A date for the hearing on the appeal has not yet been scheduled.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board’s

rules of practice and procedure are available online and upon request from the Board.

THOMAS W. RENWAND,  
*Chairperson*

[Pa.B. Doc. No. 21-2126. Filed for public inspection December 17, 2021, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
10-222	Department of Health Long-Term Nursing Care Facilities 51 Pa.B. 6401 (October 9, 2021)	11/8/21	12/8/21

**Department of Health Regulation # 10-222  
(IRRC # 3316)**

**Long-Term Care Nursing Facilities**

**December 8, 2021**

We submit for your consideration the following comments on the proposed rulemaking published in the October 9, 2021 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the RRA (71 P.S. § 745.5a(a)) directs the Department of Health (Department) to respond to all comments received from us or any other source.

**1. Determining whether the regulation is in the public interest; Protection of the public health, safety, and welfare; Clarity and lack of ambiguity; Reasonableness.**

The Preamble states that the Department tentatively intends to promulgate proposed amendments to Subpart C (relating to long-term care facilities) in five separate parts. Proposed Rulemaking Package # 1 (regulation # 10-221) was published in the *Pennsylvania Bulletin* on July 31, 2021, and this Commission issued comments on September 29, 2021. This current proposed regulation is Rulemaking Package # 2. As with Rulemaking Package # 1, the regulated community reiterates its opposition to the delivery of separate proposed regulations. We include a sampling of the statements made by the regulated community as taken from the submitted comments:

- “The Department claims that promulgating the changes in five separate packages will allow the public greater opportunity to thoroughly examine the proposed amendments and provide detailed comments to the proposed changes. We are in total disagreement with this reasoning, as this fragmented process will only create confusion and undermine the public and regulated community as they seek to understand how each separate package fits together.” [Pennsylvania Health Care Association (PHCA)]

- “. . . it is difficult to comment without seeing how the regulations as a whole work to protect residents. . . .” [Pennsylvania Health Funders Collaborative (PHFC)]

- “The regulated community and the public cannot anticipate how the changes to definitions, for example, will impact regulations that have not yet been revealed, nor can they understand how various portions of the regulations will interact with one another.” [LeadingAge PA]

- “In the preamble, the Department assumes the incorporation by reference of the Center for Medicare and Medicaid Services (CMS) guidance to surveyors found in the State Operations Manual (SOM), Chapter 7 and Appendix PP—Guidance to Surveyors for Long-Term Care Facilities [(Appendix PP)] as proposed in the first rule-making 10-221. This assumption is troubling and serves to further demonstrate the confusion this fragmented process has created, while also supporting our request for one comprehensive regulatory package.” [PHCA]

- “We found it quite challenging and cumbersome to review and comment on both the first and the second regulatory package in isolation of the remaining proposed changes.” [AARP PA]

- “Previously, [Disability Rights PA (DRP)] noted our disagreement with the process for disseminating the proposed changes to the public, as well as its process for soliciting public comment.”

- “Stakeholders will be unable to provide meaningful public comments, and the Department will not be able to fully understand the impact of its proposed regulations based on stakeholder feedback.” [DRP]

- “Without view of the comprehensive package, neither the regulated community nor the public can assess the full scope of changes that may be promulgated as final. This could happen for any number of reasons; none more important than each package likely requiring individual approval by the Independent Regulatory Review Commission and oversight committees in the General Assembly.

This could result in incongruous enactment and confusion that will not further [the Department's] stated goals of improving the quality of care." [LeadingAge PA]

- "LeadingAge PA would respectfully request that [the Department] combine the regulatory packages into one coherent whole before publishing as proposed."

We agree with the significant concerns of the regulated community and question whether the presentation of this regulation as a separate regulation rather than as part of a comprehensive regulatory package is in the public interest, protects the public health, safety, and welfare, is reasonable, and lacks ambiguity.

The point raised by the commenter above regarding Appendix PP is significant and exemplifies our concerns with the Department's intent to continue to deliver individual regulatory packages. In Rulemaking Package # 1, the Department proposed to incorporate by reference Appendix PP which is an improper delegation of the Department's statutory authority. In our Comment # 2 on Rulemaking Package # 1, we asked the Department to delete that incorporation by reference and include any mandatory provisions from Appendix PP in order to establish clear and unambiguous standards that could be predicted by the regulated community. If the Department deletes the incorporation by reference of Appendix PP from Rulemaking Package # 1, what is the impact on this proposed regulation? We ask the Department to address the impact in the final-form regulation. The Department's delivery of separate but interrelated regulatory packages has the unintended consequence of complicating the process for the regulated community and this Commission to comment on impacts between the regulatory packages, as well as on the entirety of the changes proposed by the Department.

From the Preamble, we offer examples of the complexity associated with delivering separate proposed rule-making packages:

- With the *anticipated promulgation* of the amendments to [Section] 201.2 (relating to requirements) *proposed in its first rulemaking*, published at 51 Pa.B. 4074 (July 31, 2021), the Department expects all long-term care nursing facilities in this Commonwealth to comply with the Federal participation requirements, including the requirements in 42 CFR 483.70(i) and (m) (relating to administration). *With these requirements in mind*, the Department proposes the following changes to [Section] 201.23 (relating to closure of facility) . . . (Emphasis added.)
- Section 203.1 (relating to application of the *Life Safety Code*) is the only section within [Chapter 203 (relating to application of *Life Safety Code* for long-term care nursing facilities)]. The Department proposes to delete [Section] 203.1 and by extension, this Chapter, from the regulations, as part of its process to streamline Federal and State requirements for long-term care nursing facilities. The *Life Safety Code* is incorporated by reference in the Federal requirements for long-term care nursing facilities at 42 CFR 483.73(g)(1) (relating to emergency preparedness). *Because the Department is adopting the requirements in 42 CFR Part 483, Subpart B* as requirements for all long-term care nursing facilities operating in this Commonwealth, it is no longer necessary to have a separate provision within the State requirements regarding the applicability of the *Life Safety Code*. (Emphasis added.)

We emphasize that the amendment to Section 201.2 and the adoption of 42 CFR Part 483, Subpart B refer-

enced above have not yet happened, and are not guaranteed to happen. As noted earlier by a commenter, Rule-making Package # 1 must be reviewed by the Department, this Commission, the General Assembly, and the Attorney General as it continues through the regulatory review process. Having multiple interrelated proposed regulations at the same time creates the opportunity for inconsistencies and errors across the packages. Furthermore, asking the regulated community to keep one proposed regulation—which is subject to change—in mind while reviewing another proposed regulation is challenging. Assuming subsequent packages will include similar cross-references, we question whether it is in the public interest or reasonable to expect the regulated community to hold multiple proposed regulations simultaneously in mind while reviewing a proposed regulation.

Because of the continuing concerns of the regulated community, and because the Department's process of issuing separate rulemaking packages raises a serious question as to whether this process is in the public interest, protects the public health, safety, and welfare, and is reasonable, we encourage the Department to reevaluate its approach to the promulgation of these rulemakings and consider submitting one comprehensive regulatory package regarding long-term care nursing facilities.

If the Department proceeds with individual rulemaking packages, we ask the Department to explain why this approach is in the public interest and reasonable, and how it protects the public health, safety, and welfare in light of concerns expressed by the regulated community and the demonstrated difficulty that the regulated community likely faces as each subsequent rulemaking package is released. We also ask the Department to:

- Identify in the final-form Preamble any provisions which assume approval of Rulemaking Package # 1 as final-form;
- Cross-reference in the final-form Preamble those provisions to the relevant provisions in Rulemaking Package # 1; and
- Explain the impact if Rulemaking Package # 1 is not approved before or at the same time as Rulemaking Package # 2.

We ask that these recommendations be implemented as the Department prepares the subsequent long-term care nursing facilities regulatory packages.

Finally, if the Department proceeds with separate regulatory packages, we recommend that the Department deliver each of the individual packages as final regulations on the same day, which would give the regulated community an opportunity to review the separate final regulations at the same time. We want to make clear that doing so is not the equivalent of withdrawing and submitting one comprehensive regulatory package, which would include a public comment period, providing both the regulated community and this Commission an opportunity to provide feedback on the entirety of the Department's proposed changes regarding long-term care nursing facilities.

**2. Section 201.23. Closure of facility.—Protection of the public health, safety, and welfare; Clarity, feasibility, and reasonableness; Need.**

*Subsection (a)*

The Department proposes to delete Subsection (a) which states, "The administrator or owner shall notify the appropriate Division of Nursing Care Facilities field office

at least 90 days prior to closure,” and add language requiring facilities to comply with 42 CFR 483.70(l) and (m) (relating to administration) which requires notification at least 60 days prior to the date of closure. The Department states that “the deletion of subsection (a) and the adoption of 42 CFR 483.70(l)(1) comports with not only the Federal requirements but also existing State regulations.” Commenters across the board are strongly opposed to this proposal. We include the following statements from commenters:

- “The Department’s justification is that the federal rules only require 60 days. The state has the authority (is not preempted from requiring 90 days) and the Department clearly chose 90 days in the current regulations for good reason. A safe and orderly transfer of all residents takes time and planning. We urge the Department not to take away what, in essence, is a consumer protection by reducing this time frame to 60 days.” [Center for Advocacy for the Rights & Interests of the Elderly/Community Legal Services]
- “Given the tremendous complexity of resident needs and the dangers posed by sudden changes, we believe that 90 days is the minimum appropriate time for notice.” [SEIU Healthcare PA]
- “The Department should not use updating of these regulations as a reason to reduce the protections for residents who are being forced to relocate where they live due to no fault of their own.” [PHFC]
- “It is not easy to find a quality nursing home placement in a short period of time, particularly when residents are competing against each other for the available beds in the region, as during a closure, all facility residents will find themselves in the same position of needing to find an alternative place to live at the same time.” [DRP]

Since the requirement which the Department proposes to delete is for a facility to notify the appropriate Division of Nursing Care Facilities field office, does the reduction from 90 days to 60 days affect notice to residents? If this change impacts residents, we ask the Department to explain the reasonableness and feasibility of reducing the notice timeframe, and explain how the final-form regulation protects the health, safety, and welfare of residents. Additionally, we note that Subsection (d) states, “No resident in a facility may be required to leave the facility prior to 30 days following receipt of a written notice from the licensee of the intent to close the facility. . . .” What is the benefit to a resident to have 60 days’ notice if the facility can require a resident to leave on day 31? We ask the Department to explain how these provisions work together to protect the public health, safety, and welfare.

*Subsection (c)*

Regarding Subsection (c), the Preamble states:

The Department proposes to delete existing subsection (c). Existing subsection (c) requires a long-term care nursing facility to give a resident or the resident’s responsible person sufficient time to effectuate an orderly transfer. Under 42 CFR 483.70(l)(3), the administrator of a long-term care nursing facility is required to submit for the Department’s review and approval of a plan for the closure of the long-term care nursing facility. The Department expects a closure plan, at a minimum, to meet the requirements set forth by CMS in Appendix PP—Guidance to Surveyors for Long-Term Care Facilities of the State Operations Manual. Under section F845 of Appendix PP, the closure plan must contain. . . .(Emphasis added.)

We emphasize once again that this proposed amendment relies on the Department’s expectation that Appendix PP will be incorporated by reference in Rulemaking Package # 1. As noted in Comment # 1, we asked the Department in Rulemaking Package # 1 to delete that incorporation by reference. If Appendix PP is removed from Rulemaking Package # 1, how will that impact requirements for closure plans for long-term care nursing facilities? We ask the Department to clarify in the final-form regulation the requirements for a long-term care nursing facility closure plan.

Additionally, commenters oppose deletion of this provision, asserting that submitting a plan is not the same as guaranteeing a resident the right to receive sufficient time for an orderly transfer. A commenter states that by deleting the requirement, the Department is eliminating this resident right and protection. We note that the existing requirement to provide “sufficient time to effectuate an orderly transfer” offers a protection of the public health, safety, and welfare that is not required under the Federal regulations. If this language is not retained in the final-form regulation, we ask the Department to explain the need for and reasonableness of eliminating this provision, and how the final-form regulation protects the public health, safety, and welfare.

*Subsection (g)*

In the Preamble, the Department states:

[Subsection (g)] refers to an outdated requirement that a licensee file proof of financial responsibility with the Department. As outlined previously, a long-term care nursing facility is expected to develop a closure plan in accordance with policies and procedures developed by the facility under the Federal requirements and the State Operations Manual. The closure plan must include, among other things, a plan for continuing payment of salaries and other expenses incurred by the facility during the closure process.

Commenters oppose this deletion, stating that a closure plan is not “proof of financial responsibility” and is not evidence of the ability to pay for salaries and other expenses in accordance with the plan. Commenters are deeply concerned that this provision puts residents and caregivers at risk. We ask the Department to explain the need for eliminating this provision and how requiring a “plan” versus “proof” is reasonable and protects the public health, safety, and welfare.

**3. Section 204.1. Application of Guidelines for Design and Construction of Residential Health, Care and Support Facilities.—Statutory authority; Clarity and lack of ambiguity.**

*Subsection (a)*

Subsection (a) requires that facility alterations, renovations, and construction approved on or after the date six months after the final regulation is published as a final-form rulemaking shall comply with the 2018 edition of the Facility Guidelines Institute (FGI) Guidelines for Design and Construction of Residential Health, Care, and Support Facilities (Guidelines). We ask the Department to define “alteration,” “renovation,” and “construction” to provide clarity for the regulated community.

Regarding the FGI Guidelines, we note that the Department states in the Preamble that an earlier edition of the FGI Guidelines were included in Federal requirements but then removed in 1984. The Department explains that, at that time, the title was changed to



“represent its non-regulatory status.” A commenter states the FGI Guidelines are not regulatory in nature, and requests that the Department retain the existing language. We ask the Department to explain how requiring facilities to comply with the 2018 FGI Guidelines is not an improper delegation of the Department’s statutory authority since this document is not subject to regulatory review requirements.

*Subsection (c)*

Subsection (c) states:

A facility previously determined by the Department to be in compliance with this subpart will be deemed to be in compliance until the time that the facility completes alterations, renovations or construction. Alterations, renovations or construction shall meet the requirements in effect on the date that the facility’s plans for alterations, renovations or construction are approved by the Department.

Commenters raise concerns that the language in this provision is ambiguous and suggests that a facility will be considered to be compliant even if it has let buildings deteriorate to the point that they would not meet the standards once met. The Department states in the Preamble that the intent is “to only hold a facility to the standards that were in effect at the time the alteration, renovation or construction was approved.” We ask the Department to amend Subsection (c) to clarify under what circumstances facilities will be deemed to be in compliance.

**4. Section 204.2. Building plans.—Protection of the public health, safety, and welfare; Clarity, feasibility, and reasonableness.**

*Subsection (d)*

Subsection (d) states, “Any part of a facility that has not been occupied or used for 1 year or more may not be used by the facility for any purpose except as provided for in this section.” Commenters raise various concerns regarding this proposed language. What is meant by the phrase “any part?” How does the Department define occupancy and use? Would a room qualify as being “occupied or used” if one item is being stored in it? A commenter expresses concern regarding protecting residents from provider-motivated resident room moves. In other words, providers may be motivated to move residents around to ensure that no space goes unused for a year or more. Commenters also raise concerns as to how facilities would be able to respond rapidly in emergency situations such as the COVID-19 pandemic where it became necessary to isolate people and spread them out to the maximum extent possible. We ask the Department to clarify the language of this provision, and to explain how the final form regulation is reasonable, feasible, and protects the public health, safety, and welfare.

*Subsection (e)*

Subsection (e) states:

If a facility intends to occupy or use a space that has been unoccupied or unused for 1 year or more, the occupancy or use shall be considered an alteration, renovation or construction and the facility shall submit architectural plans and blueprints related to its occupancy or use to the Department as required under [Section] 51.3(d). The facility may not use or occupy the space unless approved by the Department.

A commenter states that many nursing facilities are forced currently to limit admission as they struggle to

recruit, hire, and retain staff sufficient to provide the level of quality care that residents deserve, and, in many instances, facilities are forced to leave areas and wings vacant. The commenter explains that this requirement could impose the unintended consequence of causing the facility to permanently delicense those beds, causing a reduction in the commonwealth’s capacity to serve its aging population. We ask the Department to explain the reasonableness of this requirement, and how the final-form regulation protects the public health, safety, and welfare.

**5. Section 204.3. Building; general.—Protection of the public health, safety, and welfare; Clarity, feasibility, and reasonableness.**

*Subsection (b)*

Subsection (b) states in part, “Special authorization shall be given by the Department’s Division of Nursing Care Facilities before a part of the building is to be used for a purpose other than health care.” (Emphasis added.) To comply with the *Pennsylvania Code & Bulletin Style Manual*, we ask the Department to follow the language of Section 205.6(a), which states in part, “Special authorization shall be given by the Department’s Division of Nursing Care Facilities if a part of the building is to be used for a purpose other than health care.” (Emphasis added.)

**6. Section 204.5. Resident rooms.—Protection of the public health, safety, and welfare; Clarity; Reasonableness.**

The Department explains in the Preamble that many provisions in Section 204 are carried over from Section 205. However, commenters raise concerns regarding certain provisions of existing Section 205 which are not carried over. For example, language in Section 205.20(d) and (e) (relating to resident bedrooms), establishing minimum square footage requirements for resident rooms, is not addressed in the Preamble or proposed regulation. Commenters raise similar concerns regarding Section 205.23 (relating to location of bedrooms). Commenters acknowledge that these requirements may be covered in the 2018 FGI Guidelines. We ask the Department to clarify in the Preamble of the final-form regulation any provisions which are not carried over because they are addressed in the 2018 FGI Guidelines.

*Subsection (d)*

Subsection (d) states, “A resident shall have a choice in the placement of the resident’s bed in the room unless the placement presents a safety hazard.” A commenter expresses concern that without a definition of “safety hazard,” a facility will have too much leeway to deny the residents’ choices and preferences. We ask the Department to clarify this provision or explain the reasonableness of retaining this language in the final-form regulation. This comment also applies to Section 205.22 (relating to placement of beds).

**7. Section 207.4. Ice containers and storage.—Protection of the public health, safety, and welfare.**

The Department states in the Preamble:

The Department proposes to delete this section. Ice storage and the handling of ice are addressed in the Federal requirements at 42 CFR 483.60(i)(2) (relating to food and nutrition services) and at F812 in [Appendix PP]. The Department proposed to adopt the Federal requirements and Appendix PP in [Section] 201.2 in the first proposed rulemaking. Under



42 CFR 483.60(i)(2), a facility must store, prepare, distribute and serve food in accordance with professional standards for food service safety. The Department expects, in accordance with this provision and Appendix PP, a long-term care nursing facility to engage in appropriate ice and water handling practices to prevent contamination and waterborne illness.

As discussed in Comment # 1, we asked the Department in Rulemaking Package # 1 to delete language proposing to incorporate by reference Appendix PP. We ask the Department to retain the language of this section in the final-form regulation or amend it to include the specific requirements from Appendix PP with which a long-term care nursing facility must comply.

#### 8. Regulatory Analysis Form (RAF).

The explanation of the regulation in the Preamble and the information contained in the RAF are not sufficient to allow this Commission to determine if the regulation is in the public interest. In addressing potential impacts on small businesses in the RAF, the Department states that it is “unable to identify which long-term care nursing facilities may be small businesses,” and that “[t]he Department’s responsibility to the health and welfare of all residents in long-term care facilities is not altered by the fact that a long-term care nursing facility may be a small business.” Does the Department, in conjunction with other state agencies, have the ability to access data to enable the Department to evaluate potential impacts on small businesses? For example, the Department of Labor may be able to provide information on the number of employees. Also, since Pennsylvania disburses Medicare and Medicaid reimbursement to these facilities, information is available to estimate facility revenue. We ask the Department to calculate and address the impact of the final-form regulation on small businesses as required under the RRA.

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 21-2127. Filed for public inspection December 17, 2021, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Alleged Violation of Insurance Laws; Jahvon J. Thompson; Doc. No. SC21-12-001

Notice is hereby given of the Order to Show Cause issued on November 16, 2021, by the Deputy Insurance Commissioner in the previously-referenced matter. Violations of the following are alleged: sections 611-A(1), (2), (7), (8) and (20) and 678-A(a) of The Insurance Department Act of 1921 (40 P.S. §§ 310.11 (1), (2), (7), (8) and (20) and 310.78(a)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention,

if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Domenica Dean, Agency ADA Coordinator, at (717) 705-4194.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 21-2128. Filed for public inspection December 17, 2021, 9:00 a.m.]

## INSURANCE DEPARTMENT

### American Progressive Life and Health Insurance Company of New York; Rate Increase Filing for Several LTC Forms (UNAM-133030214); Rate Filing

American Progressive Life and Health Insurance Company of New York is requesting approval to increase the premium an aggregate 69% on 65 policyholders with the following individual LTC policy series: HHC 1/98, PRNHO, PRNHOQ, PRNHOQRS and QHHC 11/99.

Unless formal administrative action is taken prior to March 4, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the “Consumers” tab, then select “Pending Long Term Care Rate Filings”).

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 21-2129. Filed for public inspection December 17, 2021, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Geisinger Health Plan (GSHP-133068143); Small Group HMO—Transitional Filing; Rate Filing

Geisinger Health Plan submitted a rate filing for its Small Group HMO Non-Grandfathered (that is, transitional) Plans. The filing proposes a rate adjustment of 0% and will affect approximately 1,254 members with policies renewing from June 2022 through October 2022.

Unless formal administrative action is taken prior to February 17, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the “Consumers” tab, select “Consumers,” then under “Resources” select “Product Notices”).

Interested parties are invited to submit written or e-mail comments, suggestions or objections to David D'Agostino, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, [davdagosti@pa.gov](mailto:davdagosti@pa.gov) within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 21-2130. Filed for public inspection December 17, 2021, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Geisinger Quality Options (GSHP-133068067); Small Group PPO—Transitional Filing; Rate Filing

Geisinger Quality Options submitted a rate filing for its Small Group PPO Non-Grandfathered (that is, transitional) Plans. The filing proposes a rate adjustment of 0% and will affect approximately 4,616 members with policies renewing from June 2022 through October 2022.

Unless formal administrative action is taken prior to February 17, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the "Consumers" tab, select "Consumers," then under "Resources" select "Product Notices").

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Valerie Romig, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, [vromig@pa.gov](mailto:vromig@pa.gov) within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 21-2131. Filed for public inspection December 17, 2021, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Massachusetts Mutual Life Insurance Company; Rate Increase Filing for Several LTC Forms (MILL-132937942); Rate Filing

Massachusetts Mutual Life Insurance Company is requesting approval to increase the premium an aggregate 35.8% on 4,964 policyholders with the following individual LTC policy series: MM-200-P-PA, MM-201-P-PA, MM-202-P-PA, MM-203-P-PA, MM-200-P-1-PA, MM-201-P-1-PA, MM-202-P-1-PA, MM-203-P-1-PA, MM-400-P-PA, MM-401-P-PA, MM-402-P-PA, MM-403-P-PA, MM-404-P-PA, MM-405-P-PA, MM-500-P-PA, MM-502-P-PA, MM-500-P-1-PA and MM-502-P-1-PA.

Unless formal administrative action is taken prior to March 4, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover

the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to James Lavery, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlavery@pa.gov](mailto:jlavery@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 21-2132. Filed for public inspection December 17, 2021, 9:00 a.m.]

## LEGISLATIVE REFERENCE BUREAU

### Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

#### *Executive Board*

Resolution No. CB-21-003, Dated November 15, 2021. International Union, United Government Security Officers of America, Local 304 bargaining unit (R1) Collective Bargaining Agreement September 1, 2021, through August 31, 2023.

Resolution No. CB-21-004, Dated November 15, 2021. International Union, United Government Security Officers of America, Local 304 meet-and-discuss unit (R2) Memorandum of Understanding September 1, 2021, through August 31, 2023.

#### *Governor's Office*

Management Directive No. 310.12—Refunding Fees and Charges Collected in Error, Amended November 23, 2021.

Management Directive No. 310.15—Tax Identification Numbers Assigned to the Commonwealth and its Agencies, Amended November 1, 2021.

Management Directive No. 310.31—Purchase Order Receiving, Invoice Processing and Invoice Reconciliation Processes, Amended November 1, 2021.

Management Directive No. 310.39—Establishment, Collection, and Management of Master Data for Customers, Vendors, and Business Partners, Amended November 18, 2021.

Management Directive No. 315.09—Withholding of Delinquent Local Taxes from Employee Pay, Amended November 23, 2021.

Management Directive No. 315.15—Withholding of Pennsylvania Higher Education Assistance Agency Loans from Employee Pay, Amended November 1, 2021.

Management Directive No. 315.26—Backup Withholding on Missing and/or Incorrect Taxpayer Identification Numbers, Amended November 18, 2021.

Management Directive No. 315.31—Preparation, Distribution, Processing and Filing of Internal Revenue Service Forms 1099, Amended November 24, 2021.

Management Directive No. 325.02—Audit Inquiry Relative to Agency Litigation, Claims, and Assessments, Amended November 1, 2021.

Management Directive No. 325.07—Implementation of the Commonwealth's State-Level Single Audit, Amended November 18, 2021.

Management Directive No. 325.08—Remedies for Recipient Noncompliance with Audit Requirements, Amended November 24, 2021.

Management Directive No. 525.06—Payroll Advances, Amended November 24, 2021.

AMY J. MENDELSON,  
*Director*  
*Pennsylvania Code and Bulletin*

[Pa.B. Doc. No. 21-2133. Filed for public inspection December 17, 2021, 9:00 a.m.]

## MILK MARKETING BOARD

### Hearing and Presubmission Schedule; Milk Marketing Area No. 1

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 1 on March 2, 2022, beginning at 9 a.m. in Room 309, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 1. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2020 and 2021; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; and a reasonable rate of return to milk dealers. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area No. 1. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area No. 1. Evidence and testimony will be considered regarding the container efficiency adjustment.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 1 p.m. on January 18, 2022, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 1 p.m. on January 18, 2022, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to [deberly@pa.gov](mailto:deberly@pa.gov).

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on February 4, 2022, Board staff shall file with the Board one electronic copy and ensure receipt by all other parties of one electronic copy of:

a. A list of witnesses who will testify for Staff, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on February 16, 2022, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on February 23, 2022, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing directed to [chardbarger@pa.gov](mailto:chardbarger@pa.gov) and received by 1 p.m. on February 18, 2022.

Electronic filings should be made to [deberly@pa.gov](mailto:deberly@pa.gov). The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

CAROL HARDBARGER,  
*Secretary*

[Pa.B. Doc. No. 21-2134. Filed for public inspection December 17, 2021, 9:00 a.m.]

## MILK MARKETING BOARD

### Hearing and Presubmission Schedule; Milk Marketing Area No. 2

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 2 on March 2, 2022, beginning at 9:30 a.m. in Room 309, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 2. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2020 and 2021; skim and



butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; and a reasonable rate of return to milk dealers. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area No. 2. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area No. 2. Evidence and testimony will be considered regarding the container efficiency adjustment.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 1 p.m. on January 18, 2022, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 1 p.m. on January 18, 2022, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to [deberly@pa.gov](mailto:deberly@pa.gov).

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on February 4, 2022, Board staff shall file with the Board one electronic copy and ensure receipt by all other parties of one electronic copy, of:

a. A list of witnesses who will testify for Staff, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on February 16, 2022, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on February 23, 2022, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing directed to [chardbarger@pa.gov](mailto:chardbarger@pa.gov) and received by 1 p.m. on February 18, 2022.

Electronic filings should be made to [deberly@pa.gov](mailto:deberly@pa.gov). The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

CAROL HARDBARGER,  
*Secretary*

[Pa.B. Doc. No. 21-2135. Filed for public inspection December 17, 2021, 9:00 a.m.]

## MILK MARKETING BOARD

### Hearing and Presubmission Schedule; Milk Marketing Area No. 4

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 4 on March 2, 2022, beginning at 10 a.m. in Room 309, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 4. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2020 and 2021; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; and a reasonable rate of return to milk dealers. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area No. 4. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area No. 4. Evidence and testimony will be considered regarding the container efficiency adjustment.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 1 p.m. on January 18, 2022, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 1 p.m. on January 18, 2022, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to [deberly@pa.gov](mailto:deberly@pa.gov).

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on February 4, 2022, Board staff shall file with the Board one electronic copy and ensure receipt by all other parties of one electronic copy of:

a. A list of witnesses who will testify for Staff, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on February 16, 2022, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on February 23, 2022, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.



Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing directed to chardbarge@pa.gov and received by 1 p.m. on February 18, 2022.

Electronic filings should be made to deberly@pa.gov. The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

CAROL HARDBARGER,  
Secretary

[Pa.B. Doc. No. 21-2136. Filed for public inspection December 17, 2021, 9:00 a.m.]

**PENNSYLVANIA INFRASTRUCTURE  
INVESTMENT AUTHORITY  
DEPARTMENT OF  
ENVIRONMENTAL PROTECTION**

**Environmental Assessment Approval for PENNVEST  
Funding Consideration**

*Scope:* Clean Water and Drinking Water State Revolving Fund Projects for January 19, 2022, Pennsylvania Infrastructure Investment Authority (PENNVEST) Board meeting consideration

*Description:* PENNVEST, which administers the Commonwealth’s Clean Water State Revolving Fund (CWSRF) and Drinking Water State Revolving Fund, is intended to be the funding source for the following projects. The Department of Environmental Protection’s (Department) review of these projects, and the information received in the Environmental Report for these projects, has not identified any significant, adverse environmental impact resulting from any of the proposed projects. The Department hereby approves the Environmental Assessment for each project. If no significant comments are received during this comment period, the Environmental Assessment will be considered approved and funding for the projects will be considered by PENNVEST.

To be considered, the Department must receive comments on this approval on or by Tuesday, January 18, 2022. Commentators are encouraged to submit comments using the Department’s online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use “PENNVEST SRF-Environmental Assessment” as the subject line in written communication.

For more information about the approval of the following Environmental Assessments or the Clean Water and Drinking Water State Revolving Loan Programs contact Richard Wright, Bureau of Clean Water, Department of

Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-4059, riwright@pa.gov, or visit the Department’s web site at www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/default.aspx.

Comments received during the comment period, along with the Department’s comment and response document, will be available on the Department’s web site at www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/EnvironmentalReview.aspx.

Upon approval, the full list of approved projects and their costs can be found in a press release on PENNVEST’s web site at www.pennvest.pa.gov.

*CWSRF Projects Being Considered:*

<i>Applicant:</i>	Cecil Township Municipal Authority
<i>County:</i>	Washington
<i>Applicant Address:</i>	375 Southpointe Boulevard Canonsburg, PA 15317

*Project Description:* The scope of this project includes: (1) constructing a new 0.33 million gallons per day (MGD) wastewater treatment plant (WTP); (2) converting the existing Teodori Sewage Treatment Plant to a 0.57 MGD lift station; (3) installing 3,900 linear feet of 8-inch force main; and (4) installing 17,000 linear feet of 8-inch and 10-inch gravity sewer.

*Problem Description:* Wildcat sewers exist in the eastern section of the Village of Lawrence; a public sewer system is needed. In addition, the western section of the Village of Lawrence (Teodori Service Area) is serviced by a gravity fed, 30-year old facility, the Teodori Sewage Treatment Plant, that is approaching the end of its useful life. Environmental benefits include eliminating untreated sewage discharges to a tributary of Chartiers Creek.

<i>Applicant:</i>	City of Monessen
<i>County:</i>	Westmoreland
<i>Applicant Address:</i>	575 Donner Avenue Monessen, PA 15062

*Project Description:* The Sewer Rehabilitation Project—Phase 4 is a continuation of the City of Monessen’s commitment to the Department’s corrective action plan, approved August 10, 2017, to rehabilitate or replace failing sewer pipes. Three separate deteriorated and failing combined sewer lines in different locations in the northern part of the City: Delaware Street, Ninth Street and Shawnee Park will be replaced. The over 100-year old brick arches on Ninth Street and the Shawnee Park sewer line are to be re-aligned. The Delaware Street sewer pipe will be replaced in insitu with the same size pipe and new manholes.

*Problem Description:* During peak rain events infiltration of groundwater into the City of Monessen’s deteriorated and collapsing combined sewer system is causing overflows at Valley Sewer Authority’s (Authority) satellite treatment facility. Environmental benefits include reducing untreated or inadequately treated sewage discharges to the Authority’s waterways during wet weather.

<i>Applicant:</i>	North Union Township Municipal Services Authority
<i>County:</i>	Fayette
<i>Applicant Address:</i>	120 Commonwealth Drive Suite 101 Lemont Furnace, PA 15456

*Project Description:* This is a multi-municipal project where the sewage will be treated by a regional system, namely the Greater Uniontown Joint Sewage Plant Authority, at their WTP. The project involves the installation of about 56,000 linear feet of sewage pipe. Four pump stations (PS) are to be constructed, namely Oliver West, Oliver East, Lower Oliver and West Leisenring. Oliver East and Oliver West are replacing the existing Oliver PS. Sewage conveyance capacity in the Misty Lane area will be increased to accommodate additional flows. In addition, Springwood's gravity sewer will be taken over by the North Union Township Municipal Services Authority (NUTSMA). NUTSMA will convey flow to the public sewage system eliminating the nonmunicipal permitted sewage treatment plant.

*Problem Description:* Malfunctioning onlot disposal systems exist in three areas: Yauger Hollow (Cove Run), Oliver 3/Springwood and West Leisenring. The Misty Lane area's sewer main is undersized and will need to be modified to accept sewage flow from the Yauger Hollow area. Environmental benefits include reducing or eliminating the potential flow of wastewater to tributaries of Cove Run and Redstone Creek from malfunctioning onlot systems.

<i>Applicant:</i>	Halifax Area Water and Sewer Authority
<i>County:</i>	Dauphin
<i>Applicant Address:</i>	P.O. Box 44 Halifax, PA 17032

*Project Description:* The Halifax Township Sanitary Sewer Extension Project will include the installation of approximately 13,600 linear feet of 6-inch, 8-inch and 10-inch gravity sewers, approximately 160 grinder pumps, and approximately 19,800 linear feet of associated force mains and low pressure sewers, ranging in size from 2-inches to 6-inches in diameter. In addition, three PSs, the Lenker Estates PS, the Creek Road PS and the Roadcap Lane PS will also be constructed. Three primary points of connection to the existing sanitary sewer system are proposed: (1) near the intersection of State Route 225 and 147 at the existing Sheetz; (2) at Manhole 318A adjacent to the McDonalds along State Route 225; and (3) at Manhole 326 near the former Sheetz along State Route 225.

*Problem Description:* The project area in Halifax Township is characterized by pre-regulatory onlot disposal systems which are not protective of public health or the environment. A sanitary survey was conducted. By identifying onlot malfunctions, testing water well samples and analyzing soil suitability (high groundwater table, slow permeability, flooding, steep slopes or shallow depth to bedrock) immediate sewage needs were identified. Planned and projected growth were also identified and included in the scope of this project. Environmental benefits include reducing the potential flow of untreated

or inadequately treated sewage to Powells Creek and the Susquehanna River from malfunctioning onlot systems.

<i>Applicant:</i>	Freeport Borough
<i>County:</i>	Armstrong
<i>Applicant Address:</i>	414 Market Street Freeport, PA 16229

*Project Description:* This project consists of constructing a new 0.6 MGD sequencing batch reactor (SBR) with new headworks for grit control, an equalization basin and ultraviolet (UV) disinfection adjacent to the existing treatment plant. Peak flow capacity will be 3.0 MGD.

*Problem Description:* The current 0.35 MGD WTP is hydraulically overloaded and frequently has effluent violations. These efforts are in line with Freeport Borough's long-term control plan with the Department. Environmental benefits include reducing or eliminating the flow of untreated or inadequately treated sewer discharges to Buffalo Creek during wet weather.

<i>Applicant:</i>	City of DuBois
<i>County:</i>	Clearfield
<i>Applicant Address:</i>	P.O. Box 408 DuBois, PA 15801

*Project Description:* The existing sewage treatment plant will be demolished and replaced on the same site in Sandy Township with a new plant of the same size including a new influent PS, septage receiving, screening, grit removal, SBR biological process, tertiary filtration, UV disinfection, aerobic digestion and sludge dewatering along with a new administration building, and a new access road and bridge to the site. In addition, the project includes the replacement of 8,000 linear feet of sanitary sewer, 4,500 linear feet of sewer interceptor and the rehabilitation of 1,600 linear feet of sewer interceptor.

*Problem Description:* The existing trickling filter sewage treatment plant serving the City of DuBois, Falls Creek Borough, portions of Sandy Township in Clearfield County, and portions of Washington Township in Jefferson County is nearing the end of its useful life. Additionally, the existing treatment technology cannot reliably meet the effluent limitations in the new National Pollutant Discharge Elimination System permit from 2018, specifically biological oxygen demand, ammonia nitrogen and copper. Further, the plant is also affected by inflow and infiltration. Environmental benefits include eliminating the potential of sending untreated or inadequately treated sewage to Sandy Lick Creek from a facility approaching the end of its useful life.

<i>Applicant:</i>	Lewis Township
<i>County:</i>	Union
<i>Applicant Address:</i>	3920 Pleasant Grove Road Mifflinburg, PA 17844

*Project Description:* The project consists of the rehabilitation and expansion of the existing sewage treatment plant through conversion of the existing sequencing batch reactor tanks into aerobic digestors and the elimination of the Marsh and Meadow System treatment process. The new treatment technology will follow the Virginia Initia-

tive Process, and the hydraulic capacity will be increased from 33,500 gallons per day (GPD) to 44,000 GPD. This conversion requires roughly 55,000 gallons of new precast process tankage with necessary pumps, blowers, mixers and other auxiliary equipment. Additional screening will be added to the headworks, a new influent PS will be constructed and primary disinfection will be changed from a chlorine system to an UV system. Additionally, the project consists of three sewer extensions servicing nine equivalent dwelling units including one confirmed malfunction. This will be accomplished by installing 3,060 linear feet of gravity sewer and 1,150 linear feet of low-pressure force main.

*Problem Description:* The existing sewage treatment plant serving the villages of Millmont and Swengle is roughly 30 years old and nearing the end of its useful life. Further, the plant is operating at roughly 87% of its capacity, but there are sewage needs in the community due to a number of small lots and older onlot systems. Environmental benefits include reducing or eliminating wastewater sent to Cold Run and Penns Creek from malfunctioning onlot systems.

PATRICK McDONNELL,  
*Secretary*  
*Department of Environmental Protection*

BRION JOHNSON,  
*Executive Director*  
*Pennsylvania Infrastructure Investment Authority*

[Pa.B. Doc. No. 21-2137. Filed for public inspection December 17, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Certificates of Public Convenience

**A-2021-3029831 and A-2021-3029833. Peoples Natural Gas Company, LLC and Peoples Gas Company, LLC.** Application for approval of a joint application of Peoples Natural Gas Company, LLC and Peoples Gas Company, LLC for all of the authority and necessary certificates of public convenience to merge Peoples Natural Gas Company, LLC and Peoples Gas Company, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 3, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) or individuals may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

*Applicants:* Peoples Natural Gas Company, LLC, 375 North Shore Drive, Pittsburgh, PA 15212; Peoples Gas Company, LLC, 205 North Main Street, Butler, PA 16001

*Through and By Counsel for:* Michael W. Gang, Esquire, Michael W. Hassell, Esquire, Anthony D. Kanagy, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601, (717) 731-1970, fax (717) 731-1985, [mgang@postschell.com](mailto:mgang@postschell.com), [mhassell@postschell.com](mailto:mhassell@postschell.com), [akanagy@postschell.com](mailto:akanagy@postschell.com); Michael Turzai, Esquire, Peoples Natural Gas Company, LLC, 375 North Shore Drive, Pittsburgh, PA 15212-5861, (412) 258-4473, fax (412) 208-6575, [Michael.turzai@peoples-gas.com](mailto:Michael.turzai@peoples-gas.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-2138. Filed for public inspection December 17, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Natural Gas Service

**A-2021-3029836. UGI Utilities, Inc.—Gas Division.** Application for approval of the application of UGI Utilities, Inc.—Gas Division for approval of abandonment of natural gas service to one commercial customer located in Coudersport Borough, Potter County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 3, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) or individuals may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

*Applicant:* UGI Utilities, Inc.—Gas Division, 1 UGI Drive, Denver, PA 17517

*Through and By Counsel for:* Devin T. Ryan (ID # 316602), Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601, (717) 731-1970, fax (717) 731-1985, [dryan@postschell.com](mailto:dryan@postschell.com); Michael S. Swerling (ID # 94748), UGI Corporation, 460 North Gulph Road, King of Prussia, PA 19406, (610) 992-3762, [swerlingm@ugicorp.com](mailto:swerlingm@ugicorp.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-2139. Filed for public inspection December 17, 2021, 9:00 a.m.]



## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 3, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by January 3, 2022. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the previously listed docket number or by searching the applicant's web site.

#### **Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2021-3029648. Seydou Dao, t/a NM Benie Transportation** (2025 Ravenwood Drive, Folcroft, Delaware County, PA 19032) persons in paratransit service, by motor vehicle, from points in the County of Delaware and the City and County of Philadelphia, to points in Pennsylvania, and return.

**A-2021-3029701. Galeron Consulting, LLC** (501 Cambria Avenue, Suite 108, Bensalem, Bucks County, PA 19020) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the County of Delaware to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

**A-2021-3029703. Travel Free, LLC** (18 Red Tail Court, Limerick, Montgomery County, PA 19468) to transport, by motor vehicles, in paratransit service, persons from points in the City and County of Philadelphia and the Counties of Bucks and Montgomery, to points in Pennsylvania, and return.

**A-2021-3029707. Tri-Boro Transportation, LLC** (711 East 10th Avenue, Munhall, Allegheny County, PA 15120) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the County of Allegheny to points in Pennsylvania, and return.

**A-2021-3029835. Lock Haven Taxi, Inc.** (17 Corning Street, Lock Haven, Clinton County, PA 17745) to transport persons, in motor vehicles, in paratransit service, from points in the Counties of Bradford, Cameron, Centre, Clearfield, Clinton, Columbia, Elk, Huntingdon, Lycoming, McKean, Mifflin, Northumberland, Potter, Snyder, Sullivan, Tioga and Union, to points in Pennsylvania, and return.

**A-2021-3029840. Hano, LLC** (618 North Terrace Drive, Altoona, Blair County, PA 16602) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the Counties of Bedford, Blair, Cambria and Huntingdon.

#### **Applications of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers* by motor vehicle and for cancellation of the certificate of public convenience as described under each application.**

**A-2021-3029730. Altoona VIP Limousine and Car Service, LLC** (201 East 22nd Avenue, Altoona, Blair County, PA 16601) for the discontinuance and cancellation of its right and privilege to transport persons in limousine service, from points in Pennsylvania, and return; excluding points within Allegheny County, and area under the jurisdiction of the Philadelphia Parking Authority.

**A-2021-3029748. Shirley Ann Ritter** (1038 Barrville Road, Reedsville, PA 17084) discontinuance of service and cancellation of its certificate—for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Mifflin, to points in Pennsylvania, and return.

**A-2021-3029749. Pittsburgh Chauffer, LLC, t/a Pittsburgh Chauffeur** (844 Greenhaven Drive, Bethel Park, PA 15102) discontinuance of service and cancellation of its certificate to transport, as a motor common carrier, persons, in paratransit service, from points in the County of Allegheny, to points in Pennsylvania, and return.

**A-2021-3029750. DCJ Transfer, LLC, t/a Twin Rivers Transport** (433-A Male Road, Wind Gap, PA 18091) discontinuance of service and cancellation of its certificate—for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Carbon, Lackawanna, Lehigh, Luzerne, Monroe, Northampton and Wyoming, to points in Pennsylvania, and return; subject to the following condition: that no right, power or privilege is granted to provide service from the Township of Salem, Luzerne County.

**A-2021-3029768. Constable Transport Service, LLC** (4340 Winfield Terrace, Bethlehem, Northampton County, PA 18045) for the discontinuance and cancellation of its right to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in Bethlehem Township, Northampton County and within an airline distance of 90 statutory miles of the municipality (excluding points of origin in Bucks, Chester, Montgomery, Northumberland and Schuylkill Counties), to points in Pennsylvania and return, as originally docketed at A-2019-3008136. *Attorney:* Christina M. Mellott, 5010 East Trindle Road, Suite 202, Mechanicsburg, PA 17050.

**A-2021-3029779. Carrie Rowan** (1515 Stiver Road, Punxsutawney, Indiana County, PA 15767) for the discontinuance and cancellation of its right and privilege to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the Counties of Cambria, Clearfield, Indiana and Jefferson, to points in Pennsylvania, and return.



**A-2021-3029784. A Limo Car Service, LLC** (53 Portsmouth Court, Southampton, Bucks County, PA 18966) for the discontinuance and cancellation of its right and privilege to transport persons in limousine service from points in Bucks County, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-2140. Filed for public inspection December 17, 2021, 9:00 a.m.]

---

**PENNSYLVANIA PUBLIC  
UTILITY COMMISSION**  
Telecommunications

**A-2021-3029789. Verizon North, LLC and Metropolitan Telecommunications of PA, Inc.** Joint petition of Verizon North, LLC and Metropolitan Telecommunications of PA, Inc. for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and Metropolitan Telecommunications of PA, Inc., by their counsel, filed on December 3, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice.

The documents filed in support of Verizon North, LLC and Metropolitan Telecommunications of PA, Inc. joint petition are available for inspection at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-2141. Filed for public inspection December 17, 2021, 9:00 a.m.]

---

**PENNSYLVANIA PUBLIC  
UTILITY COMMISSION**  
Telecommunications

**A-2021-3029797. Verizon Pennsylvania, LLC and Metropolitan Telecommunications of PA, Inc.** Joint petition of Verizon Pennsylvania, LLC and Metropolitan Telecommunications of PA, Inc. for approval of an amended interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Metropolitan Telecommunications of PA, Inc., by their counsel, filed on December 3, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon Pennsylvania, LLC and Metropolitan Telecommunications of PA, Inc. joint petition are available for inspection at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-2142. Filed for public inspection December 17, 2021, 9:00 a.m.]

---

**PHILADELPHIA  
PARKING AUTHORITY**

**Service of Notice of Motor Carrier Applications in  
the City of Philadelphia**

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than January 3, 2022. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-21-12-01. Aicha Taxi, LLC** (208 Francis Street, Darby, PA 19023): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

**Doc. No. A-21-12-02. BD Taxi, LLC** (96 North 46th Street, Philadelphia, PA 19139): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

SCOTT PETRI,  
*Executive Director*

[Pa.B. Doc. No. 21-2143. Filed for public inspection December 17, 2021, 9:00 a.m.]

**STATE ATHLETIC COMMISSION****Public Meetings for 2022**

The State Athletic Commission (Commission) of the Department of State announces its schedule for regular meetings to be held at least once every 2 months in 2022 under 5 Pa.C.S. § 103 (relating to duties of commission). Meetings will be held at 11 a.m. in Room 303, North Office Building, Harrisburg, PA 17120. These meetings are open to the public and are scheduled as follows:

February 23, 2022  
 April 27, 2022  
 June 21, 2022  
 August 24, 2022  
 October 26, 2022  
 December 14, 2022

Individuals with questions regarding these meetings should contact the Commission at (717) 787-5720.

GREGORY P. SIRB,  
*Executive Director*

[Pa.B. Doc. No. 21-2144. Filed for public inspection December 17, 2021, 9:00 a.m.]

**STATE BOARD OF NURSING****Automatic Suspension of the License to Practice Practical Nursing of Heather Rae Copenhaver, LPN; Case No. 19-51-006455**

On December 6, 2021, Heather Rae Copenhaver, LPN, license No. PN275043, last known of Linesville, Crawford County, and Warren, OH, had her license suspended, effective April 5, 2021, because she was convicted of a misdemeanor under The Controlled Substance, Drug, Device and Cosmetic Act (35 P.S. §§ 780-101—780-144).

Individuals may obtain a copy of the adjudication at [www.pals.pa.gov](http://www.pals.pa.gov).

This order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

KRISTIN MALADY, BSN, RN,  
*Chairperson*

[Pa.B. Doc. No. 21-2145. Filed for public inspection December 17, 2021, 9:00 a.m.]



