

Cover Sheet Questions (1 pt.)

1) What's your name? _____
(Last name) (First name)

2) What's your net ID (email)? _____

3) Which Section are you in?

Circle one: i) L1 (TR at 12:30) ii) L2 (MWF at noon) iii) ONLINE

Write answers in appropriate blanks. When no blanks are provided CIRCLE your answers.

*****WARNING: When we say "NO WORK, NO CREDIT", we mean it. You'll get a 0. *****

Do NOT use scrap paper.

Make sure you have all 7 pages including the Normal table (17 problems).

For questions using the normal table, you may "round" z scores and percents to fit the closest line on the normal table and you may round percents on the table to the nearest whole number.

DO NOT WRITE BELOW THIS LINE

The numbers written in each blank below indicate how many points you missed on each page. The numbers printed to the right of each blank indicate how many points each page is worth.

Page 1 _____ 13

Page 2 _____ 18

Page 3 _____ 18

Page 4 _____ 20

Page 5 _____ 15

Page 6 _____ 16

Cover _____ 1 *for answering cover page questions 1-3 correctly!*

Total Score _____

WARNING- The exams look alike but you are sitting next to people who actually have different version. Copying from anyone is equivalent to giving a signed confession.

All Cheating including being caught with a non-permissible calculator or formula sheet will result in a 0 and an academic integrity violation on your University record.

There is NO CLASS on Thursday or Friday! Scores will be posted on Compass by Friday morning (the drop deadline) and exams returned in class next week.

Online students may pick up their exam in 23 Illini Hall during office hours next week.


Question 1 (8 pts.)

The 2 box plots below depict the survey responses of 365 males and 765 females to the question: “On a scale of 0 to 10, rate how strongly you believe in ghosts. (0 is not at all and 10 is extremely)

a) (6 pts.) Fill in the 12 blanks in the table below.

All answers are whole numbers.


	Males	Females
Average	4.135	5.417
SD	3.515	3.381
Min		
Q1		
Med		
Q3		
Max		
IQR		
n	365	765




b) (1 pt.) Are there any outliers for males or females? i) Yes, only for males ii) Yes, only for females iii) Yes, for both iv) No

c) (2 pts.) The histograms below depict the ghost ratings of the 365 males and 765 females. Which histogram depicts the male responses? Choose one: i) A ii) B

A



B




Question 2 (4 pts.) Which histograms correspond to which box plots?


Histogram A




Histogram B




Histogram C




Histogram D




Write the correct letter in each blank below to match the box plots with their corresponding histograms.




i) _____



ii) _____



iii) _____



iv) _____


Question 3 (3 pts.) **pertains to the 4 scatter plots below:**

Write the letter of the plot next to the correlation that is closest to it.

i) $r = 0.99$ _____


ii) $r = -0.9$ _____

iii) $r = 0.48$ _____



Question 4 (5 pts.)

Is r an appropriate statistic to use in the plots below? Under each plot circle YES if r is appropriate or NO if it's not.



a) YES NO

b) YES NO

c) YES NO

d) YES NO

e) YES NO

Question 5 (6 pts.)

For each of the following pairs of variables, check the box that best describes its correlation coefficient r .

Check only one box per row!

READ THIS- Each column will be used exactly once!

	Exactly +1	Between 0 and +1	Exactly 0	Between 0 and -1	Exactly -1	Not Enough Information
X and Y are 2 sets of numbers with the same average and the same SD.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
The slope of the regression line for predicting Y from X is 0. (Assume SD's $\neq 0$)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
The regression line has a negative slope and a RMSE = 0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Y is <i>always exactly</i> 0.5 times X	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Years of education and income among US adult men.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Temperature and heating bill	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


Question 6 (4 pts.) X and Y are 2 sets of numbers with a correlation coefficient of $r = 0.3$

Fill in the 4 blanks below with numbers (NOT with phrases like "increase" or "stay the same".) (4 pts.)

- If X and Y are converted to Z scores the new correlation coefficient would be = _____ (write a number for r in a-d)
- If all the original X values are multiplied by *negative* -2, the new correlation coefficient would be = _____.
- If all the original X values are increased by 10%, the new correlation coefficient would be = _____.
- If all the X and Y values are switched, the new correlation coefficient would be = _____.

Question 7 (14 pts.)

The scatter plot below shows the GPA and hours studied per week for 16 students. The line shown is the regression line



	Average	SD
GPA	3.0	0.5
Study Hours	10	4

Correlation: $r = 0.8$

a) (2 pts.) Look at students **1 and 2** on the graph. How did their actual GPA's compare to their predicted scores? For each student circle whether their actual GPA was better than, worse than, or the same as the regression line predicted from how many hours per week they studied.

- i. Student 1 actually did _____ than predicted. **Choose one:** a) Better b) Worse c) Same as
- ii. Student 2 actually did _____ than predicted. **Choose one:** a) Better b) Worse c) Same as

b) (6 pts.) In the table below you are given the study hours of 2 students. For each, compute the regression estimate for their GPA's, by filling out the chart below. **No work, no credit and no partial credit for mistakes since you can check your answer with the graph.**

# Hours Studied	Study Z score	r	GPA Z score	GPA
i) 14 hours	Z= _____	r = 0.8	Z = _____	GPA = _____
Show work to get Z →			Show work to get GPA →	
ii) 6 hours	Z= _____	r = 0.8	Z = _____	GPA = _____
Show work to get Z →			Show work to get GPA →	

c) (4 pts.) The Regression equation for predicting GPA from hours studied is: $GPA = \underline{\hspace{2cm}} \times \text{Study Hours} + \underline{\hspace{2cm}}$

i) (2 pts.) Fill in the first blank in the equation above with the slope. **Show work.**

ii) (2 pts.) Fill in the second blank in the equation above with the y- intercept. **Show your work!**

(Hint: Check your arithmetic by using the regression equation and make sure it agrees with your estimates in part (b).
No partial credit will be awarded for any part of this problem since you should be able to catch your own mistakes.

d) (2 pts.) In part (c) above you were predicting GPA from study hours. Would the slope, and y-intercept change if you were predicting study hours from GPA instead?


- i) The slope would... **Choose one:** change stay the same cannot be determined
- ii) The y-intercept would **Choose one:** change stay the same cannot be determined

Question 8 (4 pts.) A set of exam scores follows a **normal distribution**. In the table below, you are given either the Z score or the percentile for 4 students scores. Fill in the missing blanks.

Student	Exam Percentile	Exam Z score
A	50 th	
B	16 th	
Student	Exam Percentile	Exam Z score
C		-1.75
D		2.5

Question 9 (14 pts.)

The scatter plot below shows the percent of people living in poverty versus the number of people in prison per 100,000 for the 50 states in the US. **Vermont is on Line 2 and Mississippi is on Line 1.**



- a) The average poverty level (in %) is closest to...
 i) 10 ii) 13 iii) 16 iv) 18 v) 20
- b) The average number of prisoners (per 100,000) is closest to....
 i) 10 ii) 40 iii) 60 iv) 75 v) 100
- c) (2 pts.) Which is the regression line? i) Line 1 ii) Line 2
- d) (2 pts.) The correlation between poverty and prisoners is closest to..
 i) 0 ii) -0.4 iii) 0.4 iv) 0.8 v) -0.8 vi) 1
- e) Which of the labeled states has a residual = 0?
 i) Vermont ii) Mississippi iii) Texas iv) Minnesota
- f) (2 pts.) Which state has the same z scores for poverty and prisoners?
 i) Vermont ii) Mississippi iii) Texas iv) Minnesota
- g) Which state has the largest prediction error?
 i) Vermont ii) Mississippi iii) Texas iv) Minnesota
- h) Looking at the scatter plot, about how many prisoners (per 100,000) would we predict for a poverty level of 18?
 i) 20 ii) 35 iii) 50 iv) 65 v) 100

i) The average of all the residuals is _____ (Fill in blank with a number.)

j) (2 pts.) The above graph has 50 points, one for each **individual** state's poverty and prisoner level. If we divided the 50 states into 9 geographical regions and calculated the **average** poverty and prisoner level within each region we'd condense the 50 points into 9 points. Would the correlation coefficient for the 9 points be the same as for the 50 points? **Choose one:**


- i) Yes, it would be exactly the same since it's the same information.
- ii) No, it would probably be lower since we have fewer points.
- iii) No, it would probably be higher since the within region scatter would disappear and we'd just see the between region scatter.

Question 10 (6 pts.)

Part A: Fill in the table and plot the points. The **average** of **X = 4** and the average of **Y = 3**. The **SD** of **X** and **Y** are **both 2**.

(NOTE: X and Y have DIFFERENT averages)

X	Y	Z-score for X	Z-score for Y	Products
1	6	-1.5		
3	4		0.5	
4	2	0		0
5	3		0	0
7	0	1.5	-1.5	-2.25
Totals		Total should = ____	Total should = ____	Total = ____



Part B: Use the total you got above to find the correlation coefficient. **r =** _____ (1pt)

Question 11 (7 pts.) Suppose Verbal SAT and Math SAT scores among students who take both exams have the following summary statistics and the scatter plot is football shaped: **Verbal SAT: avg = 500, SD=100 Math SAT: avg = 500, SD=100 r =0.8**

a) (1 pt.) The regression equation when predicting Math scores from Verbal scores is: **Predicted Math = 0.8 * Verbal + 100**

Use the regression equation to predict the Math score of a student who got a 640 on the Verbal. **No work no credit.**

Predicted Math SAT= _____

b) (2 pts.) Now, predict the Math score of a student who got a 640 on the Verbal using the 3 step process.

(No partial credit for because you can check your work) **No work no credit.**

Predicted Math SAT= _____

c) (2 pts.) What is the SD of the prediction errors (the RMSE) when predicting Math SAT scores from ACT scores?

- i) 10 ii) 60 iii) 68 iv) 80 v) 100

d) (2 pts.) The regression equation predicts Math SAT scores of 500 for those who score 500 on the Verbal SAT. Of course not all will get exactly 500. Instead there's a range of scores, with about **95%** of them scoring between ...

- Choose one:** i) 300 and 700 ii) 400 and 600 iii) 380 and 620 iv) 340 and 660

Question 12 (8 pts.)

Suppose blood pressure and temperature follow the normal curve but have different correlations among different populations.



For questions a-e, fill in **each of the 7 blanks** with the correct **numbers**.

- a) (1 pt.) Imagine a population where there is a perfect positive correlation ($r = 1$) between the 2 measurements. If someone's blood pressure is in the 70th percentile then the regression estimate for his temperature would be the _____th percentile.
- b) (1 pt.) Imagine a population where there is a perfect negative correlation ($r = -1$) between the 2 measurements. If someone's blood pressure is in the 70th percentile then the regression estimate for his temperature would be the _____th percentile.
- c) (1 pt.) Imagine a population where there is a zero correlation ($r = 0$) between the 2 measurements. If someone's blood pressure is in the 70th percentile then the regression estimate for his temperature would be the _____th percentile.
- d) (1 pt.) Imagine a population where there is a **positive** correlation between the 2 measurements. If someone's blood pressure is in the 70th percentile then the regression estimate for his temperature would be > _____th percentile and ≤ _____th percentile.
- e) (1 pt.) Imagine a population where there is a **negative** correlation between the 2 measurements. If someone's blood pressure is in the 70th percentile then the regression estimate for his temperature would be > _____th percentile and ≤ _____th percentile.

f) (3 pts.) If someone's blood pressure is in the 54th percentile where $r = 0.5$, estimate his temperature percentile **by filling in the table below.**

You may round areas and z-scores to fit the nearest line on the table.

This problem is either 0 or 3 pts. Must fill in all 4 blanks correctly and mark Z correctly on both graphs.

Blood Pressure Percentile	Blood Pressure Z	r	Temperature Z	Temperature Percentile
Person is in the 54 th percentile for blood pressure. What middle area on the Normal Curve does that correspond to? _____% Correctly mark the graph and write the correct Z in the next column. 	Z = _____	r = 0.5	Z = _____	(1 pt) Temperature Percentile = _____ Mark the Z score on the graph below. 

Question 15 (8 pts.) pertains to the table below that shows our survey responses for gender and handedness.

	Left-Handed	Ambidextrous	Right-Handed	Totals
Male	30	20	266	316
Female	60	27	560	647
Totals	90	47	826	963

Suppose you randomly draw from these students.

- a) What is the chance of getting a female?
 i) $647/963$ ii) $90/963$ iii) $316/963$ iv) $737/963$ v) $826/963$ vi) $1142/963$
- b) What is the chance of getting someone who is left-handed?
 i) $30/90$ ii) $90/963$ iii) $62/500$ iv) $63/500$ v) $826/963$ vi) $266/826$ vii) $37/65$
- c) What is the chance of drawing once and getting a female **or** someone who is left-handed?
 i) $60/963$ ii) $737/963$ iii) $677/963$ iv) $30/963$ v) $406/826$ vi) $376/963$ vii) $60/90$
- d) What is the chance you'll get a female if you draw only from the left-handers?
 i) $90/316$ ii) $30/90$ iii) $30/316$ iv) $60/90$ v) $60/647$ vi) $90/947$
- e) What is the chance you'll get a left-hander if you draw only from the females?
 i) $30/316$ ii) $30/90$ iii) $90/316$ iv) $60/90$ v) $60/647$ vi) $90/947$
- f) Draw 3 students **without** replacement. What is the chance that **all** 3 students are left-handed?
 i) $(873/963)^3$ ii) $1 - (873/963)^3$ iii) $90/963 * 89/962 * 88/961$ iv) $1 - (90/963)^3$ v) $1 - 90/963 * 89/962 * 88/961$
- g) Draw 3 students **without** replacement. What's the chance that **not all** 3 students are left-handed?
 i) $(873/963)^3$ ii) $1 - (873/963)^3$ iii) $90/963 * 89/962 * 88/961$ iv) $1 - (90/963)^3$ v) $1 - 90/963 * 89/962 * 88/961$
- h) Draw 3 students **with** replacement. What is the chance that **at least one** student is right-handed?
 i) $(826/963)^3$ ii) $1 - (826/963)^3$ iii) $1 - (137/963)^3$ iv) $1 - (90/963)^3$ v) $90/963 * 89/962 * 88/961$


Question 16 (6 pts.) pertains to rolling fair dice.

- a) Two dice are rolled. What is the chance that the sum of the spots is 9?
 i) $2/36$ ii) $3/36$ iii) $4/36$ iv) $5/36$ v) $1/6 * 1/6$ vi) $7/36$
- b) Two dice are rolled. What is the chance that the sum of the spots is 9 **or** 10?
 i) $5/36$ ii) $6/36$ iii) $7/36$ iv) $8/36$ v) $1/6 * 1/6$ vi) $9/36$
- c) Two dice are rolled what is the chance the sum of the spots is either 6 **or** doubles (doubles is (1,1), (2,2), (3,3) etc.)?
 i) $6/36$ ii) $7/36$ iii) $8/36$ iv) $9/36$ v) $10/36$ vi) $11/36$
- d) What is the chance of rolling a die 7 times and getting no "3"s?
 i) $(1/6)^7$ ii) $1 - (1/6)^7$ iii) $1 - (5/6)^7$ iv) $7 * (1/6)$ v) $(5/6)^7$
- e) What is the chance of rolling a die 7 times and getting all "3"s?
 i) $(5/6)^7$ ii) $(1/6)^7$ iii) $1 - (5/6)^7$ iv) $1 - (1/6)^7$ v) $7 * (1/6)$
- f) What is the chance of rolling a die 7 times and getting **at least one** "3"?
 i) $(5/6)^7$ ii) $1 - (1/6)^7$ iii) $1 - (5/6)^7$ iv) $7 * (1/6)$ v) $(1/6)^7$

Question 17 (2 pts.) pertains to tossing fair coins.

- a) What is the chance of tossing a fair coin 3 times and getting all tails?
 i) $\frac{1}{2} + \frac{1}{2} + \frac{1}{2}$ ii) $\frac{1}{2} * \frac{1}{2} * \frac{1}{2}$ iii) $1 - (\frac{1}{2} * \frac{1}{2} * \frac{1}{2})$ iv) $3/6$
- b) What is the chance of tossing a fair coin 3 times and getting this particular sequence: HHT?
 i) $\frac{1}{2} + \frac{1}{2} + \frac{1}{2}$ ii) $\frac{1}{2} * \frac{1}{2} * \frac{1}{2}$ iii) $1 - (\frac{1}{2} * \frac{1}{2} * \frac{1}{2})$ iv) $3/6$

STANDARD NORMAL TABLE



<i>z</i>	<i>Area</i>		<i>z</i>	<i>Area</i>		<i>z</i>	<i>Area</i>
0.00	0.00		1.50	86.64		3.00	99.730
0.05	3.99		1.55	87.89		3.05	99.771
0.10	7.97		1.60	89.04		3.10	99.806
0.15	11.92		1.65	90.11		3.15	99.837
0.20	15.85		1.70	91.09		3.20	99.863
0.25	19.74		1.75	91.99		3.25	99.885
0.30	23.58		1.80	92.81		3.30	99.903
0.35	27.37		1.85	93.57		3.35	99.919
0.40	31.08		1.90	94.26		3.40	99.933
0.45	34.73		1.95	94.88		3.45	99.944
0.50	38.29		2.00	95.45		3.50	99.953
0.55	41.77		2.05	95.96		3.55	99.961
0.60	45.15		2.10	96.43		3.60	99.968
0.65	48.43		2.15	96.84		3.65	99.974
0.70	51.61		2.20	97.22		3.70	99.978
0.75	54.67		2.25	97.56		3.75	99.982
0.80	57.63		2.30	97.86		3.80	99.986
0.85	60.47		2.35	98.12		3.85	99.988
0.90	63.19		2.40	98.36		3.90	99.990
0.95	65.79		2.45	98.57		3.95	99.992
1.00	68.27		2.50	98.76		4.00	99.9937
1.05	70.63		2.55	98.92		4.05	99.9949
1.10	72.87		2.60	99.07		4.10	99.9959
1.15	74.99		2.65	99.20		4.15	99.9967
1.20	76.99		2.70	99.31		4.20	99.9973
1.25	78.87		2.75	99.40		4.25	99.9979
1.30	80.64		2.80	99.49		4.30	99.9983
1.35	82.30		2.85	99.56		4.35	99.9986
1.40	83.85		2.90	99.63		4.40	99.9989
1.45	85.29		2.95	99.68		4.45	99.9991