

Cordless Power Tools

Batteries

Dewalt

DC9071 12V XRP™ Battery Pack



- High capacity XRP™ battery has 40% more run-time than standard batteries
 - Powers entire DEWALT® line of 12V tools except Univolt tools allowing users to run multiple tools off of the same battery pack
-

DC9091 14.4V XRP™ Battery Pack

- High capacity XRP™ battery has 40% more run-time than standard batteries
 - Powers entire DEWALT® line of 14.4V tools allowing users to run multiple tools off of the same battery pack
-

DC9096 18V XRP™ Battery Pack

- High capacity XRP™ battery has 25% more run-time than standard batteries
 - Powers entire DEWALT® line of 18V tools allowing users to run multiple tools off of the same battery pack
-

DC9096-2 18V XRP™ Battery Combo Pack



- (2) High capacity XRP™ batteries have 25% more run-time than standard batteries
 - Powers entire DEWALT® line of 18V tools allowing users to run multiple tools off of the same battery pack
-

DC9180 18V XRP™ Li-Ion Battery



- Compatible with DEWALT® 18 Volt tools
 - XRP™ Li-Ion extended run-time battery provides long run-time & battery life
 - Lightweight design- 1.5 lbs.; same weight as an 12V NiCd battery
 - No memory and virtually no self-discharge for maximum productivity and less downtime
 - Requires XRP™ Li-Ion compatible charger (DC9310, DC9320 or DC9319)
-

Cordless Power Tools

Batteries

Dewalt

DC9181 18V Compact Li-Ion Battery pack



- Compatible with DEWALT® 18 Volt tools
 - Lightweight design and quick 30 minute charge time
 - No memory and virtually no self-discharge for maximum productivity and less downtime
 - Requires Li-Ion compatible charger (DC9310, DC9320 or DC9319)
-

DC9360 36V Li-Ion Battery



- Lithium ion cells provide high power for corded performance; deliver 2-3x more run-time vs. 18V
 - Lightweight design- 2.4 lbs.; same weight as an 18V battery
 - No memory and virtually no self-discharge for maximum productivity and less downtime
-

DCB080 8V MAX Battery*



- Compact, light weight design
 - 1 hour charge time
 - No memory and virtually no self-discharge for maximum productivity and less downtime
 - Requires 8V MAX* compatible charger (DCB095)
-

DCB120 12V MAX Lithium Ion Battery Pack*



- Compact, light weight design
 - Quick 40 minute charge time
 - No memory and virtually no self-discharge for maximum productivity and less downtime
 - Requires 12V MAX* compatible charger (DCB100, DCB101 & DCB119)
-

DCB200 20V MAX Lithium Ion Battery Pack (3.0 Ah)*



- 3.0 Ah extended run-time battery provides long run-time & battery life
 - 3-LED Fuel Gauge System allows immediate feedback on state of charge
 - No memory and virtually no self-discharge for maximum productivity and less downtime
 - Weighs 1.42 lbs. allowing user maximum runtime and a light weight battery
-

Cordless Power Tools

Batteries

Dewalt

DCB201 20V MAX Lithium Ion Compact Battery Pack (1.5 Ah)*



- Lightweight design and quick 30 minute charge time
 - No memory and virtually no self-discharge for maximum productivity and less downtime
-

DCB204 20V MAX Premium XR Lithium Ion Battery Pack*



- Premium XR Lithium Ion pack provides up to 33% more capacity than standard 20V MAX* battery packs
 - 3-LED Fuel Gauge System allows immediate feedback on state of charge
 - No memory and virtually no self-discharge for maximum productivity and less downtime
 - Weighs 1.42 lbs. allowing user maximum run-time in a lightweight battery
-

DCB204-2 20V MAX Premium XR Lithium Ion 2-Pack*



- Premium XR Lithium Ion pack provides up to 33% more capacity than standard 20V MAX* battery packs
 - 3-LED Fuel Gauge System allows immediate feedback on state of charge
 - No memory and virtually no self-discharge for maximum productivity and less downtime
 - Weighs 1.42 lbs. allowing user maximum run-time in a lightweight battery
-

DCB205 20V MAX Premium XR 5.0Ah Lithium Ion Battery Pack*



- Premium XR Lithium Ion pack provides up to 60% more capacity than standard 20V MAX* battery pack (DCB200)
 - 3-LED Fuel Gauge allows immediate feedback on state of charge
 - No Memory and virtually no self-discharge for maximum productivity and less downtime
 - Lightweight at 1.4 lbs. and compatible with entire line of 20V MAX tools
-

Cordless Power Tools

Batteries

Dewalt

DCB205-2 20V MAX Premium XR 5.0Ah Lithium Ion 2- Pack*



- Premium XR Lithium Ion pack provides up to 60% more capacity than standard 20V MAX* battery pack (DCB200)
 - 3-LED Fuel Gauge allows immediate feedback on state of charge
 - No Memory and virtually no self-discharge for maximum productivity and less downtime
 - Lightweight at 1.4 lbs. and compatible with entire line of 20V MAX tools
-

DW0242 24V XR+™ Pack FAN COOLED Extended Run-Time



- Fan-cooled battery and charger technology increases run-time and number of recharges
 - High capacity XR+™ pack battery offers extended run time without sacrificing number of recharges
 - Powers entire DEWALT® line of 24V tools
 - Durable slide rail interface keeps battery securely in place even during the most extreme applications
-

DW9057 7.2V Compact Battery Pack



- 10% Lighter than standard batteries
 - 15% Smaller than standard batteries
 - Powers the DEWALT® line of 7.2V tools allowing users to run multiple tools off of the same battery pack
-

DW9061 9.6V Extended Run-Time Battery



- High capacity battery has 25% more run-time than compact batteries
 - Powers entire DEWALT® line of 9.6V tools except Univolt tools allowing users to run multiple tools off of the same battery pack
-

Cordless Power Tools

Batteries

Bosch

BBAT612 18V Li-Ion 2.0 Ah Slim Pack Battery



Maximum run time - up to 65% more run time (compared to Bosch 1.5 Ah)
 Unique CoolPack Design - advanced heat conductive housing keeps battery cooler, lives up to 2x longer
 Integrated fuel gauge - for fast and easy charge status
 Cold weather operation - battery will work down to -4°F
 Durable housing - survives 3 m drop
 Flexible Power System (FPS™) - works with all Bosch 18 V Lithion power tools, radios and more

Part #
BBAT612

BBAT836 36V Lithium-Ion Fat Pack Battery



Up to 5 times longer cycle life than competitive Lithium-Ion batteries, Up to 2X longer run time than competitive Lithium-Ion, 1-Hour Charge Time (charged to 80% capacity in 30 minutes)
 1-hour charge time (Charged to 80% capacity in 30 minutes)choose maximum run time
 Up to 2X longer run time than competitive Lithium-Ion
 Up to 5 times longer cycle life than competitive Lithium-Ion batteries

Part #
BBAT836

Milwaukee

48-11-1815 18V Red-Lithium Compact Battery Back



- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger
- Best-in-class construction: Offers long-lasting performance and durability
- Fuel gauge onboard: Displays remaining runtime for less downtime on the job
- All-weather performance: Delivers fade-free power in extreme jobsite conditions
- Versatility: Powers more than 40 Milwaukee M18™ cordless power tools

Part#	Amp Hours	Cell Chemistry	Charge Time
48-11-1815	1.5	Lithium-Ion	30 Min

Cordless Power Tools

Batteries

Milwaukee

48-11-1828 18V Red-Lithium XC Extended Capacity Battery Pack



- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger
- Best-in-class construction: Offers long-lasting performance and durability
- Fuel gauge onboard: Displays remaining runtime for less downtime on the job
- All-weather performance: Delivers fade-free power in extreme jobsite conditions
- Versatility: Powers more than 40 Milwaukee M18™ cordless power tools

Part#	Amp Hours	Cell Chemistry	Charge Time
48-11-1828	3	Lithium-Ion	60 Min

48-11-1830 18V Lithium-Ion Battery



- Fade-free power: Unique lithium-ion technology delivers consistent power until the end of discharge
- Lightweight: 18V power with a 14.4V NiCd battery weight
- Superior cold weather performance: Use in extreme jobsite conditions down to -4°F/-20°C
- High voltage versatility: Powers Milwaukee M28™ and V28™ cordless power tools

Part#	Amp Hours	Cell Chemistry
48-11-1830	3	Lithium-Ion

48-11-2230 18V Battery



- Highest quality cells: Deliver ultimate performance and long battery life
- No memory effect: Full capacity of 18V NiCd battery is always available
- Fast changeouts: Release latches are easy to operate
- Versatility: Powers all 18V NiCd and V18™ Milwaukee cordless power tools (excludes models 1108, 3108, 5364, and 6516)

Part#	Amp Hours	Cell Chemistry	Charge Time
48-11-2230	2.4	NiCd	60 Min

Cordless Power Tools

Batteries

Milwaukee

48-11-2232 18V Battery 2 Pack



- Highest quality cells: Deliver ultimate performance and long battery life
- No memory effect: Full capacity of 18V NiCd battery is always available
- Versatility: Powers all 18V NiCd and V18™ Milwaukee cordless power tools (excludes models 1108, 3108, 5364, and 6516)

Part#	Amp Hours	Cell Chemistry
48-11-2232	3	Lithium-Ion

Cordless Power Tools

Batteries

Milwaukee

48-11-2401 12V Red-Lithium Battery Pack



- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger
- Best-in-class construction: Offers long-lasting performance and durability
- Fuel gauge onboard: Displays remaining runtime for less downtime on the job
- All-weather performance: Delivers fade-free power in extreme jobsite conditions
- Versatility: Powers Milwaukee M12™ cordless power tools

Part#	Amp Hours	Cell Chemistry
48-11-2401	1.5	Lithium-Ion

48-11-2402 12V XC High Capacity Red-Lithium Battery Pack



- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger
- Best-in-class construction: Offers long-lasting performance and durability
- Fuel gauge onboard: Displays remaining runtime for less downtime on the job
- All-weather performance: Delivers fade-free power in extreme jobsite conditions
- Versatility: Powers all Milwaukee M12™ cordless power tools

Part#	Amp Hours	Cell Chemistry
48-11-2402	3	Lithium-Ion

48-11-2420 12V Red-Lithium 2.0 Compact Battery Pack



- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger
- Best-in-class construction: Offers long-lasting performance and durability
- Fuel gauge onboard: Displays remaining runtime for less downtime on the job
- All-weather performance: Delivers fade-free power in extreme jobsite conditions
- Versatility: Powers most Milwaukee M12™ cordless power tools

Part#	Amp Hours	Cell Chemistry
48-11-2420	2	Lithium-Ion

Cordless Power Tools

Batteries

Milwaukee

48-11-2440 12V Red-Lithium XC 4.0 Extended Capacity Battery Pack



- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger
- Best-in-class construction: Offers long-lasting performance and durability
- Fuel gauge onboard: Displays remaining runtime for less downtime on the job
- All-weather performance: Delivers fade-free power in extreme jobsite conditions
- Versatility: Powers most Milwaukee M12™ cordless power tools

Part#	Amp Hours	Cell Chemistry
48-11-2440	4	Lithium-Ion

48-11-2830 28V Lithium-Ion Battery Pack



- Best-in-class construction: Offers long-lasting performance and durability
- Fuel gauge onboard: Displays remaining runtime for less downtime on the job
- High-voltage versatility: Powers Milwaukee M28™ and V28™ cordless power tools

Battery and Charger

Dewalt

DC9180C 1 Hour Charger and 18V XRP™ Li-Ion Battery



- DC9180 18V XRP™ Li-Ion Battery Pack is compatible with DEWALT® 18 Volt tools
- XRP™ Li-Ion extended run-time battery provides long run-time & battery life
- Lightweight design- 1.5 lbs.; same weight as an 12V NiCd battery
- No memory and virtually no self-discharge for maximum productivity and less downtime
- DC9310 Charger Charges all DEWALT® 7.2V - 18V NiCd/NiMH/Li-Ion batteries (except Univolt batteries) so users need only one charger for multiple cordless products

Cordless Power Tools

Chargers

Dewalt

DC9000 36V/28V 1 Hour Charger



- 1 hour charging provides fast charging for minimum downtime
- Battery fuel gauge indicates how much charge is in the battery
- DEWALT® 3-stage charging system provides maximum run-time and extends overall life of the battery
- Cord wrap provides improved cord storage

DC9310 7.2V-18V NiCd/NiMH/Li-Ion Fast Charger



- Charges all DEWALT® 7.2V - 18V NiCd/NiMH/Li-Ion batteries (except Univolt batteries) so users need only one charger for multiple cordless products
- Charges the battery in 1 hour or less thus minimizing downtime
- The DEWALT® 3-stage charging system provides maximum run-time and extends overall life of the battery
- Diagnostics with LED indicator communicates battery charge status: charged, charging, power line problem, replace pack, and battery too hot or too cold

DC9319 7.2V-18V NiCd/NiMH/Li-Ion 1 Hour Vehicle Charger



- Charges 7.2V-18V NiCd/NiMH/Li-Ion DEWALT® batteries (except Univolt®) from a vehicle's power outlet enabling batteries to be charged while driving to work or on a jobsite
- Charges in 1 hour or less
- Automatic shut-off protects excessive discharge of vehicle's battery

DC9320 7.2V-18V NiCd/NiMH/Li-Ion 1 Hour Dual Port Charger



- Charges (2) DEWALT® 7.2V - 18V NiCd/NiMH/Li-Ion batteries (except Univolt batteries) so users need only one charger for multiple cordless products
- Charges the battery in 1 hour or less thus minimizing downtime
- The DEWALT 3-stage charging system provides maximum run-time and extends overall life of the battery
- Diagnostics with LED indicator communicates battery charge status: charged, charging, power line problem, replace pack, and battery too hot or too cold

Cordless Power Tools

Chargers

Dewalt

DCB100 12V MAX Fast Charger*



- Charges all DEWALT® 12V MAX* Li-Ion batteries.
- Charges the battery in 40 minutes or less thus minimizing downtime
- Diagnostics with LED indicator communicates battery charge status: charged, charging, power line problem, replace pack, and battery too hot or too cold

DCB101 12V MAX - 20V MAX* Lithium Ion Battery Charger*



- Charges all DEWALT® 12V - 20V MAX* Li-Ion batteries
- Charges the battery in 1 hour or less thus minimizing downtime
- Diagnostics with LED indicator communicates battery charge status: charged, charging, replace pack, and battery too hot or too cold

DCB103 Combination Dual Port Fast Charger



- Port #1) Charges all DEWALT® 12V - 20V MAX* Li-Ion batteries
- Port #2) Charges all DEWALT® 7.2V - 18V NiCd/NiMH/Li-Ion batteries (except Univolt batteries)
- Charges the batteries in 1 hour or less thus minimizing downtime
- Diagnostics with LED indicator communicates battery charge status: charged, charging, power line problem, battery too hot or too cold, and problem pack or charger

DCB119 12V MAX - 20V MAX* Lithium Ion Vehicle Battery Charger*



- Charges all DEWALT® 12V - 20V MAX* Li-Ion batteries from a vehicle's power outlet enabling batteries to be charged while driving to work or on a jobsite
- Quickly charges batteries to minimize down time: DCB120 (12V MAX*, 1.3 Ah) – 40 min; DCB201 (20V MAX*, 1.5 Ah) – 45 min; DCB200 (20V MAX*, 3.0 Ah) – 90 min
- Automatic shut-off protects excessive discharge of vehicle's battery
- Diagnostics with LED indicator communicates battery charge status: charged, charging, power line problem, replace pack, and battery too hot or too cold

Cordless Power Tools

Chargers

Dewalt

DW0246 24V 1 Hour FAN COOLED Charger



- Fan-cooled battery and charger technology increases run-time and number of recharges
- Charges all DEWALT® 24V batteries so 24V users need only one charger
- Charges all 24V batteries in 1 hour or less thus minimizing down time
- 3-Stage charging system provides maximum run-time and extends overall life of the battery
- Battery thermal protection system prevents charging batteries that are too hot or too cold which would cause damage to the battery and a loss of run-time
- Diagnostics with LED indicator are 5 indicators to communicate battery charge status: charged, charging, power line problem, replace pack, and battery too hot or too cold

Milwaukee

48-59-0255 One Hour NiCd AC Charger



- Charges Milwaukee 12 to 18 volt Power-Plus batteries

48-59-0300 2.4V Charger



- Automatic Shut-Off
- Trickle charge technology
- Compatible with all Milwaukee 2.4 volt power tools

48-59-1806 18V Six Pack Sequential Charger



- Charges up to Six Batteries Sequentially
- Convenient Carrying Handle
- Pass Through Plug
- Compact Size

Part#	Compatibility	Charge Sequence	Skip Button
48-59-1806	All M18™ Batteries	Sequential (Counter-Clockwise Rotation)	Manually Designate which Battery Charges First

Cordless Power Tools

Chargers

Milwaukee

48-59-1812 18V & 12V Multi Charger



48-59-2401 12V Lithium-Ion Battery Charger



- Single unit simplicity: Charges M12™ RED LITHIUM™ and M12™ Lithium-Ion batteries
- Charge management: Charger communicates with the battery pack to ensure a full charge and battery protection
- Onboard indicator light: Provides the status of the battery
- Pass-through plug: Conserves valuable outlet space

48-59-2818 18V - 28V Universal Charger



- Single-unit simplicity: Charges both lithium-ion and NiCd batteries from 18V to 28V
- High-visibility LED light: Displays charge status from across the room
- Pass-through plug: conserves valuable outlet space

ME2710-20 18V Lithium-Ion AC/DC Wall and Vehicle Charger

- Dual-function design: AC wall charger and DC vehicle charger in a single unit
- Single-unit simplicity: Quickly charges all M18™ REDLITHIUM and M18™ Lithium-Ion batteries in 30-60 minutes
- Charge management: Charger communicates with the battery pack to ensure a full charge and battery protection
- Onboard indicator light: Provides the status of the battery

Cordless Power Tools

Power Source

Milwaukee

49-24-2310 12V Power Source



- 2.1 amp Powered USB Port Charges All Portable Electronic Devices, Including Tablets
- On-Board Fuel Gauge
- Compatible with all M12™ Battery Packs
- Compatible with all M12™ Heated Gear

49-24-2371 18V Power Source



- Compatible with M18™ Compact and XC™ Batteries
- Powered USB Port Charges Portable Electronic Devices
- Compatible with M12™ Heated Jackets with the Expandable Battery Pocket

Radio

Dewalt

DC012 Worksite Charger/Radio



- 1 hour charger for 7.2V to 18V DEWALT battery packs (except Univolt®)
- Runs off of 12V to 18V DEWALT batteries making it a cordless radio
- Power outlets offer more versatility for jobsite power
- The DEWALT 3 - stage charging system provides maximum run-time and extends overall life of the battery
- AM/FM Digital Tuner with LCD display, built-in clock, and 15 station memory presets
- High efficiency weather resistant speakers with dual bass ports for maximum bass and range
- Auxiliary port allows connection to CD Players, MP3 Players, and portable satellite receivers with an audio cable (cable not included)
- Dual pivoting 11" flexible antenna provides more durability and better reception

PART #	Power Source	Charging Time	Weight
DC012	7.2V - 18V	1 hour	14.25 lbs

Cordless Power Tools

Radio

Dewalt

DCR015 12V/20V MAX Worksite Charger Radio*



- 2 AMP Charger for 12V Max & 20V Max DEWALT Battery Packs allows for quick and convenient battery charging
- Runs off 12V Max & 20V Max DEWALT batteries making it a cordless radio capable of running off rechargeable and reusable battery power
- 2 AC Power Outlets offer more versatility for jobsite power
- Auxiliary & USB Ports allows for connection to CD, MP3, Portable Satellite Receivers, and other digital audio devices
- USB port allows device to be charged via USB when radio is plugged into a wall outlet
- Device storage box protects electronic devices from jobsite debris while plugged into Aux or USB ports
- Class D amplifier, woofers and tweeters provide full range of high and low sound for optimum sound quality

DCR018 18V/20V MAX/12V MAX* Compact Worksite Radio*



- Able to be powered by 18V NiCad/Li-Ion, 12V Max* or 20V Max* DEWALT power tool batteries making it compatible with DEWALT's largest systems of batteries
- AC/DC Power allowing the flexibility to be powered by AC power cord or DEWALT power tool batteries
- Device storage box protects digital audio devices from jobsite debris and damage
- USB Power port allows device to be charged via USB when radio is plugged into AC wall outlet
- 3.5 mm Aux. Input allows for connection to CD, MP3, Portable Satellite Receivers, and other digital audio devices (Aux cable included)
- Heavy duty design with roll cage increases durability to withstand jobsite conditions
- Radio Only - Charger Sold Separately

Milwaukee

ME2590-20 12V Cordless Lithium-Ion Radio

- Exclusive digital processor
- Premium weatherproof aluminum speakers
- Weather sealed MP3 compartment
- Shock absorbing ABS polymer housing
- Ultraslim size
- Powered by M12™ RED LITHIUM™ battery packs or AC adaptor

Part#	Tuner	Modes	Auxiliary Input	Power	Weight
ME2590-20	Digital	AM/FM/AUX	1/8" Stero Jack	M12 Batteries / AC Adapter	3.5 lbs

Cordless Power Tools

Radio

Milwaukee

ME2790-20 Jobsite Radio

- Exclusive AM/FM Tuner with Digital Processor - Delivers Highest reception accuracy and signal clarity
- Premium Speakers and 40 Watt Amplifier - Up to 6X more power than competitive radios
- Weather Sealed Auxiliary Compartment - Protects MP3 players and other audio devices
- Shock Absorbing ABS Polymer and Steel Construction - Protection against weather and abusive job site conditions
- Customizable Equalizer and 10-Station Preset - Personalized sound and enhanced musical and vocal quality
- AC/DC Versatility - Powered by Milwaukee M12™, M18™, V18™, V28® , NiCd 12V, and AC outlet
- Built-In Bottle Opener - Convenience on and off the job site
- USB Output - Provides power to charge most small electronic devices
- Durable Cord Wrap - Easily store the 6-foot AC cord

Part#	Tuner	Modes	Ports	Power
ME2790-20	Digital	AM/FM/AUX	USB	12V - 28V Batteries / 120v AC

USB Power Source

Dewalt

DCB090 12V/20V MAX USB Power Source*



- Durable enough to withstand jobsite abuse
- Charge up to 2 small USB compatible electronic devices on/at the jobsite off your 12V or 20V MAX* Batteries when AC power is not available
- Allows you to work with all DEWALT Slide Style battery packs
- Indicates when unit is powered on and ready to charge devices
- Similar to a fuel gauge it indicates the amount of power remaining in the battery

Cordless Power Tools

Flashlights and Instruments

Distance Measurer

Bosch

BGLM100C Laser Measure

Bluetooth wireless technology - instantly transfer measurements, manage projects and make calculations using the free measure and document app

Remote control functionality - use your smart device as a remote control to take measurements from the laser measure in hard to reach spots in target-less conditions

Built-in tilt sensor - displays 360° angle measurement in 2 axis allowing for accurate measure

Backlit display with tilt screen technology - offers easy viewing in all directions

Ten measurement modes - length, area, volume, angle, min/max, continuous, single indirect height, single indirect length, combined indirect height, and multi-surface are measurement for maximum versatility

Rechargeable integrated Li-Ion battery - no longer need to purchase batteries

Part #
BGLM100C

BGLM50 Laser Distance Measurer



Part #
BGLM50

BGLM80 Laser Distance & Angle Measurer



Part #
BGLM80

Cordless Power Tools

Flashlights and Instruments

Flashlights

Dewalt

DC509 36V Cordless Li-Ion Floodlight



- Flex-neck design with lockable head clips allows for hands-free use and versatility to stand or hang the light
- Wide-angle beam maximizes light over a specific work area
- 8 hours run-time on 1 charge
- Xenon bulb provides an extra bright beam of light
- DW9083 18V Replacement bulb

DC527 18V Cordless Fluorescent Area Light



- Built-in telescoping and 360° rotating hook allows unit to hang from 2" materials and multiple locations
- Over-molded lens cover provides increased durability on the jobsite
- 13 Watt Fluorescent bulb provides bright area lighting
- Twist and lock tool-free lens cover allows for quick and easy bulb change
- Pre-heat circuit helps eliminate blackening at the base of the bulb
- Runs on the 18V battery system for longer run-time
- Battery sold separately

PART #	Volts	Bulb	Run-Time	Weight	Charger/Battery
DC527	18V	13 Watt Fluorescent	Up to 3.5 hrs.	1.2 lbs.	Sold Separately

DCL040 20V MAX Lithium Ion LED Work Light*



- Bright LED output - 110 Lumens
- Integral hook for hands free use in multiple placements
- Head rotates 120°
- Low heat output compared to Xenon lights
- Efficient LED bulb improves run-time

PART #	Volts	Bulb	Brightness	Run-Time	Weight	Charger/Battery
DCL040	20V MAX*	LED	110 Lumens	11 hrs.	1.0 lbs.	Sold Separately

DCL0900 LED Replacement Bulb



- 110 Lumen output
- Bright white LED output
- 2 light zone pattern
- Compatible with 9.6V - 36V DEWALT Flashlights

PART #	Volts	Bulb	Brightness	Run-Time	Weight	Charger/Battery
DCL0900	9.6V - 36V	LED	110 Lumens	Up to 4 hrs.	.2 lbs.	Sold Separately

Cordless Power Tools

Flashlights and Instruments

Flashlights

Dewalt

DCL510 12V MAX LED Worklight*



- Bright LED output - 130 Lumens
- Powerful magnet - hands free use in multiple placements
- Kick stand - hands free use in multiple placements
- Head rotates 360° and pivots

PART #	Volts	Bulb	Brightness	Run-Time	Weight	Charger/Battery
DCL510	12V MAX*	LED	130 lumens	4 hrs.	.5 lbs.	Sold Separately

DW904 12V Cordless Pivoting Head Flashlight



- Wide-angle beam maximizes light over a specific work area
- Pivoting head rotates 90° which allows light to be projected in any direction
- Extra-bright Xenon bulb maximizes brightness of the beam
- Lightweight, compact design makes the flashlight durable and portable
- Battery sold separately

PART #	Volts	Bulb	Run-Time	Weight	Charger/Battery
DW904	12V	Xenon Bulb	Up to 3 hrs.	.5 lbs.	Sold Separately

DW906 14.4V Cordless Pivoting Head Flashlight



- Pivoting head rotates 90° which allows light to be projected in any direction
- Wide-angle beam maximizes light over a specific work area
- Extra-bright Xenon bulb maximizes brightness of the beam
- Lightweight, compact design makes the flashlight durable and portable
- Battery sold separately

Volts	Bulb	Run-Time	Weight	Charger/Battery
14.4V	Xenon Bulb	Up to 3 hrs.	.5 lbs.	Sold Separately

Cordless Power Tools

Flashlights and Instruments

Flashlights

Dewalt

DW908 18V Cordless Pivoting Head Flashlight



- Wide-angle beam maximizes light over a specific work area
- Pivoting head rotates 90° which allows light to be projected in any direction
- Extra-bright Xenon bulb maximizes brightness of the beam
- Lightweight, compact design makes the flashlight durable and portable
- Battery sold separately

Volts	Bulb	Run-Time	Weight	Charger/Battery
18V	Xenon Bulb	Up to 3.5 hrs.	1.2 lbs.	Sold Separately

DW919 18V Cordless Flexible Floodlight

- Wide-angle beam maximizes light over a specific work area
- Flexible neck allows for hands-free operation and light to be projected in any direction whether it is standing on its base, wrapped around a pipe, or hanging from rafters overhead
- Lockable head clip offers versatility and convenience of a lantern
- Extra-bright Xenon bulb maximizes brightness of the beam
- Battery sold separately

Volts	Bulb	Run-Time	Weight	Charger/Battery
18V	Xenon Bulb	Up to 3 hrs.	.5 lbs.	Sold Separately

Bosch

BCFL180 18V Lithium-Ion Flashlight



Easy to fit into tight spaces with this compact flashlight
 Handle has 2 screw holes for mounting/positioning light from above - easy to position to light your work space
 The wide angle beam allows you to cover more area
 Lithium-Ion technology enables up to 4 hours of continuous run time
 With 7 detents and 360° handle rotation you are able to place the light anywhere you want it
 Tool-less bulb change

Part #
BCFL180

Cordless Power Tools

Flashlights and Instruments

Flashlights

Milwaukee

49-24-0145 12V Work Light



- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- Compact design: Lightweight and ergonomic for greater user comfort and jobsite portability
- 90° rotating head: Provides flexible, focused illumination
- Integrated magnet: Leaves both hands free for work anywhere on the jobsite

Part#	Voltage	Length
49-24-0145	12V	7"

49-24-0146 12V LED Work Light



- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- Sealed aluminum head: Designed for impact- and weather-resistant durability
- 90° rotating head: Provides flexible, focused illumination
- Magnetic back: Leaves both hands free for work anywhere on the jobsite

Part#	Voltage	Length	LED Light
49-24-0146	12V	7"	Yes

49-24-0185 28V Work Light



- Superior run-time: Powered by the M28™ LITHIUM-ION battery pack
- 135° rotating head: Provides flexible, focused illumination
- Fold-away utility hook: Leaves both hands free for work anywhere on the jobsite

Part#	Voltage	Length
49-24-0185	28V	8.5"

Cordless Power Tools

Flashlights and Instruments

Flashlights

Milwaukee

ME2735-20 18V LED Work Light

- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- Sealed aluminum head: Designed for impact- and weather-resistant durability
- 135° rotating head: Provides flexible, focused illumination
- Integrated hook: Leaves both hands free for work anywhere on the jobsite

Part#	Voltage	Length	LED Light
ME2735-20	18V	8.5"	Yes

Replacement Bulbs

Part#	Volts	Pack Qty.
49-81-0020	14.4V	2
49-81-0030	18V	2
49-81-0040	28V	2

Instrument Accessories

Milwaukee

48-53-0110 M-SPECTOR™ Digital Camera Cable Extension 3 Ft Kit



- Extends camera reach by 3'
- Camera reach
- Fits Milwaukee digital inspection camera models 2300-20 and 2310-21 only.
- Durable, waterproof construction

Part#	Length
48-53-0110	3'

48-53-0140 M-SPECTOR™ AV 8 Ft Extension Cable



Part#	Length
48-53-0140	8'

Cordless Power Tools

Instrument Accessories

Milwaukee

48-55-0175 Meter Case



- Case constructed of rugged nylon
- Three sided zipper closure
- One inside pocket for a manual and one main compartment for a meter
- Strong nylon strap with snap closure for hanging from belt
- All the following Milwaukee meters fit in this Soft Meter Case:
 - -2205-20 Fork Meter
 - -2206-20 Fork Meter for HVAC/R
 - -2216-20 Digital Multimeter
 - -2217-20 Digital Multimeter
 - -2235-20 400amp Clamp Meter
 - -2265-20 Laser TEMP-GUN
 - -2266-20 Laser TEMP-GUN

Part#	Material	Zippered	Inside Pocket	Strap for Hanging	Width x Length
48-55-0175	Nylon	Yes	Yes	Yes	5" x 9"

Cordless Power Tools

Instrument Accessories

Milwaukee

48-55-0180 Large Meter Case



- Case constructed of rugged nylon
- Three sided zipper closure
- One inside pocket for a manual and one main compartment for a meter
- Strong nylon strap with snap closure for hanging from belt
- All the following Milwaukee meters fit in this Soft Meter Case:
 - -2205-20 Fork Meter
 - -2206-20 Fork Meter for HVAC/R
 - -2207-20 M12 Fork Meter
 - -2216-20 Digital Multimeter
 - -2217-20 Digital Multimeter
 - -2235-20 400 Amp Clamp Meter
 - -2236-20 Clamp Meter for HVAC/R
 - -2237-20 Clamp Meter
 - -2265-20 Laser TEMP-GUN
 - -2266-20 Laser TEMP-GUN

Part#	Material	Zippered	Inside Pocket	Strap for Hanging	Width x Length
48-55-0180	Nylon	Yes	Yes	Yes	4" x 11"

49-77-3001 Magnetic Meter Holder



- Strong magnet hold meter in place
- Allows hands free operation

Part#	Use With	Length
49-77-3001	2216-20 Digital Multimeter, 2217-20 Digital Multimeter	1.75"

Cordless Power Tools

Instruments camera

Dewalt

DCT410S1 12V MAX 17mm Inspection Camera with Wireless*



- Removable wireless screen for ease of viewing when in tight areas
- Photo and video capturing on micro SD card to help with documentation (micro SD card sold separately)
- Hook and magnet accessories included to aid in retrieval
- 3x zoom capability for better visibility
- 3.5" screen for increased visibility

Milwaukee

ME2311-21 M-SPECTOR™ AV 12V Cordless Lithium-Ion Multimedia Camera Kit (17mm)

- 2GB Memory Card (included) records 90 minutes of audio/video or 7,600 photos
- USB Cable for downloading files to a computer
- Integrated microphone and speaker
- Rotate both live and captured images
- 4X zoom, 4X LED brightness control, and auto-shut off

Part#	Camera Head	Screen Size	Photo Cap	Video Recording	Zoom	Display Resolution	Cable Length
ME2311-21	17mm Digital	3.5" LCD	7600 Photos	90 min	4x Digital	320 x 240 Pixels	3'

Instruments camera accessories

Dewalt

DCT4101 17mm Replacement Camera Cable



- 17mm Diameter Replacement Camera Cable
- 3' Length
- Waterproof
- Fits DCT410, DCT411 & DCT412 Inspection Cameras

Cordless Power Tools

Instruments camera accessories

Dewalt

DCT4102 9mm Replacement Camera Cable



- 9mm Replacement Camera Cable
- 3' Length
- Waterproof
- Fits DCT410, DCT411 & DCT412 Inspection Cameras

DCT4103 Inspection Camera Extension Cable (17mm)



- 17mm extension cable can help extend camera reach
- 3' Length
- Waterproof
- Fits DCT410, DCT411 & DCT412 Inspection Cameras

Instruments Light Tester

Milwaukee Tools

ME2210-20 Fluorescent Lamp and Ballast Tester Kit

- Test Lamps, Ballast and Pins: Complete 3-in-1 solution
- 2.5' Fully retractable antenna for extended reach when testing
- Non-conductive antenna sleeve allows for safe testing
- Removable antenna adapter improves lamp test response
- Visual and audible tool feedback to easily confirm testing
- Built-in LED flashlight illuminates dark work spaces
- Dial and buttons positioned for one-handed use
- Rugged over-molding for increased grip and durability
- Durable tool that continues to work after a 6.5 foot drop

Part#	Lamp Test	Ballast Test	Pin Test
ME2210-20	T2-T12	Electronic	Bi-Pin Lamps



Cordless Power Tools

Instruments Meter

Milwaukee Tools

ME2206-20 Fork Meter for HVAC/R

Part#	Current Range	Voltage Range	Safety Rating	Temp Range	Fork Opening	TRMS
ME2206-20	200A AC	1000V AC/DC	CAT IV 600V / CATIII 1000V	-40°F to 752°F(-40°C to 400°C)	.63"	Yes

ME2217-20 True RMS Multimeter

- Wide Voltage range to 600 volts AC/DC
- Auto range to millivolts and milliamp ranges
- True RMS for accurate measurement in all applications
- Lo-Z measurement to eliminate ghost voltage
- Frequency measurements from 10Hz to 50kHz
- Contact temperature measurement from -40 to 752°F
- Current Measurement to 10 amps AC/DC
- High Contrast, White on Black Display with Backlight for easy reading
- Rugged over-molding increases durability and user grip

Part#	Voltage Range	Safety Rating	Temp Range	TRMS
ME2217-20	600V AC/DC	CAT III 600V	-40°F to 752°F(-40°C to 400°C)	Yes

ME2236-20 Clamp Meter for HVAC/R

- Measures up to 600 amps AC, Large 1.30" jaw opening
- Thin Jaw Profile for easier wire measurement in panels or in bundles
- Wide Voltage range to 600 AC/DC volts
- True-RMS for accurate measurement in all applications
- Built-In Voltage Detector and LED Work Light
- Thermocouple (dual banana) input for contact temperature measurement
- 600 uA DC for Flame Rectification
- High Contrast, White on Black Display with Backlight for easy reading
- Rugged over-molding increases durability and user grip

Part#	Current Range	Voltage Range	Safety Rating	Temp Range	TRMS
ME2236-20	600A AC	600V AC/DC	CAT III 600V	-40°F to 752°F(-40°C to 400°C)	Yes



Cordless Power Tools

Instruments Meter

Milwaukee Tools

ME2237-20 Clamp Meter

- Measures up to 600 amps AC/DC, Large 1.30" jaw opening
- Thin Jaw Profile for easier wire measurement in panels or in bundles
- Wide Voltage range to 600 AC/DC volts
- True-RMS for accurate measurement in all applications
- Built-In Voltage Detector and LED Work Light
- Frequency Measurement
- High Contrast, White on Black Display with Backlight for easy reading
- Rugged over-molding increases durability and user grip
- CAT III 600V for increased safety

Part#	Current Range	Voltage Range	Safety Rating	TRMS
ME2237-20	600A AC/DC	600V AC/DC	CAT III 600V	Yes

ME2280-20 Laser Distance Meter Kit

- Measures up to 197' within 1/16"
- Design allows for easy measuring from edges and corners
- Area and volume measurement plus memory storage of last 10 readings
- Easy to read display with backlight
- Six different measurement functions
- Rugged over-molding
- Easily add and subtract distance values

Part#	Distance Range	Basic Accuracy	Units Displayed	Length, Area Volume	Addition, Subtraction	Memory Storage	IP Rating
ME2280-20	.05" to 197'	.05"	Feet/Inch, Feet, Meters	Yes	Yes	Last 10 Readings	IP54

Cordless Power Tools

Instruments Scanner

Bosch

BGMS120 Wall Scanner



- Multi-mode detection — for detection of wood studs, metal objects (rebar, studs and steel/copper pipes) or live wiring
- Illuminated ring indicates detection status — green (no object found) / orange (object near) / red (object found within the detectable sensor area)
- Automatic center finder — for locating center of detected wood or metal object
- Illuminated graphical display — indicates mode, detection strength and more
- Three selection modes (wood, metal, AC wiring) - with automatic calibration for easy and precise detection
- Audible detection signal - with on/off button
- Ergonomic soft-grip - for secure grip and comfort
- Illuminated ring indicates detection status

Part #
BGMS120

Milwaukee

ME2291-20 SUB-SCANNER™ 12V Detection Tool

- Measures Depth and Location of Rebar Up To 6" Through Concrete
- Detects Location of Wood and Metal Studs
- Differentiates Between Steel (Ferrous) and Copper or Aluminum (Non-Ferrous) Metals
- Intuitive user interface displays stud centers and edges
- High contrast white on black display and backlight for easy reading
- Rugged over-molding improves durability and user grip
- One button calibration for all surfaces

Part#	Detects Rebar in Concrete	Depth(Metal)	Depth(Wood, Metal Stud)	Stud Edges & Center
ME2291-20	Yes	6"	1-1/2"	Yes

Cordless Power Tools

Instruments Scanner

Milwaukee

ME2291-21 SUB-SCANNER™ 12V Detection Tool Kit

- Measures Depth and Location of Rebar Up To 6" Through Concrete
- Detects Location of Wood and Metal Studs
- Differentiates Between Steel (Ferrous) and Copper or Aluminum (Non-Ferrous) Metals
- Intuitive user interface displays stud centers and edges
- High contrast white on black display and backlight for easy reading
- Rugged over-molding improves durability and user grip
- One button calibration for all surfaces

Part#	Detects Rebar in Concrete	Depth(Metal)	Depth(Wood, Metal Stud)	Stud Edges & Center
ME2291-21	Yes	6"	1-1/2"	Yes

Instruments temp

Dewalt

DCT414S1 12V MAX Infrared Thermometer Kit*



- Non-contact temperature measurements (-20°F to 932°F) for ease of use over distance and accuracy
- LED hot (red) & cold (blue) indicator for visual and/or audio alarm for quickly locating trouble spots
- Data storage for recording max, min, and average temperatures
- Adjustable emissivity improves accuracy across a wide range of materials

Volts	Temp Range	Field of View	Accuracy	Charger/Battery
12V MAX*	-20°F to 480° F (-10°C to 250°C)	(d:s) 12:1	+/-1.5% OR +/-1.5°C Whichever is greater assumes ambient	Fast Charger / (1) 12V MAX* Lithium Ion

Cordless Power Tools

Instruments temp

Dewalt

DCT416S1 12V MAX Imaging Thermometer Kit*



- Patent pending imaging technology measures and displays both thermal and visual images
- Non-contact temperature measurement (14°F to 480°F) for ease of use over distance and accuracy
- Visual and thermal images can be blended for quickly diagnosing temperature issues and aiding in communication
- Photo capture on micro SD card for documentation
- Hot and cold tracker quickly identifies trouble spots
- Adjustable emissivity improves accuracy across a wide range of materials
- Includes PC report writing software (download from link below)

Volts	Temp Range	Field of View	Accuracy	Charger/Battery
12V MAX*	14°F to 480°F (-10°C to 250°C)	(IFOV) 1" @ 39.3"(25 MM @ 1M)	Below 200°F, +/-3.6°F, Above 200°F, +/-2% Assumes ambient operating Temperature	Fast Charger / (1) 12V MAX* Lithium Ion

Instruments Temp

Milwaukee

ME2266-20 Laser Temp-Gun™

- Surface Temperature Measurement from -20 to 932°F (-30 to 500°C)
- 12:1 Distance to Spot Ratio. Measures a one foot spot from 12 feet away
- User Configurable Hi/Low Alarm Settings
- K-type thermocouple input for contact temperature
- High Contrast, White on Black Display with Backlight for easy reading
- Rugged over-molding increases durability and user grip
- Hold, Max Value Functions
- 0.95 fixed emissivity

Part#	Temp Range	Basic Accuracy	Distance to Spot	Contact Temp Range
ME2266-20	-20°F to 932°F(-30°C to 500°C)	1.50%	12 to 1	-22°F to 842°F(-30°C to 450°C)



Cordless Power Tools

Instruments Temp

Milwaukee

ME2277-20 Laser TEMP-GUN™ 12V Cordless Lithium-Ion Thermometer for HVAC/R

- Infrared Surface Temperature Measurement from -22 to 1472° F (-30 to 800° C)
- Contact Surface Temperature Measurement from -40 to 1022° F (-40 to 550° C)
- 40:1 Distance to Spot Ratio. Measures a one foot spot from 40 feet away
- Measure Ambient Humidity and Dew Point
- High Contrast, White on Black Display with Backlight for easy reading
- Extra Bright LED Floodlight increases usability in low light conditions
- User Configurable Hi/Low Alarm Settings
- Adjustable emissivity from 0.10 to 1.00 for increased accuracy
- Unit Memory stores up to 20 temperature values

Part#	Humidity & Dew Point	Tem Range	Basic Accuracy	Distance To Spot	Contact Temp Range
ME2277-20	Yes	-22°F to 1472°F(-40°C to 800°C)	1.50%	40 to 1	40°F to 1022°F(-40°C to 550°C)



Cordless Power Tools

Instruments Temp

Milwaukee

ME2277-21 Laser TEMP-GUN™ 12V Cordless Lithium-Ion Thermometer Kit for HVAC/R Kit

- Infrared Surface Temperature Measurement from -22 to 1472° F (-30 to 800°C)
- Contact Surface Temperature Measurement from -40 to 1022° F (-40 to 550°C)
- 40:1 Distance to Spot Ratio. Measures a one foot spot from 40 feet away.
- Measure Ambient Humidity and Dew Point
- High Contrast, White on Black Display with Backlight for easy reading
- Extra Bright LED Floodlight increases usability in low light conditions
- User Configurable Hi/Low Alarm Settings
- Adjustable emissivity from 0.10 to 1.00 for increased accuracy
- Unit Memory stores up to 20 temperature values

Part#	Humidity & Dew Point	Tem Range	Basic Accuracy	Distance To Spot	Contact Temp Range
ME2277-21	Yes	-22°F to 1472°F(-40°C to 800°C)	1.50%	40 to 1	40°F to 1022°F(-40°C to 550°C)

Table of Contents

Categorized Listing

Cordless Power Tools	1		
Batteries	1		
Dewalt	1		
DC9071 12V XRP™ Battery Pack	1		
DC9091 14.4V XRP™ Battery Pack	1		
DC9096 18V XRP™ Battery Pack	1		
DC9096-2 18V XRP™ Battery Combo Pack	1		
DC9180 18V XRP™ Li-Ion Battery	1		
DC9181 18V Compact Li-Ion Battery pack	2		
DC9360 36V Li-Ion Battery	2		
DCB080 8V MAX* Battery	2		
DCB120 12V MAX* Lithium Ion Battery Pack	2		
DCB200 20V MAX* Lithium Ion Battery Pack (3.0 Ah)	2		
DCB201 20V MAX* Lithium Ion Compact Battery Pack (1.5 Ah)	3		
DCB204 20V MAX* Premium XR Lithium Ion Battery Pack	3		
DCB204-2 20V MAX* Premium XR Lithium Ion 2-Pack	3		
DCB205 20V MAX* Premium XR 5.0Ah Lithium Ion Battery	3		
DCB205-2 20V MAX* Premium XR 5.0Ah Lithium Ion 2-Pack	4		
DW0242 24V XR+™ Pack FAN COOLED Extended Run-Time	4		
DW9057 7.2V Compact Battery Pack	4		
DW9061 9.6V Extended Run-Time Battery	4		
Bosch	5		
BBAT612 18V Li-Ion 2.0 Ah Slim Pack Battery	5		
BBAT836 36V Lithium-Ion Fat Pack Battery	5		
Milwaukee	5		
48-11-1815 18V Red-Lithium Compact Battery Back	5		
48-11-1828 18V Red-Lithium XC Extended Capacity Battery	6		
48-11-1830 18V Lithium-Ion Battery	6		
48-11-2230 18V Battery	6		
48-11-2232 18V Battery 2 Pack	7		
48-11-2401 12V Red-Lithium Battery Pack	8		
48-11-2402 12V XC High Capacity Red-Lithium Battery Pack	8		
48-11-2420 12V Red-Lithium 2.0 Compact Battery Pack	8		
48-11-2440 12V Red-Lithium XC 4.0 Extended Capacity Battery	9		
48-11-2830 28V Lithium-Ion Battery Pack	9		
Battery and Charger	9		
Dewalt	9		
DC9180C 1 Hour Charger and 18V XRP™ Li-Ion Battery	9		
Chargers	10		
Dewalt	10		
DC9000 36V/28V 1 Hour Charger	10		
DC9310 7.2V-18V NiCd/NiMH/Li-Ion Fast Charger	10		
DC9319 7.2V-18V NiCd/NiMH/Li-Ion 1 Hour Vehicle Charger	10		
DC9320 7.2V-18V NiCd/NiMH/Li-Ion 1 Hour Dual Port	10		
DCB100 12V MAX* Fast Charger	11		
DCB101 12V MAX* - 20V MAX* Lithium Ion Battery Charger	11		
DCB103 Combination Dual Port Fast Charger	11		
DCB119 12V MAX* - 20V MAX* Lithium Ion Vehicle Battery	11		
DW0246 24V 1 Hour FAN COOLED Charger	12		
Milwaukee	12		
48-59-0255 One Hour NiCd AC Charger	12		
48-59-0300 2.4V Charger	12		
48-59-1806 18V Six Pack Sequential Charger	12		
48-59-1812 18V & 12V Multi Charger	13		
48-59-2401 12V Lithium-Ion Battery Charger	13		
48-59-2818 18V - 28V Universal Charger	13		
ME2710-20 18V Lithium-Ion AC/DC Wall and Vehicle Charger	13		
Power Source	14		
Milwaukee	14		
49-24-2310 12V Power Source	14		
		49-24-2371 18V Power Source	14
		Radio	14
		Dewalt	14
		DC012 Worksite Charger/Radio	14
		DCR015 12V/20V MAX* Worksite Charger Radio	15
		DCR018 18V/20V MAX*/12V MAX* Compact Worksite Radio	15
		Milwaukee	15
		ME2590-20 12V Cordless Lithium-Ion Radio	15
		ME2790-20 Jobsite Radio	16
		USB Power Source	16
		Dewalt	16
		DCB090 12V/20V MAX* USB Power Source	16
		Flashlights and Instruments	17
		Distance Measurer	17
		Bosch	17
		BGLM100C Laser Measure	17
		BGLM50 Laser Distance Measurer	17
		BGLM80 Laser Distance & Angle Measurer	17
		Flashlights	18
		Dewalt	18
		DC509 36V Cordless Li-Ion Floodlight	18
		DC527 18V Cordless Fluorescent Area Light	18
		DCL040 20V MAX* Lithium Ion LED Work Light	18
		DCL0900 LED Replacement Bulb	18
		DCL510 12V MAX* LED Worklight	19
		DW904 12V Cordless Pivoting Head Flashlight	19
		DW906 14.4V Cordless Pivoting Head Flashlight	19
		DW908 18V Cordless Pivoting Head Flashlight	20
		DW919 18V Cordless Flexible Floodlight	20
		Bosch	20
		BCFL180 18V Lithium-Ion Flashlight	20
		Milwaukee	21
		49-24-0145 12V Work Light	21
		49-24-0146 12V LED Work Light	21
		49-24-0185 28V Work Light	21
		ME2735-20 18V LED Work Light	22
		Replacement Bulbs	22
		Instrument Accessories	22
		Milwaukee	22
		48-53-0110 M-SPECTOR™ Digital Camera Cable Extension	22
		48-53-0140 M-SPECTOR™ AV 8 Ft Extension Cable	22
		Instrument Accessories	23
		Milwaukee	23
		48-55-0175 Meter Case	23
		48-55-0180 Large Meter Case	24
		49-77-3001 Magnetic Meter Holder	24
		Instruments camera	25
		Dewalt	25
		DCT410S1 12V MAX* 17mm Inspection Camera with	25
		Milwaukee	25
		ME2311-21 M-SPECTOR™ AV 12V Cordless Lithium-Ion Multi	25
		Instruments camera accessories	25
		Dewalt	25
		DCT4101 17mm Replacement Camera Cable	25
		DCT4102 9mm Replacement Camera Cable	26
		DCT4103 Inspection Camera Extension Cable (17mm)	26
		Instruments Light Tester	26
		Milwaukee Tools	26
		ME2210-20 Fluorescent Lamp and Ballast Tester Kit	26

Table of Contents

Categorized Listing

Instruments Meter	27
Milwaukee Tools	27
ME2206-20 Fork Meter for HVAC/R	27
ME2217-20 True RMS Multimeter	27
ME2236-20 Clamp Meter for HVAC/R	27
ME2237-20 Clamp Meter	28
ME2280-20 Laser Distance Meter Kit	28
Instruments Scanner	29
Bosch	29
BGMS120 Wall Scanner	29
Milwaukee	29
ME2291-20 SUB-SCANNER™ 12V Detection Tool	29
ME2291-21 SUB-SCANNER™ 12V Detection Tool Kit	30
Instruments temp	30
Dewalt	30
DCT414S1 12V MAX* Infrared Thermometer Kit	30
DCT416S1 12V MAX* Imaging Thermometer Kit	31
Instruments Temp	31
Milwaukee	31
ME2266-20 Laser Temp-Gun™	31
ME2277-20 Laser TEMP-GUN™ 12V Cordless Lithium-Ion The	31
ME2277-21 Laser TEMP-GUN™ 12V Cordless Lithium-Ion The	31

Table of Contents

Alphabetized Listing

4			
48-11-1815	18V Red-Lithium Compact Battery Back	5	
48-11-1828	18V Red-Lithium XC Extended Capacity Battery Pack	6	
48-11-1830	18V Lithium-Ion Battery	6	
48-11-2230	18V Battery	6	
48-11-2232	18V Battery 2 Pack	7	
48-11-2401	12V Red-Lithium Battery Pack	8	
48-11-2402	12V XC High Capacity Red-Lithium Battery Pack	8	
48-11-2420	12V Red-Lithium 2.0 Compact Battery Pack	8	
48-11-2440	12V Red-Lithium XC 4.0 Extended Capacity Battery	9	
48-11-2830	28V Lithium-Ion Battery Pack	9	
48-53-0110	M-SPECTOR™ Digital Camera Cable Extension 3 Ft Kit	22	
48-53-0140	M-SPECTOR™ AV 8 Ft Extension Cable	22	
48-55-0175	Meter Case	23	
48-55-0180	Large Meter Case	24	
48-59-0255	One Hour NiCd AC Charger	12	
48-59-0300	2.4V Charger	12	
48-59-1806	18V Six Pack Sequential Charger	12	
48-59-1812	18V & 12V Multi Charger	13	
48-59-2401	12V Lithium-Ion Battery Charger	13	
48-59-2818	18V - 28V Universal Charger	13	
49-24-0145	12V Work Light	21	
49-24-0146	12V LED Work Light	21	
49-24-0185	28V Work Light	21	
49-24-2310	12V Power Source	14	
49-24-2371	18V Power Source	14	
49-77-3001	Magnetic Meter Holder	24	
B			
Batteries		1-9	
Battery and Charger		9	
BBAT612	18V Li-Ion 2.0 Ah Slim Pack Battery	5	
BBAT836	36V Lithium-Ion Fat Pack Battery	5	
BCFL180	18V Lithium-Ion Flashlight	20	
BGLM100C	Laser Measure	17	
BGLM50	Laser Distance Measurer	17	
BGLM80	Laser Distance & Angle Measurer	17	
BGMS120	Wall Scanner	29	
Bosch		5, 17, 20, 29	
C			
Chargers		10-13	
Cordless Power Tools		1-33	
D			
DC012	Worksite Charger/Radio	14	
DC509	36V Cordless Li-Ion Floodlight	18	
DC527	18V Cordless Fluorescent Area Light	18	
DC9000	36V/28V 1 Hour Charger	10	
DC9071	12V XRP™ Battery Pack	1	
DC9091	14.4V XRP™ Battery Pack	1	
DC9096	18V XRP™ Battery Pack	1	
DC9096-2	18V XRP™ Battery Combo Pack	1	
DC9180	18V XRP™ Li-Ion Battery	1	
DC9180C	1 Hour Charger and 18V XRP™ Li-Ion Battery	9	
DC9181	18V Compact Li-Ion Battery pack	2	
DC9310	7.2V-18V NiCd/NiMH/Li-Ion Fast Charger	10	
DC9319	7.2V-18V NiCd/NiMH/Li-Ion 1 Hour Vehicle Charger	10	
DC9320	7.2V-18V NiCd/NiMH/Li-Ion 1 Hour Dual Port Charger	10	
DC9360	36V Li-Ion Battery	2	
DCB080	8V MAX* Battery	2	
DCB090	12V/20V MAX* USB Power Source	16	
DCB100	12V MAX* Fast Charger	11	
DCB101	12V MAX* - 20V MAX* Lithium Ion Battery Charger	11	
DCB103	Combination Dual Port Fast Charger	11	
DCB119	12V MAX* - 20V MAX* Lithium Ion Vehicle Battery Charger	11	
DCB120	12V MAX* Lithium Ion Battery Pack	2	
DCB200	20V MAX* Lithium Ion Battery Pack (3.0 Ah)	2	
DCB201	20V MAX* Lithium Ion Compact Battery Pack (1.5 Ah)	3	
DCB204	20V MAX* Premium XR Lithium Ion Battery Pack	3	
DCB204-2	20V MAX* Premium XR Lithium Ion 2-Pack	3	
DCB205	20V MAX* Premium XR 5.0Ah Lithium Ion Battery Pack	3	
DCB205-2	20V MAX* Premium XR 5.0Ah Lithium Ion 2-Pack	4	
DCL040	20V MAX* Lithium Ion LED Work Light	18	
DCL0900	LED Replacement Bulb	18	
DCL510	12V MAX* LED Worklight	19	
DCR015	12V/20V MAX* Worksite Charger Radio	15	
DCR018	18V/20V MAX*/12V MAX* Compact Worksite Radio	15	
DCT4101	17mm Replacement Camera Cable	25	
DCT4102	9mm Replacement Camera Cable	26	
DCT4103	Inspection Camera Extension Cable (17mm)	26	
DCT410S1	12V MAX* 17mm Inspection Camera with Wireless	25	
DCT414S1	12V MAX* Infrared Thermometer Kit	30	
DCT416S1	12V MAX* Imaging Thermometer Kit	31	
Dewalt		1-4, 9-12, 14-16, 18-20, 25-26, 30-31	
Distance Measurer		17	
DW0242	24V XR+™ Pack FAN COOLED Extended Run-Time	4	
DW0246	24V 1 Hour FAN COOLED Charger	12	
DW904	12V Cordless Pivoting Head Flashlight	19	
DW9057	7.2V Compact Battery Pack	4	
DW906	14.4V Cordless Pivoting Head Flashlight	19	
DW9061	9.6V Extended Run-Time Battery	4	
DW908	18V Cordless Pivoting Head Flashlight	20	
DW919	18V Cordless Flexible Floodlight	20	
F			
Flashlights		18-22	
Flashlights and Instruments		17-22	
I			
Instrument Accessories		22-24	
Instruments camera		25	
Instruments camera accessories		25-26	
Instruments Light Tester		26	
Instruments Meter		27-28	
Instruments Scanner		29-30	
Instruments temp		30-31	
Instruments Temp		31-33	
M			
ME2206-20	Fork Meter for HVAC/R	27	
ME2210-20	Fluorescent Lamp and Ballast Tester Kit	26	
ME2217-20	True RMS Multimeter	27	
ME2236-20	Clamp Meter for HVAC/R	27	
ME2237-20	Clamp Meter	28	
ME2266-20	Laser Temp-Gun™	31	
ME2277-20	Laser TEMP-GUN™ 12V Cordless Lithium-Ion	32	
ME2277-21	Laser TEMP-GUN™ 12V Cordless Lithium-Ion	33	
ME2280-20	Laser Distance Meter Kit	28	
ME2291-20	SUB-SCANNER™ 12V Detection Tool	29	
ME2291-21	SUB-SCANNER™ 12V Detection Tool Kit	30	
ME2311-21	M-SPECTOR™ AV 12V Cordless Lithium-Ion	25	
ME2590-20	12V Cordless Lithium-Ion Radio	15	
ME2710-20	18V Lithium-Ion AC/DC Wall and Vehicle Charger	13	
ME2735-20	18V LED Work Light	22	
ME2790-20	Jobsite Radio	16	
Milwaukee		5-9, 12-16, 21-25, 29-33	
Milwaukee Tools		26-28	

Table of Contents

Alphabetized Listing

P		
	Power Source	14
R		
	Radio	14-16
	Replacement Bulbs	22
U		
	USB Power Source	16