

## Power Tools

### Belt Sanders

#### Porter Cable

#### *PC352VS 3" x 21" Variable-Speed Sander*



- 8 Amp Motor, AC Only
- Variable-Speed Dial 850-1,300 SFPM
- Belt & Gear Drive for Professional Durability
- Designed for Flush Sanding up to Vertical Surfaces
- Dust Bag Swivels 360 Degrees
- Fingertip Belt-Tracking Knob

Part #	Amps	Length	Weight
PC352VS	8 Amps	12.5"	10.75 lbs

#### *PC360 3" x 24" Sander*



- Powerful 12 Amp Motor Provides Professional Power
- Motor is Located Over Platen for Maximum Performance & Perfect Balance
- Designed for Flush Sanding up to Vertical Surfaces
- Variable-Speed Dial is Conveniently Placed on the Handle, Allowing Belt Speed Adjustment from 1,000 to 1,500 SFPM
- Quick-Release Belt-Change Lever
- Fingertip Belt-Tracking Knob for Quick, Accurate Belt Adjustments

Part #	Amps	SFPM	Length
PC360	12 Amps	1500	20"

#### *PC360VS 3" x 24" Variable-Speed Sander*



- Powerful 12 Amp Motor Provides Professional Power
- Motor is Located Over Platen for Maximum Performance & Perfect Balance
- Designed for Flush Sanding up to Vertical Surfaces
- Variable-Speed Dial is Conveniently Placed on the Handle, Allowing Belt Speed Adjustment from 1,000 to 1,500 SFPM
- Quick-Release Belt-Change Lever
- Fingertip Belt-Tracking Knob for Quick, Accurate Belt Adjustments

Part #	Length	Weight
PC360VS	20"	14.5 lbs

## Power Tools

### Belt Sanders

#### Porter Cable

#### *PC362 4" x 24" Sander*



- Powerful 12 Amp Motor Provides Professional Power
- Motor is Located Over Platen for Maximum Performance & Perfect Balance
- Designed for Flush Sanding up to Vertical Surfaces
- Variable-Speed Dial is Conveniently Placed on the Handle, Allowing Belt Speed Adjustment from 1,000 to 1,500 SFPM
- Quick-Release Belt-Change Lever
- Fingertip Belt-Tracking Knob for Quick, Accurate Belt Adjustments

Part #	Amps	SFPM	Length
PC362	12 Amps	1500	14"

#### *PC371K 2-1/2" x 14" Compact Belt Sander*



- Textured Rubber Body Grip Provides Comfortable Non-Slip Surface
- Flush Side Enables Sanding up to Perpendicular Surface
- Metal Components Provide Durability for Professional Applications
- Dust Sealed, Recessed Switch Offers Accessibility While Minimizing Unintended Turn-Offs
- Removable Auxiliary Handle Offers Better Control When Two-Handed use is Desired
- Cord Exit Grip Offers Auxiliary Gripping for Various Orientations

Part #	Amps	Length	Weight
PC371K	5 Amps	17"	5 lbs

### Corner Detail Sanders

#### Bosch

#### *B1294VSK Orbital Detail Sander Kit*



- 2.3 A, 13,000-19,000 OPM — ensures fast, smooth results on all surfaces
- Orbital finishing sander motion, which provides more-uniform results than arcing or pivoting motions
- Tool-free pad changes — makes pad changes quick and hassle-free
- Low-vibration design — engineered for smooth running and operator comfort
- Ergonomic soft-grip top — designed for comfort
- 3-Position pad — extends paper and pad life
- Built-in dust port — for attaching vacuum hose
- Passive dust collection system — vacuum cleaner and hose required
- Accepts Bosch VAC009, VAC010, VAC024 and VAC025 hoses or VAC002 hose adapter

Part #	Amps	OPM
B1294VSK	2.3	13000 - 19000

## Power Tools

### Cut-Out Tools

#### Dewalt

#### *DW660 Cut-Out Tool*



PART #	Amps	RPM	Collet Dia.	Adj. Guide	Spindle Lock	Length	Weight
DW660	5 Amps	30000 rpm	1/8", 1/4"	Yes	Yes	10"	3.2 lbs.

### Dovetail Accessories

#### Porter Cable

#### *PC4213 Through Dovetail and Box Joint Template Kit*



- Template kit for 4200 Series dovetail jigs
- Replacement Part for Models 4212 and 4216; Accessory for Model 4210
- Enables through dovetails and box joints\* to be cut
- Requires 1/2" straight bit (sold separately)

Part #
PC4213

#### *PC4215 Miniature Dovetail Template Kit*



- Template kit for 4200 Series dovetail jigs
- Replacement Part for Models 4212 and 4216; Accessory for Model 4210
- Enables miniature half-blind and through dovetails, and miniature box joints\* to be cut
- Requires 1/2" straight bit (sold separately)

Part #
PC4215

#### *PC430DTK7 PC OMNIJIG DOVETAIL SET 7 PC*

Part #
PC430DTK7

#### *PC77241 24" Variable Finger Template*

Part #
PC77241

#### *PC77245 PC OMNIJIG BOX JOINT ACCES KIT*

Part #
PC77245

## Power Tools

### Dovetails

### Porter Cable

#### *PC4212 12" Deluxe Dovetail Jig with 4211 and 4213 Templates*



- Durable, Single-Piece Steel Base Design Requires No Assembly & Allows for Clamping or Bolting Directly to the Work Bench
- On-Board Instruction Provides Clear User Guidance for the Various Applications
- Patent Pending Template Alignment Lines & Router Bit Depth Gauges Allow for Quick & Easy Set-up
- Heavy-Duty Cam-Style Clamps with Sandpaper Backed Locking Bars Provide a Firm Grip of the Wood
- Machined Aluminum Template Provides Superior Cutting Accuracy & Long Term Durability
- Accommodates Stock from 1/4" to 1-1/8" Thick

Part #

PC4212

#### *PC77240 24" OMNIJIG® Joinery System*

- Pre-Assembled & Factory Set to Minimize User Set-up Time
- Durable Base Design Allows for Clamping or Bolting Directly onto Work Bench
- Clear & Concise On-Board Instructions Guide the User Through the Various Applications While Significantly Reducing the Need to Refer to Instruction Manual
- Adjustable Finger Template Enables User to Cut Variable-Spaced Half-Blind & Through Dovetails
- Fix-Spaced, Half-Blind Dovetails Can Also be Cut With a Single Pass of the Router on This Versatile Jig
- Adjustable, Split Finger Design Allows User to Change Both Position & Width of the Pins for the Chosen Joint Style

Part #

PC77240

## Power Tools

### Drywall Sanders

#### Porter Cable

#### *PC7800 Drywall Sander with Dust Collection*

- Variable-Speed Dial (1,400-2,000 RPM)
- Built in Dust Collection Hose
- 1-1/4" Vacuum Hose is 13' Long so That Large Areas Can be Sanded in One Set up
- Finish Walls & Ceiling Three to Four Times Faster Than with Conventional Methods
- Lightweight, Easy to Handle
- Operator Can Sand 10' Ceilings without Using Stilts or a Scaffold
- Motor is Located on the Opposite End of the Handle from the Sanding Head for Best Balance & Control
- Patented Foam-Backed Abrasive Sanding Pads Virtually Eliminate Swirl Marks
- Articulating Sanding Head Enables Operator to Sand from Top to Bottom of a Wall or Ceiling without Changing Positions
- Brush-Type Skirt Surrounds the Sanding Pad, Preventing Pad from Gouging Wall Joint
- Powerful Motor Features Serviceable Brushes
- Standard Equipment: Sander, Sanding Pad, 13' Static-Dissipating 1-1/4" Vacuum Hose & Hook & Loop Straps for Mounting Power Cord to Vacuum Hose. Vacuum Not Included

Part #	Amps	Weight
PC7800	4.7 Amps	8.5 lbs

### Hand Planer Accessories

#### Dewalt

#### *DW6654 Reversible carbide planer blades*



### Hand Planers

#### Dewalt

#### *DW680K 3-1/4" Planer Kit with 3/32" (2.5mm) Depth of Cut*



PART #	RPM	AMPS	Depth of Cut	Depth of Cut	Planing Width	Rabbeting Depth	Weight
DW680K	15000 rpm	7 Amps	2.5 mm	3.32"	3-1/4"	1/2"	6.2 lbs.

## Power Tools

### Hand Planers

#### Bosch

#### *B1594K 3-1/4" Planer with Carrying Case*



Features powerful 6.5 Amp motor with 16,500 RPM no-load speed for fast stock removal and a smooth finish  
 Versatile 2-blade system equipped with Bosch Woodrazor™ Micrograin carbide blades, which last up to 30% longer than standard carbide blades and resist fractures from nail and staple strikes  
 Ratcheting depth knob — allows fool-proof setting of depth increments from 0 In. to 3/32 In. (2.6 mm) within one revolution, so there is no need to re-zero the depth  
 Chip ejection control allows shavings to be directed left or right  
 Bevel guide fence ensures consistent planing from 0° to 45° through entire workpiece and has a protective shield covers the section of blade not in use  
 Spring-loaded park rest stand protects blade and workpiece and its special shape allows easy start-up in middle of workpiece  
 Ambidextrous lock-off release button helps avoid accidental starts  
 Can be converted for use with large high-speed steel blades (optional accessories required)

Part #	Amps	RPM	Voltage
B1594K	6.5	16500	120V AC

### Joiner

#### Dewalt

#### *DW682K Plate Joiner Kit*



PART #	Amps	RPM	Depth of Cut	Arbor	Fence Type	Biscuits Accepted	Weight
DW682K	6.5 Amps	10000 rpm	20 mm	7/8"	Dual Rack and Pinion	0, 10, 20	6.6 lbs.

## Power Tools

### Joiner

#### Porter Cable

##### *PC557 Deluxe Plate Joiner Kit*



- 7.5 Amp, 120 Vac Only, 10,000 RPM
- Fence Tilts from 0 Degrees to 135 Degrees with Positive Adjustable Stop at 90 Degrees
- Precise Micro Height-Adjustment Knob
- Lock-on Trigger
- Height Scale Accurate at Any Angle
- Seven-Position Rotating Depth Stop for FF, #0, #10, #20, Simplex, Duplex, & Max (#6) Biscuits
- Spindle Lock for Easy Blade Changes
- Bale Handle Attached to Fence, Not Motor, for Greater Stability & Added Control During Cuts
- 1" O.D. Dust Port Accepts Standard Bag or Can be Connected to a Vacuum
- Standard Equipment: Plate Joiner, 4" Blade #5558, Centering Plate #888776, Dust Bag #883175, Chip Deflector #886490, Allen Wrench #891869, Carrying Case, & Operating Manual

### Joiner

#### Porter Cable

##### *PC560 QUIK JIG Pocket Hole Joinery System*




- Automatic Depth Control System Allows for Easy Set up for Different Material Thicknesses
- Variable-Spaced Bushings Allow a Variety of Positions for the Pocket Holes
- Self Adjusting Clamp Adjusts Automatically to Material Thickness
- Repeatable Clamp Makes Multiple Pieces Quick & Easy
- Screw Length Gauge Recommends the Appropriate Screw Length for Material Thickness
- Built-in Drill Bit Collar Set up Does Not Need to be Changed for Different Material Thicknesses
- Removable Dust Port Can be Hooked up to a Porter Cable Dust Extractor or Standard Vacuum

### Joiner Accessories

#### Dewalt

##### *DW6805 Plate Joiner Carbide Blade*





## Power Tools

### Porter Cable

#### *Drywall Sander Abrasive Pads*

Part #	Dia.	Grit	Box Qty.
PC77085	9"	80	5
PC77105	9"	100	5
PC77125	9"	120	5
PC77155	9"	150	5

### Paint Removers

#### Porter Cable

#### *PC7403 Power Paint Remover*

- 8 Amp, AC Only
- Variable-Speed Dial 3,300-4,500 RPM
- Fast, Uniform, Controlled Removal of Paint from Wood, Compositions, & Many Other Surfaces
- Vertical & Horizontal Adjustments for Uniform Removal
- Uses Tungsten Carbide Discs of 24, 36, & 46 Grit
- 100% Ball Bearings
- Adjustable Side Handle Mounts Right or Left
- Standard Equipment: Paint Remover, Side Handle #875042, Back-up Pad #18018, Wrench #48233,
- 36G Carbide Disc #18027, Allen Wrench, & Operating Manual

Part #	Amps
PC7403	8 Amps

### Planer Accessories

#### Dewalt

#### *DW7332 Replacement Knives for DW733*





**Power Tools**

**Planer Accessories**

**Dewalt**

*DW734 12-1/2" Thickness Planer with Three Knife Cutter-Head*



PART #	Amps	Depth of Cut	Depth Cap	Width Cap	Speeds	Cuts per Inch	Weight
DW734	15 Amps	1/8"	6"	12-1/2"	1	96	80 lbs.

*DW7342 12-1/2" Disposable, Reversible Planer Knives*



*DW7350 Mobile Thickness Planer Stand*



*DW7351 13" Folding Tables for DW735 Planer*



*DW7352 13" Disposable, Reversible Thickness Planer Knives*



**Planers**

**Dewalt**

*DW735 13" Three Knife, Two Speed Thickness Planer*



PART #	Amps	Depth of Cut	Depth Cap	Width Cap	Speeds	Cuts per Inch	Weight
DW735	15 Amps	1/8"	6"	13"	2	96 and 179	92 lbs.

## Power Tools

### Random Orbit Sanders

#### Dewalt

#### *D26441K 1/4 Sheet Palm Grip Sander Kit*



PART #	Amps	OPM	Orbit Dia.	Dust Collection	Paper Size/Type	SFPM	Dust Sealed Switch	PAD	Weight
D26441K	2.4 Amps	14000 opm	1/16"	Yes	1/4 Sheet	N/A	Yes	N/A	3.0 lbs.

#### *D26450 5" PSA Random Orbit Sander*



PART #	Amps	OPM	Orbit Dia.	Dust collection	Paper Size/Type	SFPM	Dust Sealed Switch	Pad Break	Weight
D26450	3 Amps	12000 opm	3/32"	Yes	5" 8-hole PSA	N/A	Yes	N/A	3.4 lbs.

#### *D26451K 5" Random Orbit Sander Kit*



PART #	Amps	OPM	Orbit Dia.	Dust Collection	Paper Size/Type	SFPM	Dust Sealed Switch	Pad Break	Weight
D26451K	3 Amps	12000 opm	3/32"	Yes	5" 8-hole Hook and Loop	N/A	Yes	Yes - CFS	3.4 lbs.

#### *D26453K 5" VS Random Orbit Sander Kit*



PART #	Amps	OPM	Orbit Dia.	Dust Collection	Paper Size/Type	SFPM	Dust Sealed Switch	Pad Break	Weight
D26453K	3 Amps	7000 - 12000 opm	3/32"	Yes	5" 8-hole Hook and Loop	N/A	Yes	Yes - CFS	3.5 lbs.

#### *DW443 6" Right Angle Random Orbit Sander with Electronic Variable Speed*



PART #	Amps	OPM	Orbit Dia.	Dust Collection	Paper Size/Type	SFPM	Dust Sealed Switch	Pad Break	Weight
DW443	4.3 Amps	4000 - 6800 opm	3/16"	Yes	6", 6 Hole Hook and Loop	N/A	Yes	Yes	5.7 lbs.

## Power Tools

### Random Orbit Sanders

#### Bosch

#### *B1250DEVS 6" Dual-Mode Random Orbit Sander/Polisher*



Powerful 6.5 Amp dual-mode, multipurpose sander

Two sanding modes, random orbit mode for normal stock removal or fine finishing and "turbo" driven eccentric orbit mode for aggressive stock removal at five times the rate of the normal random orbit sanding mode

Mode selector lever allows quick change between random orbit mode and aggressive turbo mode

Soft Start reduces start-up torque

Constant Response™ circuitry maintains pad speed under load

Soft microcellular backing pad has the pliability necessary to ensure a smooth, fine finish on flat or contoured surfaces

Integral pad dampening system provides braking of the pad spin to prevent swirl marks when removing sander from workpiece

Rugged die-cast aluminum gear housing with exclusive dual-bearing pad mount for long-life and minimization of wobble and vibration

Tapered soft-grip top, plus ergonomic handles for comfort and control

Uses widely available industry-standard 6-hole 6 In. hook-&-loop discs

Variable-speed dial to match speed to work piece and task

Passive dust collection system requires vacuum cleaner and hose

Dust port accepts Bosch hoses and standard equipment VAC002 hose adapter allows connection to 1-1/4 In. and 1-1/2 In. hoses

Part #	Amps	Eccentric Offset	Orbit Dia.	Orbit Radius	Voltage
B1250DEVS	6.5	3/32"	3/16"	3/32"	120V

## Power Tools

### Random Orbit Sanders

#### Bosch

#### *B3725DEVS 5" Electronic Variable Speed Random Orbit Sander/Polisher*



Multi-purpose sander with pad that both orbits and rotates, duplicating natural hand sanding action and delivering a smooth, well-blended surface finish

Enhanced random orbit sanding action - eccentric orbit diameter of 3/16 In. (3/32 In. offset) plus free rotation for fast, swirl-free fine finishing or for aggressive stock removal

Powerful 3.3 A with variable-speed dial, (4,500-12,000 OPM) to match speed to workpiece and task

High-performance soft microcellular backing pad - conforms to contours, provides a fine finish

Integral pad dampening system - helps prevent swirl marks for consistent fine finish

Rugged die-cast aluminum gear housing with exclusive dual-bearing pad mount — long-life design eliminates wobble and vibration

Bosch Microfilter dust canister with integrated paper filter - optimal system for filtering fine dust

Through-the-pad dust extraction — pulls dust away from work surface to maximize sanding efficiency and extend paper life

Bosch Microfilter dust canister with integrated paper filter — optimal system for filtering fine dust, captures more dust than competitor models, traps particles as small as a 1/2 micron in diameter

Variable-speed dial — allows match of speed to workpiece and task

Tapered soft-grip top, plus ergonomic handles for comfort and control

Multiple grip positions prevent fatigue - front handle removes easily for sanding in tight spots

Trigger with lock-on button — for extended periods of use

Uses 8-hole 5 In. hook and loop discs — compatible with industry-standard discs

Part #	Amps	Disc Size	Orbit Dia.	Orbit Radius	Voltage
B3725DEVS	3.3	5"	3/16"	3/32"	120 V

### Random Orbit Sanders

#### Porter Cable

#### *PC330 SPEED-BLOC® 1/4 Sheet Finishing Sander*



- Comfortable, Easy-Grip Outer Housing for Hours of use without Fatigue
- Solid Metal Frame for Precision Seating & Alignment of Bearings, Motor, & Fan, Providing for Maximum Trouble-Free Tool Life
- Rubber Posts Isolate Your Hand from Vibration While Enabling Full Sanding Action & Efficiency on the Work
- 100% Ball Bearings
- 14,000 OPM Pad Speed with 5/64" Orbit
- Accepts Pre-Cut Adhesive or Self Cut Standard Paper with Metal Stamp
- Standard Equipment: Sander, Abrasive Sheet, Clamp Tool #846372, & Operating Manual

Part #	Amps	Paper Size	Orbit Dia.	Length	Weight
PC330	1.2 Amps	1/4" sheet	5/64"	4.5	4 lbs

## Power Tools

### Random Orbit Sanders

#### Porter Cable

#### *PC380 1/4 Sheet Orbital Finish Sander*



- 2 Amp Motor Moves at 13,500 OPM, Providing a Superior Finish
- Dual Plane, Counter-Balanced Low-Vibration Design Reduces User Fatigue
- Dust-Sealed Switch Protects Against Dust Ingestion for Longer Switch Life
- Sealed 100% Ball-Bearing Construction

Part #	Amps	Paper Size	Orbit Dia.	Length	Weight
PC380	2.0 Amps	1/4" sheet	1/16"	9"	2.3 lbs

#### *PC382 5" Random Orbit Sander*



- Provides Maximum Sanding Speed for Smooth Finishes
- Controlled Finishing System Maintains Controllable Pad Speed & Minimizes Gouging During Start up
- Dual-Plane Counter-Balanced Fan Reduces User Fatigue
- Dust-Sealed Switch Protects Against Dust Ingestion for Longer Switch Life
- Sealed 100% Ball-Bearing Construction
- Accepts 5", 8-Hole Hook & Loop Paper

Part #	Amps	Weight
PC382	1.9 Amps	3.0 lbs

#### *PC7345 5" Variable-Speed Random Orbit Sander*



- 4.5 Amp, AC Only
- Electronic Variable-Speed Dial 2,500-6,800 OPM
- Random Orbit, Swirl-Free Sanding/Polishing Action
- Accepts 5/16 - 24 Spindle Thread Accessories
- Features Two-Position (Left or Right) Removable Side Handle for Greater Comfort & Control
- Compact Lightweight Design - 5.5 lbs
- 100% Ball & Roller Bearing Construction

Part #	Amps	Weight
PC7345	4.5 Amps	5.5 lbs

## Power Tools

### Random Orbit Sanders

#### Porter Cable

#### *PC7346 6" Variable-Speed Random Orbit Sander*

- 4.5 Amp, AC Only
- Electronic Variable-Speed Dial 2,500-6,800 OPM
- Random Orbit, Swirl-Free Sanding/Polishing Action
- Accepts 5/16 - 24 Spindle Thread Accessories
- Features Two-Position (Left or Right) Removable Side Handle for Greater Comfort & Control
- Compact Lightweight Design - 5.5 lbs
- 100% Ball & Roller Bearing Construction

Part #	Amps	Weight
PC7346	4.5 Amps	5.5 lbs

#### *PC97455 PC SANDER 5" RANDOM ORBIT 2500*

Part #
PC97455

#### *PC97466 PC SANDER 6" RANDOM ORBIT 2500*

Part #
PC97466



### Router

#### Porter Cable

#### *PC691 1-3/4 HP\* D-Handle Router*



- 11 Amp, 27,500 RPM Motor Producing 1-3/4 Peak Hp
- D-Handle Allows for both Single Hand Gripping & Enhanced Router Control When Used in Conjunction with Standard Knob
- D-Handle Incorporates Trigger Switch with 'Lock-on' Feature
- Precision Machined Aluminum Motor Housing & Base
- Dust-Sealed Switch & Sealed Ball Bearing Construction Enhance Tool Durability
- Auto-Release Collet System Enables Simple Bit Removal
- Collets Included to Accept 1/4" & 1/2" Shank Bits
- Recommended for use with the 4200 Series Dovetail Jigs & OMNIJIG® Joinery System
- Includes: Router Motor, Fixed Base, 1/4" & 1/2" Collets, Collet Wrenches
- 

Part #	HP	Collets	Weight
PC691	1-3/4 HP	1/4" & 1/2"	9.25 lbs

## Power Tools

### Router Accessories

#### Dewalt

*DNP614 Compact Router D-Shaped Sub Base*



*DNP615 Compact Router Dust Collection Adapter for Fixed Base*



*DNP616 Compact Router Dust Collection Adapter for Plunge Base*



*DNP618 Edge Guide for Fixed Base Compact Router*



**Power Tools**

**Router Accessories**

**Dewalt**

*DW6182 Plunge Base for DW616/618 Routers*



*DW6183 D-Handle Base for DW616/618 Routers*



*DW6184 Fixed Base for DW616/618 Routers*



*DW6913 Universal Edge Guide with Dust Collection*



**Router Accessories**

**Bosch**

*B83038 Deluxe Hinge Butt Templet Kit*



Part #  
B83038

*BPR010 Palm Router Subbase*

Part #  
BPR010



## Power Tools

### Router Accessories

#### Bosch

#### *BRA1171 Benchtop Router Cabinet-Style Table*



Tall aluminum fence with adjustable MDF face plates. Size is 4-7/8" x 25-1/8", supports taller work pieces and out feed can be offset for jointing

Rigid aluminum router mounting plate stays flat and precise for accuracy and pre-drilled for a variety of routers

Easy-to-use featherboards. Two adjustable featherboards attach to fence and table, providing additional guidance and kickback protection

Accessory slot accepts featherboard and 3/4" optional accessories such as miter gauge

Two dust collection ports for standard 2-1/2" vacuum hoses

Part #

BRA1171

### Router Accessories

#### Porter Cable

#### *PC1001 Standard Fixed Base*



Part #

PC1001

#### *PC4514 Plunge Base for Compact Router*



Part #

PC4514

#### *PC511 Cylindrical Lock Boring Jig*



- The quick, easy way to install cylindrical door locks
- Jig locates quickly for either 2-3/8" or 2-3/4" backsets
- All holes drilled in a single set-up
- Adjustable for door thicknesses between 1-5/16" and 2-1/8"
- Includes strike locator for accurate placement of jamb mortise
- Instruction sheet included on kit box lid for easy reference
- Lock boring jig, 1" boring bit, 2-1/8" boring bit, full-up strike mortiser, latch mortiser, maximum security mortiser, striker locator, quick-change drill adapter, and storage case

## Power Tools

### Router Accessories

#### Porter Cable

#### *PC513 Heavy-Duty Lock Mortiser*



- 11 Amp, 27,500 RPM Motor Producing 1-3/4 Peak Hp
  - Quickly & Accurately Cuts Mortises for Box Locks
  - Particularly Useful in Entry Door Lock Installations
  - Cuts Mortises up to 7" Long, 1-1/4" Wide & 4-3/4" Deep
  - Simple to Set-up & Locate to Door
  - Automatically Centers Cutter on Door Edge
  - Adjustable Height Rod Allows for Repetitive Mortise Cuts
  - Durable Steel & Alloy Construction
  - Mortising Machine with 1-3/4 Peak Hp Motor, Height Rod Assembly
  - (4 Rods, 1 Stop, & 1 Nut), Wrench, 3/4" Bit, 1" Bit, Allen Wrench, & Operating Manual
- 

#### *PC517 Heavy-Duty Lock Mortiser Template*



- Used to Quickly Rout Lock Faces on Door
  - After the Mortise for the Box Lock Itself has Been Completed
  - Self-Centers & Self-Bevels Automatically
  - Recommended for use in Conjunction with 513 Heavy-Duty Lock Mortiser
  - 1-1/2" X 8-1/2" Mortising Capacity
  - Solid & Durable Steel Construction
-

## Power Tools

### Router Accessories

#### Porter Cable

#### *PC59381 Hinge Butt Template Kit*

- Provides the Capacity to Hang both 3 & 4 Hinge Doors
- 3 Hinge Template Set up Enables the Routing of Hinges for Doors & Frames Between 6' & 7' in Height
- 4 Hinge Template Set up Enables the Routing of Hinges on Doors & Frames Between 7' & 8' in Height
- Accommodates Hinge Sizes from 3" to 6" in 1/2" Increments
- Accommodates Door Thicknesses of 1-3/8", 1-3/4", 2", 2-1/4" & 2-1/2"
- End Gages Enable the Simple Setting of the Distance from Template to Top & Bottom of Door
- Corner Chisel Accommodates Square Hinge Corners
- Carbide Tipped Router Bit & Template Guide Included for 1/4" Radius Hinges
- 5/8" & 5/16" Radius Hinge Corners Can be Accommodated with the use of Bits & Template Guides (Sold Separately)
- All Metal Construction Provides Long Term Durability
- Standard Equipment: 4 Metal Hinge Templates, (3) Short Rails, (2) Long Rails, Carbide Tipped Router Bit, Template Guide, Locknut, Corner Chisel, (2) Pairs of End Gages, (8) Small Thumb Screws, (6) Large Thumb Screws, Hex Key, Operating Manual with Instructions, & Carrying Case
- Net Weight: 15.0 lbs

Part #

PC59381

#### *PC6911 D-handle base*



Part #

PC6911

#### *PC6931 Plunge base*

Part #

PC6931

## Power Tools

### Router Accessories

#### Porter Cable

#### *PC698 Router Table*



- Large 19-3/4" x 16-3/4" Machined Aluminum Table with Cast-In Lip to Support Extensions
- 3/4" Miter Gauge Slot
- Multiple Starting Pin Locations
- Quick-Adjust Split-Fence Design with Independently Adjustable Halves
- Large 3-5/8" Table Hole Size Allows Use of 3-1/2" Diameter Router Bits
- Dust Collection Hood Sized for 2-1/2" Hose
- 12-7/8" Leg Height Allows Use of 1-1/2 to 3-1/4 HP Routers
- Standard Equipment: Shaper Table #698, 3/4" Miter Gauge #6970 & Operating Manual

#### *PC75361 Fixed Base*



Part #
PC75361

#### *PC8911 Handle Attachment*

- Replacement Handle for Router Models 891 and 894PK
- Attaches directly to Fixed Base Model 8901
- Plunge base offers through-the-column dust collection for efficient dust removal and improved bit and cut-line visibility
- GripVac™ handle allows for both single hand gripping and enhanced router control when used in conjunction with standard knob

Part #
PC8911

### Routers

#### Dewalt

#### *DW616 1-3/4 HP (maximum motor HP) Fixed Base Router*



PART #	Amps	HP	RPM	Collet Dia.	Plunge Stroke	Depth Stop	Base Dimension	Spindle Lock	Weight
DW616	11 Amps	1-3/4 HP	24500 rpm	1/2" - 1/4"	N/A	Micro-fine Ring	6"	No	7.1 lbs.

## Power Tools

### Routers

#### Dewalt

#### *DW618 2-1/4 HP (maximum motor HP) EVS Fixed Base Router with Soft Start*



PART #	Amps	HP	RPM	Collet Dia.	Plunge Stroke	Depth Stop	Base Dimension	Spindle Lock	Weight
DW618	12 Amps	2-1/4 HP	8000 - 24000 rpm	1/2" - 1/4"	N/A	Micro-fine Ring	6"	Yes	7.2 lbs.

#### *DW618B3 2-1/4 HP (maximum motor HP) Three Base Router Kit*



PART #	Amps	HP	RPM	Collet Dia.	Plunge Stroke	Depth Stop	Base Dimension	Spindle Lock	Weight
DW618B3	12 Amps	2-1/4 HP	8000 - 24000 rpm	1/2" - 1/4"	2-1/2"	Micro-fine Ring	6"	Yes	

#### *DW618PK -1/4 HP (maximum motor HP) EVS Fixed Base / Plunge Router Combo Kit w/ Soft Start*



PART #	Amps	HP	RPM	Collet Dia.	Plunge Stroke	Depth Stop	Base Dimension	Spindle Lock	Weight
DW618PK	12 Amps	2-1/4 HP	8000 - 24000 rpm	1/2" - 1/4"	2-1/2"	Micro-fine Ring	6"	Yes	10.1 lbs.

#### *DW625 3 HP (maximum motor HP) EVS Plunge Router*



PART #	Amps	HP	RPM	Collet Dia.	Plunge Stroke	Depth Stop	Base Dimension	Spindle Lock	Weight
DW625	15 Amps	3 HP	8000 - 22000 rpm	1/2" - 1/4"	2-7/16"	3 Stage Trurret Stop	5-5/8" x 6-11/16"	Yes	11.2 lbs.

#### *DWP611 1-1/4 HP Max Torque Variable Speed Compact Router with LEDs*



PART #	Amps	HP	RPM	Collet Dia.	Plunge Stroke	Depth Stop	Base Dimension	Spindle Lock	Weight
DWP611	7 Amps	1-1/4 HP	16000 - 27000 rpm	1/4"	N/A	Micro-fine Ring	4"	Yes 12 position	5.5 lbs.

#### *DWP611PK 1-1/4 HP Max Torque Variable Speed Compact Router Combo Kit with LEDs*



PART #	Amps	HP	RPM	Collet Dia.	Plunge Stroke	Depth Stop	Base Dimension	Spindle Lock	Weight
DWP611PK	7 Amps	1-1/4 HP	16000 - 27000 rpm	1/4"	2"	5	4" (standard), 4-3/8" x 5-3/4" (plunge)	Yes 12 position	8.0 lbs.

## Power Tools

### Routers

#### Bosch

#### *B1617 2 HP Single Speed Fixed Base Router*



2 HP / 11 Amp motor 25,000 RPM

Precision centering design — makes it easy to keep bit on intended outline when using jigs, templates, dovetail fixtures and similar guidance devices

Macro and microfine bit depth adjustment system with resettable depth indicator — for fast, precise depth adjustment

Large 3-3/4 In. base opening plus 2 In. subwoofer opening — accepts large bits

Right or left switch location — for user preference and consistency (motor does not rotate during depth adjustment)

One-piece armature shaft — for accuracy and long bit shank capacity

10 ft. flexible rubber cord

Classic hardwood handles — for comfort and beauty

Now includes RA1161 fixed-base with system for adjusting bit height from above a router table

Optional RA1126 quick-change Templet guide adapter (sold separately) — for fast and easy change of Bosch RZ1-series Templet guide (or threaded Templet guides, if optional RA1100 adapter is also used)

T-handle adjustment wrench sold separately

Fixed base has threaded holes for mounting to router table positioned in common 3-hole pattern

Power switch - now includes dust-sealed power switch

Part #	Amps	Base Dia.	Fixed Base Depth	HP	RPM
B1617	11	6"	1-5/8"	2	25000

## Power Tools

### Routers

#### Bosch

#### *B1617EVS 2.25 HP VS Fixed Base Router*



2.25HP/ 12 Amp motor 8,000-25, 000 RPM

Variable speed dial — for matching speed to workpiece and task

Macro and microfine bit depth adjustment system with resettable depth indicator — for fast, precise depth adjustment

Large 3-3/4 In. base opening plus 2 In. subwoofer opening — accepts large bits

Exclusive precision centering design centers bit precisely — makes it easy to keep bit on intended outline when using jigs, templets, dovetail fixtures and similar guidance devices

Right or left switch location — for user preference and consistency (motor does not rotate during depth adjustment)

Classic hardwood handles — for comfort and beauty

One-piece armature shaft — for accuracy and long bit shank capacity

Soft Start — reduces start-up torque

Constant Response™ circuitry — maintains constant speed under load, provides overload protection

Fixed base has threaded holes for mounting to router table positioned in common 3-hole pattern

Double insulated

Power switch - now includes dust-sealed power switch

Now includes RA1161 fixed-base with system for adjusting bit height from above a router table

Optional RA1126 quick-change Templet guide adapter (sold separately) — for fast and easy change of Bosch RZ1-series Templet guide (or threaded Templet guides, if optional RA1100 adapter is also used)

Part #	Amps	Base Dia.	Fixed Base Depth	RPM	Voltage
B1617EVS	12	6"	1-5/8"	8000 - 25000	120V AC

## Power Tools

### Routers

#### Bosch

#### *B1617EVSPK 2.25 HP VS Router Combo Kit*



2.25HP/ 12 Amp motor 8,000-25, 000 RPM

Variable speed dial — for matching speed to workpiece and task

Soft-start — reduces start-up torque

Constant Response™ circuitry — maintains constant speed under load

Quick clamp system on both bases for fast tool-free conversion — move motor from base to base with ease

Precision centering design — makes it easy to keep bit on intended outline when using jigs, templets, dovetail fixtures and similar guidance devices

microfine bit depth adjustment system on both bases — for fast, precise bit depth adjustment

Wide base openings and 2 In. subbase openings — accepts larger bits & provides better visibility

Right or left switch location — for user preference and consistency (motor does not rotate during depth adjustment)

Contoured soft grip handles — for enhanced control and comfort

Double insulated

Now includes RA1161 fixed-base with system for adjusting bit height from above a router table

Fixed base has threaded holes for mounting to router table positioned in common 3-hole pattern

Rugged carrying case has compartments for all included items

Power switch - now includes dust-sealed power switch

Optional RA1126 Quick-Change Templet Guide Adapter (sold separately) — For fast and easy change of Bosch RA-Series templet guide (or threaded templet guides, if optional RA1100 adapter is also used.)

Part #	Amps	Base Dia.	Fixed Base Depth	RPM	Voltage
B1617EVSPK	12	6"	1-5/8"	8000 - 25000	120V AC

#### *B1619EVS 3.25 HP Variable-Speed Plunge Router*



Converts easily for use with router table and back to upright use

Bosch exclusive system defeats both plunge lock and plunge springs — for effortless depth adjustments in router table

3-3/4 In. base opening and 2 In. subwoofer opening — accepts large bits

Coarse and microfine adjustment knobs plus depth rod and turret — versatile, precise depth adjustment

Variable speed dial — for matching speed to workpiece and task

Soft-start — reduces start-up torque

Constant-response™ circuitry — maintains constant speed under load, provides overload protection

Precision centering design — makes it easy to keep bit on intended outline when using jigs, templets, dovetail fixtures and similar guidance devices

Dual-bearing plunge post — for smooth and accurate plunging action

Convenient front spindle lock — for fast, easy bit changes

Optional RA1126 quick-change Templet guide adapter (sold separately) — for fast and easy change of Bosch RZ1-series Templet guide (or threaded Templet guides, if optional RA1100 adapter is also used)

Part #	Amps	Base Dia.	Plunge Depth	RPM	Voltage
B1619EVS	15	7-1/2"	2-9/16"	8000 - 21000	120V AC



## Power Tools

### Routers

#### Bosch

#### *BPR20EVSK Variable Speed Palm Router Kit*



- 1.0 HP (Max. tool output) — 5.6 Amp motor -16,000 35,000 RPM
- Rugged aluminum fixed base — durable, solid and precise
- Fast & precise depth adjustment system — allows both macro and micro adjustment
- Unique finger support pockets — for additional stability, especially when trimming edges
- Enhanced bit capacity — fixed base accepts bits up to 1-5/16 In. in diameter
- Soft Start — reduces start-up torque
- Constant Response™ circuitry — monitors and maintains speed under load for consistent performance and provides overload protection
- Versatile bit-changing system - fast, easy bit changes using two wrenches or spindle lock and one wrench
- Quick-clamp system — allows motor to be easily adjusted or moved from base to base
- Palm-grip design with soft grip — the most comfortable router in its class
- Angled cord exit — helps keep cord out of the way
- Straight edge guide — guides router along edges of workpiece or up to 3-5/8 In. from edge
- Variable speed dial — for matching speed to workpiece and task

Part #	Amps	Base Opening	Plunge Depth	Sub base Length	Sub base Width	Voltage
BPR20EVSK	5.6	1-9/16"	1-3/16"	3-1/2"	3-3/4"	120V

#### *BPR20EVSNK Palm Router Laminate Installer Kit*



- 1.0 HP (Max. tool output) — 5.6 Amp motor -16,000 35,000 RPM
- Rugged aluminum fixed base — durable, solid and precise
- Fast & precise depth adjustment system — the best depth adjustment system in its class
- Unique finger support pockets — for additional stability, especially when trimming edges
- Enhanced bit capacity — fixed base accepts bits up to 1-5/16 In. in diameter
- Soft Start — reduces start-up torque
- Constant Response™ circuitry — monitors and maintains speed under load for consistent performance and provides overload protection
- Versatile bit-changing system - fast, easy bit changes using two wrenches or spindle lock and one wrench
- Quick-clamp system — allows motor to be easily adjusted or moved from base to base
- Offset base with spindle lock — allows routing near vertical surfaces, such as when trimming laminate applied to top of countertop backsplash
- Angled cord exit — helps keep cord out of the way
- Tilt base with detents at key angles — allows routing at special angles and in hard-to-reach areas
- Underscribe attachment — mounts to fixed base for creating precise seams between sheets of laminates
- Straight edge guide — guides router along edges of workpiece or up to 3-5/8 In. from edge
- Roller guide — guides router when non-bearing bit or unpiloted bit is used

Part #	Amps	Base Opening	Sub base Length	Sub base Width	Voltage
BPR20EVSNK	5.6	1-9/16"	3-1/2"	3-3/4"	120V

## Power Tools

### Routers

#### Milwaukee

#### *ME5615-21 1-3/4 Max HP BodyGrip Router Kit*

- Exclusive BodyGrip® Design
- 1-3/4 Max HP, 11 Amp, 24,000 RPM Milwaukee Motor
- Exclusive Linear Depth Adjustment System
- Impact-resistant carrying case with integral RouterStation

Part#	HP	RPM	Depth Adj.	Collets	Weight
ME5615-21	1.7	24000	1-21/32"	1/4" & 1/2"	8.8 lbs

#### *ME5625-20 3-1/2 Max HP Fixed Base Production Router*

- Powerful 15 Amp, 3-1/2 max hp EVS Milwaukee Motor
- Electronic variable speed (10,000-22,000 rpm)
- Premium electronic feedback circuitry
- Exclusive Linear Depth Adjustment System with Above-the-Table Access

Part#	HP	RPM	Depth Adj.	Collets	Weight
ME5625-20	3.5	10000 - 22000	1-21/32"	1/4" & 1/2"	11.8 lbs

### Porter Cable

#### *PC450 1-1/4 HP Max Torque Compact Router*



- Ergonomically Designed to Allow for Comfortable & Assured, Single Handed Control
- Durable 1-1/4 Hp Motor Delivers the Power to Meet the Toughest Applications
- Soft-Starting Motor Features Full-Time Electronic Feedback That Maintains Motor Speed Through the Cut
- Adjustment Ring Enables Controlled Bit Depth Changes to within 1/64"
- Depth Ring & Clamping Mechanism Combine to Ensure Motor Remains Locked in Position
- Large, Low-Pressure Spindle Lock Button Allows for Comfortable, Single Wrench Bit Changes
- Aluminum Motor Housing & Base Construction Provides Long Term Durability
- Large 4" Diameter Sub-Base Accepts Universal Template Guides
- Extended 8-Slot 1/4" Collet Maximizes Surface Contact with Router Bit Shank for a Tighter Grip

Part #	HP	Collets	Weight
PC450	1.25 HP	1/4"	4.1 lbs

## Power Tools

### Routers

#### Porter Cable

#### *PC690LR 1-3/4 HP\* Router Kit*



- 11 Amp Motor Producing 1-3/4 Peak Hp
- 27,500 RPM Single Speed Motor
- Cam Lock Lever Enables Simple Coarse Height Adjustments & Motor Release
- Micrometer Depth Adjustor Accurate to 1/128"
- Dust-Sealed Switch & Sealed Ball Bearing Construction Enhance Tool Durability
- Auto-Release Collet System Allows for Easy Bit Removal After use
- Collets Included to Accept 1/4" & 1/2" Shank Bits
- Under Table Stop Prevents Motor from Inadvertently Rotating Out of Base
- Overmolded Grips for Greater Comfort in Extended use
- Kit Box Included
- 

Part #	Collets	Weight
PC690LR	1/4" & 1/2"	10 lbs

#### *PC693LRPK 1-3/4 HP\* Multi-Base Router Kit*



- 11 Amp Motor Producing 1-3/4 Peak Hp
- Cam Lock Lever Enables Simple Coarse Height Adjustments & Motor Release (Fixed Base)
- Micrometer Depth Adjustor Accurate to 1/128"
- Motor Transitions Quickly & Easily Between Fixed & Plunge Base
- 6-Position Adjustable Turret Allows for Stepped Plunge Cuts
- Precision Machined Aluminum Motor Housing & Base
- Dust-Sealed Switch & Sealed Ball Bearing Construction Enhance Tool Durability
- Auto-Release Collet System Enables Simple Bit Removal
- Collets Included to Accept 1/4" & 1/2" Shank Bits
- Under Table Stop Prevents Motor from Inadvertently Rotating Out of Base
- 27,500 RPM Single Speed Motor

Part #	Collets	Weight
PC693LRPK	1/4" & 1/2"	12.5 lbs



## Power Tools

### Routers

#### Porter Cable

#### *PC7518 3-1/4 HP\* Five Speed Router*

- 15 Amp Motor Provides the Power & Durability Necessary for the Toughest Applications
- Auto-Release Collet System Allows for Easy Bit Removal
- Precision Machined Aluminum Motor Housing & Base
- Sealed Ball Bearing Construction Enhances Tool Durability
- Base Includes Large Integrated Cast Handles for Enhanced Stability & Durability

Part #	HP	Weight
PC7518	3-1/4 HP	14.5 lbs

#### *PC7519 3-1/4 HP\* Single Speed Router*

- 15 Amp Motor Provides the Power & Durability Necessary for the Toughest Applications
- Auto-Release Collet System Allows for Easy Bit Removal
- Precision Machined Aluminum Motor Housing & Base
- Sealed Ball Bearing Construction Enhances Tool Durability
- Base Includes Large Integrated Cast Handles for Enhanced Stability & Durability

Part #	HP	Weight
PC7519	3-1/4 HP	15 lbs

#### *PC7538 3-1/4 HP\* Five Speed Plunge Router*

- 15 Amp Motor Provides the Power & Durability Necessary for the Toughest Applications
- Auto-Release Collet System Enables Simple Bit Removal
- Depth Rod & 6 Position Adjustable Turret Enables Stepped or Repeated Plunge Cuts
- 3" Plunge Range
- Precision Machined Aluminum Motor Housing & Base
- Handle Incorporates Trigger Switch with Lock-on Feature
- Large Handles Enhance User Control

Part #	HP	Weight
PC7538	3-1/4 HP	17.25 lbs

## Power Tools

### Routers

#### Porter Cable

#### *PC7539 3-1/4 HP\* Single Speed Plunge Router*

- 15 Amp Motor Provides the Power & Durability Necessary for the Toughest Applications
- Auto-Release Collet System Enables Simple Bit Removal
- Depth Rod & 6 Position Adjustable Turret Enables Stepped or Repeated Plunge Cuts
- 3" Plunge Range
- Precision Machined Aluminum Motor Housing & Base
- Handle Incorporates Trigger Switch with Lock-on Feature
- Large Handles Enhance User Control

Part #	HP	Weight
PC7539	3-1/4 HP	21 lbs

#### *PC894PK 2-1/4 HP\* Multi-Base Router Kit with GRIPVACTM Attachment*



- Soft-Starting, 12 Amp Motor Featuring Full-Time Electronic Feedback That Maintains Motor Speed Through the Toughest Applications
- Variable-Speed Control Feature (10,000-23,000 RPM) Enables Bit Speed to be Optimized for Changing Applications
- Motor Transitions Quickly Between Fixed Base (Included), Plunge Base (Included), & Traditional Spiral Down Bases (690 Series)
- Overmolded Rubber Handles Provide a Comfortable & Secure Grip
- Plunge Base Offers Through-the-Column Dust Collection for Efficient Dust Removal & Improved Bit & Cut-Line Visibility
- Dual-Position Switch Allows User to Cut Power While Maintaining Control of the Router
- Rack & Pinion Adjustment Provides Fine Depth Settings to 1/128" (Fixed Base Only)
- 6-Position Adjustable Turret Enables Stepped or Repeated Plunge Cuts
- Clear LEXAN® Sub-Base Provides Improved Durability & Bit Visibility
- Flat Side on Plunge Base Allows User to Work in Tighter Spaces & Provides a Straight Reference Point
- Collets Included to Accept 1/4" & 1/2" Shank Bits

Part #	HP	Collets	Weight
PC894PK	2-1/4 HP	1/4" & 1/2"	14 lbs

## Power Tools

### Routers

#### Porter Cable

#### *PC895PK 2-1/4 HP\* Multi-Base Router Kit with Router Table Height Adjuster*



- Soft-Starting, 12 Amp Motor Featuring Full-Time Electronic Feedback That Maintains Motor Speed Through the Toughest Applications
- Variable-Speed Control Feature (10,000-23,000 RPM) Enables Bit Speed to be Optimized for Changing Applications
- Motor Transitions Quickly Between Fixed Base (Included), Plunge Base (Included), & Traditional Spiral Down Bases (690 Series)
- Overmolded Rubber Handles Provide a Comfortable & Secure Grip
- Plunge Base Offers Through-the-Column Dust Collection for Efficient Dust Removal & Improved Bit & Cut-Line Visibility
- Dual-Position Switch Allows User to Cut Power While Maintaining Control of the Router
- Rack & Pinion Adjustment Provides Fine Depth Settings to 1/128" (Fixed Base Only)
- 6-Position Adjustable Turret Enables Stepped or Repeated Plunge Cuts
- Clear LEXAN® Sub-Base Provides Improved Durability & Bit Visibility
- Flat Side on Plunge Base Allows User to Work in Tighter Spaces & Provides a Straight Reference Point
- Collets Included to Accept 1/4" & 1/2" Shank Bits

Part #	HP	Collets	Weight
PC895PK	2-1/4 HP	1/4" & 1/2"	14 lbs

## Power Tools

### Routers

#### Porter Cable

#### *PC9690LR 1-3/4 HP\* Router Kit*



- 11 Amp Motor Producing 1-3/4 Peak Hp
- 27,500 RPM Single Speed Motor
- Cam Lock Lever Enables Simple Coarse Height Adjustments & Motor Release
- Micrometer Depth Adjustor Accurate to 1/128"
- Dust-Sealed Switch & Sealed Ball Bearing Construction Enhance Tool Durability
- Auto-Release Collet System Allows for Easy Bit Removal After use
- Collets Included to Accept 1/4" & 1/2" Shank Bits
- Under Table Stop Prevents Motor from Inadvertently Rotating Out of Base
- Overmolded Grips for Greater Comfort in Extended use
- Kit Box Included

Part #	HP	Collets	Weight
PC9690LR	1-3/4 HP	1/4" & 1/2"	10 lbs





# Table of Contents

## Categorized Listing

<b>Power Tools</b>	<b>1</b>	DW734 12-1/2" Thickness Planer with Three Knife	9
<b>Belt Sanders</b>	<b>1</b>	DW7342 12-1/2" Disposable, Reversible Planer Knives	9
Porter Cable	1	DW7350 Mobile Thickness Planer Stand	9
PC352VS 3" x 21" Variable-Speed Sander	1	DW7351 13" Folding Tables for DW735 Planer	9
PC360 3" x 24" Sander	1	DW7352 13" Disposable, Reversible Thickness Planer Knives	9
PC360VS 3" x 24" Variable-Speed Sander	1	<b>Planers</b>	<b>9</b>
PC362 4" x 24" Sander	2	Dewalt	9
PC371K 2-1/2" x 14" Compact Belt Sander	2	DW735 13" Three Knife, Two Speed Thickness Planer	9
<b>Corner Detail Sanders</b>	<b>2</b>	<b>Random Orbit Sanders</b>	<b>10</b>
Bosch	2	Dewalt	10
B1294VSK Orbital Detail Sander Kit	2	D26441K 1/4 Sheet Palm Grip Sander Kit	10
<b>Cut-Out Tools</b>	<b>3</b>	D26450 5" PSA Random Orbit Sander	10
Dewalt	3	D26451K 5" Random Orbit Sander Kit	10
DW660 Cut-Out Tool	3	D26453K 5" VS Random Orbit Sander Kit	10
<b>Dovetail Accessories</b>	<b>3</b>	DW443 6" Right Angle Random Orbit Sander with Electronic Variable	10
Porter Cable	3	<b>Bosch</b>	<b>11</b>
PC4213 Through Dovetail and Box Joint Template Kit	3	B1250DEVS 6" Dual-Mode Random Orbit Sander/Polisher	11
PC4215 Miniature Dovetail Template Kit	3	B3725DEVS 5" Electronic Variable Speed Random Orbit	12
PC430DTK7 PC OMNIJIG DOVETAIL SET 7 PC	3	<b>Porter Cable</b>	<b>12</b>
PC77241 24" Variable Finger Template	3	PC330 SPEED-BLOC® 1/4 Sheet Finishing Sander	12
PC77245 PC OMNIJIG BOX JOINT ACCES KIT	3	PC380 1/4 Sheet Orbital Finish Sander	13
<b>Dovetails</b>	<b>4</b>	PC382 5" Random Orbit Sander	13
Porter Cable	4	PC7345 5" Variable-Speed Random Orbit Sander	13
PC4212 12" Deluxe Dovetail Jig with 4211 and 4213	4	PC7346 6" Variable-Speed Random Orbit Sander	14
PC77240 24" OMNIJIG® Joinery System	4	PC97455 PC SANDER 5" RANDOM ORBIT 2500	14
<b>Drywall Sanders</b>	<b>5</b>	PC97466 PC SANDER 6" RANDOM ORBIT 2500	14
Porter Cable	5	<b>Router</b>	<b>14</b>
PC7800 Drywall Sander with Dust Collection	5	Porter Cable	14
<b>Hand Planer Accessories</b>	<b>5</b>	PC691 1-3/4 HP* D-Handle Router	14
Dewalt	5	<b>Router Accessories</b>	<b>15</b>
DW6654 Reversible carbide planer blades	5	Dewalt	15
<b>Hand Planers</b>	<b>5</b>	DNP614 Compact Router D-Shaped Sub Base	15
Dewalt	5	DNP615 Compact Router Dust Collection Adapter for Fixed	15
DW680K 3-1/4" Planer Kit with 3/32" (2.5mm) Depth of Cut	5	DNP616 Compact Router Dust Collection Adapter for Plunge	15
Bosch	6	DNP618 Edge Guide for Fixed Base Compact Router	15
B1594K 3-1/4" Planer with Carrying Case	6	DW6182 Plunge Base for DW616/618 Routers	16
<b>Joiner</b>	<b>6</b>	DW6183 D-Handle Base for DW616/618 Routers	16
Dewalt	6	DW6184 Fixed Base for DW616/618 Routers	16
DW682K Plate Joiner Kit	6	DW6913 Universal Edge Guide with Dust Collection	16
<b>Joiner</b>	<b>7</b>	<b>Bosch</b>	<b>16</b>
Porter Cable	7	B83038 Deluxe Hinge Butt Template Kit	16
PC557 Deluxe Plate Joiner Kit	7	BPR010 Palm Router Subbase	16
<b>Joiner</b>	<b>7</b>	BRA1171 Benchtop Router Cabinet-Style Table	17
Porter Cable	7	<b>Porter Cable</b>	<b>17</b>
PC560 QUIK JIG Pocket Hole Joinery System	7	PC1001 Standard Fixed Base	17
<b>Joiner Accessories</b>	<b>7</b>	PC4514 Plunge Base for Compact Router	17
Dewalt	7	PC511 Cylindrical Lock Boring Jig	17
DW6805 Plate Joiner Carbide Blade	7	PC513 Heavy-Duty Lock Mortiser	18
<b>Porter Cable</b>	<b>8</b>	PC517 Heavy-Duty Lock Mortiser Template	18
Drywall Sander Abrasive Pads	8	PC59381 Hinge Butt Template Kit	19
<b>Paint Removers</b>	<b>8</b>	PC6911 D-handle base	19
Porter Cable	8	PC6931 Plunge base	19
PC7403 Power Paint Remover	8	PC698 Router Table	20
<b>Planer Accessories</b>	<b>8</b>	PC75361 Fixed Base	20
Dewalt	8	PC8911 Handle Attachment	20
DW7332 Replacement Knives for DW733	8	<b>Routers</b>	<b>20</b>
		Dewalt	20
		DW616 1-3/4 HP (maximum motor HP) Fixed Base Router	20
		DW618 2-1/4 HP (maximum motor HP) EVS Fixed Base Router	20

## Table of Contents

### Categorized Listing

DW618B3 2-1/4 HP (maximum motor HP) Three Base Router	21
DW618PK -1/4 HP (maximum motor HP) EVS Fixed Base / Plunge Router	21
DW625 3 HP (maximum motor HP) EVS Plunge Router	21
DWP611 1-1/4 HP Max Torque Variable Speed Compact Router	21
DWP611PK 1-1/4 HP Max Torque Variable Speed Compact Router	21
<b>Bosch</b>	<b>22</b>
B1617 2 HP Single Speed Fixed Base Router	22
B1617EVS 2.25 HP VS Fixed Base Router	23
B1617EVSPK 2.25 HP VS Router Combo Kit	24
B1619EVS 3.25 HP Variable-Speed Plunge Router	24
BPR20EVSK Variable Speed Palm Router Kit	25
BPR20EVSNK Palm Router Laminate Installer Kit	25
<b>Milwaukee</b>	<b>26</b>
ME5615-21 1-3/4 Max HP BodyGrip Router Kit	26
ME5625-20 3-1/2 Max HP Fixed Base Production Router	26
<b>Porter Cable</b>	<b>26</b>
PC450 1-1/4 HP Max Torque Compact Router	26
PC690LR 1-3/4 HP* Router Kit	27
PC693LRPK 1-3/4 HP* Multi-Base Router Kit	27
PC7518 3-1/4 HP* Five Speed Router	28
PC7519 3-1/4 HP* Single Speed Router	28
PC7538 3-1/4 HP* Five Speed Plunge Router	28
PC7539 3-1/4 HP* Single Speed Plunge Router	29
PC894PK 2-1/4 HP* Multi-Base Router Kit with GRIPVACTM	29
PC895PK 2-1/4 HP* Multi-Base Router Kit with Router Table Hoop	29
PC9690LR 1-3/4 HP* Router Kit	31

---

# Table of Contents

## Alphabetized Listing

<b>B</b>		<b>J</b>	
B1250DEVS 6" Dual-Mode Ramdom Orbit Sander/Polisher	11	Joiner	6-7
B1294VSK Obrital Detail Dander Kit	2	Joiner	7
B1594K 3-1/4" Planer with Carrying Case	6	Joiner Accessories	7
B1617 2 HP Single Speed Fixed Base Router	22	<b>M</b>	
B1617EVS 2.25 HP VS Fixed Base Router	23	ME5615-21 1-3/4 Max HP BodyGrip Router Kit	26
B1617EVSPK 2.25 HP VS Router Combo Kit	24	ME5625-20 3-1/2 Max HP Fixed Base Production Router	26
B1619EVS 3.25 HP Variable-Speed Plunge Router	24	Milwaukee	26
B3725DEVS 5" Electronic Variable Speed Random Orbit	12	<b>P</b>	
B83038 Deluxe Hinge Butt Templet Kit	16	Paint Removers	8
Belt Sanders	1-2	PC1001 Standard Fixed Base	17
Bosch	2, 6, 11-12, 16-17, 22-25	PC330 SPEED-BLOC® 1/4 Sheet Finishing Sander	12
BPR010 Palm Router Subbase	16	PC352VS 3" x 21" Variable-Speed Sander	1
BPR20EVSK Variable Speed Palm Router Kit	25	PC360 3" x 24" Sander	1
BPR20EVSNK Palm Router Laminate Installer Kit	25	PC360VS 3" x 24" Variable-Speed Sander	1
BRA1171 Benchtop Router Cabinet-Style Table	17	PC362 4" x 24" Sander	2
<b>C</b>		PC371K 2-1/2" x 14" Compact Belt Sander	2
Corner Detail Sanders	2	PC380 1/4 Sheet Orbital Finish Sander	13
Cut-Out Tools	3	PC382 5" Random Orbit Sander	13
<b>D</b>		PC4212 12" Deluxe Dovetail Jig with 4211 and 4213 Templates	4
D26441K 1/4 Sheet Palm Grip Sander Kit	10	PC4213 Through Dovetail and Box Joint Tempate Kit	3
D26450 5" PSA Random Orbit Sander	10	PC4215 Miniature Dovetale Template Kit	3
D26451K 5" Random Orbit Sander Kit	10	PC430DTK7 PC OMNIJIG DOVETAIL SET 7 PC	3
D26453K 5" VS Random Orbit Sander Kit	10	PC450 1-1/4 HP Max Torque Compact Router	26
Dewalt	3, 5-10, 15-16, 20-21	PC4514 Plunge Base for Compact Router	17
DNP614 Compact Router D-Shaped Sub Base	15	PC511 Cylindrical Lock Boring Jig	17
DNP615 Compact Router Dust Collection Adapter for Fixed Base	15	PC513 Heavy-Duty Lock Mortiser	18
DNP616 Compact Router Dust Collection Adapter for Plunge Base	15	PC517 Heavy-Duty Lock Mortiser Template	18
DNP618 Edge Guide for Fixed Base Compact Router	15	PC557 Deluxe Plate Joiner Kit	7
Dovetail Accessories	3	PC560 QUIK JIG Pocket Hole Joinery System	7
Dovetails	4	PC59381 Hinge Butt Template Kit	19
Drywall Sander Abrasive Pads	8	PC690LR 1-3/4 HP* Router Kit	27
Drywall Sanders	5	PC691 1-3/4 HP* D-Handle Router	14
DW443 6" Right Angle Random Orbit Sander with Electronic	10	PC6911 D-handle base	19
DW616 1-3/4 HP (maximum motor HP) Fixed Base Router	20	PC6931 Plunge base	19
DW618 2-1/4 HP (maximum motor HP) EVS Fixed Base Router	21	PC693LRPK 1-3/4 HP* Multi-Base Router Kit	27
DW6182 Plunge Base for DW616/618 Routers	16	PC698 Router Table	20
DW6183 D-Handle Base for DW616/618 Routers	16	PC7345 5" Variable-Speed Random Orbit Sander	13
DW6184 Fixed Base for DW616/618 Routers	16	PC7346 6" Variable-Speed Random Orbit Sander	14
DW618B3 2-1/4 HP (maximum motor HP) Three Base Router Kit	21	PC7403 Power Paint Remover	8
DW618PK -1/4 HP (maximum motor HP) EVS Fixed Base / Plunge	21	PC7518 3-1/4 HP* Five Speed Router	28
DW625 3 HP (maximum motor HP) EVS Plunge Router	21	PC7519 3-1/4 HP* Single Speed Router	28
DW660 Cut-Out Tool	3	PC75361 Fixed Base	20
DW6654 Reversible carbide planer blades	5	PC7538 3-1/4 HP* Five Speed Plunge Router	28
DW6805 Plate Joiner Carbide Blade	7	PC7539 3-1/4 HP* Single Speed Plunge Router	29
DW680K 3-1/4" Planer Kit with 3/32" (2.5mm) Depth of Cut	5	PC77240 24" OMNIJIG® Joinery System	4
DW682K Plate Joiner Kit	6	PC77241 24" Variable Finger Template	3
DW6913 Universal Edge Guide with Dust Collection	16	PC77245 PC OMNIJIG BOX JOINT ACCES KIT	3
DW7332 Replacement Knives for DW733	8	PC7800 Drywall Sander with Dust Collection	5
DW734 12-1/2" Thickness Planer with Three Knife Cutter-Head	9	PC8911 Handle Attachment	20
DW7342 12-1/2" Disposable, Reversible Planer Knives	9	PC894PK 2-1/4 HP* Multi-Base Router Kit with GRIPVACTM	29
DW735 13" Three Knife, Two Speed Thickness Planer	9	PC895PK 2-1/4 HP* Multi-Base Router Kit with Router Table	30
DW7350 Mobile Thickness Planer Stand	9	PC9690LR 1-3/4 HP* Router Kit	31
DW7351 13" Folding Tables for DW735 Planer	9	PC97455 PC SANDER 5" RANDOM ORBIT 2500	14
DW7352 13" Disposable, Reversible Thickness Planer Knives	9	PC97466 PC SANDER 6" RANDOM ORBIT 2500	14
DWP611 1-1/4 HP Max Torque Variable Speed Compact Router	21	Planer Accessories	8-9
DWP611PK 1-1/4 HP Max Torque Variable Speed Compact	21	Planers	9
<b>H</b>		Porter Cable	1-5, 7-8, 12-14, 17-20, 26-31
Hand Planer Accessories	5	Power Tools	1-31
Hand Planers	5-6	<b>R</b>	
		Random Orbit Sanders	10-14

## Table of Contents

### Alphabetized Listing

<b>R</b>	
Router	14
Router Accessories	15-20
Routers	20-31