A REPORT OF THE

NATIONAL ALFALFA AND MISCELLANEOUS LEGUMES





ASSOCIATION OF OFFICIAL SEED CERTIFYING AGENCIES

NATIONAL ALFALFA AND MISCELLANEOUS LEGUMES VARIETY REVIEW BOARD REPORT ©2013

Copyrighted Material of the Association of Official Seed Certifying Agencies (AOSCA)



NATIONAL ALFALFA AND MISCELLANEOUS LEGUMES VARIETY REVIEW BOARD

ASSOCIATION OF OFFICIAL SEED CERTIFYING AGENCIES (JANUARY 2013)

The Association of Official Seed Certifying Agencies (AOSCA) National Alfalfa and Miscellaneous Legumes Variety Review Board reviewed the following varieties on January 08-09, 2013, in Denver, CO. The Board recommended the inclusion of these varieties for certification. Seed of these varieties may be certified, providing production meets all standards of the Seed Certifying Agency of the jurisdiction in which the seed is grown.

All variety information, including descriptions, claims, and research data to support any claim, was supplied to the National Alfalfa and Miscellaneous Legumes Variety Review Board by the applicants. The National Alfalfa and Miscellaneous Legumes Variety Review Board makes judgments regarding recommendation of varieties for inclusion into certification based on the data supplied. Beyond this, the National Alfalfa and Miscellaneous Legumes Variety Review Board takes no position on the accuracy or truthfulness of any description or claim made by the applicants.

Further information on current procedures, application forms, and details regarding the National Alfalfa and Miscellaneous Legumes Variety Review Board can be obtained from:

Chester Boruff, Chief Executive Officer AOSCA 1601 52nd Ave., Suite 1 Moline, Illinois 61265

Telephone (309) 736-0120 Fax (309) 736-0115 E-Mail cboruff@aosca.org

Respectfully submitted,

Mike Moore, Chair National Alfalfa and Miscellaneous Legumes Variety Review Board

2013 AOSCA ALFALFA & MISC LEGUMES NVRB

TABLE OF CONTENTS

PLACING THE CURSOR OVER THE DESIRED VARIETY/EXPERIMENTAL DESIGNATION &

CLICKING WILL TAKE YOU DIRECTLY TO THE SUMMARY DESCRIPTION.

Company	Page	Amendment	Variety Name	Experimental Designation
Cal/West Seeds	1	A	<u>Optimus</u>	<u>CW 044019</u>
Cal/West Seeds	2	A, B	PGI 212	CW 052036
Cal/West Seeds	3	A	<u>5010</u>	<u>CW 055005</u>
Cal/West Seeds	4	A	Contender	<u>CW 065030</u>
Cal/West Seeds	5	A	Barricade SLT	CW 084034
Cal/West Seeds	6			CW 085028
Cal/West Seeds	7		Keystone II	CW 073012
Cal/West Seeds	8	В	PGI 459	CW 24044
Cal/West Seeds	9	В	<u>PGI 557</u>	CW 055023
Cal/West Seeds	10	В	SolarGold	<u>CW 064004</u>
Dairyland Seed Co	11	A	<u>Stockpile</u>	DSA01-T
Dairyland Seed Co	12	A	Shockwave BR	DSA05-BR
Dairyland Seed Co	13		Secure-BR	DSB05-BR
Dairyland Seed Co	14			DSB08-M
Dairyland Seed Co	15		HybriForce-3400	msSunstra-803
Dairyland Seed Co	16	В	Cisco II	DSB38FD6
Dairyland Seed Co.	17		Crave	DSA08-M
Dairyland Seed Co.	18	В	FSG 329	DS730ML
Dairyland Seed Co.	19		<u>FSG 423ST</u>	DSB39-ST
Dairyland Seed Co.	20		Ladak II	DSC-24 Ladak
Dairyland Seed Co.	21		Magnum CR	DS375CR
Dairyland Seed Co.	22	В	Magnum Salt	DS921 Salt
Dairyland Seed Co.	23		Persist III	DSA03-T
Forage Genetics	24	В	WL 454HQ.RR	R66Bx320
Forage Genetics	25		<u>428RR</u>	FG R48M154
Forage Genetics	26		<u>6015R</u>	FG R97T715
Forage Genetics	27			FG 46A117
Forage Genetics	28		<u>6472A</u>	FG 48A172
Forage Genetics	29			FG 48A177
Forage Genetics	30			FG 48A178
Forage Genetics	31		AmeriStand 427TQ	FG 48A179
Forage Genetics	32	В	Camas	FG 48W203
Forage Genetics	33	В	GUNNER	FG 57M121
Forage Genetics	34		Nimbus	FG 57W207
		•		
		Amendment K	Čey:	
		A – Name Cha		
		B – Description		
		C – Other		
		(name) name i	n parenthesis indicates ex	sperimental designation name

Company	Page	Amendment	Variety Name	Experimental Designation		
Forage Genetics	35			<u>FG 57W208</u>		
Forage Genetics	36		<u>6585Q</u>	FG 58M185		
Forage Genetics	37			<u>FG 79T094</u>		
Forage Genetics	38			FG 89T095		
Forage Genetics	39			<u>FG 99T096</u>		
Forage Genetics	40			FG 99T097		
Forage Genetics	41	В		FG 106T701		
Forage Genetics	42	В		FG 115T288		
Forage Genetics	43			FG 98T091 ST		
Forage Genetics	44	A	PLUSS II	FG 45M323		
Forage Genetics	45	A, B	<u>6497R</u>	FG R46M197		
Forage Genetics	46	A, B	RR Stratica	FG R47M120		
Forage Genetics	47	В	DKA44-16	FG R47M312		
Forage Genetics	48	В	PowerHouse RR	FG R47M318		
Forage Genetics	49	A	WL 372HQ.RR	FG R47M324		
Forage Genetics	50	A, B	WL 356HQ.RR	FG R48A138		
Forage Genetics	51	В	WL 352LH.RR	FG R48H401		
Forage Genetics	52	A, B	RR VaMoose	FG R48H408		
Forage Genetics	53	A, B	RR Presteez	FG R48M137		
Forage Genetics	54	A, B	RR NemaStar	FG R48W224		
Forage Genetics	55	В	TELET YOUR AND THE STATE OF THE	FG R56Bx214		
Forage Genetics	56	A, B	RR AphaTron	FG R57A136		
Forage Genetics	57	A, B	RR Tonnica	FG R57K138		
Forage Genetics	58	A, B	AmeriStand 455TQ RR	FG R57K337		
Forage Genetics	59	A, B	6516R	FG R570K216		
Forage Genetics	60	B	RR501	FG R570K217		
Forage Genetics	61	A, B	6547R	FG R57W213		
Forage Genetics	62	A, B	Integra 8444R	FG R58Hg236		
Forage Genetics	63	A, B	AmeriStand 715NT RR	FG R65BD279		
Forage Genetics	64	A, B	RRALF 6R200	FG R66Bx311		
Forage Genetics	65	и, в	ICIC OCCOO	FG R77T729		
Forage Genetics	66		WL 552HQ.RR	FG R78T823		
Forage Genetics	67	A, B	WL 662HQ.RR	FG R96Bx304		
Forage Genetics	68	B	RR902	FG R96Bx301		
Forage Genetics	69	D	AmeriStand 415NT RR	FG R47OK215		
Forage Genetics	70	В	AmeriStand 803T	FG 83T054		
Forage Genetics	70	А, В	DG 9212	FG 851034 FG 85M282		
Forage Genetics	72	A, B	Magnitude	FG 85M282 FG 45M112		
Forage Genetics Forage Genetics	73	·				
		A, B	LegenDairy XHD	FG 46W202		
Forage Genetics	74	A, B	Premium 6401N	FG 46W202		
Forage Genetics	75	A, B	6401N	FG 48W201		
Forage Genetics	76	A, B	Integra 8420	FG 48W202		
		A 1	17	T		
		Amendment	•			
		A – Name Ch				
		B – Description				
		C – Other				
		(name) name i	n parenthesis indicates exp	perimental designation name		

Company	Page	Amendment	Variety Name	Experimental Designation	
Forage Genetics	77	A, B	<u>6906N</u>	FG 96T706	
Forage Genetics	78	A, B	AmeriStand 915TS RR	FG R96Bx308	
Forage Genetics	79		FSG 424	FG 48A176	
Forage Genetics	80		Gemstone	FG 46M446	
Forage Genetics	81		PureGold	FG R46BD178	
Forage Genetics	82		RRALF 9R100	FG R97T710	
Forage Genetics	83		Spredor 5	FG 36C100	
Forage Genetics	84	В	Sun Quest	FG 96T707	
Forage Genetics	85	В	<u>WL 656HQ</u>	FG 95T284	
Pioneer Hi-Bred Internat'l	86		<u>55VR05</u>	<u>R48W221</u>	
Pioneer Hi-Bred Internat'l	87		FSG 403LR	09W08PY, W08PY187	
S & W Seed Company	88		SW 9812	SW 9812	
S & W Seed Company	89		SW 9813	SW 9813	
U. of California Regents	90		<u>Highline</u>	<u>UC-340</u>	
USDA-ARS	91			DFRC1 or WI-RC-1	
RED CLOVER					
FFR Cooperative	92	В	FSG 402	<u>RC0402</u>	
FFR Cooperative	93	A	Gallant	<u>RC0302</u>	
		Amendment K	Key:		
		A – Name Cha	ange		
		B – Descriptio	n		
		C – Other			
(name) name in parenthesis indicates experimental designation name					

PLACING THE CURSOR OVER THE DESIRED VARIETY/EXPERIMENTAL DESIGNATION & CLICKING WILL TAKE YOU DIRECTLY TO THE SUMMARY DESCRIPTION.

Optimus

(Amended - Name Change)

Origin and Breeding History

Optimus is a synthetic variety with 55parent plants selected for high forage dry matter yield, high forage milk per acre using Milk 2000, and/or high forage NDFD. Parent plants were selected from a three year old Wisconsin selection nursery, crossed in the greenhouse, and bulk harvested as Synthetic generation 1. Nursery source plants composed of various populations that were developed by phenotypic recurrent selection for winter hardiness, high forage dry matter yield, high NDFD (using Near Infrared Reflectance Spectroscopy), and for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot, anthracnose (race 1), and Leptosphaerulina leaf spot. Parentage of Optimus traces to the following germplasm sources: Abound (2%), Ascend (2%), Cornerstone (2%), Foremost II (2%), Power 4.2 (2%), TMF 421 (2%), Trialfalon (2%), WinterGold (2%), and CW 04-049 (84%). Breeder seed was produced under cage isolation near Woodland, California in 2004. Seed was bulk harvested from all parent plants as Synthetic generation 2.

Areas of Probable Adaptation

Optimus is adapted to the North Central and East Central areas of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain and Winterhardy Intermountain areas of the U.S. Optimus has been tested in Idaho, Iowa, Minnesota, Ohio, Pennsylvania, and Wisconsin

Agronomic and Botanical Characteristics

Optimus is a moderately dormant variety with fall dormancy similar to FD class 4 check varieties. Optimus is Extremely Winterhardy, similar to WS class 2 check varieties. Flower color observed in the Syn.2 generation is approximately 99% purple, 1% cream and a trace variegated. Optimus has moderate multifoliolate leaf expression rating similar to High MF check variety.

Optimus has high resistance to anthracnose (race 1), Aphanomyces root rot (race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Verticillium wilt, and pea aphid; with resistance to blue alfalfa aphid, cow pea aphid, northern root knot nematode, and stem nematode; with moderate resistance to spotted alfalfa aphid.

Procedures for Maintaining Seed Stock

Seed increase of Optimus is on a limited generation basis with two generations of breeder, foundation, and certified seed classes. Breeder (Syn.2 or Syn.3), foundation (Syn.3 or Syn.4), and certified (Syn.4 or Syn.5) classes will be recognized. Production of Syn.3 breeder or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Woodland, California in 2004. Sufficient foundation seed for the projected life of the variety will be maintained by Cal/West Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed of Optimus will be available in 2012. Certified acreage may not be published.

PVP Information

Variety Name Optimus					
Experimental Designation(s) CW 044019					
Date NA&MLVRB first accepted this variety January 2012					
Date(s) previous amendments were accepted					
Date amendment submitted November 30, 2012					
Date recommended by the NVRB: Jan 08, 2013					



PGI 212

(Amended – Name Change, Add Extremely Winter Hardy)

Origin and Breeding History

PGI 212 is a synthetic variety with 10 parent plants selected for high forage dry matter yield, high forage milk per acre using Milk 2000, and/or high forage NDFD. Parent plants were selected from a three year old Wisconsin selection nursery, crossed in the greenhouse, and bulk harvested as Synthetic generation 1. Nursery source plants composed of various populations that were developed by phenotypic recurrent selection for winter hardiness, high forage dry matter yield, high NDFD (using Near Infrared Reflectance Spectroscopy), and for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot, anthracnose (race 1), and Leptosphaerulina leaf spot. Parentage of PGI 212 traces to the following germplasm sources: CW 05-002 (33.33%), CW 05-003 (33.33%), and CW 05-004 (33.33%). Breeder seed was produced under cage isolation near Woodland, California in 2005. Seed was bulk harvested from all parent plants as Synthetic generation 2.

Areas of Probable Adaptation

PGI 212 is adapted to the North Central, East Central, and Winterhardy Intermountain areas of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain and Winterhardy Intermountain areas of the U.S. PGI 212 has been tested in Idaho, Iowa, Minnesota, Ohio, Pennsylvania, and Wisconsin.

Agronomic and Botanical Characteristics

PGI 212 is a dormant variety with fall dormancy similar to FD class 2 check varieties. PGI 212 is Extremely Winterhardy, similar to WS class 1 check variety. Flower color observed in the Syn.2 generation is approximately 99% purple and 1% cream. PGI 212 has moderate multifoliolate leaf expression rating similar to Moderate MF check variety.

PGI 212 has high resistance to anthracnose (race 1), Aphanomyces root rot (race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Verticillium wilt, and northern root knot nematode; with resistance to blue alfalfa aphid and pea aphid; with moderate resistance to stem nematode; and with low resistance to cow pea aphid. Reaction to the spotted alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase of PGI 212 is on a limited generation basis with two generations of breeder, foundation, and certified seed classes. Breeder (Syn.2 or Syn.3), foundation (Syn.3 or Syn.4), and certified (Syn.4 or Syn.5) classes will be recognized. Production of Syn.3 breeder or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Woodland, California in 2005. Sufficient foundation seed for the projected life of the variety will be maintained by Cal/West Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed of PGI 212 will be available in 2011. Certified acreage may not be published.

PVP Information

Variety Name	PGI 212		
Experimental De	signation(s)	CW 052036	
Date NA&MLV	RB first acce	pted this variety	January 2011
Date(s) previous	amendments	were accepted	
Date amendment	submitted	November 30, 20	012
Date recommend	led by the NV	'RB: Jan 08, 2	2013



5010

(Amended – Name Change)

Origin and Breeding History

5010 is a synthetic variety with 11 parent plants selected for high forage dry matter yield, high forage milk per acre using Milk 2000, and/or high forage NDFD. Parent plants were selected from a three year old Wisconsin selection nursery, crossed in the greenhouse, and bulk harvested as Synthetic generation 1. Nursery source plants composed of various populations that were developed by phenotypic recurrent selection for winter hardiness, high forage dry matter yield, high NDFD (using Near Infrared Reflectance Spectroscopy), and for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot, anthracnose (race 1), and Leptosphaerulina leaf spot. Parentage of 5010 traces to the following germplasm sources: Sprint (9%) and CW D5-C05 (91%). Breeder seed was produced under cage isolation near Woodland, California in 2005. Seed was bulk harvested from all parent plants as Synthetic generation 2.

Areas of Probable Adaptation

5010 is adapted to the North Central, East Central, and Winterhardy Intermountain areas of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain and Winterhardy Intermountain areas of the U.S. 5010 has been tested in Idaho, Iowa, Michigan, Minnesota, Pennsylvania, and Wisconsin

Agronomic and Botanical Characteristics

5010 is a moderately dormant variety with fall dormancy similar to FD class 5 check varieties. Flower color observed in the Syn.2 generation is approximately 96% purple, 4% variegated, and a trace cream. 5010 has low multifoliolate leaf expression rating similar to Low MF check variety.

5010 has high resistance to anthracnose (race 1), Aphanomyces root rot (race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Verticillium wilt, and pea aphid; with resistance to blue alfalfa aphid, cow pea aphid, and northern root knot nematode, and stem nematode; with moderate resistance to spotted alfalfa aphid.

Procedures for Maintaining Seed Stock

Seed increase of 5010 is on a limited generation basis with two generations of breeder, foundation, and certified seed classes. Breeder (Syn.2 or Syn.3), foundation (Syn.3 or Syn.4), and certified (Syn.4 or Syn.5) classes will be recognized. Production of Syn.3 breeder or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Woodland, California in 2005. Sufficient foundation seed for the projected life of the variety will be maintained by Cal/West Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed of 5010 will be available in 2012. Certified acreage may not be published.

PVP Information

Variety Name 50	010				
Experimental Designation(s)		055005			
Date NA&MLVRE	3 first accepted t	this variety	January 2012		
Date(s) previous amendments were accepted					
Date amendment submitted November 30, 2012					
Date recommended by the NVRB: Jan 08, 2013					



Contender (Amended – Name Change)

Origin and Breeding History

Contender is a synthetic variety with 174 parent plants selected for dense crowns, high leaf to stem ratio, vigorous roots, and no stem, crown, or root rot, high forage dry matter yield, high forage milk per acre using Milk 2000, and/or high forage NDFD. Parent plants were selected from three-year old Iowa yield trials, four-year old Wisconsin yield trials, and from three-year old Wisconsin nurseries, crossed in the greenhouse, and bulk harvested as Synthetic generation 1. Yield trial and nursery source plants were selected from various populations that were developed by phenotypic recurrent selection for winter hardiness, high forage dry matter yield, high NDFD (using Near Infrared Reflectance Spectroscopy), and for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot, anthracnose (race 1), and Leptosphaerulina leaf spot. Parentage of Contender traces to the following germplasm sources: Ascend (15%), Double Eagle (2%), A 5225 (6%), SpringGold (17%), Tribute (1%), Shepherd (5%), CW 06-089 (25%), and CW 06-090 (29%). Breeder seed was produced under cage isolation near Woodland, California in 2006. Seed was bulk harvested from all parent plants as Synthetic generation 2.

Areas of Probable Adaptation

Contender is adapted to the North Central, East Central, and Winterhardy Intermountain areas of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain and Winterhardy Intermountain areas of the U.S. Contender has been tested in Idaho, Iowa, Minnesota, Ohio, Pennsylvania, and Wisconsin

Agronomic and Botanical Characteristics

Contender is a moderately dormant variety with fall dormancy similar to FD class 5 check varieties. Flower color observed in the Syn.2 generation is approximately 93% purple, 4% variegated, 2% cream, and 1% yellow. Contender has low multifoliolate leaf expression rating similar to Low MF check variety.

Contender has high resistance to anthracnose (race 1), Aphanomyces root rot (race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Verticillium wilt, and pea aphid; and with resistance to cow pea aphid, spotted alfalfa aphid, and root knot nematode. Reaction to stem nematode and blue alfalfa aphid have not been tested.

Procedures for Maintaining Seed Stock

Seed increase of Contender is on a limited generation basis with two generations of breeder, foundation, and certified seed classes. Breeder (Syn.2 or Syn.3), foundation (Syn.3 or Syn.4), and certified (Syn.4 or Syn.5) classes will be recognized. Production of Syn.3 breeder or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Woodland, California in 2006. Sufficient foundation seed for the projected life of the variety will be maintained by Cal/West Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed of Contender will be available in 2011. Certified acreage may not be published.

PVP Information

Variety Name	Contender				
Experimental De	signation(s)	CW 065030			
Date NA&MLV	RB first acce	epted this variety	January 2011		
Date(s) previous amendments were accepted					
Date amendment	submitted	November 30, 20	12		
Date recommend	ed by the NV	RB: Jan 08, 2013			



Barricade SLT (Amended – Name Change)

Origin and Breeding History

Barricade SLT is a synthetic variety with 225 parent plants. 155 of the 225 parent plants were selected sequentially for germination, seedling growth, and mature plant regrowth after repeated irrigation with 100 mM NaCl solution in the greenhouse. 70 of the 225 parent plants were selected sequentially for germination and seedling growth in the greenhouse on field soil with >8 EC obtained from Wyoming, Nevada, Oregon, Colorado, and/or North Dakota. Parent plants were crossed in the greenhouse, and bulk harvested as Synthetic generation 1. Parent plants were selected from crosses between selections from NaCl tolerant plants from source varieties of various populations that were developed by phenotypic recurrent selection for winter hardiness, high forage dry matter yield, high NDFD (using Near Infrared Reflectance Spectroscopy), and for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot, anthracnose (race 1), and Leptosphaerulina leaf spot. Parentage of Barricade SLT traces to the following germplasm sources: SolarGold (24%), CW 054038 (33%), CW 064027 (35%), CW 073038 (2%), CW 073011 (2%), CW 074016 (2%), and CW 074017 (2%). Breeder seed was produced under cage isolation near Woodland, California in 2008. Seed was bulk harvested from all parent plants as Synthetic generation 2.

Areas of Probable Adaptation

Barricade SLT is adapted to the North Central area of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain and Winterhardy Intermountain areas of the U.S. Barricade SLT has been tested in Iowa, Minnesota, and Wisconsin

Agronomic and Botanical Characteristics

Barricade SLT is a moderately dormant variety with fall dormancy similar to FD class 4 check varieties. Flower color observed in the Syn.2 generation is approximately 98% purple, 1% variegated, 1% white, trace cream, and a trace yellow. Barricade SLT has moderate multifoliolate leaf expression rating similar to Moderate MF check variety. Barricade SLT has regrowth salt tolerance similar to the tolerant check variety. Barricade SLT has tolerance to salt (NaCl) at germination.

Barricade SLT has high resistance to anthracnose (race 1), Aphanomyces root rot (race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Verticillium wilt, blue alfalfa aphid, and pea aphid; with resistance to, cow pea aphid and stem nematode; with moderate resistance to spotted alfalfa aphid. Reaction to root knot nematode has not been tested.

Procedures for Maintaining Seed Stock

Seed increase of Barricade SLT is on a limited generation basis with two generations of breeder, foundation, and certified seed classes. Breeder (Syn.2 or Syn.3), foundation (Syn.3 or Syn.4), and certified (Syn.4 or Syn.5) classes will be recognized. Production of Syn.3 breeder or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Woodland, California in 2008. Sufficient foundation seed for the projected life of the variety will be maintained by Cal/West Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed of Barricade SLT will be available in 2012. Certified acreage may not be published.

PVP Information

Variety Name	Barricade SI	LT			
Experimental De	signation(s)	CW 084034			
Date NA&MLVRB first accepted this variety January 2012					
Date(s) previous amendments were accepted					
Date amendment submitted November 30, 2012					
Date recommended by the NVRB: Ian 08 2013					



CW 085028 (Exp)

Origin and Breeding History

CW 085028 is a synthetic variety with 10 parent plants selected for dense crowns, high leaf to stem ratio, vigorous roots, and no stem, crown, or root rot, and for high raceme number and florets per raceme. Parent plants were selected from a three-year old Iowa yield trial and four-year old Wisconsin yield trials, crossed in the greenhouse, and bulk harvested as Synthetic generation 1. Yield trial source plants composed of various populations that were developed by phenotypic recurrent selection for winter hardiness, high forage dry matter yield, high NDFD (using Near Infrared Reflectance Spectroscopy), and for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot, anthracnose (race 1), and Leptosphaerulina leaf spot. Parentage of CW 085028 traces to the following germplasm sources: Pillar (10%), Charger (10%), STEALTH SF (20%), SunDance II (10%), GH 717 (20%), CW 32041 (10%), CW 35005 (10%), and CW 35035 (10%). Breeder seed was produced under cage isolation near Woodland, California in 2008. Seed was bulk harvested from all parent plants as Synthetic generation 2.

Areas of Probable Adaptation

CW 085028 is adapted to the North Central area of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain and Winterhardy Intermountain areas of the U.S. CW 085028 has been tested in Iowa, Minnesota, and Wisconsin.

Agronomic and Botanical Characteristics

CW 085028 is a moderately dormant variety with fall dormancy similar to FD class 5 check varieties. Flower color observed in the Syn.2 generation is approximately 100% purple. CW 085028 has moderate multifoliolate leaf expression rating similar to Low MF check variety.

CW 085028 has high resistance to anthracnose (race 1), Aphanomyces root rot (race 1), bacterial wilt, Fusarium wilt, and Phytophthora root rot; with resistance to Verticillium wilt, pea aphid, and stem nematode; with moderate resistance to blue alfalfa aphid and spotted alfalfa aphid; with low resistance to cow pea aphid. Reaction to root knot nematode has not been tested.

Procedures for Maintaining Seed Stock

Seed increase of CW 085028 is on a limited generation basis with two generations of breeder, foundation, and certified seed classes. Breeder (Syn.2 or Syn.3), foundation (Syn.3 or Syn.4), and certified (Syn.4 or Syn.5) classes will be recognized. Production of Syn.3 breeder or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Woodland, California in 2008. Sufficient foundation seed for the projected life of the variety will be maintained by Cal/West Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed of CW 085028 will be available in 2013. Certified acreage may not be published.

PVP Information

No decision has been made regarding Plant Variety Protection. This information can be forwarded to the PVP office.

Date this application was submitted: Nov 30, 2012

Date recommended by the NVRB: Jan 08, 2013



Keystone II

Origin and Breeding History

Keystone II is a synthetic variety with 44 parent plants selected for dense crowns, high leaf to stem ratio, vigorous roots, and no stem, crown, or root rot, high forage dry matter yield, high forage milk per acre using Milk 2000, and/or high forage NDFD. Parent plants were selected from three-year old Iowa and Minnesota yield trials, a four-year old Wisconsin yield trial, and from three-year old Wisconsin nurseries, crossed in the greenhouse, and bulk harvested as Synthetic generation 1. Yield trial and nursery source plants were selected from various populations that were developed by phenotypic recurrent selection for winter hardiness, high forage dry matter yield, high NDFD (using Near Infrared Reflectance Spectroscopy), and for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot, anthracnose (race 1), and Leptosphaerulina leaf spot. Parentage of Keystone II traces to the following germplasm sources: CW 13043 (2%), CW 33002 (2%), CW 33012 (2%), CW 33013 (2 %), CW 07-015 (42%), and Keystone (50%). Breeder seed was produced under cage isolation near Woodland, California in 2007. Seed was bulk harvested from all parent plants as Synthetic generation 2.

Areas of Probable Adaptation

Keystone II is adapted to the North Central area of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain and Winterhardy Intermountain areas of the U.S. Keystone II has been tested in Iowa, Minnesota, and Wisconsin.

Agronomic and Botanical Characteristics

Keystone II is a dormant variety with fall dormancy similar to FD class 3 check varieties. Flower color observed in the Syn.2 generation is approximately 100% purple. Keystone II has moderate multifoliolate leaf expression rating similar to Low MF check variety.

Keystone II has high resistance to anthracnose (race 1), Aphanomyces root rot (race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, and Verticillium wilt; with resistance to Aphanomyces root rot (race 2), blue alfalfa aphid, pea aphid, spotted alfalfa aphid, and cow pea aphid; with moderate resistance to stem nematode. Reaction to root knot nematode has not been tested.

Procedures for Maintaining Seed Stock

Seed increase of Keystone II is on a limited generation basis with two generations of breeder, foundation, and certified seed classes. Breeder (Syn.2 or Syn.3), foundation (Syn.3 or Syn.4), and certified (Syn.4 or Syn.5) classes will be recognized. Production of Syn.3 breeder or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Woodland, California in 2007. Sufficient foundation seed for the projected life of the variety will be maintained by Cal/West Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed of Keystone II will be available in 2013.

PVP Information

No decision has been made regarding Plant Variety Protection. This information can be forwarded to the PVP office

Date this application was submitted: Nov 30, 2012



PGI 459

(Amended – Add Very Winter Hardy)

Origin and Breeding History

PGI 459 is a synthetic variety with 180 parent plants selected from two-year old grazing selection plots from various populations that were developed by phenotypic recurrent selection for winter hardiness, leaf disease resistance, high leaf to stem ratio, standability, high relative feed value (using Near Infrared Reflectance Spectroscopy), high forage yield potential, and for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot, anthracnose (race 1), and Leptosphaerulina leafspot. Parentage of PGI 459 traces to the following germplasm sources: Ascend, GH 717, Tribute, and CW 84028. Breeder seed (Syn.1) was produced under cage isolation near Woodland, California in 2002.

Areas of Probable Adaptation:

PGI 459 is adapted to the North Central, East Central, and Great Plains areas of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain, and Winterhardy Intermountain areas of the U.S. PGI 459 has been tested in Wisconsin, Iowa, Minnesota, Pennsylvania, Ohio, Nebraska, Indiana, and South Dakota.

Agronomic and Botanical Characteristics

PGI 459 is a moderately dormant variety with fall dormancy similar to FD class 4 check varieties. PGI 459 is Very Winterhardy, similar to WS class 2 check variety. Flower color observed in the Syn.2 generation is approximately 100% purple, with a trace of variegated, white, cream, and yellow.

PGI 459 has high resistance to anthracnose (race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, and root knot nematode (*Meloidogyne hapla*), with resistance to Aphanomyces root rot (race 1), Aphanomyces root rot (race 2), pea aphid, and stem nematode. Reaction to the blue alfalfa aphid has not been tested

Procedures for Maintaining Seed Stock

Seed increase of PGI 459 is on a limited generation basis with two generations each of breeder, foundation, and certified seed classes. Breeder (Syn.1 or Syn.2), foundation (Syn.2 or Syn.3), and certified (Syn.3 or Syn.4) classes will be recognized. Production of Syn.2 breeder or Syn.3 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Woodland, California in 2002. Sufficient foundation seed for the projected life of the variety will be maintained by Cal/West Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed of PGI 459 will be available in 2006. Certified acreage may not be published.

PVP Information

Variety Name	PGI 459			
Experimental Des	signation(s)	CW 24044		
Date NA&MLV	RB first acce	pted this variety	January, 2006	
Date(s) previous	amendments	were accepted	January, 2010	
Date amendment	submitted	November 30, 2	012	
Date recommende	ed by the NVI	RB: Jan 08, 2013		



PGI 557 (Amended – Add Very Winter Hardy)

Origin and Breeding History

PGI 557 is a synthetic variety with 10 parent plants selected for high forage dry matter yield, high forage milk per acre using Milk 2000, and/or high forage NDFD. Parent plants were selected from a three year old selection nursery composed of various populations that were developed by phenotypic recurrent selection for winter hardiness, high forage dry matter yield, high NDFD (using Near Infrared Reflectance Spectroscopy), and for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot, anthracnose (race 1), and Leptosphaerulina leaf spot. Parentage of PGI 557 traces to the following germplasm sources: CW 05-072 (30%), CW 05-073 (40%), and CW 05-074 (30%). Breeder seed was produced under cage isolation near Woodland, California in 2005. Seed was bulk harvested from all parent plants as Synthetic generation 2.

Areas of Probable Adaptation:

PGI 557 is adapted to the North Central and East Central areas of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain and Winterhardy Intermountain areas of the U.S. areas of the U.S. PGI 557 has been tested in Iowa, Minnesota, Pennsylvania, and Wisconsin.

Agronomic and Botanical Characteristics

PGI 557 is a moderately dormant variety with fall dormancy similar to FD class 5 check varieties. PGI 557 is Very Winterhardy, similar to WS class 2 check variety. Flower color observed in the Syn.2 generation is approximately 100% purple, with a trace of cream, and a trace of variegated. PGI 557 has low multifoliolate leaf expression rating similar to Low MF check variety.

PGI 557 has high resistance to anthracnose (race 1), Aphanomyces root rot (race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Verticillium wilt, stem nematode, and root knot nematode (*Meloidogyne hapla*); with resistance to blue alfalfa aphid, pea aphid; and with moderate resistance to cow pea aphid. Reaction to the spotted alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase PGI 557 is on a limited generation basis with two generations of breeder, foundation, and certified seed classes. Breeder (Syn.2 or Syn.3), foundation (Syn.3 or Syn.4), and certified (Syn.4 or Syn.5) classes will be recognized. Production of Syn.3 breeder or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Woodland, California in 2005. Sufficient foundation seed for the projected life of the variety will be maintained by Cal/West Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed of PGI 557 will be available in 2010. Certified acreage may not be published.

PVP Information

Variety Name	PGI 557				
Experimental De	signation(s)	CW 055023			
Date NA&MLV	RB first acce	epted this variety	January, 2010		
Date(s) previous	amendments	were accepted	January, 2011		
Date amendment submitted November 30, 2012					
Date recommend	led by the NV	RB: Jan 08,	, 2013		



SolarGold (Amended – Add Extremely Winter Hardy)

Origin and Breeding History

SolarGold is a synthetic variety with 16 parent plants selected for high forage dry matter yield, high forage milk per acre using Milk 2000, and/or high forage NDFD. Parent plants were selected from a three year old Wisconsin selection nursery, crossed in the greenhouse, and bulk harvested as Synthetic generation 1. Nursery source plants composed of various populations that were developed by phenotypic recurrent selection for winter hardiness, high forage dry matter yield, high NDFD (using Near Infrared Reflectance Spectroscopy), and for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot, anthracnose (race 1), and Leptosphaerulina leaf spot. Parentage of SolarGold traces to the following germplasm sources: Chesapeake (6%), SpringGold (6%), and CW D4-C06 (88%). Breeder seed was produced under cage isolation near Woodland, California in 2006. Seed was bulk harvested from all parent plants as Synthetic generation 2.

Areas of Probable Adaptation:

SolarGold is adapted to the North Central, East Central, and Winterhardy Intermountain areas of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain and Winterhardy Intermountain areas of the U.S. SolarGold has been tested in Idaho, Iowa, Minnesota, Ohio, Pennsylvania, and Wisconsin.

Agronomic and Botanical Characteristics

SolarGold is a moderately dormant variety with fall dormancy similar to FD class 4 check varieties. SolarGold is Extremely Winterhardy, similar to WS class 1 check variety. Flower color observed in the Syn.2 generation is approximately 95% purple, 4% variegated, and 1% cream; with a trace of white. SolarGold has high multifoliolate leaf expression rating similar to High MF check variety.

SolarGold has high resistance to anthracnose (race 1), Aphanomyces root rot (race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Verticillium wilt, and pea aphid; with resistance to blue alfalfa aphid, cow pea aphid, and northern root knot nematode; with moderate resistance to spotted alfalfa aphid, Aphanomyces root rot (race 2), and stem nematode.

Procedures for Maintaining Seed Stock

Seed increase of SolarGold is on a limited generation basis with two generations of breeder, foundation, and certified seed classes. Breeder (Syn.2 or Syn.3), foundation (Syn.3 or Syn.4), and certified (Syn.4 or Syn.5) classes will be recognized. Production of Syn.3 breeder or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Woodland, California in 2006. Sufficient foundation seed for the projected life of the variety will be maintained by Cal/West Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively

Certified Seed Availability and Publication of Certified Seed Production

Certified seed of SolarGold will be available in 2011. Certified acreage may not be published.

PVP Information

Variety Name	SolarGold		
Experimental De	esignation(s)	CW 064004	
Date NA&MLV	RB first acce	epted this variety	January 2011
Date(s) previous	amendments	were accepted	January 2012
Date amendment	submitted	November 30, 2	2012
Date recommend	ded by the NV	/RB: Jan 08.	, 2013



Stockpile (Amended – Name Change)

Breeding History

Stockpile is a 12 clone synthetic. The parent clones were selected out of forage yield plots and/or disease nurseries. These parent plants were progeny tested for one or more of the following traits: forage yield, stand persistence, forage quality, resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt and *Aphanomyces* root rot (Race 1 and 2). All of parent plants trace back to Dairyland experimental germplasm. They were planted in field isolation and inter-pollinated by honey, leaf cutting and bumble bees near Sloughhouse, California in 2007 to produce Syn. 1 as Breeder Seed. Seed from parent plants propagated by vegetative cuttings were equally bulked each year to produce Breeder seed. Stockpile, experimental designation was developed by Dairyland Seed Company.

Area of probable adaptation

Stockpile is adapted to the North Central Region of the United States and intended for use across the North Central and East Central Region of the United States. The state where it has been tested is Wisconsin.

Agronomic and Botanical Characteristics

Stockpile is a moderately dormant variety similar to the fall dormancy 4 check. Stockpile is very winter hardy similar to the winter survival 2 check. Flower color in the Syn. 2 generation is 90% purple, 10% variegated with trace amounts of cream, white and yellow.

Stockpile has high resistance to bacterial wilt, Fusarium wilt, Phytophthora root rot, anthracnose (Race 1), Verticillium wilt, Aphanomyces root rot (Race1), stem nematode, northern root-knot nematode; resistance to southern root-knot nematode, Aphanomyces root rot (Race2) and pea aphid. Stockpile has not been tested for resistance to spotted alfalfa aphid and blue alfalfa aphid.

Procedures for Maintaining Seed Stock

Breeder seed (Syn. 1) was produced by bulking seed of parent plants which were grown in field isolation near Sloughhouse, CA in 2007 or Breeder seed (Syn.2) produced from Syn.1. Foundation seed (Syn.2) was produced from Breeder seed and Certified seed (Syn. 2 or 3) from either Breeder or Foundation seed. Two generations of Breeder, one generation of Foundation and two generations of Certified seed classes are recognized. A maximum of three harvest years each is permitted on stands producing Breeder and Foundation seed with five years for Certified seed. Dairyland Research International will maintain sufficient Breeder seed for the projected life of the variety.

Date Certified Seed to be First Offered for Sale

Certified Seed will be available spring of 2013. Certified seed acres are not to be published.

PVP Information

Application for the Plant Variety Protection is undecided. Information in the NAVRB application can be forwarded to the PVP office.

Variety Name	Stockpile				
Experimental De	signation(s) DSA	A01-T			
Date NA&MLV	RB first accepted	this variety	November, 2011		
Date(s) previous amendments were accepted					
Date THIS amen	dment submitted	November 2	7, 2012		
Date recommend	ed by the NVRB:	Feb 06, 2013			



Shockwave BR (Amended – Name Change)

Breeding History

Shockwave BR is a 40 clone synthetic. The parent clones were selected out of forage yield plots and/or disease nurseries. These parent plants were progeny tested for one or more of the following traits: forage yield, stand persistence, forage quality, resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt and *Aphanomyces* root rot (Race 1 and 2). All of parent plants trace back to Dairyland experimental germplasm. They were planted in field isolation and inter-pollinated by honey, leaf cutting and bumble bees near Sloughhouse, California in 2007 to produce Syn. 1 as Breeder Seed. Seed from parent plants were equally bulked each year to produce Breeder seed. Shockwave BR, experimental designation was developed by Dairyland Seed Company.

Area of Probable Adaptation

Shockwave BR is adapted to the North Central Region of the United States and intended for use across the North Central and East Central Region of the United States. The state where it has been tested is Wisconsin.

Agronomic and Botanical Characteristics

Shockwave BR is a moderately dormant variety similar to the fall dormancy 4 check. Shockwave BR is very winter hardy similar to the winter survival 2 check. Flower color in the Syn. 2 generation is 90% purple, 10% variegated with trace amounts of cream, white and yellow.

Shockwave BR has high resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt, *Aphanomyces* root rot (Race1), stem nematode, northern root-knot nematode; resistance to southern root-knot nematode, *Aphanomyces* root rot (Race2) and moderate resistance to pea aphid. Shockwave BR has not been tested for resistance to spotted alfalfa aphid and blue alfalfa aphid.

Procedures for Maintaining Seed Stock

Breeder seed (Syn. 1) was produced by bulking seed of parent plants which were grown in field isolation near Sloughhouse, CA in 2007 or Breeder seed (Syn.2) produced from Syn.1. Foundation seed (Syn.2) was produced from Breeder seed and Certified seed (Syn. 2 or 3) from either Breeder or Foundation seed. Two generations of Breeder, one generation of Foundation and two generations of Certified seed classes are recognized. A maximum of three harvest years each is permitted on stands producing Breeder and Foundation seed with five years for Certified seed. Dairyland Research International will maintain sufficient Breeder seed for the projected life of the variety.

Date Certified Seed to be First Offered for Sale

Certified Seed will be available spring of 2013. Certified seed acres are not to be published.

PVP Information

Application for the Plant Variety Protection is undecided. Information in the NAVRB application can be forwarded to the PVP office.

Variety Name	Shockwave	BR		
Experimental De	signation(s)	DSA	05-BR	
Date NA&MLVRB first accepted this variety November, 2011				
Date(s) previous amendments were accepted				
Date THIS amendment submitted November 27, 2012				
Date recommended by the NVRB: Feb 06, 2013				



Secure-BR

(Amended – Name Change)

Breeding History

Secure-BR (DSB05-BR) is a 12 clone synthetic. The parent clones were selected out of forage yield plots and/or disease nurseries for branch rootedness. These parent plants were progeny tested for one or more of the following traits: forage yield, stand persistence, forage quality, resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt and *Aphanomyces* root rot (Race 1 and 2). All of parent plants trace back to Dairyland experimental germplasm. They were planted in field isolation and inter-pollinated by honey, leaf cutting and bumble bees near Sloughhouse, California in 2009 to produce Syn. 1 as Breeder Seed. Seed from parent plants propagated from vegetative cuttings were equally bulked each year to produce Breeder seed. Secure-BR (DSB05-BR) was developed by Dairyland Seed Company and its experimental designation is DSB05-BR.

Area of Probable Adaptation

Secure-BR (DSB05-BR) is adapted to the North Central and East Central Region of the United States and intended for use across the North Central and East Central Region of the United States. The states where it has been tested are Pennsylvania, New York and Wisconsin.

Agronomic and Botanical Characteristics

Secure-BR (DSB05-BR) is a moderately dormant variety similar to the fall dormancy 4 check. Secure-BR (DSB05-BR) is very winter hardy similar to the winter survival 2 check. Flower color in the Syn. 2 generation is 90% purple, 10% variegated with trace amounts of cream, white and yellow.

Secure-BR (DSB05-BR) has high resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt, *Aphanomyces* root rot (Race1), northern root-knot nematode, southern root-knot nematode; resistance to stem nematode, pea aphid and *Aphanomyces* root rot (Race2). Secure-BR (DSB05-BR) has not been tested for resistance to spotted alfalfa aphid and blue alfalfa aphid.

Procedures for Maintaining Seed Stock

Breeder seed (Syn. 1) was produced by bulking seed of parent plants which were grown in field isolation near Sloughhouse, CA in 2009 or Breeder seed (Syn.2) produced from Syn.1. Foundation seed (Syn.2) was produced from Breeder seed and Certified seed (Syn. 2 or 3) from either Breeder or Foundation seed. Two generations of Breeder, one generation of Foundation and two generations of Certified seed classes are recognized. A maximum of three harvest years each is permitted on stands producing Breeder and Foundation seed with five years for Certified seed. Dairyland Seed Company will maintain sufficient Breeder seed for the projected life of the variety.

Date Certified Seed to be First Offered for Sale

Certified Seed will be available spring of 2014. Certified seed acres are not to be published.

PVP Information

Application for the Plant Variety Protection is undecided. Information in the NAVRB application can be forwarded to the PVP office.

Date this application was submitted: Nov 27, 2012



DSB08-M (Exp)

Breeding History

DSB08-M is an 8 clone synthetic. The parent clones were selected out of forage yield plots and/or disease nurseries. These parent plants were progeny tested for one or more of the following traits: forage yield, stand persistence, forage quality, resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt and *Aphanomyces* root rot (Race 1 and 2). All of parent plants trace back to Dairyland experimental germplasm. They were planted in field isolation and inter-pollinated by honey, leaf cutting and bumble bees near Sloughhouse, California in 2009 to produce Syn. 1 as Breeder Seed. Seed from parent plants propagated from vegetative cuttings were equally bulked each year to produce Breeder seed. DSB08-M was developed by Dairyland Seed Company and its experimental designation is DSB08-M.

Area of Probable Adaptation

Crave is adapted to the North Central and East Central Region of the United States and intended for use across the North Central and East Central Region of the United States. The states where it has been tested are Minnesota, Pennsylvania, Michigan and Wisconsin.

Agronomic and Botanical Characteristics

DSB08-M is a moderately dormant variety similar to the fall dormancy 4 check. DSB08-M is very winter hardy similar to the winter survival 2 check. Flower color in the Syn. 2 generation is 90% purple, 10% variegated with trace amounts of cream, white and yellow. DSB08-M has low multifoliate expression rating similar to the low MF check variety.

DSB08-M has high resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt, *Aphanomyces* root rot (Race1), northern root-knot nematode, southern root-knot nematode; resistance to pea aphid, stem nematode and *Aphanomyces* root rot (Race2). DSB08-M has not been tested for resistance to spotted alfalfa aphid and blue alfalfa aphid.

Procedures for Maintaining Seed Stock

Breeder seed (Syn. 1) was produced by bulking seed of parent plants which were grown in field isolation near Sloughhouse, CA in 2009 or Breeder seed (Syn.2) produced from Syn.1. Foundation seed (Syn.2) was produced from Breeder seed and Certified seed (Syn. 2 or 3) from either Breeder or Foundation seed. Two generations of Breeder, one generation of Foundation and two generations of Certified seed classes are recognized. A maximum of three harvest years each is permitted on stands producing Breeder and Foundation seed with five years for Certified seed. Dairyland Seed Company will maintain sufficient Breeder seed for the projected life of the variety.

Date Certified Seed to be First Offered for Sale

Certified Seed will be available spring of 2014. Certified seed acres are not to be published.

PVP Information

Application for the Plant Variety Protection is undecided. Information in the NAVRB application can be forwarded to the PVP office.

Date this application was submitted: Nov 27, 2012



HybriForce-3400

Breeding History

HybriForce-3400 (msSunstra-803) is a five clone 75-95% hybrid alfalfa variety consisting of a female, maintainer and restorer clones. Parent clones were selected out of forage yield plots and/or disease nurseries. These parent clones were tested for male sterility, maintaining and restoration ability. The parent clones were also progeny tested for one or more of the following traits: forage yield, stand persistence, forage quality, resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt and *Aphanomyces* root rot (Race 1). The female clone, maintainer clone and restorer clone trace to Dairyland experimental germplasm. Female seed (D-1010) was generated by crossing a cytoplasmic male sterile female clone by a maintainer clone by hand greenhouse crosses in 2006. The female clones were harvested to produce the female Breeder Seed near Sloughhouse, California in 2007-09. Female seed was kept separate each year to produce Breeder seed. Male Breeder seed (Syn. 1) (DS764M) was produced in isolation in 2003 and bulked near Sloughhouse, CA. The female, maintainer and restorer clones were propagated by vegetative cuttings for Breeder Seed increase. HybriForce-3400 (msSunstra-803) was developed by Dairyland Seed Company and it experimental designation is msSunstra-803.

Area of Probable Adaptation

HybriForce-3400 (msSunstra-803) is adapted to the North Central Region of the United States and intended for use across the North Central Region of the United States. The states where it has been tested are Wisconsin, Minnesota, Nebraska and Pennsylvania.

Agronomic and Botanical Characteristics

HybriForce-3400 (msSunstra-803) is a moderately dormant variety similar to the fall dormancy 4 check. HybriForce-3400 (msSunstra-803) is very winter hardy similar to the winter survival 2 check. Flower color in the Syn. 2 generation is 90% purple, 9% variegated with trace amounts of cream, white and yellow. DS764M is 1% white seed.

HybriForce-3400 (msSunstra-803) has high resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, *Verticillium* wilt, anthracnose (Race 1), *Aphanomyces* root rot (Race1), stem nematode, northern root-knot nematode; resistance to), pea aphid and southern root-knot nematode and moderate resistance to *Aphanomyces* root rot (Race 2). HybriForce-3400 (msSunstra-803) has not been tested for resistance to spotted alfalfa aphid and blue alfalfa aphid.

Procedures for Maintaining Seed Stock

Female Breeder seed was produced by crossing the cytoplasmic male sterile clone (A) by the maintainer clone (B) in field isolation near Sloughhouse, CA in 2007-09. Female seed (D-1010) was kept separate across production years. Male Breeder seed (Syn. 1) (DS764M) was produced in isolation in 2003 and bulked near Sloughhouse, CA. Male Foundation seed (Syn. 2) (DS764M) was produced from Breeder seed. The 75-95% hybrid seed (D-1010xDS764M=F1) was produced from crossing female seed by either Syn. 1 or Syn. 2 male seed. Two generations of male seed are recognized. A maximum of three harvest years each is permitted on stands producing Breeder and Foundation seed with five years for Certified seed. Dairyland Research International will maintain sufficient seed for the projected life of the variety.

Date Certified Seed to be First Offered for Sale

Certified Seed will be available spring of 2014. Certified seed acres are not to be published.

PVP Information

Application for the Plant Variety Protection is undecided. Information in the NAVRB application can be forwarded to the PVP office.

Date this application was submitted: Nov 27, 2012



Cisco II

(Amended – Forage Production Under Salt Stress, Salt Tolerance of Germinating Alfalfa Seeds)

Breeding History

Cisco II is a 34 clone synthetic. Thirty of parent clones were selected out of high saline soils for persistence, fall dormancy and forage yield and 4 clones were selected from forage yield plots and/or disease nurseries. These parent plants were progeny tested for one or more of the following traits: forage yield, stand persistence, forage quality, resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt and *Aphanomyces* root rot (Race 1) and forage yield production under salt stress. They were planted in field isolation and inter-pollinated by honey, leaf cutting and bumble bees near Sloughhouse, California in 2006 to produce Syn. 1 as Breeder Seed. Seed from parent plants were equally bulked each year to produce Breeder seed. Cisco II was developed by Dairyland Seed Company and it experimental designation is DSB38FD6.

Area of Probable Adaptation

Cisco II is adapted to the North Central and Southwest Regions of the United States and intended for use across the Southern half of the United States. The states where it has been tested are Wisconsin and California.

Agronomic and Botanical Characteristics

Cisco II is a moderately dormant variety similar to the fall dormancy 6 check. Cisco II is very winter hardy similar to the winter survival 2 check. Flower color in the Syn. 2 generation is 90% purple, 10% variegated with trace amounts of cream, white and yellow. Cisco II has forage production under salt stress is similar to the tolerant check. The germination of Cisco II under salt stress is similar to the tolerant check. Cisco II has high resistance to bacterial wilt, Fusarium wilt, Phytophthora root rot, Verticillium wilt, pea aphid, northern root-knot nematode; resistance to anthracnose (Race 1), stem nematode, southern root-knot nematode and moderate resistance to Aphanomyces root rot (Race1). Cisco II has not been tested for resistance to spotted alfalfa aphid and blue alfalfa aphid.

Procedures for Maintaining Seed Stock

Breeder seed (Syn. 1) was produced by bulking seed of parent plants which were grown in field isolation near Sloughhouse, CA in 2006 or Breeder seed (Syn.2) produced from Syn.1. Foundation seed (Syn.2) was produced from Breeder seed and Certified seed (Syn. 2 or 3) from either Breeder or Foundation seed. Two generations of Breeder, one generation of Foundation and two generations of Certified seed classes are recognized. A maximum of three harvest years each is permitted on stands producing Breeder and Foundation seed with five years for Certified seed. Dairyland Research International will maintain sufficient Breeder seed for the projected life of the variety.

Date Certified Seed to be First Offered for Sale

Certified Seed will be available spring of 2012. Certified seed acres are not to be published.

PVP Information

Application for the Plant Variety Protection is undecided. Information in the NAVRB application can be forwarded to the PVP office.

Variety Name	Cisco II				
Experimental Desig	nation(s)	DSB38FD6			
Date NA&MLVRB first accepted this variety November, 2011					
Date(s) previous amendments were accepted					
Date THIS amendment submitted		November	November, 2012		
Date recommended	by the NVRB:	Feb 06	5, 2013		



Crave

Breeding History

Crave is a 12 clone synthetic. The parent clones were selected out of forage yield plots and/or disease nurseries. These parent plants were progeny tested for one or more of the following traits: forage yield, stand persistence, forage quality, resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt and *Aphanomyces* root rot (Race 1 and 2). All of parent plants trace back to Dairyland experimental germplasm. They were planted in field isolation and inter-pollinated by honey, leaf cutting and bumble bees near Sloughhouse, California in 2008 to produce Syn. 1 as Breeder Seed. Seed from parent plants propagated from vegetative cuttings were equally bulked each year to produce Breeder seed. Crave was developed by Dairyland Seed Company and its experimental designation is DSA08-M.

Area of Probable Adaptation

Crave is adapted to the North Central and East Central Region of the United States and intended for use across the North Central and East Central Region of the United States. The states where it has been tested are Minnesota, New York, Michigan and Wisconsin.

Agronomic and Botanical Characteristics

Crave is a moderately dormant variety similar to the fall dormancy 4 check. Crave is very winter hardy similar to the winter survival 2 check. Flower color in the Syn. 2 generation is 90% purple, 10% variegated with trace amounts of cream, white and yellow. Crave has low multifoliate expression rating similar to the low MF check variety.

Crave has high resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt, *Aphanomyces* root rot (Race1), northern root-knot nematode, southern root-knot nematode; resistance to pea aphid, stem nematode and *Aphanomyces* root rot (Race2). Crave has not been tested for resistance to spotted alfalfa aphid and blue alfalfa aphid.

Procedures for Maintaining Seed Stock

Breeder seed (Syn. 1) was produced by bulking seed of parent plants which were grown in field isolation near Sloughhouse, CA in 2008 or Breeder seed (Syn.2) produced from Syn.1. Foundation seed (Syn.2) was produced from Breeder seed and Certified seed (Syn. 2 or 3) from either Breeder or Foundation seed. Two generations of Breeder, one generation of Foundation and two generations of Certified seed classes are recognized. A maximum of three harvest years each is permitted on stands producing Breeder and Foundation seed with five years for Certified seed. Dairyland Seed Company will maintain sufficient Breeder seed for the projected life of the variety.

Date Certified Seed to be First Offered for Sale

Certified Seed will be available spring of 2013. Certified seed acres are not to be published.

PVP Information

Application for the Plant Variety Protection is undecided. Information in the NAVRB application can be forwarded to the PVP office.

Date this application was submitted: Nov 27, 2012



FSG 329 (Amended – Multifoliate)

Breeding History

FSG 329 is a 90 clone synthetic. The parent clones were selected out of forage yield plots and/or disease and nematode selection evaluations. These parent plants were selected for a combination of the following traits: multifoliate expression, herbage yield, winter hardiness, Verticillium wilt and stem nematode resistance. All of parent plants trace back to Dairyland experimentals. Parent plants were planted in cage isolation and interpollinated by leaf cutting bees near Sloughhouse, California in 2005-2007 to produce Syn. 1 as Breeder Seed.

Area of Probable Adaptation

FSG 329 is adapted to the North Central Region of the United States and intended for use across the North Central, Great Plains and East Central Regions of the United States. The state where it has been tested is Wisconsin.

Agronomic and Botanical Characteristics

FSG 329 is a dormant variety similar to the fall dormancy 3 check. DS730ML is very winter hardy similar to the winter survival 2 check. Flower color in the Syn. 2 generation is 90% purple, 10% variegated with trace amounts of cream, white and yellow. FSG 329 has low multifoliate expression rating similar to the low MF check variety.

FSG 329 has high resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt, *Aphanomyces* root rot (Race1), northern root-knot nematode, stem nematode; resistance to pea aphid. FSG 329 has not been tested for resistance to blue alfalfa aphid and spotted alfalfa aphid.

Procedures for Maintaining Seed Stock

Breeder seed (Syn. 1) was produced by bulking seed of parent plants which were grown in cage isolation near Sloughhouse, CA in 2004-2006. Seed from parental clones were equally bulked. Foundation seed (Syn.2) was produced from Breeder seed and Certified seed (Syn. 2 or 3) from either Breeder or Foundation seed. One generation each of Breeder, Foundation and two generations of Certified seed classes are recognized. A maximum of three harvest years each is permitted on stands producing Breeder and Foundation seed with five years for Certified seed. Dairyland Research International will maintain sufficient Breeder seed for the projected life of the variety.

Date Certified Seed First Offered for Sale

Certified Seed will be available spring of 2009.

PVP Information

Application for the Plant Variety Protection is undecided. Information in the NAVRB application can be forwarded to the PVP office.

Variety Name FSG 329	
Experimental Designation(s) <u>DS730ML</u>	
Date NA&MLVRB first accepted this variety11/29/07	
Date(s) previous amendments were accepted	
Date amendment submitted11/20/2012	
Date recommended by the NVRB: Jan 08, 2013	



FSG 423ST

Breeding History

FSG 423ST is a 60 clone synthetic. The parent clones were selected out of saline soils for persistence, branch root and forage yield. All of parent plants trace back to Dairyland experimental germplasm. They were planted in field isolation and inter-pollinated by honey, leaf cutting and bumble bees near Sloughhouse, California in 2008 to produce Syn. 1 as Breeder Seed. Seed from parent plants were equally bulked each year to produce Breeder seed. FSG 423ST was developed by Dairyland Seed Company and its experimental designation is DS39ST.

Area of Probable Adaptation

FSG 423ST is adapted to the North Central Region of the United States and intended for use across the North Central Region of the United States. The state where it has been tested is Wisconsin.

Agronomic and Botanical Characteristics

FSG 423ST is a moderately dormant variety similar to the fall dormancy 4 check. FSG 423ST is very winter hardy similar to the winter survival 2 check. Flower color in the Syn. 2 generation is 90% purple, 10% variegated with trace amounts of cream, white and yellow. FSG 423ST has forage production under salt stress is similar to the tolerant check. The germination of FSG 423ST under salt stress is similar to the tolerant check

FSG 423ST has high resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, *Verticillium* wilt, northern root-knot nematode; resistance to pea aphid, anthracnose (Race 1), *Aphanomyces* root rot (Race1), stem nematode, and southern root-knot nematode. FSG 423ST has not been tested for resistance to spotted alfalfa aphid and blue alfalfa aphid.

Procedures for Maintaining Seed Stock

Breeder seed (Syn. 1) was produced by bulking seed of parent plants which were grown in field isolation near Sloughhouse, CA in 2008 or Breeder seed (Syn.2) produced from Syn.1. Foundation seed (Syn.2) was produced from Breeder seed and Certified seed (Syn. 2 or 3) from either Breeder or Foundation seed. Two generations of Breeder, one generation of Foundation and two generations of Certified seed classes are recognized. A maximum of three harvest years each is permitted on stands producing Breeder and Foundation seed with five years for Certified seed. Dairyland Seed Company will maintain sufficient Breeder seed for the projected life of the variety.

Date Certified Seed to be First Offered for Sale

Certified Seed will be available spring of 2013. Certified seed acres are not to be published.

PVP Information

Application for the Plant Variety Protection is undecided. Information in the NAVRB application can be forwarded to the PVP office.

Date this application was submitted: Nov 27, 2012



Ladak II

Breeding History

Ladak II a 140 clone synthetic variety. One hundred plants were selected out of a 27-year old stand of Ladak in eastern Washington for drought tolerance. Forty plants were selected from FSG229 for salt tolerance, persistence, visual herbage yield and root and crown health. Selected plants were pollinated in field isolation Sloughhouse, CA. Seed was bulked to produce Syn.1 as Breeder Seed in 2008. Ladak II was developed by Dairyland Seed Company and its experimental designation is DSC-24 Ladak.

Area of Probable Adaptation

Ladak II is adapted to the North Central Region of the United States and intended for use across the North Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain Regions of the United States. The state where it has been tested is Wisconsin.

Agronomic and Botanical Characteristics

Ladak II is a dormant variety similar to the fall dormancy 2 check. Ladak II is very winter hardy similar to the winter survival 2 check. Flower color in the Syn. 2 generation is 90% purple, 10% variegated with trace amounts of cream, white and yellow.

Ladak II has high resistance to bacterial wilt, *Fusarium* wilt, northern root-knot nematode; resistance to *Phytophthora* root rot, stem nematode, pea aphid; moderate resistance to anthracnose (Race 1) and *Verticillium* wilt. Ladak II has not been tested for resistance to blue alfalfa aphid, *Aphanomyces* root rot (Race1) and spotted alfalfa aphid.

Procedures for Maintaining Seed Stock

Breeder seed (Syn. 1) was produced by bulking seed of parent plants which were grown in field isolation near Sloughhouse, CA in 2008. Seed from parental clones were bulked. Foundation seed (Syn. 2 or 3) was produced from Breeder or second generation Foundation seed and Certified seed (Syn. 3 or 4) from Foundation seed. One generation each of Breeder and two generations Foundation and Certified seed classes are recognized. The second-generation foundation seed may be produced at the discretion of Dairyland Research. A maximum of three harvest years each is permitted on stands producing Breeder and Foundation seed with five years for Certified seed. Dairyland Seed Company will maintain sufficient Breeder seed for the projected life of the variety.

Date Certified Seed First Offered for Sale

Certified Seed will be available spring of 2013.

PVP Information

Application for the Plant Variety Protection is undecided. Information in the NAVRB application can be forwarded to the PVP office.

Date this application was submitted: Nov 27, 2012



Magnum CR

Breeding History

Magnum CR is a 45 clone synthetic. The parent clones were selected out of salt tolerance nurseries for persistence, plant and root vigor and expression of rhizomatous crowns. All of parent plants trace back to Dairyland experimentals which trace back to Magnum germplasm. Parent plants were planted in field isolation and inter-pollinated by honey, leaf cutting and bumble bees near Sloughhouse, California in 2006 to produce Syn. 1 as Breeder Seed. Seed from parent plants were bulked to produce Breeder seed. Magnum CR was developed by Dairyland Seed Company and its experimental designation is DS375CR.

Area of Probable Adaptation

Magnum CR is adapted to the North Central Region of the United States and intended for use across the North Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain Regions of the United States. The state where it has been tested is Wisconsin.

Agronomic and Botanical Characteristics

Magnum CR is a dormant variety similar to the fall dormancy 2 check. Magnum CR is very winter hardy similar to the winter survival 2 check. Flower color in the Syn. 2 generation is 80% purple, 20% variegated with trace amounts of cream. Magnum CR has forage production under salt stress is similar to the tolerant check. The germination of Magnum CR under salt stress is similar to the tolerant check

Magnum CR has high resistance to anthracnose (Race 1), bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, *Verticillium* wilt, northern root-knot nematode; resistance to *Aphanomyces* root rot (Race1), stem nematode, and southern root-knot nematode and moderate resistance to pea aphid. Magnum CR has not been tested for resistance to spotted alfalfa aphid and blue alfalfa aphid.

Procedures for Maintaining Seed Stock

Breeder seed (Syn. 1) was produced by bulking seed of parent plants which were grown in field isolation near Sloughhouse, CA in 2006 or Breeder seed (Syn.2) produced from Syn.1. Foundation seed (Syn.2) was produced from Breeder seed and Certified seed (Syn. 2 or 3) from either Breeder or Foundation seed. Two generations of Breeder, one generation of Foundation and two generations of Certified seed classes are recognized. A maximum of three harvest years each is permitted on stands producing Breeder and Foundation seed with five years for Certified seed. Dairyland Seed Company will maintain sufficient Breeder seed for the projected life of the variety.

Date Certified Seed to be First Offered for Sale

Certified Seed will be available spring of 2014. Certified seed acres are not to be published.

PVP Information

Application for the Plant Variety Protection is undecided. Information in the NAVRB application can be forwarded to the PVP office.

Date this application was submitted: Nov 27, 2012



Magnum Salt

(Amended – Forage Production Under Salt Stress, Salt Tolerance of Germinating Alfalfa Seeds)

Breeding History

Magnum Salt is a 40 clone synthetic. The parent clones were selected out of saline soils for persistence, branch root and forage yield. All of parent plants trace back to Dairyland experimental germplasm with greater than 50% trace to Magnum. They were planted in field isolation and inter-pollinated by honey, leaf cutting and bumble bees near Sloughhouse, California in 2008 to produce Syn. 1 as Breeder Seed. Seed from parent plants were equally bulked each year to produce Breeder seed. Magnum Salt was developed by Dairyland Seed Company and it experimental designation is DS921 Salt.

Area of Probable Adaptation

Magnum Salt is adapted to the North Central Region of the United States and intended for use across the North Central, Great Plains and Winterhardy Intermountain Regions of the United States. The states where it has been tested are North Dakota and Wisconsin.

Agronomic and Botanical Characteristics

Magnum Salt is a moderately dormant variety similar to the fall dormancy 4 check. Magnum Salt is very winter hardy similar to the winter survival 2 check. Flower color in the Syn. 2 generation is 90% purple, 10% variegated with trace amounts of cream, white and yellow. Magnum Salt has forage production under salt stress is similar to the tolerant check. The germination of Magnum Salt under salt stress is similar to the tolerant check.

Magnum Salt has high resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, *Verticillium* wilt, stem nematode, northern root-knot nematode; resistance to *Aphanomyces* root rot (Race 1), anthracnose (Race 1), pea aphid and southern root-knot nematode. Magnum Salt has not been tested for resistance to spotted alfalfa aphid and blue alfalfa aphid.

Procedures for Maintaining Seed Stock

Breeder seed (Syn. 1) was produced by bulking seed of parent plants which were grown in field isolation near Sloughhouse, CA in 2008 or Breeder seed (Syn.2) produced from Syn.1. Foundation seed (Syn.2) was produced from Breeder seed and Certified seed (Syn. 2 or 3) from either Breeder or Foundation seed. Two generations of Breeder, one generation of Foundation and two generations of Certified seed classes are recognized. A maximum of three harvest years each is permitted on stands producing Breeder and Foundation seed with five years for Certified seed. Dairyland Research International will maintain sufficient Breeder seed for the projected life of the variety.

Date Certified Seed to be First Offered for Sale

Certified Seed will be available spring of 2012. Certified seed acres are not to be published.

PVP Information

Application for the Plant Variety Protection is undecided. Information in the NAVRB application can be forwarded to the PVP office.

Variety Name Magnum Salt	
Experimental Designation(s)DS921 Salt	
Date NA&MLVRB first accepted this variety11/23/11	
Date(s) previous amendments were accepted	-
Date amendment submitted11/20/2012	
Date recommended by the NVRB: Feb 06, 2013	



Persist III

Breeding History

Persist III is a 16 clone synthetic. The parent clones were selected out of forage yield plots and/or disease nurseries. These parent plants were progeny tested for one or more of the following traits: forage yield, stand persistence, forage quality, resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt and *Aphanomyces* root rot (Race 1 and 2). Parent plants trace back to Persist (9) and Dairyland experimentals (7). They were planted in field isolation and inter-pollinated by honey, leaf cutting and bumble bees near Sloughhouse, California in 2008 to produce Syn. 1 as Breeder Seed. Seed from parent plants were propagated by vegetative cuttings were equally bulked each year to produce Breeder seed. Persist III was developed by Dairyland Seed Company and its experimental designation is DSA03-T.

Area of Probable Adaptation

Persist III is adapted to the North Central and East Central Region of the United States and intended for use across the North Central and East Central Region of the United States. The states where it has been tested are Minnesota, New York, Pennsylvania and Wisconsin.

Agronomic and Botanical Characteristics

Persist III is a moderately dormant variety similar to the fall dormancy 4 check. Persist III is very winter hardy similar to the winter survival 2 check. Flower color in the Syn. 2 generation is 90% purple, 10% variegated with trace amounts of cream, white and yellow.

Persist III has high resistance to bacterial wilt, *Fusarium* wilt, *Phytophthora* root rot, anthracnose (Race 1), *Verticillium* wilt, *Aphanomyces* root rot (Race1), stem nematode, northern root-knot nematode, southern root-knot nematode; resistance to pea aphid and moderate resistance to *Aphanomyces* root rot (Race2). Persist III has not been tested for resistance to spotted alfalfa aphid and blue alfalfa aphid.

Procedures for Maintaining Seed Stock

Breeder seed (Syn. 1) was produced by bulking seed of parent plants which were grown in field isolation near Sloughhouse, CA in 2008 or Breeder seed (Syn.2) produced from Syn.1. Foundation seed (Syn.2) was produced from Breeder seed and Certified seed (Syn. 2 or 3) from either Breeder or Foundation seed. Two generations of Breeder, one generation of Foundation and two generations of Certified seed classes are recognized. A maximum of three harvest years each is permitted on stands producing Breeder and Foundation seed with five years for Certified seed. Dairyland Seed Company will maintain sufficient Breeder seed for the projected life of the variety.

Date Certified Seed to be First Offered for Sale

Certified Seed will be available spring of 2014. Certified seed acres are not to be published.

PVP Information

Application for the Plant Variety Protection is undecided. Information in the NAVRB application can be forwarded to the PVP office.

Date this application was submitted: Nov 27, 2012

Date recommended by the NVRB: Jan 08, 2013



WL 454HQ.RR

(Amended – Forage Production Under Salt Stress, Northern Root Knot Nematode)

Origin and Breeding History

WL 454HQ.RR is a synthetic variety with 63 parent plants developed by Forage Genetics. Forage Genetics International experimental designation is FG R66Bx320. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2006.

Areas of Probable Adaptation

This variety is adapted to the Moderately Winterhardy Intermountain and Southwest regions. This variety has been tested in California and is intended for use in the Moderately Winterhardy Intermountain and Southwest regions.

Agronomic and Botanical Characteristics

Test variety is Moderately Fall Dormant similar to FD6 checks. Flower color (Syn2) is 100% purple, with a trace of variegated, cream, yellow and white. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the cp4-epsps transgene. WL 454HQ.RR has moderate multifoliolate leaf expression and exhibits salt tolerance in germinating seeds similar to the tolerant check. Test variety has improved forage yield under saline stress similar to the salt tolerant check.

This variety has high resistance to anthracnose (Race 1), Fusarium wilt, Phytophthora root rot, pea aphid, and stem nematode: with resistance bacterial wilt, Verticillium wilt, root knot nematode (Northern *M. Hapla*) and spotted alfalfa aphid. Reaction to Aphanomyces root rot and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Variety Name	WL 454HQ.RR			
Experimental Desig	nation(s)	FG R66Bx320		
Date NA&MLVRB	first accept	ed this variety	January, 2012	
Date(s) previous am	endments we	ere accepted		
Date amendment submitted November 28, 2012				
Date recommended	by the NVRI	3: Jan 21, 2	2013	



428RR

Origin and Breeding History

428RR is a synthetic variety with 105 parent plants that was developed by Forage Genetics International. Parent plants contained the commercial Roundup Ready event J101 and were selected from FGI breeding populations previously selected for glyphosate tolerance, forage yield, forage quality, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode, and Aphanomyces root rot (Race 1 and Race 2). A combination of Genotypic and Phenotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

FG 428RR is adapted to the North Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Iowa, Idaho and Wisconsin and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

FG 428RR is Moderately Fall Dormant similar to FD4 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 95% purple, 2% variegated, 1% cream, 1% white and 1% yellow. This variety has high multifoliolate leaf expression. Variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

FG 428RR is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. FG 428RR has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and pea aphid; with moderate resistance to stem nematode. Reaction to root knot nematode (Northern *M. hapla*), spotted alfalfa aphid and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2013.

Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



6015R

Origin and Breeding History

6015R is a synthetic variety with 10 parent plants that was developed by Forage Genetics International. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: Fusarium wilt, Phytophthora root rot and stem nematode. A combination of Genotypic and Phenotypic selection was used to identify the parent plants. The germplasm sources used in the development trace to Triple Play (20%) and to various FGI experimental populations (80%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

6015R is adapted to the Southwest U.S. and similar environments. The variety has been tested in California and Arizona and is intended for use in the Southwest.

Agronomic and Botanical Characteristics

6015R is very nondormant similar to the FD 10 check. Flower color (Syn 2) is 100% Purple, with a trace of Variegated, Yellow, Cream and White. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. This variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

The variety is highly resistant pea aphid, spotted alfalfa aphid, blue alfalfa aphid, Northern root knot nematode (*M. hapla*) and stem nematode, resistant to anthracnose, bacterial wilt, *Fusarium* wilt, Phytophthora root rot and moderately resistant to *Verticillium* wilt. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2007. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2) seed for the projected life of the variety. Production of Syn2 foundation seed requires the consent of the breeder. Production of foundation (Syn3) seed from foundation (Syn2) seed is not permitted. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

The breeder requires that at least one glyphosate application be made during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety.) The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if 6015R is accepted for certification agencies.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

PVP Information:

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information may not be provided to the PVP office.

Date this application was submitted: Nov 28, 2012



FG 46A117 (Exp)

Origin and Breeding History

FG 46A117 is a synthetic variety with 56 parent plants that was developed by Forage Genetics International. Parent plants were selected for resistance to Aphanomyces root rot resistance (Race 1 and Race2) from FGI breeding populations previously selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2006.

Areas of Probable Adaptation

FG 46A117 is adapted to the North Central, East Central and Winterhardy Intermountain regions. This variety has been tested in New York, Idaho and Wisconsin and is intended for use in the North Central, East Central and Winterhardy Intermountain regions. Variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

Agronomic and Botanical Characteristics

FG 46A117 is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 97% purple, 1% variegated, 1% white, 1% yellow with a trace of cream. This variety has high multifoliolate leaf expression.

FG 46A117 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2), spotted alfalfa aphid, stem nematode and pea aphid. Reaction to root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2006. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2013.

Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



6472A

Origin and Breeding History

6472A is a synthetic variety with 77 parent plants. Parent plants were selected for resistance to Aphanomyces root rot resistance (Race 1 and Race2) from FGI breeding populations previously selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

6472A is adapted to the North Central and East Central regions. This variety has been tested in Minnesota, Pennsylvania, Iowa and Wisconsin and is intended for use in the North Central and East Central.

Agronomic and Botanical Characteristics

6472A is Moderately Fall Dormant similar to FD4 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 93% purple, 4% variegated, 2% white and 1% yellow with a trace of cream. This variety has high multifoliolate leaf expression. Variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

6472A has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2) and pea aphid; with resistance to stem nematode. Reaction to spotted alfalfa aphid, root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2008. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2013.

Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



FG 48A177 (Exp)

Origin and Breeding History

FG 48A177 is a synthetic variety with 88 parent plants. Parent plants were selected for resistance to Aphanomyces root rot resistance (Race 1 and Race2) from FGI breeding populations previously selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

FG 48A177 is adapted to the North Central and East Central regions. This variety has been tested in Minnesota, Pennsylvania, Iowa and Wisconsin and is intended for use in the North Central and East Central.

Agronomic and Botanical Characteristics

FG 48A177 is Moderately Fall Dormant similar to FD4 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 95% purple, 2% variegated, 2% white and 1% yellow with a trace of cream. This variety has high multifoliolate leaf expression. Variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

FG 48A177 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and Aphanomyces root rot (Race 2). Reaction to spotted alfalfa aphid, pea aphid, stem nematode, root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2008. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2013.

Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act.

The information in this application may not be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



FG 48A178 (Exp)

Origin and Breeding History

FG 48A178 is a synthetic variety with 63 parent plants that was developed by Forage Genetics International. Parent plants were selected for resistance to Aphanomyces root rot resistance (Race 1 and Race2) from FGI breeding populations previously selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

FG 48A178 is adapted to the North Central and East Central regions. This variety has been tested in Minnesota, Pennsylvania, Iowa and Wisconsin and is intended for use in the North Central and East Central.

Agronomic and Botanical Characteristics

FG 48A178 is Moderately Fall Dormant similar to FD4 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 93% purple, 3% variegated, 2% white and 2% yellow with a trace of cream. This variety has high multifoliolate leaf expression.

FG 48A178 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and Aphanomyces root rot (Race 2); with resistance to stem nematode and pea aphid. Reaction to spotted alfalfa aphid, root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2008. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2013.

Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act.

The information in this application may not be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



AmeriStand 427TQ

Origin and Breeding History

AmeriStand 427TQ is a synthetic variety with 84 parent plants that was developed by Forage Genetics International. Parent plants were selected for resistance to Aphanomyces root rot resistance (Race 1 and Race2) from FGI breeding populations previously selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

AmeriStand 427TQ is adapted to the North Central and East Central regions. This variety has been tested in Minnesota, Pennsylvania, Iowa and Wisconsin and is intended for use in the North Central and East Central.

Agronomic and Botanical Characteristics

AmeriStand 427TQ is Moderately Fall Dormant similar to FD4 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 92% purple, 4% variegated, 2% white and 2% yellow with a trace of cream. This variety has high multifoliolate leaf expression. Variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

AmeriStand 427TQ has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2) and stem nematode; with resistance to pea aphid. Reaction to spotted alfalfa aphid, root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2008. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2013.

Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



Camas

(Amended – Name Change, Northern Root Knot Nematode)

Origin and Breeding History

Camas is a synthetic variety with 20 parent plants developed by Forage Genetics. Parent plants were selected for resistance to one or more of the following pests: Fusarium wilt, Verticillium wilt, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1). Phenotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

Camas is adapted to the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions. It has been tested in Idaho and Colorado and is intended for use in the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

Camas is Moderately Fall Dormant similar to FD4 check. Flower Color (Syn2) is 94% purple, 4% white and 2% cream with a trace of yellow and variegated. FG 48W203 has moderate multifoliolate leaf expression.

Camas has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Northern root knot nematode (*M. hapla*) and stem nematode; with resistance to pea aphid. Reaction to Verticilium wilt, spotted alfalfa aphid and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2008. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	Camas		
Experimental De	signation(s)	(FG 48W203)	
Date NA&MLV	RB first acc	epted this variety	January 2012
Date(s) previous	amendments	were accepted	
Date amendment	submitted	November 28, 2	2012
Date recommend	led by the NV	/RB: Jan	08, 2013



GUNNER

(Amended – Northern Root Knot Nematode)

Origin and Breeding History

GUNNER is a synthetic variety with 14 parent clones. Forage Genetics International experimental designation is FG 57M121. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent clones. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

GUNNER is adapted to the North Central, East Central, Great Plains and Winterhardy Intermountain. This variety has been tested in Nebraska, Pennsylvania, Idaho and Wisconsin and is intended for use in the North Central, East Central, Great Plains and Winterhardy Intermountain.

Agronomic and Botanical Characteristics

GUNNER is Moderately Fall Dormant similar to FD5 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 94% purple, 5% variegated and 1% yellow with a trace of cream and white. This variety has high multifoliolate leaf expression.

GUNNER has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, root knot nematode (Northern *M. hapla*) and Aphanomyces root rot (Race 1); with resistance to pea aphid and stem nematode. Reaction to spotted alfalfa aphid and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2007. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	GUNNER		
Experimental Desig	nation(s)	FG 57M121	
Date NA&MLVRE	first accepte	ed this variety	January 2012
Date(s) previous am	endments we	ere accepted _	
Date amendment su	bmitted	November 28, 20	012
Date recommended	by the NVRE	B: Feb 21,	2013



Nimbus

Origin and Breeding History

Nimbus is a synthetic variety with seven parent plants that was developed by Forage Genetics International. Parent plants were selected for resistance to one or more of the following pests: Fusarium wilt, Verticillium wilt, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1). Phenotypic selection was used to identify the parent plants. The germplasm sources used in the development trace to Rebound 5.0 (14%), MasterPiece II (14%), 6441 (14%) and four FGI experimental populations (58%). In 2007 Syn1 seed was produced in Nampa, ID and harvested in total on all parents and bulked to form breeder seed.

Areas of Probable Adaptation

Nimbus is adapted to the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions of the U.S. and similar environments. The variety has been tested in Washington, Oregon, Idaho and Colorado and intended use is in the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions

Agronomic and Botanical Characteristics

Nimbus is moderately dormant similar to the FD 5 check. Flower color (Syn 2) is 95% Purple, 4% Variegated, 1% Yellow with a trace of Cream and White. It expresses a moderate degree of multifoliolate leafiness. Test variety has improved forage yield under saline stress similar to the salt tolerant check.

The variety is highly resistant to anthracnose, bacterial wilt, *Fusarium* wilt, Phytophthora root rot, *Aphanomyces* root rot (race 1), Pea aphid, Northern root knot nematode and stem nematode. It is resistant to *Verticillium* wilt. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Procedures for Maintaining Seed Stock

Breeder (Syn 1), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) classes will be recognized. Seed increase is on a limited generation basis with one generation each of breeder and two generations of foundation classes and certified seed classes. Production of Syn 2 foundation seed requires consent of the breeder. Breeder seed (Syn1) was produced in 2007 near Nampa, ID. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if Nimbus (FG 57W207) is accepted for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

PVP Information

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information may not be provided to the PVP office.

Date this application was submitted: Nov 28, 2012



FG 57W208 (Exp)

Origin and Breeding History

FG 57W208 is a synthetic variety with 14 parent plants that was developed by Forage Genetics International. Parent plants were selected for resistance to one or more of the following pests: Fusarium wilt, Verticillium wilt, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1). Phenotypic selection was used to identify the parent plants. The germplasm sources used in the development trace to Grandstand (29%), and six FGI experimental populations (71%). In 2007 Syn1 seed was produced in Nampa, ID, harvested in total on all parents and bulked to form breeder seed.

Areas of Probable Adaptation

FG 57W208 is adapted to the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions of the U.S. and similar environments. The variety has been tested in Washington, Oregon, Idaho and Colorado and intended use is in the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

FG 57W208 is moderately fall dormant similar to the FD 5 check. Flower color (Syn 2) is 95% Purple, 2% Variegated, trace Yellow, 1% Cream and 2% White. It expresses a high degree of multifoliolate leafiness.

The variety is highly resistant to anthracnose, bacterial wilt, *Fusarium* wilt, Phytophthora root rot, *Verticillium* wilt, *Aphanomyces* root rot (race 1), Pea aphid, Northern root knot nematode (*M. hapla*) and stem nematode. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Procedures for Maintaining Seed Stock

Breeder (Syn 1), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) classes will be recognized. Seed increase is on a limited generation basis with one generation each of breeder and two generations of foundation classes and certified seed classes. Production of Syn 2 foundation seed requires consent of the breeder. Breeder seed (Syn1) was produced in 2007 near Nampa, ID. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if FG 57W208 is accepted for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

PVP Information

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information cannot be provided to the PVP office.

Date this application was submitted: Nov 28, 2012



6585Q

Origin and Breeding History

6585Q is a synthetic variety with 13 parent clones that was developed by Forage Genetics International. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). A combination of phenotypic and genotypic selection was used to identify the parent clones. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

6585Q is adapted to the North Central and East Central regions. This variety has been tested in Minnesota, Pennsylvania, Iowa and Wisconsin and is intended for use in the North Central and East Central.

Agronomic and Botanical Characteristics

6585Q is Moderately Fall Dormant similar to FD5 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 96% purple, 2% variegated, 1% white and 1% yellow with a trace of cream. This variety has high multifoliolate leaf expression.

6585Q has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and stem nematode; with resistance to pea aphid. Reaction to spotted alfalfa aphid, root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2008. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2013.

Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



FG 79T094 (Exp)

Origin and Breeding History

FG 79T094 is a synthetic variety with 251 parent plants. Parent plants were selected from old forage yield trials. Phenotypic selection was used to identify the parent plants (persistence, vigor and freedom from leaf diseases). The germplasm sources used in the development trace to WL 611 (35%) and FGI breeding lines (65%). In 2008 Syn1 seed was produced near Marcos Juarez, Argentina, harvested in total on all parents and bulked to form breeder seed.

Areas of Probable Adaptation

FG 79T094 is adapted to the winter active regions of Argentina. The variety has been tested in Argentina and is intended for use in Argentina.

Agronomic and Botanical Characteristics

FG 79T094 is nondormant similar to the FD 8 check. Flower color (Syn 2) is 100% Purple, with a trace of Variegated, Yellow, Cream and White.

The variety is highly resistant pea aphid and stem nematode; resistant to Anthracnose, bacterial wilt, Fusarium wilt and Phytophthora root rot and has low resistance to Aphanomyces Root Rot (race 1). It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Procedures for Maintaining Seed Stock

Breeder (Syn 1), foundation (Syn 2 or Syn 3) and certified (Syn 3 or Syn 4) classes will be recognized. Seed increase is on a limited generation basis with one generation each of breeder and two generations of foundation classes and certified seed classes. Breeder seed (Syn1) was produced in 2008 near Marcos Juarez, Argentina. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if FG 79T094 is accepted for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

PVP Information

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information cannot be provided to the PVP office.

Date this application was submitted: Nov 28, 2012



FG 89T095 (Exp)

Origin and Breeding History

FG 89T095 is a synthetic variety with 506 parent plants that was developed by Forage Genetics International. Parent plants were selected from old forage yield trials. Phenotypic selection was used to identify the parent plants (persistence, vigor and freedom from leaf diseases). The germplasm sources used in the development trace to FGI breeding lines (100%). In 2008 Syn1 seed was produced near Marcos Juarez, Argentina, harvested in total on all parents and bulked to form breeder seed.

Areas of Probable Adaptation

FG 89T095 is adapted to the winter active regions of Argentina. The variety has been tested in Argentina and intended use is in Argentina.

Agronomic and Botanical Characteristics

FG 89T095 is very nondormant similar to the FD 9 check. Flower color (Syn 2) is 100% Purple, with a trace of Variegated, Yellow, Cream and White.

The variety is highly resistant to anthracnose, *Fusarium* wilt, and Pea aphid; resistant to Phytophthora root rot and stem nematode; moderately resistant to bacterial wilt with low resistance to *Aphanomyces* Root Rot (race 1). It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Procedures for Maintaining Seed Stock

Breeder (Syn 1), foundation (Syn 2 or Syn 3) and certified (Syn 3 or Syn 4) classes will be recognized. Seed increase is on a limited generation basis with one generation each of breeder and two generations of foundation classes and certified seed classes. Breeder seed (Syn1) was produced in 2008 near Marcos Juarez, Argentina. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if FG 89T095 is accepted for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

PVP Information

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information cannot be provided to the PVP office.

Date this application was submitted: Nov 28, 2012



FG 99T096 (Exp)

Origin and Breeding History

FG 99T096 is a synthetic variety with 275 parent plants that was developed by Forage Genetics International. Parent plants were selected from old forage yield trials. Phenotypic selection was used to identify the parent plants (persistence, vigor and freedom from leaf diseases). The germplasm sources used in the development trace to WL 903 (52%), Bacana (25%) and FGI breeding lines (23%). In 2008 Syn1 seed was produced near Marcos Juarez, Argentina, harvested in total on all parents and bulked to form breeder seed.

Areas of Probable Adaptation

FG 99T096 is adapted to the winter active regions of Argentina. The variety has been tested in Argentina and intended use in Argentina.

Agronomic and Botanical Characteristics

FG 99T096 is very nondormant similar to the FD 10 check. Flower color (Syn 2) is 100% Purple, with a trace of Variegated, Yellow, Cream and White. Variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

The variety is highly resistant to stem nematode; resistant to anthracnose, *Fusarium* wilt, Phytophthora root rot and pea aphid; moderately resistant to bacterial wilt with low resistance to *Aphanomyces* Root Rot (race 1). It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Procedures for Maintaining Seed Stock

Breeder (Syn 1), foundation (Syn 2 or Syn 3) and certified (Syn 3 or Syn 4) classes will be recognized. Seed increase is on a limited generation basis with one generation each of breeder and two generations of foundation classes and certified seed classes. Breeder seed (Syn1) was produced in 2008 near Marcos Juarez, Argentina. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if FG 99T096 is accepted for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

PVP Information

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information may not be provided to the PVP office.

Date this application was submitted: Nov 28, 2012



FG 99T097 (Exp)

Origin and Breeding History

FG 99T097 is a synthetic variety with 223 parent plants that was developed by Forage Genetics International. Parent plants were selected from old forage yield trials. Phenotypic selection was used to identify the parent plants (persistence, vigor and freedom from leaf diseases). The germplasm sources used in the development trace to Milonga II (37%), FGI breeding lines (58%), Panalfa 90 (3%) and DK 194 (2%). In 2008 Syn1 seed was produced near Marcos Juarez, Argentina, harvested in total on all parents and bulked to form breeder seed.

Areas of Probable Adaptation

FG 99T097 is adapted to the winter active regions of Argentina. The variety has been tested in Argentina and intended use in Argentina.

Agronomic and Botanical Characteristics

FG 99T097 is very nondormant similar to the FD 9 check. Flower color (Syn 2) is 100% Purple, with a trace of Variegated, Yellow, Cream and White. This variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check

The variety is highly resistant to *Fusarium* wilt; resistant to anthracnose, Phytophthora root rot, pea aphid and stem nematode; and has moderate resistance to bacterial wilt and low resistance to *Aphanomyces* Root Rot (race 1). It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Procedures for Maintaining Seed Stock

Breeder (Syn 1), foundation (Syn 2) and certified (Syn 3 or Syn 4) classes will be recognized. Seed increase is on a limited generation basis with one generation each of breeder and two generations of foundation classes and certified seed classes. Breeder seed (Syn1) was produced in 2008 near Marcos Juarez, Argentina. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if FG 99T097 is accepted for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

PVP Information

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information cannot be provided to the PVP office.

Date this application was submitted: Nov 28, 2012



FG 106T701 (Exp) (Amended – Blue Alfalfa Aphid Resistance)

Breeding History

FG 106T701 is a synthetic variety consisting of 26 parent plants that was developed by Forage Genetics International. Plants were selected based on fall dormancy reaction, persistence and for Phytophthora root rot resistance. A combination of genotypic and phenotypic recurrent selection was used in the development of this variety.

Area of Probable Adaptation

This variety is adapted to the Southwest region. This variety has been tested in California and is intended for use in the Southwest.

Agronomic and Botanical Characteristics

This variety is Very Non-Dormant similar to FD11 check. Flower Color (Syn2) is 100% purple, with a trace of variegated, white, cream and yellow.

This variety has high resistance to Fusarium wilt, Phytophthora root rot, pea aphid, spotted alfalfa aphid, stem nematode and blue alfalfa aphid; with low resistance to anthracnose (Race 1) and bacterial wilt. Reaction to Verticillium wilt, Aphanomyces root rot and root knot nematode has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation of breeder and two generations of foundation and certified seed classes. Breeder (Syn 1), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed was produced in the field near Nampa, ID in 2006. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Date Certified Seed to be First Offered for Sale

Certified seed will be marketed in 2010.

PVP Information

Variety Name		
Experimental Designation(s)	FG 106T701	
Date NA&MLVRB first accepte	ed this variety	January 2010
Date(s) previous amendments we	ere accepted	
Date amendment submitted	November 28,2012	
Date recommended by the NVRB:	Jan 08, 2013	



FG 115T288 (Exp) (Amended – Blue Alfalfa Aphid Resistance)

Breeding History

FG 115T288 is a synthetic variety consisting of 120 parent plants that was developed by Forage Genetics International. Plants were selected based on forage yield, fall dormancy reaction, persistence and pest resistance. A combination of genotypic and phenotypic recurrent selection was used in the development of this variety.

Area of Probable Adaptation

This variety is adapted to the Southwest region. This variety has been tested in California and is intended for use in the Southwest region.

Agronomic and Botanical Characteristics

Test variety is Very Non-Dormant similar to FD11 check. Flower Color (Syn2) is 100% purple with a trace of variegated, white, cream and yellow.

Test variety has high resistance to *Fusarium* wilt, pea aphid, blue alfalfa aphid and stem nematode; resistance to *Phytophthora* root rot; low resistance to *Anthracnose* (Race 1) and bacterial wilt. Reaction to *Verticillium* wilt, *Aphanomyces* root rot, root knot nematode and spotted alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation of breeder and two generations of foundation and certified seed classes. Breeder (Syn 1), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed was produced in the field near Nampa, ID in 2005. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Date Certified Seed to be First Offered for Sale

Certified seed will be marketed in 2009.

PVP Information

No decision has been made concerning Plant Variety Protection Act.

The information in this application may not be forwarded to the PVP office.

Variety Name	
Experimental Designation(s)	FG 115T288
Date NA&MLVRB first accep	pted this variety January 2009
Date(s) previous amendments v	were accepted
Date amendment submitted	November 28, 2012
Date recommended by the NVF	RB: Jan 08, 2013



FG 98T091 ST (Exp)

Origin and Breeding History

FG 98T091 ST is a synthetic variety with 234 parent plants that was developed by Forage Genetics International. Parent plants were selected from forage salt trials. Phenotypic selection was used to identify the parent plants (persistence, vigor and freedom from leaf diseases). The germplasm sources used in the development trace to Mireya (19%), Milonga (15%), DK 193 (14%), WL 903 (12%), Rosillo (12%), Bacana (8%), Beacon (7%), 59N49 (7%) and Coronado (6%). In 2007 Syn1 seed was produced near Marcos Juarez, Argentina, harvested in total on all parents and bulked to form breeder seed.

Areas of Probable Adaptation

FG 98T091 ST is adapted to the winter active regions of Argentina. The variety has been tested in Argentina and intended use is in Argentina.

Agronomic and Botanical Characteristics

FG 98T091 ST is very nondormant similar to the FD 9 check. Flower color (Syn 2) is 100% Purple, with a trace of Variegated, Yellow, Cream and White. This variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

The variety is highly resistant to *Fusarium* wilt, Phytophthora root rot and Pea aphid, resistant to anthracnose; moderately resistant to bacterial wilt; with low resistance to *Aphanomyces* Root Rot (race 1). It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Procedures for Maintaining Seed Stock

Breeder (Syn 1), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) classes will be recognized. Seed increase is on a limited generation basis with one generation each of breeder and two generations of foundation classes and certified seed classes. Production of Syn 2 foundation seed requires consent of the breeder. Breeder seed (Syn1) was produced in 2007 near Marcos Juarez, Argentina. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if FG 98T091 ST is accepted for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

PVP Information

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information cannot be provided to the PVP office.

Date this application was submitted: Nov 28, 2012



PLUSS II

(Amended – Name Change)

Breeding History:

PLUSS II is a synthetic variety with 15 parent clones. Parent clones were selected for forage yield, forage quality, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (Race 1 and Race 2). A combination of genotypic and phenotypic selection was used to identify the parent plants.

Area of Probable Adaptation

PLUSS II is adapted to the North Central and East Central regions. FG 45M323 has been tested in Nebraska, Wisconsin and New York and is intended for use in the North Central and East Central regions.

Agronomic and Botanical Characteristics

PLUSS II is Moderately Fall Dormant similar to FD4 check. PLUSS II is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 75% purple, 23% variegated and 2% white with a trace of yellow and cream. PLUSS II has high multifoliolate leaf expression.

PLUSS II has high resistance to *Anthracnose* (Race 1), bacterial wilt, *Fusarium* wilt, *Verticillium* wilt, *Phytophthora* root rot and *Aphanomyces* root rot (Race 1); with resistance to stem nematode and pea aphid. Reaction to spotted alfalfa aphid, root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation of breeder and two generations of foundation and certified seed classes. Breeder (Syn 1), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed (Syn1) was produced near Nampa, ID in 2005. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Date Certified Seed to be First Offered for Sale

Certified seed will be marketed in 2009.

PVP Information

No decision has been made concerning Plant Variety Protection Act.

The information in this application may not be forwarded to the PVP office.

Variety Name: PLUSS II Date submitted November 26, 2008

Experimental designations: FG 45M323

Date this application was submitted: Nov 28, 2012



6497R

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds)

Origin and Breeding History

6497R is a synthetic variety with 23 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from F1 progeny from a cross between two populations previously selected for glyphosate tolerance, forage yield, forage quality, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode, and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2006.

Areas of Probable Adaptation

6497R is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Indiana, Idaho and Wisconsin and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

6497R is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 96% purple, 1% variegated, 1% cream, 1% white and 1% yellow. This variety has high multifoliolate leaf expression and exhibits salt tolerance in germinating seeds similar to the tolerant check.

6497R is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. FG R46M197 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1); with resistance to stem nematode and pea aphid. Reaction to spotted alfalfa aphid, root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that *cp4-epsps* null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	6497R		
Experimental Desig	nation(s)	FG R46M197	
Date NA&MLVRB	first accep	oted this variety	January 2012
Date(s) previous am	endments v	vere accepted	
Date amendment su	bmitted	November 28, 2	012
Date recommended	by the NVR	RB: Feb 21	, 2013



RR Stratica

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds)

Origin and Breeding History

RR Stratica is a synthetic variety with 55 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from F1 progeny from a cross between two populations previously selected for glyphosate tolerance, forage yield, forage quality, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode, and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

RR Stratica is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Pennsylvania, Idaho and Wisconsin and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

RR Stratica is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 97% purple, 2% variegated and 1% yellow with a trace of cream and white. This variety has high multifoliolate leaf expression. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

RR Stratica is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. FG R47M120 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and spotted alfalfa aphid; with resistance to stem nematode and pea aphid. Reaction to root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	RR Stratica				
Experimental Design	nation(s)	FG R47	M120		
Date NA&MLVRB	first accepte	ed this var	riety	January 2012	
Date(s) previous am	endments wer	re accepte	ed		
Date amendment sub	omitted	Novemb	per 28, 20	12	
Date recommended l	by the NVRB	:	Jan 08, 2	013	_



DKA44-16

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds)

Origin and Breeding History

DKA44-16 is a synthetic variety with 75 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from F1 progeny from a cross between two populations previously selected for glyphosate tolerance, forage yield, forage quality, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode, and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

DKA44-16 is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Pennsylvania, Idaho and Wisconsin and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

DKA44-16 is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 95% purple, 3% variegated, 1% white and 1% yellow with a trace of cream. This variety has high multifoliolate leaf expression. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

DKA44-16 is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. DKA44-16 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot and Aphanomyces root rot (Race 1); with resistance to stem nematode, spotted alfalfa aphid and pea aphid. Reaction to root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	DKA44-16		
Experimental Desi	gnation(s)	FG R47M312	
Date NA&MLVR	B first accepte	ed this variety	January 2012
Date(s) previous a	mendments we	re accepted	
Date amendment s	ubmitted	November 28, 2	012
Date recommended	d by the NVRB	: Jan 08,	, 2013



PowerHouse RR

(Amended – Forage Production Under Salt Stress)

Origin and Breeding History

PowerHouse RR is a synthetic variety with 105 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from F1 progeny from a cross between two populations previously selected for glyphosate tolerance, forage yield, forage quality, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode, and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

PowerHouse RR is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Pennsylvania, Idaho and Wisconsin and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

PowerHouse RR is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 94% purple, 3% variegated, 1% white and 2% yellow with a trace of cream. This variety has high multifoliolate leaf expression. Test variety has improved forage yield under saline stress similar to the salt tolerant check.

PowerHouse RR is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. PowerHouse RR (FG R47M318) has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and stem nematode; with resistance to pea aphid. Reaction to spotted alfalfa aphid, root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	PowerHouse	e RR	
Experimental Desig	nation(s)	FG R47M318	
Date NA&MLVRE	first accepte	ed this variety	January 2012
Date(s) previous am	endments we	re accepted	
Date amendment su	bmitted	November 28, 2	012
Date recommended	by the NVRB	3: Jan 08,	2013



WL 372HQ.RR

(Amended - Name Change)

Origin and Breeding History

WL 372HQ.RR is a synthetic variety with 94 parent plants. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

WL 372HQ.RR is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Indiana, Idaho and Wisconsin and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

WL 372HQ.RR is Moderately Fall Dormant similar to FD5 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 93% purple, 3% variegated, 1% white and 3% yellow with a trace of cream. This variety has high multifoliolate leaf expression.

WL 372HQ.RR is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. FG R47M324 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and stem nematode; with resistance to pea aphid and spotted alfalfa aphid. Reaction to root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	WL 372HQ	.RR	
Experimental Design	nation(s)	FG R47M324	
Date NA&MLVRB	first accepte	ed this variety	January 2012
Date(s) previous am	endments we	re accepted	
Date amendment su	bmitted	November 28, 20	012
Date recommended	by the NVRB	: Jan 08, 2	2013



WL 356HQ.RR

(Amended - Name Change, Salt Tolerance of Germinating Alfalfa Seeds)

Origin and Breeding History

WL 356HQ.RR is a synthetic variety with 55 parent plants. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, forage quality, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

WL 356HQ.RR is adapted to the North Central and East Central regions. This variety has been tested in Iowa, Pennsylvania and Wisconsin and is intended for use in the North Central and East Central regions.

Agronomic and Botanical Characteristics

WL 356HQ.RR is Moderately Fall Dormant similar to FD4 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 97% purple, 2% variegated and 1% yellow with a trace of cream and white. This variety has high multifoliolate leaf expression and exhibits salt tolerance in germinating seeds similar to the tolerant check.

WL 356HQ.RR is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. FG R48A138 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2) and stem nematode; with resistance to pea aphid and moderate resistance to spotted alfalfa aphid. Reaction to root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	WL 356HQ.	.RR			
Experimental Desig	nation(s)	FG R48	A138		
Date NA&MLVRB	first accepte	d this va	riety	January 2012	
Date(s) previous am	endments we	re accepto	ed		
Date amendment su	bmitted	Noveml	per 28, 20	12	
Date recommended	by the NVRB	:	Jan 08, 2	2013	



WL 352LH.RR

(Amended – Salt Tolerance of Germinating Alfalfa Seeds)

Origin and Breeding History

WL 352LH.RR is a synthetic variety with 88 parent plants. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI PLH resistant breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode, and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

WL 352LH.RR is adapted to the North Central and East Central regions. This variety has been tested in Iowa, Pennsylvania and Wisconsin and is intended for use in the North Central and East Central regions.

Agronomic and Botanical Characteristics

WL 352LH.RR is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 88% purple, 10% variegated and 2% yellow with a trace of cream and white. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

WL 352LH.RR is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. WL 352LH.RR has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and potato leafhopper; with resistance to pea aphid, moderate resistance to stem nematode and low resistance to spotted alfalfa aphid. Reaction to root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	WL 352LF	H.RR	
Experimental Desi	gnation(s)	FG R48H401	
Date NA&MLVR	B first accep	ted this variety	January 2012
Date(s) previous as	mendments w	ere accepted	
Date amendment s	ubmitted	November 28, 2	2012
Date recommended	d by the NVR	B:Jan 08.	, 2013



RR VaMoose

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds)

Origin and Breeding History

RR VaMoose is a synthetic variety with 58 parent plants. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI PLH resistant breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode, and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

RR VaMoose is adapted to the North Central and East Central regions. This variety has been tested in Iowa, Pennsylvania and Wisconsin and is intended for use in the North Central and East Central regions.

Agronomic and Botanical Characteristics

RR VaMoose is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 86% purple, 12% variegated and 2% yellow with a trace of cream and white. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

RR VaMoose is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. FG R48H408 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and potato leafhopper; with resistance to pea aphid and moderate resistance to stem nematode and spotted alfalfa aphid. Reaction to root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	RR VaMoose			
Experimental Desig	nation(s)	FG R48H408		
Date NA&MLVRE	first accept	ted this variety	January 2012	
Date(s) previous am	endments w	ere accepted _		
Date amendment su	bmitted	November 28, 20	012	
Date recommended	by the NVR	B: Jan 08,	2013	



RR Presteez

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds)

Origin and Breeding History

RR Presteez is a synthetic variety with 98 parent plants. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

RR Presteez is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Iowa, Washington, Idaho and Wisconsin and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

RR Presteez is Fall Dormant similar to FD3 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 95% purple, 2% variegated, 2% yellow, 1% cream with a trace of white. This variety has high multifoliolate leaf expression. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

RR Presteez is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. RR Presteez has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and pea aphid; with resistance to spotted alfalfa aphid and moderate resistance to stem nematode. Reaction to root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	RR Presteez				
Experimental Design	nation(s)	FG R48M137			
Date NA&MLVRB	first accepte	d this variety	January 2012		
Date(s) previous am	endments wer	re accepted			
Date amendment sul	bmitted	November 28, 2	2012		
Date recommended	by the NVRB	: Feb 21	1, 2013		



RR NemaStar

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds, Northern Root Knot Nematode)

Origin and Breeding History

RR NemaStar is a synthetic variety with 107 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

This variety is adapted to the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions. This variety has been tested in Washington and Idaho and is intended for use in the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

Test variety is Moderately Fall Dormant similar to FD5 checks. Flower color (Syn2) is 97% purple and 3% variegated with a trace of cream, yellow and white. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. FG R48W224 has moderate multifoliolate leaf expression. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

This variety has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Aphanomyces root rot (race 1), Verticilium wilt and stem nematode; with resistance to pea aphid, root knot nematode (Northern *M. hapla*) and spotted alfalfa aphid. Reaction to blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	RR Nemas	Star			
Experimental Desi	gnation(s)	FG R48W224			
Date NA&MLVR	B first accep	ted this variety	January 2012		
Date(s) previous a	mendments w	vere accepted			
Date amendment submitted November 28, 2012					
Date recommended	d by the NVR	B: Feb 21,	, 2013		



FG R56Bx214 (Exp)

(Amended – Forage Production Under Salt Stress, Salt Tolerance of Germinating Alfalfa Seeds, Northern Root Knot Nematode)

Origin and Breeding History

FG R56Bx214 is a synthetic variety with 37 parent plants. FG R56Bx214 is a synthetic variety with 37 parent plants. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2006.

Areas of Probable Adaptation

This variety is adapted to Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Colorado, Washington and Idaho and is intended for use in the Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

Test variety is Moderately Fall Dormant similar to FD4 checks. Flower color (Syn2) is 95% purple, 2% variegated, 2% cream, 1% white with a trace of yellow. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the cp4-epsps transgene. FG R56Bx214 has moderate multifoliolate leaf expression and exhibits salt tolerance in germinating seeds similar to the tolerant check. Test variety has improved forage yield under saline stress similar to the salt tolerant check.

This variety has high resistance to anthracnose (Race 1), Phytophthora root rot, Aphanomyces root rot, pea aphid, and, stem nematode: with resistance bacterial wilt, Fusarium wilt, Verticillium wilt, Northern root knot nematode (*M. hapla*) and spotted alfalfa aphid. Reaction to blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name					
Experimental Designation(s)	FG R56Bx214				
Date NA&MLVRB first accepte	d this variety	January, 2012			
Date(s) previous amendments were accepted					
Date amendment submitted	November 28, 20	12			
Date recommended by the NVRB	: Feb 21, 2013				



RR AphaTron

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds)

Origin and Breeding History

RR AphaTron is a synthetic variety with 90 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from F1 progeny from a cross between two populations previously selected for glyphosate tolerance, forage yield, forage quality, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode, and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

RR AphaTron is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Pennsylvania, Idaho and Wisconsin and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

RR AphaTron is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 97% purple, 2% variegated and 1% yellow with a trace of cream and white. This variety has high multifoliolate leaf expression. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

RR AphaTron is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. FG R57A136 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and Aphanomyces root rot (Race 2); with resistance to stem nematode and pea aphid. Reaction to spotted alfalfa aphid, root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	RR AphaTro	n		
Experimental Design	ation(s)	FG R57A136		
Date NA&MLVRB	first accepted	d this variety	January 2012	
Date(s) previous ame	ndments wer	e accepted		
Date amendment submitted November 28, 2012				
Date recommended b	y the NVRB:	Jan 08, 20	013	



RR Tonnica

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds)

Origin and Breeding History

RR Tonnica is a synthetic variety with 105 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI Kansas-derived breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

RR Tonnica is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Pennsylvania, Idaho and Wisconsin and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

RR Tonnica is Moderately Fall Dormant similar to FD5 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 94% purple, 3% variegated, 1% white and 2% yellow with a trace of cream. This variety has high multifoliolate leaf expression. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

RR Tonnica is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the cp4-epsps transgene. FG R57K138 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot and Aphanomyces root rot (Race 1); with resistance to pea aphid and stem nematode. Reaction to spotted alfalfa aphid, root knot nematode (Northern M. hapla) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	RR Tonnica			
Experimental Desig	nation(s)	FG R57K138		
Date NA&MLVRB	first accepte	ed this variety	January 2012	
Date(s) previous am	endments we	re accepted		
Date amendment submitted November 28, 2012				
Date recommended	by the NVRB	: Jan 08	, 2013	



AmeriStand 455TQ RR

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds, Northern Root Knot Nematode)

Origin and Breeding History

AmeriStand 455TQ RR is a synthetic variety with 75 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI Kansas-derived breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

AmeriStand 455TQ RR is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Pennsylvania, Idaho and Wisconsin and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

AmeriStand 455TQ RR is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 92% purple, 5% variegated, 1% white and 2% yellow with a trace of cream. This variety has high multifoliolate leaf expression. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

AmeriStand 455TQ RR is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. FG R57K337 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, root knot nematode (Northern *M. hapla*) and Aphanomyces root rot (Race 1); with resistance to pea aphid and stem nematode. Reaction to spotted alfalfa aphid and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	AmeriStand 455TQ RR				
Experimental Design	nation(s)	FG R57K337			
Date NA&MLVRB	first accepte	d this variety	January 2012		
Date(s) previous am	endments wer	re accepted			
Date amendment submitted November 28, 2012					
Date recommended l	ov the NVRB	· Feb 21 2	2013		



6516R

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds, Northern Root Knot Nematode)

Origin and Breeding History

6516R is a synthetic variety with 15 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

This variety is adapted to the Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains regions. This variety has been tested in Kansas, Colorado, Washington and Idaho and is intended for use in Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains regions.

Agronomic and Botanical Characteristics

Test variety is Moderately Fall Dormant similar to FD5 checks. Flower color (Syn2) is 89% purple 10% variegated, 1% yellow and trace of cream and white. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the cp4-epsps transgene. 6516R has moderate multifoliolate leaf expression. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

This variety has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Aphanomyces root rot (race 1), pea aphid, spotted alfalfa aphid, root knot nematode (Northern *M. hapla*) and stem nematode. Reaction to Verticilium wilt and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	6516R				
Experimental Design	nation(s)	FG R57OK	216		
Date NA&MLVRB	first accepte	ed this variety	/ _	January 2012	
Date(s) previous am	endments we	ere accepted			
Date amendment sul	omitted	November 2	28, 201	2	
Date recommended	by the NVRE	B: Fe	b 21, 2	2013	



RR501

(Amended – Forage Production Under Salt Stress, Salt Tolerance of Germinating Alfalfa Seeds)

Origin and Breeding History

RR501 (FG R570K217) is a synthetic variety with 30 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

This variety is adapted to the Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains regions. This variety has been tested in Kansas, Colorado, Washington and Idaho and is intended for use in Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains regions.

Agronomic and Botanical Characteristics

Test variety is Moderately Fall Dormant similar to FD5 checks. Flower color (Syn2) is 87% purple 10% variegated 2% yellow, 1% cream and trace of white. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the cp4-epsps transgene. FG R570K217 has high multifoliolate leaf expression. Test variety has improved forage yield under saline stress similar to the salt tolerant check and exhibits salt tolerance in germinating seeds similar to the tolerant check.

This variety has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Aphanomyces root rot (race 1), pea aphid and stem nematode. Reaction to Verticilium wilt, spotted alfalfa aphid, blue alfalfa aphid and root knot nematode has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	RR501			
Experimental Desig	nation(s)	FG R570K217		
Date NA&MLVRE	first accept	ed this variety	January 2012	
Date(s) previous am	endments we	ere accepted		
Date amendment submitted November 28, 2012				
Date recommended	by the NVRI	B: Feb 21,	2013	



6547R

(Amended – Name Change, Forage Production Under Salt Stress, Salt Tolerance of Germinating Alfalfa Seeds, Northern Root Knot Nematode)

Origin and Breeding History

6547R is a synthetic variety with 18 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

This variety is adapted to the Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains regions. This variety has been tested in Kansas, Colorado, Washington and Idaho and is intended for use in Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains regions.

Agronomic and Botanical Characteristics

Test variety is Moderately Fall Dormant similar to FD5 checks. Flower color (Syn2) is 90% purple 3% variegated, 4% cream, 1% yellow and 2% white. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the cp4-epsps transgene. 6547R has high multifoliolate leaf expression. Test variety has improved forage yield under saline stress similar to the salt tolerant check and exhibits salt tolerance in germinating seeds similar to the tolerant check.

This variety has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Aphanomyces root rot (race 1), root knot nematode (Northern *M. hapla*) and stem nematode; with resistance to Verticilium wilt and pea aphid. Reaction to spotted alfalfa aphid and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	6547R			
Experimental Desi	gnation(s)	FG R57W2	213	
Date NA&MLVRB first accepte		ed this variet	y January 2012	
Date(s) previous a	mendments we	ere accepted		
Date amendment submitted November 28, 2012				
Date recommende	d by the NVRI	B:F	eb 21, 2013	



Integra 8444R

(Amended – Name Change, Forage Production Under Salt Stress, Salt Tolerance of Germinating Alfalfa Seeds, Northern Root Knot Nematode)

Origin and Breeding History

Integra 8444R is a synthetic variety with 37 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

This variety is adapted to the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions. This variety has been tested in Washington and Idaho and is intended for use in the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

Test variety is Moderately Fall Dormant similar to FD4 checks. Flower color (Syn2) is 92% purple, 2% variegated, 2% cream, 2% yellow and 2% white. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the cp4-epsps transgene. Integra 8444R has moderate multifoliolate leaf expression. Test variety has improved forage yield under saline stress similar to the salt tolerant check and improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

This variety has high resistance to anthracnose (Race 1), Fusarium wilt, Phytophthora root rot, Verticilium wilt, spotted alfalfa aphid and stem nematode; with resistance to bacterial wilt, Aphanomyces root rot (race 1) and Northern (*M. hapla*) root knot nematode. Reaction to pea aphid and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	Integra 844	4R			
Experimental Design	nation(s)	FG R58Hg236			
Date NA&MLVRB	first accepte	ed this variety	January 2012		
Date(s) previous amendments were accepted					
Date amendment submitted November 28, 2012					
Date recommended	by the NVRE	B: Feb 21,	2013		



AmeriStand 715NT RR

(Amended – Name Change, Forage Production Under Salt Stress)

Origin and Breeding History

AmeriStand 715NT RR is a synthetic variety with 56 parent plants developed by Forage Genetics. Parent plants contained both commercial Roundup Ready events (dihomogenic) and were selected from F1 progeny from a cross between two populations previously selected for glyphosate tolerance, forage yield, forage quality, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2005.

Areas of Probable Adaptation

This variety is adapted to Winterhardy Intermountain and Southwest regions. This variety has been tested in California and Idaho and is intended for use in the Winterhardy Intermountain and Southwest regions.

Agronomic and Botanical Characteristics

Test variety is Non-Dormant similar to FD7 checks. Flower color (Syn2) is 100% purple, with a trace of variegated, cream, yellow and white. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the cp4-epsps transgene. AmeriStand 715NT RR has moderate multifoliolate leaf expression and exhibits salt tolerance in germinating seeds similar to the tolerant check. Test variety has improved forage yield under saline stress similar to the salt tolerant check.

This variety has high resistance to anthracnose (Race 1), Fusarium wilt, Phytophthora root rot, pea aphid, spotted alfalfa aphid, and stem nematode: with resistance to bacterial wilt, Verticillium wilt, and root knot nematode (Northern *M. hapla*). Reaction to Aphanomyces root rot and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	AmeriStand 715NT RR				
Experimental Desig	nation(s)	FG R65B	D279		
Date NA&MLVRI	3 first accepte	ed this varie	ety	January 2012	
Date(s) previous amendments were accepted					
Date amendment submitted November 28, 2012					
Date recommended	by the NVRE	3: <u>l</u>	Feb 21, 2	2013	



RRALF 6R200

(Amended – Name Change, Northern Root Knot Nematode)

Origin and Breeding History

RRALF 6R200 is a synthetic variety with 120 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2006.

Areas of Probable Adaptation

This variety is adapted to the Moderately Winterhardy Intermountain and Southwest regions. This variety has been tested in California and is intended for use in the Moderately Winterhardy Intermountain and Southwest regions.

Agronomic and Botanical Characteristics

Test variety has fall dormancy similar to FD6 checks. Flower color (Syn2) is 99% purple, 1% variegated, with a trace of cream, yellow and white. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the cp4-epsps transgene. RRALF 6R200 has moderate multifoliolate leaf expression and exhibits salt tolerance in germinating seeds similar to the tolerant check.

This variety has high resistance to anthracnose (Race 1), Fusarium wilt, pea aphid, spotted alfalfa aphid, root knot nematode (Northern *M. hapla*) and stem nematode: with resistance bacterial wilt, Verticilium wilt, and Phytophthora root rot. Reaction to Aphanomyces root rot and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	RRALF 6R200				
Experimental Desi	gnation(s)	FG R66Bx311			
Date NA&MLVR	B first accep	ted this variety	January 2012		
Date(s) previous amendments were accepted					
Date amendment submitted November 28, 2012					
Date recommended	d by the NVR	B: Feb 21	, 2013		



FG R77T729 (Exp)

Origin and Breeding History

R77T729 is a synthetic variety with 107 parent plants that was developed by Forage Genetics International. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: Fusarium wilt, Phytophthora root rot and stem nematode. A combination of Genotypic and Phenotypic selection was used to identify the parent plants. The germplasm sources used in the development trace to various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

R77T729 is adapted to the Southwest U.S. This variety has been tested in California and intended use is the Southwest.

Agronomic and Botanical Characteristics

R77T729 is nondormant similar to the FD 7 check. Flower color (Syn 2) is 100% Purple, with a trace of Variegated, Yellow, Cream and White. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. This Variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

The variety is highly resistant to anthracnose, Phytophthora root rot, pea aphid, and stem nematode, resistant to bacterial wilt, *Fusarium* wilt and *Verticillium* wilt. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2007. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2) seed for the projected life of the variety. Production of Syn2 foundation seed requires the consent of the breeder. Production of foundation (Syn3) seed from foundation (Syn2) seed is not permitted. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

The breeder requires that at least one glyphosate application be made during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety.) The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if R77T729 is accepted for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

PVP Information

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information cannot be provided to the PVP office.

Date this application was submitted: Nov 28, 2012



WL 552HQ.RR

Origin and Breeding History

WL 552HQ.RR (FG R78T823) is a synthetic variety with 10 parent plants that was developed by Forage Genetics International. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: spotted alfalfa aphid and stem nematode. A combination of Genotypic and Phenotypic selection was used to identify the parent plants. The germplasm sources used in the development trace to Triple Play (20%) and to various FGI experimental populations (80%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

WL 552HQ.RR (FG R78T823) is adapted to the Southwest U.S. The variety has been tested in California and intended use is the Southwest.

Agronomic and Botanical Characteristics

WL 552HQ.RR (FG R78T823) is nondormant similar to the FD 8 check. Flower color (Syn 2) is 100% Purple, with a trace of Variegated, Yellow, Cream and White. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. This variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

The variety is highly resistant to Phytophthora root rot, spotted alfalfa aphid; resistant to anthracnose, bacterial wilt, *Fusarium* wilt, *Verticillium* wilt, pea aphid and stem nematode. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2008. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2) seed for the projected life of the variety. Production of Syn2 foundation seed requires the consent of the breeder. Production of foundation (Syn3) seed from foundation (Syn2) seed is not permitted. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

The breeder requires that at least one glyphosate application be made during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety.) The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if WL 552HQ.RR (FG R78T823) is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

PVP Information:

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information cannot be provided to the PVP office.

Date this application was submitted: Nov 28, 2012



WL 662HQ.RR

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds, Northern Root Knot Nematode, Blue Alfalfa Aphid Resistance)

Origin and Breeding History

WL 662HQ.RR is a synthetic variety with 78 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2006.

Areas of Probable Adaptation

This variety is adapted to the Southwest region. This variety has been tested in California and Arizona and is intended for use in the Southwest region.

Agronomic and Botanical Characteristics

Test variety is Very Non-Dormant similar to FD9 checks. Flower color (Syn2) is 100% purple with a trace of variegated, cream, yellow and white. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the cp4-epsps transgene. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

This variety has high resistance to Phytophthora root rot, spotted alfalfa aphid, blue alfalfa aphid, Northern root knot nematode (*M. hapla*) and pea aphid; with resistance to Fusarium wilt, Verticillium wilt and stem nematode; moderate resistance to anthracnose (Race 1) and bacterial wilt. Reaction to Aphanomyces root rot has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

Variety Name	WL 662HQ.	RR	
Experimental Designation(s)		FG R96Bx304	
Date NA&MLVRB first accepted this variety January 2012			January 2012
Date(s) previous amendments were accepted			
Date amendment submitted		November 28, 2012	
Date recommended by the NVRB: Feb 21, 2013			



RR902

(Amended – Salt Tolerance of Germinating Alfalfa Seeds

Origin and Breeding History

RR902 is a synthetic variety with 73 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2006.

Areas of Probable Adaptation

This variety is adapted to the Southwest region. This variety has been tested in California and Arizona and is intended for use in the Southwest region.

Agronomic and Botanical Characteristics

Test variety is Very Non-Dormant similar to FD9 checks. Flower color (Syn2) is 100% purple with a trace of variegated, cream, yellow and white. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the cp4-epsps transgene. Variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

This variety has high resistance to Phytophthora root rot, spotted alfalfa aphid, and pea aphid; with resistance to Fusarium wilt, Verticillium wilt and stem nematode; moderate resistance to bacterial wilt; and low resistance to anthracnose (Race 1). Reaction to Aphanomyces root rot, blue alfalfa aphid and root knot nematode has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Variety Name	RR902		
Experimental Design	nation(s)	R96Bx301	
Date NA&MLVRB	first accepte	ed this variety	January 2012
Date(s) previous am	endments we	re accepted	
Date amendment sub	omitted	November 30, 20	12
Date recommended l	ov the NVRR	· Ian 08 2	2013



AmeriStand 415NT RR

Origin and Breeding History

AmeriStand 415NT RR is a synthetic variety with 24 parent plants that was developed by Forage Genetics International. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, and Aphanomyces root rot (Race 1 and Race 2). A combination of Genotypic and Phenotypic selection was used to identify the parent plants. The germplasm sources used in the development trace to various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

AmeriStand 415NT RR is adapted to the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions of the U.S. and similar environments. The variety has been tested in Washington, Oregon and Idaho and intended for use in the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

AmeriStand 415NT RR is moderately fall dormant similar to the FD 4 check. Flower color (Syn 2) is 87% Purple, 10% Variegated, 2% Yellow, 1% Cream and a trace of White. It expresses a high degree of multifoliolate leafiness. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. Variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

Test variety is highly resistant to anthracnose, bacterial wilt, *Fusarium* wilt, Phytophthora root rot, *Verticillium* wilt, *Aphanomyces* root rot (race 1), Pea aphid, Northern root knot nematode (*M. hapla*) and stem nematode. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2007. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2) seed for the projected life of the variety. Production of Syn2 foundation seed requires the consent of the breeder. Production of foundation (Syn3) seed from foundation (Syn2) seed is not permitted. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

The breeder requires that at least one glyphosate application be made during early stand establishment so *cp4-epsps* null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety.) The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if AmeriStand 415NT RR is accepted for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

PVP Information

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information may not be provided to the PVP office.

Date this application was submitted: Nov 28, 2012



AmeriStand 803T (Amended – Blue Alfalfa Aphid Resistance)

Breeding History

AmeriStand 803 T is a synthetic variety consisting of 300 parent plants. Plants were selected based on forage yield, fall dormancy reaction and persistence. A combination of genotypic and phenotypic recurrent selection was used in the development of this variety.

Area of Probable Adaptation

This variety is adapted to the Southwest region. This variety has been tested in California and is intended for use in the Southwest regions.

Agronomic and Botanical Characteristics

Test variety is Non-Dormant similar to FD8 check. Flower Color (Syn2) is 100% purple with a trace of variegated, cream, white and yellow.

Test variety has high resistance to *Fusarium* wilt, *Phytophthora* root rot, pea aphid, root knot nematode (Northern *M. hapla*), stem nematode and blue alfalfa aphid; resistance to spotted alfalfa aphid, and moderate resistance to *Anthracnose* (Race 1) and bacterial wilt. Reaction to *Aphanomyces* root rot and *Verticillium* wilt has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation of breeder and two generations of foundation and certified seed classes. Breeder (Syn 1), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder.

Breeder seed was produced in the field near Nampa, ID in 2003. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Date Certified Seed to be First Offered for Sale

Certified seed will be marketed in 2009.

PVP Information

No decision has been made concerning Plant Variety Protection Act.

Variety Name AmeriStand	803T				
Experimental Designation(s)	FG 93T054				
Date NA&MLVRB first accep	pted this variety	January 2009			
Date(s) previous amendments v	were accepted	January 2010			
Date amendment submitted November 28, 2012					
Date recommended by the N	VRB: Jan	08, 2013			



DG 9212

(Amended – Name Change, Blue Alfalfa Aphid Resistance)

Breeding History

DG 9212 is a synthetic variety consisting of 125 parent plants. Plants were selected based on forage yield, fall dormancy reaction, persistence and pest resistance. A combination of genotypic and phenotypic recurrent selection was used in the development of this variety.

Area of Probable Adaptation

This variety is adapted to the Southwest region. This variety has been tested in California and is intended for use in the Southwest region.

Agronomic and Botanical Characteristics

Test variety is Very Non-Dormant similar to FD9 check. Flower Color (Syn2) is 100% purple with a trace of variegated, white, cream and yellow. Test variety has high multifoliolate leaf expression.

Test variety has high resistance to *Anthracnose* (Race 1), *Fusarium wilt*, *Phytophthora* root rot, pea aphid, spotted alfalfa aphid, blue alfalfa aphid and stem nematode and resistance to *Verticillium* wilt; low resistance to bacterial wilt. Reaction to *Aphanomyces* root rot and root knot nematode has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation of breeder and two generations of foundation and certified seed classes. Breeder (Syn 1), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder.

Breeder seed was produced in the field near Nampa, ID in 2005. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Date Certified Seed to be First Offered for Sale

Certified seed will be marketed in 2009.

PVP Information

No decision has been made concerning Plant Variety Protection Act.

Variety Name	DG 9212				
Experimental Desi	gnation(s)	FG 85M282			
Date NA&MLVR	B first accept	ed this variety	January 2009		
Date(s) previous ar	mendments we	ere accepted	January 2010		
Date amendment submitted November 28, 2012					
Date recommended	l by the NVRI	3: Jan 0	8, 2013		



Magnitude

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds)

Origin and Breeding History

Magnitude is a synthetic variety with 14 parent clones. Forage Genetics experimental designation is FG 45M112. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent clones. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2005.

Areas of Probable Adaptation

Magnitude is adapted to the North Central, East Central and Great Plains. This variety has been tested in Nebraska, Iowa and Wisconsin and is intended for use in the North Central, East Central and Great Plains regions.

Agronomic and Botanical Characteristics

Magnitude is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 94% purple, 3% variegated, 2% white, 1% yellow with a trace of cream. This variety has high multifoliolate leaf expression. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

Magnitude has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and stem nematode; with resistance to spotted alfalfa aphid and pea aphid. Reaction to root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2005. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act.

Variety Name	Magnitude			
Experimental Designation(s)		FG 45M112		
Date NA&MLVRB	first accepte	ed this variety	January 2012	
Date(s) previous am	endments we	re accepted		
Date amendment sul	bmitted	November 28, 20	012	
Date recommended	by the NVRB	: Jan 08, 2013		



LegenDairy XHD

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds)

Origin and Breeding History

LegenDairy XHD is a synthetic variety with 65 parent plants that was developed by Forage Genetics International. Parent plants were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2006.

Areas of Probable Adaptation

LegenDairy XHD is adapted to the North Central, East Central and Winterhardy Intermountain regions. This variety has been tested in New York, Idaho and Wisconsin and is intended for use in the North Central, East Central and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

LegenDairy XHD is Fall Dormant similar to FD3 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 94% purple, 3% variegated, 2% white, 1% yellow with a trace of cream. This variety has high multifoliolate leaf expression. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

LegenDairy XHD has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and pea aphid; with resistance to stem nematode and spotted alfalfa aphid. Reaction to root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2006. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Variety Name	LegenDairy	XHD		
Experimental Design	gnation(s)	FG 46M126		
Date NA&MLVR	B first accept	ed this variety	January 2012	
Date(s) previous ar	nendments we	ere accepted		
Date amendment su	ıbmitted	November 2	8, 2012	
Date recommended	by the NVRI	3: <u>Jan</u>	08, 2013	



Premium

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds, Northern Root Knot Nematode)

Breeding History

Premium is a synthetic variety consisting of 110 parent plants that was developed by Forage Genetics International. Plants were selected based on forage yield, fall dormancy reaction, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, stem nematode and Phytophthora root rot. A combination of genotypic and phenotypic recurrent selection was used in the development of this variety.

Area of Probable Adaptation

This variety is adapted to the Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Idaho, Washington and Colorado and is intended for use in the Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

This variety is Moderately Dormant similar to FD5 check. Flower Color (Syn2) is 94% purple, 4% variegated, 1% cream, 1% white and a trace of yellow. Test variety has high multifoliolate leaf expression. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

This variety has high resistance to bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces (Race 1), spotted alfalfa aphid, root knot nematode (Northern *M. hapla*) and stem nematode; with resistance to anthracnose (Race 1), and pea aphid. Reaction to blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation of breeder and two generations of foundation and certified seed classes. Breeder (Syn 1), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed was produced in the field near Nampa, ID in 2006. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Date Certified Seed to be First Offered for Sale

Certified seed will be marketed in 2010.

PVP Information

No decision has been made concerning Plant Variety Protection Act.

Variety Name	Premium			
Experimental Desig	nation(s)	FG 46V	V202	
Date NA&MLVRE	first accept	ed this va	riety	January 2010
Date(s) previous am	endments we	ere accept	ed	
Date amendment su	bmitted	Novem	ber 28, 20	12
Date recommended	by the NVRI	3:	Feb 21, 2	2013



6401N

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds, Northern Root Knot Nematode)

Origin and Breeding History

6401N is a synthetic variety with ten parent plants developed by Forage Genetics. Parent plants were selected for resistance to one or more of the following pests: Fusarium wilt, Verticillium wilt, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1). Phenotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

6401N is adapted to the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions. It has been tested in Idaho and Colorado and is intended for use in the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

6401N is Moderately Fall Dormant similar to FD4 check. Flower Color (Syn2) is 97% purple, 1% variegated, 1% yellow and 1% white with a trace cream. 6401N has moderate multifoliolate leaf expression. Test variety exhibits salt tolerance in germinating seeds similar to the tolerant check.

6401N has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, pea aphid, root knot nematode (Northern *M. hapla*) and stem nematode; with resistance to Aphanomyces root rot (Race 1). Reaction to spotted alfalfa aphid and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2008. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Variety Name	6401N			
Experimental Desig	nation(s)	FG 48W201		
Date NA&MLVRE	first accep	oted this variety	January 2012	
Date(s) previous am	endments w	vere accepted		
Date amendment su	bmitted	November 2	28, 2012	
Date recommended	by the NVR	B: Fel	21, 2013	



Integra 8420

(Amended – Name Change, Northern Root Knot Nematode)

Origin and Breeding History

Integra 8420 is a synthetic variety with 17 parent plants developed by Forage Genetics. Parent plants were selected for resistance to one or more of the following pests: Fusarium wilt, Verticillium wilt, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1). Phenotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

Integra 8420 is adapted to the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions. It has been tested in Idaho and Colorado and is intended for use in the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

Integra 8420 is Moderately Fall Dormant similar to FD4 check. Flower Color (Syn2) is 96% purple, 2% variegated, 1% yellow and 1% white with a trace cream. Integra 8420 has moderate multifoliolate leaf expression.

Integra 8420 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), root knot nematode (Northern *M. hapla*) and stem nematode; with resistance to pea aphid. Reaction to Verticillium wilt, spotted alfalfa aphid and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2008. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Variety Name	Integra 8420)			
Experimental Design	nation(s)	FG 48W202			
Date NA&MLVRB first accepted this variety January 2012					
Date(s) previous amendments were accepted					
Date amendment submitted November 28, 2012					
Date recommended l	by the NVRB	: Feb 21, 2013	3		



6906N

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds, Blue Alfalfa Aphid Resistance)

Breeding History

6906N is a synthetic variety consisting of 136 parent plants. Plants were selected based on fall dormancy reaction, persistence and for Phytophthora root rot resistance. A combination of genotypic and phenotypic recurrent selection was used in the development of this variety.

Area of Probable Adaptation

This variety is adapted to the Southwest region. This variety has been tested in California and is intended for use in the Southwest.

Agronomic and Botanical Characteristics

This variety is Very Non-Dormant similar to FD 9 check. Flower Color (Syn2) is 100% purple with a trace of variegated, white, cream and yellow. 6906N exhibits salt tolerance in germinating seeds similar to the tolerant check.

This variety has high resistance to Fusarium wilt, pea aphid, spotted alfalfa aphid, stem nematode and blue alfalfa aphid; resistance to anthracnose (Race 1) and Phytophthora root rot, with moderate resistance to bacterial wilt. Reaction to Verticillium wilt, Aphanomyces root rot and root knot nematode has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation of breeder and two generations of foundation and certified seed classes. Breeder (Syn 1), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed was produced in the field near Nampa, ID in 2006. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Date Certified Seed to be First Offered for Sale:

Certified seed will be marketed in 2010.

PVP Information:

No decision has been made concerning Plant Variety Protection Act.

Variety Name	6906N		
Experimental Desi	gnation(s)	FG 96T706	
Date NA&MLVR	B first acce	pted this variety	January 2010
Date(s) previous a	mendments v	were accepted	January 2012
Date amendment submitted November 28, 2012			
Date recommende	d by the NVI	RB: Jan 08, 201	3



AmeriStand 915TS RR

(Amended – Name Change, Salt Tolerance of Germinating Alfalfa Seeds, Northern Root Knot Nematode, Blue Alfalfa Aphid Resistance)

Origin and Breeding History

AmeriStand 915TS RR is a synthetic variety with 8 parent plants developed by Forage Genetics. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2006.

Areas of Probable Adaptation

This variety is adapted to the Southwest region. This variety has been tested in California and Arizona and is intended for use in the Southwest region.

Agronomic and Botanical Characteristics

Test variety is Very Non-Dormant similar to FD9 checks. Flower color (Syn2) is 100% purple with a trace of variegated, cream, yellow and white. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. Variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

This variety has high resistance to Phytophthora root rot, spotted alfalfa aphid, pea aphid, blue alfalfa aphid and Northern root knot nematode (*M. hapla*); with resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt and stem nematode; and moderate resistance to Verticillium wilt. Reaction to Aphanomyces root rot has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that *cp4-epsps* null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Variety Name	AmeriStan	d 915TS RR			
Experimental Desig	nation(s)	FG R96Bx308			
Date NA&MLVRE	3 first accept	ted this variety	January 2012		
Date(s) previous amendments were accepted					
Date amendment submitted November 28, 2012					
Date recommended	by the NVR	B: Feb 21, 2013			



FSG 424

Origin and Breeding History

FSG 424 is a synthetic variety with 59 parent clones that was developed by Forage Genetics International. Forage Genetics International experimental designation is FG 48A176. Parent plants were selected for resistance to Aphanomyces root rot resistance (Race 1 and Race2) from FGI breeding populations previously selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

FSG 424 is adapted to the North Central and East Central regions. This variety has been tested in Minnesota, Pennsylvania, Iowa and Wisconsin and is intended for use in the North Central and East Central.

Agronomic and Botanical Characteristics

FSG 424 is Moderately Fall Dormant similar to FD4 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 96% purple, 2% variegated, 1% white and 1% yellow with a trace of cream. This variety has high multifoliolate leaf expression. Variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

FSG 424 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and Aphanomyces root rot (Race 2); with resistance to pea aphid and stem nematode. Reaction to spotted alfalfa aphid, root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2008. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2013.

Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



Gemstone

Origin and Breeding History

Gemstone is a synthetic variety with 9 parent clones that was developed by Forage Genetics International. Forage Genetics International experimental designation is FG 46M446. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). A combination of phenotypic and genotypic selection was used to identify the parent clones. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2006.

Areas of Probable Adaptation

Gemstone is adapted to the North Central, East Central and Winterhardy Intermountain regions. This variety has been tested in New York, Idaho and Wisconsin and is intended for use in the North Central, East Central and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

Gemstone is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 96% purple, 2% variegated, 1% white, 1% yellow with a trace of cream. This variety has high multifoliolate leaf expression. Variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

Gemstone has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and spotted alfalfa aphid; with resistance to stem nematode and pea aphid. Reaction to root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2006. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2013.

Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



PureGold

Origin and Breeding History

PureGold is a synthetic variety with 105 parent plants that was developed by Forage Genetics International. Forage Genetics International experimental designation is FG R46BD178. Parent plants contained both commercial Roundup Ready events (J101/J163 dihomogenic) and were selected from F1 progeny of a cross between two populations previously selected for glyphosate tolerance, forage yield, forage quality, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode, and Aphanomyces root rot (Race 1 and Race 2). Genotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2006.

Areas of Probable Adaptation

FG PureGold is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Indiana, Idaho and Wisconsin and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

Agronomic and Botanical Characteristics

FG PureGold is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 96% purple, 1% variegated, 1% cream, 1% white and 1% yellow. This variety has high multifoliolate leaf expression. Variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

FG PureGold is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. FG PureGold has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and spotted alfalfa aphid; with resistance to stem nematode and pea aphid. Reaction to root knot nematode (Northern *M. hapla*) and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety).

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2013.

Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



RRALF 9R100

Origin and Breeding History

RRALF 9R100 is a synthetic variety with 8 parent plants that was developed by Forage Genetics International. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: Fusarium wilt, Phytophthora root rot and stem nematode. A combination of Genotypic and Phenotypic selection was used to identify the parent plants. The germplasm sources used in the development trace to WL 625HQ (40%) and to various FGI experimental populations (60%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

Areas of Probable Adaptation

RRALF 9R100 is adapted to the Southwest U.S. and similar environments. The variety has been tested in California and Arizona and is intended for use in the Southwest.

Agronomic and Botanical Characteristics

RRALF 9R100 is very nondormant similar to the FD 9 check. Flower color (Syn 2) is 100% Purple, with a trace of Variegated, Yellow, Cream and White. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the *cp4-epsps* transgene. This variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

The variety is highly resistant *Fusarium* wilt, Phytophthora root rot, pea aphid, spotted alfalfa aphid, blue alfalfa aphid and stem nematode; with resistant to anthracnose, bacterial wilt and *Verticillium* wilt. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2007. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2) seed for the projected life of the variety. Production of Syn2 foundation seed requires the consent of the breeder. Production of foundation (Syn3) seed from foundation (Syn2) seed is not permitted. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

The breeder requires that at least one glyphosate application be made during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety.) The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if RRALF 9R100 is accepted for certification agencies.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

PVP Information:

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information may not be provided to the PVP office.

Date this application was submitted: Nov 28, 2012



Spredor 5

Origin and Breeding History

Spredor 5 is a synthetic variety with 41 parent plants that was developed by Forage Genetics International. Forage Genetics International experimental designation is FG 36C100. Parent plants were selected for winter survival in a Manitoba nursery from FGI breeding populations previously selected for forage yield, forage quality, persistence under grazing and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode, and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2006.

Areas of Probable Adaptation

Spredor 5 is adapted to the North Central region. This variety has been tested in Minnesota and Wisconsin and is intended for use in the North Central region.

Agronomic and Botanical Characteristics

Spredor 5 is Fall Dormant similar to FD2 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 63% purple, 34% variegated, 3% yellow with a trace of cream and white. Variety has salt tolerance of germinating alfalfa seeds similar to the tolerant check.

Spredor 5 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot and Aphanomyces root rot (Race 1); with resistance to pea aphid. Reaction to root knot nematode (Northern *M. hapla*), spotted alfalfa aphid, stem nematode and blue alfalfa aphid has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2006. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2013.

Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act.

The information in this application may not be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



Sun Quest (Amended – Blue Alfalfa Aphid Resistance)

Breeding History

Sun Quest is a synthetic variety consisting of 85 parent plants developed by Forage Genetics. Plants were selected based on fall dormancy reaction, persistence and for Phytophthora root rot resistance. A combination of genotypic and phenotypic recurrent selection was used in the development of this variety.

Area of Probable Adaptation

This variety is adapted to the Southwest region. This variety has been tested in California and is intended for use in the Southwest.

Agronomic and Botanical Characteristics

Test variety is Very Non-Dormant similar to FD 9 check. Flower Color (Syn2) is 100% purple with a trace of variegated, white, cream and yellow. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

Test variety has high resistance to Phytophthora root rot, pea aphid, spotted alfalfa aphid, blue alfalfa aphid and stem nematode; resistance to anthracnose (Race 1) and Fusarium wilt, with moderate resistance to bacterial wilt. Reaction to Verticillium wilt, Aphanomyces root rot and root knot nematode has not been tested.

Certified Seed Availability and Publication of Certified seed Production:

Seed increase is on a limited generation basis with one generation of breeder and two generations of foundation and certified seed classes. Breeder (Syn 1), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed was produced in the field near Nampa, ID in 2006. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Date certified seed to be first offered for sale:

Certified seed will be marketed in 2010.

Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information:

No decision has been made concerning Plant Variety Protection Act.

Variety Name	Sun Quest			
Experimental Designation	nation(s)	FG 96T707		
Date NA&MLVRB	first accepte	ed this variety	November 30, 2009	
Date(s) previous am	endments we	ere accepted	January 2011, 2012	
Date amendment su	bmitted	November 28,	2012	
Date recommended	by the NVRE	B: Feb 2	1, 2013	



WL 656HQ

(Amended – Blue Alfalfa Aphid Resistance)

Breeding History

WL 656HQ is a synthetic variety consisting of 120 parent plants developed by Forage Genetics. Plants were selected based on forage yield, fall dormancy reaction, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, stem nematode and Phytophthora root rot. A combination of genotypic and phenotypic recurrent selection was used in the development of this variety.

Area of Probable Adaptation

This variety is adapted to the Southwest. This variety has been tested in California and is intended for use in the Southwest.

Agronomic and Botanical Characteristics

Test variety is Very Non-Dormant similar to FD9 check. Flower Color (Syn2) is 100% purple, with a trace of variegated, white, cream and yellow. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

Test variety has high resistance to Fusarium wilt, Phytophthora root rot, pea aphid, spotted alfalfa aphid, blue alfalfa aphid and stem nematode; with resistance to anthracnose (Race 1); and moderate resistance to bacterial wilt. Reaction to Verticillium wilt, Aphanomyces root rot and root knot nematode has not been tested.

Certified Seed Availability and Publication of Certified seed Production

Seed increase is on a limited generation basis with one generation of breeder and two generations of foundation and certified seed classes. Breeder (Syn 1), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed was produced in the field near Nampa, ID in 2005. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

Date Certified Seed to be First Offered for Sale

Certified seed will be marketed in 2010.

PVP Information

No decision has been made concerning Plant Variety Protection Act.

Variety Name	WL 656HQ			
Experimental Design	nation(s)	FG 95T284		
Date NA&MLVRB	first accepte	d this variety	January 2010	
Date(s) previous am	endments wer	re accepted	January 2012	
Date amendment submitted November 28, 2012				
Date recommended	by the NVRB	: Feb 2	1, 2013	



55VR05

Origin and Breeding History

55VR05 (experimental designation – R48W221) is a synthetic variety from 10 replications of 18 parent plants. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%).Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

Areas of Probable Adaptation

55VR05 is adapted to the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions of the US. The variety has been tested in Idaho and Washington and is intended for use in the Winterhardy Intermountain, Moderately Winterhardy Intermountain, North Central, East Central and the Great Plains regions of the US.

Agronomic and Botanical Characteristics

55VR05 is moderately fall dormant similar to the FD 5 check. Flower color (Syn 2) is 89% Purple, 8% Variegated, 1% Yellow, 1% Cream and 1% White. Test variety is "Roundup Ready®" expressing tolerance to Roundup® herbicide conferred by the cp4-epsps transgene. 55VR05 expresses a moderate degree of multifoliolate leafiness.

The variety is highly resistant to anthracnose, bacterial wilt, *Fusarium* wilt, Phytophthora root rot, *Verticillium* wilt, *Aphanomyces* root rot (race 1), Northern root knot nematode (*M. hapla*) and stem nematode with resistance to pea aphid and spotted alfalfa aphid. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Procedures for Maintaining Seed Stock

Breeder seed (Syn1) was produced near Nampa, ID in 2008. Pioneer Hi-Bred will maintain sufficient foundation (Syn3) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

The breeder requires that at least one glyphosate application be made during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety.) The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if 55VR05 is accepted for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

PVP Information

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information can be provided to the PVP office.

Date this application was submitted: Nov 27, 2012

Date recommended by the NVRB: Feb 21, 2013



FSG 403LR

Origin and Breeding History

FSG 403LR (experimental names: 09W08PY and W08PY187) is an intercross of 99 parent plants selected by Pioneer Hi-Bred International from Pioneer experimentals for forage yield, persistence, forage quality, standability and or resistance to one or more of the following pests: bacterial wilt, *Fusarium* wilt, *Verticillium* wilt, anthracnose (Race 1), *Phytophthora* root rot, *Aphanomyces* root rot (Race 1 & 2), and stem nematode. Parent clones were identified using phenotypic selection in selection nurseries for standability (lodging tolerance) forage quality, increased pectin, persistence, agronomic characteristics, and improved forage yield. Breeder seed was first produced in the winter of 2008-09.

Areas of Probable Adaptation

FSG 403LR is adapted to the North Central, East Central, & Moderately Winterhardy Intermountain regions of the US. This variety has been tested in Wisconsin, Washington, Minnesota, Michigan and Pennsylvania and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains regions of the US and Canada.

Agronomic and Botanical Characteristics

FSG 403LR is Moderately Dormant, similar to FD4 check. Flower color (Syn 2) is 90% purple, 10% variegated with a trace of yellow, cream and white.

FSG 403LR is highly resistant to *Anthracnose* (Race 1), *Aphanomyces* root rot (Race 1), bacterial wilt, *Verticillium* wilt, and *Phytophthora* root rot; with resistance to *Fusarium* wilt, *Aphanomyces* root rot (Race 2), stem nematode, pea aphid, lodging and spotted alfalfa aphid. Reaction to blue alfalfa aphid and root-knot nematode (*M. hapla*) has not been tested.

Procedures for Maintaining Seed Stock

Seed increase is on a limited generation basis with one generation of breeder, three generations of foundation and three generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2, Syn 3 or Syn 4) and certified (Syn 3, Syn 4 or Syn 5) classes will be recognized. Breeder seed was first produced in the winter of 2008-09. Pioneer Hi-Bred International will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 5 years, respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed may be marketed in 2013.

Certified seed production acreage may not be published by AOSCA and/or member agencies.

PVP Information

Application for Plant Variety Protection may be made and the certification option will not be requested. As a means of added varietal protection, information included with the Application for Review of Alfalfa Varieties for Certification may be provided to the PVP office.

Date this application was submitted: Nov 27, 2012



SW 9812

Origin and Breeding History

This synthetic variety, SW 9812, was developed by S&W Seed Company, Bob Sheesley, and Tim Jacobsen, using the outdoor cages crossing method with both honey bees and leaf cutting bees from selections from two parent lines. The selection criteria used in the development of this variety include forage yield and resistance to Spotted Alfalfa Aphid, Bacterial Wilt, Fusarium Wilt, Pea Aphid, Phytophthora Root Rot, Blue Alfalfa Aphid, and Stem Nematode. Breeder seed was produced in 2008.

Areas of Probable Adaptation

SW 9812 is adapted to the Southwestern region. This variety has been tested in the Central Valley of California and Tucson, Arizona and is intended for use in the Southwest area.

Agronomic and Botanical Characteristics

This variety is a non-dormant similar to FD 9 check. Flower color (Syn 2) is 98% purple and 2% variegated. SW 9812 has high resistance to Spotted Alfalfa Aphid: with resistance to Bacterial Wilt and Fusarium Wilt, Pea Aphid, and moderate resistance to Phytophthora Root Rot, Blue Alfalfa Aphid, and Stem Nematode. Reaction to Aphanomyces root rot, Root Knot nematode, Verticillium Wilt, and Anthracnose has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed was produced in 2008. S & W Seed Company will maintain sufficient breeder seed (Syn 2) in cold storage in the applicant's research facility. Under certification, the classes of seed will be breeder (Syn 2), foundation (Syn 3 or Syn 4), and certified (Syn 3 or Syn 4 or Syn 5). Stands of foundation and certified seed fields are limited to 4 and 6 years, respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2013. Certified seed acreage may not be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



SW 9813

Origin and Breeding History

This synthetic variety, SW 9813, was developed by S&W Seed Company, Bob Sheesley, and Tim Jacobsen, using the outdoor cages crossing method with both honey bees and leaf cutting bees from selections from two parent lines. The selection criteria used in the development of this variety include forage yield and resistance to Blue Alfalfa Aphid, Bacterial Wilt, Fusarium Wilt, Phytophthora Root Rot, Pea Aphid, Spotted Alfalfa Aphid, and Stem Nematode. Breeder seed was produced in 2008.

Areas of Probable Adaptation

SW 9813 is adapted to the Southwestern region. This variety has been tested in the Central Valley of California and Tucson, Arizona and is intended for use in the Southwest area.

Agronomic and Botanical Characteristics

This variety is a non-dormant similar to FD 9 check. Flower color (Syn 2) is 98% purple, 1.5% variegated, and 0.5% white. SW 9813 has high resistance to Blue Alfalfa Aphid: with resistance to Bacterial Wilt, Fusarium Wilt, Phytophthora Root Rot, Pea Aphid, and Spotted Alfalfa Aphid; moderate resistance to Stem Nematode. Reaction to Aphanomyces root rot, Root Knot nematode, Verticillium Wilt, and Anthracnose has not been tested.

Procedures for Maintaining Seed Stock

Breeder seed was produced in 2008. S & W Seed Company will maintain sufficient breeder seed (Syn 2) in cold storage in the applicant's research facility. Under certification, the classes of seed will be breeder (Syn 2), foundation (Syn 3 or Syn 4), and certified (Syn 3 or Syn 4 or Syn 5). Stands of foundation and certified seed fields are limited to 4 and 6 years, respectively.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2013. Certified seed acreage may not be published by AOSCA and member agencies.

PVP Information

No decision has been made concerning Plant Variety Protection Act. The information in this application may not be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



Highline

(Amended – Seed Class, Age, Stand, Areas of Production for Each Class)

Origin and Breeding History

The cultivar Highline (Experimental designation UC-340) is a broad based germplasm pool developed by a combination of phenotypic recurrent selection and modified convergent improvement using 21 different source pools in the University of California alfalfa breeding program. The component populations had previously been selected for resistance to scald, saline soil conditions, smog, root knot nematode (*Meloidogyne* sp.), Phytophthora root rot (*Phytophthora megasperma*), anthracnose (*Colletotrichum trifolii*), Downy mildew (*Peronospora trifoliorum*), bacterial wilt (*Clavibactor insidiosum*), a root rot complex including Stagonospora (*Stagonospora meliloti*) and Fusarium root rot (*Fusarium oxysporum*), blue alfalfa aphid (*Acyrthosiphon kondoi*), Pea aphid (*Acyrthosiphon pisum*), and spotted alfalfa aphid (*Threioaphis maculata*). This germplasm pool is composed of: 0%, *M. falcata*: 0%, Ladak; 0%, *M. varia*; 8%, Turkistan; 0%, Flemish; 7%, Chilean; 0%, Peruvian; 19%, Indian; 46%, African; 3%, Arabian; and 16%, unknown sources of germplasm. Breeder seed was first produced in 1983.

Areas of Probable Adaptation

This cultivar is adapted to Low Desert irrigated production areas. It has been tested in the Imperial Valley of California and the Central Valley of California (San Joaquin and Sacramento Valleys). It is intended for hay, haylage, greenchop, or dehydration. The target market area will be the Low Desert irrigated alfalfa production areas of California.

Agronomic and Botanical Characteristics

This cultivar is very nondormant (group 9), Flower color is predominantly purple (99+%) with a trace of Variegated types (> 0.5%). Flower color data were determined on both the Syn. 1 (UC-339) and Syn. 2 (UC-340) generations.

It is highly resistant to Fusarium wilt (*Fusarium oxysporum*), pea aphid (*Acyrthosiphon pisum*), spotted alfalfa aphid (*Threioaphis maculata*), and root knot nematode (*Meloidogyne incognita*), It is resistant to Phytophthora root rot (*Phytophthora megasperma* and blue alfalfa aphid (*Acyrthosiphon kondoi*)). It is susceptible to southern anthracnose (*Colletotrichum trifolii*) (Race 1), and bacterial wilt (*Clavibactor insidiosum*). This cultivar has resistance to Verticillium wilt (*Verticillium albo-atrum*) and Aphanomyces root rot (Race 1) (*Aphanomyces euteiches*) is unknown.

Procedures for Maintaining Seed Stock

Seed classes of this cultivar will be Breeder (produced in a field isolation in 1983), Foundation and Certified. Breeder and Foundation seed classes will be maintained by the University of California Foundation Seed Project, Davis or its designee. Breeder seed is limited to that produced at the Desert Research and Extension Center in 1983. Foundation and Certified seed is limited to a 2- and 6-year stand life, respectively. Seed production of the Foundation and Certified classes is limited to the San Joaquin Valley of California south of 37°25'N latitude and Riverside and Imperial counties of California south of 34°00'N latitude. If the supply of Breeder seed should become depleted, a selected lot of Foundation seed will be set aside and used to produce subsequent Foundation seed.

Certified Seed Availability and Publication of Certified Seed Production

Highline was first accepted by the NA&MLVRB on January 9, 1996 and was amended in March 1997. If approved for certification. Certified seed was first offered for sale in 1997.

PVP Information

PVP Certificate number: 9800030 issued February 6, 2007 with Title V

Variety Name	Highline			
Experimental Designation(s)		UC-340		
Date NA&MLVRB first accepted this variety			January 9, 1996	
Date(s) previous amendments were accepted			March 1997	
Date amendment submitted November 2			2012	
Date recommended	by the NVRB	: Jan 08	, 2013	



DFRC1 or WI-RC-1 (Exp)

Origin and Breeding History

DFRC1 is a 144 parent synthetic produced under isolated insect pollinated field conditions in Nampa, ID in 2009 by bulk harvesting seed off of parental plants. The 144 parents were obtained from equal number of plants grown from remnant seed of six halfsib families out of synthetic C328-05 (C328-05-A05, C328-05-B05, C328-05-B03, C328-05 C12, C382-05-F02, and C328-05-F10). C328-05 is a 96 parent synthetic produced at Prairie du Sac, WI in 2005 under screen isolated bumble bee pollinated field conditions, with maternal halfsib seed harvested from each plant. Twelve space planted progeny plants of the highest 71 seed yielding maternal halfsib families were evaluated at the US Dairy Forage Research Center Farm at Prairie du Sac, WI for biomass accumulation and persistence using visual rating scores from 2006 through 2009. Remnant seed of the top six performing maternal halfsib families based on 2006 to 2008 field data were used as parents of DFRC1. The 96 parents of C328-05 were obtained from Syn 2 seed of C328 an experimental variety developed in the US Dairy Forage Research Center red clover breeding program. C328 is a 35 parent synthetic produced under screened isolated pollination conditions at the University of Wisconsin Agricultural Research Station in Arlington, WI in 1990. The 35 parents of C328 were dug in 1989 out of a 4 year old 1986 established sward experimental variety trial at the University of Wisconsin Agricultural Research Station in Marshfield, WI out of plots from experimental populations C11, HC29 (Syn 2 of C827), and HC30 (Syn 2 of C813) developed in the US Dairy Forage Research Center red clover breeding program. C11 is a 1984 synthetic based on progeny selected out of C827 from a 1981 established trial. C827 is 45 parent synthetic of plants dug out of Marshfield, WI swards in 1979. C813 is a 1979 created synthetic based on red clover selections made in 1978 at Arlington, WI. The 2009 Nampa, ID polycross was used to generate Syn 1 breeder seed.

Areas of Probable Adaptation

DFRC1 is adapted to the cool humid regions of United States. This variety has been tested in Indiana, Michigan, New York, and Wisconsin. DFRC1 is intended for use in its area of adaptation.

Agronomic and Botanical Characteristics

<u>Classification:</u> Medium <u>Productive Persistence:</u> Perennial

<u>Ploidy:</u> Diploid <u>Flower Color:</u> Red

% Flowering Seedling Year: 100% % Leaf Marking at 50% Flowering: 62%

Stem Hairiness: 100%

Description of Variants:

Additional description and/or information about physiology, pest reaction, and other varietal attributes:

DFRC1 good forage yield, persistence, high frequency of non-leaf-mark plants, and a darker-green less green-yellow foliage color.

Procedures for Maintaining Seed Stock

Seed increase of DFRC1 is on a limited generation basis with two generations of breeder seed class, two generations of foundation seed class, and three generations of certified seed class allowed. Syn 1 breeder seed was produced in Nampa, ID in 2009. Breeder (Syn 1 or Syn 2), foundation (Syn 2 or Syn 3), and certified (Syn 2, Syn 3, or Syn 4) classes of seed will be recognized. Production of Syn 2 breeder seed requires consent of the breeder. Stands of breeder, foundation, and certified seed are limited to 2 years. Sufficient breeder seed will be maintained by the US Dairy Forage Research Center in Madison, WI for the life of the variety.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed of DFRC1 will be available in 2015.

PVP Information

PVP protection will be sought for DFRC1. Title V certification will not be sought for DFRC1. AOSCA may provide descriptive information about this variety to the PVP office.

Date this application was submitted: Nov 28, 2012



FSG 402 (Red Clover)

Origin and Breeding History

FSG 402 medium red clover was developed using phenotypic recurrent selection. A total of 214 plants were selected from a 4th year fusarium wilt spaced-plant nursery in Indiana from the following sources: Rocket, and 3 elite breeding lines. These plants were intercrossed, and the resulting population screened two cycles for resistance to Mycoleptodiscus root rot in the greenhouse at Buck Creek, IN. Approximately 400 resistant plants from the second cycle of screening were placed in an isolated crossing block at Buck Creek, IN, and bulk-harvested as breeder seed (syn-1) in 2007.

Areas of Probable Adaptation

FSG 402 is adapted to the east central United States, and is intended for use in that area. It has been tested in Indiana, Kentucky, Pennsylvania, Tennessee, and Virginia.

Agronomic and Botanical Characteristics

<u>Classification</u>: double cut (medium) <u>Productive Persistence</u>: perennial <u>Ploidy</u>: diploid <u>Flower Color</u>: 7% red, 24% dark pink, % <u>Flowering Seeding Year</u>: 62 42% medium pink, 27% light pink Stem Hairiness: 92%, with 89% perpendicular or pointing down, 3% pointing up

% Leaf Marking at 50% Flowering: 89

Description of Variants: 8% of plants without stem hairs; 11% without leaf marks.

Additional description: FSG 402 is highly resistant to northern and southern anthracnose and powdery mildew.

Procedures for Maintaining Seed Stock

Seed increase of FSG 402 is limited to two generations each of breeder (Syn-1 or Syn-2), foundation (Syn-2 or Syn-3), and certified (Syn-3 or Syn-4) classes. Breeder seed was produced in 2007 (Syn-1) and 2011 (Syn-2) sufficient for the life of the variety, and will be maintained by FFR Cooperative. Length of stand allowed is 2 years and 3 years each for the foundation and certified classes, respectively. Production of foundation seed is limited to the states of Idaho, Oregon, Washington, and Wyoming in the northwest United States.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed of FSG 402 will be available in 2014. Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information

Application will not be made for Plant Variety Protection. Information in this application may be forwarded to the PVP office.

Date this application was submitted: Nov 28, 2012



Gallant (Red Clover) (Amended – Name Change)

Origin and Breeding History

Gallant medium red clover was developed using phenotypic recurrent selection. A total of 56 plants were selected from a 2-year old beef cattle grazing trial in Kentucky from the following sources: Rocket and one FFR breeding line. These plants were intercrossed, and the resulting population screened two cycles for resistance to Mycoleptodiscus root rot in the greenhouse at Buck Creek, IN. Approximately 400 resistant plants from the second cycle of screening were placed in an isolated crossing block at Touchet, WA and bulk-harvested as breeder seed (syn-1) in 2006.

Areas of Probable Adaptation

Gallant is adapted to the east central United States, and is intended for use in that area. It has been tested in Indiana, Kentucky, Pennsylvania, Tennessee, and Virginia.

Agronomic and Botanical Characteristics

Classification: double cut (medium) Productive Persistence: perennial

Ploidy: diploid Flower color: 3% red, 19% DP, 48% MP, 30% LP

% Flowering Seeding Year: 64 % Leaf Marking at 50% Flowering: 84 Stem Hairiness: 95%, with 88% perpendicular or pointing down, 7% pointing up Description of Variants: 5% of plants without stem hairs, 16% without leaf marks.

Additional description: Gallant is highly resistant to northern and southern anthracnose, and resistant to powdery mildew.

Procedures for Maintaining Seed Stock

Seed increase of Gallant is limited to two generations each of breeder (Syn-1 or Syn-2), foundation (Syn-2 or Syn-3), and certified (Syn-3 or Syn-4) classes. Breeder seed was produced in 2006 (Syn-1) and 2010 (Syn-2) sufficient for the life of the variety, and will be maintained by FFR Cooperative. Length of stand allowed is 2 years and 3 years each for the foundation and certified classes, respectively. Production of foundation seed is limited to the northwest United States.

Certified Seed Availability and Publication of Certified Seed Production

Certified seed of Gallant will be available in 2013. Certified seed production acreage may not be published by AOSCA and member agencies.

PVP Information

Application will not be made for Plant Variety Protection. Information in this application may be forwarded to the PVP office.

Accepted: January 2012

Amendment submitted: November 12, 2012

