

A Welding Data Dictionary

William G. Rippey

U. S. DEPARTMENT OF COMMERCE
Technology Administration
National Institute of Standards
and Technology
Intelligent Systems Division
Gaithersburg, MD 20899-8230



**National Institute of Standards
and Technology**
Technology Administration
U.S. Department of Commerce

A Welding Data Dictionary

William G. Rippey

U. S. DEPARTMENT OF COMMERCE
Technology Administration
National Institute of Standards
and Technology
Intelligent Systems Division
Gaithersburg, MD 20899-8230

March 2004



U.S. DEPARTMENT OF COMMERCE
Donald L. Evans, Secretary

TECHNOLOGY ADMINISTRATION
Phillip J. Bond, Under Secretary for Technology

NATIONAL INSTITUTE OF STANDARDS
AND TECHNOLOGY
Arden L. Bement, Jr., Director

A Welding Data Dictionary

Abstract

This data dictionary specifies data elements that are used to describe the design, fabrication and inspection of weldments. It comprises welding information from several authoritative sources. Data include description of component materials, details of joints and welds, and variables of the welding processes. The data dictionary provides, in one document, the welding information needed to develop format specifications for digital data that can be exchanged by computer programs.

Keywords

data dictionary, digital welding data, weld inspection results, welding procedure specification, welding terms, weldment design.

Foreword

In 1992, welding information formats were described in two American Welding Society (AWS) specifications, AWS A9.1- *Standard Guide for Describing Arc Welds in Computerized Material Property and Nondestructive Examination Databases*, and AWS A9.2 - *Standard Guide for Recording Arc Weld Material Property and Nondestructive Examination Data in Computerized Databases*. This document expands the scope of those documents and could serve as a core document if an AWS committee undertakes a new specification project. Current individual AWS specifications are rich in terms and data items describing materials, design and processes. This data dictionary gathers the information in a single document, to be used by data modelers with specific encoding formats in mind. Examples of format specifications are STEP and XML. The ultimate purpose is to facilitate exchange of welding data between application software programs developed by different vendors.

TABLE OF CONTENTS

| | |
|---|----|
| Abstract | i |
| Keywords | i |
| Foreword..... | i |
| TABLE OF CONTENTS..... | ii |
| Scope..... | 1 |
| Purpose..... | 1 |
| Source Documents | 2 |
| Guidelines Used in Building the Data Dictionary | 2 |
| Sections of this Document | 3 |
| Dictionary Field Definitions | 3 |
| 1. Weld Design Data..... | 5 |
| 1.1 element base_metal | 6 |
| 1.2 element connection | 9 |
| 1.3 type edge_shapes | 11 |
| 1.4 element joint_design | 11 |
| 1.5 element joint_penetration | 15 |
| 1.6 type joint_types..... | 16 |
| 1.7 type linear_dimension_range_type | 17 |
| 1.8 type linear_dimension_type_mm..... | 18 |
| 1.9 element sub_assembly | 18 |
| 1.10 element weld_details..... | 19 |
| 1.11 element weld_sizes | 20 |
| 1.12 element weldment | 22 |
| 1.13 element workpiece | 22 |
| 1.14 type weld_types | 22 |
| 2. Welding Process Data..... | 23 |
| 2.1 type allied_processes | 23 |
| 2.2 type arc_welding_processes | 23 |
| 2.3 type brazing_processes | 23 |
| 2.4 element electrical_specification..... | 24 |
| 2.5 element filler_metal | 27 |
| 2.6 element gas_component..... | 30 |
| 2.7 type gas_flowrate_type | 30 |
| 2.8 element heat_treatment | 31 |
| 2.9 type other_welding_processes | 33 |
| 2.10 type oxyfuel_gas_welding_processes..... | 33 |
| 2.11 element preheat_and_interpass | 34 |
| 2.12 type resistance_welding_processes..... | 35 |
| 2.13 element shielding_gas_for_procedure | 35 |
| 2.14 type shielding_gas_type | 38 |
| 2.15 type soldering_processes | 39 |
| 2.16 type solid_state_welding_processes | 39 |
| 2.17 type temperature_type..... | 39 |
| 2.18 element variables_specification..... | 41 |
| 2.19 element welding_position | 48 |

| | |
|--|----|
| 2.20 element_welding_procedure_specification..... | 49 |
| 2.21 type_welding_process_type..... | 50 |
| 3. Testing and Inspection Data | 52 |
| 3.1 element_bend_test_bend_radius..... | 52 |
| 3.2 type_bend_test_types..... | 53 |
| 3.3 element_fracture_crack_plane_orientation..... | 53 |
| 3.4 element_fracture_energy_absorbed | 53 |
| 3.5 element_fracture_machine_notch_position | 54 |
| 3.6 element_fracture_specimen_location | 54 |
| 3.7 type_fracture_toughness_test_methods | 54 |
| 3.8 type_fracture_type_of_test_equipment | 54 |
| 3.9 element_hardness_indentor | 55 |
| 3.10 element_hardness_load | 55 |
| 3.11 element_hardness_location_of_impressions | 55 |
| 3.12 element_hardness_test_result | 55 |
| 3.13 element_hardness_test_types | 55 |
| 3.14 element_mechanical_test | 56 |
| 3.15 type_mechanical_tests | 57 |
| 3.16 element_nick_break_apparatus..... | 58 |
| 3.17 type_shear_specimen_types..... | 58 |
| 3.18 element_shear_test_shear_strength | 58 |
| 3.19 element_shear_test_unit_shear_load | 59 |
| 3.20 type_soundness_test_types | 59 |
| 3.21 type_tension_specimen_types | 59 |
| 3.22 element_tension_test_data | 60 |
| 3.23 element_test_fracture_appearance | 62 |
| 3.24 element_test_fracture_location | 62 |
| 3.25 element_test_LGBTFW_angle_of_fracture | 63 |
| 3.26 element_test_LGBTFW_discontinuity | 63 |
| 3.27 element_test_machine_serial_number | 64 |
| 3.28 element_test_number_of_specimens | 64 |
| 3.29 element_test_percent_elongation..... | 64 |
| 3.30 element_test_postweld_mechanical_treatment..... | 64 |
| 3.31 element_test_postweld_thermal_treatment..... | 64 |
| 3.32 element_test_specimen_dimensions | 64 |
| 3.33 element_test_specimen_location | 65 |
| 3.34 element_test_specimen_orientation | 65 |
| 3.35 element_test_technician_name | 65 |
| 3.36 type_test_temperature | 66 |
| Acknowledgments | 66 |
| Appendices..... | 66 |
| Appendix 1 – Items to Add in Next Edition of Data Dictionary | 66 |
| Appendix 2 - Tasks for data modelers | 67 |
| Appendix 3 – The BIG PICTURE of welding data exchange..... | 68 |
| Appendix 4 – Terminology differences between ISO and AWS..... | 69 |

A Welding Data Dictionary

Scope

This document includes data describing design of welded products, design of weldments including detailed weld and joint description, arc welding process specification, and destructive weld inspection. Common welding documents that convey this information are welding procedure specifications (WPSs) and mechanical testing reports. These documents are often implemented using hard copy or simple, but non-standard data formats. Variables of other welding processes such as gas and laser welding have not been covered at this time.

Some of the variables and data types needed in standard welding procedure specifications (SWPSs) and procedure qualification records (PQRs) are not addressed. Examples are ranges of allowed values (e.g., minimum and maximum allowed current), conditions that are expressly not allowed, conditions that are optional, or multiple conditions that are allowed. These should be straightforward extensions of the data elements and types already defined.

Also not addressed are overall formats for standard forms or standard test result reports. These are left to data modelers according to the requirements of their customers. Appendix 1 lists many other items that are not included in this document. They are suggestions to committees of experts who could expand the document's scope.

Purpose

A data dictionary is the starting point for developing specifications for data formats for digital welding data. It gathers relevant data in one place, establishes standard labels and descriptions of the items, and designates data types to them. The purpose of a standard data format is to enable independent computer programs (applications) to exchange information with minimal or no cost and effort.

This document's form is suitable for a formal standard to be used by many different manufacturing industries that use welding. The existence of a single data dictionary as source for data modeling will ease the challenge of gathering the welding knowledge, and make implementations of different formats more consistent. Example formats are STEP and XML. Consistency eases the challenge of converting between the differing formats should it be necessary. Easy conversion between formats makes the decision of which format to use less critical. When data modelers discover improvements to the model the changes can be reflected in the high level data dictionary as well as to the implementation being worked on at the time. This way other implementations can benefit from the improvement.

It is envisioned that welding standards documents that contain forms will use this data model to build their own structures to represent the form information. This will enable encoding of the information in a standard format so it may be conveyed electronically and not be limited to hardcopy or proprietary formats.

The data dictionary is written in English rather than a formal modeling language so that:

- welding experts can understand the information and work on it to improve it without learning a computer language.

- it can serve as the common ground between welding experts and the data modelers who will develop detailed specifications.
- it is not biased toward any particular encoding scheme.

This dictionary goes beyond presenting all elementary information units as a flat list. It suggests gathering of elements into frequently used groupings. These groupings are not rigid: data modelers or refiners of the data dictionary can ungroup or regroup as they see fit. The groupings present the information in recognizable units that make understanding the document easier.

This data dictionary is not sufficient to specify the design of a database or of a complete specification for standard data. Its terms and type definitions are the building blocks that need to be supplemented by encoding rules, and relationships like those described in database tables.

Source Documents

These documents contain definitions of the variables, or state the need for variables in report documents to describe welding products, processes or inspection results.

1. AASHTO/AWS D1.5M/D1.5:2002 – *Bridge Welding Code*.
2. ANSI/AWS A9.1-92, *Standard Guide for Describing Arc Welds in Computerized Material Property and Nondestructive Examination Databases*.
3. ANSI/AWS A9.2-92, *Standard Guide for Recording Arc Weld Material Property and Nondestructive Examination Data in Computerized Databases*.
4. ANSI/AWS A3.0: 2001, *Standard Welding Terms and Definitions*.
5. AWS B1.10:1999, *Guide for the Non-destructive Examination of Welds*.
6. AWS B2.1:2000, *Specification for Welding Procedure and Performance Qualification*.
7. AWS B4.0M:2000, *Standard Methods for Mechanical Testing of Welds*. Parts A, B and C were used. Parts D and E are not covered here.
8. AWS D1.1/D1.1M: 2002 *Structural Welding Code – Steel*. See especially Annex E, Sample Welding Forms.
9. Jefferson's Welding Encyclopedia, 18th Edition, American Welding Society, 1997.

Guidelines Used in Building the Data Dictionary

- The primary audience for this document is domain experts in welding. They must be able to understand its content and be able to refine and expand it, without needing computer programming experience. The document then becomes a bridge between them and computer experts, who will encode the data and manipulate it in computer programs that serve the welding experts.
- The item descriptions in this document should not be cited as formal definitions of terms. The descriptions are original, or are shortened or paraphrased versions of formal definitions. The source documents, usually AWS in origin, should be used.
- Sources of most definitions are AWS documents.
- When values are shown as “enumeration of:”, this means that only the listed values are allowed. This is a restriction on the allowed values for the element.
- This data dictionary specifies, for some elements, hierarchical relationships of sub-elements, and enumerated values. Element grouping and enumeration are constraints on how the data can be used in a computer program or in a digital file. The constraints

promote increased consistency between different vendors' implementations of products or of digital format specifications.

- The element naming convention of lower case words separated by underscores was chosen to be human readable, and mildly suggesting future tags to be used in formal encoding. The convention is not intended to suggest a preference of one encoding method over another.
- Some provisions are made for specifying units for measured variables, especially to distinguish between U.S. customary, or “inch-pound”, and International System of Units (SI) usage. More examination of the need and suggestions for values are needed from welding experts.

Sections of this Document

Weld Design Data describes the desired weld that joins two workpieces. It includes descriptions of the workpieces (e.g., thickness, material), the geometric relationship between the workpieces (e.g., tee, butt), the edge shapes of the workpieces to form a joint, and the desired properties of the weld, such as size and degree of penetration. There are usually several different ways to produce a designed weld, e.g., by varying **Welding Process Data** such as welding process, number of passes, thickness of consumable, gas composition, etc. **Testing and Inspection Data** is information gathered by measuring characteristics of the weld after it is made, usually to compare to the design data.

The appendices contain next-step information for data modelers, some high level background on the concept of standard data formats for welding, and suggestions for expansion of the scope of the next version of this data dictionary.

Dictionary Field Definitions

- There are two kinds of dictionary entries, “element” and “type”. Types are data templates that are reused in multiple elements. The prefix “p:” means primitive, one of Boolean, string, integer or decimal. An element is a unique chunk of information used in describing welding. The distinction between types and elements will be further refined in detailed data modeling – the major criterion is to make the model concise and understandable.
- Diagram - When an element has subelements, a sketch of its sub-elements is shown to aid understanding. Diagrams show only one level of decomposition. Appendix 4 contains a few selected diagrams of multilevel diagrams. In the diagrams, the 3 short bars in some boxes is an artifact of the documentation tool and is not relevant. The small arrow in the lower left corner indicates that the element is defined globally, i.e. it is independent of the element definition it appears in.
- Type – enumeration is used when there is one choice from a list of simple values. *Choice of* is used when there are several non-simple elements, one of which must be picked.
- Values – this field appears only for enumerated types, showing the allowed values.
- Children – list of elements that are parts of this element.
- Used by – the name of elements that contain this element.
- Source – citation of a standard or industry handbook that lists the need for the information. When the source for a sub-element is the same as its parent element, the source information is not repeated.

- Description – prose description, or standard definition if one exists, to allow data modelers to select the appropriate elements for specific applications, forms and reports. It is an important task of welding experts, not data modelers, to develop precise descriptions.
- Underlined type and element names are links that can be used in electronic documents for easy jumping to definitions.

The index below is included for use in electronic documents that can use the links to the definitions. The types and elements are arranged in alphabetic order in each section.

Elements

[base_metal](#)
[bend_test_bend_radius](#)
[connection](#)
[electrical_specification](#)
[filler_metal](#)
[fracture_crack_plane_orientation](#)
[fracture_energy_absorbed](#)
[fracture_machine_notch_position](#)
[fracture_specimen_location](#)
[gas_component](#)
[hardness_indentor](#)
[hardness_load](#)
[hardness_location_of_impressions](#)
[hardness_test_result](#)
[hardness_test_types](#)
[heat_treatment](#)
[joint_design](#)
[joint_penetration](#)
[mechanical_test](#)
[nick_break_apparatus](#)
[preheat_and_interpass](#)
[shear_test_shear_strength](#)
[shear_test_unit_shear_load](#)
[shielding_gas_for_procedure](#)
[sub_assembly](#)
[tension_test_data](#)
[test_fracture_appearance](#)
[test_fracture_location](#)
[test_LGBTFW_angle_of_fracture](#)
[test_LGBTFW_discontinuity](#)
[test_machine_serial_number](#)
[test_number_of_specimens](#)
[test_percent_elongation](#)
[test_postweld_mechanical_treatment](#)
[test_postweld_thermal_treatment](#)
[test_specimen_dimensions](#)
[test_specimen_location](#)
[test_specimen_orientation](#)
[test_technician_name](#)
[variables_specification](#)
[weld_details](#)
[weld_sizes](#)

Types

[allied_processes](#)
[arc_welding_processes](#)
[bend_test_types](#)
[brazing_processes](#)
[edge_shapes](#)
[fracture_toughness_test_methods](#)
[fracture_type_of_test_equipment](#)
[gas_flowrate_type](#)
[joint_types](#)
[linear_dimension_range_type](#)
[linear_dimension_type_mm](#)
[mechanical_tests](#)
[other_welding_processes](#)
[oxyfuel_gas_welding_processes](#)
[resistance_welding_processes](#)
[shear_specimen_types](#)
[shielding_gas_type](#)
[soldering_processes](#)
[solid_state_welding_processes](#)
[soundness_test_types](#)
[temperature_type](#)
[tension_specimen_types](#)
[test_temperature](#)
[weld_types](#)
[welding_process_type](#)

welding_position
welding_procedure_specification
weldment
workpiece

1. Weld Design Data

1.1 element base_metal

| | |
|----------|---|
| Diagram | <pre> classDiagram class base_metal { common_name m_number group_number product_form thickness diameter specification_number specification_version specification_organization UNS_number CAS_number heat_lot_identification composition < -- composition manufacturing_history service_history applied_coating_specification } base_metal "1..5" composition </pre> <p>The diagram shows a UML class named <code>base_metal</code>. It has the following attributes:</p> <ul style="list-style-type: none"> <code>common_name</code>: type <code>p:string</code> <code>m_number</code>: type <code>p:string</code> <code>group_number</code>: type <code>p:string</code> <code>product_form</code>: type <code>p:string</code> <code>thickness</code>: type <code>p:decimal</code> <code>diameter</code>: type <code>p:decimal</code> <code>specification_number</code>: type <code>p:string</code> <code>specification_version</code>: type <code>p:string</code> <code>specification_organization</code>: type <code>p:string</code> <code>UNS_number</code>: type <code>p:string</code> <code>CAS_number</code>: type <code>p:string</code> <code>heat_lot_identification</code>: type <code>p:string</code> <code>composition</code>: type <code>p:string</code> (with multiplicity 1..5) <code>manufacturing_history</code>: type <code>p:string</code> <code>service_history</code>: type <code>p:string</code> <code>applied_coating_specification</code>: type <code>p:string</code> |
| Children | <pre> common_name m_number group_number product_form thickness diameter specification_number specification_version specification_organization UNS_number CAS_number heat_lot_identification composition manufacturing_history service_history </pre> |

| | |
|-------------|---|
| | applied_coating_specification |
| Used By | element welding_procedure_specification |
| Source | AWS B2.1, section 2.13. |
| Description | The material that is being joined using a weld. |

1.1.1 *element base_metal/common_name*

| | |
|-------------|---|
| Type | p:string |
| Description | The trade name, a name used without all the designations of the formal specification. |

1.1.2 *element base_metal/m_number*

| | |
|-------------|---|
| Type | p:string |
| Source | AWS A9., section 5.1.1., and B2.1, glossary definition p. 2. |
| Description | A designation used to group base metals for procedure and performance qualifications. |

1.1.3 *element base_metal/group_number*

| | |
|-------------|---|
| Type | p:string |
| Description | A classification system for metal by material properties. |

1.1.4 *element base_metal/product_form*

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration plate enumeration bar enumeration sheet enumeration tube enumeration pipe enumeration structural - i beam enumeration structural - other |
| Description | The form of the workpieces to be joined. |

1.1.5 *element base_metal/thickness*

| | |
|-------------|--|
| Type | p:decimal |
| Description | Plate or sheet thickness, if tube, specifies wall thickness. |

1.1.6 *element base_metal/diameter*

| | |
|-------------|--|
| Type | p:decimal |
| Description | Outside diameter, only used if material is tube. |

1.1.7 element base_metal/specification_number

| | |
|-------------|---|
| Type | p:string |
| Source | AWS A9.1, section 5.1.1 |
| Description | The standard designation of the formal material classification. |

1.1.8 element base_metal/specification_version

| | |
|-------------|------------------------------------|
| Type | p:string |
| Source | AWS A9.1, section 5.1.1 |
| Description | Version of the specification used. |

1.1.9 element base_metal/specification_organization

| | |
|-------------|--|
| Type | p:string |
| Source | AWS A9.1, section 5.1.1 |
| Description | The organization responsible for generating the specification. |

1.1.10 element base_metal/UNS_number

| | |
|-------------|--|
| Type | p:string |
| Source | AWS A9.1, section 5.1.1 |
| Description | Unified Numbering System for Metals and Alloys, managed by ASTM and SAE. |

1.1.11 element base_metal/CAS_number

| | |
|-------------|--|
| Type | p:string |
| Source | AWS A9.1, section 5.1.1 |
| Description | Chemical Abstracts Service Registry Number, a unique identifier for substances issued by the Chemical Abstracts Service. |

1.1.12 element base_metal/heat-lot_identification

| | |
|-------------|---|
| Type | p:string |
| Source | AWS A9.1, section 5.1.1. |
| Description | A unique identifier issued by a materials manufacturer assigned to manufacturing batches. |

1.1.13 element base_metal/composition

| | |
|-------------|--|
| Description | Detailed chemical composition, by elements. This Type needs expansion. |
| Source | AWS A9.1, section 5.1.1.10 |

1.1.14 element base_metal/manufacturing_history

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration cold worked enumeration normalized enumeration annealed |
| Source | AWS A9.1, section 5.1.1.11.1 |
| Description | Mechanical manufacturing methods used to produce the welded material. |

1.1.15 element base_metal/service_history

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration sour crude enumeration need expansion here |
| Source | AWS A9.1, section 5.1.1.11.1 |
| Description | The mechanical forming and heat treatment methods used to produce the stock material. |

1.1.16 element base_metal/applied_coating_specification

| | |
|-------------|---|
| Type | p:string |
| Source | Applies especially to AWS B4.0, section B2-9(1) |
| Description | Standard designation for the class of coating. |

1.2 element connection

| | |
|-------------|--|
| Diagram | <pre> classDiagram class connection class joint_type { <<joint_types>> type } class weld class joint_penetration class weld_details connection "3..>" joint_type joint_type "1..>" weld joint_type "1..>" joint_penetration joint_type "1..>" weld_details </pre> |
| Children | joint_type weld joint_penetration weld_details |
| Used By | element sub_assembly |
| Source | Source: ISO 857 - section 3.1.4 |
| Description | The joint formed by edge preparation of two workpieces and the weld that joins the workpieces together. |

1.2.1 element connection/joint_type

| | |
|--------|---|
| Type | joint_types |
| Values | enumeration butt_joint enumeration corner_joint enumeration t_joint |

| | |
|-------------|---|
| | enumeration lap_joint enumeration edge_joint enumeration flanged_butttJoint enumeration flanged_cornerJoint enumeration flanged_tJoint enumeration flanged_lapJoint enumeration flanged_edgeJoint |
| Source | AWS A3.0, Figure 1 - Joint Types and definition of term. |
| Description | "A weld joint classification based the relative orientation of the members being joined." |

1.2.2 element connection/weld

| | |
|-------------|---|
| Diagram | <pre> classDiagram class weld { <<weld>> } class weld_type { <<weld_type>> <<type>> weld_types } class singleOrDoubleSided { <<singleOrDoubleSided>> <<type>> p:string } weld "3" --> weld_type weld "3" --> singleOrDoubleSided </pre> |
| Children | weld_type singleOrDoubleSided |
| Source | AWS A3.0 definition. |
| Description | A region of coalescence of materials produced by heating or pressure, that joins two pieces of metal. |

1.2.2.1 element connection/weld/weld_type

| Type | weld_types |
|--------|--|
| Values | enumeration groove enumeration fillet enumeration plug enumeration slot enumeration spot enumeration seam enumeration flange enumeration stud enumeration surfacing enumeration upset enumeration flash enumeration bevelGroove enumeration flareBevelGroove enumeration doubleBevelGroove enumeration jGroove enumeration singleJGroove enumeration uGroove enumeration singleUGroove enumeration doubleUGroove enumeration vGroove enumeration flareVGroove enumeration singleVGroove enumeration doubleVGroove enumeration squareGroove enumeration edgeFlange enumeration braze |

| | |
|-------------|--|
| | enumeration projection |
| Description | Characterization of the designed weld, by geometry of the objects being joined and of the joint. |

1.2.2.2 element connection/weld/**singleOrDoubleSided**

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration single_sided enumeration two_sided |
| Source | See definiton of "double-welded joint", AWS A3.0, and Figures 8 and 9. |
| Description | Specification of welding either from only one side or both sides of the joint. |


1.3 type **edge_shapes**

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration square_edge enumeration single_bevel_edge enumeration double_bevel_edge enumeration single_j_edge enumeration double_j_edge enumeration flanged_edge enumeration round |
| Source | AWS 3.0, Figure 7 - Edge Shapes |
| Description | Shape of the edge of a single piece of base material made to form a joint with another piece of base material. |

1.4 element **joint_design**

| | |
|-------------|---|
| Diagram | <pre> classDiagram class joint_design { <<joint_design>> } class joint_geometry { <<joint_geometry>> } class backing_description { <<backing_description>> } class sketch_Number { <<sketch_Number>> type p:string } joint_design "1" -- "*" joint_geometry : joint_design "1" -- "*" backing_description : joint_design "1..4" -- "*" sketch_Number : </pre> |
| Children | joint_geometry backing_description sketch_number |
| Used by | elements weld_details welding_procedure_specification |
| Source | Source: AWS 2.1:2000, 2.13.1 p. 20 |
| Description | AWS 3.0, p. 19 : "Detailed Description of mating configuration of two components, sufficient information for shop preparation of the components." |

1.4.1 element joint_design/joint_geometry

| | |
|-------------|---|
| Diagram |  |
| Children | units root_opening root_face bevel1_angle bevel2_angle groove_angle depth_of_bevel groove_radius |
| Source | AWS 3.0 Definition, p. 19, and Figure 6, p. 45. |
| Description | Dimensions of joint root, bevel, and groove features. |

1.4.1.1 element joint_design/joint_geometry/units

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration millimeters enumeration inches |
| Description | Choice of SI or U.S. Customary units for the linear dimensions. |

1.4.1.2 element joint_design/joint_geometry/root_opening

| | |
|-------------|------------------------|
| Type | p:decimal |
| Description | See AWS 3.0, Figure 6. |

1.4.1.3 element joint_design/joint_geometry/root_face

| | |
|-------------|--|
| Type | p:decimal |
| Source | See AWS A3.0 definition, and Figure 5. |
| Description | “That portion of the groove face within the joint root”. |

1.4.1.4 element joint_design/joint_geometry/**bevel1_angle**

| | |
|-------------|---|
| Type | p:decimal |
| Description | See AWS A3.0, Figure 6. Units: degrees. |

1.4.1.5 element joint_design/joint_geometry/**bevel2_angle**

| | |
|-------------|---|
| Type | p:decimal |
| Description | See AWS A3.0, Figure 6. Units: degrees. |

1.4.1.6 element joint_design/joint_geometry/**groove_angle**

| | |
|-------------|--|
| Type | p:decimal |
| Description | See AWS A3.0, Figure 6. Units: degrees |

1.4.1.7 element joint_design/joint_geometry/**depth_of_bevel**

| | |
|-------------|--|
| Type | p:decimal |
| Description | See AWS A3.0, Figure 6. Units: degrees |

1.4.1.8 element joint_design/joint_geometry/**groove_radius**

| | |
|-------------|--|
| Type | p:decimal |
| Description | See AWS A3.0, Figure 6. Units: degrees |

1.4.2 element joint_design/backing_description

| | |
|-------------|---|
| Diagram | <pre> classDiagram class backing_description { <<Backing Description>> } class backing_used { <<Backing Used>> type p:boolean } class backing_type { <<Backing Type>> type p:string } class back_weld_preparation { <<Back Weld Preparation>> type p:string } backing_description "3" --> > backing_used : backing_description "3" --> > backing_type : backing_description "3" --> > back_weld_preparation : </pre> |
| Children | backing_used backing_type back_weld_preparation |
| Description | AWS A3.0: "Material placed against the back side of the joint to support and retain molten weld metal". |

1.4.2.1 element joint_design/backing_description/**backing_used**

| | |
|-------------|--|
| Type | p:boolean |
| Description | Boolean stating if backing is required for the weld. |

1.4.2.2 element joint_design/backing_description/**Backing_type**

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration none enumeration strip enumeration strap enumeration ring enumeration split-pipe enumeration weld/sealing run enumeration consumable insert enumeration copper bar enumeration non metallic enumeration retaining shoes enumeration flux backing enumeration backing tape enumeration refractory material enumeration backing_not_allowed(for PQR) |
| Source | Source: Welding Handbook, V2, pp. 58, 218, 274. Jefferson's Welding Encyclopedia, p. 46, ISO 9692, ISO 17659. |
| Description | Most backing Types do not apply to all Types of welding, and should be restricted to the appropriate welding technology (by further refining the definitions, e.g., shoes are typically slag welding only). |

1.4.2.3 element joint_design/backing_Description/**back_weld_preparation**

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration none enumeration gouging enumeration chipping |
| Description | AWS A3.0: "Removal of weld metal and base metal from the weld root side of a joint for subsequent welding from that side". |

1.4.3 element joint_design/**sketch_number**

| | |
|-------------|--|
| Type | p:string |
| Description | Reference to a sketch of the joint design, the drawing number. |

1.5 element joint_penetration

| | |
|-------------|---|
| Diagram | <pre> classDiagram class joint_penetration { complete_or_partial units root_penetration groove_weld_size incomplete_joint_penetration weld_size weld_size_E1 weld_size_E2 depth_of_fusion } </pre> |
| Children | complete_or_partial units root_penetration groove_weld_size incomplete_joint_penetration weld_size weld_size_E1 weld_size_E2 depth_of_fusion |
| Used By | element connection |
| Source | AWS A3.0, Figure 26 - "Joint Penetration...", Figure 30 - Fusion Welds |
| Description | Various dimensions of penetration of the weld into the base materials. |

1.5.1 element joint_penetration/complete_or_partial

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration completePenetration enumeration partialPenetration |
| Description | The weld design calls for partial or complete penetration. |

1.5.2 element joint_penetration/units

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration millimeters enumeration inches |
| Description | Selection of SI or U.S. Customary units for linear measurements. |

1.5.3 element joint_penetration/root_penetration

| | |
|-------------|--|
| Type | p:decimal |
| Source | AWS A3.0, definition, and Figure 26 - "Joint Penetration...", Figure 30 - Fusion Welds |
| Description | "The distance the weld metal extends into the root joint". |

1.5.4 element joint_penetration/groove_weld_size

| | |
|-------------|--|
| Type | p:decimal |
| Source | AWS A3.0, Figure 26 - "Joint Penetration...", Figure 30 - Fusion Welds |
| Description | "The joint penetration of a groove weld". |

1.5.5 element joint_penetration/incomplete_joint_penetration

| | |
|-------------|---|
| Type | p:decimal |
| Description | See AWS A3.0 definition, and Figure 26 - "Joint Penetration...", Figure 30 - Fusion Welds |

1.5.6 element joint_penetration/weld_size

| | |
|-------------|--|
| Type | p:decimal |
| Description | See AWS A3.0 definition and Figure 26 - "Joint Penetration...", Figure 30 - Fusion Welds |

1.5.7 element joint_penetration/weld_size_E1

| | |
|-------------|--|
| Type | p:decimal |
| Description | See AWS A3.0 definition and Figure 26 - "Joint Penetration...", Figure 30 - Fusion Welds |

1.5.8 element joint_penetration/weld_size_E2

| | |
|-------------|--|
| Type | p:decimal |
| Description | See AWS A3.0 definition and Figure 26 - "Joint Penetration...", Figure 30 - Fusion Welds |

1.5.9 element joint_penetration/depth_of_fusion


| | |
|-------------|---|
| Type | p:decimal |
| Source | AWS 3.0 definition, and Figure 26 - "Joint Penetration...", Figure 30 - Fusion Welds |
| Description | "The distance that fusion extends into the base metal or the previous bead from the surface melted during welding". |

1.6 type joint_types

| | |
|---------|--------------------------------------|
| Type | enumeration of p:string |
| Used By | element connection/joint_type |

| | |
|-------------|--|
| Values | enumeration butt_joint enumeration corner_joint enumeration t_joint enumeration lap_joint enumeration edge_joint enumeration flanged_butttJoint enumeration flanged_corner_joint enumeration flanged_t_joint enumeration flanged_lap_joint enumeration flanged_edge_joint |
| Source | AWS A3.0 definition and Figure 2, p. 42 |
| Description | "A weld joint classification based on relative orientation of members being joined". |

1.7 type linear_dimension_range_type

| | |
|-------------|---|
| Diagram |  |
| Children | units minimum maximum |
| Description | Inclusive limits on dimension of a material, e.g., thickness of base plate. |

1.7.1 element linear_dimension_range_type/units

| | |
|-------------|--|
| Type | enumeration of p:string |
| values | enumeration millimeters enumeration inches enumeration gauge |
| Description | Choice of units to describe a linear dimension. |


1.7.2 element linear_dimension_range_type/minimum

| | |
|-------------|--------------------------|
| Type | p:decimal |
| Description | Inclusive minimum limit. |

1.7.3 element linear_dimension_range_type/maximum

| | |
|-------------|--------------------------|
| Type | p:decimal |
| Description | Inclusive maximum limit. |

1.8 type linear_dimension_type_mm

| | |
|-------------|--|
| Diagram |  |
| Children | units dimension |
| Used by | elements variables_specification/contact_tube_to_work_distance variables_specification/stickout |
| Description | Specifies U.S. Customary or SI units for linear measurement of dimensions less than 500 mm. Contrast to units that would be used to measure, e.g., length of weld bead deposited per hour. |


1.8.1 element linear_dimension_type_mm/units

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration millimeters enumeration inches |
| Description | Choice of SI or U.S. Customary units. |


1.8.2 element linear_dimension_type_mm/dimension

| | |
|-------------|---|
| Type | p:decimal |
| Description | The scalar quantity of the measurement. |

1.9 element sub_assembly

| | |
|-------------|---|
| Diagram |  |
| Children | workpiece connection |
| Used By | element weldment |
| Source | Welding Handbook, Vol. 1, p. 136. |
| Description | Two workpieces joined by a weld. Identifies simple weldments that can be joined to form a larger more complicated weldment. |

1.10 element `weld_details`

| | |
|-------------|---|
| Diagram |  |
| Children | <code>joint_design</code> <code>weld_sizes</code> <code>number_of_passes</code> |
| Used By | element <code>connection</code> |
| Source | No standards Source for this parameter. See definition of "welding variable" in AWS B2.1. |
| Description | Information describing the joint and the geometric parameters of the designed weld. |

1.10.1 element `weld_details/number_of_passes`

| | |
|-------------|--|
| Type | p:integer |
| Description | Number of times needed to deposit weld metal to complete the weld. |

1.11 element `weld_sizes`

| | |
|-------------|--|
| Diagram | <pre> classDiagram weld_sizes { units: p:string size: p:decimal actual_throat: p:decimal effective_throat: p:decimal leg1_and_size: p:decimal leg2_and_size: p:decimal theoretical_throat: p:decimal convexity: p:decimal concavity: p:decimal incomplete_fusion: p:decimal } </pre> |
| Children | units size actual_throat effective_throat leg1_and_size leg2_and_size theoretical_throat convexity concavity incomplete_fusion depth_of_fusion |
| Used By | element <code>weld_details</code> |
| Source | AWS 3.0, Figure 25 - Weld Sizes. |
| Description | Linear dimensions of cross sectional weld features. Sizes are of design and actual features. |

1.11.1 element `weld_sizes/units`

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration millimeters enumeration inches |
| Description | Choice of SI or U.S. Customary linear measurement units. |

1.11.2 element weld_sizes/size

| | |
|-------------|--|
| Type | p:decimal |
| Description | Size of a single weld bead. See AWS 3.0, Figure 25 - Weld Sizes. |

1.11.3 element weld_sizes/actual_throat

| | |
|-------------|--------------------------------------|
| Type | p:decimal |
| Description | See AWS 3.0, Figure 25 - Weld Sizes. |

1.11.4 element weld_sizes/effective_throat

| | |
|-------------|--------------------------------------|
| Type | p:decimal |
| Description | See AWS 3.0, Figure 25 - Weld Sizes. |

1.11.5 element weld_sizes/leg1_and_Size

| | |
|-------------|--------------------------------------|
| Type | p:decimal |
| Description | See AWS 3.0, Figure 25 - Weld Sizes. |

1.11.6 element weld_sizes/leg2_and_size

| | |
|-------------|--------------------------------------|
| Type | p:decimal |
| Description | See AWS 3.0, Figure 25 - Weld Sizes. |

1.11.7 element weld_sizes/theoretical_throat

| | |
|-------------|--------------------------------------|
| Type | p:decimal |
| Description | See AWS 3.0, Figure 25 - Weld Sizes. |

1.11.8 element weld_sizes/convexity

| | |
|-------------|--------------------------------------|
| Type | p:decimal |
| Description | See AWS 3.0, Figure 25 - Weld Sizes. |

1.11.9 element weld_sizes/concavity

| | |
|-------------|--------------------------------------|
| Type | p:decimal |
| Description | See AWS 3.0, Figure 25 - Weld Sizes. |

1.11.10 element weld_sizes/incomplete_fusion

| | |
|-------------|--------------------------------------|
| Type | p:decimal |
| Description | See AWS 3.0, Figure 25 - Weld Sizes. |

1.11.11 element weld_sizes/depth_of_fusion

| | |
|-------------|--------------------------------------|
| Type | p:decimal |
| Description | See AWS 3.0, Figure 25 - Weld Sizes. |

1.12 element weldment

| | |
|-------------|---|
| Children | One or more instances of sub_assembly |
| Source | AWS A3.0 |
| Description | "An assembly whose component parts are joined by welding" |

1.13 element workpiece

| | |
|-------------|---|
| Used By | element sub_assembly |
| Description | This element describes a piece of metal, its material, geometric properties and boundaries, including its edge shape for the welded joint. A workpiece can be a single piece of plate, or a previously assembled weldment. The scope of this data is beyond this welding data dictionary. This element represents an interface with CAD applications. |

1.14 type weld_types

| | |
|---------|--|
| Type | enumeration of p:string |
| Used By | element connection/weld/weld_type |
| Values | enumeration groove enumeration fillet enumeration plug enumeration slot enumeration spot enumeration seam enumeration flange enumeration stud enumeration surfacing enumeration upset enumeration flash enumeration bevelGroove enumeration flareBevelGroove enumeration doubleBevelGroove enumeration jGroove enumeration singleJGroove enumeration uGroove enumeration singleUGroove enumeration doubleUGroove |

| | |
|-------------|--|
| | enumeration vGroove enumeration flareVGroove enumeration singleVGroove enumeration doubleVGroove enumeration squareGroove enumeration edgeFlange enumeration braze enumeration projection |
| Source | AWS 3.0 - Figures 8, 9, 15, and AWS A9.1 - Table1 |
| Description | Classification of the weld by its joint configuration. |

2. Welding Process Data

2.1 type allied_processes

| | |
|-------------|--|
| Type | enumeration of p:string |
| Used By | element welding_process_type/allied_process |
| Values | enumeration oxygen_cutting(OC) enumeration arc_cutting(AC) enumeration other_cutting |
| Source | AWS 3.0, Figure 54b – Master Chart of Allied Processes |
| Description | Processes, used by manufacturers that also use welding. |

2.2 type arc_welding_processes

| | |
|-------------|---|
| Type | enumeration of p:string |
| Used By | element welding_process_type/arc_welding_process |
| Values | enumeration atomicHydrogenWelding(AHW) enumeration bareMetalArcWelding(BMAW) enumeration carbonArcWelding(CAW) enumeration carbonArcWeldingGas(CAW-G) enumeration carbonArcWeldingShielded(CAW-S) enumeration electrogasWelding(EGW) enumeration electroSlagWelding(ESW) enumeration gasMetalArcWelding(GMAW) enumeration gasTungstenArcWelding(GTAW) enumeration plasmaArcWelding(PAW) enumeration shieldedMetalArcWelding(SMAW) enumeration studArcWelding(SW) enumeration submergedArcWelding(SAW) enumeration submergedArcWeldingSeries(SAW-S) |
| Description | See AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes |

2.3 type brazing_processes

| | |
|---------|---|
| Type | enumeration of p:string |
| Used By | element welding_process_type/brazing_process |
| Values | enumeration block_brazing(BB) enumeration diffusion_brazing(CAB) |

| | |
|-------------|---|
| | enumeration dip_brazing(DB) enumeration exothermic_brazing(EXB) enumeration flow_brazing(FLOW) enumeration furnace_brazing(FB) enumeration induction_brazing(IB) enumeration infrared_brazing(IRB) enumeration resistance_brazing(RB) enumeration torch_brazing(TB) enumeration twin_carbon_arc_brazing(TCAB) |
| Description | See AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes |

2.4 element electrical_specification

| | |
|-------------|--|
| Diagram | <pre> classDiagram class electrical_specification { <<electrical specification>> } class current_value { <<current_value>> type p:decimal } class voltage_value { <<voltage_value>> type p:decimal } class other_reference_work_value { <<other_reference_work_value>> type p:decimal } class current_type { <<current_type>> type p:string } class polarity { <<polarity>> type p:string } class transfer_mode { <<transfer_mode>> type p:string } class tungsten_electrode_specification { <<tungsten_electrode_specification>> type p:string } class tungsten_electrode_classification { <<tungsten_electrode_classification>> type p:string } class tungsten_electrode_diameter { <<tungsten_electrode_diameter>> type p:decimal } electrical_specification < -- current_value electrical_specification < -- voltage_value electrical_specification < -- other_reference_work_value electrical_specification < -- current_type electrical_specification < -- polarity electrical_specification < -- transfer_mode electrical_specification --> tungsten_electrode_specification electrical_specification --> tungsten_electrode_classification electrical_specification --> tungsten_electrode_diameter </pre> |
| Children | current_value voltage_value other_reference_work_value current_type polarity transfer_mode tungsten_electrode_specification tungsten_electrode_classification tungsten_electrode_diameter |
| Used By | element welding_procedure_specification |
| Source | AWS B2.1, section 2.13.8 |
| Description | For arc welding only, the values and types of current used. |

2.4.1 element electrical_specification/current_value

| | |
|-------------|---|
| Type | p:decimal |
| Source | AWS B2.1, section 2.13.8 (1) |
| Description | Current used for a procedure, or current specified (units are amperes). |

2.4.2 element electrical_specification/voltage_value

| | |
|-------------|--|
| Type | p:decimal |
| Source | AWS B2.1, section 2.13.8 (2) |
| Description | The voltage to be maintained by the power source, measured between the electrode and the workpiece. Units are volts. |

2.4.3 element electrical_specification/other_reference_work_value

| | |
|-------------|---|
| Type | p:decimal |
| Description | Commanded variable level for use by various control modes, especially synergic. Units could be WFS, with current levels determined by the intelligent power source. |

2.4.4 element electrical_specification/current_type

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration constant_current enumeration constant_voltage enumeration pulsed |
| Source | AWS B2.1, section 2.13.8 (1) |
| Description | The flow of current implemented by the power source. |

2.4.5 element electrical_specification/polarity

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration DCEP enumeration DCEN enumeration AC enumeration PULSED |
| Source | AWS B2.1, section 2.13.8 (1) |
| Description | The electrical polarity between the electrode and the workpiece, in direct current arc welding. |

2.4.6 element electrical_specification/transfer_mode

| | |
|--------|--|
| Type | enumeration of p:string |
| Values | enumeration spray enumeration globular enumeration short circuit enumeration not applicable |
| Source | AWS B2.1, section 2.13.8 (5) |

| | |
|-------------|---|
| Description | The method for causing molten weld metal to leave the consumable electrode and enter the weld pool. |
|-------------|---|

2.4.7 element_electrical_specification/tungsten_electrode_specification

| | |
|-------------|---|
| Type | p:string |
| Source | AWS A9.1, section 5.1.8, and AWS A5.12. |
| Description | Description of the electrode's chemical composition, and length and diameter. |

2.4.8 element_electrical_specification/tungsten_electrode_classification

| | |
|-------------|--|
| Type | p:string |
| Source | AWS A9.1, section 5.1.8, and AWS A5.12. |
| Description | The name of a formal AWS or ISO class, determined by the chemical composition. |

2.4.9 element_electrical_specification/tungsten_electrode_diameter

| | |
|-------------|----------------------------|
| Type | linear_dimension_type_mm |
| Source | AWS A9.1, section 5.1.8 |
| Description | Diameter of the electrode. |

2.5 element filler_metal

| | |
|-------------|---|
| Diagram | <pre> classDiagram class filler_metal class filler_form { type p:string } class classification { type p:string } class specification { type p:string } class size_or_diameter { type p:decimal } class nominal_composition { type p:string } class f_number { type p:string } class a_number { type p:string } class flux_classification { type p:string } class supplemental_filler_metal class use_consumable_insert { type p:boolean } class consumable_insert_type { type p:anyType } class consumable_guide { type p:anyType } class supplemental_deoxidant { type p:anyType } filler_metal *--> filler_form filler_metal *--> classification filler_metal *--> specification filler_metal *--> size_or_diameter filler_metal *--> nominal_composition filler_metal *--> f_number filler_metal *--> a_number filler_metal *--> flux_classification filler_metal *--> supplemental_filler_metal filler_metal *--> use_consumable_insert filler_metal *--> consumable_insert_type filler_metal *--> consumable_guide filler_metal *--> supplemental_deoxidant </pre> |
| Children | filler_form classification specification size_or_diameter nominal_composition f_number a_number flux_classification supplemental_filler_metal consumable_insert consumable_insert_type consumable_guide supplemental_deoxidant |
| Used By | element welding_procedure_specification |
| Source | AWS B2.1, Section 2.13.3 |
| Description | AWS A3.0 definition: "Metal or alloy added in making a ... joint". |

2.5.1 *element_filler_metal/filler_form*

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration wire enumeration wire_coiled enumeration wire_spooled enumeration round_wire enumeration rectangular_wire enumeration strip_coiled enumeration strip_spooled enumeration round_wire enumeration rod enumeration rod_rectangular enumeration rod_round enumeration powder_and_paste enumeration foil enumeration sheet |
| Source | AWS |
| Description | Physical shape of the filler metal and of its bulk configuration. |

2.5.2 *element_filler_metal/classification*

| | |
|-------------|---|
| Type | p:string |
| Description | A formal AWS or ISO designation assigned according to the chemical composition. |

2.5.3 *element_filler_metal/specification*

| | |
|-------------|--|
| Type | p:string |
| Description | A designation including composition and physical properties of the filler metal. |

2.5.4 *element_filler_metal/size_or_diameter*

| | |
|-------------|---|
| Type | linear_dimension_type_mm |
| Description | Diameter of round metal, or dimensions of prismatic shaped metal. |

2.5.5 *element_filler_metal/nominal_composition*

| | |
|-------------|--|
| Type | p:string |
| Description | Use only if a formal classification is not used. |

2.5.6 *element_filler_metal/f_number*

| | |
|-------------|--|
| Type | p:string |
| Description | AWS B2.1 definiton: "A designation used to group welding filler metal for procedure and performance qualifications". |

2.5.7 element_filler_metal/a_number

| | |
|-------------|--|
| Type | p:string |
| Description | AWS B2.1 definition: "a designation to classify ferrous weld metal for procedure qualification based upon chemical composition". |

2.5.8 element_filler_metal/flux_classification

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration none enumeration solid/metal core enumeration flux_cored enumeration powder_cored |
| Description | The formal classification of the flux. e.g., ANSI/AWS A5.20 describes classes for carbon steel electrodes for flux cored arc welding. |

2.5.9 element_filler_metal/supplemental_filler_metal

| | |
|-------------|---|
| Type | p:string |
| Description | Specification of a filler metal used in addition to a consumable electrode. |

2.5.10 element_filler_metal/use_consumable_insert

| | |
|-------------|---|
| Type | p:boolean |
| Description | Boolean stating whether a consumable insert is required or specified. |

2.5.11 element_filler_metal/consumable_insert_type

| | |
|-------------|--|
| Type | p:string |
| Description | Specification of the material property and its size. |


2.5.12 element_filler_metal/consumable_guide

| | |
|-------------|---|
| Type | p:string |
| Description | Material used to contain the weld pool that is melted and becomes part of the weld. |

2.5.13 element_filler_metal/supplemental_deoxidant

| | |
|-------------|---|
| Type | p:string |
| Description | Material added to reduce formation of compounds of oxygen during welding. |

2.6 element gas_component

| | |
|-------------|---|
| Diagram |  |
| Children | gas_chemical_name gas_percentage |
| Used By | type shielding_gas_type |
| Source | ANSI/AWS A9.1, section 5.1.7 |
| Description | A single gas element of a mixture and its percentage of the mixture by weight. |


2.6.1 element gas_component/gas_chemical_name

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration argon enumeration carbon dioxide enumeration helium enumeration hydrogen enumeration oxygen |
| Description | Name of a single element or compound of gas. |

2.6.2 element gas_component/gas_percentage

| | |
|-------------|--|
| Type | p:decimal |
| Description | Percentage by weight this gas occupies of the total gas mixture. |

2.7 type gas_flowrate_type

| | |
|-------------|--|
| Diagram |  |
| Children | units flow_rate |
| Used By | elements shielding_gas_for_procedure/backing_gas_flowrate shielding_gas_for_procedure/torch_shielding_gas_flowrate shielding_gas_for_procedure/trailing_shielding_gas_flowrate |
| Description | Flow rate in either U.S. Customary or SI units. |

2.7.1 element gas_flowrate_type/units

| | |
|------|-------------------------|
| Type | enumeration of p:string |
|------|-------------------------|

| | | |
|--------|----------------------------|--|
| Values | enumeration enumeration | liters per minute cubic feet per hour |
|--------|----------------------------|--|

2.7.2 element *gas_flowrate_type/flow_rate*

| | |
|------|-----------|
| Type | p:decimal |
|------|-----------|

2.8 element *heat_treatment*

| | |
|-------------|--|
| Diagram | <pre> graph LR heat_treatment[heat_treatment] --- ---> preweld_temperature[preweld_temperature] heat_treatment --- ---> preweld_time[preweld_time] heat_treatment --- ---> max_interpass_temperature[max_interpass_temperature] heat_treatment --- ---> PWHT_min[PWHT_minimum_temperature] heat_treatment --- ---> PWHT_max[PWHT_maximum_termperature] preweld_temperature --- ---> PWHT_hold_time[PWHT_hold_time] preweld_time --- ---> PWHT_hold_time max_interpass_temperature --- ---> PWHT_hold_time PWHT_min --- ---> PWHT_hold_time PWHT_max --- ---> PWHT_hold_time </pre> |
| Children | <p>preweld_temperature preweld_time max_interpass_temperature PWHT_minimum_temperature PWHT_maximum_termperature PWHT_hold_time</p> |
| Used By | element welding_procedure_specification |
| Source | AWS B2.1, section 2.13.6. Discussion of preheat in Welding Handbook, V2, pp. 206, 253-255 |
| Description | Description of the heating of a joint (if required) before or after welding, or of maximum or minimum required temperatures to be maintained during welding to improve or maintain desirable properties of the base metal or of the weld. |

2.8.1 element *heat_treatment/preweld_temperature*

| | |
|----------|---|
| Diagram | <pre> graph LR preweld_temperature[preweld_temperature] --- ---> units[units] preweld_temperature --- ---> value[value] subgraph temperature_type [temperature_type] units value end </pre> |
| Type | temperature_type |
| Children | units value |

| | |
|-------------|--|
| Source | AWB B2.1, section 2.13.5 (1). |
| Description | Required temperature of base material before welding begins. |

2.8.2 *element heat_treatment/preweld_time*

| | |
|-------------|---|
| Type | p:decimal |
| Source | AWS B2.1, section 2.13.5 (3). |
| Description | Time base materials must be held at the required temperature. Need details on preferred units, e.g., whole minutes, decimal minutes, minutes + seconds. |

2.8.3 *element heat_treatment/max_interpass_temperature*

| | |
|-------------|--|
| Diagram | <pre> classDiagram class max_interpass_temperature { <<temperature_type>> type } class temperature_type { <<temperature_type>> <<units>> <<value>> } max_interpass_temperature "1" -- "1" temperature_type : type max_interpass_temperature "1" -- "1" <<units>> : type max_interpass_temperature "1" -- "1" <<value>> : type </pre> |
| Type | temperature_type |
| Children | units value |
| Source | AWS B2.1, section 2.13.5 (2), and AWS A3.0 definition. |
| Description | The maximum allowed temperature of the weld area between weld passes of a multipass weld. |

2.8.4 *element heat_treatment/PWHT_minimum_temperature*

| | |
|-------------|--|
| Diagram | <pre> classDiagram class max_interpass_temperature { <<temperature_type>> type } class temperature_type { <<temperature_type>> <<units>> <<value>> } max_interpass_temperature "1" -- "1" temperature_type : type max_interpass_temperature "1" -- "1" <<units>> : type max_interpass_temperature "1" -- "1" <<value>> : type </pre> |
| Type | temperature_type |
| Children | units value |
| Description | Minimum temperature that must be maintained during heat treatment. |

2.8.5 element heat_treatment/PWHT_maximum_termperature

| | |
|-------------|--|
| Diagram | |
| Type | temperature_type |
| Children | units value |
| Description | Maximum allowed temperature during heat treatment. |

2.8.6 element heat_treatment/PWHT_hold_time

| | |
|-------------|-------------------------------|
| Type | p:decimal |
| Source | AWS B2.1, section 2.13.6 (1). |
| Description | Units: minutes |


2.9 type other_welding_processes

| | | | | | | | | | | | | | | | |
|-------------|---|-------------|----------------------------|-------------|--------------------------|-------------|--------------------|-------------|-----------------------|-------------|-------------------------|-------------|-------------------------|-------------|----------------------|
| Type | enumeration of p:string | | | | | | | | | | | | | | |
| Used By | element welding_process_type/other_welding_process | | | | | | | | | | | | | | |
| Values | <table> <tr> <td>enumeration</td> <td>electron_beam_welding(EBW)</td> </tr> <tr> <td>enumeration</td> <td>electroslag_welding(ESW)</td> </tr> <tr> <td>enumeration</td> <td>flow_welding(FLOW)</td> </tr> <tr> <td>enumeration</td> <td>induction_welding(IW)</td> </tr> <tr> <td>enumeration</td> <td>laser_beam_welding(LBW)</td> </tr> <tr> <td>enumeration</td> <td>percussion_welding(PEW)</td> </tr> <tr> <td>enumeration</td> <td>thermite_welding(TW)</td> </tr> </table> | enumeration | electron_beam_welding(EBW) | enumeration | electroslag_welding(ESW) | enumeration | flow_welding(FLOW) | enumeration | induction_welding(IW) | enumeration | laser_beam_welding(LBW) | enumeration | percussion_welding(PEW) | enumeration | thermite_welding(TW) |
| enumeration | electron_beam_welding(EBW) | | | | | | | | | | | | | | |
| enumeration | electroslag_welding(ESW) | | | | | | | | | | | | | | |
| enumeration | flow_welding(FLOW) | | | | | | | | | | | | | | |
| enumeration | induction_welding(IW) | | | | | | | | | | | | | | |
| enumeration | laser_beam_welding(LBW) | | | | | | | | | | | | | | |
| enumeration | percussion_welding(PEW) | | | | | | | | | | | | | | |
| enumeration | thermite_welding(TW) | | | | | | | | | | | | | | |
| Description | See AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes | | | | | | | | | | | | | | |


2.10 type oxyfuel_gas_welding_processes

| | | | | | | | | | |
|-------------|--|-------------|----------------------------|-------------|---------------------------|-------------|--------------------------|-------------|---------------------------|
| Type | enumeration of p:string | | | | | | | | |
| Used By | element welding_process_type/oxyfuel_gas_welding_process | | | | | | | | |
| Values | <table> <tr> <td>enumeration</td> <td>air_acetylene_welding(AAW)</td> </tr> <tr> <td>enumeration</td> <td>oxyacetylene_welding(OAW)</td> </tr> <tr> <td>enumeration</td> <td>oxyhydrogen_welding(OHW)</td> </tr> <tr> <td>enumeration</td> <td>pressure_gas_welding(PGW)</td> </tr> </table> | enumeration | air_acetylene_welding(AAW) | enumeration | oxyacetylene_welding(OAW) | enumeration | oxyhydrogen_welding(OHW) | enumeration | pressure_gas_welding(PGW) |
| enumeration | air_acetylene_welding(AAW) | | | | | | | | |
| enumeration | oxyacetylene_welding(OAW) | | | | | | | | |
| enumeration | oxyhydrogen_welding(OHW) | | | | | | | | |
| enumeration | pressure_gas_welding(PGW) | | | | | | | | |
| Description | See AWS A3.0, Figure 54A - Master Chart of Welding and Allied Processes | | | | | | | | |


2.11 element preheat_and_interpass

| | |
|-------------|--|
| Diagram |  |
| Children | preheat_minimum_temperature interpass_temperature_maximum preheat_maintenance |
| Source | AWS B2.1, section 2.13.5 |
| Description | Requirement for temperature of the base metal in the welding area immediately before welding, and requirement between weld passes. |

2.11.1 element preheat_and_interpass/preheat_minimum_temperature

| | |
|-------------|---|
| Diagram |  |
| Type | temperature_type |
| Children | units value |
| Description | Lowest allowed temperature immediately before welding. |

2.11.2 element preheat_and_interpass/interpass_temperature_maximum

| | |
|-------------|--|
| Diagram |  |
| Type | temperature_type |
| Children | units value |
| Description | Highest allowed temperature between welding passes, before another pass may be made. |


2.11.3 element preheat_and_interpass/preheat_maintenance

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration continuous enumeration special heating not required |
| Description | Method of applying heat to insure weldment stays above minimum allowed temperature. |

2.12 type resistance_welding_processes

| | |
|-------------|---|
| Type | enumeration of p:string |
| Used By | element welding_process_type/resistance_welding_process |
| Values | enumeration flash_welding(FW) enumeration projection_welding(PW) enumeration resistance_spot_welding(RSW) enumeration resistance_weam_welding(RSEW) enumeration upset_welding(UW) |
| Description | See AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes |

2.13 element shielding_gas_for_procedure



| | |
|-------------|--|
| Children | <code>use_torch_shielding_gas torch_shielding_gas torch_shielding_gas_flowrate use_backing_gas backing_gas backing_gas_flowrate use_trailing_gas trailing_shielding_gas trailing_shielding_gas_flowrate</code> |
| Used By | element welding_procedure_specification |
| Source | AWS B2.1, section 2.13.7 |
| Description | Description of applicable gas composition and flowrates, including torch gas shielding, backing gas, and trailing gas. |

2.13.1 element shielding_gas_for_procedure/use_torch_shielding_gas

| | |
|-------------|--|
| Type | p:boolean |
| Description | Torch shielding gas is/is not required or specified. |

2.13.2 element shielding_gas_for_procedure/torch_shielding_gas

| | |
|-------------|---|
| Diagram | |
| Type | shielding_gas_type |
| Children | gas_component common_name designation |
| Description | Composition of shielding gas expelled from a nozzle in the welding torch. |

2.13.3 element shielding_gas_for_procedure/torch_shielding_gas_flowrate

| | |
|-------------|---|
| Diagram | |
| Type | gas_flowrate_type |
| Children | units flow_rate |
| Description | Flow rate of shielding gas required or specified. |

2.13.4 element shielding_gas_for_procedure/use_backing_gas

| | |
|-------------|--|
| Type | p:boolean |
| Description | Backing gas is/is not required or specified. |

2.13.5 element shielding_gas_for_procedure/backing_gas

| | |
|-------------|---|
| Diagram | <pre> classDiagram class shielding_gas_type { <<shading_gas_type>> gas_component "1..4" common_name designation } class backing_gas { <<shielding_gas_type>> } backing_gas --> shielding_gas_type gas_component --> common_name gas_component --> designation </pre> |
| Type | shielding_gas_type |
| Children | gas_component common_name designation |
| Description | Specification of the component gases of the mixture. |


2.13.6 element shielding_gas_for_procedure/backing_gas_flowrate

| | |
|-------------|---|
| Diagram | <pre> classDiagram class shielding_gas_type { <<shading_gas_type>> gas_component "1..4" common_name designation } class backing_gas { <<shielding_gas_type>> } backing_gas --> shielding_gas_type gas_component --> common_name gas_component --> designation </pre> |
| Type | gas_flowrate_type |
| Children | units flow_rate |
| Description | Flowrate of backing gas. |


2.13.7 element shielding_gas_for_procedure/use_trailing_gas

| | |
|-------------|---|
| Type | p:boolean |
| Description | Trailing shielding gas is/is not required or specified. |


2.13.8 element shielding_gas_for_procedure/trailing_shielding_gas

| | |
|-------------|--|
| Diagram |  |
| Type | shielding_gas_type |
| Children | gas_component common_name designation |
| Description | Composition or identification of trailing gas. |

2.13.9 element shielding_gas_for_procedure/trailing_shielding_gas_flowrate

| | |
|-------------|---|
| Diagram |  |
| Type | gas_flowrate_type |
| Children | units flow_rate |
| Description | Flowrate of trailing gas during welding. |

2.14 type shielding_gas_type

| | |
|----------|---|
| Diagram |  |
| Children | gas_component common_name designation |
| Used By | elements shielding_gas_for_procedure/backing_gas |

| | |
|-------------|---|
| | shielding_gas_for_procedure/torch_shielding_gas shielding_gas_for_procedure/trailing_shielding_gas |
| Description | Description of a gas or gas mixture used for shielding in arc welding. |

2.14.1 element shielding_gas_type/common_name

| | |
|-------------|---------------------------------|
| Type | p:string |
| Description | Trade name for the gas mixture. |

2.14.2 element shielding_gas_type/designation

| | |
|-------------|---|
| Type | p:string |
| Description | Specification according to AWS classification by chemical composition of the gas mixture. |

2.15 type soldering_processes

| | |
|-------------|--|
| Type | p:string |
| Used By | element welding_process_type/soldering_process |
| Description | See AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes |

2.16 type solid_state_welding_processes

| | | | | | | | | | | | | | | | | | |
|-------------|---|-------------|--------------------------|-------------|------------------|-------------|------------------------|-------------|------------------------|-------------|--------------------|-------------|-----------------------|-------------|---------------------------|-------------|-------------------------|
| Type | enumeration of p:string | | | | | | | | | | | | | | | | |
| Used By | element welding_process_type/solid_state_welding_process | | | | | | | | | | | | | | | | |
| Values | <table> <tr> <td>enumeration</td> <td>coextrusion_welding(CEW)</td> </tr> <tr> <td>enumeration</td> <td>cold_welding(CW)</td> </tr> <tr> <td>enumeration</td> <td>diffusion_welding(DFW)</td> </tr> <tr> <td>enumeration</td> <td>explosion_welding(EXW)</td> </tr> <tr> <td>enumeration</td> <td>forge_welding(FOW)</td> </tr> <tr> <td>enumeration</td> <td>friction_welding(FRW)</td> </tr> <tr> <td>enumeration</td> <td>hot_pressure_welding(HPW)</td> </tr> <tr> <td>enumeration</td> <td>ultrasonic_welding(USW)</td> </tr> </table> | enumeration | coextrusion_welding(CEW) | enumeration | cold_welding(CW) | enumeration | diffusion_welding(DFW) | enumeration | explosion_welding(EXW) | enumeration | forge_welding(FOW) | enumeration | friction_welding(FRW) | enumeration | hot_pressure_welding(HPW) | enumeration | ultrasonic_welding(USW) |
| enumeration | coextrusion_welding(CEW) | | | | | | | | | | | | | | | | |
| enumeration | cold_welding(CW) | | | | | | | | | | | | | | | | |
| enumeration | diffusion_welding(DFW) | | | | | | | | | | | | | | | | |
| enumeration | explosion_welding(EXW) | | | | | | | | | | | | | | | | |
| enumeration | forge_welding(FOW) | | | | | | | | | | | | | | | | |
| enumeration | friction_welding(FRW) | | | | | | | | | | | | | | | | |
| enumeration | hot_pressure_welding(HPW) | | | | | | | | | | | | | | | | |
| enumeration | ultrasonic_welding(USW) | | | | | | | | | | | | | | | | |
| Description | See AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes | | | | | | | | | | | | | | | | |

2.17 type temperature_type

| | |
|----------|--|
| Diagram | <pre> classDiagram class temperature_type class units { <<p:string>> } class value { <<p:decimal>> } temperature_type "3" --> units temperature_type "3" --> value </pre> |
| Children | units value |
| Used By | elements preheat_and_interpass/interpass_temperature_maximum heat_treatment/max_interpass_temperature |

| | |
|-------------|---|
| | preheat_and_interpass/preheat_minimum_temperature heat_treatment/preveld_temperature heat_treatment/PWHT_maximum_temperature heat_treatment/PWHT_minimum_temperature |
| Description | Specifies temperature units and the value. |

2.17.1 element temperature_type/units

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration fahrenheit enumeration centigrade |
| Description | Choice of U.S. Customary or SI units. |

2.17.2 element temperature_type/value

| | |
|-------------|----------------|
| Type | p:decimal |
| Description | Numeric value. |

2.18 element variables_specification

| | |
|-------------|---|
| Diagram | <pre> classDiagram class variables_specification { <> 1..* --- o } class welding_process { type: welding_process_type } class method_of_application { type: p:string } class electrode_configuration { } class number_of_passes { } class contact_tube_to_work_distance { type: linear_dimension_type_mm } class stickout { type: linear_dimension_type_mm } class cleaning_requirement { type: p:string } class flux { } class peening_requirement { type: p:string } class weld_bead_type { type: p:string } class travel_speed { } class travel_angle { type: p:decimal } class work_angle { } class wire_feed_speed { } class progression { type: p:string } </pre> |
| Children | welding_process method_of_application electrode_configuration number_of_passes contact_tube_to_work_distance stickout cleaning_requirement flux peening_requirement weld_bead_type travel_speed travel_angle work_angle wire_feed_speed progression |
| Used By | element welding_procedure_specification |
| Source | AWS B2.1, section 2.13.9 |
| Description | Detailed information in a WPS that supplements the basic parameters. |


2.18.1 element variables_specification/welding_process

| | |
|-------------|---|
| Diagram | <pre> classDiagram class welding_process_type { =arc_welding_process =brazing_process =other_welding_process =oxyfuel_gas_welding_process =allied_process =resistance_welding_process =soldering_process =solid_state_welding_process } class welding_process { type: welding_process_type } welding_process "1" -- "1" welding_process_type </pre> |
| Type | welding_process_type |
| Children | arc_welding_process brazing_process other_welding_process oxyfuel_gas_welding_process allied_process resistance_welding_process soldering_process solid_state_welding_process |
| Source | AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes |
| Description | The standard classification of the welding process. |

2.18.2 element variables_specification/method_of_application

| | | | | | | | | | |
|-------------|--|-------------|--------|-------------|---------------|-------------|------------|-------------|-----------|
| Type | enumeration of p:string | | | | | | | | |
| Values | <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">enumeration</td> <td>manual</td> </tr> <tr> <td>enumeration</td> <td>semiautomatic</td> </tr> <tr> <td>enumeration</td> <td>mechanized</td> </tr> <tr> <td>enumeration</td> <td>automatic</td> </tr> </table> | enumeration | manual | enumeration | semiautomatic | enumeration | mechanized | enumeration | automatic |
| enumeration | manual | | | | | | | | |
| enumeration | semiautomatic | | | | | | | | |
| enumeration | mechanized | | | | | | | | |
| enumeration | automatic | | | | | | | | |
| Source | AWS B2.1, section 2.13.9 | | | | | | | | |
| Description | The means of manipulating the welding electrode, either by person or machine. | | | | | | | | |


2.18.3 element variables_specification/electrode_configuration

| | |
|-------------|--|
| Diagram |  |
| Children | number_of_electrodes electrode_spacing |
| Source | AWS B2.1, section 2.13.9(2) |
| Description | For non-manual welding, use of single or multiple electrodes |

2.18.3.1 element variables_specification/electrode_configuration/number_of_electrodes

| | |
|-------------|---|
| Type | p:integer |
| Description | Number of electrodes that conduct welding current simultaneously. |

2.18.3.2 element variables_specification/electrode_configuration/electrode_spacing

| | |
|-------------|---|
| Diagram |  |
| Children | units spacing |
| Description | Distance between electrodes at point of entry to the weld pool, measured from center to center. |


2.18.3.2.1 element variables_specification/electrode_configuration/electrode_spacing/units

| | |
|--------|---|
| Type | enumeration of p:string |
| Values | enumeration millimeters enumeration inches |

2.18.3.2.2 element variables_specification/electrode_configuration/electrode_spacing/spacing

| | |
|-------------|---|
| Type | linear_dimension_type_mm |
| Description | Distance from center to center between dual electrodes. |

2.18.4 element variables_specification/number_of_passes

| | |
|-------------|--|
| Diagram |  |
| Children | single_or_multipass passes |
| Description | Number of times a weld bead is laid down in a joint. |


2.18.4.1 element variables_specification/number_of_passes/single_or_multipass

| | |
|--------|---|
| Type | enumeration of p:string |
| Values | enumeration single_pass enumeration multi_pass |


2.18.4.2 element variables_specification/number_of_passes/passes

| | |
|------|-----------|
| Type | p:integer |
|------|-----------|

2.18.5 element variables_specification/contact_tube_to_work_distance

| | |
|-------------|--|
| Diagram |  |
| Type | linear_dimension_type_mm |
| Children | units dimension |
| Source | AWS A3.0, Figure 38. |
| Description | In gas metal arc welding, the distance from the end of the contact tube to the metal being joined. |


2.18.6 element variables_specification/stickout

| | |
|-------------|--|
| Diagram |  |
| Type | linear_dimension_type_mm |
| Children | units dimension |
| Source | AWS A3.0 definition, and Figure 38 - GMAW Gun Nomenclature. |
| Description | "The length of electrode extending beyond the end of the gas nozzle." |

2.18.7 element variables_specification/cleaning_requirement

| | |
|-------------|--|
| Type | p:string |
| Source | AWS B2.1, section 2.13.9 (5) |
| Description | Required method of cleaning before welding, done to ensure weld quality. |

2.18.8 element variables_specification/flux

| | |
|-------------|---|
| Diagram |  |
| Children | specification common_name |
| Source | AWS A9.1, section 5.1.5 |
| Description | Specification of the flux required or used. |

2.18.8.1 element variables_specification/flux/specification

| | |
|-------------|--|
| Type | p:string |
| Description | AWS or ISO designation for the flux composition. |

2.18.8.2 element variables_specification/flux/common_name

| | |
|------|----------|
| Type | p:string |
|------|----------|

2.18.9 element variables_specification/peening_requirement

| | |
|-------------|---|
| Type | p:string |
| Source | AWS B2.1, section 2.13.9 (6). |
| Description | Statement of type of hammered working of the completed weld metal needed, if any. |

2.18.10 element variables_specification/weld_bead_type

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration stringer bead enumeration weave bead |
| Source | AWS A3.0 - Figure 22, AWS B2.1, section 2.13.9 |
| Description | A bead produced by straight line motion or oscillation of the torch. |

2.18.11 element variables_specification/travel_speed

| | |
|-------------|--|
| Diagram | <pre> classDiagram travel_speed < -- units : p:string travel_speed < -- speed : p:decimal </pre> |
| Children | units speed |
| Source | AWS B2.1, section 2.13.9 |
| Description | Speed of the torch during welding. |

2.18.11.1 element variables_specification/travel_speed/units

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration inches per minute enumeration millimeters per minute |
| Description | Choice of U.S. Customary or SI units. |


2.18.11.2 element variables_specification/travel_speed/speed

| | |
|-------------|--|
| Type | p:decimal |
| Description | Linear velocity of the torch in relation to the workpiece. |

2.18.12 element variables_specification/travel_angle

| | |
|-------------|--|
| Type | p:decimal |
| Source | AWS A9.1, section 5.2.5.9 |
| Description | AWS A3.0 definition: "The angle between the electrode axis and a line perpendicular to the weld axis". |

2.18.13 element variables_specification/work_angle

| | |
|-------------|---|
| Diagram |  |
| Children | push_or_drag angle |
| Source | AWS A9.1, section 5.2.5.9. |
| Description | AWS A3.0 definition: "The angle between a line perpendicular to the major workpiece surface and a plane determined by the electrode axis and the weld axis" |


2.18.13.1 element variables_specification/work_angle/push_or_drag

| | |
|--------|--|
| Type | enumeration of p:string |
| Values | enumeration push enumeration drag |

2.18.13.2 element variables_specification/work_angle/angle

| | |
|------|-----------|
| Type | p:decimal |
|------|-----------|

2.18.14 element variables_specification/wire_feed_speed

| | |
|-------------|---|
| Diagram |  |
| Children | units speed |
| Source | Welding Handbook, V2, p. 116 "GMAW Process Variables". |
| Description | ANSI/AWS A3.0 definition: "The rate at which wire is consumed.." |

2.18.14.1 element variables_specification/wire_feed_speed/units

| | |
|--------|---|
| Type | enumeration of p:string |
| Values | enumeration millimeters per second enumeration inches per minute |

2.18.14.2 element variables_specification/wire_feed_speed/speed

| | |
|------|-----------|
| Type | p:decimal |
|------|-----------|

2.18.15 element_variables_specification/progression

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration upward enumeration downward |
| Source | AWS B2.1, section 2.13.4 (2) |
| Description | The movement of the torch, or the orientation of the weld joint, in relation to the direction of gravity. |

2.19 element_welding_position

| | |
|-------------|--|
| Diagram | <pre> classDiagram welding_position < -- position welding_position < -- position_designation welding_position < -- progression_for_vertical </pre> <p>The diagram illustrates the relationship between the welding_position class and three other classes: position, position_designation, and progression_for_vertical. The welding_position class is shown with a generalization arrow pointing to each of the three subclasses. Each subclass is enclosed in a dashed box and has a type attribute of p:string.</p> |
| Children | position position_designation progression_for_vertical |
| Source | AWS B2.1, section 2.13.4, and AWS A3.0 Figures 16-20. |
| Description | AWS A3.0 definition: "The relationship between the weld pool, joint, joint members, and welding heat Source during welding." |

2.19.1 element_welding_position/position

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration flat enumeration horizontal enumeration vertical enumeration overhead enumeration all_positions(for PQRs) |
| Description | Name of the position. |

2.19.2 element_welding_position/position_designation

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration 1F enumeration 1G enumeration 2F enumeration 2G enumeration 4F enumeration 4G enumeration 5F enumeration 5G |
| Source | AWS A3.0, Figures 16-20. |
| Description | The two-character abbreviation for the position. |

2.19.3 element welding_position/progression_for_vertical

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration uphill enumeration downhill |
| Source | AWS B2.1, section 2.13.4 (2). |
| Description | Direction of torch travel on a weld that is inclined away from the horizontal position. |

2.20 element welding_procedure_specification

| | |
|-------------|--|
| Diagram | <pre> classDiagram class welding_procedure_specification { wps_number joint_design base_metal filler_metal heat_treatment shielding_gas_for_procedure electrical_specification variables_specification } wps_number < -- type:p:string </pre> |
| Children | wps_number joint_design base_metal filler_metal heat_treatment shielding_gas_for_procedure electrical_specification variables_specification |
| Source | AWS B2.1, section 2.13. |
| Description | AWS A3.0 definition: "A document providing the required welding variables for a specific application..." |

2.20.1 element welding_procedure_specification/wps_number

| | |
|-------------|---|
| Type | p:string |
| Source | Use of WPS number appears in many suggested report forms, including AASHTO/AWS D1.5M:D1.5/2002, Form III-2, and AWS B4.0, Figure E14. |
| Description | A unique alphanumeric identifier for a specific WPS. |

2.21 type welding_process_type

| | |
|-------------|--|
| Diagram | <pre> classDiagram class welding_process_type { <<welding_process_type>> } class arc_welding_process { <<arc_welding_processes>> } class brazing_process { <<brazing_processes>> } class other_welding_process { <<other_welding_processes>> } class oxyfuel_gas_welding_process { <<oxyfuel_gas_welding_processes>> } class allied_process { <<allied_processes>> } class resistance_welding_process { <<resistance_welding_processes>> } class soldering_process { <<soldering_processes>> } class solid_state_welding_process { <<solid_state_welding_processes>> } welding_process_type < -- arc_welding_process welding_process_type < -- brazing_process welding_process_type < -- other_welding_process welding_process_type < -- oxyfuel_gas_welding_process welding_process_type < -- allied_process welding_process_type < -- resistance_welding_process welding_process_type < -- soldering_process welding_process_type < -- solid_state_welding_process </pre> |
| Children | arc_welding_process brazing_process other_welding_process oxyfuel_gas_welding_process allied_process resistance_welding_process soldering_process solid_state_welding_process |
| Used By | element variables_specification/welding_process |
| Source | AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes. |
| Description | Broad classification of the welding process. |

2.21.1 element welding_process_type/arc_welding_process

| Type | arc_welding_processes |
|--------|---|
| Values | enumeration atomicHydrogenWelding(AHW) enumeration bareMetalArcWelding(BMAW) enumeration carbonArcWelding(CAW) enumeration carbonArcWeldingGas(CAW-G) enumeration carbonArcWeldingShielded(CAW-S) enumeration electrogasWelding(EGW) enumeration electroSlagWelding(ESW) enumeration gasMetalArcWelding(GMAW) enumeration gasTungstenArcWelding(GTAW) enumeration plasmaArcWelding(PAW) enumeration shieldedMetalArcWelding(SMAW) enumeration studArcWelding(SW) enumeration submergedArcWelding(SAW) enumeration submergedArcWeldingSeries(SAW-S) |

| | |
|-------------|--|
| Description | See AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes |
|-------------|--|

2.21.2 *element_welding_process_type/brazing_process*

| Type | brazing_processes |
|-------------|--|
| Values | enumeration block_brazing(BB) enumeration diffusion_brazing(CAB) enumeration dip_brazing(DB) enumeration exothermic_brazing(EXB) enumeration flow_brazing(FLOW) enumeration furnace_brazing(FB) enumeration induction_brazing(IB) enumeration infrared_brazing(IRB) enumeration resistance_brazing(RB) enumeration torch_brazing(TB) enumeration twin_carbon_arc_brazing(TCAB) |
| Description | See AWS 3.0-94 p. 100, 101 |

2.21.3 *element_welding_process_type/other_welding_process*

| Type | other_welding_processes |
|-------------|---|
| Values | enumeration electron_beam_welding(EBW) enumeration electroslag_welding(ESW) enumeration flow_welding(FLOW) enumeration induction_welding(IW) enumeration laser_beam_welding(LBW) enumeration percussion_welding(PEW) enumeration thermite_welding(TW) |
| Description | See AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes |

2.21.4 *element_welding_process_type/oxyfuel_gas_welding_process*

| Type | oxyfuel_gas_welding_processes |
|-------------|--|
| Values | enumeration air_acetylene_welding(AAW) enumeration oxyacetylene_welding(OAW) enumeration oxyhydrogen_welding(OHW) enumeration pressure_gas_welding(PGW) |
| Description | See AWS 3.0, Figure 54A – Master Chart of Welding and Allied Processes |

2.21.5 *element_welding_process_type/allied_process*

| Type | allied_processes |
|-------------|--|
| Values | enumeration oxygen_cutting(OC) enumeration arc_cutting(AC) enumeration other_cutting |
| Description | See AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes |

2.21.6 element_welding_process_type/resistance_welding_process

| | |
|-------------|---|
| Type | resistance_welding_processes |
| Values | enumeration flash_welding(FW) enumeration projection_welding(PW) enumeration resistance_spot_welding(RSW) enumeration resistance_wear_welding(RSEW) enumeration upset_welding(UW) |
| Description | See AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes |

2.21.7 element_welding_process_type/soldering_process

| | |
|-------------|--|
| Type | soldering_processes |
| Description | See AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes |

2.21.8 element_welding_process_type/solid_state_welding_process

| | |
|-------------|---|
| Type | solid_state_welding_processes |
| Values | enumeration coextrusion_welding(CEW) enumeration cold_welding(CW) enumeration diffusion_welding(DFW) enumeration explosion_welding(EXW) enumeration forge_welding(FOW) enumeration friction_welding(FRW) enumeration hot_pressure_welding(HPW) enumeration ultrasonic_welding(USW) |
| Description | See AWS 3.0, Figure 54A - Master Chart of Welding and Allied Processes |

3. Testing and Inspection Data

Terms typically used in inspection applications that already appear in the previous sections will not be duplicated in this section. The scope is data that is essential to reporting results of tests. In addition, some fields were added that are found on test results forms that are essential for record keeping and for tracing the source of results. Example data are testing machine type, model and serial number, technician running the test, and date of test.

The scope of this data dictionary addresses mechanical testing, but not non-destructive (e.g., Welding Handbook, Vol. 1, p. 213), metallurgical or compositional testing. These areas need to be documented for complete coverage of weld testing procedures and their results.

3.1 element_bend_test_bend_radius

| | |
|---------|---|
| Diagram | <pre> classDiagram class bend_test_bend_radius { <<bend_test_bend_radius>> } class units { <<units>> type p:string } class radius { <<radius>> type p:decimal } bend_test_bend_radius "3" --> units bend_test_bend_radius "3" --> radius </pre> |
|---------|---|

| | |
|-------------|---|
| Children | units radius |
| Source | AWS B4.0, section A1-9(6) |
| Description | Radius of the plunger or mandrel used in a bend test. |

3.1.1 element bend_test_bend_radius/units

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration millimeters enumeration inches |
| Description | Choice of U.S. Customary or SI units. |

3.1.2 element bend_test_bend_radius/radius

| | |
|-------------|--------------------------|
| Type | linear_dimension_type_mm |
| Description | The numerical value. |


3.2 type bend_test_types

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration transverse_side_bend enumeration transverse_face_bend enumeration transverse_root_bend enumeration longitudinal_face_bend enumeration longitudinal_root_bend enumeration fillet_weld_root_bend enumeration surfacing_weld_face_bend enumeration surfacing_weld_side_bend |
| Source | AWS B4.0, section A1-7 |
| Description | Classification of bend test specified. |

3.3 element fracture_crack_plane_orientation

| | |
|-------------|---|
| Type | p:string |
| Source | AWS B4.0, section A3-9 |
| Description | Location of the fracture in relation to the weld. |

3.4 element fracture_energy_absorbed

| | |
|----------|--|
| Diagram |  |
| Children | units energy_absorbed |
| Source | AWS B4.0, section A3-9.1(10). |

| | |
|-------------|---|
| Description | In a fracture toughness test, the energy consumed in breaking the specimen. |
|-------------|---|

3.4.1 element fracture_energy_absorbed/units

| | |
|-------------|--|
| Diagram | <pre> classDiagram class fracture_energy_absorbed class units { <<type p:string>> } class energy_absorbed { <<type p:decimal>> } fracture_energy_absorbed --> units units --> energy_absorbed </pre> |
| Type | enumeration of p:string |
| Values | enumeration joules enumeration foot_pounds |
| Description | Choice of U.S. Customary or SI units. |

3.4.2 element fracture_energy_absorbed/energy_absorbed

| | |
|-------------|-------------------------------|
| Type | p:decimal |
| Description | The value of the test result. |

3.5 element fracture_machine_notch_position

| | |
|-------------|---------------------------------|
| Type | p:string |
| Source | AWS B4.0, section A3-9 |
| Description | Location of the machined notch. |

3.6 element fracture_specimen_location

| | |
|-------------|---|
| Type | p:string |
| Source | AWS B4.0, section A3-9 |
| Description | Area of the weldment the specimen was cut from. |

3.7 type fracture_toughness_test_methods

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration charpy_v_notch_E_23 enumeration dynamic_tear_E_604 enumeration plane_strain_E_399 enumeration drop_weight_nil_ductility_temp_E_208 |
| Source | AWS B4.0, section A3.1 |
| Description | Name of the specific ASTM test specified. |

3.8 type fracture_type_of_test_equipment

| | |
|--------|------------------------|
| Type | p:string |
| Source | AWS B4.0, section A3-9 |

| | |
|-------------|---|
| Description | Mechanical configuration of test machine used, to conform to a specified test method. |
|-------------|---|

3.9 element hardness_indentor

| | |
|-------------|---|
| Type | p:string |
| Source | AWS B4.0, section C2-9(7) |
| Description | Specification for the indentor used in the test. This is one data element of a test report. |

3.10 element hardness_load

| | |
|-------------|--|
| Type | p:decimal |
| Source | AWS B4.0, section C2-9(7) |
| Description | The force load used in the test, units must be specified. This is one data element of a test report. |

3.11 element hardness_location_of_impressions

| | |
|-------------|--|
| Type | p:string |
| Source | AWS B4.0, section C2-9(8) |
| Description | Description of locations of multiple test impressions. |


3.12 element hardness_test_result

| | |
|-------------|--|
| Source | AWS B4.0, section C219.(10). |
| Description | The numerical hardness value obtained by the test. |


3.13 element hardness_test_types

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration brinell_E_10 enumeration rockwell_E_18 enumeration vickers_E_92 enumeration Knoop enumeration vickers_E_384 enumeration portable_hardness_E_110 enumeration other_rockwell |
| Source | AWS B4.0, section C2-4 |
| Description | The name of the test specified or required. |

3.14 element mechanical_test

| | |
|-------------|---|
| Diagram |  |
| Children | test_type specification_organization specification_number specification_version |
| Source | AWS B4.0:2000, ANSI/AWS A9.2. |
| Description | A destructive test done to determine properties of a weld. |

3.14.1 element mechanical_test/test_type

| | |
|-------------|---|
| Diagram |  |
| Type | mechanical_tests |
| Children | test_name applicable_weld_type |
| Description | Category of test required or performed. |

3.14.2 element mechanical_test/specification_organization

| | |
|--------|---|
| Type | p:string |
| Source | ANSI/AWS A9.2. sections 5.1.1.1, 5.2.1.1, 5.3.1.1 |

3.14.3 element mechanical_test/specification_number


| | |
|--------|---|
| Type | p:string |
| Source | ANSI/AWS A9.2. sections 5.1.1.2, 5.2.1.2, 5.3.1.2 |

3.14.4 element mechanical_test/specification_version

| | |
|------|-----------------|
| Type | p:string |
|------|-----------------|

| | |
|-------------|---|
| Source | ANSI/AWS A9.2. sections 5.1.1.3, 5.2.1.3, 5.3.1.3 |
| Description | The version of the test method used. |

3.15 type mechanical_tests

| | |
|-------------|--|
| Diagram |  |
| Children | test_name applicable_weld_type |
| Used By | element mechanical_test/test_type |
| Source | AWS B4.0:2000 |
| Description | Name of test type and the weld type being evaluated. |

3.15.1 element mechanical_tests/test_name

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|-------------|------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|---------|-------------|--------------------|-------------|--------------------------|-------------|-----------|-------------|-------|-------------|------------|-------------|----------|-------------|-----------|-------------|-----------------------------|-------------|-----------|-------------|---------|-------------|------------------|-------------|-------------|-------------|------------------|
| Type | enumeration of p:string | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Values | <table> <tr><td>enumeration</td><td>bend</td></tr> <tr><td>enumeration</td><td>face_bend</td></tr> <tr><td>enumeration</td><td>root_bend</td></tr> <tr><td>enumeration</td><td>side_bend</td></tr> <tr><td>enumeration</td><td>tension</td></tr> <tr><td>enumeration</td><td>fracture_toughness</td></tr> <tr><td>enumeration</td><td>longitudinal_guided_bend</td></tr> <tr><td>enumeration</td><td>soundness</td></tr> <tr><td>enumeration</td><td>shear</td></tr> <tr><td>enumeration</td><td>nick_break</td></tr> <tr><td>enumeration</td><td>hardness</td></tr> <tr><td>enumeration</td><td>stud_weld</td></tr> <tr><td>enumeration</td><td>controlled_thermal_severity</td></tr> <tr><td>enumeration</td><td>cruciform</td></tr> <tr><td>enumeration</td><td>implant</td></tr> <tr><td>enumeration</td><td>lehigh_restraint</td></tr> <tr><td>enumeration</td><td>varestraint</td></tr> <tr><td>enumeration</td><td>oblique_y_groove</td></tr> </table> | enumeration | bend | enumeration | face_bend | enumeration | root_bend | enumeration | side_bend | enumeration | tension | enumeration | fracture_toughness | enumeration | longitudinal_guided_bend | enumeration | soundness | enumeration | shear | enumeration | nick_break | enumeration | hardness | enumeration | stud_weld | enumeration | controlled_thermal_severity | enumeration | cruciform | enumeration | implant | enumeration | lehigh_restraint | enumeration | varestraint | enumeration | oblique_y_groove |
| enumeration | bend | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | face_bend | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | root_bend | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | side_bend | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | tension | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | fracture_toughness | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | longitudinal_guided_bend | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | soundness | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | shear | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | nick_break | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | hardness | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | stud_weld | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | controlled_thermal_severity | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | cruciform | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | implant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | lehigh_restraint | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | varestraint | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| enumeration | oblique_y_groove | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Source | AWS B4.0:2000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

3.15.2 element mechanical_tests/applicable_weld_type

| | | | | | | | |
|-------------|--|-------------|-------------|-------------|-------------|-------------|-------------------------|
| Type | enumeration of p:string | | | | | | |
| Values | <table> <tr><td>enumeration</td><td>groove_weld</td></tr> <tr><td>enumeration</td><td>fillet_weld</td></tr> <tr><td>enumeration</td><td>groove_and_fillet_welds</td></tr> </table> | enumeration | groove_weld | enumeration | fillet_weld | enumeration | groove_and_fillet_welds |
| enumeration | groove_weld | | | | | | |
| enumeration | fillet_weld | | | | | | |
| enumeration | groove_and_fillet_welds | | | | | | |

| | |
|-------------|---|
| | enumeration stud_weld enumeration weldability_test |
| Description | AWS B4.0 classifies tests by weld Type, ie groove, fillet, stud, etc. |

3.16 element nick_break_apparatus

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration fracture_by_hammer enumeration loading_in_tension enumeration three_point_bending |
| Source | AWS B4.0, section C1-6 |
| Description | Type of test performed |

3.17 type shear_specimen_types

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration longitudinal enumeration transverse |
| Source | AWS B4.0, section B3-7 |
| Description | Orientation of the specimen to that of the sampled weld. |

3.18 element shear_test_shear_strength

| | |
|-------------|--|
| Diagram | <pre> classDiagram class shear_test_shear_strength class units { type p:string } class shear_strength { type p:decimal } shear_test_shear_strength "3..>" *-- "*" units shear_test_shear_strength "3..>" *-- "*" shear_strength </pre> |
| Children | units shear_strength |
| Source | AWS B4.0, section B3-9(5) |
| Description | The numerical results from a shear test. |

3.18.1 element shear_test_shear_strength/units

| | |
|-------------|-----------------------------|
| Type | p:string |
| Description | SI or U.S. customary units. |

3.18.2 element shear_test_shear_strength/shear_strength

| | |
|-------------|--------------------------------|
| Type | p:decimal |
| Description | Numerical results of the test. |

3.19 element shear_test_unit_shear_load

| | |
|-------------|--------------------------------|
| Diagram | |
| Children | units load |
| Source | AWS B4.0, section B3-9(4) |
| Description | Numerical results of the test. |

3.19.1 element shear_test_unit_shear_load/units

| | |
|-------------|--|
| Type | p:string |
| Description | Choice of U.S. Customary or SI system. |

3.19.2 element shear_test_unit_shear_load/load

| | |
|-------------|-------------------------------------|
| Type | p:decimal |
| Description | Numerical value of the test result. |

3.20 type soundness_test_types

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration fillet_weld_break_proc_qual enumeration fillet_weld_break_primer_coated_p_q enumeration fillet_weld_break_galv_proc_qual enumeration fillet_weld_break_welder_qual enumeration fillet_weld_break_tack_welder_qual |
| Source | AWS B4.0, section B2-7 |
| Description | Criterion for using the results of the test. |

3.21 type tension_specimen_types

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration round_all_weld_metal_type enumeration round_transverse_type enumeration rectangular_transverse_type enumeration rectangular_longitudinal_type enumeration tubular_type |
| Source | AWS B4.0, section A2-7. |
| Description | Description of shape of the specimen and where in the weld it was taken. |

3.22 element tension_test_data

| | |
|-------------|--|
| Diagram | <pre> classDiagram class tension_test_data { strength_units linear_units ultimate_tensile_strength yield_strength percent_elongation percent_reduction_of_area stress_strain_diagram_number location_of_fracture mode_of_fracture maximum_load original_cross_sectional_area original_gage_length final_gage_length type_of_failure } </pre> <p>The diagram shows the <code>tension_test_data</code> element and its attributes. The attributes are:</p> <ul style="list-style-type: none"> <code>strength_units</code>: type p:string <code>linear_units</code>: type p:string <code>ultimate_tensile_strength</code>: type p:decimal <code>yield_strength</code>: type p:decimal <code>percent_elongation</code>: type p:decimal <code>percent_reduction_of_area</code>: type p:decimal <code>stress_strain_diagram_number</code>: type p:string <code>location_of_fracture</code>: type p:string <code>mode_of_fracture</code>: type p:string <code>maximum_load</code>: type p:decimal <code>original_cross_sectional_area</code>: type p:decimal <code>original_gage_length</code>: type p:decimal <code>final_gage_length</code>: type p:decimal <code>type_of_failure</code>: type p:string |
| Children | <code>strength_units</code> <code>linear_units</code> <code>ultimate_tensile_strength</code> <code>yield_strength</code> <code>percent_elongation</code> <code>percent_reduction_of_area</code> <code>stress_strain_diagram_number</code> <code>location_of_fracture</code> <code>mode_of_fracture</code> <code>maximum_load</code> <code>original_cross_sectional_area</code> <code>original_gage_length</code> <code>final_gage_length</code> <code>type_of_failure</code> |
| Source | AWS B4.0, section A2-4 |
| Description | The physical quantities measured by testing a groove weld using ASTM procedures for tension testing. |

3.22.1 element tension_test_data/strength_units

| | |
|-------------|---------------------------------------|
| Type | Enumeration of p:string |
| Description | Choice of SI or U.S. Customary units. |

3.22.2 element tension_test_data/linear_units

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration millimeters enumeration inches |
| Description | Choice of SI or U.S. Customary units. |

3.22.3 element tension_test_data/ultimate_tensile_strength

| | |
|-------------|--|
| Type | p:decimal |
| Description | Highest engineering stress in the material before rupture. |

3.22.4 element tension_test_data/yield_strength

| | |
|-------------|--|
| Type | p:decimal |
| Description | Maximum stress that can be induced before the material goes plastic. |

3.22.5 element tension_test_data/percent_elongation

| | |
|-------------|---|
| Type | p:decimal |
| Description | A measure of ductility, the change in gage length divided by the original length times 100. |

3.22.6 element tension_test_data/percent_reduction_of_area

| | |
|-------------|---|
| Type | p:decimal |
| Description | Difference between the original cross sectional area and the smallest specimen cross section after testing. |

3.22.7 element tension_test_data/stress_strain_Diagram_number

| | |
|-------------|--|
| Type | p:string |
| Description | Drawing number of the plot of stress versus strain test results. |

3.22.8 element tension_test_data/location_of_fracture

| | |
|--------|---|
| Type | enumeration of p:string |
| Values | enumeration unaffected base metal enumeration weld metal enumeration heat affected zone |

| | |
|-------------|---|
| Description | Type of material in the specimen where the fracture occurred. |
|-------------|---|

3.22.9 *element tension_test_data/mode_of_fracture*

| | |
|-------------|---|
| Type | p:string |
| Description | Mechanics of material deformation that caused the fracture. |

3.22.10 *element tension_test_data/maximum_load*

| | |
|-------------|--|
| Type | p:decimal |
| Description | Maximum force exerted on the specimen during the test. |

3.22.11 *element tension_test_data/original_cross_sectional_area*

| | |
|-------------|--------------------------------------|
| Type | p:decimal |
| Description | Area of the specimen before testing. |

3.22.12 *element tension_test_data/original_gage_length*

| | |
|-------------|--|
| Type | p:decimal |
| Description | Length of the specimen before testing. |

3.22.13 *element tension_test_data/final_gage_length*

| | |
|-------------|--|
| Type | p:decimal |
| Description | Specimen length after testing, measured to determine elongation. |

3.22.14 *element tension_test_data/type_of_failure*

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration ductile enumeration brittle |
| Source | AWS B4.0, section A2-9 |
| Description | Broad category of failure. |

3.23 element test_fracture_appearance

| | |
|-------------|-----------------------------------|
| Type | p:string |
| Source | AWS B4.0, section A3-9 |
| Description | Visible evidence of the fracture. |

3.24 element test_fracture_location


| | |
|------|----------|
| Type | p:string |
|------|----------|

| | |
|-------------|---------------------------------------|
| Source | AWS B4.0, section A3-9. |
| Description | Area of failure relative to the weld. |


3.25 element test_LGBTFW_angle_of_fracture

| | |
|-------------|--|
| Type | p:string |
| Source | AWS B4.0, section B1-9(6) |
| Description | Longitudinal guided-bend test for fillet welds, angle of fracture. |

3.26 element test_LGBTFW_discontinuity

| | |
|-------------|---|
| Diagram |  |
| Children | type_of_discontinuity size_of_discontinuity location_of_discontinuity |
| Source | AWS B4.0, section B1-9(5). |
| Description | Description of discontinuity caused by longitudinal guided-bend test for fillet welds. |

3.26.1 element test_LGBTFW_discontinuity/type_of_discontinuity

| | |
|-------------|--|
| Diagram |  |
| Type | p:string |
| Description | Type of the failure. |

3.26.2 element test_LGBTFW_discontinuity/size_of_discontinuity

| | |
|-------------|---|
| Type | p:decimal |
| Description | Editor's note: Is this a quantitative measure or observation of relative size? Need units specified if it is a measurement. |

3.26.3 element test_LGBTFW_discontinuity/location_of_discontinuity

| | |
|------|----------|
| Type | p:string |
|------|----------|

| | |
|-------------|-----------------------------------|
| Description | Location in relation to the weld. |
|-------------|-----------------------------------|

3.27 element test_machine_serial_number

| | |
|-------------|---|
| Type | p:string |
| Description | Serial number to identify the machine that produced the test results. |

3.28 element test_number_of_specimens

| | |
|-------------|---|
| Type | p:integer |
| Source | AWS B4.0 |
| Description | The number of specimens of a single weld required for a test. |

3.29 element test_percent_elongation

| | |
|-------------|---|
| Type | p:decimal |
| Source | AWS B4.0, section A1, 1.4 |
| Description | In a tension test, the ratio of the change in length to the initial length. |

3.30 element test_postweld_mechanical_treatment

| | |
|-------------|---|
| Type | p:string |
| Description | Any physical working of the weld specimen before testing. |

3.31 element test_postweld_thermal_treatment

| | |
|-------------|--|
| Type | p:string |
| Source | AWS B4.0, section A1-1.3 |
| Description | Times and temperatures of heat treatment after welding. It is possible this element should be further decomposed if its information can be structured. |

3.32 element test_specimen_dimensions

| | |
|-------------|--|
| Diagram | <pre> classDiagram class test_specimen_dimensions { <<dimensions>> } class units { <<specimen dimension>> type p:string } class thickness { <<specimen dimension>> type p:decimal } class width { <<specimen dimension>> type p:decimal } test_specimen_dimensions "3" -- "1" units : <<dimensions>> test_specimen_dimensions "3" -- "1" thickness : <<dimensions>> test_specimen_dimensions "3" -- "1" width : <<dimensions>> </pre> |
| Children | units thickness width |
| Source | AWS B4.0 |
| Description | Dimensions of the specimen before testing. Editor's note: For specific Types of tests only? |

3.32.1 element test_specimen_dimensions/units

| | |
|-------------|---|
| Diagram | A UML class diagram showing the 'test_specimen_dimensions' class connected to three other classes: 'units', 'thickness', and 'width'. Each of these three classes has a 'type' attribute set to 'p:string'. |
| Type | enumeration of p:string |
| Values | enumeration millimeters enumeration inches |
| Description | Choice of U.S. Customary or SI units. |

3.32.2 element test_specimen_dimensions/thickness

| | |
|-------------|---|
| Type | p:decimal |
| Description | Thickness of the specimen before testing. |

3.32.3 element test_specimen_dimensions/width

| | |
|-------------|---------------------------------------|
| Type | p:decimal |
| Description | Width of the specimen before testing. |

3.33 element test_specimen_location

| | |
|-------------|--|
| Type | p:string |
| Source | AWS B4.0, section A1, 1.3, 1.4 |
| Description | Where in the weldment/joint/weld the specimen was cut. |

3.34 element test_specimen_orientation

| | |
|-------------|--|
| Type | enumeration of p:string |
| Values | enumeration longitudinal enumeration transverse |
| Source | AWS B4.0M, p. 1 |
| Description | The relationship of the axis of the test specimen to the axis of the weld. |

3.35 element test_technician_name

| | |
|-------------|---|
| Type | p:string |
| Source | Taken from an example of an industry test report. |
| Description | Name of the person who conducted a test. |

3.36 type test_temperature

| | |
|-------------|--|
| Diagram | |
| Children | units temperature |
| Source | AWS B4.0 |
| Description | Temperature of a specimen at the time of test. |

3.36.1 element test_temperature/units

| | |
|-------------|---|
| Type | enumeration of p:string |
| Values | enumeration degrees_celsius enumeration degrees_fahrenheit |
| Description | Choice of SI or U.S. Customary units celsius or fahrenheit. |

3.36.2 element test_temperature/temperature

| | |
|------|-----------|
| Type | p:decimal |
|------|-----------|

Acknowledgments

The technical information came primarily from American Welding Society documents that were generated by hundreds of experts in diverse fields. This document is an extension of two 1992 AWS documents, "A9.1" and "A9.2" that were written by the AWS A9 committee then chaired by Jerry E. Jones. Tom Siewert has for some time encouraged the pursuit of a standard data specification for welding data. Tim Quinn had extensive technical input to this document. Christopher Pepper helped edit the document.

Appendices

Appendix 1 – Items to Add in Next Edition of Data Dictionary

Design

- three dimensional geometric location of weld (including weld begin, end points, contour), weld length.
- information to describe the required accuracy of cutting of base materials (e.g., cutting, flame cutting, laser cutting), and accuracy of edge preparation, e.g., whether machining is required, or if flame cutting is adequate.
- tubular joints, e.g., Welding Handbook, Vol. 1, p. 174.

Process

- items needed to describe PQR or WPS ranges, minimum and maximum values, required processes (e.g., “preheat required”), prohibited status (e.g., “consumable inserts are not permitted”, or optional conditions.
- non-arc welding process details.

Inspection

- crack types from AWS 3.0 Figure 33, p. 83, and weld discontinuities - Figure 32. These would be used in a visual inspection report.
- welding test positions from AWS 3.0 – Figures 18 and 19.
- non-destructive examination (NDE) parameters and results.
- AWS D14.6, *Specification for Welding of Rotating Elements of Equipment*, is a rich source of welding terms and variables that should eventually be covered.

Note – AWS D14.6

Appendix 2 - Tasks for data modelers

This data dictionary is not sufficiently rich to specify a data base design or a data format. Some of the tasks needed for detailed design are listed below.

- Strengthen relationships of data elements, i.e. grouping elements into reusable chunks and choosing exact encodings of data types and their values (e.g., values for enumerated data). This will be the job of data modelers. They will test the data model for completeness by using scenarios of data flow from industrial welding facilities.
- Harmonize the AWS data model with any that may be developed in specific industries. The “CIMSteel Integration Standard”, described at <http://www.cis2.org>, and <http://www.coa.gatech.edu/~aisc/> is an example.
- Specify optional and required data that is dependent on other data – e.g., if base metal is a tube, then “diameter” is required information. For example, if the process is automatic GMAW, gas composition is required data and an electrode size is incorrect data. For example, if “backing_used” is true, then there must be data in “backing_type” – if “backing_used” is false, there cannot be data in the “backing_type” field.
- Allow users to deal easily and unambiguously with U.S. Customary and/or SI units, and also within each of these, a choice of multiple unit scales, e.g., for linear speed, inches/second or feet/minute.
- Decide whether to specify enumerations or to allow free use of text fields. E.g., joint types could be a string field, or a single choice among enumerated values in the specification.
- Specify data types to handle e.g., min/max values of variables in SWPSs and PQRs. Also specify actual ranges that are legal or allowed if appropriate.
- Modularize definitions for maximum reuse in different report forms, and also to reduce the number of elements to aid understandability. For example, many fields from WPSs are used in mechanical test results forms in reporting the processes and weld design that produced the weld.
- Pick encoding options to allow extensibility of data, to allow for conditions not anticipated by the modelers, or to use data unique to a company or a proprietary process. However users are


encouraged to fit their applications within the guidelines of the data models as much as possible, minimizing their use of “other” data types.

- Fine tune definitions and rules for specific standard reports, e.g., mechanical testing results.
- Eliminate duplicate items, in the interest of computational efficiency and understandability.

If an effort goes forward to develop formal data schema, the modelers will cooperate with members of the various AWS committees that authored standards documents to ensure correct interpretation of the data, use of familiar terms, and design of comprehensive and unambiguous enumerations where appropriate.

- Add data elements that welding experts deem required, that are not specified in the AWS documents. E.g., some companies record the serial number of the testing machine used, and the name of the testing technician.
- Pick default values from the enumerated choices (a very detailed decision).


Appendix 3 – The BIG PICTURE of welding data exchange



Modularization of welding specifications (instead of pursuing all these areas in a single effort) will speed progress in each smaller area, and allow experts to contribute their knowledge in narrower areas more efficiently.

BIG PICTURE

Some Related Industries



Many manufacturing industries share welding as a fabrication process. The data dictionary helps define welding variables centrally so the industries can “borrow” them, instead of each industry developing their own definitions. The goal is to avoid development of different “dialects” of data formats that the welding industry would have to accommodate.

Appendix 4 – Terminology differences between ISO and AWS

1. ISO does not use the word “flange” in describing joints. It uses “edges turned up”.
2. ISO does not describe “groove welds”. It uses “butt weld” hyphenated with the name of the groove type.