



PLANT CLOSED—COMPLETE FACILITY SELLOUT



Emerson Motor Technologies

A Major Manufacturer of Electrical Motors

FEATURING CNC & CONVENTIONAL MACHINING, TURNING, & GRINDING TOOLS

COMPLETE VARNISI
CURING LINE

910 Homecrest Street, Kennett, Missouri 63857 Thursday, June 29 • 10:30 A.M. Central Inspection: Wednesday, June 28 • 9:00 A.M.-4:30 P.M.

10% BUYER'S PREMIUM

www.stoneauctioneers.com



AUCTIONEERS & APPRAISERS

Mike Stone CAI, AARE, GPPA, CAGA, MO Auction Lic. #50
61 Lakeview Lane • Carrollton, AL 35447 Phone (662) 243-1050 • Fax (775) 640-8487

"World Wide Accelerated Marketing & Valuation Services"

PARTIAL EQUIPMENT LISTING

LATHES

MAZAK Mdl. Quickturn 8G Lathe, 8" swing, 10" turn length, gang tooling, collet chuck, Mazatrol Eia-T Mel Das, rear-mtd. chip conveyor, s/n 72716.

MAZAK Mdl. Slant Turn 15 Universal Lathe, 12" swing, 32" CC, 15 hp., 8-position turret, Fanuc 6T, chip conveyor, s/n 47868.

LeBLOND MAKINO Mdl. Baron 25 Lathe, 12" swing, 30" CC, 16-station turret, collet chuck, tailstock, GN.6 control, Fanuc drives, s/n 255-187.

FUJI MdI. FS Universal Automatic Chucker, collet chuck, front and rear slides, end support, 3.7 kW motor, 440-volt, s/n 6557.

HARRISON Lathe, 13" x 40", 6" 3-jaw chuck, 3 hp.

CINCINNATI MILACRON Rotor Lathe.

SCREW MACHINES

1988 STAR MdI. KNC-32 CNC Screw Machine, 1.25" cap., (2) 10-station turrets, sub-spindle, Fanuc OTT, chip conveyor, twin turret, s/n 006350, w/1.25" dia. x 12' FMB turbo barloader, MdI. 4000/1700 LMS, s/n 2-200623.

NEW BRITAIN Screw Machine.

TAPPING MACHINES

ETTCO Tapper, 1-spindle, PF, 2 hp., 480-volt, s/n 076299.

ETTCO Tapper, Mdl. 2110 4-spindle head, PF, 2 hp., 480-volt, s/n 07489.

ETTCO Tapper, Mdl. 2110 4-spindle head, PF, 2 hp., dual palm.
ETTCO Mdl. ATU-4 Tapper, Mdl. 2110 4-

spindle head, 4" stroke, s/n 533. **ETTCO Mdl. 600 Tapper**, Mdl. 2110 4-spin-

dle head, 3" stroke, 2 hp., s/n 4371.

ETTCO Mdl. ATU-4 Tapper, Mdl. 2110 4-spindle head, 4" stroke, 2 hp., s/n 532.



APPRAISERS ON STAFF



MAZAK MDL. SLANT TURN 15 UNIVERSAL LATHE



CINCINNATI MILACRON ROTOR LATHE



LEBLOND MAKINO MDL. BARON 25 LATHE



HARRISON LATHE



MAZAK MDL. QUICKTURN 8G LATHE



ETTCO TAPPER, 4-SPINDLE HEAD



IS I BRITAIN

NEW BRITIAN SCREW MACHINE



MATTISON SURFACE GRINDER



HYDRA-ABRASIVE SURFACE GRINDER



LANDIS CYLINDRICAL GRINDER

AIR COMPRESSORS

INGERSOLL-RAND Mdl. SSR-2000 M500L Rotary Screw Air Compressor, 100 hp., 8.240 hrs.

INGERSOLL-RAND Mdl. SSR-EP150 Rotary Screw Air Compressor, 150 hp., 27,818 hrs., s/n F5978U93088.

INGERSOLL-RAND Mdl. SSR-EP150 Rotary Screw Air Compressor, 150 hp., 24,368 hrs., s/n F6977U93084.

QUINCY MdI. 081-490-WNN3 (Q490) Screw Air Compressor, 100 hp., watercooled, w/heat exchanger, 4-starter, skid mount, 54,587 hrs., s/n 255-112-10185.

- (2) 300-Gal. Receiver Tanks.
- (2) 600-Gal. Receiver Tanks.

AIR DRYERS

ZEKS MdI. 700 HSCA-400 Air Dryer, 400 CFM, s/n 784-15-1.

(2) INGERSOLL-RAND MdI. HG750 Air Dryers, 750 CFM, s/n 912-HG8092-6-91.

GRINDERS

MATTISON Surface Grinder, 24" x 72", 24" x 36" chuck, w/extension, 20" x 3" wheel, 15 hp., 480-volt, incremental downfeed, over-wheel dresser, Barnes magnetic and paper filters, visible flanking on ways, s/n 20286.

MITSUBISHI Mdl. R32-B100P CNC Cylindrical Grinder, 13" x 39" cap., 20" x 3" wheel, 7.5 hp. wheel, Marposs gauging, Fanuc OG-B control, hyd. tailstock, s/n GS308.

ACME Centerless Belt Grinder, 10° dia. cap., 75 hp. belt head, VS regulating wheel, Polycon filter.

Mdl. Hydra-Abrasive Abrasive Surface Grinder, Walker 12" x 18" permanent magnetic chuck, hyd. feeds, no power down, coolant, s/n 1218-103.

LANDIS Cylindrical Grinder, 10" x 48", 5"W x 32" dia. wheel, Plunge 15 hp. wheel motor, Banes magnetic and paper filter, rear powered dresser, spare wheel arbor, wheel balancer.



MITSUBISHI CNC CYLINDRICAL GRINDER







VIEW OF RECEIVER TANKS



INGERSOLL-RAND AIR DRYERS



INGERSOLLHAND

QUINCY SCREW AIR COMPRESSOR












HYDRAULIC PRESSES

MULTI-SPINDLE DRILL PRESSES



US FILTER J PRESS



BANNER RESISTANCE BASE WELDERS

FILTER PRESS

US FILTER MdI. 470G32-13/25-2/4M YLW J-Press, 100 PSI max. pressure, 7,800 PSI hyd. clamping pressure, (14) 18" x 18" filters, Enerpac manual pump, w/Chemtainer poly tank, 175-gal., airoperated, s/n F07453.

PRESSES

DAKE H-Frame Press, 75-ton, s/n 191013.

- (5) DENNISON Hydraulic Presses.
- (5) Miscellaneous Hydraulic Presses.

DRILLS

DoALL 20" Drill, geared head.

CLAUSING Drill, 3-spindle, (2) No. 3MT, w/Quadrill turret, (1) No. 2MT, step pulley, 24" x 80" table.

CLAUSING Drill, 3-spindle, (2) No. 3MT, (1) No. 2MT, step pulley, 24" x 80" table.

AVERY Drill, 4-spindle, 3-head only, No. 2MT 2-head PF, tapping head.

AVERY Drill, 2-spindle.

AVERY Drill, 3-spindle, 5-head base.

WELDERS

ESAB PCM-1125 Welder, s/n PA-1910059.

MILLER Mdl. M-CP200 Mig Welder, s/n 72631976.

LINCOLN Mdl. M-WP225G7 Weldanpower 225 Arc Welder, s/n A1176152.

L-TEC PCM-VPI Welding and Cutting System.

BANNER RESISTANCE Mdl. X-1936 Base Welder, s/n 4591.

BANNER RESISTANCE Mdl. T904360900 Base Welder, s/n WT/97740-2.

SWEEPER/SCRUBBERS

(2) TENNANT Sweeper/Scrubbers.

FORKLIFTS

HYSTER Mdl. E40XL-27 Electric Forklift, 4,000 lb. cap., s/n C108VC7239.

HYSTER Mdl. E50XL-27 Electric Forklift, 5,000 lb. cap., s/n C108V06676K.

HYSTER Mdl. E50XL-33 Electric Forklift, 5,000 lb. cap., s/n C108V09008K.

HYSTER MdI. E40XL-27 Electric Forklift, 4,000 lb. cap., s/n C108V08783K.

 $\mbox{HYSTER MdI. E50XL-33 Electric Forklift, } 5,000\mbox{ lb. cap., s/n } \mbox{C108V08982K.}$

CATERPILLAR Mdl. M40B Electric Forklift, 4,000 lb. cap., s/n 90Y550.

CATERPILLAR MdI. GC20 LP Forklift, $4{,}000$ lb. cap., s/n 4EM00359.







PARTIAL VIEW OF WELDERS





TENNANT SWEEPER/SCRUBBERS



PARTIAL VIEW OF HYSTER FORKLIFT



PARTIAL VIEW OF CATERPILLAR FORKLIFT

MISCELLANEOUS EQUIPMENT



BRIDGEPORT MILL



FLUID DISPENSING SYSTEM



DoALL VERT. SAW



OSI GAS FIRED OVEN



MODULAR OFFICES



DUMPABLE BINS



PARTIAL VIEW OF **TOOL CABINETS**



OSI COOLING **OVEN**

BARRET CHIP WRINGER WATER SEPARATOR



HYDRAULIC BALER





OSI CURING OVEN, GAS FIRED



PARTIAL VIEW OF BRIDGE CRANE AND HOISTS

(8) HEALD Borematics, 2-spindle, twin drive, LB-608, 5 hp. drive motor.

BRIDGEPORT Mill, 9" x 42", J-head, 1 hp., R8 collet.

1963 DoALL Mdl. 1612-0 Vertical Saw, 16", welder, power feed, s/n 209-63115.

HYPNEMATIC 4-Spindle, 2 hp., (2) 2MT heads, (2) for multi-spindle drive, (1) spindle

MICROVIEW Mdl. 14 Comparator, 14", Accurite DRO, s/n 3520.

NATIONAL Mdl. 600 Riveter, s/n 2102H3.

GREENERD No. 3 Arbor.

INSTAPACK Foam Packer.

Hydraulic Lift Table.

HURCO Mill.

Cardboard Slitter.

SPECIAL D-271 Drill and Ream.

SPECIAL Press.

Rubber Belt Parts Washer, 12" dia. x 4' tunnel. SPECIAL Bearing Press.

HILMAN 60-Ton Roller.

(3) Portable Air Pumps.

Oil Storage Tank.

(2) Fluid Dispensing Systems.

(5) Paint Storage Cabinets.

OSI Oven, 6" x 72" twin conveyor belts, 30" x 7" opening, gas fired, 1,000°, running at 950°, w/cooling section.

TY MILES Vertical Broach, 24" stroke, 2- or 4-ton.

(3) Boring Presses, special for armatures. Paint Booths.

Sound Test Booths.

Foam Packaging Machines.

Box Taper and Strapper.

Stretch Wrapper.

Label Printer.

(3) SPECIAL Steel Welders. Phosphate Coating Line.

Smoa Hoas.

(3) MARKEM Mdl. LP-39L Label Machines.

(2) MARKEM Mdl. LP-385 Label Machines.

(2) MARKEM Mdl. LP-275 Label Machines.

RECOLD Mdl. JWL-35C Chiller, s/n 96747. (3) 3-Ton Bridge Cranes.

SAMSCO Mdl. 500-304 Water Evaporator, 285,000 BTU, 60H2, 1-phase, s/n 195.

Modular Offices.

(2) Curing Ovens.

Varnish Line.

ALVA ALLEN Mdl. BT-5 Spline Press.

SCHAUER Speed Lathe.

Hand-Operated Mill.

Hydromatic Drill, 4-head.

STATOR Shell Presses.

A-Frame Press, 3-ton.

Pedestal Grinders.

Sandblast Cabinet.

Heat Treat Oven. Chip Conveyors.

Broaches.

Office Furniture.

Shop Tables and Workbenches.

Warehouse Carts.

Dumpable Bins.

Lockers and Cabinets.

OSI Paint Oven, 20" x 16", gas-fired.

OSI Cool Down Oven, 21" x 17", gas-fired.

Varnish Finishing Line, 20" x 24" opening, 4' PM, 550° max., gas-fired.

Hydraulic Cardboard and Metal Baler: Rotor Lathe; Motor Shell Equipment; Miscellaneous Motor Assembly Equipment.



PALLET WRAPPING SYSTEM





OVEN



PARTIAL VIEW OF

RECOLD **CHILLER**



LABEL MACHINE





PACKAGING EQUIPMENT



SAMSCO WATER **EVAPORATOR**

PUBLIC AUGIION



61 Lakeview Lane Carrollton, Alabama 35447

"World Wide Accelerated Marketing & Valuation Services"



Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 305

PLANT CLOSED-COMPLETE FACILITY SELLOUT



Emerson Motor Technologies

A Major Manufacturer of Electrical Motors

Thursday, June 29 • 10:30 A.M. Central

Inspection: Wednesday, June 28 • 9:00 A.M.-4:30 P.M.





















YOUR ABSENTEE BIDS ARE WELCOME

Phone (662) 243-1050 or Visit www.stoneauctioneers.com to Download: Advance Registration Forms, Absentee Bid Forms, Sale Terms & Conditions

DIRECTIONS

From Memphis, Tennessee, take I-55 North approximately 90 miles to US Highway 412. Take US Highway 412 West (Exit 17B to Kennett) approximately 17 miles to Independence Avenue. Turn right on Independence Avenue, and go approximately 1 mile to Ely Street. Turn left on Ely Street and go approximately 2 miles to sale site. Look left for signs.

TERMS & CONDITIONS

SETTLEMENT: The United States and State Laws for failure to pay shall apply. The buyer agrees to make agreed settlement on sale day during or immediately after the auction in U.S. currency, bank-certified U.S. funds, or company check with bank letter of authorization. Here's how your letter should read: (Customer Name) is a customer of this bank. This bank guarantees for a period of ten banking days from (sale date) unconditional payment of their company check made payable to Stone Auctioneers & Appraisers in the amount of \$_____. In default of payment and or property not removed within the specified time, the auctioneer, in addition to all other remedies allowed by law, will retain all monies received and resell the property at public sale without further notice. Any deficiency, including expenses of resale, will be charged to the defaulting bidder.

BUYER'S PREMIUMS: A 10% buyer's premium will apply. These premiums will be added to every purchase to make up the sale total.

REGISTRATION: Buyers represent and warrant that this registration is made for the buyer alone and not on behalf of any other person. The auctioneer reserves the right to revoke any bidder card and eject any person at any time.

INSPECTION: The buyer agrees to physically inspect the property and to rely exclusively upon this inspection in order to bid or purchase at the sale.

MEMORANDA OF SALE: The record of sale kept by the auctioneer or bookkeeper must be taken by the bidder or buyer as absolute and final in all disputes.

NO WARRANTIES: All property is sold "as-is, where-is" with all faults. There are no warranties, representations or guarantees as to quality, character or condition of the property. The implied

warranty of merchantability is expressly disclaimed. Auction buyers shall not be entitled to any adjustments or allowance, rescission, damages or any remedy or claim as to quality, character or condition of any property purchased by the bidders.

ACCESSORIES: All tooling and accessories will be sold separate from the equipment unless otherwise stated.

RISK OF LOSS: The auctioneer and seller are not responsible for any lost, damaged or stolen property, of any kind, regardless of circumstance. The buyer assumes delivery, full responsibility and accepts all risk of loss for any property purchased from the time the auctioneer accepts the buyer's bid regardless of the check out or closing process.

THEFT: The theft of any property should be reported to the local police. It is the right of all auction buyers to prosecute anyone caught stealing to the fullest extent of the law.

CHECK OUT & REMOVAL: The buyer has no right of abandonment whatsoever. The buyer agrees to remove all purchased property from the auction site within the specified time announced or posted in the auction catalog. Property not removed within the time specified will be resold or disposed of by the auctioneer or seller without additional notice and in addition to all other remedies allowed by law, the auctioneer will retain all monies received and add any deficiency or expense associated with resale or disposal of the property to the defaulting buyer. Riggers, movers, electricians or anyone working as such must provide the auctionem with proof of insurance. The coverage must be at a level acceptable to the auctioneer and seller. All removal expenses and the repair of damages caused by removal are at the risk and expense of the buyer and or their agent unless otherwise stated on the auction invoice.

AUCTION SITE: Buyer acknowledges that the auction site is a potentially dangerous place. Every person attending the auction sale at all times shall be there at their own risk, with notice of the conditions at the premises, the activities on the premises, and the conduct of third parties now given. Buyers shall so advise their agents and employees. The buyer agrees to indemnify and hold the auctioneer and seller harmless from any claims or damages. No person shall have any claim against the auctioneer, his agents, employees or principals regardless of personal injury, loss of life or damages to or loss of property. Buyer also acknowledges responsibility for his actions and conduct and the action and conduct of their agents and employees throughout the sale and checkout process.

DISPUTES: Any disputes that arise during the course of the sale or pay period shall be decided by the auctioneer. The decision of the auctioneer shall be final and absolute.

ADDITIONAL: Announcements made by the auctioneer prior to the sale shall become a part of this agreement. Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no guarantee whatsoever to the accuracy of any printed materials. The auctioneer reserves the right to refuse admittance to anyone. The auctioneer reserves the right to withdraw items, alter the sale order, accept bids from the seller and group lots as he deems appropriate. Absentee bids will be bid proxy from the auctioneer and staff. The bidders and or buyers will not hold the auctioneer liable for the seller's misconduct or negligence in regards to matters of title or failing to close on a sell or failing to disclose defects of any kind including that of hazardous waste. Buyers and bidders will look to the seller in these matters.