

Accessories

Tollgate hat and coat hooks have all been designed to incorporate rubber buffers to avoid damage to cubicle boards during use. Face-fix screws are supplied as standard, although bolt-through fixings are available on request.

Tollgate toilet roll holders are supplied with face-fix screws as standard, although bolt-through fixings are available on request.

| | | |
|--|--|---|
|  |  |  |
| <p>C3734 Heavy Duty Steel Hat/ Coat Hook</p> <p>Bespoke Powder Coated†</p> | <p>C4938 Hat/ Coat Hook</p> <p>12-13mmPK3766 17-19mmPK3767 20-21mmPK3767</p> <p>Stainless Steel</p> | <p>SA0257 Hat/ Coat Hook</p> <p>12-13mmPK905 17-19mmPK294 20-21mmPK294</p> <p>Silver Anodised Polished Bespoke Powder Coated†</p> |
|  |  |  |
| <p>C4937 Coat Hook</p> <p>12-13mmPK3731 17-19mmPK3763 20-21mmPK3763</p> <p>Stainless Steel</p> | <p>SA2427 Coat Hook</p> <p>12-13mmPK904 17-19mmPK295 20-21mmPK295</p> <p>Silver Anodised Polished Bespoke Powder Coated†</p> | <p>C3092 Coat Hook</p> <p>Silver Anodised</p> |

Accessories

Tollgate hat and cat hooks have all been to incorporate rubber buffers to avoid damage to cubicle boards during use. Face-fix screws are supplied as standard, although bolt-through fixings are available on request.

Tollgate toilet roll holders are supplied with face-fix screws as standard, although bolt-through fixings are available on request.



C5007
Coat Hook

12-13mm**PK3764**
17-19mm**PK3765**
20-21mm**PK3765**

Stainless Steel

PK1078
Aluminium Tubular Coat Hook

12-13mm**PK1078**
17-19mm**PK1228**
20-21mm**PK1228**

Silver Anodised
Bespoke Powder Coated†

SA2204
Talisman Coat Hook

12-13mm**PK2045**

Silver Anodised
Bespoke Powder Coated†



C4673
Aluminium Heavy Duty Coat Hook

Polished
Bespoke Powder Coated†

C4016
Nylon Coat Hook/ Doorstop

12-13mm**C4016**

Red
Grey
Black
White

Accessories

Tollgate hat and cat hooks have all been to incorporate rubber buffers to avoid damage to cubicle boards during use. Face-fix screws are supplied as standard, although bolt-through fixings are available on request.

Tollgate toilet roll holders are supplied with face-fix screws as standard, although bolt-through fixings are available on request.

**SA0388**

Cast Spring Toilet Roll Holder
with Plastic Roller

Silver Anodised
Polished
Bespoke Powder Coated[†]

SA0309

Spring Toilet Roll Holder
with Plastic Roller

Silver Anodised
Bespoke Powder Coated[†]

SA0129

Toilet Roll Holder (with Key)
with Wooden Roller

Silver Anodised
Polished
Bespoke Powder Coated[†]

Fixing Clips



SA2400
Push Pull Panel Clip

Supplied in packs of 1000

Nylon



SA2390
Push Pull Panel Clip

Supplied in packs of 1000

Nylon



SA2391
Lift On/ Lift Off Panel Clip
(with lip)

Supplied in packs of 1000

Nylon






SA2392
Lift On/ Lift Off Panel Clip
(without lip)

Supplied in packs of 1000

Nylon

Accessories

Tollgate supply a variety of screws, through fixings, inserts and buffers to help with your installation requirements.

| | | |
|--|--|--|
|  |  |  |
| <p>Threads</p> <p>M4/ M5/ M6/ M8 All Threads up to 75mm long</p> <p>M4/ M5/ M6/ M8 Grub Screws up to 75mm long</p> <p>Stainless Steel Steel</p> | <p>Through Fixings</p> <p>Pan Hex Screws^{††}</p> <p>CSK Hex Screws^{††}</p> <p>Stainless Steel Steel Aluminium</p> | <p>T-Nuts</p> <p>M4/ M5/ M6 Hex T-Nuts</p> <p>M4/ M5/ M6 Blind T-Nuts</p> <p>Stainless Steel</p> |
|  |  |  |
| <p>Security Screws</p> <p>Pan Hex Screws^{††}</p> <p>CSK Hex Screws^{††}</p> <p>Pin Hex Screws^{††}</p> <p>Mild Steel Stainless Steel</p> | <p>Screws</p> <p>Woodscrews^{††}</p> <p>Self tapping^{††}</p> <p>Mild Steel Stainless Steel</p> | <p>Inserts</p> <p>Suitable for MFC and Solid Grad^{††}</p> <p>Brass Stainless Steel Steel</p> |

Tel: +44 (0) 1952 520130
 Fax: +44 (0) 1952 520131
 Email: sales@tollgateproducts.co.uk
 Website: www.tollgateproducts.co.uk

[†] Bespoke items may be subject to additional leadtimes
^{††} Various sizes available

Accessories

Tollgate supply a variety of screws, through fixings, inserts and buffers to help with your installation requirements.



Self-Threading Screws For Solid Grade Laminate

M4/ M5/ M6 Self Threading Screws**
Stainless Steel



Security Driver Bit

Hex Head



Allen Key

Hex Allen Key**



Anti-Finger Trap Door Buffers and Spacers

6mm - 16mm**
Rubber/ Nylon

Brackets

Tollgate offer a wide choice of 'U' shaped channel brackets and 'L' shaped angle brackets to suit all cubicle requirements. All brackets are supplied as a pack of 3 unless stated.

Channel brackets are available to suit standard board thickness. Angle brackets can be supplied to suit board thickness up to 50mm by incorporating either extended through bolts, inserts and machine screws or self tapping screws.

| | | |
|---|---|---|
|  |  |  |
| <p>C0448 Standard Channel Bracket</p> <p>17-19mmPK1425</p> <p>Silver Anodised Bespoke Powder Coated[†]</p> | <p>C2214 Multirol Channel Bracket</p> <p>12-13mm WALL/FACE FIXPK740 12-13mm BOLT THROUGHPK804 17-19mmPK685 20-21mmPK821</p> <p>Silver Anodised Fine Black Texture Polished Bespoke Powder Coated[†]</p> | <p>C2490 Multirol Angle Bracket</p> <p>12-13mmPK3409 17-19mmPK711 20-21mmPK705</p> <p>Silver Anodised Fine Black Texture Polished Bespoke Powder Coated[†]</p> |
|  |  |  |
| <p>C1257 SL Channel Bracket</p> <p>12-13mmPK726</p> <p>Silver Anodised Polished Bespoke Powder Coated[†]</p> | <p>C1542 SL Angle Bracket</p> <p>12-13mmPK727</p> <p>Silver Anodised Polished Bespoke Powder Coated[†]</p> | <p>C2247 SL Corner</p> <p>12-13mmC2247</p> <p>Silver Anodised Bespoke Powder Coated[†]</p> |

Brackets

Tollgate offer a wide choice of 'U' shaped channel brackets and 'L' shaped angle brackets to suit all cubicle requirements. All brackets are supplied as a pack of 3 unless stated.

Channel brackets are available to suit standard board thickness. Angle brackets can be supplied to suit board thickness up to 50mm by incorporating either extended through bolts, inserts and machine screws or self tapping screws.

| | | |
|--|---|--|
|  |  |  |
| <p>C3821 Zenith Channel Bracket</p> <p>12-13mm WALL/FACE FIXPK2142 12-13mm BOLT THROUGHPK2143 17-19mmPK2141 20-21mmPK2141</p> <p>Silver Anodised Polished Bespoke Powder Coated†</p> | <p>C4546 Zenith Angle Bracket</p> <p>12-13mmPK2185 17-19mmPK2165 20-21mmPK2165</p> <p>Silver Anodised Polished Bespoke Powder Coated†</p> | <p>C2214 Primary Channel Bracket</p> <p>12-13mm WALL/ FACE FIXPK1790 12-13mm BOLT THROUGHPK1789 17-19mmPK1788 20-21mmPK1788</p> <p>Yellow Theme Red Theme Blue Theme</p> |
|  |  |  |
| <p>C2670 Multirol Plus Channel Bracket</p> <p>12-13mm WALL/ FACE FIXPK1040 12-13mm BOLT THROUGHPK1038 17-19mmPK1113 20-21mmPK1068</p> <p>Satin Polished Stainless Steel</p> | <p>C3783 Multirol Plus Angle Bracket</p> <p>12-13mmC3783 17-19mmPK1069 20-21mmPK1069</p> <p>Satin Polished Stainless Steel Stainless Steel</p> | <p>C4002 PBA Nylon Angle Bracket</p> <p>12-13mmC4002</p> <p>Bespoke Red† Bespoke Grey† Bespoke Black† Bespoke White†</p> |

Tel: +44 (0) 1952 520130
 Fax: +44 (0) 1952 520131
 Email: sales@tollgateproducts.co.uk
 Website: www.tollgateproducts.co.uk

† Bespoke items may be subject to additional leadtimes

Brackets

Tollgate offer a wide choice of 'U' shaped channel brackets and 'L' shaped angle brackets to suit all cubicle requirements. All brackets are supplied as a pack of 3 unless stated.

Channel brackets are available to suit standard board thickness. Angle brackets can be supplied to suit board thickness up to 50mm by incorporating either extended through bolts, inserts and machine screws or self tapping screws.



C4824
Glass Cubicle Channel Bracket

10mm WALL/ FACE FIX**PK2210**
10mm BOLT THROUGH**PK2209**

Silver Anodised

C3617
PBA Glass Cubicle Angle Bracket

10mm**C3617**

Satin Polished Stainless Steel
Bespoke Bright Polished[†]

C3152
Multirol Advance Channel Bracket

12-13mm WALL/ FACE FIX**PK1440**
12-13mm BOLT THROUGH**PK1486**
17-19mm**PK1441**
20-21mm**PK1442**

Silver Anodised
Fine Black Texture
Polished
Bespoke Powder Coated[†]



C3250
Multirol Advance Angle Bracket

12-13mm**PK1714**
17-19mm**PK1443**
20-21mm**PK1443**

Silver Anodised
Fine Black Texture
Polished
Bespoke Powder Coated[†]

C3753
Ellipse Channel Bracket

12-13mm WALL/ FACE FIX**PK1845**
12-13mm BOLT THROUGH**PK1846**
17-19mm**PK1848**
20-21mm**PK1849**

Silver Anodised
Polished
Bespoke Powder Coated[†]

C3841
Ellipse Angle Bracket

12-13mm**PK1938**
17-19mm**PK1850**
20-21mm**PK1850**

Silver Anodised
Polished
Bespoke Powder Coated[†]

Brackets







Tollgate offer a wide choice of 'U' shaped channel brackets and 'L' shaped angle brackets to suit all cubicle requirements. All brackets are supplied as a pack of 3 unless stated.

Channel brackets are available to suit standard board thickness. Angle brackets can be supplied to suit board thickness up to 50mm by incorporating either extended through bolts, inserts and machine screws or self tapping screws.

| | | |
|--|---|--|
|  |  |  |
| <p>C5484 016 Stainless Steel Channel Bracket</p> <p>12-13mm WALL/ FACE FIX.....PK3722 12-13mm BOLT THROUGHPK3724 17-19mmPK3768 20-21mmPK3768</p> | <p>C5549 016 Stainless Steel Angle Bracket</p> <p>12-13mm WALL/ FACE FIX.....PK3779 17-19mmPK3780 20-21mmPK3780</p> | <p>C5508 Stainless Steel Angle Bracket</p> <p>12-13mmC5508</p> |
| <p>Satin Polished</p> | <p>Satin Polished</p> | <p>Satin Polished</p> |




Headrails, Wall/ Floor Channels and Miscellaneous

Tollgate offers a wide choice of headrails to suit all cubicle requirements and price structures. Headrails are available in 2 metre and 4 metre lengths and are supplied in cardboard tubes for protection.

| | | |
|---|---|--|
|  |  |  |
| <p>C0550 MFC Angle (38 x 22mm)</p> <p>17-19mmC0550 20-21mmC0550</p> <p>Silver Anodised Primary Blue Polished[†] Bespoke Powder Coated[†]</p> | <p>C0551 Formica Angle (50 x 22mm)</p> <p>17-19mmC0551 20-21mmC0551</p> <p>Silver Anodised Polished[†] Bespoke Powder Coated[†]</p> | <p>C1801 SL Angle (50 x 12-7mm)</p> <p>12-13mmC1801</p> <p>Silver Anodised Polished[†] Bespoke Powder Coated[†]</p> |
|  |  |  |
| <p>C1442 SL Channel (46mm deep)</p> <p>12-13mmC1442</p> <p>Silver Anodised Primary Blue Polished[†] Bespoke Powder Coated[†]</p> | <p>C2790 Plain 'D' Headrail</p> <p>12-13mmC2790 17-19mmC2790 20-21mmC2790</p> <p>Silver Anodised Polished Bespoke Powder Coated[†]</p> | <p>C5006 Shallow SLChannel (33mm deep)</p> <p>12-13mmC5006</p> <p>Silver Anodised Polished[†] Bespoke Powder Coated[†]</p> |

Headrails, Wall/ Floor Channels and Miscellaneous

Tollgate offers a wide choice of headrails to suit all cubicle requirements and price structures. Headrails are available in 2 metre and 4 metre lengths and are supplied in cardboard tubes for protection.


| | | |
|---|---|---|
|  |  |  |
| <p>C1383 MFC Channel</p> <p>17-19mmC1383</p> <p>Silver Anodised Polished[†] Bespoke Powder Coated[†]</p> | <p>C5285 20mm Channel</p> <p>20-21mmC5285</p> <p>Silver Anodised Polished[†] Bespoke Powder Coated[†]</p> | <p>C4249 Talisman Headrail</p> <p>12-13mmPK2033</p> <p>Silver Anodised Polished[†] Bespoke Powder Coated[†]</p> |
|  |  |  |
| <p>C4265 Talisman Wall Section*</p> <p>12-13mmC4265 17-19mmC4576</p> <p>Silver Anodised Polished[†] Bespoke Powder Coated[†]</p> | <p>C2970 Compact Jointing Section</p> <p>12-13mmC2970</p> <p>Silver Anodised Polished[†] Bespoke Powder Coated[†]</p> | <p>C2831 19mm 'H' Section</p> <p>19-20mmC2831</p> <p>Silver Anodised Polished[†] Bespoke Powder Coated[†]</p> |

Tel: +44 (0) 1952 520130
 Fax: +44 (0) 1952 520131
 Email: sales@tollgateproducts.co.uk
 Website: www.tollgateproducts.co.uk

[†] Bespoke items may be subject to additional leadtimes
 *Can also be used as floor channel with end caps

Headrails, Wall/ Floor Channels and Miscellaneous

Tollgate offers a wide choice of headrails to suit all cubicle requirements and price structures. Headrails are available in 2 metre and 4 metre lengths and are supplied in cardboard tubes for protection.



C4989
Z Bar

| | | |
|---------|-------|--------------|
| 12-13mm | | C4989 |
| 17-19mm | | C4989 |
| 20-21mm | | C4989 |

Silver Anodised
Polished[†]
Bespoke Powder Coated[†]

C4980
Orbit Headrail

| | | |
|---------|-------|---------------|
| 12-13mm | | PK3304 |
| 17-19mm | | PK3304 |
| 20-21mm | | PK3304 |

Silver Anodised
Polished[†]
Bespoke Powder Coated[†]

C5452
Galaxy Headrail

| | | |
|---------|-------|---------------|
| 12-13mm | | PK3640 |
| 17-19mm | | PK3640 |
| 20-21mm | | PK3640 |

Silver Anodised
Polished[†]
Bespoke Powder Coated[†]



C3993
18mm Nylon Channel
(1800mm length)

| | | |
|---------|-------|--------------|
| 17-19mm | | C3993 |
|---------|-------|--------------|

Grey

Headrails, Wall/ Floor Channels and Miscellaneous

Tollgate offers a wide choice of headrails to suit all cubicle requirements and price structures. Headrails are available in 2 metre and 4 metre lengths and are supplied in cardboard tubes for protection.

| | | |
|--|---|---|
|  |  |  |
| <p>C3994 18mm Nylon 'H' Section (1800mm length)</p> <p>17-19mmC3994</p> <p>Grey</p> | <p>C5499 12mm 'H' Section</p> <p>12-13mmC5499</p> <p>Silver Anodised Bespoke Powder Coated†</p> | <p>C5497 016 Stainless Steel 13mm 'U' Channel Headrail (3 metre length)</p> <p>12-13mmC5497</p> <p>Satin Polished</p> |
|  <p>C5498 016 Stainless Steel L Angle Headrail (3 metre length)</p> <p>17-19mmC5498 20-21mmC5498</p> <p>Satin Polished</p> | | |

Tel: +44 (0) 1952 520130
 Fax: +44 (0) 1952 520131
 Email: sales@tollgateproducts.co.uk
 Website: www.tollgateproducts.co.uk

† Bespoke items may be subject to additional leadtimes

Headrails, Wall/ Floor Channels and Miscellaneous

Tollgate offers a wide choice of headrails to suit all cubicle requirements and price structures. Headrails are available in 2 metre and 4 metre lengths and are supplied in cardboard tubes for protection.



C4482

FT Tube Floor to Ceiling Post
(3 metre length)

| | | |
|---------|-------|---------------|
| 12-13mm | | PK2126 |
| 17-19mm | | PK2126 |
| 20-21mm | | PK2126 |

Silver Anodised
Polished†
Bespoke Powder Coated†

SA1455

Round FC Tube Floor to Ceiling Post
(3 metre length)

| | | |
|---------|-------|---------------|
| 12-13mm | | PK2012 |
| 17-19mm | | PK2013 |
| 20-21mm | | PK2013 |

Silver Anodised
Polished
Bespoke Powder Coated†

Tel: +44 (0) 1952 520130
Fax: +44 (0) 1952 520131
Email: sales@tollgateproducts.co.uk
Website: www.tollgateproducts.co.uk

† Bespoke items may be subject to additional leadtimes

Hinges

Tollgate supply a wide range of hinges to suit all cubicle requirement and price structures. All hinges are supplied in pairs as standard, or in sets of 3No. for heavy/ oversized doors and are available in either 'face fixed' or 'bolt through' fixing options. Cranked, lift-off butt hinges and 100mm rising/ falling hinges must be ordered in left or right hand hung options when seen from outside the cubicle.

Hinges with adjustable nylon cams enable the door to fall open/ closed as required, these hinges also allow emergency removal of doors by extraction of hidden retaining screws.



SA0195
75mm Non Lift-off Hinge

17-19mm**PK2278**
20-21mm**PK2278**

Silver Anodised
Bespoke Powder Coated[†]

SA0111
Standard Adjustable Hinge[†]

17-19mm**PK1120**
20-21mm**PK1120**

Silver Anodised
Bespoke Powder Coated[†]

SA0511
Profile Hinge

17-19mm**PK1622**
20-21mm**PK1622**

Silver Anodised
Bespoke Powder Coated[†]



SA0073
OE14 Hinge[†]

17-19mm**PK355**
20-21mm**PK355**

Silver Anodised
Bespoke Powder Coated[†]

SA0547
Ultima Hinge[†]

12-13mm LEFT**PK1903**
12-13mm RIGHT**PK1904**

Silver Anodised
Polished
Bespoke Powder Coated[†]

SA0547
Ultima Hinge[†]

17-19mm LEFT**PK2187**
17-19mm RIGHT**PK2186**
20-21mm LEFT**PK1620**
20-21mm RIGHT**PK1621**

Silver Anodised
Polished
Bespoke Powder Coated[†]

Tel: +44 (0) 1952 520130
Fax: +44 (0) 1952 520131
Email: sales@tollgateproducts.co.uk
Website: www.tollgateproducts.co.uk

[†] Hinges incorporate adjustable nylon cam
[†] Bespoke items may be subject to additional leadtimes

Hinges

Tollgate supply a wide range of hinges to suit all cubicle requirement and price structures. All hinges are supplied in pairs as standard, or in sets of 3No. for heavy/ oversized doors and are available in either 'face fixed' or 'bolt through' fixing options. Cranked, lift-off butt hinges and 100mm rising/ falling hinges must be ordered in left or right hand hung options when seen from outside the cubicle.

Hinges with adjustable nylon cams enable the door to fall open/ closed as required, these hinges also allow emergency removal of doors by extraction of hidden retaining screws.



SA0615
Multirol Hinge[†]

12-13mm BOLT THROUGH**PK674**
17-19mm FACE FIX**PK678**
17-19mm BOLT THROUGH**PK805**

Silver Anodised
Fine Black Texture
Polished
Bespoke Powder Coated[†]

SA0615
Multirol Hinge[†]


20-21mm FACE FIX**PK677**
20-21mm BOLT THROUGH**PK920**

Silver Anodised
Fine Black Texture
Polished
Bespoke Powder Coated[†]

SA1048
Multirol Plus Hinge Bolt through pilaster[†]

12-13mm**PK1041**
17-19mm FACE FIX**PK1049**
20-21mm FACE FIX**PK1050**

Satin Polished Stainless Steel



SA2309
Zenith Hinge

12-13mm**PK2115**
17-19mm FACE FIX**PK2140**
20-21mm FACE FIX**PK2140**

Silver Anodised
Polished
Bespoke Powder Coated[†]

SA0626
Primary Hinge[†]

12-13mm**PK1792**
17-19mm FACE FIX**PK1791**
17-19mm BOLT THROUGH**PK805**

Yellow Theme
Red Theme
Blue Theme

SA0626
Primary Hinge[†]

20-21mm FACE FIX**PK1791**
20-21mm BOLT THROUGH**PK920**

Yellow Theme
Red Theme
Blue Theme


Tel: +44 (0) 1952 520130
Fax: +44 (0) 1952 520131
Email: sales@tollgateproducts.co.uk
Website:www.tollgateproducts.co.uk

[†] Hinges incorporate adjustable nylon cam
[†] Bespoke items may be subject to additional leadtimes

Hinges

Tollgate supply a wide range of hinges to suit all cubicle requirement and price structures. All hinges are supplied in pairs as standard, or in sets of 3No. for heavy/ oversized doors and are available in either 'face fixed' or 'bolt through' fixing options. Cranked, lift-off butt hinges and 100mm rising/ falling hinges must be ordered in left or right hand hung options when seen from outside the cubicle.

Hinges with adjustable nylon cams enable the door to fall open/ closed as required, these hinges also allow emergency removal of doors by extraction of hidden retaining screws.



SA2654

Tollgate 013 Hinge

12-13mm FACE FIX**PK3418**

12-13mm BOLT THROUGH**PK3502**
Available on request

Silver Anodised
Polished
Bespoke Powder Coated[†]

SA2654

Tollgate 013 Hinge

17-19mm**PK3583**

20-21mm**PK3583**

Silver Anodised
Polished
Bespoke Powder Coated[†]



SA1503

Advance Hinge

12-13mm**PK1444**

17-19mm**PK1446**

20-21mm**PK1447**

Silver Anodised
Fine Black Texture
Polished
Bespoke Powder Coated[†]

SA1939

Ellipse Hinge

12-13mm**PK1830**

17-19mm**PK1831**

20-21mm**PK1832**

Silver Anodised
Polished
Bespoke Powder Coated[†]

SA2310

Hinge Channel Bolt through pilaster[†]
(Full Length), (Rise & Fall)

12-13mm**PK3734**

17-19mm**PK2166**

Silver Anodised
Bespoke Powder Coated[†]

Tel: +44 (0) 1952 520130
Fax: +44 (0) 1952 520131
Email: sales@tollgateproducts.co.uk
Website: www.tollgateproducts.co.uk

[†] Hinges incorporate adjustable nylon cam
[†] Bespoke items may be subject to additional leadtimes

Hinges

Tollgate supply a wide range of hinges to suit all cubicle requirement and price structures. All hinges are supplied in pairs as standard, or in sets of 3No. for heavy/ oversized doors and are available in either 'face fixed' or 'bolt through' fixing options. Cranked, lift-off butt hinges and 100mm rising/ falling hinges must be ordered in left or right hand hung options when seen from outside the cubicle.

Hinges with adjustable nylon cams enable the door to fall open/ closed as required, these hinges also allow emergency removal of doors by extraction of hidden retaining screws.



C4040

PBA Stainless Hinge

12-13mm SPRUNG**C4040**
12-13mm UNSPRUNG**C4035**

Satin Polished
Bright Polished†

C4040

PBA Stainless Hinge

17-19mm SPRUNG**C4040**
17-19mm UNSPRUNG**C4035**

20-21mm SPRUNG**C4040**
20-21mm UNSPRUNG**C4035**

Satin Polished
Bright Polished†

C3639

PBA Glass Cubicle Hinge

10-12mm SPRUNG**C3639**
10-12mm UNSPRUNG**C3727**

Satin Polished
Bright Polished†



C4004

PBA Nylon Hinge

12-13mm LEFT**C4004**
12-13mm RIGHT**C4003**

Bespoke Red†
Bespoke Grey†
Bespoke Black†
Bespoke White†

C4004

PBA Nylon Self Open Hinge

12-13mm LEFT**C4006**
12-13mm RIGHT**C4005**

Bespoke Red†
Bespoke Grey†
Bespoke Black†
Bespoke White†

C4004

PBA Nylon Self Close Hinge

12-13mm LEFT**C4007**
12-13mm RIGHT**C4008**

Bespoke Red†
Bespoke Grey†
Bespoke Black†
Bespoke White†

Tel: +44 (0) 1952 520130
Fax: +44 (0) 1952 520131
Email: sales@tollgateproducts.co.uk
Website:www.tollgateproducts.co.uk

† Hinges incorporate adjustable nylon cam
† Bespoke items may be subject to additional leadtimes

Hinges

Tollgate supply a wide range of hinges to suit all cubicle requirement and price structures. All hinges are supplied in pairs as standard, or in sets of 3No. for heavy/ oversized doors and are available in either 'face fixed' or 'bolt through' fixing options. Cranked, lift-off butt hinges and 100mm rising/ falling hinges must be ordered in left or right hand hung options when seen from outside the cubicle.

Hinges with adjustable nylon cams enable the door to fall open/ closed as required, these hinges also allow emergency removal of doors by extraction of hidden retaining screws.



C2693
100mm Nylon Hinge (pair)

17-19mm**PK1424**

Grey



C5482
Gravity Stainless Hinge (Pair),
(Bolt Through)

12-13mm LEFT**PK3725**
12-13mm RIGHT**PK3721**

Satin Polished



C5482
Gravity Stainless Hinge (Pair), (Face Fix)

12-13mm LEFT**PK3762**
12-13mm RIGHT**PK3761**

Satin Polished



C5482
Gravity Stainless Hinge (Pair), (Face Fix)

17-19mm LEFT**PK3762**
17-19mm RIGHT**PK3761**

20-21mm LEFT**PK3762**
20-21mm RIGHT**PK3761**

Satin Polished



C4996
Sprung Hinge with Covers (Wide)

12-13mm**C4996**
17-19mm**C4996**
20-21mm**C4996**

Satin Polished stainless steel



C4933
Sprung Hinge with Covers (Narrow)

12-13mm**C4933**
17-19mm**C4933**
20-21mm**C4933**

Satin Polished stainless steel

Tel: +44 (0) 1952 520130
Fax: +44 (0) 1952 520131
Email: sales@tollgateproducts.co.uk
Website:www.tollgateproducts.co.uk

† Hinges incorporate adjustable nylon cam
† Bespoke items may be subject to additional leadtimes

Indicator Bolts

Tollgate indicator Bolts are suitable for various door thicknesses from 12 -21mm as standard, other sizes can be supplied to customer requirements.

All indicator Bolts are supplied with bolt assembly, external indicator and housing, keeper and all fixing screws etc. Emergency release is standard on all bolts, either by sliding or coin release.

Outward opening indicator bolts are supplied with the appropriate special keeper.



| | | |
|--|---|---|
| <p>SA1951 Ellipse Indicator Bolt</p> <p>12-13mmPK1843 17-19mmPK1844 20-21mmPK2217</p> <p>Silver Anodised Polished Bespoke Powder Coated†</p> | <p>SA0614 Multirol Indicator Bolt</p> <p>12-13mmPK675 17-19mmPK682 20-21mmPK676</p> <p>Silver Anodised Fine Black Texture Polished Bespoke Powder Coated†</p> | <p>SA1487 Multirol Advanced Indicator Bolt</p> <p>12-13mmPK1437 17-19mmPK1438 20-21mmPK1438</p> <p>Silver Anodised Fine Black Texture Polished Bespoke Powder Coated†</p> |
|--|---|---|



| | | |
|---|--|---|
| <p>SA2621 Pilaster Indicator Bolt</p> <p>12-13mmPK3558 17-19mmPK3559 20-21mmPK3559</p> <p>Silver Anodised Polished Bespoke Powder Coated†</p> | <p>C4028 PBA Stainless Steel Indicator Bolt</p> <p>12-13mmC4028 17-19mmC4028 + PK1616 20-21mmC4028 + PK1616</p> <p>Stainless Steel</p> | <p>C4012 PBA Nylon Indicator Bolt</p> <p>12-13mmC4012</p> <p>Bespoke Red† Bespoke Grey† Bespoke Black† Bespoke White†</p> |
|---|--|---|

Indicator Bolts

Tollgate indicator Bolts are suitable for various door thicknesses from 12 -21mm as standard, other sizes can be supplied to customer requirements.

All indicator Bolts are supplied with bolt assembly, external indicator and housing, keeper and all fixing screws etc. Emergency release is standard on all bolts, either by sliding or coin release.

Outward opening indicator bolts are supplied with the appropriate special keeper.



SA2287
Primary Indicator Bolt

12-13mm**PK1793**
17-19mm**PK1794**

Yellow Theme
Red Theme
Blue Theme

SA0630P
Radius Round Housing Indicator Bolt

12-13mm**PK610**
17-19mm**PK1348**
20-21mm**PK1346**

Silver Anodised
Fine Black Texture
Polished
Bespoke Powder Coated†

SA2278
Zenith Indicator Bolt

12-13mm**PK2102**
17-19mm**PK2103**
20-21mm**PK2103**

Silver Anodised
Polished
Bespoke Powder Coated†



SA2787
Magnetic Door Catch

12-13mm**PK3428**
17-19mm**PK3429**
20-21mm**PK3429**

Silver Anodised
Fine Black Texture
Bespoke Powder Coated†

SA2904
O15 Indicator Bolt

12-13mm**PK3551**
17-19mm**PK3595**
20-21mm**PK3595**

Stainless Steel

SA2278
Orbit Indicator Bolt

12-13mm**PK2102**
17-19mm**PK2103**
20-21mm**PK2103**

Silver Anodised
Polished
Bespoke Powder Coated†

Indicator Bolts

Tollgate indicator Bolts are suitable for various door thicknesses from 12 -21mm as standard, other sizes can be supplied to customer requirements.

All indicator Bolts are supplied with bolt assembly, external indicator and housing, keeper and all fixing screws etc. Emergency release is standard on all bolts, either by sliding or coin release.

Outward opening indicator bolts are supplied with the appropriate special keeper.



| | | |
|---|--|---|
| <p>SA2478 Multirol Plus Indicator Bolt</p> <p>12-13mmPK1026 17-19mmPK1047 20-21mmPK1048</p> <p>Satin Polished</p> | <p>SA2668 Stainless Steel Pilaster Indicator Bolt</p> <p>12-13mmSA2668 17-19mmSA2668 + SA2577</p> <p>Satin Polished</p> | <p>SA3061 Galaxy Indicator Bolt</p> <p>12-13mmPK3628 17-19mmPK3629 20-21mmPK3629</p> <p>Polished Bespoke (TBC)†</p> |
|---|--|---|



| | | |
|--|---|--|
| <p>SA1038 T Type Indicator Bolt</p> <p>12-13mmPK3456 17-19mmPK1663 20-21mmPK1663</p> <p>Silver Anodised Bespoke Powder Coated† Bespoke Polished†</p> | <p>SA2287 Clearview Indicator Bolt</p> <p>12-13mmPK2118 17-19mmPK1935 20-21mmPK1935</p> <p>Silver Anodised Bespoke Powder Coated† Bespoke Polished†</p> | <p>SA2816 Nylon Thumb Turn Indicator Bolt</p> <p>17-19mmSA2816</p> <p>Light Grey</p> |
|--|---|--|

Indicator Bolts

Tollgate indicator Bolts are suitable for various door thicknesses from 12 -21mm as standard, other sizes can be supplied to customer requirements.

All indicator Bolts are supplied with bolt assembly, external indicator and housing, keeper and all fixing screws etc. Emergency release is standard on all bolts, either by sliding or coin release.

Outward opening indicator bolts are supplied with the appropriate special keeper.

| | | |
|---|--|--|
|  |  |  |
| <p>SA2142 Multirol Coin Release Indicator Bolt</p> <p>12-13mmPK1978 17-19mmPK1979</p> <p>Silver Anodised Fine Black texture Polished Bespoke Powder Coated[†]</p> | <p>SA3177 Lever Arm Stainless Steel Indicator Bolt</p> <p>12-13mm LEFT HANDPK3697 12-13mm RIGHT HANDPK3698</p> <p>18-20mm LEFT HANDPK3695 18-20mm RIGHT HANDPK3696</p> <p>Stainless Steel</p> | <p>SA0192 Loop Handle Indicator Bolt</p> <p>12-13mmPK894 17-19mmPK893 20-21mmPK897</p> <p>Silver Anodised Bespoke Powder Coated[†] Bespoke Polished[†]</p> |

Support Feet

Tollgate Support Feet are available in both fixed or adjustable height options and to suit board thickness up to 50mm.

Fixed height options range from 150mm for standard ground clearances down to 0mm for increased privacy. Adjustable height options are also available for uneven floors to help avoid obstructions.

All floor and panel fixings are supplied with support feet.

| | | |
|---|---|---|
|  |  |  |
| <p>C0339 MFC Support Foot</p> <p>17-19mmPK1208</p> <p>Silver Anodised Bespoke Powder Coated[†]</p> | <p>SA0177 Round Top Support Foot</p> <p>20-21mmPK437</p> <p>Silver Anodised Bespoke Powder Coated[†]</p> | <p>SA0053 Standard Adjustable Support Foot</p> <p>17-19mmPK1466</p> <p>Silver Anodised Bespoke Powder Coated[†]</p> |
|  |  |  |
| <p>SA0229 Round Top Adjustable Support Foot</p> <p>20-21mmPK1031</p> <p>Silver Anodised Bespoke Powder Coated[†]</p> | <p>SA1079 50mm Diameter 150mm Support Foot</p> <p>12-13mmSA1297 17-19mmSA1079 20-21mmSA1079</p> <p>Silver Anodised Polished Bespoke Powder Coated[†]</p> | <p>SA1079 50mm Diameter 100mm Support Foot</p> <p>12-13mmSA2729 17-19mmSA2595 20-21mmSA2595</p> <p>Silver Anodised Polished Bespoke Powder Coated[†]</p> |

Tel: +44 (0) 1952 520130
 Fax: +44 (0) 1952 520131
 Email: sales@tollgateproducts.co.uk
 Website: www.tollgateproducts.co.uk

[†] Bespoke items may be subject to additional leadtimes

Support Feet

Tollgate Support Feet are available in both fixed or adjustable height options and to suit board thickness up to 50mm.

Fixed height options range from 150mm for standard ground clearances down to 0mm for increased privacy. Adjustable height options are also available for uneven floors to help avoid obstructions.

All floor and panel fixings are supplied with support feet.

| | | |
|---|--|--|
|  |  |  |
| <p>SAO295 Tollgate Support Foot</p> <p>12-13mmPK1537 17-19mmPK1533 20-21mmPK1533</p> <p>Silver Anodised Fine Black Texture Polished Bespoke Powder Coated[†]</p> | <p>SA1645 Primary Support Foot</p> <p>12-13mmPK1796 17-19mmPK1795 20-21mmPK1795</p> <p>Yellow Theme Red Theme Blue Theme</p> | <p>SA1492 Advance Support Foot</p> <p>12-13mmPK1396 17-19mmPK1397 20-21mmPK1397</p> <p>Silver Anodised Fine Black Texture Polished Bespoke Powder Coated[†]</p> |
|  |  | |
| <p>SA1980 Ellipse Support Foot (Single Slot)</p> <p>12-13mmPK1861 17-19mmPK1780 20-21mmPK1780</p> <p>Silver Anodised Fine Black Texture Bespoke Powder Coated[†]</p> | <p>SA1980 Ellipse Support Foot (3 Way Slot)</p> <p>12-13mmPK1862 17-19mmPK1839 20-21mmPK1839</p> <p>Silver Anodised Polished Bespoke Powder Coated[†]</p> | |

Support Feet

Tollgate Support Feet are available in both fixed or adjustable height options and to suit board thickness up to 50mm.

Fixed height options range from 150mm for standard ground clearances down to 0mm for increased privacy. Adjustable height options are also available for uneven floors to help avoid obstructions.

All floor and panel fixings are supplied with support feet.

| | | |
|--|--|--|
|  |  |  |
| <p>SA0610 Multirol 50mm Adjustable Support Foot</p> <p>12-13mmPK1674 17-19mmPK1675 20-21mmPK1676</p> <p>Silver Anodised Fine Black Texture Polished Bespoke Powder Coated†</p> | <p>SA0610 Multirol 100mm Adjustable Support Foot</p> <p>12-13mmPK911 17-19mmPK924 20-21mmPK925</p> <p>Silver Anodised Fine Black Texture Polished Bespoke Powder Coated†</p> | <p>SA0610 Multirol 150mm Adjustable Support Foot</p> <p>12-13mmPK2294 17-19mmPK2295 20-21mmPK2296</p> <p>Silver Anodised Fine Black Texture Polished Bespoke Powder Coated†</p> |
|  |  |  |
| <p>SA2537 Low Height (20mm) Support Foot</p> <p>12-13mmPK2320 17-19mmPK2320 20-21mmPK2320</p> <p>Silver Anodised Bespoke Powder Coated†</p> | <p>PK3603 Low Height Stainless (50mm) Support Foot</p> <p>12-13mmPK3603 17-19mmPK3604 20-21mmPK3604</p> <p>Satin Polished Stainless Steel</p> | <p>C4575 Pilaster Shoe Support Foot</p> <p>12-13mm ENDPK2161 12-13mm CENTREPK2123</p> <p>17-19mm ENDPK2226 17-19mm CENTREPK2227</p> <p>Silver Anodised Bespoke Powder Coated†</p> |

Support Feet

Tollgate Support Feet are available in both fixed or adjustable height options and to suit board thickness up to 50mm.

Fixed height options range from 150mm for standard ground clearances down to 0mm for increased privacy. Adjustable height options are also available for uneven floors to help avoid obstructions.

All floor and panel fixings are supplied with support feet.



SA3054
016 Stainless Steel 100mm Support Foot

12-13mm**PK3655**

Satin Polished



SA3055
016 Stainless Steel 150mm Support Foot

12-13mm**PK3654**

Satin Polished



SA3180
016 Stainless Steel Round Top 100mm Support Foot

12-13mm**PK3742**
17-19mm**PK3744**
20-21mm**PK3744**

Satin Polished



SA3181
016 Stainless Steel Round Top 150mm Support Foot

12-13mm**PK3743**
17-19mm**PK3745**
20-21mm**PK3745**

Satin Polished



SA2905
015 Stainless Steel 100mm Single Wing Support Foot

12-13mm**PK3554**
17-19mm**PK3658**
20-21mm**PK3658**

Satin Polished



SA2906
015 Stainless Steel 150mm Single Wing Support Foot

12-13mm**PK3555**
17-19mm**PK3656**
20-21mm**PK3656**






Satin Polished

Support Feet

Tollgate Support Feet are available in both fixed or adjustable height options and to suit board thickness up to 50mm.

Fixed height options range from 150mm for standard ground clearances down to 0mm for increased privacy. Adjustable height options are also available for uneven floors to help avoid obstructions.

All floor and panel fixings are supplied with support feet.

| | | |
|--|--|--|
|  |  |  |
| <p>C3620 PBA Glass Cubicle Support Foot</p> <p>10-12mm GlassC3620</p> <p>Satin Polished Bright Polished†</p> | <p>PK3800 20mm High Stainless Steel Leg with Shims</p> <p>12-13mmPK3800 18-20mmPK3801 (Also available into suit thicker boards)</p> <p>Satin Polished Stainless Steel</p> | <p>PK2202 Tollgate Glass Cubicle Support Foot</p> <p>10mm GlassPK2202</p> <p>Silver Anodised</p> |
|  |  | |
| <p>C4000 PBA Nylon Support Foot</p> <p>12-13mmC4000</p> <p>Red Grey Black White</p> | <p>C5231 Nylon Adjustable Support Foot</p> <p>17-18mmPK3452</p> <p>Light Grey</p> | |