## Acronyms and Abbreviations

ACOE	U.S. Army Corps of Engineers
BAS	Best Available Science
BIBI	Benthic Index of Biological Integrity
BMPs	Best Management Practices
CAO	Critical Areas Ordinance
CARA	Critical Aquifer Recharge Area
CFT	Conservation Future Tax Fund
CIP	Capital Improvement Project
CMZ	Channel Migration Zone
Co	County
Comp Plan	Comprehensive Plan
CPPs	Countywide Planning Policies
Corps	U.S. Army Corps of Engineers
DNRP	King County Department of Natural Resources and Parks
DOE	Washington Department of Ecology
Ecology	Washington Department of Ecology
EDT	Ecosystem Diagnosis and Treatment Model
EIS	Environmental Impact Statement
EMAP	Environmental Monitoring and Assessment Program
EPA	U.S. Environmental Protection Agency
ESA	Endangered Species Act
ESU	Evolutionarily Significant Unit
FEMA	Federal Emergency Management Act
FTE	Full-Time Equivalent employee
GIS	Geographic Information Systems
GMA	Growth Management Act
H	High
HCP	Habitat Conservation Plan
ILA	Interlocal Agreement
KC	King County
KCD	King Conservation District
L	Low
LEED	Leadership in Energy and Environmental Design
LID	Low Impact Development
Locks	Hiram M. Chittenden Locks
LUSC LWD M MRCI MRV	Land Use SubCommittee Large Woody Debris Medium Municipal, Residential, Commercial, and Industrial Development and Redevelopment Marine Riparian Vegetation

MUGA NEPA NGO NLW NMFS	Municipal Urban Growth Area National Environmental Policy Act Non-Governmental Organization North Lake Washington Tributaries National Marine Fisheries Service (same agency as NOAA Fisheries)
NOAA	National Oceanic and Atmospheric Administration
NPDES	National Pollution Discharge Elimination System
NTAA	Near-Term Action Agenda for Salmon Habitat Conservation
OHWM	Ordinary High Water Mark
PAA	Potential Annexation Area
PBRS	Public Benefit Rating System
PFCs	Properly Functioning Conditions
PIT tagging	Passive Integrated Transponder tags
PSAMP	Puget Sound Ambient Monitoring Program
PSAT	Puget Sound Action Team
PSTRT	Puget Sound Technical Recovery Team
QA/QC	Quality Assurance/Quality Control
RFEG	Regional Fisheries Enhancement Group
RK	River Kilometer
RM	River Mile
SASSI SEPA Shared Strategy SSHIAP SnoCo	Salmon and Steelhead Stock Inventory State Environmental Policy Act Shared Strategy for Puget Sound Salmon and Steelhead Habitat Information and Assessment Project Snohomish County
SMA	Shoreline Management Act
SMP	Shoreline Management Plan
SPU	Seattle Public Utilities
SR	State Route
SRFB	Salmon Recovery Funding Board
TDRs	Transfer of Development Rights
TMDL	Total Maximum Daily Load
TIA	Total Impervious Area
TriCo	Tri-County Salmon Conservation Coalition
TRT	Puget Sound Techincal Recovery Team
UGA	Urban Growth Area
UGB	Urban Growth Boundary
USGS	U.S. Geological Survey
USFWS	U.S. Fish and Wildlife Service
UW	University of Washington
VSP	Viable Salmonid Population parameters

WA	Washington
WDFW	Washington Department of Fish and Wildlife
WDOT/WSDOT	Washington Department of Transportation
WRIA 8	Water Resources Inventory Area 8 (also known formally as the Lake Washington/Cedar/Sammamish Watershed)
WSU	Washington State University
W8TC	WRIA 8 Technical Committee
65-10	Land use standard that requires 65% forest retention and limits impervious area to 10%

## Acknowledgements

The Steering Committee proposed Plan is the result of a collaborative effort among participants in the salmon conservation planning process for the Lake Washington/Cedar/Sammamish Watershed (WRIA 8). See Chapter 1 for a description of this process. The following individuals participated in the planning process for some or all of the period *beginning January 2002*. For a list of those who participated earlier, please see the Near-Term Action Agenda for Salmon Habitat Conservation.

The **WRIA 8 Steering Committee**, which is composed of elected officials, representatives from business and environmental interests, water and sewer districts, concerned citizens, scientists, and federal and state agencies, is overseeing the salmon conservation planning effort in WRIA 8.

#### WRIA 8 Steering Committee members (current and past):

Councilmember Jim Compton, Committee Co-Chair, Seattle City Council (started '04) Councilmember Larry Phillips, Committee Co-Chair, Metropolitan King County Steve Bell, Friends of Issaguah Salmon Hatchery (through '02) Joanna Buehler, Save Lake Sammamish (through '02) joan burlingame, Friends of Rock Creek Valley, Cedar River Council Walt Canter, Washington Association of Sewer and Water Districts Councilmember Dan Clawson, City of Renton Geoff Clayton, Greater Seattle Chamber of Commerce Michelle Connor, Seattle Citizen, Cascade Land Conservancy Councilmember Randy Corman, City of Renton (through '03) Councilmember Don Davidson, City of Bellevue Troy Fields, Mid-Sound Fisheries Enhancement Group (started '04) Mayor Ava Frisinger, City of Issaguah David Garland, Washington Department of Ecology Councilmember Dave Gossett, Snohomish County Councilmember Rich Gustafson, City of Shoreline Mayor Rosemarie Ives, City of Redmond Kirk Lakey, Washington Department of Fish and Wildlife Terry Lavender, Citizen (through '03) Doug McClelland, Washington Department of Natural Resources Louise Miller, Citizen (started '04) Willy O'Neil, Mid-Sound Fisheries Enhancement Group (through '03) Margaret Pageler, former Co-Chair, former member, Seattle City Council (through '03) Ray Power, The Boeing Company Max Prinsen, King Conservation District Linda Smith, U.S. Army Corps of Engineers Cleve Steward, Sustainable Fisheries Foundation

Frank Urabeck, Trout Unlimited

Alternates: Mayor Bob Bandarra, City of Bothell; Richard Bonewits, Greater Maple Valley Area Council; John Crull, Boeing Company; Mayor Patrick Ewing, City of Bothell; Deputy Mayor Don Gerend, City of Sammamish; Councilmember Gareth Grube, City of Woodinville; Councilmember Pat Hawkins, City of Clyde Hill; Councilmember Kathleen Huckabay, City of Sammamish; Mayor Laure Iddings, City of Maple Valley; Councilmember Jim Lauinger, City of Kirkland; Terry Lavender, Citizen; Councilmember Steve Litzow, City of Mercer Island; Councilmember Jim Pearman, City of Mercer Island; Councilmember Andrea Perry, City of Bothell; Councilmember Larry Springer, City of Kirkland; Deputy Mayor Cathy Wiederhold VonWald, City of Woodinville

Facilitator for 2004 work sessions: Tamie T. Kellogg, Consultant

The **WRIA 8 Forum** consists of elected officials representing each of the 27 local governments that signed an interlocal agreement to jointly fund salmon conservation planning in the Lake Washington/Cedar/Sammamish Watershed.

#### WRIA 8 Forum members (current and past):

Councilmember Don Davidson, Committee Chair (started '04), City of Bellevue Councilmember Jean Garber, Committee Vice Chair (starting '04), City of Newcastle Councilmember Angela Amundson, City of Mountlake Terrace Mayor Bob Bandarra, City of Bothell (through '02) Mayor Jeanne Berry, Town of Yarrow Point Councilmember Tim Clark, City of Kent Councilmember Dan Clawson, City of Renton (started '04) Councilmember Jim Compton, City of Seattle (started '04) Councilmember Paul Demitriades, City of Medina (through '02) Mayor Donald Doran, City of Mukilteo Councilmember Tika Esler, City of Kenmore (through '03) Mayor Patrick Ewing, City of Bothell (in '03) Councilmember Ted Frantz, Town of Hunts Point Mayor Ava Frisinger, City of Issaguah Deputy Mayor Don Gerend, City of Sammamish (started '04) Councilmember Dave Gossett, Snohomish County Councilmember Gareth Grube, City of Woodinville (through '03) Councilmember Rich Gustafson, City of Shoreline Councilmember Pat Hawkins, City of Clyde Hill Councilmember Kathleen Huckabay, City of Sammamish (through '03) Mayor Laure Iddings, City of Maple Valley Mayor Rosemarie Ives, City of Redmond Councilmember James Lauinger, City of Kirkland (started '04) Councilmember Steve Litzow, City of Mercer Island (started '04)

Mayor Charles Lowry, Town of Beaux Arts Village Mayor Mary Odermat, City of Medina (started '04) Councilmember Roger Olstad, City of Lake Forest Park Councilmember Margaret Pageler, City of Seattle (through '03) Councilmember King Parker, City of Renton (through '03) Councilmember Jim Pearman, City of Mercer Island (through '03) Councilmember Andrea Perry, City of Bothell (started '04) Councilmember Lora Petso, City of Edmonds (through '03) Councilmember Larry Phillips, King County Councilmember Michael Plunkett, City of Edmonds (started '04) Councilmember Marcia Schwendiman, City of Kenmore Mayor Larry Springer, City of Kirkland, former committee chair (through '03) Councilmember Jack Start, City of Mill Creek Deputy Mayor Cathy Weiderhold VonWald, City of Woodinville (started '04)

Alternates: Councilmember Carolyn Armanini, Lake Forest Park; Councilmember Betty Heckendorn, Beaux Arts Village; Councilmember John Hendrickson, City of Kenmore; Councilmember John Hudgins, City of Mill Creek; Councilmember David Irons, King County; Councilmember Jim Lauinger, City of Kirkland; Councilmember Conrad Lee, City of Bellevue; Councilmember Richard Marin, Edmonds; Councilmember Greg Misenar, Redmond; Councilmember Bob Ranson, Shoreline; Councilmember Marcia Schwendiman, Kenmore; Councilmember Ben Varon, City of Newcastle; Councilmember Nancy Whitten, City of Sammamish

The **WRIA 8 Service Provider Team** is housed in the King County Department of Natural Resources and Parks, and reports to the WRIA 8 Forum. The team was hired to provide watershed-based salmon conservation planning services under the interlocal cost-sharing agreement.

#### WRIA 8 Service Provider Team:

Cyrilla Cook, WRIA 8 Conservation Plan Manager Hilary Culverwell, former WRIA 8 Issues/Outreach Coordinator (through 8/02) Linda Grob, WRIA 8 Administrative Coordinator Mary Jorgensen, Lead Entity Grant Manager (starting 6/04) Sally King, WRIA 8 Land Use Coordinator Jane Lamensdorf-Bucher, WRIA 8 Watershed Coordinator Debbie Natelson, WRIA 8 Outreach and Stewardship Coordinator DJ Sessner, former WRIA 8 Special Projects (through 12/03) Jean White, WRIA 8 Early Actions Project Coordinator

#### Primary chapter authors:

Cyrilla Cook, WRIA 8 Conservation Plan Manager Julie Hall, City of Seattle

Mary Jorgensen, Lead Entity Grant Manager Sally King, WRIA 8 Land Use Coordinator Jane Lamensdorf-Bucher, WRIA 8 Watershed Coordinator Sarah McKearnan, City of Seattle Brian Murray, King County Debbie Natelson, WRIA 8 Outreach and Stewardship Coordinator Kit Paulsen, City of Bellevue David St. John, King County Jean White, WRIA 8 Early Actions Project Coordinator Dennis Canty, Evergreen Consultants Mike Schiewe, Anchor Environmental

#### Graphics staff:

Wendy Gable Collins, King County Department of Natural Resources and Parks Sandy Kraus, King County Department of Natural Resources and Parks John Small, Anchor Environmental

Cover photo: King County Water and Land Resources

The following **committees**, **subcommittees**, **and working groups** contributed to developing portions of the draft plan. Each is described briefly.

**WRIA 8 Adaptive Management Work Group** (an interjurisdictional working group which developed options for the draft plan for an implementation structure that includes organizational structure, monitoring and measures, funding strategies and commitments):

Cyrilla Cook, WRIA 8 Conservation Plan Manager Jane Lamensdorf-Bucher, WRIA 8 Watershed Coordinator Sarah McKearnan, City of Seattle Kit Paulsen, City of Bellevue David St. John, King County

#### WRIA 8 Public Outreach Committee members and past participants (an

interjurisdictional committee which developed the public outreach actions for the plan and which is promoting public involvement in the plan's review and implementation):

Chrys Bertolotto, City of Issaquah Duane Bowman, City of Edmonds Rika Cecil, City of Shoreline Carol Dahl, Citizen and President, Lake Forest Park Stewardship Foundation Laurie Devereaux, City of Bellevue Melissa Frysztacki-Amrhein, University of Washington graduate program Scott Gonsar, City of Kirkland Peter Holte, City of Redmond Sarah McKearnan, Seattle Public Utilities Kathy Minsch, Seattle Public Utilities Doug Rice, King County Dave Ward, Snohomish County

**WRIA 8 Staff Committee members and past participants** (staff representatives from the local governments that are cost-sharing the planning process, which keep their respective jurisdictions apprised on progress and issues related to the planning process):

Christie Amrine, City of Mill Creek Alison Bennett, City of Bellevue Mary Beth Binns, City of Seattle Bruce Blackburn, City of Bothell Duane Bowman, City of Edmonds Carl Burris, formerly with City of Medina Rika Cecil, City of Shoreline Pam Cobley, Consultant to City of Medina Debra Crawford, City of Woodinville Jenny Gaus, City of Kirkland Margaret Glowacki, City of Seattle Will Hall, formerly with Snohomish County Richard Hart, City of Mercer Island Deborah Knight, City of Woodinville Keith Kurko, City of Seattle Kirk Lakey, Washington Department of Fish and Wildlife Pat Lambert, City of Bellevue Heather McCartney, City of Mukilteo Sarah McKearnan, City of Seattle Kit Paulsen, City of Bellevue Ann Root, Consultant to City of Kenmore Kerry Ritland, City of Issaguah Mike Shaw, City of Mountake Terrace Linda Smith, U.S. Army Corps of Engineers Jon Spangler, City of Redmond David St. John, King County Ron Straka, City of Renton Patrice Tovar, City of Kirkland

**WRIA 8 Synthesis Committee members and past participants** (multi-stakeholder committee that synthesizes information and makes recommendations for Steering Committee consideration):

Alison Bennett, City of Bellevue Chrys Bertolotto, City of Issaquah

Bruce Blackburn, City of Bothell Glenn Boettcher, City of Mercer Island Scott Brewer, formerly with King County joan burlingame, Friends of Rock Creek Valley Representative, Cedar River Council Rika Cecil, City of Shoreline Geoff Clayton, Greater Seattle Chamber of Commerce Pam Cobley, consultant to City of Medina Debra Crawford, City of Woodinville Jonathan Frodge, King County Dave Garland, Wash. Dept. of Ecology Jenny Gaus, City of Kirkland Maggie Glowacki, City of Seattle Julie Hall, City of Seattle Will Hall, formerly with Snohomish County Keith Kurko, City of Seattle Kirk Lakey, Washington Department of Fish and Wildlife Terry Lavender, Citizen Frank Leonetti, Snohomish County John Lombard, Steward & Associates Miles Mayhew, City of Seattle Heather McCartney, City of Mukilteo Mike McDowell, formerly consultant for City of Kent Sarah McKearnan, City of Seattle Lisa Olson, Wash. Dept. of Ecology Ann Root, Adolfson & Associates (for City of Kenmore) Linda Smith, U.S. Army Corps of Engineers David St. John, King County Ron Straka, City of Renton

**WRIA 8 Land Use Subcommittee** (representatives of local and state jurisdictions, and business and environmental organizations, who were convened by subarea, to develop land use actions for each Chinook population):

Kelly Anderson, City of Kent Cathy Beam, City of Redmond Heidi Bedwell, City of Bellevue Hans Berge, King County Anne Bikle, King County Bruce Blackburn, City of Bothell Richard Bonewits, Greater Maple Valley Area Council Duane Bowman, City of Edmonds Geoff Bradley, City of Bellevue joan burlingame, Friends of Rock Creek Valley, Cedar River Council Carol Cap, City of Bellevue Gil Cerise, formerly with City of Renton

Luanne Coachman, King County Curt Crawford, King County Debra Crawford, City of Woodinville Kathy Creahan, King County John Crull, Boeing Co. and ESA Business Coalition Hilary Culverwell, Puget Sound Action Team Laurie Devereaux, City of Bellevue Dan Dewald, City of Bellevue Claire Dykeman, King County Chandler Felt, King County Jonathan Frodge, King County Dave Garland, Dept. of Ecology Don Gerend, City of Sammamish Maggie Glowacki, City of Seattle Julie Hall, City of Seattle Ray Heller, King County Jennifer Henning, City of Renton Terry Higashiyama, City of Bellevue Kollin Higgins, King County Jan Knudson, King County-Brightwater Glenn Kost, City of Bellevue Terry Lavender, Citizen Frank Leonetti, Snohomish County John Lombard, Steward & Associates (consultant to Bothell/Woodinville) Mary Maier, King County Miles Mayhew, City of Seattle Heather McCartney, City of Mukilteo Randy Middaugh, Snohomish County Jill Moe, King County Tom Murdoch, Adopt-A-Stream Foundation Brian Murray, King County Kitty Nelson, NOAA Fisheries Joe O'Leary, City of Bellevue Alan Olson, R2 Resource Consultants (for City of Kent) Lisa Olson, Dept. of Ecology Susan Oxholm, King County Michael Paine, City of Bellevue Kit Paulsen, City of Bellevue Harry Reinert, King County Paul Reitenbach, King County Kerry Ritland, City of Issaguah Steve Roberge, City of Sammamish Ann Root, Adolfson & Associates (consultant to Kenmore) Peter Rosen, City of Issaquah Gabe Snedeker, City of Mercer Island Bob Sokol, City of Kenmore

Ilene Stahl, Friends of Pine Lake Greg Stephens, Little Bear Creek Protective Association David St. John, King County Ron Straka, City of Renton Ralph Svrjcek, Dept. of Ecology Patrice Tovar, City of Kirkland Richard Tucker, King County Phyllis Varner, City of Bellevue Brian Ward, City of Bellevue Jeff Watling, City of Sammamish Nancy Whitten, City of Sammamish Craig Young, Snohomish County

**WRIA 8 Technical Committee members and past participants** (an interjurisdictional, multi-stakeholder committee consisting of science professionals who developed the strategic technical assessment and science conservation strategy for the plan):

Brian Murray, Facilitator and Staff Support for Technical Committee, King County

Jonathan Frodge, Co-Chair, King County Kirk Lakey, Co-Chair, Washington Department of Fish and Wildlife Matt Bennett, U.S. Army Corps of Engineers Hans Berge, King County Chrys Bertolotto, City of Issaguah Eric Bixler, formerly with City of Seattle Scott Brewer, former Co-Chair, formerly with King County Geoff Clayton, Greater Seattle Chamber of Commerce Jeff Dillon, U.S. Army Corps of Engineers Eron Drew, Northwest Indian Fisheries Commission Maggie Glowacki, City of Seattle Fred Goetz, U.S. Army Corps of Engineers Julie Hall, City of Seattle Ray Heller, King County Kollin Higgins, King County Doug Houck, King County Keith Kurko, City of Seattle Frank Leonetti, Snohomish County (former co-chair) Andy Loch, City of Shoreline John Lombard, Steward & Associates Keith MacDonald, City of Redmond Mike McDowell, MCS Environmental, Inc. Mary Maier, King County Alan Olson, R2 Resource Consultants, Inc. Kit Paulsen, City of Bellevue (former co-chair) Kerry Ritland, City of Issaquah

Mike Schiewe, Anchor Environmental Linda Smith, U.S. Army Corps of Engineers Tom Waller, Washington Dept. of Transportation

Ad-hoc Site Specific Project Working Groups (groups of local jurisdiction staff and other experts convened, by subarea, to identify and evaluate site specific habitat protection and restoration projects for inclusion in the plan):

Leslie Batten, Cascade Land Conservancy Heidi Bedwell, City of Bellevue Dave Beedle, City of Seattle Matt Bennett, U.S. Army Corps of Engineers Hans Berge, King County Chrys Bertolotto, City of Issaguah Leslie Betlach, City of Renton Anne Bikle, King County Richard Bonewits, Citizen Duane Bowman, City of Edmonds Dave Boyd, Groundswell NW Geoff Bradley, City of Bellevue joan burlingame, Cedar River Council Terry Butler, King County Carol Cap, City of Bellevue Rika Cecil, City of Shoreline Geoff Clayton, Greater Seattle Chamber of Commerce Michelle Connor, Cascade Land Conservancy Mike Crandell, King County Laurie Devereaux, City of Bellevue Paul DeVries, R2 Resource Consultants Dan Dewald, City of Bellevue Jeff Dillon, U.S. Army Corps of Engineers Dan Eastman, King County Sean Edwards, Snohomish County Jim Erckmann, City of Seattle Nancy Faegenburg, King County Jonathan Frodge, King County Bob Fuerstenberg, King County Dave Garland, Wash. Dept. of Ecology Maggie Glowacki, City of Seattle Fred Goetz, U.S. Army Corps of Engineers Julie Hall, City of Seattle Mistie Hammer, King County Tom Hardy, Adopt a Stream Foundation Ray Heller, King County Terry Higashiyama, City of Bellevue Kollin Higgins, King County

Tim Hillard, Wash. Dept. of Transportation Peter Holte, City of Redmond Cyndy Holtz, City of Seattle Judy Jewell, Redmond-Bear Creek Groundwater Protection Committee, Chamber of Commerce Ken Johnson, King County Melinda Jones, City of Seattle Jan Knudson, King County Glenn Kost, City of Bellevue Keith Kurko, City of Seattle Amy LaBarge, City of Seattle Brent Lackey, City of Seattle Kirk Lakey, Washington Dept. of Fish and Wildlife Terry Lavender, Water Tenders Frank Leonetti, Snohomish County John Lombard, Steward and Associates Jon Lowry, RH2 Engineering Keith MacDonald, City of Redmond Mary Maier, King County Lindsay Malone, Cascade Land Conservancy Dan Mathias, City of Everett Heather McCartney, City of Mukilteo Sarah McKearnan, City of Seattle Maureen Meehan, City of Bothell Sue Meyer, King County Tina Miller, King County Yoshihiro Monzaki, City of Woodinville Jon Morrow, City of Bothell Tom Murdoch, Adopt-a-Stream Foundation, Snohomish Co. Brian Murray, King County Kitty Nelson, NOAA Fisheries Joe O'Leary, City of Bellevue Alan Olson, R2 Resource Consultants (representing City of Kent) Lisa Olson, Wash. Dept. of Ecology Dwayne Paige, City of Seattle Michael Paine, City of Bellevue Kit Paulsen, City of Bellevue Gene Petsson, RH2 Engineering Bill Priest, King County Kerry Ritland, City of Issaguah Liz Ritzenthaler, King County Steve Roberge, City of Sammamish Ann Root, Adolfson & Associates (for City of Kenmore) Ruth Schaefer, King County Jon Spangler, City of Redmond Greg Stephens, Little Bear Creek Protective Association

Kevin Stoops, City of Seattle Ron Straka, City of Renton Ralph Svrjcek, Wash. Dept of Ecology Paul Szewczykowski, Regional Fisheries Enhancement Group and RH2 Engineering Chris Townsend, Sound Transit Richard Tucker, King County Phyllis Varner, City of Bellevue Tom Waller, Wash. Dept. of Transportation Brian Ward, City of Bellevue Daryl Williams, Tulalip Indian Tribe Craig Young, Snohomish County

### Glossary

**Adaptive management:** Monitoring or assessing the progress in achieving specific objectives and incorporating what is learned into future management plans.

*Adipose-clipped (ad-clipped):* In order to distinguish hatchery origin fish, many hatchery managers remove the small fin on the back of hatchery raised fish.

**Allee effects:** Phenomenon wherein low population densities lead to further reduced fertility. In the presence of low population densities reduced fertility may result from, for example: (1) increased problems with locating mates in areas of low density, (2) increased inbreeding in areas of low population density, or (3) increased susceptibility to catastrophic events in low population densities.

*Altered trophic interactions:* Any change, either natural or unnatural, that results in a change in the feeding relationship of species in a community.

*Altered hydrology:* The influence of urbanization, and associated impervious surfaces, on infiltration of precipitation (rainfall) that increases the amount (volume) and rate (speed) that surface water runoff reaches aquatic areas.

**Anadromous fish:** Species that hatch in freshwater, mature in saltwater, and return to freshwater to spawn.

Anaerobic conditions: When water has low dissolved oxygen.

Anthropogenic modifications: Changes caused by humans.

**Bank armoring or hardening:** The addition of material to a shoreline that is not natural to the site. Bank armoring or hardening structures range from vertical walls to sloped rock rubble, and are put in place to prevent the loss of property landward.

**Baseflow:** That component of streamflow derived from groundwater inflow or discharge. Can be presented in a variety of measurement units including cubic feet per second (cfs) and inches (in).

**Basin:** The area of land that drains water, sediment, and dissolved materials to a common point along a stream channel.

**Beach nourishment:** Addition of sand to shorelines for recreational and shore protection benefits. Initiated by the Army Corps of Engineers in the 1960s the projects continue to place millions of sand of shorelines. Biological monitoring studies are currently being conducted on potentially adverse impacts, which include: reduced abundance of animals that inhabit the sediment, altered animal community structure, increased turbidity, and altered feeding habits among fishes of commercial, recreational, or ecological importance.

**Benthic:** Of, or pertaining to, animals and plants living on or within the substrate of a water body.

**Benthic invertebrate (B-IBI) monitoring:** Continuous assessment of the benthic environment to determine seasonal and annual variability and trends. B-IBI is a parameter or formula that describes in a single number the relative health of the benthic community. Invertebrates are animals without a backbone that lives on or below the surface of the sea bottom.

**Best management practices:** Methods, measures, and practices selected to reduce or eliminate adverse impacts, such as the introduction of pollutants from diffuse sources into receiving waters. Usually applied as a system of practices rather than a single practice.

*Bioengineering:* Combining structural, biological, and ecological concepts to construct living structures for erosion, sediment, or flood control.

**Biofiltration:** The process of reducing pollutant concentrations in water by filtering the polluted water through biological materials such as vegetation or bacteria in the soil column (e.g., water seeps through thick vegetation in a wetland buffer, through the wetland, and then into a stream).

**Biological diversity (biodiversity):** Variety and variability among living organisms and the ecological complexes in which they occur; encompasses different ecosystems, species, and genes.

**Buffer, riparian or wetland:** A designated area adjacent a stream or wetland that is a integral part of the stream or wetland ecosystem. The critical functions of a buffer (associated with an aquatic systems) include shading, input or organic debris and coarse sediments, uptake of nutrients, stabilization of banks, interception of fine sediments, stormflow attenuation during high water events, protection from disturbance by humans and domestic animals, maintenance of wildlife habitat, and room for variation of aquatic system boundaries over time due to hydrologic or climatic effects.

**Channel:** A surface feature that conveys surface water and is open to the air. Channels can either be artificially constructed or natural systems such as streams, creeks, or swales.

**Channel complexity:** In streams, LWD increases the complexity of pool and riffle sequences and alters stream gradient on a local scale. The increase in channel complexity helps retain gravel as well as organic and inorganic particulate matter. Increased channel complexity is particularly important for fish species that use pools and gravel deposits for spawning and rearing.

**Channel confinement:** Bank armoring or hardening by levees or rip rap confine the river or stream channel. This prevents interaction with the floodplain area.

*Channel migration zone:* Those areas subject to risk due to stream bank destabilization, rapid stream incision, stream bank erosion, and shifts in location of the channel.

*Channel incision:* Downcutting of the stream or river channel below normal shoreline banks causing separation from floodplain and riparian areas.

*Channel stability:* Tendency of a stream channel to stay within its existing location and confinement.

*Channelization*: Straightening the meanders of a river; often accompanied by placing riprap or concrete along banks to stabilize the system.

**Channelized stream:** A stream that has been straightened, runs through pipes or revetments, or is otherwise artificially altered from its natural meandering course.

**Coded wire tagging:** Single tags are cut from rolls of wire by a device that hypodermically implants them into the snout of juvenile Chinook salmon.

**Connectivity:** A measure of the extent that conditions between different areas of similar or related habitat provide for successful movements of fish or wildlife species, supporting populations on a landscape level.

**Conservation easement:** A legal agreement between a landowner and a qualified conservation organization that permanently limits a property's uses in order to protect its conservation values.

**Core production subarea:** Subarea where chinook salmon are present on an annual basis. The core production subarea represents the center of (highest) abundance for each population affiliation (for spawning, rearing, and migration areas).

*Cumulative effectiveness monitoring:* Monitoring to determine if the sum of all actions within a basin or across the watershed are improving habitat and salmon population conditions.

**Deciduous vegetation:** Trees or shrubs that shed leaves at the end of their growing season.

**Degradation:** The lowering of the streambed or widening of the stream channel by erosion. The breakdown and removal of soil, rock and organic debris.

**Depensatory (allee) effects:** By inoculating a significant proportion of potential hosts, programs seek to cause the extinction of the disease organism. When the density of disease organisms is low enough, a positive feedback between density reduction and the rate of population decline leads to eradication. A potential depensatory mechanism

in sturgeons and other broadcast spawners is the decline in egg fertilization rates as spawning aggregations become smaller.

*Direct effectiveness monitoring:* monitoring to determine if actions are having the anticipated outcomes.

*Diversity:* Variation that occurs in plant and animal taxa (i.e., species composition), habitats, or ecosystems.

*Ecosystem:* A natural system composed of component organisms interacting with their environment.

**Ecosystem Diagnosis and Treatment (EDT) Method:** EDT includes a model that computes the relative survival of salmon populations along life history pathways and across habitat conditions. To do this, the model assesses the "biological performance" (including life history diversity, productivity, and capcity) of salmon in response to approximately 45 habitat attributes. Using these relationships between habitat and survival, EDT can be used to evaluate the relative effectiveness of actions proposed to meet watershed goals. EDT by itself does not provide population predictions – rather, it evaluates the potential of habitat to support the population.

*Effective impervious surface:* A surface area that either prevents or retards the entry of water into the soil mantle as under natural conditions prior to development; and/or a surface area that causes water to run off the surface in greater quantities or at an increased rate of flow from the flow present under natural conditions.

**Egg incubation:** Egg development in all five species of Pacific salmon is similar. At a constant temperature of 10C the incubation period among eggs of the five species of salmon ranges from about 47 - 65 days. There are thirty stages of embryonic development from fertilization to hatching and characteristics identifying each stage.

*Endocrine:* Refers to the system of glands that secrete hormones directly into the bloodstream. These hormones regulate many body processes.

*Episodic:* Chinook salmon are present infrequently and may not be present or observed during the typical 4- to 5-year life cycle. This indicates that when fish are observed, they are strays from another production area and not necessarily the progeny of natural production from the area in question.

**Escapement Index:** The number of fish that have survived all causes of mortality and will make up the spawning populations.

**Estuary:** A partly enclosed coastal body of water that has free connection to open sea, and within which seawater is measurably diluted by fresh river water.

**Evapotranspiration:** Soil evaporation is a direct pathway for water to move from soil to the atmosphere as water vapor. Plant transpiration is evaporation of water from leaf and plant surfaces. Transpiration is the last step in a continuous water pathway from soil, into plant roots, through plant stems and leaves, and out into the atmosphere.

**Evolutionarily significant unit (ESU):** The geographic scale used by the National Marine Fisheries Service to distinguish salmon populations that share similar genetic, ecological, and life history traits, but differ in important ways from salmon in other ESUs.

*Factor of decline:* Natural and anthropogenic factors that contribute to the decline of salmonids. These not only include climate and ocean conditions and natural predation but also the factors that are more commonly thought to be within human control such as habitat modification, harvest, hatchery practices, and introduction of non-native species.

*Fingerlings:* a life-cycle stage when young salmonids are one pine-needle, or finger, in length. Some fingerlings begin their journey to the ocean, others mature in the rivers of lakes.

*Flashiness:* The ratio of flow that is exceeded 90% of the time to the flow exceeded 10% of the time (90:10 ratio) is indicative of the *flashiness* of variability.

*Flow gauging:* In stream mechanical or electronic equipment for measuring stream flow values: velocity measurements, backwater calculations, or high flows.

*Flow regime:* Characteristics of stream discharge over time. Natural flow regime is the regime that occurred historically.

*Freshwater lens:* The hydrographic structure of the surface water column used by juvenile salmon. A freshwater lens (water layer) over a colder, more saline (denser) layer may change to mixed structure throughout the period that juvenile salmon use the nearshore and strait habitats.

*Fry:* A free-swimming, juvenile salmonid that has recently emerged from the gravel and has fully absorbed its yolk sac.

*Fry colonization:* stocking programs using fry for salmon colonization of river or stream reaches.

*Geographic information systems (GIS):* computer based mapping systems for spatial data.

Geomorphology: Study of the form and origins of surface features of the Earth.

*Groundwater:* underground water stored in aquifers. Groundwater is created by rain that soaks into the ground and flows down to a point where the ground in not permeable. Groundwater then usually flows laterally toward a river, lake, or other receiving water.

Groundwater inflow: The subsurface flow of water.

*Habitat:* The specific area or environment in which a particular plant or animal species lives. An organism's habitat must provide all the basic requirements for life and should be protected from harmful contaminants. A species may require or use more than one type of habitat to complete its life cycle.

*Habitat assessments:* the biological and physical inventory of a site that is evaluated for its habitat values.

*Habitat capacity:* Maximum average number or biomass of organisms that can be sustained in a habitat over the long term. Usually refers to a particular species, but can be applied to more than one.

*Habitat complexity:* The number of habitat components that work together to form habitat determine the complexity, such as pools, large woody debris, and riparian edge habitat.

**Habitat Conservation Plan (HCP):** As defined under Section 10 of the federal Endangered Species Act, a plan required for issuance of an incidental take permit for a listed species. HCPs can address multiple species, both listed and unlisted. HCPs provide for the conservation of the species addressed, and provide certainty for permit applicants through an implementation agreement between the Secretary of the Interior, or Secretary of Commerce, and a non-federal entity.

Headwaters: The source of a stream or stream system.

Hydrograph: Chart of water levels over time.

*Hydrology:* Study of the properties, distribution, and effects of water on the Earth's surface, subsurface, and atmosphere.

*Hydromodification:* The channelization and armoring of natural banks to prevent flooding or to protect stream-adjacent property and structures from erosion; navigation activities (ditching, dredging, and channel straightening); anthropogenic alterations in channel morphology (platform, cross-sectional area, bed and bank configuration); and anthropogenic changes in the amount of in-channel large woody debris.

*Hypothesis:* A theory needing investigation; a tentative explanation for a phenomenon, used as a basis for further investigation.

*Impervious surface:* Any surface that does not allow water to percolate naturally into the ground.

*Implementation monitoring:* Monitoring to determine if actions are being implemented as planned.

**Independent populations:** Any collection of one or more local breeding units whose population dynamics or extinction risk over 100-year time period are not substantially altered by exchanges of individuals with other populations.

*Infiltration:* The process of a fluid permeating (passing through) a substance, such as soils, gravels, or vegetative matter.

*Integrated hatchery management:* A hatchery program is an integrated type if the intent is for the natural environment to drive the adaptation and fitness of a composite population of fish that spawns both in a hatchery and in the wild.

*Land-cover classification:* The allocation of items to groups according to land-cover types, e.g., forest, rock, agricultural lands, wetlands, urbanized.

*Large woody debris (LWD):* Large pieces of wood in or partially in stream channels, including logs, pieces of logs, rootwads of trees, and other large chunks of wood. LWD provides streambed and bank stability and habitat complexity. LWD is also referred to as *coarse woody debris* (CWD). Either term usually refers to pieces at least 20 inches (51 cm) in diameter.

Levees: An artificially elevated portion of the riverbank, built to contain floodwaters.

*Lentic systems:* Systems of standing waters, such as lakes, ponds, and some wetlands.

*Life history diversity:* Patterns of variation seen among species that indicate the existence of very different life history strategies.

*Limiting factor:* Single factor that limits a system or population from reaching its highest potential.

*Littoral zone:* The shallow region of a lake or pond, to a depth of about 3 feet, which may have highly productive emergent macrophytes (large plants) that utilize the resources of both the terrestrial and aquatic habitats.

Lotic: Flowing water, such as streams and river systems.

*Low flows:* Flow volume is below the natural flow regime, stream discharge over time, that occurred historically.

Mass marking: see adipose-clipped.

*mg/L:* milligrams per liter. For dissolved oxygen concentrations in water it may also be expressed as parts per million (ppm).

*Migratory corridors:* Any area through which fish migrate on their way upstream or downstream.

*Mitigation:* Methods of reducing adverse impacts of a project. The use of any or all of the following actions (listed in descending order of preference (KCC 21.04)): (1) Avoiding the impact altogether by not taking a certain action or parts of an action; or (2) minimizing impacts by limiting the degree or magnitude of the action and its implementation, by using appropriate technology, or by taking affirmative steps to avoid or reduce impacts; or (3) Rectifying the impact by repairing, rehabilitating, or restoring the affected sensitive area; or (4) reducing or eliminating the impact over time by preservation or maintenance operations during the life of the development proposal; or (5) compensating for the impact by replacing, enhancing, or providing substitute sensitive areas; or (6) monitoring the impact and taking appropriate corrective measures.

Mitigative factors: see above.

*Multi-spectral analyses:* The spectral signatures (reflected light data for each pixel recorded in aerial imagery) of various vegetation and substrate types (for example, mud and sand) help identify areas to determine the composition of the plant community. High levels of spectral resolution (19 values or more) enable scientists to differentiate between key vegetative species, such as sedges and rushes, to distinguish potentially high-quality salmonid habitat.

*Native:* Occurring naturally in a habitat or region; not introduced by humans.

Natal stream: Stream of origin where salmon are hatched.

**Nearshore marine zone:** Habitats that lie between the lower limit of the photic zone (approximately at minus 30 meters mean lower low water) and the upland-aquatic interface.

Non-native species: A species that does not occur naturally in a habitat or region.

*Non-point source pollution:* Polluted runoff from sources that cannot be defined as discrete points, such as areas of timber harvesting, surface mining, agriculture, and livestock grazing.

*Noxious weeds:* Non-native plants that have been introduced accidentally or as ornamentals that spread quickly, displace desirable plant species, and are extremely difficult to control.

*Nutrients:* Essential chemicals needed by plants or animals for growth or sustaining life. Excessive amounts of nutrients can lead to degradation of water quality and the growth of excessive numbers of algae. Some nutrients can be toxic at high concentrations.

**Phenotypic attributes:** Phenotypic/genetic differences that characterize hatchery stocks and natural-origin fish. These attributes help determine if rearing environment (hatchery or wild) is the principal factor that directs early physiological and

immunological development - with respect to population viability - irrespective of population ancestry.

Physiological transitions: See transition zone.

**PIT tags:** PIT tags are tiny identification chips which are injected into specimens for permanent identification. The chip is read by means of a reader which provides a unique code read out of the chip implanted in the specimen.

**Planning targets:** The planning target provides a specific measure within a range that is helpful for evaluating Chinook populations recovery actions in habitat, harvest, and hatcheries. The target predicts the abundance and productivity of a salmon population based on a fully functioning estuary, improved freshwater conditions, restored access to blocked habitats, and poor ocean conditions.

**Populations:** The group of fish spawning in particular lake(s) or stream(s) at a particular season that to a substantial degree do not interbreed with any group spawning in a different place, or in the same place at a different season

**Pre-spawn migrants:** The life stage of a salmon when moving into freshwater areas to spawn.

*Pre-spawn holding:* The life stage of a salmon just prior to spawning when they have returned to spawning grounds.

**Properly functioning conditions (PFC):** State of the physical, chemical, and biological aspects of watershed ecosystems which will sustain a healthy salmonid population(s). Properly functioning condition defines a range of values for several measurable criteria rather than specific, absolute values. The range of these values may vary from watershed to watershed based upon a variety of factors, e.g., geology, hydrology, and stream geomorphology, and the improved understanding of how these factors shape ecosystem functions.

Reach: see stream reach.

*Redds:* Nests made in gravel (particularly by salmonids); consisting of a depression that is created and then covered.

**Refuge areas:** Areas that provide protection to a species from predators.

Resident fish: Fish species that complete their entire life cycle in freshwater.

**Retention/detention facilities:** A type of drainage facility designed either to hold water for a considerable length of time and then release it by evaporation, plant transpiration, and/or infiltration into the ground, or to hold surface water and stormwater runoff for a

short period of time and then release it to the surface water and stormwater conveyance system.

**Revetments:** An artificially protected or armored portion of the riverbank, typically a rock-lined face, that helps prevent erosion but does not provide protection from overtopping.

*Riparian:* Type of wetland transition zone between aquatic habitats and upland areas. Typically, an area on or by land bordering a stream, lake, tidewater, or other body of water.

*Riprap:* A facing layer or protective mound of stones placed to prevent erosion or sloughing of a structure or embankment due to the flow of surface water and stormwater runoff.

**Runoff:** Water originating from rainfall and other precipitation that is found in drainage facilities, rivers, streams, springs, seeps, ponds, lakes, and wetlands as well as shallow ground water.

Salmon: Includes all species of the salmonid family.

Salmonid: Fish of the family Salmonidae, including salmon, trout, char, and bull trout.

**Satellite streams:** Chinook salmon are present most years (more than half the years of a typical 4- to 5-year life cycle) but are less abundant than in core areas. Records are more incomplete, conservation efforts are inconsistent among potential satellite areas, and methods of enumeration vary.

**Sediment load:** Material carried in suspension by water, which will eventually settle to the bottom.

**Sediment transport::** The act of transporting a load of sediment from a stationary source location through a channel by streamflow to a location of deposition.

**Segregated hatchery management:** A segregated stock is intended to have minimal influence from and on surrounding natural stocks; interbreeding between hatchery and wild fish is minimized.

*Side channel:* A portion of an active channel that does not carry the bulk of stream flow. Side channels may carry water only during high flows, but are still considered part of the total active channel.

*Shoreline accretion:* The geologic process of filling and raising shoreline by depositon of material eroded and transported from other areas.

**Shoreline softening:** A nonstructural approach to preventing loss of upland property. Usually refers to the placement of beach material or vegetation management at the shore.

*Smolt:* Juvenile salmon migrating seaward; a young anadromous trout, salmon, or char undergoing physiological changes that will allow it to change from life in freshwater to life in the sea. The smolt state follows the parr state.

**Smolt flumes:** Fish passage facilities installed at the Ballard Locks to improve safe passage of juvenile salmon through the Locks area.

*Smolt traps:* A smolt trap is a standardized method of quantifying how many fish are moving through a water system.

**Snorkel surveys:** An in stream survey method using snorkel equipment to view fish use of habitat such as log jams.

**Source control best management practices:** Water pollution control best management practices that address adverse impacts from point source (direct) and non-point source (diffuse) pollution. See also best management practice.

**Spawning aggregations:** Geomorphic features (barriers, canyons, large tributary junctions and eroding cliffs) were strong determinants of the location of Chinook spawning areas.

Strays: Non-native fish from hatchery escapements.

**Stock:** Group of fish that is genetically self-sustaining and isolated geographically or temporally during reproduction. Generally, a local population of fish. More specifically, a local population – especially that of salmon, steelhead (rainbow trout), or other anadromous fish – that originates from specific watersheds as juveniles and generally returns to its birth streams to spawn as adults.

*Stream reach:* A segment of a stream that has beginning and end points selected for some specific characteristic.

*Substrate:* Refers to the class or type of material (for example, sand, gravel cobble) beneath the water column.

**Temperature stratification:** Refers to the stratification of lakes and reservoirs into layers of water with different temperatures and densities. Usually occurs in spring and early summer when the combination of solar heating and mixing of near-surface water layers by the wind brings about the warming of the upper portion of the lake water column.

*Thermal migration barriers:* Impediments to fish migration caused by high water temperatures.

*Transition zone:* Refers to an area in which species migrating between ecological zones undergo biological changes in order to adapt to another ecosystem. For Northwest salmon, the nearshore zone is known as a transition zone as salmon acclimate to more saline waters (if out-migrating) or non-saline waters (if in-migrating).

*Urban growth area:* A political boundary in which urban growth is encouraged and concentrated via management plans.

**Validation monitoring:** Monitoring to determine if the salmon population is increasing in productivity, abundance, distribution, and diversity; and what are the cause and effect relationships between actions and fish population changes.

*Viable Salmonid Population (VSP):* An independent population of any Pacific salmonid that has a negligible risk of extinction due to threats from demographic variation, local environmental variation, and genetic diversity changes over a 100-year time frame.

*Watershed:* Entire area that contributes both surface water and underground water to a particular lake or river.

*Watershed rehabilitation:* Used primarily to indicate improvement of watershed condition or certain habitats within the watershed. Compare watershed restoration.

*Watershed restoration:* Reestablishing the structure and function of an ecosystem, including its natural diversity; a comprehensive, long-term program to return watershed health, riparian ecosystems, and fish habitats to a close approximation of their condition prior to human disturbance.

*Weir:* Device across a stream to divert fish into a trap or to raise the water level or divert its flow. Also a notch or depression in a dam or other water barrier through which the flow of water is measured or regulated.

*Wild stock:* A stock that is sustained by natural spawning and rearing in the natural habitat regardless of origin.



Financial support for the coordination and development of the Final Lake Washington/Cedar/Sammamish Watershed (WRIA 8) Chinook Salmon Conservation Plan was provided by the following local governments:



#### Layout/Production by:

Visual Communications and Web Unit, Water & Land Resources Division, King County Department of Natural Resources File Name: 0712WRIA8BackCover.eps

# Additional copies of this document are available from:

King County Department of Natural Resources Water and Land Resources Division 201 South Jackson Street #600 Seattle, WA 98104 Phone: 206-296-6519 Alternate Formats Available 206-296-6519 or 711 TTY