

#### **INVITATION TO NEGOTIATE**

#### DISTANCE EDUCATION VIDEO CONFERENCING ROOMS UPGRADES AT USFSM

ITN# 14-01-SAR

#### **UNIVERSITY OF SOUTH FLORIDA**

# Addendum # 3 Revised Pricing Proposals

## PRICING PROPOSAL: SMC-A205

Replace the pricing proposal that was included in ITN 14-01-SAR Addendum #2, with the pricing proposal below.

#### **USFSM Furnished Equipment**

• USFSM will provide four (4) ceiling speakers, Mediatech lectern w/ equipment rack, wireless WAP access, podium PC, document camera, and DVD / VCR "combo" unit.

## **Integrator-Supplied Equipment**

<u>Qty</u>	Mfg	Model	<u>P/N</u>	Descrip	<u>otion</u>	Cost
1	Crestron	TSW-1050-B-S		Wired 10.1" Touch Panel, Black Finish		
1	Crestron	TSW-1050-TTK-B-S		Tabletop	Kit for Crestron TSW-1050-B-S Touch Panel	
1	Crestron	DMPS-300-C		DigitalMedia Presentation System 300		
2	Crestron	DM-RMC-SCALER-C		DigitalMedia 8G+ Receiver & Room Controller w/scaler		
1	Crestron	CEN-SW-POE-5		Five-port Ethernet Switch w/ POE		
1	Crestron	PWE-4803RU			POE injector	
2	Crestron	C2N-IO			Crestron Port Expansion Module	
1	Extron		P/N 60-604-11		Rack Mount Kit	
1	ClearOne	ConvergePro 880T	P/N 910-151-881		Eight-channel AEC mic mixer	

2	ClearOne	P/N 910-001-014-W	Ceiling Microphone Array Kit (XLR-M connector, White)
1	Crown	PCC-160	Desktop microphone-Instructor Mic
1	Crown	CTS600	Amplifier
2	Panasonic	PT-EZ570U	5,000 lumen, LCD projector, WUXA resolution (1,900 X 1,200) Powered zoom throw ratio: 1.7-2.8:1, 16:10 Aspect Ratio Eco Filter, Crestron RoomView
2	Premier	PDS-FCMAW-QL	Projector mount w/ false ceiling adapter, quick-lock cable
2	Premier	PWH-xxW	Projector column w/ 1.5" Threaded NPT
2	LG	60LW30MS-D	60-inch LED Commercial Grade Monitor
2	Premier	PCM-MS2	Tilting Mount for Flat Panels up to 63"
2	BMS	LCD LOC II-E	Locking Projector Mount For Projectors
1	Polycom	RealPresence Group 700 HD Codec	720p NTSC/PAL, plus remote control. Cables: 1 HDMI 1.8m, 1 CAT 5E LAN 3.6m
		P/N SKU (2215-65466-001)	
1	Polycom	Total Coverage Premier, Three-Year	RealPresence Group 700-720p: Group 700 HD codec, EagleEye III cam., univ. remote
		P/N 4870-63450-362	
1	Polycom	Group Series  Multipoint license  P/N 5150-65081-001	Six-way on Group 500, 550, or 8-way on Group 700.  Both support 4-way HD continuous presence.
1	Polycom	Total coverage, Group Series Multipoint License	Six-way multipoint in continuous presence video calls on Group 500, 550 (4-way in HD); 8-way Multipt in continuous presence on Group 700. Perpetual license as long as system is under maintenance.
		P/N 4870-65081-160	
1	Polycom	Group Series 1080p HD Software License	Enables 1080 encode/decode for both people and content. Valid for Group 300, 500, 550, 700
		P/N 5150-65082-001	
1	Polycom	Total Coverage Group Series	1080p HD software license. Valid for Group 300, 500, 550, 700. Perpetual license as long as Group Series system remains under maintenance
		P/N 4870-65082-160	

2	Polycom	EagleEye 3 Camera		Compatible w/ QDX, CX7000 or HDX 6000 & 7000 main HDCI input and 8000 and 9000 series main and auxiliary HDCI inputs w/ software version 3.0.1 or later. Includes
			P/N 8200-09810-0	10m cable and required power supply adaptor.  01
2	Polycom (Made sp	camera mount pecifically for EagleEye	ICI P/N WM-11008 above)	Camera Mounts
4	Polycom	Cable	P/N 2457-23521-	HDX adapter for HDCl port breakout to 5-BNC(F) and DB9(F)
2	Polycom	Auxiliary Power Supp	uly	For PowerCam (w/ 1457-50526-001 adapter), PowerCam Plus, EagleEyeHD / View /QDX cameras 12Vdc/3.3A, 100-240VAC, NEGATIVE CENTER PIN, 2.5 mm pin/5.5mm pin/5.5mm barrel. Compatible w/ power cord 1456-10445-001 (1465-52748-040)
2	Polycom	Power Cord	P/N 1456-10445-001	AC Power Cord (see above)
2	Extron	HDMI DA2	P/N 60-997-01	Two-output HDMI Distribution Amp
1	Extron	VGA-A M-M MD/ 6 6	' P/N 26-490	02 1.8m Male-to-male VGA and audio cables – molded connectors
1	Extron	DP-HDMIF DisplayPo M-HDMIF	rt P/N 26-655	01
2	Extron	DTP HDMI 301	P/N 60-121	2-12 Long-Distance HDMI Twisted Pair Extender Tx
2	Extron	DTP HDMI 301	P/N 60-121	2-13 Long-Distance HDMI Twisted Pair Extender Rx
1	Liberty	Aux Plate		VGA, Audio, Data, & HDMI (INNCO – WQ261023)
1	SurgeX	SX1115		Advanced Series Mode, Impedance Tolerant
2	C2G	TruLink	P/N 50331	15m Media Gateway HDMI Plenum-rated cable w/ 90-degree downward-angled male connector
1	Crestron			Touch Panel Design and programming
1	Misc.			Plenum-rated cables and connectors
1	Shipping / Installat	ion / Testing		Includes travel and all associated costs to the <u>Sarasota</u> campus
** USFS	M IT staff desire abil	ity to sign-off on toucl	n panel design for th	s location prior to installation / integration
				Sub-Total SMC-A205

# **PRICING PROPOSAL: SNP-204**

# **USFSM Furnished Equipment**

• USFSM will provide four (4) ceiling speakers, Mediatech lectern w/ equipment rack, wireless WAP access, podium PC, document camera, and DVD / VCR "combo" unit.

# **Integrator- Supplied Equipment**

Qty.	Mfg.	<u>Model</u>	<u>P/N</u>		<u>Description</u>	Cost
1	Crestron	TSW-1050-B-S		Wired 10	0.1" Touch Panel, Black Finish	
1	Crestron	TSW-1050-TTK-B-S	5	Tabletop	Kit for Crestron TSW-1050-B-S Touch Panel	
1	Crestron	DMPS-300-C		DigitalM	edia Presentation System 300	
2	Crestron	DM-RMC-SCALER-	С	DigitalM	edia 8G+ Receiver & Room Controller w/scaler	
1	Crestron	CEN-SW-POE-5			Five-port Ethernet Switch w/ POE	
1	Crestron	PWE-4803RU			POE injector	
2	Crestron	C2N-IO			Crestron Port Expansion Module	
1	Extron		ICI P/N 60-604-11		Rack Mount Kit	
1	ClearOne	ConvergePro 880T	P/N 910-151-881	.,	Eight-channel AEC mic mixer	
2	ClearOne		P/N 910-001-014-\	N	Ceiling Microphone Array Kit (XLR-M connector, White)	
1	Crown	PCC-160			Desktop microphone-Instructor Mic	
1	Crown	CTS600			Amplifier _	
1	Panasonic	PT-EZ570U			5,000 lumen, LCD projector, WUXA resolution (1,900 X 1,200) Powered zoom throw ratio: 1.7-2.8:1, 16:10 Aspect Ratio Eco Filter, Crestron RoomView	
1	Premier	PDS-FCMAW-QL			Projector mount w/ false ceiling adapter, quick-lock cable	
1	Premier	PWH-xxW			Projector column w/ 1.5" Threaded NPT	
3	LG	LG 60LW30MS-D			60-inch Commerical Grade LED Monitor	
2	Premier	PCM-MS2			Tilting Mount for Flat Panels up to 63"	
1	BMS	LCD LOC II-E			Locking Projector Mount For Projector	

1	Polycom	RealPresence Group 700 HD Codec		720p NTSC/PAL, plus remote control. Cables: 1 HDMI 1.8m, 1 CAT 5E LAN 3.6m		
		P/N SKI	J (2215-65466-001)			
1	Polycom	Total Coverage Premier, Th	ree-Year	RealPresence Group 700-720p: Group 700 HD codec, EagleEye III cam., univ. remote		
		P/N 48	70-63450-362			
1	Polycom	Group Series Multipoint license P/N	5150-65081-001	Six-way on Group 500, 550, or 8-way on Group 700.  Both support 4-way HD continuous presence.		
1	Polycom	Total coverage, Group Serion Multipoint License	es -65081-160	Six-way multipoint in continuous presence video calls on Group 500, 550 (4-way in HD); 8-way Multipt in continuous presence on Group 700. Perpetual license as long as system is under maintenance.		
1	Polycom	Group Series 1080p HD Sof		Enables 1080 encode/decode for both people		
-	. 0.,00		ense	and content. Valid for Group 300, 500, 550, 700		
		P/N 5150	-65082-001			
1	Polycom	Total Coverage Group Serie	28	1080p HD software license. Valid for Group 300, 500, 550, 700. Perpetual license as long as Group Series system remains under maintenance		
		P/N 487	0-65082-160	——————————————————————————————————————		
2	Polycom	EagleEye 3 Camera		Compatible w/ QDX, CX7000 or HDX 6000 & 7000 main HDCI input and 8000 and 9000 series main and auxiliary HDCI inputs w/ software version 3.0.1 or later. Includes 10m cable and required power supply adaptor.		
		P/N 8200	)-09810-001			
2		ICI P/N	WM1100B	Camera Mounts		
(Made specifically for EagleEye above)						
4	Polycom	Cable P/N 24	57-23521-001	HDX adapter for HDCI port breakout to 5-BNC(F)  and DB9(F)		
2	Polycom	Auxiliary Power Supply		For PowerCam (w/ 1457-50526-001 adapter), PowerCam Plus, EagleEyeHD / View /QDX cameras 12Vdc/3.3A, 100-240VAC, NEGATIVE CENTER PIN, 2.5 mm pin/5.5mm pin/5.5mm barrel. Compatible w/ power cord 1456-10445-001 (1465-52748-040)		
2	Polycom	Power Cord	P/N 1456-10445-0	OO1 AC Power Cord (see above)		
2	Extron	HDMI DA2	P/N 60-997-01	Two-output HDMI Distribution Amp		

Qty.	Mfg.	<u>Model</u>	<u>P</u> / <u>N</u>		<u>Description</u>	Cost	
1	Extron	VGA-A M-M MD/	6 6'	P/N 26-490-02	1.8m Male-to-male VGA and audio cables – molded connectors		
1	Extron	DP-HDMIF Display M-HDMIF	Port	P/N 26-655-01			
2	Extron	DTP HDMI 301		P/N 60-1212-12	Long-Distance HDMI Twisted Pair Extender Tx		
2	Extron	DTP HDMI 301		P/N 60-1212-13	Long-Distance HDMI Twisted Pair Extender Rx		
1	Liberty	Aux Plate			VGA, Audio, Data, & HDMI (INNCO – WQ261023)		
1	SurgeX	SX1115			Advanced Series Mode, Impedance Tolerant		
2	C2G	TruLink		P/N 50331	15m Media Gateway HDMI Plenum-rated cable w/ 90-degree downward-angled male connector		
1	Crestron				Touch Panel Design and programming		
1	Misc.				Plenum-rated cables and connectors		
1	Shipping / Installa	tion / Testing			Includes travel and all associated costs to the <b>Northport</b> campus		
** USFSM IT staff desire ability to sign-off on touch panel design for this location prior to installation / integration							
					Sub-total SNP-204		
					Sub-total SMC-A205		
					GRAND TOTAL BOTH ROOMS		

Note: Please note receipt of this addendum by signing and returning with your proposal response

Authorized Signature & Date	
Print Name	
Company Name	