

REFERENCES

- Ahlgren DJ, Gorny MK and Stein AC (1990). Model-based optimization of infectivity parameters: a study of the early epidemic in San Francisco. *JAIDS* 3 #6, 631-643.
- Allain J-P (1986). Prevalence of HTLV-III/LAV antibodies in patients with hemophilia and their sex partners in France. *N Eng J Med* 315, 517.
- Anderson RM, Ed. (1982). *Population Dynamics of Infectious Diseases: Theory and Applications*. Chapman and Hall, New York.
- Anderson RM (1988a). The epidemiology of HIV infection: variable incubation plus infectious periods and heterogeneity in sexual activity. *J R Stat Soc A* 151, 66-93.
- Anderson RM (1988b). The role of mathematical models in the study of HIV transmission and the epidemiology of AIDS. *JAIDS* 1, 241-256.
- Anderson RM and May RM, Eds. (1982). *Population Biology of Infectious Diseases*. Springer-Verlag, New York.
- Anderson RM and May RM (1988). Epidemiological parameters of HIV transmission. *Nature* 333, 514-519.
- Anderson RM and May RM (1982). Directly transmitted infectious diseases: Control by vaccination. *Science* 215, 1053-1060.
- Anderson RM and May RM (1983). Vaccination against rubella and measles: Quantitative investigations of different policies. *J Hyg Camb* 90, 259-325.
- Anderson RM and May RM (1985). Vaccination and herd immunity to infectious diseases. *Nature* 318, 323-329.
- Anderson RM and May RM (1991). *Infectious Diseases of Humans*. Oxford Science Publications, Great Britain.
- Anderson RM, May RM and McLean AR (1988). Possible demographic consequences of AIDS in developing countries. *Nature* 332, 228-234.
- Anderson RM, Medley GP, May RM and Johnson AM (1986). A preliminary study of the transmission dynamics of the human immunodeficiency virus, the causative agent of AIDS. *IMA J Math Appl Med Biol* 3, 229-263.
- Andrews EB, Creagh-Kirk T, Pattishall K, and Tilson HH (1990). Number of patients treated with zidovudine in the limited distribution system, March-September, 1987. *JAIDS* 3, 460.
- Auger I, Thomas R, DeGruttola V et al. (1988). Incubation periods for paediatric AIDS patients. *Nature* 336, 575-577.
- Bacchetti P (1990). Estimating the incubation period of AIDS comparing population infection and diagnosis pattern. *J Am Stat Assn* 85, 1002-1008.
- Bacchetti P and Moss AR (1989). Incubation period of AIDS in San Francisco. *Nature* 338, 251-253.
- Bailey NTJ (1975). *The Mathematical Theory of Infectious Diseases*, Second Edition. Hafner, New York.
- Bailey NTJ and Duppenhaler J (1985). Sensitivity analysis in the modeling of infectious disease dynamics. *J Math Biol* 10, 113-131.
- Bartlett MS (1960). *Stochastic Population Models in Ecology and Epidemiology*. Methuen, London.

- Battjes RJ, Pickens RW and Amsel Z (1989). Introduction of HIV infection among intravenous drug abusers in low prevalence areas. *JAIDS* 2, 533-539.
- Becker N (1989). *Analysis of Infectious Disease Data*. Chapman and Hall, New York.
- Becker MH and Joseph JG (1988). AIDS and behavioral change to reduce risk: A review. *AJPH* 78 #4, 394-410.
- Berkelman R, Karon J, Thomas P et al (1989). AIDS incidence and mortality. Abstract WAO 13, V International Conference on AIDS, Montreal.
- Black JL, Dolan MP, DeFord HA et al. (1986). Sharing of needles among users of iv drugs. *N Eng J MED* 314, 446-447.
- Bloom BR (1987). AIDS vaccine strategies. *Nature* 327, 193.
- Blower SM, Hartel D, Dowlatabadi H et al. (1991). Drugs, sex and HIV: a mathematical model for New York City. *Phil Trans R Soc Lond B* 321, 171-187.
- Blythe SP and Anderson RM (1988). Heterogeneous sexual activity model of HIV transmission in male homosexual populations. *IMA J Math Appl Med Biol* 5, 237-260.
- Blythe SP and Castillo-Chavez C (1989). Like with like preference and sexual mixing models. *Math Biosci* 96, 221-238.
- Brauer F, Blythe SP and Castillo-Chavez C (1992). Demographic recruitment in sexually transmitted disease models, preprint.
- Broder S (1987). *AIDS: Modern Concepts and Therapeutic Challenges*. Marcel Dekker, New York.
- Brookmeyer R and Damiano A (1989). Statistical methods for short term projections of AIDS incidence. *Stat in Med* 8, 23-34.
- Brookmeyer R and Gail MH (1986). Minimum size of the acquired immunodeficiency virus syndrome epidemic in the U.S. *Lancet* ii, 1320-1322.
- Brookmeyer R and Gail MH (1988). A method for obtaining short-term projections and lower bounds on the size of the AIDS epidemic. *J Am Stat Assn* 83, 301-308.
- Brookmeyer R, Gail MH and Polk BF (1987). The prevalent cohort study and the acquired immunodeficiency virus syndrome. *Am J Epidem* 26 #1, 14-24.
- Burke DS, Brundage JF, Herbold JR et al. (1987). Human immunodeficiency virus infections among civilian applicants for U.S. military service, Oct 1985 to March 1986. *N Eng J Med* 317 #3, 131-136.
- Burke DS, Redfield RR, Fowler A, and Oster C (1989). Increased "viral burden" in late stages of HIV infection. Abstract ThAP 93, V International Conference on AIDS, Montreal, Canada.
- Busenberg S and Castillo-Chavez C (1989). Interaction, pair formation and force of infection terms in sexually transmitted diseases. In Castillo-Chavez C, Ed., *Mathematical and Statistical Approaches to AIDS Epidemiology*, Lecture Notes in Biomathematics 83, 289-300.
- Busenberg S and Castillo-Chavez C (1991). A general solution of the problem of mixing of subpopulations and its application to risk- and age-structured epidemic models for the spread of AIDS. *IMA J Math Appl Med and Biol* 8, 1-29.
- Bye L (1987). Designing an effective AIDS prevention campaign strategy for San Francisco: Results from the fourth probability sample of an urban gay male community. Prepared by *Communication Technologies* for The San Francisco AIDS Foundation.

- Byers RH Jr., Morgan WM, Darrow WW et al. (1988). Estimating AIDS infection rates in the San Francisco cohort. *AIDS* 2, 207-210.
- Cardell NS and Kanouse DE (1989). Modeling heterogeneity in susceptibility and infectivity for HIV infection. In: *Mathematical and Statistical Approaches to AIDS Epidemiology*, C Castillo-Chavez, Ed., Lecture Notes in Biomathematics 83, Springer-Verlag, Germany, 138-156.
- Carlson JR, Bryant ML, Hinrichs SH et al. (1985). AIDS serology testing in low- and high-risk groups. *JAMA* 253 #23, 3405-3408.
- Carne CA, Weller IVD, Johnson AM et al. (1987). Prevalence of antibodies to human immunodeficiency virus, gonorrhea rates, and the changed sexual behavior in homosexual men in London. *Lancet* 8534, 656-658.
- Castillo-Chavez C, Ed. (1989). *Mathematical and Statistical Approaches to AIDS Epidemiology*. Lecture Notes in Biomathematics 83, Springer-Verlag, Germany.
- Castillo-Chavez C, Cooke KL, Huang W, and Levin SA (1989). On the role of long incubation periods in the dynamics of AIDS Part 2: Multiple group models. In: *Mathematical and Statistical Approaches to AIDS Epidemiology*, Lecture Note in Biomathematics 83, C Castillo-Chavez, Ed., Springer-Verlag, 200-217.
- Cates W, Jr, Handsfield HH (1988). HIV counseling and testing: does it work? *AJPH* 78, 1533-1534.
- Centers for Disease Control (1981a). Pneumocystis pneumonia - Los Angeles. *MMWR* 30, 250-252.
- Centers for Disease Control (1981b). Kaposi's sarcoma and *Pneumocystis* pneumonia among homosexual men - New York City and California, *MMWR* 30, 305-308.
- Centers for Disease Control (1981c). Follow-up on Kaposi's sarcoma and *Pneumocystis* pneumonia, *MMWR* 30, 409-410.
- Centers for Disease Control (1982). Update on Acquired Immune Deficiency Syndrome (AIDS) - United States. *MMWR* 31, 507-14.
- Centers for Disease Control (1984). Declining rates of rectal and pharyngeal gonorrhea among males - New York City, *MMWR* 33, 295-297.
- Centers for Disease Control (1985a). Update: Acquired immune deficiency syndrome - United States, *MMWR* 34, 245-248.
- Centers for Disease Control (1985b). World Health Organization workshop: conclusions and recommendations on the acquired immune deficiency syndrome, *MMWR* 34, 275-276.
- Centers for Disease Control (1985c). Revision of the case definition of the acquired immune deficiency syndrome for national reporting - United States, *MMWR* 34, 373-375.
- Centers for Disease Control (1985d). Heterosexual transmission of HTLV-III/LAV, *MMWR* 34, 561-563.
- Centers for Disease Control (1985e). Update: AIDS in the San Francisco cohort study, 1978-1985. *MMWR* 34, 573-575.
- Centers for Disease Control (1985f). Self-reported behavioral change among gay and bisexual men - San Francisco. *MMWR* 34, 613-615.
- Centers for Disease Control (1986a). Update: The acquired immune deficiency syndrome - United States, *MMWR* 35, 17-21.

- Centers for Disease Control (1986b). Additional recommendations to reduce sexual- and drug abuse - related transmission of HTLV-III/LAV, MMWR 35, 152-155.
- Centers for Disease Control (1986c). AIDS in correctional facilities: a report of the National Institute of Justice and the American Correctional Association, MMWR 35, 195-199.
- Centers for Disease Control (1986d). Classification system for HTLV-III/LAV infections, MMWR 35, 334-339.
- Centers for Disease Control (1986e). HTLV-III/LAV antibody prevalence in United States military recruit applicants, MMWR 35, 421-424.
- Centers for Disease Control (1986f). AIDS among blacks and hispanics - United States, MMWR 35, 655-666.
- Centers for Disease Control (1986g). Surveillance of hemophilia-associated AIDS MMWR 35, 669-671.
- Centers for Disease Control (1986h). Update: AIDS - United States, MMWR 35, 757-766.
- Centers for Disease Control (1987a). Survey of non-U.S. Hemophilia Treatment Centers for HIV seroconversions following therapy with heat - treated factor concentrates, MMWR 36, 121-124.
- Centers for Disease Control (1987b). HIV infection in transfusion recipients and their family members, MMWR 36, 137-140.
- Centers for Disease Control (1987c). Antibody to HIV in female prostitutes, MMWR 36, 157-161.
- Centers for Disease Control (1987d). Self-reported changes in sexual behaviors among homosexual and bisexual men from the San Francisco city clinic cohort. MMWR 36, 187-189.
- Centers for Disease Control (1987e). Trends in human immunodeficiency virus infection among civilian applicants for military service - United States, Oct '85 - Dec '86, MMWR 36, 273-280.
- Centers for Disease Control (1987f). Update: AIDS - United States, MMWR 36, 522-526.
- Centers for Disease Control (1987g). HIV infection and pregnancies in sexual partners of HIV-seropositive hemophiliac men - United States, MMWR 36, 593-595.
- Centers for Disease Control (1987h). HIV infection in the United States, MMWR 36, 801-804.
- Centers for Disease Control (1987i). Human Immunodeficiency Virus in the United States: A review of current knowledge, MMWR 36, #S-6.
- Centers for Disease Control (1987j). Revision of the CDC surveillance case definition for AIDS. MMWR 36, 3S-15S.
- Centers for Disease Control (1988). Increase in pneumonia mortality among young adults and the HIV epidemic—New York City, United States, MMWR 37, 593-596.
- Centers for Disease Control (1989a). Update: Acquired immunodeficiency syndrome associated with intravenous-drug use—United States, 1988, MMWR 38, 165-170.
- Centers for Disease Control (1989b). AIDS and human immunodeficiency virus infection in the United States: 1988 update. MMWR 38, #S-4.
- Centers for Disease Control (1990c). Update: Acquired Immunodeficiency Syndrome - United States, 1989. MMWR 39, 81-86.
- Centers for Disease Control (1990d). Estimates of HIV Prevalence and Projected AIDS Cases: Summary of a Workshop, October 31-November 1, 1989, MMWR 39, 110-112, 117-119.

- Centers for Disease Control (1990e). HIV prevalence estimates and AIDS case projections for the United States: Report based on a workshop. *MMWR* 39, #RR-16: 1-31.
- Centers for Disease Control (1991a). Update: Acquired immunodeficiency syndrome - United States, 1981 - 1991, *MMWR* 40, 357-363.
- Centers for Disease Control (1991b). Summary of Notifiable Diseases, United States, 1990, *MMWR* 39.
- Centers for Disease Control (1992). HIV/AIDS Surveillance Report, January, 1-22.
- Chaisson RE, Bacchetti P, Osmond D et al. (1989). Cocaine use and HIV infection in intravenous drug users in San Francisco. *JAMA* 261, 561-565.
- Chaisson RE, Moss AR, Onishi R, et al (1987). Human immunodeficiency virus in heterosexual drug users in San Francisco. *AJPH* 77 #2, 169-172.
- Chu SY, Peterman TA, Doll LS, et al. (1992). AIDS in bisexual men in the United States: epidemiology and transmission to women. *AJPH* 82 #2, 220-224.
- Coates TJ, Morin SF and McKusick L (1987). Behavioral consequences of AIDS antibody testing among gay men. *JAMA* 258 #14 1889.
- Colgate SA, Stanley EA, Hyman JM et al. (1988). A behavior based model of the initial growth of AIDS in the United States. Preprint.
- Collier AC, Meyers JD, Murphy VL et al.(1987). Relationship between antibodies to LAV/HTLV-III and the natural course of subclinical cellular immune dysfunction in homosexual men. *STD* 14 #1, 1-8.
- Consensus Conference (1986). The impact of routine HTLV-III antibody testing of blood and plasma donors on public health. *JAMA* 256 #13, 1778-1783.
- Coolfont Report (1986). *Pub Health Rep* 101 #4, 341-348.
- Curran JW, Jaffe HW, Hardy AM et al. (1988). Epidemiology of HIV infection and AIDS in the United States. *Science* 239, 610-616.
- Curran JW, Lawrence DN, Jaffe H et al. (1984). Acquired immunodeficiency syndrome (AIDS) associated with transfusion. *N Eng J Med* 310, 69-75.
- Curran JW, Morgan WM, Hardy AM, et al. (1985). The epidemiology of AIDS: current status and future prospects. *Science* 229, 1352-1357.
- Darrow WW (1989). Personal communication.
- Darrow WW, Echenberg DF, Jaffe HW et al. (1987). Risk factors for human immunodeficiency virus infection in homosexual men. *AJPH* 77 #4, 479-483.
- De Gruttola V and Lagakos SW (1987). The value of doubling time in assessing the course of the AIDS epidemic, preprint.
- De Gruttola V, Mayer KH (1987). Assessing and modeling heterosexual spread of the human immunodeficiency virus in the United States. *Rev Inf Dis* 10 #1, 138-150.
- Denning PJ (1987). Computer models of AIDS epidemiology, *Am Scientist* July-Aug, 347-352.
- Des Jarlais DC and Friedman SR (Ed. review)(1987). HIV infection among intravenous drug users: epidemiology and risk reduction. *AIDS* 1 #2, 67-76.

- Des Jarlais DC, Friedman SR, Marmor M et al. (1987). Development of AIDS, HIV seroconversion, and potential cofactors for T4 cell loss in a cohort of intravenous drug users. *AIDS* 1 #2, 105-111.
- Des Jarlais DC, Friedman SR, and Stoneburner RL (1988). HIV infection and intravenous drug use: critical issues in transmission dynamics, infection outcomes, and prevention. *Rev Inf Dis* 10 #1, 151-158.
- Diekmann O, Heesterbeek JAP and Metz JAJ (1990). On the definition and the computation of the basic reproduction ratio R_0 in models for infectious diseases in heterogeneous populations. *J Math Biol* 28, 365-382.
- Dietz K. (1988). On the transmission dynamics of HIV. *Math Biosci* 90, 397-414.
- Dietz K and Hadeler KP (1988). Epidemiological models for sexually transmitted diseases. *J Math Biol* 26, 1-25.
- Dietz K and Schenzle D (1985a). Mathematical models for infectious disease statistics. In: *A Celebration of Statistics*. Atkinson AC and Fienberg SE, Eds., New York, Springer-Verlag, 167-204.
- Dietz K and Schenzle D (1985b). Proportionate mixing models for age-dependent infection transmission. *J. Math. Biol.* 22, 117-120.
- Dolan MP, Black JL, Deford HA et al. (1987). Characteristics of drug abusers that discriminate needle-sharers, *Pub Health Rep* July-August, 395-398.
- Doll LS, Darrow WM, Jaffe H et al (1987). Self-reported changes in sexual behaviors in gay and bisexual men from the San Francisco City Clinic Cohort. III International Conference on AIDS, Washington D.C.
- Doll LS (1988). Personal communication.
- Downs AM, Ancelle RA, Jager HJC and Brunet J-B (1987). AIDS in Europe: current trends and short-term predictions estimated from surveillance data, Jan 1981-June 1986. *AIDS* 1 #1, 53-57.
- Drucker E (1986). AIDS and addiction in New York City. *Am J Drug Alc Abuse* 12, 165-181.
- Ebbesen P. (1986). The global epidemic of AIDS, *AIDS Res* 2 supp 1, s23-s28.
- El-Sadr W, Marmor M, Zolla-Pazner S et al. (1987). Four-year prospective study of homosexual men: correlation of immunological abnormalities, clinical status, and serology to human immunodeficiency virus. *J Inf Dis* 155 #4, 789-793.
- Eyster ME, Gail MH, Ballard JO et al. (1987). Natural history of human immunodeficiency virus infections in hemophiliacs: effects of T-cell subsets, platelet counts, and age. *Ann Int Med* 107, 1-6.
- Fischl MA, Dickinson GM, Scott GB et al. (1987). Evaluation of heterosexual partners, children, and household contacts of adults with AIDS. *JAMA* 257 #5, 640-644.
- Fischl MA, Richman DD, Grieco MH et al. (1987). The efficacy of A.Z.T. in the treatment of patients with AIDS and AIDS-related complex. *N Eng J Med* 317 #4, 185-191.
- Fischl MA, Dickinson GM, Flanagan S, and Fletcher MA (1987). Human Immunodeficiency Virus (HIV) among female prostitutes in Southern Florida. III International Conference on AIDS, Washington D.C.
- Fleming DW, Cochi SL, Steece RS, and Hull HF (1987). AIDS in low-incidence areas: how safe is safe sex? *JAMA* 258 #6, 785-787.

- Fox R, Eldred LJ, Fuchs EJ et al. (1987). Clinical manifestations of acute infection with H.I.V. in a cohort of gay men. *AIDS* 1 #1, 35-38.
- Francis DP and Chin J (1987). The prevention of AIDS in the U.S. *JAMA* 257 #10, 1357-1366.
- Friedland GH and Klein RS (1987). Transmission of the human immunodeficiency virus. *N Eng J Med* 317, 1125-1135.
- Furth PA (1987). Heterosexual transmission of AIDS by male drug users. *Nature* 327, 193.
- Fusaro RE, Jewell WW, Hauch DC et al. (1989). An annotated bibliography of quantitative methodology relating to the AIDS epidemic. *Stat Sci* 4, 264-281.
- Gail MH, Rosenberg PS, and Goedert JJ (1990). Therapy may explain recent deficits in AIDS incidence. *JAIDS* 3 #4, 296-306.
- Gail MH and Brookmeyer R (1988). Methods for projecting course of acquired immunodeficiency syndrome epidemic. *J Nat Cancer Inst* 80 #12, 900-911.
- Gallo RC (1986). The first human retrovirus. *Scientific American*, Dec '86, 88-98.
- Gallo RC (1987). The AIDS virus. *Scientific American* Jan '87, 47-56.
- Gallo RC and Montagnier L (1987). The chronology of AIDS research. *Nature* 326, 435-436.
- General Accounting Office (1989), *AIDS Forecasting: Undercount of Cases and Lack of Key Data Weaken Existing Estimates*. GAO/PEMD-89-13, Washington D.C.
- Goedert JJ, Eyster ME, Biggar RJ and Blattner WA (1987). Heterosexual transmission of human immunodeficiency virus: association with severe depletion of T-helper lymphocytes in men with hemophilia. *AIDS Res Human Retrov* 3 #4, 355-361.
- Goedert JJ, Kessler CM, Aledort LM et al. (1989). A prospective study of human immunodeficiency virus type 1 infection and the development of AIDS in subjects with hemophilia. *N Eng J Med* 321 #17, 1141-1148.
- Goedert JJ, Biggar RJ, Weiss SH et al. (1986). Three-year incidence of AIDS in five cohorts of HTLV-III-infected risk group members. *Science* 231, 992-995.
- Goedert JJ, Biggar RJ, Melbye M et al. (1987). Effect of T4 count and cofactors on the incidence of AIDS in homosexual men infected with human immunodeficiency virus. *JAMA* 257 #3, 331-334.
- Goldsmith JM, Variakojis D, Phair JP and Green D (1987). The spectrum of HIV infection in patients with factor IX deficiency (Christmas disease). *Am J Hematology* 25, 203-210.
- Goldsmith JM, Kalish SB, Ostrow DG et al. (1987). Antibody to HTLV-III: Immunological status of homosexual contacts of patients with the acquired immunodeficiency syndrome and AIDS-Related Conditions. *STD* 14 #1, 44-47.
- Goldsmith MF (1987). Sex in the age of AIDS calls for common sense and 'condom sense'. *JAMA* 257 #17, 2261-2266.
- Grant RM, Wiley JA and Winkelstein W (1987). Infectivity of the human immunodeficiency virus: estimates from a prospective study of homosexual men. *J Inf Dis* 156 #1, 189-193.
- Greenberg WM (1987)(letter). On HIV transmission in homosexual/bisexual men. *AJPH* 77 #12, 1552.
- Guinan ME and Hardy A (1987). Epidemiology of AIDS in women in the U.S. *JAMA* 257 #15, 2039-2042.

- Hadeler KP, Waldstätter R and Wörz-Busekros A (1988). A model for pair formation in bisexual populations. *J Math Biol* 26, 635–649.
- Hahn BH, Gonda MA, Shaw GM et al. (1985). Genomic diversity of the AIDS virus HTLV-III: different viruses exhibit greatest divergence in their envelope genes. *Proc Nat Acad Sci* 82, 4813–4817.
- Hahn BH, Shaw GM, Taylor ME et al. (1986). Genetic variations in HTLV-III/LAV over time in patients with AIDS or at risk for AIDS. *Science* 232, 1548–1553.
- Hardy AM, Starcher ET III, Morgan WM et al. (1987). Review of death certificates to assess completeness of AIDS case reporting. *Pub Health Rep* July–August, 386–391.
- Harris J.E. (1987). The AIDS epidemic: looking into the 1990's. *Technology Review* 90 #5, 59–64.
- Healy MJR and Tillett HE (1988). Short-term extrapolation of the AIDS epidemic. *J R Stat Soc A* 151, 50–61.
- Hessol NA, Lifson A, O'Malley P et al. (1990). Prevalence, incidence, and progression of human immunodeficiency virus infection in homosexual and bisexual men in hepatitis B vaccine trials, 1978 – 1988. *Am J Epidem* 130 #6, 1167–1175.
- Hessol NA, O'Malley P, Lifson A et al. (1989). Incidence and prevalence of HIV infection among homosexual and bisexual men, 1978 – 1988. Abstract M.A.O. 27, V International Conference on AIDS, Montreal, Canada.
- Hethcote HW (1976). Qualitative analysis for communicable disease models. *Math Biosci* 28, 335–356.
- Hethcote HW (1978). An immunization model for a heterogeneous population. *Theor Pop Biol* 14, 338–349.
- Hethcote HW (1983). Measles and rubella in the United States, *Am J Epidem* 117, 2–13.
- Hethcote HW (1987). AIDS modeling work in the United States. In: *Future Trends in AIDS*, Her Majesty's Stationary Office, London, 35–46.
- Hethcote HW (1988). Optimal ages of vaccination for measles. *Math Biosci* 89, 29–52.
- Hethcote HW (1989a). Three basic epidemiological models. In: *Applied Mathematical Ecology*, L Gross, TG Hallam and SA Levin, Eds., Springer-Verlag, New York, 119–144.
- Hethcote HW (1989b) Rubella. In: *Applied Mathematical Ecology*, L Gross, TG Hallam and SA Levin, Eds., Springer-Verlag, New York, 212–234.
- Hethcote HW (1989c). A model for HIV transmission and AIDS. In: *Mathematical Approaches to Problems in Resource Management and Epidemiology*, C Castillo-Chavez, SA Levin and C Shoemaker, Eds., Lecture Notes in Biomathematics 81, Springer-Verlag, Germany, 164–176.
- Hethcote HW and Levin SA (1989). Periodicity in Epidemiological Models. In: *Applied Mathematical Ecology*, L Gross, TG Hallam and SA Levin, Eds., Springer-Verlag, New York, 193–211.
- Hethcote HW, Stech HW and van den Driessche P (1981). Periodicity and stability in epidemic models: A survey. In: *Differential Equations and Applications in Ecology, Epidemics, and Population Problems*, S Busenberg and KL Cooke, Eds. Academic Press, New York, 65–82.
- Hethcote HW and Tudor DW (1980). Integral equation models for endemic infectious diseases. *J Math Biol* 9, 37–47.

- Hethcote HW and Van Ark JW (1987). Epidemiological models for heterogeneous populations: proportionate mixing, parameter estimation, and immunization programs. *Math Biosci* 84, 85–118.
- Hethcote HW and Van Ark JW (1992). Weak Linkage between HIV epidemics in homosexual men and intravenous drug users in New York City. In: *AIDS Epidemiology: Methodological Issues*, N Jewell, K Dietz and V Farewell, Eds., Birkhauser–Boston, Boston, to appear.
- Hethcote HW, Van Ark JW and Karon JM (1991). A simulation model of AIDS in San Francisco: II. Simulations, therapy, and sensitivity analysis. *Math Biosci* 106, 223–247.
- Hethcote HW, Van Ark JW and Longini IM Jr (1991). A simulation model of AIDS in San Francisco: I. Model formulation and parameter estimation. *Math Biosci* 106, 203–222.
- Hethcote HW and Waltman P (1973). Optimal vaccination schedules in a deterministic epidemic model. *Math Biosci* 18, 365–381.
- Hethcote HW and Yorke JA (1984). *Gonorrhea Transmission Dynamics and Control*. Lecture Notes in Biomathematics 56, Heidelberg, Springer–Verlag.
- Hethcote HW, Yorke JA and Nold A (1982). Gonorrhea modeling: a comparison of control methods. *Math Biosci* 58, 93–109.
- Ho DD, Pomerantz RJ and Kaplan JC (1987). Pathogenesis of infection with human immunodeficiency virus. *N Eng J Med* 317 #5, 278–286.
- Horn RA and Johnson CR (1985). *Matrix Analysis*. Cambridge University Press, New York.
- Hummer D, Rosenfeld JB and Pitlik SD (1987). AIDS in the pre–AIDS era. *Rev Inf Dis* 9 #6, 1102–1108.
- Hyman JM and Stanley EA (1988). Using mathematical models to understand the AIDS epidemic. *Math Biosci* 90, 415–473.
- Hyman JM and Stanley EA (1989). The effects of social mixing patterns on the spread of AIDS, In: *Mathematical Approaches to Problems in Resource Management and Epidemiology C* Castillo–Chavez, SA Levin and C Shoemaker, Eds., Lecture Notes in Biomathematics 81, Springer–Verlag, Germany.
- Isham V (1987). Mathematical modeling of the transmission dynamics of HIV infection and AIDS: a review. *J R Stat Soc A* 151 #1:5–30. (Discussion pp. 44–9, response pp. 120–3).
- Jacquez JA, Simon CP and Koopman J (1989). Structured Mixing. In: *Mathematical and Statistical Approaches to AIDS Epidemiology*, C Castillo–Chavez, Ed., Lecture Notes in Biomathematics 83, Springer–Verlag, Germany, 301–315.
- Jacquez JA, Simon CP, Koopman J et al. (1988). Modeling and the analysis of HIV transmission: the effect of contact patterns. *Math Biosci* 92, 119–199.
- Jaffe HW, Darrow WW, Echenberg DF et al. (1985). The acquired immune deficiency syndrome in a cohort of homosexual men. *Ann Int Med* 103 #2, 210–214.
- Jager HJC and Ruitenberg EJ (1987). The statistical analysis and mathematical modelling of AIDS, *AIDS* 1, 129–130.
- Jason J, Holman RC, Dixon G et al. (1986). Effects of exposure to factor concentrates containing donations from identified AIDS patients. *JAMA* 256 #13, 1758–1762.
- Jason JM, McDougal JS, Dixon G et al. (1986). HTLV–III/LAV antibody and immune status of household contacts and sexual partners of persons with hemophilia. *JAMA* 255 #2, 212–215.
- Jay K and Young A (1979). *The Gay Report*, Summit Press, New York.

- Johnson AM (1988). Social and behavioral aspects of the HIV epidemic: a review. *J R Stat Soc A* 151 #1, 99–114. (Discussion pp 115–119, response p 125.)
- Jones CC, Waskin H, Gerety B et al. (1987). Persistence of high-risk sexual activity among homosexual men in an area of low incidence of the acquired immunodeficiency syndrome. *STD* 14 #2, 79–82.
- Judson FN (1983). Fear of AIDS and gonorrhoea rates in homosexual men. *Lancet* ii, 159–160.
- Kaplan EH and Lee YS (1990). How bad can it get? Bounding worst case epidemic heterogeneous mixing models of HIV/AIDS. *Math Biosci* 99, 157–180.
- Kaplan EH, Crampton PC and Paltiel AD (1989). Nonrandom mixing models of HIV transmission. In: *Mathematical and Statistical Approaches to AIDS Epidemiology*, C. Castillo-Chavez, Ed., Lecture Notes in Biomathematics 83, Springer-Verlag, Berlin, 58–88.
- Kaplan LD, Wofsy CB and Volberding PA (1987). Treatment of patients with acquired immunodeficiency syndrome and associated manifestations. *JAMA* 257 #10, 1367–1374.
- Karon JM and Berkelman RL (1991). The geographic and ethnic diversity of AIDS incidence trends in homosexual/bisexual men in the United States. *JAIDS* 4 1179–1189.
- Karon JM, Devine OJ and Morgan WM (1989). Predicting AIDS incidence by extrapolation from recent trends. In: *Mathematical and Statistical Approaches to AIDS Epidemiology*, C. Castillo-Chavez, Ed., Lecture Notes in Biomathematics 83, Springer-Verlag, Berlin, 58–88.
- Karon JM, Dondero TJ, and Curran JW (1988). The projected incidence of AIDS and estimated prevalence of HIV infection in the United States. *JAIDS* 1, 542–550.
- Kaslow RA and Francis DP, Eds. (1989). *The Epidemiology of AIDS*. Oxford University Press, New York.
- Kaslow RA, Ostrow DS, Detels R et al. (1987). The multicenter AIDS cohort study: rationale, organization, and selected characteristics of the participants. *Am J Epidem* 36 #2, 310–318.
- Kegeles SM, Catania JA, and Coates TJ (1988)(letter). Intentions to communicate HIV – antibody status to sex partners. *JAMA* 259 #2, 216–217.
- Kellogg TA, Marelich WD, Wilson MJ, et al (1990). HIV prevalence among homosexual and bisexual men in the San Francisco Bay area: evidence of infection among young gay men. Abstract FC548, VI International Conference on AIDS, San Francisco.
- Kessler HA, Blaauw B, Spear J et al. (1987). Diagnosis of human immunodeficiency virus infection in seronegative homosexuals presenting with an acute viral syndrome. *JAMA* 258 #9, 1196–1199.
- Kingsley LA, Detels R, Kaslow R et al. (1987). Risk factors for seroconversion to H.I.V. among male homosexuals. *Lancet* 8529, 345–349.
- Kinsey AC, Pomeroy WB and Martin CE (1948). *Sexual Behavior in the Human Male*. W.B. Saunders, Philadelphia.
- Knox EG (1986). A transmission model for AIDS. *Eur J Epidem* 2 #3, 165–177.
- Kohn R (1990). personal communication.
- Kolata G.(1987). Mathematical models predict AIDS spread. *Science* 235, 1464–1465.
- Koopman JS, Simon CP and Jacquez JA (1989). Selective contact within structured mixing groups; with an application to the analysis of HIV transmission risk from oral and anal sex. In: *Mathematical and Statistical Approaches to AIDS Epidemiology*, C Castillo-Chavez, Ed., Lecture Notes in Biomathematics 83, Springer-Verlag, Germany, 316–348.

- Kozel NJ and Adams EH (1986). Epidemiology of drug abuse: an overview. *Science* 34, 970–974.
- Lajmanovich A and Yorke JA (1976). A deterministic model for gonorrhoea in a nonhomogeneous population. *Math Biosci* 28, 221–236.
- Lambert, B (1988). Halving of estimate on AIDS is raising doubts in New York. *New York Times*, July 20, 1–28.
- Lang W, Anderson R, Perkins H et al. (1987). Clinical, immunological, and serological findings in men at risk for acquired immunodeficiency syndrome (The San Francisco Men's Health Study). *JAMA* 257 #3, 326–330.
- Lang W, Osmund D, Samuel M, et al. (1991). Population based estimates of zidovudine and aerosol pentamidine use in San Francisco, 1987–1989. *JAIDS* 4, 713–716.
- Lange JMA, Paul DA, Huisman H-G et al. (1986). Persistent HIV antigenaemia and decline of HIV core antibodies associated with transition to AIDS. *Br Med J* 293, 1459–1462.
- Laurence J (1986). AIDS: definition, epidemiology, and etiology. *Lab Med* 17 #11, 659–663.
- Lemp GF (1990). Effect of therapy on AIDS patient survival. Abstract FB85, VI International Conference on AIDS, San Francisco.
- Lemp G (1991). Personal communication.
- Lemp GF, Payne SF, Rutherford GW et al. (1990). Projections of AIDS morbidity and mortality in San Francisco. *JAMA* 263 #11, 1497–1501.
- Lifson AR, Hessel NA, Rutherford GW et al. (1990). The natural history of HIV infection in a cohort of homosexual and bisexual men: clinical and immunological outcomes, 1977 – 1990. Abstract ThC33, VI International Conference on AIDS, San Francisco.
- Lin X (1991). Qualitative analysis of an HIV transmission model. *Math Biosci* 104, 111–134.
- Lindan C, Rutherford GW, Payne S et al. (1989) Decline in rates of new AIDS cases among homosexual and bisexual men in San Francisco. Abstract WAP24, V International Conference on AIDS, Montreal.
- Longini IM Jr, Ackerman E and Elveback LR (1978). An optimization model for influenza A epidemics. *Math Biosci* 38, 141–157.
- Longini IM, Clark WS, Byers RH, et al. (1989). Statistical analysis of the stages of HIV infections using a Markov model. *Stat in Med* 8, 831–843.
- Longini IM, Clark WS, Gardner LI, and Brundage JF (1991). The dynamics of CD4⁺ T-lymphocyte decline in HIV-infected individual: A Markov modeling approach. *JAIDS* 4 #11, 1141–1147.
- Longini IM, Clark WS, Haber M et al. (1990) The stages of HIV infection: Waiting times and infection transmission probabilities. In: *Mathematical and Statistical Approaches to AIDS epidemiology*, C Castillo-Chavez, Ed., Lecture Notes in Biomathematics 83, Springer-Verlag, Germany, p. 111–137.
- Ludwig D (1974). *Stochastic Population Theories*. Lecture Notes in Biomathematics 3, Springer-Verlag, Berlin.
- Lui K-J, Darrow WW, Rutherford GW III (1988). A model-based estimate of the mean incubation period for AIDS in homosexual men. *Science* 240, 1333–1335.
- Machado SG, Gail MH and Ellenberg SS (1990). On the use of laboratory markers as surrogates for clinical endpoints in the evaluation of treatment for HIV infection. *JAIDS* 3, 1065–1073.

- Magura S, Grossman JI, Lipton S et al. (1989). Determinants of needle-sharing among intravenous drug users. *A J Pub Health* 79, 459-462.
- Mann JM (1987). The global AIDS situation. *World Health Stat Quar* 40, 185-192.
- Mann JM, Francis H, Quinn T et al. (1986). Surveillance for AIDS in a central African city. *JAMA* 255 #23, 3255-3259.
- Mann JM, Francis H, Quinn TC et al. (1986). HIV seroprevalence among hospital workers in Kinshasa, Zaire. *JAMA* 256 #22, 3099-3102.
- Marlink RG and Essex M (1987). Africa and the biology of HIV. *JAMA* 257 #19, 2632-2633.
- Marmor M, Des Jarlais DC, Cohen H et al. (1987). Risk factors for infection with H.I.V. among intravenous drug abusers in New York City. *AIDS* 1 #1, 39-44.
- Martin JL (1987). The impact of AIDS on gay male sexual behavior patterns in New York City. *AJPH* 77 #5, 578-581.
- Martin K, Katz BZ and Miller G (1987). AIDS and antibodies to human immunodeficiency virus in children and their families. *J Inf Dis* 155 #1, 54-63.
- Matthews GW and Neslund VS (1987). The initial impact of AIDS on public health law in the United States - 1986. *JAMA* 257 #3, 344-352.
- May RM (1981). The transmission and control of gonorrhoea. *Nature* 291, 376-377.
- May RM (1988). HIV infection in heterosexuals. *Nature* 331, 655-656.
- May RM and Anderson RM (1987). Transmission dynamics of HIV infection. *Nature* 326, 137-142.
- May RM and Anderson RM (1989). The transmission dynamics of human immunodeficiency virus (HIV). *Phil Trans R Soc London B* 321, 565-607.
- McEvoy M and Tillet HE (1985). Some problems in the prediction of future numbers of cases of the acquired immunodeficiency syndrome in the United Kingdom. *Lancet* 7 Sept, 541-542.
- McGrady GA, Jason JM and Evatt BL (1987). The course of the epidemic of AIDS in the United States hemophilia population. *Am J Epidem* 26 #1, 25-30.
- McKusick L, Horstman W, and Coates TJ (1985). AIDS and sexual behavior reported by gay men in San Francisco. *Am J Pub Health* 75 #5, 493-496.
- Medley GF, Anderson RM, Cox DR, Billard L (1987). Incubation period of AIDS in patients infected via blood transfusion. *Nature* 328, 719-721.
- Meyer KB and Pauker SG (1987). Screening for HIV: can we afford the false positive rate? *N Eng J Med* 317 #4, 238-241.
- Miller RK and Michel AN (1982). *Ordinary Differential Equations*. Academic Press, New York.
- Mitsuya H. and Broder S.(1987). Strategies for antiviral therapy in AIDS. *Nature* 325, 773-778.
- Mode CJ, Gollwitzer HE and Herrman W (1989). A methodological study of a stochastic model of an AIDS epidemic. *Math Biosci* 92, 201-229.
- Morgan WM and Curran JW (1986). AIDS: current and future trends. *Pub Health Rep* 101 #5, 459-465.

- Moss AR, Bacchetti P, Osmund D, et al. (1988). Seropositivity for HIV and the development of AIDS or AIDS related condition: three year follow up of the San Francisco General Hospital Cohort. *Br Med J* 296, 745-750.
- Moss AR, Osmund D, Bacchetti P et al. (1987). Risk factors for AIDS and HIV seropositivity in homosexual men. *Am J Epidem* 125 #6, 1035-1047.
- Mulleady G and Green J (1985). Syringe sharing among London drug abusers. *Lancet* 8469, 1425.
- Nasell I (1985). *Hybrid Models of Tropical Infections*, Springer-Verlag, Berlin.
- National Heart, Lung, and Blood Institute Division of Blood Diseases and Resources (1977). *Study to Evaluate the Supply-Demand Relationships for AHF and PTC Through 1980*. US Dept. HEW, PHS, NIH, 86 pages. (pub # NIH 77-1274, contract # 1-HB-6-2965.)
- National Heart, Lung and Blood Institute (1985). *The Nation's Blood Resource: A Summary Report*. U.S. Dept. HHS, PHS, NIH (call #HE20.3002:B62/20).
- Nelkin D (1987). AIDS and the social sciences: review of useful knowledge and research needs. *Rev Inf Dis* 9 #5, 980-986.
- New York City Dept Health AIDS Surveillance (1986). The AIDS epidemic in New York City, 1981-1984, *Am J Epidem* 123, 1013-1025.
- Nold A (1980). Heterogeneity in disease transmission modeling. *Math Biosci* 52, 227-240.
- Osmund D, Bacchetti P, Chaisson RE et al. (1988). Time of exposure and risk of HIV infection in homosexual partners of men with AIDS. *AJPH* 78 #8, 944-948.
- OSTP (1988). *A National Effort to Model AIDS Epidemiology*, Report of a workshop held at Leesburg, Virginia, July 25-29, 1988, Office of Science and Technology Policy, Executive Office of the President, Washington D.C., 20506.
- Padian NS (1987). Heterosexual transmission of AIDS: International perspectives and national projections. *Rev Inf Dis* 9 #5, 947-960.
- Padian N, Marquis L, Francis DP et al. (1987). Male-to-female transmission of human immunodeficiency virus. *JAMA* 258 #6, 788-790.
- Padian NS, Shiboski SC and Jewell NP (1991). Female-to male transmission of human immunodeficiency virus. *JAMA* 266 #12, 1664-1667.
- Pagano M, De Gruttola V, MaWhinney S and Tu XM (1991). The HIV epidemic in New York City: Statistical Methods for projecting AIDS incidence and prevalence. In: *AIDS Epidemiology: Methodological Issues*. N Jewell, K Dietz, and V Farewell, Eds., Birkhauser, Boston, to appear.
- Payne SF, Lemp GF, Rutherford GW et al. (1989). Effect of multiple disease manifestations on length of survival for AIDS patients in San Francisco. Abstract WAP80, V International Conference on AIDS, Montreal.
- Payne SF, Rutherford GW, Lemp GF, and Clevenger AC (1990). Effect of the revised case definition on AIDS reporting in San Francisco: evidence of increased reporting in intravenous drug users. *AIDS* 4 #4, 335-339.
- Peterman TA and Curran JW (1986). Sexual transmission of HIV. *JAMA* 256 #16, 2222-2226.
- Peterman TA, Drotman DP and Curran JW (1985). Epidemiology of the acquired immune deficiency syndrome. *Epidem Rev* 7, 1-21.
- Peterman TA, Jaffe HW, Feorino PM et al. (1985). Transfusion-associated AIDS in the United States. *JAMA* 254 #20, 2913-2917.

- Peterman TA, Lang GR, Mikos NJ et al. (1986). HTLV-III/LAV infection in hemodialysis patients. *JAMA* 255 #17, 2324-2326.
- Peterman TA, Stoneburner RL, Allen JR et al. (1988). Risk of HIV transmission from heterosexual adults with transfusion-associated infection. *JAMA* 259 #1, 55-58.
- Pickering J, Wiley JA, Padian NS et al. (1986). Modeling the incidence of A.I.D.S. in San Francisco, Los Angeles, and New York. *Math Modeling* 7, 661-688.
- Piot P, Kreiss JK, Ndinya-Achola JO et al. (1987). Heterosexual transmission of HIV. *AIDS* 1 #4, 199-206.
- Potterat JJ, Muth JB, and Markewich GS (1986). Serological markers as indicators of sexual orientation in AIDS virus-infected men. *JAMA* 256 #6, 712.
- Potterat JJ, Duker RL, and Rothenberg RB (1987). Disease transmission by heterosexual men with gonorrhea: an empirical estimate. *STD* 14 #2, 107-110.
- PHS (1987). *AIDS: information/education plan to prevent and control AIDS in the United States*. The U.S. Department of Health and Human Services.
- Quinn TC, Piot P, McCormick JB et al. (1987). Serological and immunological studies in patients with AIDS in North America and Africa. *JAMA* 257 #19, 2617-2621.
- Quinn TC, Glasser D, Cannon RO et al. (1987). Human immunodeficiency virus infection among patients attending clinics for sexually transmitted diseases. *N Eng J Med* 318 #4, 197-203.
- Rabkin CS, Thomas PA, Jaffe HW and Schultz S (1987). Prevalence of antibody to HTLV-III/LAV in a population attending a sexually transmitted disease clinic. *STD* 14 #1, 48-51.
- Rauch KJ, Rutherford GW, Echenberg DF, et al. (1989). Surveillance of acquired immunodeficiency syndrome in San Francisco: evaluation of the completeness of reporting. 114th Annual Meeting of the American Public Health Association, Abstract WAP24, Washington.
- Redfield R. and Burke D. (1987). Shadow on the land: the epidemiology of HIV infection. *Viral Immun* 1, 69-81.
- Redfield RR, Wright DC and Tramont EC (1986). The Walter Reed staging classification for HTLV-III/LAV infection. *N Eng J Med* 314, 131-132.
- Rees M (1987). The sombre view of AIDS. *Nature* 326, 343-345.
- Rezza G and Greco D (1987). AIDS: Drug addicts, homosexual males and international travel. *AIDS* 1 #3, 191.
- Robert-Guroff M, Weiss SH, Giron JA, et al. (1986). Prevalence of antibodies to HTLV-I, -II, and -III in intravenous drug abusers from an AIDS endemic region. *JAMA* 255 #22, 3133-3137.
- Sattenspiel L and Simon CP (1988). The spread and persistence of infectious diseases in structured populations. *Math Biosci* 90, 341-366.
- Schechter MT, Boyko WJ, Craib KJP et al. (1987). Effects of long-term seropositivity to H.I.V. in a cohort of homosexual men. *AIDS* 1 #2, 77-82.
- Schuster CR (1988). Intravenous drug use and AIDS prevention. *Pub Health Rep* 103, 1125-1135.
- Schwager SJ, Castillo-Chavez C and Hethcote HW (1989). Statistical and Mathematical Approaches in HIV/AIDS Modeling. In: *Mathematical and Statistical Approaches to AIDS Epidemiology*, C Castillo-Chavez, Ed., Lecture Notes in Biomathematics 83, Springer-Verlag, Germany, 2-35.

- Scitovsky AA, Cline M and Lee PR (1986). Medical care costs of patients with AIDS in San Francisco. *JAMA* 256 #22, 3103-3106.
- Seligmann M, Pinching AJ, Rosen FS et al. (1987). Immunology of human immunodeficiency virus and the acquired immune deficiency syndrome. *Ann Int Med* 107 #2, 234-242.
- Selik RM, Castro KG and Pappaioanou M (1988). Racial/ethnic differences in the risk of AIDS in the United States. *AJPH* 78 #12, 1539-1545.
- Selwyn PA, Feiner C, Cox CP et al. (1987). Knowledge about AIDS and high-risk behavior among intravenous drug users in New York City. *AIDS* 1 #4, 247-254.
- Shilts R (1987). *And the Band Played On*. St. Martin's Press, New York.
- Simon CP and Jacquez JA (1992). Reproduction numbers and the stability of equilibria of SI models for heterogeneous populations, *SIAM J Appl Math* 52 #2, 541-576.
- Sivak SL and Wormser GP (1985). How common is HTLV-III infection in the United States? *N Eng J Med* 313, 1352.
- Stehr-Green JK, Holman RC, Jason JM and Evatt BL (1988). Hemophilia-associated AIDS in the United States: 1981 to September 1987. *AJPH* 78 439-442.
- Stevens CE, Taylor PE, Zang EA, et al. (1986). HTLV type III infection in a cohort of homosexual men in New York City. *JAMA* 255 #16, 2167-2172.
- Stoneburner RL, Des Jarlais DC, Benezra D et al. (1988). A larger spectrum of severe HIV-1-related disease in intravenous drug users in New York City. *Science* 242, 916-919.
- Tan WY (1991). Some general stochastic models for the spread of AIDS and some simulation results. *Math and Computer Modelling* 15, 19-39.
- Tan WY (1992). *Mathematical Models of AIDS Epidemiology*. Marcel Dekker, New York, to appear.
- Turner CF, Miller HG and Moses LE, Eds. (1989). *AIDS: Sexual Behavior and Intravenous Drug Abuse*. National Academy Press, Washington D.C.
- U.S. Bureau of the Census (1987). Statistical Abstract of the United States: 1980 (108th edition). Washington D.C.
- U.S. Bureau of the Census (1989). Current Population Reports, Series P-25, No. 1040-RD-1, Population Estimates by Race and Hispanic Origin for States, Metropolitan Areas and Selected Countries, 1980 to 1985. U.S. Government Printing Office, Washington, D.C.
- van Griensven GJP, Tielman RAP, Goudsmit J et al. (1987). Risk factors and prevalence of HIV antibodies in homosexual men in the Netherlands. *Am J Epidem* 125 #6, 1048-1057.
- von Reyn CF, Clements CJ, and Mann JM (1987). HIV infection and routine childhood immunisation. *Lancet* 8560, 669-672.
- Walker BD, Chakrabarti S, Moss B et al. (1987). HIV-specific cytotoxic T-lymphocytes in seropositive individuals. *Nature* 328, 345-348.
- Ward JW, Deppe DA, Samson S et al. (1987). Risk of HIV infection from blood donors who later developed AIDS. *Ann Int Med* 106 #1, 61-62.
- Weber JN, Clapham PR, Weiss R et al. (1987). HIV infection in two cohorts of homosexual men: neutralizing sera and association of anti-GAG antibody with prognosis. *Lancet* 8525, 119-122.

- Wendt D, Sadowski L, Markowitz N, and Saravolatz L (1987). Prevalence of serum antibody to human immunodeficiency virus among hospitalized intravenous drug abusers in a low-risk geographical area. *J Inf Dis* 155 #1, 151-152.
- Wickwire KH (1977). Mathematical models for the control of pests and infectious diseases: a survey. *Theor Pop Biol* 8, 182-238.
- Windom RE (1987). The third international AIDS conference - reflections, *Pub Health Rep* 102 #5, 461-462.
- Winkelstein W and Levy J (1986). Potential for transmission of AIDS - associated retroviruses from bisexual men in San Francisco to their female sexual contacts. *JAMA* 225 #7, 901.
- Winkelstein W, Lyman DM, Padian N et al. (1987) Sexual practices and risk of infection by the human immunodeficiency virus. *JAMA* 257 #3, 321-325.
- Winkelstein W, Samuel M, Padian NS et al. (1987). The San Francisco Men's Health Study: III. Reduction in human immunodeficiency virus transmission among homosexual/bisexual men 1982-1986. *AJPH* 76 #9, 685-689.
- Winklestein W, Wiley JA, Padian N and Levy J (1986). Potential for transmission of AIDS-associated retrovirus from bisexual men in San Francisco to their female sexual contacts. *JAMA* 255 #7, 901.
- Winkelstein W, Wiley JA, Padian N et al. (1988). The San Francisco Men's Health Study: Continued decline in HIV seroconversion rates among homosexual/bisexual men. *AJPH* 78 #11, 1472-1474.
- World Almanac* (1988). Newspaper Enterprise Assn, Inc, New York.
- World Health Organization (1991). *World AIDS Day Newsletter* #2, WHO Global Programme on AIDS, October/November.
- Yorke JA, Hethcote HW and Nold A (1978). Dynamics and control of the transmission of gonorrhoea. *STD* 5, 51-56.
- Zagury D, Leonard R, Fouchar M et al. (1987). Immunization against AIDS in humans, *Nature* 326, 249-250.