# NDITIONING



**─** Mastercool<sup>®</sup>

#### **Recovery Machines**

#### **Semi-Automatic R134a Recovery Machine**

SKU 471051 **2**, MSC1000

- Wi-Fi Capable
- On-Board Instruction Manual
- Built-in Tank Heater • 3 CFM Vacuum Pump

**User Set-Up** 

Required

1 Year



**Automatic R134a Recovery Machine** 

SKU **471040** MSC2000

- Wi-Fi Capable
- On-Board Instruction Manual and Refrigerant
- Built-in Tank Heater



COMMANDER3000 R134a

SKU **471054** 

- MSC3000
- Wi-Fi Capable
- Vacuum Leak Test
- On-Board Instruction Manual and Refrigerant Database
- Built-in Tank Heater
- 6 CFM Vacuum Pump
- Dust Cover · Hose Flushing
- Does Not Include Automatic Oil Injection

 Includes Thermal Printer

> **User Set-Up** Required

1 Year Warranty

**Recovery Machine** 

- SKU **471061 MSC4000** 
  - · Wi-Fi Capable
    - Database
    - On-Board Instruction Manual and Refrigerant

**COMMANDER4000** 

**R1234yf Recovery Machine** 

- Built-in Tank Heater Vacuum Leak Test
- 6 CFM Vacuum Pump
- Built-in Refrigerant Identifier
- Hose Flushing
- Dust Cover Included
- Does Not Include Automatic Oil Injection

• Includes Thermal Printer

**User Set-Up** 

1 Year

Required

**Replacement Filters For Recovery/Recharge Machines** 

MSCCOM2FLTRPK 17999 SKU **199675** 



Replacement Filter Pack Kit

SKU **199681** 

MSCCOM1FLTRPK 13999



Replacement Filter for Commander 4000 and 4000X

# ArcticPRO® All New 2019 Product Line of A/C Units



**Recovery Machine** 

SKU **OUTSIDE BUY/EPO** 

Fully Automatic without

• 2.0 CFM Vacuum Pump

**Replacement Filter** 

1150H & 2120H

SKU **207349** 

MSS268077600

for ACX1120H, 1150,

MSSACX2120H

• LCD Display

Oil Injection

Keypad Interface

Hybrid Capable



#### **ACX-2150 A/C Recovery Machine for R134a**

SKU **213170** MSSACX2150

- 7" Capacitive Color Touch Screen • Full Auto with Oil and Dye Injection
- · Wireless Updates
- 2.0 CFM Vacuum Pump

**Filter for ACX2150** 

MSS3608273900 **89**<sup>99</sup>

**& ACX2250** 

#### **ACX-2180 A/C Recovery Machine for R134a** SKU **213168**

MAHLE

MSSACX2180

- 7" Capacitive Color Touch Screen
- Full Auto Oil and Dye Inject (2180)
- · Extended Life Filter
- Wireless Printing
- Phone App Mirroring
- · Wireless Updates • 2.0 CFM Vacuum Pump

#### ACX-2180H Hybrid Ready A/C **Recovery Machine for R134a** SKU **213203**

MSSACX2180H **3**, 5

#### • Fully Automatic without Oil Injection Filter for ACX2180 & ACX2280

SKU **OUTSIDE BUY/EPO** MSS3608325400

#### **ACX-2250 A/C Recovery Machine for R1234yf**

MAHLE

SKU **213151** MSSACX2250

- 7" Capacitive Color Touch Screen
- Fully Automatic without Oil Injection
- Integrated Identifier
- Wireless Printing · Wireless Updates
- 2.0 CFM Vacuum Pump

#### **Filter for ACX2150 & ACX2250**

SKU **207508** MSS3608273900

**SET-UP AND TRAINING UPON REQUEST** 

#### **ACX-2280 A/C Recovery Machine for R1234yf**

MAHLE

SKU OUTSIDE BUY/EPO MSSACX2280

**5,899**99

- 7" Capacitive Color Touch Screen Fully Automatic without Oil Injection
- Extended Life Filter
- Integrated Identifier
- Wireless Printing • Phone App Mirroring
- · Wireless Updates • 2.0 CFM Vacuum Pump

#### **Filter for ACX2180 & ACX2280**

SKU **OUTSIDE BUY/EPO 119 99 MSS3608325400** 

MSS3608325400

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

#### **2 YEAR WARRANTY**

#### R134a Recovery **Machine with Printer**

**Recovery Machines** 

SKU **695135** CPSFX134A • Fully Automatic

- 10 Ft. Charging Hoses and 50 Lb. Tank
- 6 CFM Vacuum Pump . Hybrid Ready

Vehicle Database Included

• Includes Heater Blanket, Printer and Oil Injection Kit • 1-2-5 Warranty

Set-Up



#### **R1234yf Recovery Machine** with Printer

SKU **850568** CPSFX1234

- Fully Automatic
- Hybrid Ready
- 6 CFM Vacuum Pump/50 Micron Rated • Patented Oil-less Compressor
- and Motor-Controlled Ball Valves • AC Systems Capacity Database Included
- Includes Refrigerant Identifier
- 1-2-5 Warranty



#### **Dual Gas Recovery Machine with Printer** SKU **850572**

CPSFX3030 • Fully Automatic

1-2-5 Warranty

- Hybrid Ready
- Converts Between R134a and R1234yf in 10 Minutes
- Built-in Refrigerant Identifier
- · Vehicle Refrigerant Capacity Database Included



CDS.

**FX Recovery Machine Filter Kit** 

SKU **OUTSIDE BUY/EPO** 119<sup>99</sup> **CPSFX3030X1** 









# **FOR FINANCING** PROGRAMS SEE PAGE 2

877-AZTool1 **877-298-6651** *Hablamos Español* AZtool1.com

#### **Recovery Machines**

#### **Economy R134a Recovery Machine**

SKU OUTSIDE BUY/EPO R0B34288NI

- · Automatic Oil Drain
- Automatic Air Purge Eliminates Damaging Air
- 4.3" Full Color Graphics Display
- Programmable Vacuum Function



**Premier R134a Recovery Machine** SKU **OUTSIDE BUY/EPO** 

ROB34788NI

- Fully Automatic Function: Program to Recover, Vacuum, Leak Test and Charge without **Operating Panel Valves**
- · Automatic Oil Drain: a Display Reminds You to Empty the Graduated Container to Show the Amount of Oil to Replace
- Oil Inject: Automatically Inject Oil Back into the Vehicle's A/C Systems
- Vacuum Leak Test: Monitors Level After Evacuation, Informs of Possible Leak
- Refrigerant Charging: Select a Charge Mode from High or Low Side, or Use Both Sides

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions



SKU **OUTSIDE BUY/EPO** R0B34788NI-H



- Fully Automatic Function: Program to Recover, Vacuum, Leak Test and Charge without Operating Panel Valves
- Automatic Oil Drain: a Display Reminds You to Empty the Graduated Container to Show the Amount of Oil to Replace
- Save and Print Before and After Service Data: Allows the User to Store Before and After Service Information by Vehicle and Print This Information to Provide to a Customer
- Visual and Audible Alarm: Notifies the User When Service is Complete, or if a Problem Has Occurred

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions



KOBINAIR.

**Premium R134a Recovery Machine** 

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

#### SKU **OUTSIDE BUY/EPO** R0B34988NI

• Fully-Automatic Function: Program to Recover, Vacuum, Leak Test and Charge without

- Operating Panel Valves · Automatic Dye Inject: Gives the User the Ability to Use the Machine to Inject UV Dye into a Vehicle's A/C System
- Oil Inject: Automatically Inject Oil Back into the Vehicle's A/C Systems
- 1 UV Dve Bottle and 2 Oil Inject Bottles Allow Different Types of Oil to be Stored for Working on Different Vehicles



**Premier R1234yf Recovery Machine** SKU OUTSIDE BUY/EPO

ROBAC1234-4

- Fully Automatic Operation Program for Service, Walk Away and Return When Complete
- Programmable Vacuum Operation System Leak Test to Identify Gross Leaks
- in a System · Automatic Oil Drain & Air Purge • Integrated Refrigerant Identifier
- (Meets SAE J2927) · Automatic Internal Tank Refill

**R1234yf Recovery Machine** 

SKU **OUTSIDE BUY/EPO** ROBAC1234-6

- Fully Automatic Operation Program for Service, Walk Away and Return When Complete
- . On-Board Printer Capable of Printing Vehicle Service Report Slips to Present to Customers
- Integrated Refrigerant Identifier (Meets SAE J2927)



Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

#### **Portable Recovery Systems**

Available via Outside Buy/EPO. Call 1-877-298-6651 for Ordering Instructions

#### **R1234yf Twin Turbo Complete Recovery Machine** SKU **034469**

MSC69360-YF Revolutionary Double Piston

- Oil-Less Compressor Largest Volume Recovery
- Rate on the Market Includes: 30 Lb. DOT Tank, Sight Glass,

R1234yf Low Side Coupler, Oil Drain Bottle and R1234yf Blue and Yellow Hoses



Mastercool:

**✓** Mastercool \* **Complete A/C** Recovery Only System (Includes 30 Lb. DOT Tank) SKU **290024** 

MSC69100

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

- Includes an Oil Separator and Filter Dryer to Clean Refrigerant **During Recovery**
- Recovers All Refrigerants, 30 Lb. DOT Recovery Tank Included



**Portable R134a A/C Recovery Machine** SKU **504026** 

CPSTRA21

SAEJ2810 Approved

· Fastest Recovery Recycle Machine in the Industry

 Oil Separator and Filter · Includes 30 Lb. Tank

and Manifold Set with 60" Hoses and Manual Couplers



#### **Filters/Maintenance Kits**

Part Number	SKU	Brand	Fits	Price
CPSARXF5	186483	CPS	AR2788S	74.99
CPSFX3030X1	EP0	CPS	FX Series Maintenance Kit - Includes Oil	119.99
MSC69788FLTPK	389222	Mastercool	69788, 69789 & 69789-H	189.99
MSCCOM1FLTRPK	199681	Mastercool	Commander 4000 & 4000x	139.99
MSCCOM2FLTRPK	199675	Mastercool	Commander 1000, 2000 & 3000	179.99
MSS268069600	470141	Mahle	ACX1250	99.99
MSS268077600	207349	Mahle	ACX1120H, ACX1150 & ACX1150H, ACX2120H	99.99
MSS3608273900	207508	Mahle	ACX1280	89.99
RTI3608213300	818739	Mahle	RHS980 & ACX1180	114.99
R0B34430	522875	Robinair	17700A, 34450, 34700 (1997), AC375, AC375A, AC375C & 34134Z	74.99
R0B34724	EP0	Robinair	34288, 34788, 34788NI, 34788NI-H, 34988, 347002 & 341342	69.99
R0B13172	752703	Robinair	Maintenance Kit for Models Using 34724 Filter - Includes Oil	79.99

Duet Covere

Available via Outside Buy/EPO. Call 1-877-298-6651 for Ordering Instructions

Dust ouvers				
Part Number	SKU	Brand	Fits	Price
R0B17492	291481	Robinair	342000, 17700-2K, 34700-2K, 34134Z, 34700Z, 34711-2K, AC375, AC375A, 17700Z, 34702Z	79.99
R0B17499	751574	Robinair	AC1234-6, 34788NI, 34788NI-H	99.99

#### A/C 2018 Capacities Database

Part Number	SKU	Brand	Fits	Price
R0B34411-H	EP0	Robinair	34788, 34788-Н, & 34988	249.99
R0B34412-C	EP0	Robinair	34288NI, 34788NI, 34788NI-H & 34988NI	249.99
R0B34413-A	EP0	Robinair	2013-2018 for R1234yf Machines	249.99

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

## **A/C Recycle Guard Accessories**

**DARG Hose Assembly Kit -Hoses with Quick Couplers, Service Adaptors** 

SKU **504092** AIR75100

• Includes 72" High Side and Low Side Charging Hoses with Quick Couplers and High and Low Side Quick Connect Service Adaptor



IRSEPT.

#### Recycle Guard™ for R134a - 1/2" ACME Fittings with 36" Service Hose

SKU **504082** AIR72101

• Can Be Used for R134a and R1234yf

• Includes 36" Service Hose

ent from Debris, Sealant, Dye, Protect Your Recovery Equipm

Excess Lubricant and Other Contaminants

· Works with all A/C Service Equipment



#### **Recycle Guard™ for 1/4" SAE Flare** with 36" Service Hose

SKU **504083** AIR72102

- Can Be Used for R134a and R1234yf
- Includes 36" Service Hose
- Protect Your Recovery Equipment from Debris, Sealant, Dye, Excess Lubricant and Other Contaminants
- Works with All A/C Service Equipment



#### **Dual Automatic Recycle Guard™ for R134a** with (2) 36" Service Hoses

SKU **504091** AIR75000

- Can Be Used for R134a and R1234yf
- High and Low Side Protection for A/C Service Equipment from Debris, Sealant, Dye, Excess Lubricant and Other Contaminants
- . No Technician Input Required Switches Automatically from Recover to Recharge
- Traps Metal Shavings, Desiccant Particles and Other Harmful Debris
- Includes (2) 36" Service Hoses



# **NDITIONING**

#### **Vacuum Pump Kits**

#### **OEM** TOOLS

#### A/C Service Set with Air **Vacuum Pump - R134a**

SKU **850564** 68991

- · Complete Kit for Diagnosing and Charging R134a A/C Systems
- Includes: Air Vacuum Pump with 1/2" ACME R134a and R12 Connectors, Brass Manifold Gauge Set with 60" Hoses and Snap Style Couplers, Brass Can Tap Valve and Large Diameter **Dual Scale Thermometer**

#### **OFM** TOOLS

#### Starter Kit - R134a SKU **695127**

- 1.8 CFM, 100 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability
- Ensures Moisture Removal
- Kit Includes: Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- R134a Can Tap Connects to Any ACME Threaded R134a Can

#### OFM TOOLS

#### **High Performance A/C** Kit - R134a

SKU **626121** 68989

- 6 CFM, 75 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability, Ensuring Moisture Removal and Reducing **Evacuation Time**
- Kit Includes: Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, Manual Couplersand Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- 3-in-1 Can Tap Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL - Male Ports

#### OEM TOOLS

## A/C **Professional Set - R134a**

SKU **695129 299 99** 68988

- 4 CFM, 75 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability, Ensuring Moisture Removal and Reducing Evacuation Time
- Kit Includes: Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- 3-in-1 Can Tap Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL Male Ports
- AC Refrigerant Leak Detector is Sensitive to 0.1 Oz./Year and Responds to All Halogenated Refrigerants

#### OFM TOOLS

#### R134a & R1234yf Spark-Free **Vacuum Pump Kit**

SKU OUTSIDE BUY/EPO 68992

- 6 CFM, 75 Micron, Spark-free Single Stage Vacuum Provides Fast. Thorough Evacuation, and Can Be Used with R134a or R1234yf Refrigerants
- Kit Also Includes: Extruded Aluminum Manifold with 2-3/4" Gauges and Extra Vacuum Port, 72" Hoses with High Quality Manual Couplers, 14 mm Female Thread R1234yf Conversion Couplers Converts R134a Manifold and Hoses to R1234yf, 1/2" Acme Right Hand to 1/2" Acme Left Hand Tank Adapter,
- and 1/4" SAE x 1/2" ACME Female LH Thread Hose to Vacuum Pump Adapter
- (1) R134a and (1) R1234yf Can Tap



**Available via Outside Buy/EPO,** Call 1-877-298-6651 for Ordering Instructions

Mastercool:

**⋘** Mastercool L

## SAVE BY BUYING OEMTOOLS™ A/C VACUUM PUMP KITS

#### **Vacuum Pumps**

## **Air-Operated Vacuum Pump**

SKU **544730** 24533

F-6.6.

- Includes 1/2" ACME (R134a) and R12 Connectors
- Air Pressure Range: 75 180 PSI • Air Consumption: 4.2 CFM @ 90 PSI
- · Vacuum Capacity: 28.3" of Mercury @ 90 PSI



#### **OEM** TOOLS

#### 1.8 CFM Single Stage **Vacuum Pump**

SKU **466312** 24500

- 1/4 HP, 110V Motor
- 100 Microns
- Internal High Volume Cooling Fan for Extended Use
- Inlet Ports: 1/2" ACME -1/4" Flare
- Oil Capacity: 200 mL, Included





**OEM** TOOLS

SKU **213153** 

#### 1.8 CFM Single Stage **Vacuum Pump**

MSC90059-B

- Pump Motor: 1/4 HP
- Pump Speed: 1,720 RPM
- · Ultimate Vacuum Rating: 80 Microns
- High Volume Fan Provides Cool Air to Motor and Pump
- · Oil Capacity: 12 oz (342 mL), Included



#### **4 CFM Single Stage Vacuum Pump**

SKU **466305** 24501

- 1/3 HP. 110V Motor
- 75 Microns
- Internal High Volume Cooling Fan for Extended Use
- 1/2" ACME 1/4" Flare
- Oil Capacity: 330 mL, Included





**OEM** TOOLS

### **OEM** TOOLS

#### **6 CFM Single Stage Vacuum Pump** SKU **466306**

24502

- 1/3 HP. 110V Motor
- 75 Microns
- Internal High Volume Cooling Fan for Extended Use • Inlet Ports: 1/2" ACME - 1/4" Flare
- 330 mL, Included




**OEM** TOOLS

## OEM TOOLS

#### 6 CFM 2 Stage **Vacuum Pump**

SKU **942618** MSC900662V-B **349** 




- Ultimate Vacuum: 15 Microns • Pump Motor: 1/2 HP
- Pump Speed:
- 1720 RPM • Oil Capacity:
- 15 oz (440 mL) Included



#### **6 CFM Spark-Free Vacuum Pump**

SKU **213133** 24642



• Internal High Volume Cooling Fan for Extended Use

- 3 Inlet Ports: 1/4" Flare. 1/2" ACME and 1/2" ACME LH
- Ultimate Vacuum: 75 Microns
- Can Be Used with R1234yf Refrigerant
- Oil Capacity: 330 ml, Included





# **Vacuum Pump**

SKU **363429** 24399

Oil (8 Oz.)



- . Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use
- Compatible for Use in Pumps Made By Most Manufacturers



#### **Premium Vacuum Pump Oil 1 Quart Bottle**

SKU **517580** CPSVP0Q12

- Compatible with Most Pumps Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use



STORE STOCKED

# 877-AZTOOL1 / 877-298-6651 Hablamos Español

SEE PAGE 3 FOR DETAILS

#### **Manifold Gauges**

**OEM** TOOLS



AZtool1.com

#### **R134a Brass Manifold Gauges Set**

SKU **752520** 24563

- High Quality Brass Body with Sight Glass
- Large 2-1/2" Gauges are Easy to Calibrate and Have a High Impact Lexan Lens
- 60" Hoses (3,000 PSI Burst, 600 PSI Working Pressure)
- Snap Style Quick Couplers

#### **OEM** TOOLS



#### R134a A/C Manifold **Gauge and Hose Set**

SKU **466319** 24527

**79** REG. \$99.99

- Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- 72" Hoses with Manual Couplers

Offer Good Through September 30, 2019

#### OEM TOOLS



#### **R1234yf Manifold Gauge and Hose Set**

SKU **752518 11199** 24559

- 3" Easy-to-Read Gauges with Temperature Chart
- 72" Hoses
- High Quality 6-Ball Manual Couplers

## 🝑 Mastercool:ື



#### **R134a Aluminum Manifold Kit with Dye Injector**

SKU **290023** MSC89660UV

• Includes: R134a Aluminum Manifold, 60" Hoses, Standard Couplers and 10 Application Mini Dye Injector

**◆** Mastercool\*



#### **R134a Aluminum Manifold Kit** with Dye Injector

SKU **290022** MSC89661UV

 Includes: R134a Aluminum Manifold, 60" Hoses, Manual Couplers and 10 Application Mini Dye Injector

#### A/C Couplers

#### R134a **Refrigerant Tank Adapter**

SKU **850565** 24554

- Male Low-Side R134a to Female 1/2" ACME
- · Attaches to Virgin Tank and Low-Side Service Coupler



#### R134a **High Side Manual Coupler**

SKU **347267** 24395

- All Metal Construction for
- Extra Durability • 6 Ball Coupler for Secure Grip
- Includes an Adapter for Use



#### R134a **Low Side Manual** Coupler

SKU **347266** 24394

- · All Metal Construction for Extra Durability
- 6 Ball Coupler for Secure Grip
- Includes an Adapter for Use with R12 Hoses



**OEM** TOOLS

#### R134a High and Low **Side Coupler Set**

SKU **362980** 24396

• Change Your Old R12 Manifold Set to R134a with This Set of

- Manual Couplers • All Metal Construction for Extra Durability
- 6 Ball Coupler for Secure Grip
- Includes Adapter for Use with R12 Hoses

96" R134a Red Hose

• 1/2" ACME-F and 14 mm-M Auto

SKU **489152** 

A/C Fittings - 96'

MSC84963



🚺 Mastercool 🕻

#### R134a Extra **Long Coupler**

SKU **752517** REG. \$49.99 24556

- Used on BMW E60 (2003-2009 5 Series) and Some Volvo Models
- Allows for A/C Service with No Radiator Removal



Offer Good Through September 30, 2019 While Supplies Last

96" R134a Blue Hose

• 1/2" ACME-F and 14 mm-M

Auto A/C Fittings - 96"

SKU **489151** 

MSC84961

🚺 Mastercool: 🛣

## **OEM** TOOLS

#### Conversion **Coupler Set R134a to** R1234yf

SKU **752527** 24561

- 1234yf Manual Couplers with 14 mm Female Threads to Convert R134a Manifold and Hoses to R1234yf
- Includes: Tank Adapter, 1/2" ACME Right Hand to 1/2" ACME Left Hand Adapter



#### **Manifold Gauge Repair**

#### **OEM** TOOLS

#### Replacement **Gauge High Side for A/C** Manifold

SKU **481705** 24530

· Replacement High Side



- Reads 0-500 PSI



#### **OEM** TOOLS



### Set 72"

SKU **752516** 

24558 • 72" K134a 3 Hose



## **OEM** TOOLS

Set Color Coded:



## **Hose Set**

SKU **OUTSIDE BUY/EPO** MSC83372

- For Use with R1234v
- Meets J2888, EPA, SAE
- 12 mm-M x 12 mm-M and 1 Yellow 72" 12 mm Fitting x 1/2 x 16 ACME LH

Available via Outside Buv/EPO

**★** Mastercool \*





Call 1-877-298-6651 for Ordering Instructions

#### **ACME-LH Thread Self-Sealing Design Can Tap Valve**

- For Use with R1234yf Self-Sealing/Reusable **Designed Cans**
- Leak-Proof Operation Works with SAE

## **OEM** TOOLS

1/4" Hose Set SAE 60" SKU **347260** 

- 24390 • 3,000 PSI Burst Pressure, 300 Maximum Working Pressure
- · Solid Brass Fittings
- 60" Long



#### 1/4" Hose Set 72"

SKU **752515** 24557





## R134a Hose

**Replacement Gauge** 

· Low Compound Gauge for

OEMTOOLS™ and Other

Brands of A/C Manifold Sets Used to Service

• Reads 0-120 PSI and

• 1/8" NPTF Male Threads

SKU **481709** 

A/C Systems

0-30" Hg

24531

**Low Side for A/C Manifold** 

# R1234vf 72"

- and UL Standards • Contains 1 ea. Blue/Red 72"

#### **─** Mastercool: ® 1/4" SAE **Hose Set** SKU **512962**

27230 High H • Low Hose Length: 6 Feet

8 Feet

REG. \$59.99 • Freon Hose Length:

Offer Good Through September 30, 2019

Refrigerant

While Supplies Last

**OEM** TOOLS

## **Can Taps**

#### **OEM** TOOLS

#### R134a Can **Tap Valve** SKU **466315**

 Connects ACME Threaded R134a Can to Yellow Manifold Gauge Charging Hose

24524



## **OEM** TOOLS

#### R1234yf 1/2" ACME-LH **Self Sealing Can Tap** SKU **213178** \_\_\_\_99

24553 • 1/2 " ACME LH Thread • For R1234yf Self-Sealing/

- Reusable Cans Durable All Metal Construction Works with SAE
- J2844 Fittings



## R1234yf 1/2"

#### **ACME-LH Thread Piercing Can Tap Valve** SKU **034453**

Pierce-Designed Cans Gasket Assures Leak-Proof Operation · Works with SAE

• For Use with R1234yf

MSC85510-YF

J2844 Fittings



# R1234yf 1/2"

SKU **034448** MSC85512-YF

- Gasket Assures
- J2844 Fittings



**⋘** Mastercool:

# and Oil Charge Can Tap

**OEM** TOOLS

SKU **466313** 24523 • Fits 1 Lb. Cans of R134a, R12 and 2" Oil

Charge Cans • Plier Type Grip with Positive Lock • Includes:

1/2" ACME Male and 1/4" FL Male Ports with Safety Valve

# NDTONN

#### **Recharge Kits**

**OEM** TOOLS

#### **R134a DIY Refrigerant Recharge Kit**

SKU **466316** 24525

- Will Service Most R134a Systems
- Includes High Pressure Hose and Quick Disconnect Coupler

#### Mastercool\* **R1234yf Self-Sealing Design Recharge Kit**

SKU **034423** MSC85535-YF

- Includes: (85512-YF) R1234yf Can Tap Valve, (67534) R1234yf Low Side Quick Coupler and (83181) R1234yf 18" Blue Hose
- R1234yf Low Side Quick Coupler Threading: 12 mm-F x 14 mm

#### **OEM** TOOLS

#### **Self-Sealing Style R1234yf Recharge Kit**

SKU **213160** 24535

- All Metal Can Tap for Self-Sealing/Reusable R1234yf Cans
- 8" Hose
- R1234yf Low Side Quick Coupler

#### **✓** Mastercool<sup>°</sup> R1234yf **Recharge Kit - Piercing Design**

SKU **034433** MSC85525-YF

- Includes: (85510-YF) R1234yf Can Tap Valve, (67534) R1234yf Low Side Quick Coupler, and (83181) R1234yf 18" Blue Hose
- R1234yf Low Side Quick Coupler Threading: 12 mm-F x 14 mm



**Valve Core Tools** 

#### **No Gas Loss A/C Valve Core Remover/Installer**

SKU **466321** 24529

- Remove and Install Standard R134a Valve Cores without the Loss of Refrigerant
- Built-in Ball Valve Retains Charge and Allows Access to A/C System
- For 13 mm and 16 mm High and Low Service Ports

#### **Thermal Cameras**

#### **Thermal Imaging Camera**

SKU **213193** 24552

- Temperature Range -4°F to 1,202 °F (-20°C to 650°C)
- Captures Thermal Images and Saves to SD Card (Not Included) • (3) Selectable Color Palettes
- 1.8" LCD Color Display
- Temperature Accuracy ±2%
- Requires (4) 1.5V AAA Batteries (Not Included)



#### **OEM** TOOLS



#### **Thermometers**

#### **0-220 F Instant Read Pocket** Thermometer (2 Pack)

SKU **213179** 

24350-2

- Temperature Range of 0° F to 220° F
- · Comes in Protective
- Sheath with Pocket Clip · Easy-to-Read One Inch Dial Face

### **Digital Pocket Thermometer**

SKU **447147** 24351

Accurate Readings from -58 to 300° F ( $\pm 2^{\circ}$ ) and from -50 to 150° C ( $\pm 1^{\circ}$ )

**OEM** TOOLS

- · Digital Display Will Rotate 180° and Move Up and Down for
- Easy Viewing • Comes with







SKU **951642 2199** 

**Instant Read Dial** 

Temperature Range of 0° F to 220° F and -18° C to

105° C in 2° Increments

Sheath with Pocket Clip

Extra Large 1-3/4" Diameter

Comes in Protective

Dial with Dual Scale

SKU **213159** 

24352-2

**Thermometer (2 Pack)** 

- 25245 • Temp Range: -58°F to 716°F, (50°C to 380°C)
- Distance to Spot Ratio of 12:1
- Laser Pointer

STORE STOCKED

#### **Thermal Imaging Camera OEM** TOOLS

SKU **034435** MSC52325

- Displays Thermal Image Overlays and Temperature Designed for Automotive Applications
- Measurement Range: -4°F to 662°F (-20°C to 350°C)
- Accuracy: ±2% of Reading, or 4°F (2°C)
- Image Storage (SD Card): Stores Up to 25,000 Images, BMP Format
- 3.7V Li-ion Rechargeable Battery Provides 3 Hours of Continuous Run Time



#### A/C Flush

#### A/C Flush Solvent (1 Gallon)

SKU **695653** MSC91049-128

- Non-Toxic, Quick Evaporating A/C Flush
- Effectively Removes Debris and Sludge from A/C Components
- Solvent-Based, Leaves No Residue
- Professional Use Only
- Flush Any A/C System



Case of 4 (1 Gallon)

**▲** Mastercool:

SKU **695654** MSC910491284 175

#### A/C Flush 32 Oz. Bottle

SKU **695650** MSC91049-32

6 Pack SKU **695652** MSC91049-32-6





#### A/C System Flush Kit

SKU **466308** 24515

• Use with MSC91049 A/C Flush Solvents

 Includes: Canister, Hose, Blow Gun, Rubber Tip and Cylinder Cap



**OEM** TOOLS

# ✓ Mastercool<sup>®</sup>

**Quick Flush Kit** 

SKU **695646** MSC91051

**Total A/C** 

- Includes: 17 Oz. Pressurized A/C Flush, Hose and Rubber Tipped Blow Gun with Thumb Control
- Pressurized to 150 PSI
- Non-Toxic
- Self-Evaporating
- · Single Use Disposable



#### A/C Quick Flush 17 Oz. Replacement SKU **695647**

MSC91050

A/C Ouick Flush 17 Oz. Replacement 6 Pack

SKU **695649** MSC91050-6

#### A/C Flush Machine SKU **217370**

CPSAFM100

- Air Operated • 8 Foot Hoses to Reach Any System
- Forward or Reverse Flush without Changing Hoses
- 2-1/2 Gallon Capacity Tank for Use on Cars and Buses Universal Couplers Allows
- Types of Connections Clear Filter Bowl Allows You to See What is Coming Out

Connection to Virtually All





**✓** Mastercool:

#### **MASTERCLEANSE A/C Flush Machine**

SKU **034468** MSC69900

- Designed to Flush All HVAC/R and Automotive Systems Pump Power: 0.4 HP; Flow Rate: 4 Gal/Min.
- Stainless Steel Ball Valve Controls
- 1/4" SAE Connection • Pump Equipped with Mechanical Seal and PTFE Gasket


• 110 VAC **Adapter Kit For MSC69900** 

MSC69925

SKU OUTSIDE BUY/EPO



Buy/EPO, Call 1-877-298-6651 for Ordering Instructions



# FOR FINANCING PROGRAMS SEE PAGE 2

877-298-6651
Hablamos Español AZtool1.com

8,000 Line

**Repair Options** 

in 1 Box!

877-AZTool1

#### A/C Hose and Line Repair

## FIX or TERMINATE a Line in 5 MINUTES!





**UP TO 2600 PSI OE-APPROVED REPAIR SOLUTION INSTALLS** IN MINUTES NO SPECIAL TOOLS, NO GLUE

### **SAVE TIME & MONEY!**

## Line Splice Straight Repair Kit AIRSEPT.

- Effective, Durable Leak Repair with No Line Removal
- 5 Minute Install with a Wrench (No Special Tools, No Adhesives Required) • High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough **Automotive Applications**
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2600 PSI



SKU	Part#	Size	Price
SAE			
504140	AIR76003	5/16" Line	34.99
504138	AIR76002	3/8" Line	34.99
504136	AIR76001	1/2" Line	34.99
504143	AIR76011	5/8" Line	44.99
504145	AIR76012	3/4" Line	44.99
METRIC			
504132	AIR77008	8 mm Line	34.99
504155	AIR77010	10 mm Line	34.99
504156	AIR77012	12 mm Line	34.99
504133	AIR77015	15 mm Line	44.99
504117	AIR77016	16 mm Line	44.99

#### **Line Splice Straight Repair Kit Reducer**

SKU	Part#	Size	Price
504141	AIR76004	3/8" to 5/16" Line	<i>34.99</i>
504095	AIR76005	1/2" to 5/16" Line	34.99
504142	AIR76006	1/2" to 3/8" Line	34.99

#### Smart Splice™ Line to Hose

When a Metal-to-Rubber A/C Line is Damaged, You Often Must Replace the Complete OE Line. If the Line is Not in Stock Locally, You Inconvenience Your Customer by Waiting for a Replacement Line. Quickly and Easily Connect A/C Reduced Barrier Hose to Metal Line Using AirSept's Smart Splice Line-to-Hose Connector™.

- Leak-Proof Line Splice<sup>™</sup> Technology on the Metal Side of the Connection
- Superior Hose Crimp Technology on the Rubber Side
- Works for Heater and Coolant Lines Also
- Install in 5 Minutes



SKU	Part#	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	<i>34.99</i>
504128	AIR76702	3/8" Line to #6 Hose	34.99
504129	AIR76703	5/16" Line to #6 Hose	<i>34.99</i>
504130	AIR76704	5/8" Line to #10 Hose	44.99
504131	AIR76705	3/4" Line to #12 Hose	44.99

#### **Line Terminator Rear** A/C Blockoff Kits

**OE-Approved Rear A/C Block-Off Kits Block Damaged or** Unused A/C Lines — No Line R and R. Save Time and Satisfy Customers. Leaking Rear A/C Components or Lines Can Result in High Óperating or Repair Costs Many Car Owners Would Rather Avoid That Expense and Operate the Front A/C Unit Only. W Airsept's Line Terminator, You Can Give Your Customers an Affordable (Yet Still Profitable) Alternative to the High Cost of Repair or Replacement Labor.

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block-Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines

SKU	Part#	Size	Price
504149	AIR76502	3/8" Line	24.99
504146	AIR76501	1/2" Line	24.99
504152	AIR76504	5/8" Line	29.99
504154	AIR76505	3/4" Line	34.99

### **AIRSEPT**

Line Splice Straight SAE (5 Pack) and 📜 **Line Terminator SAE (5 Pack) Combo** 

AIR5PKCOMBO 19499

AIR76526	Line Terminator SAE - 5 Pack	\$94.99
AIR76050	Line Splice Straight SAE - 5 Pack	\$149.99
	Regular Price	\$244.98
AIR5PKCOMBO	COMBO PRICE	\$194.99
•	SAVINGS	\$49.99

Offer Good through September 30, 2019

#### **Line Terminator** SAE - 5 Pack

SKU **504122** AIR76526



- Block Off Leaking Rear Evaporators and Failed System Components
- Include One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits



#### **Line Splice Straight** SAE - 5 Pack

SKU **504101** AIR76050

- Effective, Durable Leak Repair with No Line Removal
- OE Approved
- 5 Minute Install No Special Tools
- Includes One Each: 5/16", 3/8",1/2", 5/8" and 3/4" Line Splice Kits



#### AIRSEPT.

#### **Line Terminator** SAE/Metric · 10 Pack

SKU **504124** AIR76530

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y • Block Off Leaking Rear Evaporators
- and Failed System Components
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits; Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Kits



#### AIRSEPT.

#### **Line Splice Straight SAE/Metric** · 10 Pack

- SKU **504103 279 99 AIR76051** Effective, Durable Leak Repair with No Line Removal
- 0E Approved
- 5 Minute Install No Special Tools
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Line Splice Kits
- · Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Line Splice Kits

**▼** Mastercool:

**Hose Repair Kit** 

55 Piece Assortment of

RI34a/RI2

Charging

SKU **295557** 

MSC91334-A

and Adapters











*AIRSEPT.* 

**Airsept** 

Smart

**Splice**<sup>™</sup>

**Ultimate** 

SKU **687976** 

AIR76057

**Line Repair Kit** 

without Special Tools or Adhesives

Smart Splice™ Multi-System

• Includes One Each: 5/16", 3/8", 1/2", 5/8",

3/4" Line Splice Straight SAE Repair Kits: 8 mm, 10 mm, 12 mm, 15 mm, 16 mm Line

Splice Straight Metric Repair Kits: 5/16", 3/8" 1/2", 5/8" Line Splice 45° SAE Repair Kits: 5/16", 3/8", 1/2", 5/8" Line Splice 90° SAE

• Leak Free Up to 2600 PSI

**Line Repair Tray** SKU **687973 479 99 AIR76076** 

• Top Tray in Master Cabinet

Smart Splice™ **Line Terminator and** 

OD Metal Lines

Service Tee Repair Tray SKU **687974 524 99 AIR76077** 

Everything Needed to Block Off A/C, Coolant

• SAE Sizes for 5/16", 3/8",1/2", 5/8", 3/4"

• Metric Sizes for 8 mm, 10 mm, 12 mm, 15 mm, 16 mm OD Metal Lines

• Second Tray in Master Cabinet

and Heater Lines, or Add an A/C Service Port

Repair Kits

• Everything Needed to Repair A/C, Power Steering Return, Transmission,

Trans Oil Cooler, Engine Oil, Engine Oil Cooler, Coolant and Heater Lines

• OEM Approved Line Repair Solution Installs in 5 Minutes, on the Vehicle,

Hose to Hose Repairs on A/C, Coolant and Heater Lines

- Includes: SAE Sizes for (5/16", 3/8",1/2", 5/8", 3/4") OD Metal Lines, SAE Sizes for (#6, #8, #10, #12) 3/4" A/C Reduced Barrier Hose
- Third Tray in Master Cabinet



#### Smart Splice™ Aluminum **Tube Insert Service Tray**

SKU **687989 229 99 AIR76079** AIR76079

- Repair Long Sections of Damaged or Leaking A/C, Power Steering Return, Transmission, Trans Oil Cooler, Engine Oil, Engine Oil Cooler, Coolant and Heater lines
- Includes 12" Lengths of Aluminum Tubing for SAE and Metric Lines
- Fourth Tray in Master Cabinet





#### 5 Piece Smart Splice™ **Tool Assortment**

AIR76080

SKU **688003 169 99** 

- Includes: Deburring Tool, Tube Cutter, Caliper, Pex Crimper, Rubber Hose Crimper
- Fifth Tray in Master Cabinet



#### **Manual Style A/C Hose Crimper, Bench or Vise Mounted**

- SKU **290028**MSC71550 **299**MSC71550 MSC71550 Manual Style A/C Hose Crimper
- Mount to Bench Using Holding Fixture or Place in Vise • Includes: 71500 - 001 Yoke Assembly, 71550 - 002
- Arbor Assembly, 71550 003 Holding Fixture Assembly, 71500 6 Die Set #6 (5/16"), 71500 8 Die Set #8 (13/32"), 71500 10 Die Set #10 (1/2"), 71500 12 Die Set - #12 (5/8"), and 71500-PB Custom Mold Box Carrying Case





### **Hydra-Krimp** A/C Hose Crimping Tool

MSC71500-A • Renain 1/2 · Repair A/C Hoses On or Off the Vehicle

- Includes a Complete Set of Dies Covering Hose Sizes: #6, #8, #10, #12; and Reduced Barrier: #6, #8, #10 and #12
- . Dies Snap Quickly into the Press Fixture (No Pins or Screws Required)
- · Patented, Lightweight, Portable
- Ideal for Shop and Field Applications





#### **OEM** TOOLS **Heavy Duty Ratcheting Hose Cutter** SKU **466311**

24522

- Smooth Action and High Quality Blade Provide Quick, Clean and Accurate Cuts Cuts Rubber Hose and PVC
- Up to 1-1/2" OD · Ratcheting Action Makes it
- Faster and Easier to Use Than Other Cutters
- Wide Hooked Jaws **Hold Tubing Securely**

# ONDITIONIN

#### **Leak Detection Lights**

#### 3-in-1 Multi-Use Rechargeable **Diagnostic Work Light**

SKU **591153** 24609

- 3 Different Light Modes White, Yellow (Smoke Detection), UV/Black (Leak Dye Detection)
- 400 Lumens of Super Bright Light Lasts More Than 5 Hours (White Light)
- Holds Charge for a Longer Run Time with 4400 mAh Li-ion Battery
- Built-in Power Bank/Source Charges Cell Phones, Tablets, and Handheld Devices
- Includes Universal Micro USB Charger
- So You Can Charge Anywhere • LCD Battery Indicator Screen Displays Charge Level
- Strong Magnets on Each End
- Run Time: White (5.5 Hrs), Yellow (5.5 Hrs.), UV/Black (12.5 Hrs.)
- Accessory Kits Available

#### **UV Leak Detection Light and Glasses**

SKU **213144 19 99 24516** 24516

- Compact UV Leak Detection Pen Light
- Can Be Used with All Types of UV Leak Detection Dyes
- · Yellow Lens Protective Glasses Enhance Visibility of Leaks
- Includes (2) AA Batteries



SEE INSERT FOR DETAILS



• 500 Lumen Flashlight Will Cast a 170 Meter Beam

• Detachable 180 Degree Swivel Hook with Magnets

• Ultra Slim 450 Lumen Inspection Light

• (3) Powerful, UV LED Lights on Inspection

Battery Lasts 3.5 Hours at 100% and Fully

Comes with (1) USB Charging Cord, AC Adapter, (1) 18650 Rechargeable Battery, and a 180 Degree Swivel Hook

Light Detect Leaks Quickly and Easily

Casts a 30 Meter Beam

Charges in 5 Hours

• 5 Light Modes

SKU **300782** MSC53512-UV

SKU **344835** 

24607

• 25,000 Hour Bulb Life

• Operates for 22 Hours Under Normal Work Conditions on (3) AAA Batteries

**Mechanic's 500 Lumen Rechargeable Flashlight** and 450 Lumen Ultra Slim Wand with UV Inspection

- Comparable to 50 Watt Illumination
- UV Goggles Included



2 Slim Wand

1 UV Light

Battery

OFM TOOLS

1 Handle - 3 Lights

(3) Flashlight

#### **Compact UV Flashlight - 17 LED**

SKU **300783** 

MSC53517-UV • 25,000 Hour Bulb Life

- Operates for 22 Hours Under Normal Work Conditions on (3) AAA Batteries
- Comparable to 75 Watt Illumination
- UV Goggles Included



**▼** Mastercool:

TOOL of the MONTH |

**UV Leak Dye Detection Light** 

Yellow Smoke Detection Light

400 Lumens Super Bright Work Light

**UV Pen Light** SKU**695128** 24610

• Pen Style Ultraviolet Light

**OEM TOOLS** 

- Lightweight, Aluminum Casing • Convenient Pocket Clip
- Maximum Continuous
- Run Time is 4.5 Hours
- Includes (2) AAA Batteries



#### **USB Rechargeable UV Light with Glasses**

Includes Hook

SKU **626122** 

EXPE93-E02 • 1W Bulb That Casts a Beam Up to 5 Meters

- 0.8 Lumens
- 3 Light Modes: 25%, 50% and 100%
- Run Time: 12 Hours
- USB Cord
- Includes Battery and Goggles

**GreatLite** 

**✓** Mastercool<sup>®</sup>

#### **Leak Detection Kits**

#### **Complete A/C + Fluid Leak Detection Kit**

SKU **213217** TRALF021

- Aftermarket Leak Detection Kit • Compatible with R134a, R1234yf, and Other Refrigerants
- · Reusable A/C Dye Syringe Injector • Treats A/C, Coolant, and Oil-Based Fluid Systems
- LF60 R1234yf Adapter Sold Separately



## LEAK!FINDER

#### **Professional UV Leak Detection Kit with 12V/50W UV Light** SKU **290041**

MSC53351

- 12 Volt/50 Watt UV Leak Detector • 1 Oz. Coolant Dye, 1 Oz. Oil/ATF/Fuel Dye, Dye Remover
- Mini Dye Injector (10 Applications of Universal A/C Dye) Compatible with R134a and R12 Adapter
- UV Enhancing Safety Glasses
- 12 Service Labels

#### TRACERLINE'

#### Complete A/C + Fluid Dye **UV Leak Detection Kit**

SKU **213211** 

SKU 213211 **319**99 **TRATPOPUV**17

- Compatible with R134a, R1234yf and Other Refrigerants
- Services Up to 14 Vehicles
- Kit Includes: OPTI-PRO™ UV Cordless, Violet Light LED Leak Detection Light; 0.5 Oz. (15 ml) Cartridge of EZ-Ject™ Universal/Ester Multi-dose A/C Dye; 1 Oz. (30 ml) Bottle of Dye for All Circulating Oil-based Fluids, Services 1 Vehicle; 1 Oz. (30 ml) Bottle of Standard Coolant Dye, Services 1 Vehicle; EZ-Ject™ Dye Injector Assembly; R134a Hose/Coupler & Purge Fitting; 2 Oz. (60 ml) Spray Bottle of GLO-AWAY™ Plus Fluorescent Dye Cleaner; R1234yf Adapter



# BigEZ™ A/C + Fluid Dye Complete A/C and Fluid Dye UV Leak

**Detection Kit** 

SKU **213198** 

- TRATPOPUV16 35
- Tracerline Universal/Ester Dyes are Compatible with R1234yf, R134a, and Other Refrigerants
- Services Up to 64 Vehicles
- EZ-Shot™ Kit Includes: TPOPUV OPTI-PRO UV Flashlight, TP9770-8 Dye, TP3400 Oil Dye, TP-3900 Coolant Dye, GLO-AWAY™ Plus, TP-9940 Glasses, R1234yf



## TRACERLINE

Mastercool: €

## EZ-Shot™ Universal A/C Dye Injection Kit TRATP9790BX **209**<sup>99</sup> SKU **213214**

- EZ-Shot™ Quickly Introduces Dye into a Vehicle's A/C System
- BigEZ<sup>™</sup> Cartridges are Prefilled with Co-Solvent Free A/C Dye, Certified to Meet SAE J2297 and Calibrated For Exact Dosing
- BigEZ<sup>™</sup> 8 Oz. Universal Dye Cartridge Services Up to 64 Vehicles



TRACERLINE'

#### R1234yf A/C Dye Kit SKU **213202** TRATP9824BX 164<sup>99</sup>

- Multi-Dose Cartridge Prefilled with R1234yf/PAG A/C Fluorescent Dye • Easily Overcomes System Pressure -
- Dye Can Be Injected While System is Off or Running
- EZ-Ject<sup>™</sup> R1234yf/PAG A/C Dye Cartridge, Services Up to 14 Vehicles



**▲** Mastercool \*

#### **Leak Detection**

#### **Refillable R1234yf Dye Injector** SKU **213158**

24517 • Refillable - for Use with A/C Oil or Pourable Dyes

- Easy to Operate Hand Turn Injection
- Durable Aluminum Construction with Laser Etched Filling Guide
- Includes R1234yf System Coupler
- 2 Oz. (60ml) Capacity

**In-Line Dye and Oil Injector** 



- Adding Refrigerant • 1/2" ACME Fittings to Fit Most
- R134a Systems • Use with TRATP38400601 Bottle Fluoro-Lite® Universal A/C Dye



## **OEM** TOOLS

#### **Refillable Universal** Dye Injector for R1234yf

SKU **764999** MSC53123-YF 124

- Heavy Duty Aluminum Construction
- Injects Dye or Oil into R1234yf Systems • Refillable, Any Dye or Oil Can Be Used
- Easy Twist Injection System
- Precise Injection Controlled

## R12 and R134a **Hand Turn Dye Injector**

SKU **466320** 24528



- R134a Systems · Refillable, Capacity: 2 Oz.
- Includes R134a Quick Coupler Use with Pourable Dyes



## **Nitrogen Leak Detection**

**Nitrogen Leak Test Kit** 

SKU **295560** 

- MSC53010 • T-Handle for Ease of Pressure
- Adjustment Kit • Includes Leak Testing Gauges

and Hoses







# 877-AZTOOL1 / 877-298-6651 Hablamos Español

AZtool1.com



#### A/C Leak Detection Fluids

LEAK+FINDER'

LeakFinder **Universal A/C Dye 8 Oz.** 

SKU 764998 399

- · Find Leaks in A/C Systems; Compatible with R134a, R1234yf, and Other Refrigerants
- . Services Up to 32 Vehicles




Not for Use in Hybrid Vehicles with Electrically **Driven A/C Compressors** 

LEAK!FINDER

## 8 Oz. BigEZ<sup>TM</sup> **Universal A/C Dye**

SKU **764997** TRALF1800

- · Compatible with R134a, R1234yf, and Other Refrigerants





TRACERLINE'

BigEZ™ 8 Oz. **Universal A/C Dye** Cartridge

SKU **213166** TRATP9770-8

- Compatible with R134a, R1234yf,
- and Other Refrigerants • Services Up to 64 Vehicles

**Cartridge Fits Most Caulking Guns** 

#### LEAK/FINDER!

1 Oz. Universal A/C Dye - 6 Pack

SKU 764990

- · Compatible with R134a,
- R1234vf. and Other Refrigerants • Each Bottle Services 4 Vehicles
- Not for Use in Hybrid Vehicles with Electrically Driven A/C Compressors



Not for Use in Hybrid Vehicles with Electrically **Driven A/C Compressors** 

RACERLINE' Fluoro-Lite® 1 Oz. **Universal A/C Dye** 6 Pack

SKU **213209** TRATP3840-1P6

- · Compatible with R134a, R1234yf, and Other Refrigerants
- Each Bottle Services 4 Vehicles



**▼** Mastercool \*

Universal **Concentrated Dye Cartridge** 1 Oz. - 5 Pack

- MSC53810-5 **94**<sup>99</sup> • 5 Pack of Dye for 53585 Leak Detector Kit
- 10 Applications per Bottle



# **Identifier**

#### **Refrigerant Identifier** for R134a

SKU **295556** MSC69134-A

- Avoid Potential Damage from Refrigerant Contamination
- the Gas Sampling Process
- Accuracy: Pass/Fail 95% Pure R134a



- Automatically Provides Step-by-Step Indication of

# Mastercool:



#### **Oil Leak Detection Fluids**

1 Oz. Coolant Dye - 6 Pack

SKU **764995 TRALF3001** 

- For All Conventional Coolant
- · Finds Leaks in Radiators, Hoses, Heater Cores, Water Pumps, and Fittings
- Each Bottle Services 1 Vehicle

#### LEAK+FINDER'

1 Oz. Oil-Based Dve -6 Pack

SKU **764986** TRALF2001

- Find Leaks in Oil, Fuel, ATF, and Power Steering
- Each Bottle Services 1 Vehicle



# 1 Oz. Oil-Based Dve -

6 Pack SKU **213103** 

TRATP3400-1P6 🍼

Find Leaks in Oil, Fuel, ATF, and Power Steering Systems

**Inspector 2-in-1** 

• Pin-point Leaks as Small as 1/10 Oz. (3 gr) per Year

• Built-in Ultra-Bright UV

Light at End of Probe -

Allowing Easy

Access into

Tight Areas

SKU **916553** 

MSC56200

**Electronic/UV Leak Detector** 

 Fach Bottle Services 1 Vehicle



**★** Mastercool:

LEAK!FINDER

TRACERLINE'

#### **Electronic Leak Detection**

#### A/C Refrigerant **Leak Detector**

SKU **466307** 24510

- Detects All Types of Halogenated Refrigerants
- Sensitive to 0.1 Oz. per Year
- Single Color LED Display with 7 Level Leak Alarm
- Flexible Stainless Steel Probe to Reach Almost Any Space
- Includes Spare Sensor Tip

**IntellaSense II** 

**Leak Detector** 

Refrigerant

SKU **695639** 



MSC55900 Detects: Combustible Gases, Hydrogen, Refrigerants (All CFCs, HCFCs and HFCs)

- Includes Leak Test Vial and Replacement Filters in a Blow Molded Box
- Meets and Exceeds SAE J2791 and J2913

# **★** Mastercool:

# SKU **916550**

MSC56100 · Features (3) Sensitivity

- Levels
- · Detects All Refrigerants
- Flexible 16" Probe for Hard-to-Reach Areas



**✓** Mastercool∴

## A/C Service Tools

OEM TOOLS

**Deluxe A/C Clutch Hub Puller and Installer** SKU **695099** 

33627150 · For Removal and Installation of AC Compressor Clutches for Ford, GM and Chrysler



#### **Radiator/Condenser Cleaning Wand** SKU **514015**

**THX467A** 

- New, Improved High Pressure Air/Water Cleaning Wand Reaches 24 Inches Between Radiator and Condenser, Under Mowing Decks, etc. to Clean Away Dirt and Debris Made of Zinc-Plated Steel with
- Adjustable Valve Assembly
- Special Tips Deliver Air or Water at a 90° Angle



#### **Orifice Tube Remover Set**

SKU **752530** 24562 • To Use, Simply Turn into

Orifice Tube for Grip Then Turn Out · Includes Auger for Removing Broken Orifice Tubes



#### A/C Clutch **Holding Tool** SKU **695102**

33627000 Holds Compressor

- Clutch in Place When Removing Holding Bolt Adjust Pins to
- Fit Holes in Clutch



**OEM** TOOLS

**1**99



## AIRSEPT.

#### **Compressor Turner Tool™**

SKU **504135** AIR67700

• OEM-Approved Compressor

- Startup Assistance • Prevent New Compressor
- Seizure at Startup • Fits Most Hex-less



## **OEM** TOOLS

#### A/C Condenser **Fin Comb Straightener/Cleaner**

- 24526
- Confined Spaces · Includes (6) Clearly Marked Combs: 8 9 10 12 14 and 15 Fins per Inch

# SKU **466317**

 Clean and Straighten Condenser and Evaporator Coils Compact Design for



• Double Ended Valve Core Tools to Service Both Standard and Large Bore R134a and R12 Cores

24555

SKU **466314** 



A/C Valve Core Tool

#### **Digital Scales**

**Digital Refrigerant Scale (240 Lb. Capacity)** SKU **752521** 

- 24560
- High-Visibility .75" x 2.5" LCD Backlit Display
- (3) Units of Measure: kg/0z./Lb. Automatic Shut-Off After 10 Minutes, Backlight Will Shut Off After 3 Minutes
- Fully Enclosed and Removable Metal Scale Platform Enables Use of Product In or Out of the Protective Case



**OEM** TOOLS

- MSC98210A • Allows User to Program Desired Quantities. · Alarm Will Sound When Programmed
- Amount is Reached · Capacity: 240 Lbs.







#### **270 Piece HNBR O-Ring Assortment** SKU **271196**

68141 · Great O-Ring Set for Most Automotive and Refrigerant Applications





Kits Contains 270 O-Rings in a Variety of SAE Sizes





**OEM** TOOLS

## **Raptor Refrigerant Leak Detector**

- Levels and (5) Detection
- Detects Leaks as Small as 1/10 Oz. per Year
- (CFC, HCFC, HFC)



## OFM TOOLS





**▼** Mastercool:

### **Tube Assortment**

**26 Piece Master Orifice Tube Assortment** 

SKU **851868** 24564

. Covers Most Vehicles That Require Air **Conditioning Orifice Tubes** · Includes: Chrysler (Orange, Purple

T-Top), Ford (Black, Blue, Brown, Green, Red), GM (Black T-Top, White, Yellow), Jeep (Green - White) and Volvo (Yellow) • Comes in a Storage Case

