

REMINGTON® Airetrex 365™

HOME AIR SANITIZER

INSTRUCTION MANUAL

REM-7365UV-120



IF YOU HAVE QUESTIONS OR COMMENTS, CONTACT US.

800-641-6996

remingtonair.com

**Thank you for purchasing the Remington® Airetrex 365™
Home Air Sanitizer.**

We are all becoming increasingly aware of the importance of maintaining a safe and sanitary home environment. While there are many products that focus on disinfecting surfaces, a cough or sneeze can infect individuals in your home before the germs, bacteria, and viruses reach a surface.

Your new Remington Airetrex 365 Home Air Sanitizer passes room air over a special ultra-violet (UV-C) bulb to help create a safe environment for your family by reducing contaminants including allergens, bacteria, germs, mold spores, and viruses.

Ultra-violet (UV-C) light is routinely used as a disinfectant. Remington has now adapted that technology for home application.

Simply plug the unit into an electrical outlet and the Remington Airetrex 365 Home Air Sanitizer will work quietly in the background day or night — perfect for bedrooms, home offices, nurseries, and dorm rooms.

We want you to be fully satisfied with your Remington Airetrex 365 Home Sanitizer. That's why it comes with a one-year limited warranty.

Please, be sure to read the following instructions carefully to ensure optimal performance and safety.

remingtonair.com
800-641-6996

Definitions: Safety Alert Symbols and Words

This instruction manual uses the following safety alert symbols and words to alert you to hazardous situations and your risk of personal injury or property damage.

⚠ DANGER: Indicates an imminently hazardous situation which, if not avoided, will result in **death or serious injury**.


⚠ WARNING: Indicates a potentially hazardous situation which, if not avoided, could result in **death or serious injury**.

⚠ CAUTION: Indicates a potentially hazardous situation which, if not avoided, may result in **minor or moderate injury**.

⚠ (Used without word) Indicates a safety related message.


NOTICE: Indicates a practice **not related to personal injury** which, if not avoided, may result in **property damage**.

Remington® Airetrex 365™ Home Air Sanitizer
REM-7365UV-120




REPLACEMENT PARTS:

Remington Replacement UV-C Bulb
REM-UVBULB-106A
(sold separately)



Remington Replacement Air Filter
REM-UVFILTER-106A
(sold separately)



Intertek
4003094

MODEL #	REM-7365UV-120
WATTS	35 W
POWER (VOLTS)	120 V / 60 Hz
AMPS	0.38 A
UV LIGHT OUTPUT	5 W
UV-C WAVELENGTH	254 NM

⚠ WARNING: UV light is harmful to bare skin and eyes and can cause temporary or complete loss of vision. Never look directly at the UV bulb while illuminated.

⚠ WARNING: Read all safety warnings and all instructions. Failure to follow the warnings and instructions may result in electric shock, fire and/or serious injury.

⚠ WARNING: Never modify the product or any part of it. Damage or personal injury could result.



WARNING: To reduce the risk of injury, read the instruction manual.

If you have any questions or comments about this or any product, call Remington at 800-641-6996.

GENERAL SAFETY WARNINGS

⚠ DANGER: Read and understand all of the instructions in this manual before assembling, starting, or servicing the fan. Improper use of this fan can cause serious injury.

SAVE ALL WARNINGS AND INSTRUCTIONS FOR FUTURE REFERENCE

⚠ CAUTION: For general ventilating use only. Do not use to exhaust hazardous or explosive materials and vapors. Never use the fan in spaces which contain products such as gasoline, solvents, paint thinners, dust particles, volatile or airborne combustibles, or any unknown chemicals.

1) Safety Information

⚠ WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

⚠ WARNING: NEVER LEAVE A FAN UNATTENDED WHILE OPERATING OR WHILE CONNECTED TO A POWER SOURCE.

⚠ WARNING: THIS IS A FAN - NOT A TOY! TO REDUCE THE RISK OF PERSONAL INJURY AND ELECTRIC SHOCK, FAN SHOULD NOT BE PLAYED WITH OR PLACED WHERE SMALL CHILDREN CAN REACH IT.

⚠ WARNING: To guard against electric shock while operating, do not allow fan to come in contact with other grounded objects such as pipes, radiators, etc.

⚠ WARNING: To reduce the risk of fire or electric shock, do not use this fan with any solid-state speed control device.

⚠ WARNING: To reduce the risk of electric shock and injury to persons, do not use in a window.

⚠ WARNING: Do not operate any fan with a damaged cord or plug. Discard fan or return to an authorized service facility for examination and/or repair. Do not run cord under carpeting. Do not cover cord with throw rugs, runner, or similar coverings. Do not route cord under furniture or appliances. Arrange cord away from traffic areas and where it will not be tripped over.

⚠ WARNING: To reduce the risk of electric shock, do not expose to water or rain. This unit is designed for indoor use only.

⚠ WARNING: Always use on a dry, level surface.

⚠ WARNING: This product is intended for household use only. Not for commercial or industrial applications.

⚠ WARNING: Do not use outdoors.


⚠ WARNING: Do not attempt to repair or adjust this unit aside from replacing the bulb or filter. Doing so will void warranty. Replace bulb and filter with only genuine Remington parts.

⚠ WARNING: Use this fan only in the manner intended by the manufacturer. If you have any questions, contact Customer Service at 800-641-6996.

⚠ WARNING: IMPROPER CONNECTION OF THE EQUIPMENT-GROUNDING CONDUCTOR CAN RESULT IN A RISK OF ELECTRIC SHOCK. CHECK WITH A QUALIFIED ELECTRICIAN OR SERVICE PERSON IF YOU ARE IN DOUBT AS TO WHETHER THE OUTLET IS PROPERLY GROUNDED. DO NOT MODIFY THE PLUG PROVIDED WITH THE APPLIANCE — IF IT WILL NOT FIT THE OUTLET, HAVE A PROPER OUTLET INSTALLED BY A QUALIFIED ELECTRICIAN.

- Before operating always check fan for loose or damaged parts. Inspect power cord for any damage. Never use fan if any parts are damaged or missing.
- Operate only on 120 volt 60 Hz (cycle) current with a minimum of a 15 amp circuit.
- When used with an extension cord, use only a cord of proper size (Amp rating), UL listed, and with receptacle to accept three prong grounded plug furnished on the fan's power cord. Always keep power cord and extension cords away from heat, oil, and sharp edges. Inspect cords periodically and replace if damaged.

CONTROL PANEL AND DISPLAY



- 1. On/Off Button:** Turn the Airetrex 365™ Home Air Sanitizer on or off
 - 2. Mode Button:** To select between high and low speed fan
 - 3. Child Lock Button:** Lit when child lock function is engaged
 - 4. High Fan Speed Indicator:** Lit when high fan speed is chosen
 - 5. Low Fan Speed Indicator:** Lit when low fan speed is chosen
 - 6. Digital Display:** Indicates timer value, fan mode, or total appliance usage time
 - 7. Timer Button:** To activate the timer function
 - 8. Timer Up Button:** To increase hours while in the timer mode
 - 9. Time Down Button:** To decrease hours while in the timer mode
-

OPERATION

- Plug unit into an electrical outlet and push the power switch on the back of the unit to ON.
- Turn the unit on by pressing the on/off button.
- Press mode button to select the fan speed F1 (high fan speed) and F2 (low fan speed), the display will show F1 or F2. After the fan mode is set, the fan will start up.
- The UV bulb will light after 30 seconds.
- The display will auto dim 30 seconds after last button is pressed.

Setting delayed-off timer function: Press the timer button when the unit is on. The display will change to the hour option. Press the up or down arrow buttons to select the amount of hours. Hour options for the timer are between 0–12 hours (in 1 hour increments). The unit will power off after the selected set time.

Setting delayed-on timer function: Press the timer button when the unit is off. The display will change to the hour option. Press the up or down arrow buttons to select the amount of hours. Hour options for the timer are between 0–12 hours (in 1 hour increments). The unit will power on once the selected time is reached.

Child lock function: Press and hold child lock button for 3 seconds. Controls will be locked once a beep is heard from the unit. The child lock icon will be lit. When locked, the functions of the control panel cannot be used. To unlock, press and hold the child lock button for 3 seconds. Unlocking is complete when a beep is heard. The control panel will become functional.

Display UV light usage time: When the unit is on, press the up and down arrow buttons at the same time for 3 seconds. The display will show the hours the UV light has operated. "01" stands for 100 hours, "02" stands for 200 hours.

Reset UV light usage time: After replacing the UV bulb, press and hold the mode button and timer button for 3 seconds to reset the UV light usage time.

MAINTENANCE

1. Turn the power off and unplug the unit.
 2. To keep the unit clean, use a soft, damp cloth to wipe it down. A mild detergent can be used if necessary.
 3. After cleaning, dry the unit with a soft cloth.
 4. Wait until the unit is completely dry before use.
 5. Check filter monthly. Remove or vacuum off any dust build up.
-

TROUBLESHOOTING

PROBLEM	CAUSE	SOLUTION
Digital display will not light.	<ol style="list-style-type: none">1. Unit is not plugged in.2. Power switch is not turned on.	<ol style="list-style-type: none">1. Plug the unit into a grounded 120VAC outlet.2. Press the power switch on the back of the unit to on.
Nothing happens when the buttons are pressed on the control panel.	<ol style="list-style-type: none">1. Child lock is on2. Unit is off3. Other technical issue	<ol style="list-style-type: none">1. Press and hold the lock icon for 3 seconds.2. Make sure the unit is plugged in and the power switch is to the on position.3. Unplug the unit for 1 minute and restart.
Unit is making a whistling noise.	<ol style="list-style-type: none">1. Air intake filter is blocked2. Air intake filter is dirty	<ol style="list-style-type: none">1. Clean any blockage from the filter.2. Clean or replace the filter.
Bulb no longer illuminates.	<ol style="list-style-type: none">1. Bulb needs replacing	<ol style="list-style-type: none">1. Visit remingtonair.com or call Customer Care for a replacement kit.

If any problems continue to persist after troubleshooting, please contact our Customer Care Team at **800-641-6996**.

REPLACING THE UV-C BULB

The special UV-C bulb is replaceable with kit # REM-UVBULB-106A. Remington recommends replacing the bulb every 8000 hours of operation or every two years to ensure product operates at peak efficiency. Visit **remingtonair.com** or call **800-641-6996** for more information or to order.







! Do not place your used bulb in the trash. Disposal of any item containing mercury must be in accordance with any hazardous waste disposal or recycling laws and regulations of your state.

REPLACING THE UV-C BULB (CONTINUED)

What you need: x1 Remington Airtrex 365 UV-C Bulb (REM-UVBULB-106A) x1 Phillips Head Screwdriver

1. Be sure the power has been disconnected for at least 15 minutes before replacing the UV-C bulb.
2. Rotate the unit so you are facing the backside of the unit. You should be seeing the filter, the cord wrap and the power on/off switch.
3. While facing the back side of the unit, remove the 5 screws on the left-hand side. (Figure A)
4. Slide the left side panel toward you to expose the bulb harness. (Figure B)
5. Unscrew the four screws on the smaller aluminum panel and slide the panel up to remove it from the unit. Note: Do not remove black plastic cover.
6. Remove the two screws securing the bulb (Figure C) and gently pull the bulb harness and base out of the unit.
7. Pull the bulb out of the holder (Figure D) and replace with the REM-UVBULB-106A replacement bulb. Be sure the four prongs align before pushing the bulb into the holder.
8. Making sure the bulb aligns with internal base holder, insert the bulb and base back into the unit and secure with the two screws.
9. Replace side panel and secure with the five screws.



REPLACING THE AIR FILTER

What you need: x1 Remington Airtrex 365 Air Filter (REM-UVFILTER-106A) x1 Flat Head Screwdriver (optional)

1. Be sure the power has been disconnected for at least 15 minutes before replacing the air filter.
2. Remove the 4 thumb screws either with your hand or a flat head screwdriver.
3. Remove filter and dispose.
4. Using a damp cloth, clean around the filter opening and wipe down the filter bracket.
5. Place the REM-UVFILTER-106A replacement filter into the bracket and attach to the unit.
6. Secure the 4 thumb screws.

REMINGTON®

LIMITED WARRANTY

Pinnacle Climate Technologies, Inc. warrants this product to the original retail purchaser only, to be free from defects in material and workmanship for a period of one (1) year from the date of initial purchase. This product must be properly installed, maintained and operated in accordance with the instructions provided.

Pinnacle Climate Technologies, Inc. requires reasonable proof of your date of purchase from an authorized retailer or distributor. Therefore, you should keep your sales slip, invoice, or cancelled check from the original purchase. This Limited Warranty shall be limited to the repair or replacement of parts, which prove defective under normal use and service within the warranty period, and which **Pinnacle Climate Technologies, Inc.** shall determine at its reasonable discretion.

This warranty does not apply to products purchased for rental use.

This Limited Warranty does not cover replacement of belts or tightening of belts, or any failures or operating difficulties due to normal wear and tear, accident, abuse, misuse, alteration, misapplication, improper installation or improper maintenance and service by you or any third party. Failure to perform normal and routine maintenance on the fan, shipping damage, damage related to insects, birds, or animals of any kind, and damage due to weather conditions are also not covered. In addition, the Limited Warranty does not cover damage to the finish, such as scratches, dents, discoloration, rust or other weather damage, after purchase.

All transportation costs for the return of the damaged product or parts will be the responsibility of the purchaser. Upon receipt of damaged item, **Pinnacle Climate Technologies, Inc.** will examine the item and determine if defective.

Pinnacle Climate Technologies, Inc. will repair or replace and return the item, freight pre-paid. If **Pinnacle Climate Technologies, Inc.** finds the item to be in normal operating condition, or not defective, the item will be returned freight collect.

This Limited Warranty is in lieu of all other express warranties. **Pinnacle Climate Technologies, Inc.** disclaims all warranties for products that are purchased from sellers other than authorized retailers or distributors.

AFTER THE PERIOD OF THE ONE (1) YEAR LIMITED WARRANTY EXPIRES, **Pinnacle Climate Technologies, Inc.** DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR APPLICATION. FURTHER, **Pinnacle Climate Technologies, Inc.** SHALL HAVE NO LIABILITY WHATSOEVER TO PURCHASER OR ANY THIRD PARTY FOR ANY SPECIAL, INDIRECT, PUNITIVE, INCIDENTAL, OR CONSEQUENTIAL DAMAGES. **Pinnacle Climate Technologies, Inc.** assumes no responsibility for any defects caused by third parties. This Limited Warranty gives the purchaser specific legal rights; a purchaser may have other rights depending upon where he or she lives. Some states do not allow the exclusion or limitation of special, incidental or consequential damages, or limitations on how long a warranty lasts, so the above exclusion and limitations may not apply to you.

Pinnacle Climate Technologies, Inc. does not authorize any person or company to assume for it any other obligation or liability in connection with the sale, installation, use, removal, return, or replacement of its equipment, and no such representations are binding on **Pinnacle Climate Technologies, Inc.**

Always be sure to specify the model number and serial number when making any claim with **Pinnacle Climate Technologies, Inc.** For your convenience, use the space provided below to list this information.

Model #: _____

Serial #: _____

Date of Purchase: _____

© 2020 Pinnacle Climate Technologies, Inc.

Remington® and Airetrex 365™ are trademarks of Pinnacle Climate Technologies®.

Product Manufactured by:
Pinnacle Climate Technologies, Inc.
Sauk Rapids, MN 56379

Made in China.