

Amarok



Commercial
Vehicles





Amarok Specifications.

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 TDI 103kW Comfortline	Amarok Double Cab 2.0 TDI 103kW 4MOTION® Comfortline
Engine		
Cylinders	4	4
Capacity (cm³)	1968	1968
Output (kW @ r/min)	103 @ 3500	103 @ 3500
Torque (Nm @ r/min)	340 @ 1600-2250	340 @ 1600-2250
CO ₂ emissions (g/km)*	202	205
Transmission		
6-speed manual	X	X
Performance		
Acceleration in seconds (0-100 km/h)	13,3	13,5
Top speed (km/h)	169	167
Fuel Consumption		
Urban cycle (litres/100 km)*	9,4	9,6
Extra-urban cycle (litres/100 km)*	6,7	6,8
Combined cycle (litres/100 km)*	7,7	7,8
Running Gear		
Independent suspension with double triangular wishbone spring and damper, front	X	X
Multilayer rigid axle with leaf springs, rear	X	X
Front and rear stabilizers	X	X
Rear-wheel drive	X	-
Shiftable 4WD with low range gears	-	X
Brakes		
Hydraulic braking system with ventilated disc brakes, front (16")	X	X
Brake drum in the rear	X	X
ESC (Electronic Stabilisation Control) with brake assistant and Hill Start/Hill Descent Assist	X	X
ABS (Anti-lock Braking System) incl. offroad ABS	X	X
ASR (Anti-Slip regulation)	X	X
TCS (Traction Control System)	X	X
EDL (Electronic Differential Lock)	X	X
EBD (Electronic Brake-force Distribution)	X	X
HVV (maximum rear axle deceleration)	X	X
MSR (engine drag torque control)	X	X
Mechanical locking differential, rear	X	X
Wheelrims/Tyres		
"Posadas" 8J x 17" alloy wheels with anti-theft wheel bolts	X	X
Tyres 245/65 R17 111T	X	X
Full-sized spare wheel (alloy)	X	X

Amarok Specifications.

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 TDI 103kW Comfortline	Amarok Double Cab 2.0 TDI 103kW 4MOTION® Comfortline
Dimensions/Capacities		
Fuel tank (litres)	80	80
Vehicle Length (mm)	5254	5254
Vehicle Height (mm)	1834	1834
Vehicle Width excl. mirrors (mm)	1954	1954
Wheelbase (mm)	3097	3097
Turning circle (m)	12,95	12,95
Ground Clearance (mm) - measured under the front axle	229	229
Load compartment length (mm)	1555	1555
Load compartment width (mm)	1620	1620
Load compartment width between wheelhouses (mm)	1222	1222
Load compartment height (mm)	508	508
Loading sill height (mm)	780	780
Load compartment area (m²)	2,52	2,52
Gross Vehicle Mass (GVM) (kg)	2820	2820
Gross Vehicle Mass (GVM) (kg) with heavy duty leave springs (3+2) (Optional)	3040	3040
Gross Combined Mass (GCM) (kg)	5550	5550
Axle load limit front/rear (kg)	1325/1620	1375/1620
Trailer weight braked/unbraked, 12% gradient (kg)	2800/750	3000/750
Payload without driver (kg)	936	849
Payload without driver (kg) with heavy duty leave springs (3+2)	1139	1052
Unladen Mass without driver and fuel (kg)	1884	1971
Unladen Mass without driver and fuel (kg) with heavy duty leave springs (3+2)	1901	1988
Roof load limit (kg)	100	100
Trailer nose weight (kg)	120	120
Approach/Departure angle (degrees)	29.5/23.6	29.5/23.6
Ramp angle (degrees)	23	21,4
Roll over angle (degrees)	49,7	49,7
Wading depth (mm)	500	500
Seats		
Number of seats	5	5
Height adjustable head restraints	2 front and 2 rear	2 front and 2 rear
Height adjustable front seats	X	X
Folding 3-seater rear bench seat	X	X
Fabric seat coverings "Kemisu"	X	X
Storage drawers under front seats	X	X

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 TDI 103kW Comfortline	Amarok Double Cab 2.0 TDI 103kW 4MOTION® Comfortline
Windows		
Electrically adjustable windows - front and rear	X	X
Heat-insulating glass all round	X	X
Heated rear window	X	X
Mirrors		
Electrically adjustable and heated exterior mirrors	X	X
Electrically foldable, adjustable and heated exterior mirrors	O	O
Wiper System		
Intermittent wipers	X	X
Safety		
Driver and front passenger airbag	X	X
Front passenger airbag deactivation	X	X
High level third LED brake light with load compartment lighting	X	X
3-point automatic seat-belts	2 front and 2 rear	2 front and 2 rear
Height adjustable seat-belts	Front	Front
Warning buzzer and light for driver and front passenger seat belt not fastened	X	X
Halogen daytime running lights	X	X
First aid kit and warning triangle	X	X
Park distance control, front and rear	O	O
Security		
Immobiliser	X	X
Remote controlled central locking	X	X
Anti-theft alarm system with passenger compartment control and towing protection	X	X
Steering lock, unbreakable	X	X
Lockable glove box	X	X
Lockable tailgate	X	X
Audio and Communication		
Aux-in	X	X
USB interface (iPod/iPhone/iPad capable)	X	X
App-Connect	X	X
"Composition Media" infotainment system, 6.33" Touch screen with voice control	X	X
Bluetooth cellphone interface	X	X
6 speakers	X	X
Antenna integrated in exterior mirrors	X	X

Amarok Specifications.

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 TDI 103kW Comfortline	Amarok Double Cab 2.0 TDI 103kW 4MOTION® Comfortline
Interior Features		
Climatic® air-conditioning system (semi-automatic)	X	X
Power-steering	X	X
Leather-wrapped steering wheel	X	X
Leather-wrapped multi-function steering wheel, 3-spoke	O	O
Leather hand-brake and gear-shift lever	X	X
Multi-function onboard computer (MFA)	Standard display	Standard display
Carpet floor covering for front and rear passenger compartment	X	X
Anti-dazzle rear-view mirror	X	X
Sunvisor with vanity mirror	Driver and Passenger	Driver and Passenger
Center console storage box with upholstered cover for armrest	X	X
Doors with stowage pockets each and integrated bottle holders	X	X
Cup holders front (2) and rear (2)	X	X
Spectacle storage compartment	X	X
Smoking package	X	X
Interior lights wih front reading lights	X	X
Height and reach adjustable steering-wheel	X	X
Headlight-range adjustment	X	X
Cruise control	X	X
12-V socket in centre console, dashboard and load box (2nd row seats, Highline models)	X	X
Exterior Features		
Halogen headlamps with daytime running lights	X	X
Fog lights - front static	X	X
Rear fog lights	X	X
Chrome strip in upper radiator grille (six vertical chrome ribs on Highline models)	Single	Single
Body-coloured exterior mirror housings (incl. chrome application on Highline models)	X	X
Front bumper in body colour	X	X
Rear bumper with integrated step, black	X	X
Flared wheel arches	X	X
Front and rear mudflaps	X	X
Trailer hitch preparation	X	X
Lashing points (x4) in loadbox for load restraint	X	X

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 TDI 103kW Comfortline	Amarok Double Cab 2.0 TDI 103kW 4MOTION® Comfortline
Options		
Increased GVM from 2.8t to 3.0t (incl. heavy duty leaf springs)	O	O
Electrically foldable exterior mirrors	O	O
Front and rear park distance control	O	O
Multi-function steering wheel	O	O
Rubber floor covering for front and rear passenger compartment	O	O
Guarantees		
3-year / 100,000 km manufacturer warranty	X	X
5-year / 90,000 km Genuine AutoMotion service plan	X	X
15,000 km service intervals	X	X
6-year anti-corrosion warranty	X	X

Amarok Specifications.

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW Highline	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Highline	Amarok Double Cab 2.0 BiTDI 132kW Auto Highline	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Highline	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline
Engine					
Cylinders	4	4	4	4	V6
Capacity (cm³)	1968	1968	1968	1968	2970
Output (kW @ r/min)	132 @ 4000	132 @ 4000	132 @ 4000	132 @ 4000	165 @ 3000 - 4500
Torque (Nm @ r/min)	400 @ 1500-2000	400 @ 1500-2000	420 @ 1500-2000	420 @ 1500-2000	550 @ 1400 -2750
CO ₂ emissions (g/km)*	208	211	221	224	236
Transmission					
6-speed manual	X	X	-	-	-
8-speed automatic	-	-	X	X	X
Performance					
Acceleration in seconds (0-100 km/h)	10,7	11,0	11,0	11,3	8,0
Top speed (km/h)	184	183	180	179	193
Fuel Consumption					
Urban cycle (litres/100 km)*	9,7	9,8	10,0	10,1	10,6
Extra-urban cycle (litres/100 km)*	7,2	7,3	7,6	7,6	8,1
Combined cycle (litres/100 km)*	7,9	8,0	8,4	8,5	9,0
Running Gear					
Independent suspension with double triangular wishbone spring and damper, front	X	X	X	X	X
Multilayer rigid axle with leaf springs, rear	X	X	X	X	X
Front and rear stabilisers	X	X	X	X	X
Rear-wheel drive	X	-	X	-	-
Shiftable 4WD with low range gears	-	X	-	-	-
Permanent 4WD	-	-	-	X	X
Brakes					
Hydraulic braking system with ventilated disc brakes, front (16")	X	X	X	X	-
Hydraulic braking system with ventilated disc brakes, front (17")	-	-	-	-	X
Brake drum in the rear	X	X	X	X	-
16-inch brake disc in the rear	-	-	-	-	X
ESC (Electronic Stabilisation Control) with brake assistant and Hill Start/Hill Descent Assist	X	X	X	X	X
ABS (Anti-lock Braking System) incl. offroad ABS	X	X	X	X	X
ASR (Anti-Slip regulation)	X	X	X	X	X
TCS (Traction Control System)	X	X	X	X	X
EDL (Electronic Differential Lock)	X	X	X	X	X
EBD (Electronic Brake-force Distribution)	X	X	X	X	X
HVV (maximum rear axle deceleration)	X	X	X	X	X
MSR (engine drag torque control)	X	X	X	X	X
Mechanical locking differential, rear	X	X	X	X	X
Wheelrims/Tyres					
"Manaus" 7.5J x 18" alloy wheels with anti-theft wheel bolts	X	X	X	X	X
Tyres 245/65 R17 111T	O	O	O	O	O
Tyres 255/60 R18 112T	X	X	X	X	X
Full-sized spare wheel (alloy)	X	X	X	X	X

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW Highline	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Highline	Amarok Double Cab 2.0 BiTDI 132kW Auto Highline	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Highline	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline
Dimensions/Capacities					
Fuel tank (litres)	80	80	80	80	80
Vehicle Length (mm)	5254	5254	5254	5254	5254
Vehicle Height (mm)	1834	1834	1834	1834	1834
Vehicle Width excl. mirrors (mm)	1954	1954	1954	1954	1954
Wheelbase (mm)	3097	3097	3097	3097	3097
Turning circle (m)	12,95	12,95	12,95	12,95	12,95
Ground Clearance (mm) - measured under the front axle	237	237	237	237	237
Load compartment length (mm)	1555	1555	1555	1555	1555
Load compartment width (mm)	1620	1620	1620	1620	1620
Load compartment width between wheelhouses (mm)	1222	1222	1222	1222	1222
Load compartment height (mm)	508	508	508	508	508
Loading sill height (mm)	780	780	780	780	780
Load compartment area (m²)	2,52	2,52	2,52	2,52	2,52
Gross Vehicle Mass (GVM) (kg)	2820	2820	2820	2820	2920
Gross Vehicle Mass (GVM) (kg) with heavy duty leave springs (3+2) (Optional)	3040	3040	3040	3040	3080
Gross Combined Mass (GCM) (kg)	5550	5550	5550	5950	6000
Axle load limit front/rear (kg)	1335/1620	1385/1620	1365/1620	1415/1620	1445/1630
Trailer weight braked/unbraked, 12% gradient (kg)	2800/750	3000/750	2800/750	3200/750	3300/750
Payload without driver (kg)	916	838	912	838	867
Payload without driver (kg) with heavy duty leave springs (3+2)	1119	1041	1115	1041	1010
Unladen Mass without driver and fuel (kg)	1904	1982	1908	1982	2053
Unladen Mass without driver and fuel (kg) with heavy duty leave springs (3+2)	1921	1999	1925	1999	2070
Roof load limit (kg)	100	100	100	100	100
Trailer nose weight (kg)	120	120	120	130	130
Approach/Departure angle (degrees)	29.5/23.6	29.5/23.6	29.5/23.6	29.5/23.6	28/23.6
Ramp angle (degrees)	23	21,4	23	21,4	21,4
Roll over angle (degrees)	49,7	49,7	49,7	49,7	49,7
Wading depth (mm)	500	500	500	500	500
Seats					
Number of seats	5	5	5	5	5
Height adjustable head restraints	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear
Height adjustable front seats	X	X	X	X	X
Lumbar support adjustable front seats (power-adjustable on Extreme)	X	X	X	X	X
Folding 3-seater rear bench seat	X	X	X	X	X
Fabric seat coverings "Salipra"	X	X	X	X	X
Leather seat** coverings "Vienna"	O	O	O	O	O
Storage drawers under front seats	X	X	X	X	X

Amarok Specifications.

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW Highline	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Highline	Amarok Double Cab 2.0 BiTDI 132kW Auto Highline	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Highline	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline
Windows					
Electrically adjustable windows - front and rear	X	X	X	X	X
Heat-insulating glass all round	X	X	X	X	X
Heated rear window	X	X	X	X	X
Privacy glass in rear seat area	X	X	X	X	X
Mirrors					
Electrically adjustable and heated exterior mirrors	X	X	X	X	X
Electrically foldable, adjustable and heated exterior mirrors	X	X	X	X	X
Wiper System					
Intermittent wipers	X	X	X	X	X
Safety					
Driver and front passenger airbag	X	X	X	X	X
Front passenger airbag deactivation	X	X	X	X	X
Front head/thorax side airbags	X	X	X	X	X
High level third LED brake light with load compartment lighting	X	X	X	X	X
3-point automatic seat-belts	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear
Height adjustable seat-belts	Front	Front	Front	Front	Front
Warning buzzer and light for driver and front passenger seat belt not fastened	X	X	X	X	X
Anchorage points (2) for ISOFIX child-seat attachment on rear 3-seater bench	X	X	X	X	X
Halogen daytime running lights	X	X	X	X	X
First aid kit and warning triangle	X	X	X	X	X
Park distance control, front and rear	X	X	X	X	X
Park Distance Control, front and rear, with rear view camera	O	O	O	O	O
Security					
Immobiliser	X	X	X	X	X
Remote controlled central locking	X	X	X	X	X
Anti-theft alarm system with passenger compartment control and towing protection	X	X	X	X	X
Steering lock, unbreakable	X	X	X	X	X
Lockable glove box	X	X	X	X	X
Lockable tailgate	X	X	X	X	X
Audio and Communication					
Aux-in	X	X	X	X	X
USB interface (iPod/iPhone/iPad capable)	X	X	X	X	X
App-Connect	X	X	X	X	X
"Composition Media" infotainment system, 6.33" Touch screen with voice control	X	X	X	X	X
Bluetooth cellphone interface	X	X	X	X	X
6 speakers	X	X	X	X	X
Antenna integrated in exterior mirrors	X	X	X	X	X

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW Highline	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Highline	Amarok Double Cab 2.0 BiTDI 132kW Auto Highline	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Highline	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline
Interior Features					
Climatronic® air-conditioning system, two zone (fully-automatic)	X	X	X	X	X
Power-steering	X	X	X	X	X
Leather-wrapped multi-function steering wheel, 3-spoke	X	X	X	X	-
Leather hand-brake and gear-shift lever	X	X	X	X	X
Multi-function onboard computer (MFA)	"Plus" display	"Plus" display	"Plus" display	"Plus" display	"Plus" display
Carpet floor covering for front and rear passenger compartment	X	X	X	X	X
Anti-dazzle rear-view mirror	X	X	X	X	X
Sunvisor with vanity mirror	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger
Center console storage box with upholstered cover for armrest	X	X	X	X	X
Doors with stowage pockets each and integrated bottle holders	X	X	X	X	X
Cup holders front (2) and rear (2)	X	X	X	X	X
Spectacle storage compartment	X	X	X	X	X
Smoking package	X	X	X	X	X
Interior lights wih front reading lights	X	X	X	X	X
Height and reach adjustable steering-wheel	X	X	X	X	X
Headlight-range adjustment	X	X	X	X	X
Cruise control	X	X	X	X	X
12-V socket in centre console, dashboard and load box (2nd row seats, Highline models)	X	X	X	X	X
Exterior Features					
Halogen headlamps with daytime running lights	X	X	X	X	X
Bi-xenon headlamps with LED daytime running lights	O	O	O	O	O
Darkened taillight cluster	X	X	X	X	X
Licence plate light	O	O	O	O	O
Fog lights - front with corning function	X	X	X	X	X
Rear fog lights	X	X	X	X	X
Chrome strip in upper radiator grille (six vertical chrome ribs on Highline models)	Double	Double	Double	Double	Double
Body-coloured exterior mirror housings (incl. chrome application on Highline models)	X	X	X	X	X
Front bumper in body colour with chrome applications	X	X	X	X	X
Rear bumper with integrated step, chrome-plated	X	X	X	X	X
Flared wheel arches	X	X	X	X	X
Front and rear mudflaps	X	X	X	X	X
B-column covered with black film	X	X	X	X	X
Trailer hitch preparation	X	X	X	X	X
Lashing points (x4) in loadbox for load restraint	X	X	X	X	X

Amarok Specifications.

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW Highline	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Highline	Amarok Double Cab 2.0 BiTDI 132kW Auto Highline	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Highline	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline
Options					
Increased GVM from 2.8t to 3.0t (incl. heavy duty leaf springs)	O	O	O	O	O
Electrically foldable exterior mirrors	X	X	X	X	X
Bi-xenon headlamps with LED daytime running lights	O	O	O	O	O
Front and rear park distance control	X	X	X	X	X
Front and rear park distance control with rear-view camera	O	O	O	O	O
Light & sight package with auto light and rain sensor	O	O	O	O	O
Multi-function steering wheel	X	X	X	X	X
Leather-wrapped multi-function steering wheel, 3-spoke with shifting paddles	-	-	-	-	O
Rubber floor covering for front and rear passenger compartment	O	O	O	O	O
Albany' 17" alloy wheels	O	O	O	O	O
Cantera' 19" alloy wheels	O	O	O	O	O
Milford' 19" alloy wheels	O	O	O	O	O
Guarantees					
3-year / 100,000 km manufacturer warranty	X	X	X	X	X
5-year / 90,000 km Genuine AutoMotion service plan	X	X	X	X	X
15,000 km service intervals	X	X	X	X	X
6-year anti-corrosion warranty	X	X	X	X	X

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW Auto Highline PLUS	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Highline PLUS	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline PLUS
Engine			
Cylinders	4	4	V6
Capacity (cm³)	1968	1968	2970
Output (kW @ r/min)	132 @ 4000	132 @ 4000	165 @ 3000 - 4500
Torque (Nm @ r/min)	420 @ 1500-2000	420 @ 1500-2000	550 @ 1400 -2750
CO ₂ emissions (g/km)*	221	224	236
Transmission			
8-speed automatic	X	X	X
Performance			
Acceleration in seconds (0-100 km/h)	11,0	11,3	8,0
Top speed (km/h)	180	179	193
Fuel Consumption			
Urban cycle (litres/100 km)*	10,0	10,1	10,6
Extra-urban cycle (litres/100 km)*	7,6	7,6	8,1
Combined cycle (litres/100 km)*	8,4	8,5	9,0
Running Gear			
Independent suspension with double triangular wishbone spring and damper, front	X	X	X
Multilayer rigid axle with leaf springs, rear	X	X	X
Front and rear stabilizers	X	X	X
Rear-wheel drive	X	-	-
Permanent 4WD	-	X	X
Brakes			
Hydraulic braking system with ventilated disc brakes, front (16")	X	X	-
Hydraulic braking system with ventilated disc brakes, front (17")	-	-	X
Brake drum in the rear	X	X	-
16-inch brake disc in the rear	-	-	X
ESC (Electronic Stabilisation Control) with brake assistant and Hill Start/Hill Descent Assist	X	X	X
ABS (Anti-lock Braking System) incl. offroad ABS	X	X	X
ASR (Anti-Slip regulation)	X	X	X
TCS (Traction Control System)	X	X	X
EDL (Electronic Differential Lock)	X	X	X
EBD (Electronic Brake-force Distribution)	X	X	X
HVV (maximum rear axle deceleration)	X	X	X
MSR (engine drag torque control)	X	X	X
Mechanical locking differential, rear	X	X	X
Wheelrims/Tyres			
"Manaus" 7.5J x 18" alloy wheels with anti-theft wheel bolts	X	X	X
Tyres 245/65 R17 111T	O	O	O
Tyres 255/60 R18 112T	X	X	X
Full-sized spare wheel (alloy)	X	X	X

Amarok Specifications.

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW Auto Highline PLUS	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Highline PLUS	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline PLUS
Dimensions/Capacities			
Fuel tank (litres)	80	80	80
Vehicle Length (mm)	5254	5254	5254
Vehicle Height (mm)	1834	1834	1834
Vehicle Width excl. mirrors (mm)	1954	1954	1954
Wheelbase (mm)	3097	3097	3097
Turning circle (m)	12,95	12,95	12,95
Ground Clearance (mm) - measured under the front axle	237	237	237
Load compartment length (mm)	1555	1555	1555
Load compartment width (mm)	1620	1620	1620
Load compartment width between wheelhouses (mm)	1222	1222	1222
Load compartment height (mm)	508	508	508
Loading sill height (mm)	780	780	780
Load compartment area (m²)	2,52	2,52	2,52
Gross Vehicle Mass (GVM) (kg)	2820	2820	2920
Gross Vehicle Mass (GVM) (kg) with heavy duty leave springs (3+2) (*Optional)	3040	3040	3080
Gross Combined Mass (GCM) (kg)	5550	5950	6000
Axle load limit front/rear (kg)	1365/1620	1416/1620	1445/1630
Trailer weight braked/unbraked, 12% gradient (kg)	2800/750	3200/750	3300/750
Payload without driver (kg)	912	838	867
Payload without driver (kg) with heavy duty leave springs (3+2)	1115	1041	1010
Unladen Mass without driver and fuel (kg)	1908	1982	2053
Unladen Mass without driver and fuel (kg) with heavy duty leave springs (3+2)	1925	1999	2070
Roof load limit (kg)	100	100	100
Trailer nose weight (kg)	120	130	130
Approach/Departure angle (degrees)	29.5/23.6	29.5/23.7	28/23.6
Ramp angle (degrees)	23	21,4	21,4
Roll over angle (degrees)	49,7	49,7	49,7
Wading depth (mm)	500	500	500
Seats			
Number of seats	5	5	5
Height adjustable head restraints	2 front and 3 rear	3 front and 3 rear	2 front and 3 rear
Height adjustable front seats	X	X	X
Lumbar support adjustable front seats (power-adjustable on Extreme)	X	X	X
Folding 3-seater rear bench seat	X	X	X
Leather seat** coverings "Vienna"	X	X	X
Seat heating for driver and front passenger seats	O	O	O
Storage drawers under front seats	X	X	X

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW Auto Highline PLUS	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Highline PLUS	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline PLUS
Windows			
Electrically adjustable windows - front and rear	X	X	X
Heat-insulating glass all round	X	X	X
Heated rear window	X	X	X
Privacy glass in rear seat area	X	X	X
Mirrors			
Electrically adjustable and heated exterior mirrors	X	X	X
Electrically foldable, adjustable and heated exterior mirrors	X	X	X
Wiper System			
Intermittent wipers	X	X	X
Intermittent wipers with rain sensors	X	X	X
Safety			
Driver and front passenger airbag	X	X	X
Front passenger airbag deactivation	X	X	X
Front head/thorax side airbags	X	X	X
High level third LED brake light with load compartment lighting	X	X	X
3-point automatic seat-belts	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear
Height adjustable seat-belts	Front	Front	Front
Warning buzzer and light for driver and front passenger seat belt not fastened	X	X	X
Anchorage points (2) for ISOFIX child-seat attachment on rear 3-seater bench	X	X	X
LED daytime running lights with Bi-Xenon	X	X	X
First aid kit and warning triangle	X	X	X
Park Distance Control, front and rear, with rear view camera	X	X	X
Security			
Immobiliser	X	X	X
Remote controlled central locking	X	X	X
Anti-theft alarm system with passenger compartment control and towing protection	X	X	X
Steering lock, unbreakable	X	X	X
Lockable glove box	X	X	X
Lockable tailgate	X	X	X
Audio and Communication			
Aux-in	X	X	X
USB interface (iPod/iPhone/iPad capable)	X	X	X
App-Connect	X	X	X
"Discover Media" infotainment system, 6.33" Touch screen with Navigation	X	X	X
Bluetooth cellphone interface	X	X	X
6 speakers	X	X	X

Amarok Specifications.

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW Auto Highline PLUS	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Highline PLUS	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline PLUS
Audio and Communication (continued)			
Antenna integrated in exterior mirrors	X	X	X
"Discover Media" infotainment system, 6.33" Touch screen with Navigation	X	X	X
Bluetooth cellphone interface	X	X	X
6 speakers	X	X	X
Antenna integrated in exterior mirrors	X	X	X
Interior Features			
Climatronic® air-conditioning system, two zone (fully-automatic)	X	X	X
Power-steering	X	X	X
Leather-wrapped multi-function steering wheel, 3-spoke	X	X	-
Leather hand-brake and gear-shift lever	X	X	X
Multi-function onboard computer (MFA)	"Plus" display	"Plus" display	"Plus" display
Carpet floor covering for front and rear passenger compartment	X	X	X
Anti-dazzle rear-view mirror	X	X	X
Sunvisor with vanity mirror	Driver and Passenger	Driver and Passenger	Driver and Passenger
Center console storage box with upholstered cover for armrest	X	X	X
Doors with stowage pockets each and integrated bottle holders	X	X	X
Cup holders front (2) and rear (2)	X	X	X
Spectacle storage compartment	X	X	X
Smoking package	X	X	X
Interior lights with front reading lights	X	X	X
Height and reach adjustable steering-wheel	X	X	X
Headlight-range adjustment	X	X	X
Light & sight package with auto light and rain sensor	X	X	X
Cruise control	X	X	X
12-V socket in centre console, dashboard and load box (2nd row seats, Highline models)	X	X	X
Exterior Features			
Bi-xenon headlamps with LED daytime running lights	X	X	X
Darkened taillight cluster	X	X	X
Licence plate light	X	X	X
Fog lights - front with corning function	X	X	X
Rear fog lights	X	X	X
Chrome strip in upper radiator grille (six vertical chrome ribs on Highline models)	Double	Double	Double
Body-coloured exterior mirror housings (incl. chrome application on Highline models)	X	X	X
Front bumper in body colour with chrome applications	X	X	X
Rear bumper with integrated step, chrome-plated	X	X	X
Flared wheel arches	X	X	X
Front and rear mudflaps	X	X	X

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW Auto Highline PLUS	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Highline PLUS	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline PLUS
Exterior Features (continued)			
B-column covered with black film	X	X	X
Trailer hitch preparation	X	X	X
Lashing points (x4) in loadbox for load restraint	X	X	X
Options			
Increased GVM from 2.8t to 3.0t (incl. heavy duty leaf springs)	O	O	O
Electrically foldable exterior mirrors	X	X	X
Bi-xenon headlamps with LED daytime running lights	X	X	X
Front and rear park distance control with rear-view camera	X	X	X
Light & sight package with auto light and rain sensor	X	X	X
Multi-function steering wheel	X	X	X
Leather-wrapped multi-function steering wheel, 3-spoke with shifting paddles	-	-	O
Rubber floor covering for front and rear passenger compartment	O	O	O
Albany' 17" alloy wheels	O	O	O
Cantera' 19" alloy wheels	O	O	O
Milford' 19" alloy wheels	O	O	O
Guarantees			
3-year / 100,000 km manufacturer warranty	X	X	X
5-year / 90,000 km Genuine AutoMotion service plan	X	X	X
15,000 km service intervals	X	X	X
6-year anti-corrosion warranty	X	X	X

Amarok Specifications.

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Extreme	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Extreme
Engine		
Cylinders	4	V6
Capacity (cm³)	1968	2970
Output (kW @ r/min)	132 @ 4000	165 @ 3000 - 4500
Torque (Nm @ r/min)	420 @ 1500-2000	550 @ 1400 -2750
CO ₂ emissions (g/km)*	224	236
Transmission		
8-speed automatic	X	X
Performance		
Acceleration in seconds (0-100 km/h)	11,3	8,0
Top speed (km/h)	179	193
Fuel Consumption		
Urban cycle (litres/100 km)*	10,1	10,6
Extra-urban cycle (litres/100 km)*	7,6	8,1
Combined cycle (litres/100 km)*	8,5	9,0
Running Gear		
Independent suspension with double triangular wishbone spring and damper, front	X	X
Multilayer rigid axle with leaf springs, rear	X	X
Front and rear stabilizers	X	X
Permanent 4WD	X	X
Brakes		
Hydraulic braking system with ventilated disc brakes, front (16")	X	-
Hydraulic braking system with ventilated disc brakes, front (17")	-	X
Brake drum in the rear	X	-
16-inch brake disc in the rear	-	X
ESC (Electronic Stabilisation Control) with brake assistant and Hill Start/Hill Descent Assist	X	X
ABS (Anti-lock Braking System) incl. offroad ABS	X	X
ASR (Anti-Slip regulation)	X	X
TCS (Traction Control System)	X	X
EDL (Electronic Differential Lock)	X	X
EBD (Electronic Brake-force Distribution)	X	X
HVV (maximum rear axle deceleration)	X	X
MSR (engine drag torque control)	X	X
Mechanical locking differential, rear	X	X
Wheelrims/Tyres		
Talca' 8J x 20" alloy wheels with anti-theft wheel bolts	X	X
Tyres 255/50 R20 109H	X	X
Full-sized spare wheel (alloy)	X	X

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Extreme	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Extreme
Dimensions/Capacities		
Fuel tank (litres)	80	80
Vehicle Length (mm)	5254	5254
Vehicle Height (mm)	1834	1834
Vehicle Width excl. mirrors (mm)	1954	1954
Wheelbase (mm)	3097	3097
Turning circle (m)	12,95	12,95
Ground Clearance (mm) - measured under the front axle	239	239
Load compartment length (mm)	1555	1555
Load compartment width (mm)	1620	1620
Load compartment width between wheelhouses (mm)	1222	1222
Load compartment height (mm)	508	508
Loading sill height (mm)	780	780
Load compartment area (m²)	2,52	2,52
Gross Vehicle Mass (GVM) (kg)	2820	2920
Gross Vehicle Mass (GVM) (kg) with heavy duty leave springs (3+2) (Optional)	3040	3080
Gross Combined Mass (GCM) (kg)	5950	6000
Axle load limit front/rear (kg)	1415/1620	1445/1630
Trailer weight braked/unbraked, 12% gradient (kg)	3200/750	3300/750
Payload without driver (kg)	838	867
Payload without driver (kg) with heavy duty leave springs (3+2)	1041	1010
Unladen Mass without driver and fuel (kg)	1982	2053
Unladen Mass without driver and fuel (kg) with heavy duty leave springs (3+2)	1999	2070
Roof load limit (kg)	100	100
Trailer nose weight (kg)	130	130
Approach/Departure angle (degrees)	29.5/23.6	28/23.6
Ramp angle (degrees)	21,4	21,4
Roll over angle (degrees)	49,7	49,7
Wading depth (mm)	500	500
Seats		
Number of seats	5	5
Height adjustable head restraints	2 front and 3 rear	2 front and 3 rear
Height adjustable front seats	X	X
Lumbar support adjustable front seats (power-adjustable on Extreme)	X	X
Folding 3-seater rear bench seat	X	X
Special edition "Nappa" leather seat** trim covers	X	X
Seat heating for driver and front passenger seats	O	O
"ergoComfort" driver and front passenger seat with 14-way adjustment	X	X

Amarok Specifications.

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Extreme	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Extreme
Windows		
Electrically adjustable windows - front and rear	X	X
Heat-insulating glass all round	X	X
Heated rear window	X	X
Privacy glass in rear seat area	X	X
Mirrors		
Electrically adjustable and heated exterior mirrors	X	X
Electrically foldable, adjustable and heated exterior mirrors	X	X
Wiper System		
Intermittent wipers	X	X
Intermittent wipers with rain sensors	X	X
Safety		
Driver and front passenger airbag	X	X
Front passenger airbag deactivation	X	X
Front head/thorax side airbags	X	X
High level third LED brake light with load compartment lighting	X	X
3-point automatic seat-belts	2 front and 3 rear	2 front and 3 rear
Height adjustable seat-belts	Front	Front
Warning buzzer and light for driver and front passenger seat belt not fastened	X	X
Anchorage points (2) for ISOFIX child-seat attachment on rear 3-seater bench	X	X
LED daytime running lights with Bi-Xenon	X	X
First aid kit and warning triangle	X	X
Park Distance Control, front and rear, with rear view camera	X	X
Security		
Immobiliser	X	X
Remote controlled central locking	X	X
Anti-theft alarm system with passenger compartment control and towing protection	X	X
Steering lock, unbreakable	X	X
Lockable glove box	X	X
Lockable tailgate	X	X
Audio and Communication		
Aux-in	X	X
USB interface (iPod/iPhone/iPad capable)	X	X
App-Connect	X	X
"Discover Media" infotainment system, 6.33" Touch screen with Navigation	X	X
Bluetooth cellphone interface	X	X
6 speakers	X	X
Antenna integrated in exterior mirrors	X	X

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Extreme	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Extreme
Interior Features		
Climatronic® air-conditioning system, two zone (fully-automatic)	X	X
Power-steering	X	X
Leather hand-brake and gear-shift lever	X	X
Stainless steel appearance pedal caps	X	X
Multi-function onboard computer (MFA)	"Premium" display	"Premium" display
Carpet floor covering for front and rear passenger compartment	X	X
Fabric floor mats with "Extreme" lettering	X	X
Anti-dazzle rear-view mirror	X	X
Sun-visor with vanity mirror	Driver and Passenger	Driver and Passenger
Center console storage box with upholstered cover for armrest	X	X
Doors with stowage pockets each and integrated bottle holders	X	X
Cup holders front (2) and rear (2)	X	X
Spectacle storage compartment	X	X
Smoking package	X	X
Interior lights wih front reading lights	X	X
Height and reach adjustable steering-wheel	X	X
Headlight-range adjustment	X	X
Light & sight package with auto light and rain sensor	X	X
Cruise control	X	X
12-V socket in centre console, dashboard and load box (2nd row seats, Highline models)	X	X
Exterior Features		
Bi-xenon headlamps with LED daytime running lights	X	X
Darkened taillight cluster	X	X
Licence plate light	X	X
Fog lights - front with corning function	X	X
Rear fog lights	X	X
Chrome Styling Bar	X	X
Chrome strip in upper radiator grille (six vertical chrome ribs on Highline models)	Double	Double
Body-coloured exterior mirror housings (incl. chrome application on Highline models)	X	X
Front bumper in body colour with chrome applications	X	X
Rear bumper with integrated step, chrome-plated	X	X
Flared wheel arches	X	X
Front and rear mudflaps	X	X
B-column covered with black film	X	X
Side "4MOTION" decal	X	X
Trailer hitch preparation	X	X
Lashing points (x4) in loadbox for load restraint	X	X

Amarok Specifications.

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI 132kW 4MOTION® Auto Extreme	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Extreme
Options		
Electrically foldable exterior mirrors	X	X
Bi-xenon headlamps with LED daytime running lights	X	X
Front and rear park distance control with rear-view camera	X	X
Light & sight package with auto light and rain sensor	X	X
Multi-function steering wheel	X	X
Leather-wrapped multi-function steering wheel, 3-spoke with shifting paddles	O	O
Rubber floor covering for front and rear passenger compartment	O	O
Sports Bar in body colour	O	O
Cantera' 19" alloy wheels	O	O
Milford' 19" alloy wheels	O	O
Guarantees		
3-year / 100,000 km manufacturer warranty	X	X
5-year / 90,000 km Genuine AutoMotion service plan	X	X
15,000 km service intervals	X	X
6-year anti-corrosion warranty	X	X
Disclaimer		
<p>Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at May 2018 and is subject to change.</p>		

Vehicle Tare mass given at 90% tank filling without driver (75kg). Selected optional extras increase the unloaded weight of the vehicle.

*Fuel Consumption and Carbon Dioxide Emission Figures

The figures reflected were obtained in accordance with prescribed uniform measuring standards (SANS 20101: 2006 / ECE R101: 2005 in their currently applicable versions) under laboratory type conditions. The measuring standards are stipulated by law. They do not apply to a specific vehicle and are provided to enable comparison between different vehicle models tested using the same uniform measuring standard. The values are accordingly not necessarily representative of real-life driving conditions. Factors such as driving style, vehicle load, road conditions, tyre size, traffic and ambient conditions may result in different fuel consumption and carbon dioxide emission levels to those achieved under the test parameters referred to above. More details are contained in the owner's manual.

** A combination of leather and high quality materials



This information was effective as at May 2018 and is subject to change without notice.
Visit us at vw.co.za
©Volkswagen South Africa

