

An Eocene fossiliferous chert artefact from Beacon Island: first evidence of prehistoric occupation in the Houtman Abrolhos, Western Australia

Ben Marwick

Centre for Archaeology, University of Western Australia

In the course of recent research into the survivors of the 1629 *Batavia* shipwreck, a significant and unusual stone artefact was found in faunal material excavated from Beacon Island (Marwick 1999). This prehistoric artefact is made from Eocene fossiliferous chert that probably derives from outcrops on the now-submerged continental shelf that were once quarried by Aboriginal stone tool makers (Glover *et al.* 1993: 41–42). The artefact, along with faunal material consisting of bird, fish and native and introduced mammal bones, was excavated in 1967 by a Western Australian Museum expedition led by Colin Jack-Hinton and is currently stored at the Western Australian Maritime Museum. This artefact is the first evidence of prehistoric Aboriginal occupation of the Houtman Abrolhos. It suggests that Aboriginal occupation of the Houtman Abrolhos pre-dates the isolation of the islands from the mainland and the submersion of the continental shelf at around 6 000 BP.

The Houtman Abrolhos are a group of 108 low-lying islands surrounded by extensive coral reefs located toward the edge of the continental shelf. They are about 500 km north of Fremantle and 65 km west of Geraldton, in the area 28°14'–29°00'S, 113°35'–114°04'E (figure 1). The islands were separated from the mainland by rising sea levels at 11 000–12 000 BP (Dortch and Morse 1984: 41, cf. Royal Australian Navy 1969). Archaeological surveys and excavations have been conducted in the Wallabi Group since 1963, the most recent being in 2001. The focus of most of the archaeological research in the Wallabi Group has been the submerged wreck of the *Batavia*. In addition to the underwater investigations, archaeologists have also conducted research into the location and character of the survivors' camps relating to the 1629 shipwreck of the *Batavia* (Gibbs 1992).

Beacon Island is in the Wallabi Group and is a 5.25 ha accumulation of coral rubble semi-consolidated into loose beach ridges (Bevaqua 1974, Green and Stanbury 1988). Following the *Batavia* shipwreck the majority of survivors initially congregated on Beacon Island. About four weeks after the shipwreck a mutiny broke out on Beacon

Island and about 125 people were massacred (Drake-Brockman 1963: 173). East and West Wallabi Islands, also in the Wallabi Group, are the two largest islands (360 ha and 600 ha) in the Houtman Abrolhos and have relictual continental surfaces of dunes and aeolian limestone with rich shrub vegetation and sinkholes of drinkable water (Storr 1965). East and West Wallabi Islands were home to about 47 soldiers and passengers for almost four months after the *Batavia* shipwreck until rescued by Pelsaert (Drake-Brockman 1963: 214–253).

Land based archaeological investigations into the *Batavia* shipwreck survivors have resulted in several surveys and excavations on West Wallabi Island and Beacon Island (Gibbs 1992). A five-day survey for prehistoric archaeological material on East and West Wallabi Islands found no indication of prehistoric Aboriginal occupation (Dortch and Morse 1985). Dortch and Morse (1985: 41) examined 'a variety of likely localities' on the two islands and were surprised at the absence of material. They were unwilling to conclude that the Houtman Abrolhos were unoccupied before European settlement and they wrote that it is 'likely that any finds there will consist of isolated stone artefacts like those from Rottneest and Garden Islands' (Dortch and Morse 1985: 41).

The artefact is a black Eocene fossiliferous chert flake with slight edge damage, a missing linear platform and a hinge termination (figure 2). Its dimensions are: 25.6 mm long by 28.1 mm wide by 4.0 mm thick. The artefact is translucent and unweathered, similar to other unweathered flakes found on Rottneest Island and excavated from Devil's Lair (Dortch 1984, Dortch 1991: figure 2.1, Hesp *et al.* 1999: figure 2.1, Dortch pers comm 1999). The raw material of the artefact indicates that it was procured and manufactured before around 6 000 BP when the Eocene fossiliferous chert outcrops on the outer edge of the continental shelf were submerged by glacio-eustatic sea level rise (Glover 1975, 1979, 1984: 17–18, Glover and Lee 1984: 16, Thom and Chappell 1975, Quilty 1978). Many hundreds of Eocene fossiliferous chert artefacts have been recorded at dozens of sites in the Perth




Figure 1 Map of Abrolhos Islands from Storr, Johnstone and Griffin (1986) detailing location of Beacon Island.

Basin, Leeuwin Block and Southern Ocean coast. Eocene fossiliferous chert artefacts first appear in archaeological sequences at more than *c.* 30 000 BP and then disappear during the Middle Holocene (Ferguson 1980, Glover 1984, Glover and Lee 1984, Glover *et al.* 1978, Pearce 1978).

It is unlikely that the artefact represents early European activity on the island. A firearm flint was recovered in Bevaqua's 1974 excavations, which is probably associated with the flintlock muskets used by the *Batavia* survivors during the mutiny (Bevaqua 1974). Firearm flints have a distinctive

wedge shape (Held 1970) that is quite different from the Beacon Island flake. The *Batavia* survivors may also have used tinderboxes for starting fires that include flints characteristic in morphology and raw material. The shape of the Beacon Island flake does not resemble a flint from a flintlock firearm or a tinderbox. Although flint pebbles were often used as ballast, historical records do not indicate that the *Batavia* ballast was salvaged and used by the survivors on the islands. European chert artefacts have been dumped with ballast in Australia (Dortch and Glover 1983, McCarthy 1958: 178). However,




Figure 2 (a) Dorsal surface of artefact (b) ventral surface of artefact. The scale is in centimetres.

the ballast materials of the *Batavia* can be ruled out as a possible flint source as they were mainly bricks (Godard 1993). There are no chert sources on the Abrolhos and the nearest source is either on the submerged continental shelf or over 80 kilometres to the north-east in the Carnarvon Basin (Glover 1975).

The artefact was recovered from the 1967 excavations at the north-east of Beacon Island in association with bird, fish and native and introduced mammal bones and fragments of Dutch ceramics, metal and glass. Unfortunately there are no extant records of the 1967 excavations except for the artefact accession labels. A tentative reconstruction of the excavations based on the accession numbers and details of subsequent excavations suggests that the artefact was recovered from a depth of 20–30 cm (Marwick 1999). The artefact's provenance at the time of recovery is of limited chronological or contextual significance because of the low stratigraphic integrity of the soil. The soil matrix is loose, sandy and frequently disturbed by the burrowing of animals, notably the seasonal nesting activity of the wedge-tailed Shearwater (Bevaqua 1974, Storr 1965, Storr *et al.* 1985).

Weathering from exposure on Beacon Island may result from the salt spray, sandblasting, high ground surface heat and bright sunlight. If the flake had been exposed to these conditions it would be deeply patinated, dehydrated, porous textured and partly desilicified, similar to other Eocene fossiliferous chert artefacts from open air sites in the south-west (Dortch 2000 Vol 2: 47). Given the

extreme weathering conditions on Beacon Island and the unweathered appearance of the artefact it is likely that the artefact remained buried for long periods.

The significance of this artefact is that it shows prehistoric Aboriginal occupation of offshore islands in an area and for a period where no previous evidence exists. Dortch and Morse (1985: 42) conclude from existing archaeological data that distant offshore islands in Western Australia were occupied in prehistoric times only when the sea levels were low and when the islands were readily accessed from the present mainland. This artefact confirms the conclusion of Dortch and Morse (1985: 42) and is evidence of prehistoric human activity on Beacon Island during the glacio-eustatic sea-levels rise between 11 000 – 12 000 BP and about 5 000 BP. (Dortch and Morse 1985: 41). Future research in the Houtman Abrolhos area may reveal patterns of prehistoric occupation and raw material use similar to other areas close to the outer edge continental shelf in Western Australia as described by Dortch and Morse (1985) and Bowdler (1995).

REFERENCES

- Bevaqua, B. (1974). Report of a Test Excavation on Beacon Island. Report – Department of Maritime Archaeology, Western Australian Museum, No 1.
- Bowdler, S. (1995). Offshore islands and maritime explorations in Australian prehistory. *Antiquity* 69: 945–58.
- Dortch, C.E. (1984). *Devil's Lair a study in prehistory*. Western Australian Museum: Perth.

- Dortch, C.E. (1991). Rottneest and Garden Island prehistory and the archaeological potential of the adjacent continental shelf, Western Australia. *Australian Archaeology* 33: 38–43.
- Dortch, C.E. (2000). Past Aboriginal hunter-gatherer economy and territorial organisation in coastal districts of Western Australia's lower South-west. 2 Vols. Unpublished PhD thesis, Centre for Archaeology, University of Western Australia: Perth.
- Dortch, C.E. and Glover, J.E. (1983). The Scaddan Implement: a re-analysis of a probable Acheulian handaxe found in Western Australia. *Records of the Western Australian Museum* 10: 319–334.
- Dortch, C.E. and Morse, K. (1985). Prehistoric stone artefacts on some offshore islands in Western Australia. *Australian Archaeology* 19: 31–47.
- Drake-Brockman, H. (1963). *Voyage to Disaster*. Angus and Robertson, Sydney.
- Ferguson, W.C. (1980). Fossiliferous chert in south-western Australia after the Holocene transgression: a behavioural hypothesis. *The Artefact* 5: 155–169.
- Gibbs, M. (1992). *Batavia's Graveyard*: a report on archaeological survey and excavations on Beacon Island, Wallabi Group, Houtman Abrolhos, Western Australia. . Report – Department of Maritime Archaeology, Western Australian Maritime Museum, No 59.
- Glover, J.E. (1975). Aboriginal chert artefacts probably from quarries on the continental shelf. *Search* 6:392–4.
- Glover, J.E. (1979). The provenance and archaeological significance of Aboriginal artefacts of Eocene chert in southwestern Australia. *Search* 10: 188–90.
- Glover, J.E. (1984). The geological sources of stone for artefacts in the Perth Basin and nearby areas. *Australian Aboriginal Studies* 1:17–25.
- Glover, J.E., Dortch, C.E. and Balme, B.E. (1978). The Dunsborough implement: an Aboriginal biface from south-western Australia. *Journal of the Royal Society of Western Australia* 60: 41–47.
- Glover, J.E., Bint, A.N. and Dortch, C.E. (1993). Typology, petrology and palynology of the Broke Inlet biface, a large flaked chert artefact from south-western Australia. *Journal of the Royal Society of Western Australia* 76: 41–47.
- Glover, J.E. and Lee, R. (1984). Geochemistry and provenance of Eocene chert artefacts, south-western Australia. *Archaeology in Oceania* 4: 229–237.
- Godard, P. (1993). *The first and last voyage of the Batavia*. Abrolhos Publishing: Perth.
- Green, J.N. and Stanbury, M. (1988). Report and recommendations on archaeological land sites in the Houtman Abrolhos. Report – Department of Maritime Archaeology, Western Australian Maritime Museum, No 29.
- Held, R. (1970). *The age of firearms: a pictorial history from the invention of gunpowder to the advent of the modern breechloader*. Gun Digest Company: Illinois.
- Hesp, P., Murray-Wallace, C. and Dortch, C.E. (1999). Aboriginal occupation on Rottneest Island, Western Australia, provisionally dated by Aspartic Acid Racemisation assay of land snails to greater than 50 ka. *Australian Archaeology* 49: 7–12.
- McCarthy, F.D. (1958). Culture succession in south eastern Australia. *Mankind* 5: 177–190.
- Marwick, B. (1999). The Archaeology of Insurrection. An investigation into the subsistence behaviours of the *Batavia* survivors. Unpublished BA (Hons) thesis, Centre for Archaeology, University of Western Australia: Perth
- Pearce, R. (1978). Changes in artefact assemblages during the last 8 000 years at Walyunga, Western Australia. *Journal of the Royal Society of Western Australia* 61: 1–10.
- Quilty, P.G. (1978). The source of chert of Aboriginal artefacts in south-western Australia. *Nature* 275: 539–541.
- Royal Australian Navy (1969). *Quobba Point to Geraldton*. (Aus. 322), 1:300 000. [Map]
- Storr, G.M. (1965). The physiography, vegetation and vertebrate fauna of the Wallabi Group, Houtman Abrolhos. *Journal of the Royal Society of Western Australia* 48: 1–14
- Thom, B.G. and Chappell, J. (1975). Holocene sea levels relative to Australia. *Search* 6: 90–93.

CONTENTS VOLUME 20

Part 1

- B. Baehr and R. Jocqué**
Revisions of genera in the *Asteron*-complex (Araneae: Zodariidae). The new genera *Cavasteron* and *Minasteron* 1
- D.L. Morgan and H.S. Gill**
Fish associations within the different inland habitats of lower south-western Australia 31
- J.H. Bradbury and S. Eberhard**
A new stygobiont melitid amphipod from the Nullarbor Plain 39
- G.R. Allen and M. Adrim**
Amblypomacentrus clarus, a new species of damselfish (Pomacentridae) from the Banggai Islands, Indonesia 51
- E.S. Volschenk, G.T. Smith and M.S. Harvey**
A new species of *Urodacus* from Western Australia, with additional descriptive notes for *Urodacus megamastigus* (Scorpiones) 57
- A.C. Gill, R.D. Mooi and J.B. Hutchins**
Description of a new subgenus and species of the fish genus *Congrogadus* Günther from Western Australia (Perciformes: Pseudochromidae) 69
- J.W. Short and P. Meek**
New records of *Macrobrachium* (Crustacea: Decapoda: Palaemonidae) from Christmas Island, Indian Ocean 81
- J.C. Dean**
Descriptions of new Leptophlebiidae (Insecta: Ephemeroptera) from Australia. II. *Kaninga*, a new monotypic genus from south-western Australia 87
- D. Fehse and G.W. Kendrick**
A new species of *Austrocypraea* (Gastropoda: Cypraeidae) from the Late Pliocene of the Eucla Basin, southern Australia 95
- J.C. Otto**
Australacarus (Acari: Halacaridae) from northern Australia, with the description of three new species 103
- N.K. Cooper, K.P. Aplin and M. Adams**
A new species of false antechinus (Marsupialia: Dasyuromorphis: Dasyuridae) from the Pilbara region, Western Australia 115

Part 2

- H. Smit**
New records of the water mite family Hygrobatidae from Australia, with the description of ten new species (Acari: Hydrachnidia) 137
- T.H. Fraser and G.R. Allen**
A new species of Cardinalfish in *Neamia* (Apogonidae, Perciformes) from Mauritius, Indian Ocean, with a review of *Neamia octospina* 159
- Yu Wen**
The earliest Cambrian polyplacophorans from China 167
- K. Trinajstić**
Acanthodian microremains from the Frasnian Gneudna Formation, Western Australia 187
- R.S. Craig**
The Cenozoic Brachiopoda of the Bremer and Eucla Basins, southwest Western Australia 199
- K. Trinajstić**
A description of additional variation seen in the scale morphology of the Frasnian thelodont *Australolepis seddoni* Turner and Dring, 1981 237

Part 3

- J.B. Hutchins**
Biodiversity of shallow reef fish assemblages in Western Australia using a rapid censusing technique 247
- I. Abbott**
The Bilby *Macrotis lagotis* (Marsupialia: Peramelidae) in south-western Australia: original range limits, subsequent decline, and presumed regional extinction 271
- P.E. Bock and P.L. Cook**
A review of Australian *Siphonicytara* Busk (Bryozoa: Cheilostomatida) 307
- M. Žabka**
Salticidae (Archnida: Araneae) from the Oriental, Australian and Pacific regions, XIV. The genus *Adoxotoma* Simon 323
- T. Karanovic, G.L. Pesce and W.F. Humphreys**
Copepods from ground waters of Western Australia, V. *Phyllopodopsyllus wellsii* sp. nov. (Crustacea: Copepoda: Harpacticoida) with a key to world species 333
- M.S. Harvey**
Notes on the spider genus *Symphytognatha* (Araneae: Symphytognathidae) in Western Australia 345
- D.L. Morgan and H.S. Gill**
The green swordtail *Xiphophorus helleri* Heckel (Poeciliidae): another aquarium fish established in the wild in Western Australia 349

Part 4

- M.C. Ebach**
Lower Devonian trilobites from Cobar, New South Wales 353
- A.P. Jenkins and G.R. Allen**
Neopomacentrus aquadulcis, a new species of damselfish (Pomacentridae) from eastern Papua New Guinea 379
- B.Y. Main, M.S. Harvey, J.M. Waldock**
The distribution of the Western Australian pill millipede, *Cynotelopus notabilis* Jeekel (Sphaerotheriidae) 383
- R.S. Craig**
A new Jurassic rhynchonellide brachiopod from the Newmarracarra Limestone, Perth Basin, Western Australia 387
- M.R. de Carvalho and Bernard Sèret**
Narcine lasti, a new species of numbfish from Western Australia and Indonesia (Chondrichthyes: Torpediniformes: Narcinidae) 393
- P. Martin and H. Smit**
The larval morphology and host of the Australian water mite *Limnochares australica* (Acari: Hydrachnidia: Limnocharidae) 409
- R.G. Bednarik**
First dating of Pilbara petroglyphs 415
- G.M. Shea**
The identity of *Phyllurus milii* Bory de Saint Vincent, 1823 (Squamata: Pygopodidae: Diplodactylinae) 431
- G.G. Thompson**
The feasibility of using body proportions in Western Australian varanids (*Varanus*) as a method for determining a specimen's sex 437
- R.A. How, N.K. Cooper, L. Girardi, B.G. Bow**
The Mardo: an examination of geographic variation in morphology and reproductive potential in *Antechinus flavipes* in southwestern Australia 441
- M.S. Harvey**
Nomenclatural notes on Solifugae, Amblypygi, Uropygi and Araneae (Arachnida) 449
- B. Marwick**
An Eocene fossiliferous chert artefact from Beacon Island: first evidence of prehistoric occupation in the Houtman Abrolhos, Western Australia 461

INDEX TO AUTHORS

Abbott, I.	271
Adams, M.	115
Adrim, M.	51
Allen, G.R.	51, 159, 379
Aplin, K.P.	115
Baehr, B.	1
Bednarik, R.G.	415
Bock, P.E.	307
Bow, B.G.	441
Bradbury, J.H.	39
Cook, P.L.	307
Cooper, N.K.	115, 441
Craig, R.S.	199, 387
Dean, J.C.	87
de Carvalho, M.R.	393
Ebach, M.C.	353
Eberhard, S.	39
Fehse, D.	95
Fraser, T.H.	159
Gill, A.C.	69
Gill, H.S.	31, 349
Girardi, L.	441
Harvey, M.S.	57, 345, 383, 449
How, R.A.	441
Humphreys, W.F.	333
Hutchins, J.B.	69, 247
Jenkins, A.P.	379
Jocqué, R.	1
Karanovic, T.	333
Kendrick, G.W.	95
Main, B.Y.	383
Martin, P.	409
Marwick, B.	461
Meek, P.	81
Mooi, R.D.	69
Morgan, D.L.	31, 349
Otto, J.C.	103
Pesce, G.L.	333
Sèret, B.	393
Shea, G.M.	431
Short, J.W.	81
Smith, G.T.	57
Smit, H.	137, 409
Thompson, G.G.	437
Trinajstic, K.	187, 237
Volschenk, E.S.	57
Waldock, J.M.	383
Yu Wen	167
Zabka, M.	323

Guide to Authors

Subject Matter:

Reviews, observations and results of research into all branches of natural science and human studies will be considered for publication. However, emphasis is placed on studies pertaining to Western Australia. Longer papers will be considered for publication as a Supplement to the *Records of the Western Australian Museum*. Short communications should not normally exceed three typed pages and this category of paper is intended to accommodate observations, results or new records of *significance*, that otherwise might not get into the literature, or for which there is a particular urgency for publication. All material must be original and not have been published elsewhere.

Presentation:

Authors are advised to follow the layout and style in the most recent issue of the *Records of the Western Australian Museum* including headings, tables, illustrations and references.

The title should be concise, informative and contain key words necessary for retrieval by modern searching techniques. An abridged title (not exceeding 50 letter spaces) should be included for use as a running head.

An abstract must be given in full length papers but not short communications, summarizing the scope of the work and principal findings. It should normally not exceed 2% of the paper and should be suitable for reprinting in reference periodicals.

The International System of units should be used.

Numbers should be spelled out from one to nine in descriptive text; figures used for 10 or more. For associated groups, figures should be used consistently, e.g. 5 to 10, not five to 10.

Spelling should follow the *Concise Oxford Dictionary*.

Systematic papers must conform with the International Codes of Botanical and Zoological Nomenclature and, as far as possible, with their recommendations.

Synonymies should be given in the short form (taxon, author, date, page) and the full reference cited at the end of the paper. All citations, including those associated with scientific names, must be included in the references.

Manuscripts:

The original and two copies of manuscripts and figures should be submitted to the Editors, c/- Publications Department, Western Australian Museum, Francis Street, Perth, Western Australia 6000. They must be in double-spaced typescript on A4 sheets. All margins should be at least 30 mm wide. Tables plus heading and legends to illustrations should be typed on separate pages. The desired position for insertion of tables and illustrations in the text should be indicated in pencil. Tables should be numbered consecutively, have headings which make them understandable without reference to the text, and be referred to in the text.

High quality illustrations are required to size (16.8 cm x 25.2 cm) or no larger than 32 cm x 40 cm with sans serif lettering suitable for reduction to size. Photographs must be good quality black and white prints, not exceeding 16.8 cm x 25.2 cm. Scale must be indicated on illustrations. All maps, line drawings, photographs and graphs, should be numbered in sequence and referred to as Figure/s in the text and captions. Each must have a brief, fully explanatory caption. On acceptance a computer disk containing all corrections should be sent with amended manuscript. The disk should be marked with program (e.g. Word, WordPerfect, etc).

In papers dealing with historical subjects references may be cited as footnotes. In all other papers references must be cited in the text by author and date and all must be listed alphabetically at the end of the paper. The names of journals are to be given in full.

Processing:

Papers and short communications are reviewed by at least two referees and acceptance or rejection is then decided by the editors.

The senior author is sent one set of page proofs which must be returned promptly.

The senior author will receive fifty free offprints of the paper. Additional offprints can be ordered at page proof stage.

Records of the Western Australian Museum

Volume 20 Part 4 2002

CONTENTS

- M.C. Ebach**
Lower Devonian trilobites from Cobar, New South Wales 353
- A.P. Jenkins and Gerald R. Allen**
Neopomacentrus aquadulcis, a new species of damselfish (Pomacentridae)
from eastern Papua New Guinea 379
- B.Y. Main, M.S. Harvey and J.M. Waldock**
The distribution of the Western Australian pill millipede, *Cynotelopus*
notabilis Jeekel (Sphaerotheriidae) 383
- R.S. Craig**
A new Jurassic rhynchonellide brachiopod from the Newmarracarra
Limestone, Perth Basin, Western Australia 387
- M.R. de Carvalho and Bernard Sèret**
Narcine lasti, a new species of numbfish from Western Australia and
Indonesia (Chondrichthyes: Torpediniformes: Narcinidae) 393
- P. Martin and H. Smit**
The larval morphology and host of the Australian water mite
Limnochares australica (Acari: Hydrachnidia: Limnocharidae) 409
- R.G. Bednarik**
First dating of Pilbara petroglyphs 415
- G.M. Shea**
The identity of *Phyllurus milii* Bory de Saint Vincent, 1823
(Squamata: Pygopodidae: Dioplodactylinae) 431
- G.G. Thompson**
The feasibility of using body proportions in Western Australian varanids
(*Varanus*) as a method for determining a specimen's sex 437
- R.A. How, N.K. Cooper, L. Girardi and B.G. Bow**
The Mardo: an examination of geographic variation in morphology and
reproductive potential in *Antechinus flavipes* in southwestern Australia 441
- M.S. Harvey**
Nomenclatural notes on Solifugae, Amblypygi, Uropygi
and Araneae (Arachnida) 449
- SHORT COMMUNICATION
- B. Marwick**
An Eocene fossiliferous chert artefact from Beacon Island: first evidence of
prehistoric occupation in the Houtman Abrolhos, Western Australia 461