



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCIIOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (	based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	All-in-One
Commercial name *	Lenovo V310z
Model number *	10QG;10QH;10R2;10R3
Issue date *	2017/2/19
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	TCO;Energy Star 6.1;Greenguard;EPEAT Gold;

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	10QG;10QH;10R2;10R3	Logo	Land		
Issue date	e *	2017/2/19		Lend	OVC	тм
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no metation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$		
P1.5*		s do not contain more than $0.1\%$ short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in	the 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/we	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ow.lenovo.com/social_responsibility/us/en/environment.html	contact):			
P2	Batterie	s				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See leç	gal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address):	gal reference)	).		
P3.2*		duct complies with the Eco design requirements for energy-related products,				

given in item P15 or added to this document,

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal

available at (add URL):

(see legal reference).

Product packaging

P5

P5.1

P5.2\*

P5.3\*

P6

P6.1\*

Required information is;

used (see legal reference).

Treatment information

hexavalent chromium by weight of these together.

Protocol (see legal reference).

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	10QG;10QH;10R2;10R3	Logo	Lanava
Issue date *	2017/2/19		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Bi			
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	$\square$	+	
P7.3*			<u> </u>	$\vdash$
	Plastic parts > 100 g consist of one material or of easily separable materials.		-	-
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Щ.	Щ.
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			Ш
D7 7*	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Щ.	Щ.
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		Щ
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
5- 44	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS PCR65%+ABS Material type: Material type: Metal*3(SGCC+SUS304+SPTE)  Material type: Material type: Material type: Metal*3(SGCC+SUS304+SPTE)			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.	Ħ	$\overline{\mathbb{X}}$	H
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			$\dashv$
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		ш	
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
P7.15	containing more than 25% post-consumer recycled content.		$\square$	
F1.13	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	Ш		Ш
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			$\square$
1 7.10	Marking:	ш		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	□TBBPA (additive), □TBBPA (reactive) (See NOTE B3), □Other: 溴化环氧树脂, , CAS #: 26265-08-7	$\boxtimes$		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: FR(16)	$\boxtimes$		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	·			
D7.40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	<u> </u>	<u> </u>	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:	Ш	Ш	M
	The source(s) for these classifications is/are found at (add URL(s)):  (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\square$		
. 7.20	. Octobriodinos recyclos piaceto material content lo acca in the product (occ Note Do).		ш	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is <b>21.29%</b> . or			
	b) The weight of recycled material is <b>827.5</b> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	10QG;10QH;10R2;10R3	Logo	Lanava
Issue date *	2017/2/19		LEI IOVO"

Product	environmental at	tributes - Market re	equirements (conti	nued)	Requirement met
Item			•	•	Yes No n.a.
		tance requirements			
P7.21*	Biobased plastic m	aterial content is used	in the product (See N	OTE B7):	
			s below shall be answe		
			, the biobased plastic	material content (calcu	lated as a percentage
	or total plastic	by weight) is 0%.			
		the biobased plastic r	naterial is 0g.		
P7.22*			less than 0,1 mg/lamp.		
Do	If mercury is used:	specify: Number of lan	nps: and maxim	um mercury content pe	r lamp: mg
<b>P8</b>		omposition: Lithium N	Manganese Dioxide		
P9	· · · · · · · · · · · · · · · · · · ·	tion (See NOTE B8)	rungunese Bioxide		
P9.1			s or energy consumption	ons are reported:	
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy
		100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-	max)	W	W	W	Full load
Categor	y <u>l1</u>				
Short Idle	State - WOL	24.912 W	24.840 W	26.364 W	Use for ENERGY STAR V6
Enabled					registration (P <sub>idle</sub> )
Long Idle	State - WOL	15.120 W	15.216 W	16.032 W	Use for ENERGY STAR V6
Enabled	01410 1702	70.720 11	70.270 11	70.002 11	registration (P <sub>idle</sub> )
Sleep (S3)	- WOL Enabled	1.416 W	1.416 W	1.608 W	Use for ENERGY STAR V6
					registration(P <sub>sleep</sub> )
Sleep (S3)	- WOL Disabled	W	W	W	Reference
Off (S5) - V	WOL Enabled	0.636 W	0.600 W	0.576 W	Use for ENERGY STAR V6
					registration(P <sub>off</sub> )
Off (S5) - V	WOL Disabled	W	W	W	Use for ErP
		W	W	W	Reference
Categor	yl <u>2</u>				
Short Idle	State - WOL	24.084 W	25.776 W	26.796 W	Reference
Enabled					
Long Idle	State - WOL	16.080 W	15.948 W	17.172 W	Reference
Enabled					
Sleep (S3)	- WOL Enabled	1.536 W	1.584 W	1.608 W	Reference
	- WOL Disabled	W	W	W	Reference
	WOL Enabled	<b>0.636</b> W	<b>0.624</b> W	0.576 W	Reference
	WOL Disabled	W	W	W	Reference
(,		W	W	W	Reference
		**		•	110.00
Categor	vI3				1
		24 709 \\	25 446 W	25 942 \\/	Poforonoo
Enabled	State - WOL	<b>24.708</b> W	25.116 W	<b>25.812</b> W	Reference
Long Idle	State - WOL	15.816 W	16.320 W	17.556 W	Reference
Enabled					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Sleep (S3	B) - WOL Enabled	1.116 W	1.260 W	1.320 W	Reference
Sleep (S3	B) - WOL Disabled	W	W	W	Reference
Off (S5) -	WOL Enabled	0.648 W	0.660 W	0.660 W	Reference
Off (S5) -	WOL Disabled	W	W	W	Reference
		W	W	W	Reference
EPS No-lo	Dad r supply / charger plugged in the	W	W	W	
	isconnected from the product.)	W	W	W	
	nergy Consumption	**			
ETEC *	,	11:99.38 kWh/year	I1:101.68 kWh/year	I1:104.87 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$
Annual Er	nergy Consumption	12:98.15 kWh/year	12:103.14 kWh/year	12:107.70 kWh/year	+ P <sub>sleep</sub> x 0.05 + P <sub>long_ldle</sub> x 0.15+
		13:99.58 kWh/year	13:101.60 kWh/year	13:105.39 kWh/year	P <sub>short_Idle</sub> x 0.35)
					Enabled; P <sub>idle</sub> : Idle State - WOL Enabled
	117	, ,	Efficiency Marking Pro	otocol) ^ : VI	
Display re	solution * : 1.44 meg	gapixels			
Default tin	ne to enter energy sa	ave mode: 25 minutes			
P9.2*	Information about	the energy save functi	on is provided with the	product.	
P9.3	Energy efficiency	class (monitors only):	<u> </u>	•	
P10	Emissions	,,			
		- Declared according to	ISO 9296 (See NOTE	B9)	
P10.1		Mode description	(		t A-weighted sound power level, L <sub>WA.c</sub> (B)
	Idle *	HDD:Idle		* 3.7	· · · · · · · · · · · · · · · · · · ·
	Operation *	HDD: Operating		* 4.0	
			d pressure level (dB) $L_{p  m An}$		n desktop – idle)
	Other mode L	Declared A-weighted soun	d pressure level (dB) $L_{p{\sf Am}}$	29 (operator positio	n desktop – operating)
	Measured according	ng to: ISO 7779 Cother	ECMA-74 (only if not covered by	ECMA-74)	

Model nur	mber *	10QG;10QH;10R	2;10R3			Logo	Lon	01/0	
Issue date	*	2017/2/19					Len	UVU	тм
Product	environn	nental attributes	- Market requirements	s (continued)			Requi	rement	met
Item							Yes	No No	n.a.
	Electron	nagnetic emissior	ıs						
P10.4	Compute		e requirement for low freque	ency electromagnetic	fields of the follo	owing volunta	ary 🔀		
P12	Ergonor	nics for computin	g products						
P12.1*			nomic requirements of ISO	9241-307 for visual of	display technolog	gies.	$\boxtimes$		
P12.2*	The phys	sical input device m	neets the requirements of IS	SO 9995 and ISO 924	1-410.			$\boxtimes$	
P13	Packagi	ng and document	ation						
P13.1*	Product	packaging material packaging material packaging material	type(s): <b>PE</b> weight (kg): .0	ght (kg): 1.214 <b>)744</b> ght (kg): .709					
P13.2*			kaging is free from PVC.	0 ( 0)			X		
P13.3*		luct primary corruger recovered fiber of	gated fiberboard packaging ontent: 100 %	g, specify the contain	ned percentage	of minimum	post-		
P13.4*		_	product documentation (tic Other	k box):					
P13.5	User and		tem if paper documentatior tation on paper media is ch						
	•	hlorine-free al chlorine-free					$\boxtimes$		
	Processe	ed chlorine-free					$\bowtie$		
P14	Volunta	ry programs							
P14.1			irements of the following vo	oluntary program(s):					
		Y STAR® el: <i>EPEAT Gold</i>	Criteria version: <b>6.1</b> Criteria version:	Date: Date:	Product o	category: <i>I1:I2</i> category:	2:/3		
	Eco-labe	el: <b>Greenguard</b> el: <b>TCO</b>	Criteria version: Criteria version:	Date: Date:	Product o				

Energy consumption of specific configuration may vary; description of the tested product configuration:

See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find\_a\_product.showProductGroup&pgw\_code=CO

NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Additional information (See NOTE B10)

information.

P15

P9

P9

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenvo V310z	Logo	
Model Number	10GH;10QH;10R2;10R3		Longvo
Issue Date	2017/2/15		Lenovo
Additional information	TCO;Energy Star 6.1;Greenguard;EPEAT Gold		

(d)	year of manufacture:				2017
e)	Etec value (kWh) per ErP Lot 3 Categorial disabled and if the system is tested with	n switchable graphics n	node with UMA driving	the display.	
f)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	ments applied when a	iii discrete grapnics (	cards (dGtx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		30	30	28
nts ing	Additional internal storage	(Yes / No)	Yes (Yes / No)	Yes (Yes / No)	Yes (Yes / No)
ljustme ng testi	Discrete television tuner	(Yes / No)	No (Yes / No)	No (Yes / No)	No (Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	No (Yes / No)	No (Yes / No)	No (Yes / No)
сар	Discrete graphics Card(s) [number / #]	#: (Yes / No)	No #: (Yes / No)	No #: (Yes / No)	No #: (Yes / No)
	Category of discrete graphics Card(s)		N/A	N/A	N/A
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		65.92	66.45	67.68
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		N/A	N/A	N/A
g)	Idle state power demand (Watts);	<u> </u>			18.27
h)	Sleep mode power demand (Watts);				1.09
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		1.14
i)	Off mode power demand (Watts);				0.62
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.66
1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 120W:89.8%				
0)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	N/A
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency:	

(p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC-DC and AC-AC  Power Supplies" dated August 11, 2004					
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  N/A				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  N/AIEC 62623 Edition 1.0 2012-10 - Desktop and notebook computers - Measurement of energy consumption/ IEC EN50564:2011 measurement methodology				
(q)	Sequence of steps for achieving a stable condition with respect to power demand::  **Based on user manual/Power on->Wait 5 minutes->Stable condition**				
(r)	Description of how sleep and/or off mode was selected or programmed:  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:				
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan				
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			25	
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):				
(v)		re the display sleep mode is set to activate after		10	
(w)	Information on the energy-saving potential of power management functionality:  Based on user manual				
(x)	(x) User information on how to enable the power management functionality:  **Based on user manual**  **Based on user manua				
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  230V, 50Hz, Total Harmonic Distortion <2 %				
Addition Notebook Battery Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Additional information					
1) The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.					

Las baterías de este producto no pueden ser sustituídas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.