

JVC



QUALITY BUILT
CAR • MARINE • UTV - AUDIO & VIDEO



**PRODUCT
CATALOG
SPRING 2021**



Large HD Display with Full Smartphone Connectivity.

KW-Z1000W

Digital Multimedia Receiver featuring 10.1" HD Screen



Smartphone Integration

Apple CarPlay™ - Connect Wirelessly or via USB

A smarter, safer and more fun way to use your iPhone in the car. Apple CarPlay gives iPhone users an intuitive way to make calls, use Maps, and listen to music with just a word or a touch.

Some features, applications, and services are not available in all areas. For details, see: www.apple.com/ios/feature-availability/#applecarplay-applecarplay



Choose Wireless or a Wired Connection.

Android Auto™ - Connect Wirelessly or via USB

Android Auto was designed with safety in mind. With a simple and intuitive interface and powerful voice actions, it's designed to minimize distraction so that you can stay focused on the road.

Some Features, applications, and services are not available in all areas. For details, see: www.android.com/auto




Choose Wireless or a Wired Connection.

Wireless Mirroring for Android Phones




Wireless Mirroring for Android Solution for seamlessly displaying and controlling your smartphone apps on a screen without cables on select Android devices. *Selected models only



HDMI™ Mirroring for Smartphones

Display your smartphone screen on the KW-Z1000W's display via an HDMI cable and third party adapter.

*KS-U60, optional HDMI cable and smartphone specific third party adapter are required (sold separately).



Large & High Definition Display (1280 x 720)

The large-screen 10.1" HD display is about 2.4 times higher resolution than the conventional WVGA panel. With this display, jagged edges are eliminated in the displayed image, providing sharp and vivid images. In addition, the color development increases, and the individual colors of the image become clear, so you can enjoy high-definition images.



Adjustable 3-way Display Position


Fully adjustable display allows you to change the height, angle, and depth for easy vehicle fitment.




Optical Bonding Technology

The optical bonding technology minimizes the refractive light index by bonding the liquid crystal module and clear panel. It suppresses the reflection of the screen and maintains high visibility. In addition, since optical bonding does not have an air layer between the liquid crystal module and the clear panel, display visibility is not impaired by internal condensation, further enhancing its durability.

Reflection Reduction




Condensation Prevention



4-Camera Inputs

Enable users to add Front and Rear cameras along with an additional 2 front or blind-spot cameras, further enhancing driver safety and convenience.



Dynamic GUI



Various information including time, photos, album art images, or iDataLink Maestro™ and more, can be displayed on the home screen in a big, easy-to-view way. Swiping the monitor with two fingers lets you split the screen or change the information window.

Big Widget




iDataLink Maestro




Compass

Split Widgets



Date / Time + Compass



USB Audio + Sound Meter

iDataLink Maestro Compatible



KW-Z1000W is compatible with iDataLink Maestro RR and RR2 (sold separately)*. Both Maestro modules provide seamless retention of factory safety and camera systems, steering wheel controls and add performance gauges in most modern vehicles. In addition, the RR2 provides three programmable outputs that can be used to activate things like a winch or a light bar from KW-Z1000W's on-screen controls. Radar detector information can also be displayed on the screen when used with a compatible K40 or ESCORT radar detector system.

*Available features may vary depending on the vehicle. The iDataLink Maestro RR and RR2 are sold separately by Automotive Data Solutions. ESCORT compatible with Maestro RR2 only. To find an authorized dealer please visit <https://maestro.idatalink.com/>

JVC Portal App Compatible



Display images saved on your smartphone on the KW-Z1000W with JVC Portal App now available for both iOS and Android. You can set your favorite image on the wallpaper of the receiver and enjoy the slide show.

*For more information, visit www.jvc.net/car/app/

KW-Z1000W Features

Wireless Features				Wired Features			
Works with Apple CarPlay	android auto	Wi-Fi Mirroring for Android	Works with Apple CarPlay	android auto	HDMI	HD 1280x720 DISPLAY	Hi-Res AUDIO
iDataLink Maestro	K2 TECHNOLOGY	Bluetooth	Made for iPhone iPod	SiriusXM READY	HD Radio	LDAC	Hi-Res AUDIO WIRELESS
4-Camera Input x4	3 Pre-outs 5.0V	USB	Dynamic GUI	Live Wallpaper	Gesture Touch Control	Time Alignment	13-Band Equalizer
			Steering Remote Ready	Remote Control Ready	Remote Control App	JVC	JVC

6' HDMI Cable KS-U60

Multimedia Receivers



KW-V960BW
Multimedia Receiver featuring 6.8" Clear Resistive Touch Monitor



KW-M865BW
Digital Multimedia Receiver featuring 6.8" Clear Resistive Touch Monitor



KW-V850BT
Multimedia Receiver featuring 6.8" Clear Resistive Touch Monitor



KW-M750BT
Digital Multimedia Receiver featuring 6.8" Clear Resistive Touch Monitor



KW-V66BT
KW-V660BT
Multimedia Receiver featuring 6.8" Capacitive Touch Monitor




KW-M56BT
KW-M560BT
Digital Multimedia Receiver featuring 6.8" Capacitive Touch Monitor




High Resolution Audio

You can enjoy playback of 96kHz/24bit audio which contains about 3 times the musical information of music CDs (44.1kHz/16bit), or even 192kHz/24bit High-Resolution Audio files with their approx. 6.5 times data volume. With high sound quality approaching the original master recording itself, you will experience the presence and ambience of a tune the way CD simply cannot.



Shallow Chassis Design

The reduced depth of the chassis contributes to a weight reduction and facilitates easier installation.




High-quality Bluetooth® streaming with LDAC™

LDAC™ sends approximately three times more data (at the maximum 990 kbps transfer rate) than conventional Bluetooth® audio for superior wireless listening. Unlike other Bluetooth compatible coding technologies such as SBC, it operates without any down-conversion of the Hi-Res Audio content*1, and allows approximately three times more data*2 than those other technologies to be transmitted over a Bluetooth wireless network with unprecedented sound quality, by means of efficient coding and optimized packetization.




*1: excluding DSD format contents*2: in comparison with SBC (Subband Coding) when the bitrate of 990kbps (96/48kHz) or 909kbps (88.2/44.1kHz) is selected



Time Alignment

By selecting the speaker type and the distance to the center of the listening position, the receiver will automatically adjust the timing of the sound output from each of the speakers so that the sound from each of the speakers will arrive exactly at the same time to the listening position.



Live Wallpaper

Synchronize background visual and color with music.




iDatalink Maestro Compatible



iDatalink Maestro RR or RR2 (sold separately)* enable the retention of the factory steering wheel audio controls, factory amplifier, secondary displays and can even display vehicle information (performance data, climate controls, battery voltage, etc.) when connected to compatible vehicles. Radar detector information can also be displayed on the screen when used with a compatible K40 or ESCORT radar detector system.

*Available features may vary depending on the vehicle. The iDatalink Maestro RR and RR2 are sold separately by Automotive Data Solutions. ESCORT compatible with Maestro RR2 only. To find an authorized dealer please visit <https://maestro.idatalink.com/>



Features Comparison

Model	Wireless Features	Wired Features	maestro	K2 TECHNOLOGY	USB	4-Camera Input	Pre-outs	Shallow Chassis	Dynamic GUI	Live Wallpaper	Gesture Touch Control	Remote Control App	Video Format	Audio Format
KW-V960BW	Works with Apple CarPlay, android auto, Wi-Fi Mirroring for Android	Works with Apple CarPlay, android auto, USB Mirroring for iPhone/Android, USB Mirroring for Android	Yes	Yes	Rear x 2	4	3-Pre / 5V	Yes	Yes	Yes	Yes	Yes	H.264 / MPEG4 / AVI / MKV / WMV / MPEG1,2	DSD / FLAC / AAC / WAV / MP3 / WMA
KW-M865BW	Works with Apple CarPlay, android auto, Wi-Fi Mirroring for Android	Works with Apple CarPlay, android auto, USB Mirroring for iPhone/Android, USB Mirroring for Android	Yes	Yes	Rear x 2	4	3-Pre / 5V	Yes	Yes	Yes	Yes	Yes	H.264 / MPEG4 / AVI / MKV / WMV / MPEG1,2	DSD / FLAC / AAC / WAV / MP3 / WMA
KW-V850BT	Works with Apple CarPlay, android auto, Wi-Fi Mirroring for Android	Works with Apple CarPlay, android auto, USB Mirroring for iPhone/Android, USB Mirroring for Android	Yes	Yes	Rear x 1	2-Camera	3-Pre / 4V	Yes	Yes	Yes	Yes	Yes	H.264 / MPEG4 / AVI / MKV / WMV / MPEG1,2	DSD / FLAC / AAC / WAV / MP3 / WMA
KW-M750BT	Works with Apple CarPlay, android auto, Wi-Fi Mirroring for Android	Works with Apple CarPlay, android auto, USB Mirroring for iPhone/Android, USB Mirroring for Android	Yes	Yes	Rear x 1	2-Camera	3-Pre / 4V	Yes	Yes	Yes	Yes	Yes	H.264 / MPEG4 / AVI / MKV / WMV / MPEG1,2	DSD / FLAC / AAC / WAV / MP3 / WMA
KW-V66BT	Works with Apple CarPlay, android auto, Wi-Fi Mirroring for Android	Works with Apple CarPlay, android auto, USB Mirroring for iPhone/Android, USB Mirroring for Android	Yes	Yes	Rear x 1	1-Camera	3-Pre / 2V	Yes	Yes	Yes	Yes	Yes	H.264 / MPEG4 / AVI / MKV / WMV / MPEG1,2	AAC / WAV / MP3 / WMA
KW-M56BT	Works with Apple CarPlay, android auto, Wi-Fi Mirroring for Android	Works with Apple CarPlay, android auto, USB Mirroring for iPhone/Android, USB Mirroring for Android	Yes	Yes	Rear x 1	1-Camera	3-Pre / 2V	Yes	Yes	Yes	Yes	Yes	H.264 / MPEG4 / AVI / MKV / WMV / MPEG1,2	AAC / WAV / MP3 / WMA

Common Features



Simple, Sleek and Elegant

KW-V25BT / KW-V250BT LIMITED DISTRIBUTION

Multimedia Receiver featuring 6.2" Clear Resistive Touch Monitor

SiriusXM READY | **pandora**

Single Color Illumination (Blue)

Press and Hold:
Works as memorized shortcut link

Music Sync. Function:
Flashes the illumination according to the rhythm of the music.




KW-V350BT **SiriusXM READY** | **pandora** | Variable

Multimedia Receiver featuring 6.8" Clear Resistive Touch Monitor

KW-M150BT

Digital Multimedia Receiver featuring 6.8" Capacitive Touch Monitor

Features Comparison



Common Features



USB Mirroring for Android

Seamlessly display your Android phone on the JVC screen via USB. Touch control is supported from both screen and smartphone.



Capacitive Touch Monitor

Capacitive touch monitor provides high clarity and a more sensitive touch control, with greater accuracy.




Key Customize

Lets you easily access frequently used functions. Two options are available.


1. Function Menu Customization

Functions registered in the Function Menu can easily be called up by simply pressing the "FNC" key.



2. Favorite Key

Press and hold the "FNC" key to directly access the function registered for the Favorite Key.



Gesture Touch Control

Just touch and move your finger over the screen for various operations corresponding to your finger movements. Intuitive control provides safer operation for in-car entertainment.



Music Control : Folder Up/Down, Skip Back/Forward

Volume Adjust : Circular

Dash-board Camera **KV-DR305W**



- 2.7" color TFT
- Recording Mode: Continuous / Event / Manual
- Video Format: H.264 (mp4)
- Camera dimensions (Wx-HxD): 3-1/4" x 2-1/16" x 1-1/4"
- Weight: 3.1oz (Camera only)

Structure Overview



Compact but Powerful

- Full HD Recording 1920 x 1080
- WDR Technology
- Wide Angle Lens F2.0
- Built-in Wi-Fi / GPS
- Smartphone Linkage via Wi-Fi

Rear View Camera **KV-CM30**



- Waterproof design
- 1/4" color CMOS sensor with effective 380,000 pixels
- Flexible mounting bracket included
- Camera dimensions (WxHxD): 23.4mm x 23.4mm x 23.9mm
- Weight: 21g (Camera only)

Wireless Charging Magnetic Car Mount **KS-GC10Q**



Compatible with all Qi-certified receiver products, including smartphones and mobile phone covers.

- Secure Magnet
- Rapid Charging
- Safety Features: Foreign Object Detection / Over Temperature Protection / Over Voltage Protection / Overload Protection
- Flexible viewing angles

Included Accessories

Suction cup dashboard car mount / Magnet plate / Air vent car mount / Dash mounting plate / Safety strap / USB car charger / USB type-C to type-A cable

Specifications

[Qi Charger] • Input: DC5V/2A, 9V/1.6A • Power: 10W Max • Dimensions: 68.0(W)x102.0(H)x24.8(D)mm [USB Car Charger] • Input: DC12V/24V, Output: 5V/3A, 9V/2A, 12V/1.5A QC3.0

Lightning – USB Cable **KS-U62**



Wireless Remote Control for Multimedia Receivers **RM RK258**




Compatible with 2-DIN Multimedia Receivers



KD-MR1BTS 2.7" Full Color
Digital Media Receiver featuring 2.7" Color Display / Waterproof (IPX6) / Global Tuner with Weather Band

Waterproof Rating of IPX6* (KD-MR1BTS)
Withstands jets of water from any direction thanks to IPX6 water-proof compliance. As a result, the receiver can be safely used not only in cars, but also in other types of motor vehicles including marine and motorsports use.

Rear View Camera Input Support
KD-MR1BTS and KD-X560BT are equipped with a rear view camera input. With an optional camera connected, you have increased safety while driving UTVs or marine vessels.



KD-T91MBS 2-Zone
CD Receiver featuring Bluetooth



KD-X37MBS 2-Zone
Digital Media Receiver featuring Bluetooth



KD-X560BT 3.0" QVGA
Digital Media Receiver featuring 3" Color Display / Conformal Coated PCB / Camera-Input

Conformal Coating
A conformal coating is a protective chemical coating to safeguard electronic circuits from harsh environments that may contain moisture or chemical contaminants. It provides a barrier to airborne contaminants from the operating environment, such as salt-spray, thus preventing corrosion.

Rear View Camera Ready



Optional Accessory
RM-RK62M
Wired Remote Control for Marine/MotorSports Receivers
• IPX7 waterproof design

KS-DR2104DBT

Compact Bluetooth® 4-channel Digital Amplifier for Marine / MotorSports



Bluetooth Qualcomm aptX

Waterproof & Dustproof - IP67 / IP66 Certified

IP67/IP66 certified. The product can be submerged up to 1 meter (or 3.3 feet) in water for 30 minutes, and can resist high-pressure, heavy sprays of water. The product is also fully sealed against dust entry.

Rustproof - ASTM B117

ASTM B117 salt spray (or salt fog) corrosion test simulates harsh conditions in a salt water environment to ensure the product does not corrode or fail in these harsh conditions.

Vibration Proof


Vibration can be damaging to product if it is not designed to withstand it. This product passes a 3-axis multi-frequency vibration test.

Stream Music via Bluetooth® (KS-DR2104DBT)

The aptX technology improves Bluetooth sound quality and AAC file is supported for iPhone.

KS-DR2004D

Compact 4-channel Digital Amplifier for Marine / MotorSports



	KS-DR2104DBT	KS-DR2004D
Power	50W x 4ch (4Ω)	
	75W x 4ch (2Ω)	
	150W x 2ch (4Ω Bridgeable)	
Frequency Response	10-20kHz (+0/-3dB) 20-19kHz (+0/-1dB)	10-35kHz (+0/-3dB) 20-20kHz (+0/-1dB)
Signal to Noise Ratio	89dB rated power into 4Ω at 14.4V	
Input Sensitivity	-	4-12V (Speaker Level) 0.2-5V (RCA Level)
Pre-Out	1 pair (w/Level Control)	-
Dimensions (WxHxD)	7-13/16 x 1-15/16 x 4-1/8 inch	
Remote Control Unit	Yes	-
Bluetooth® Connectivity	Yes	-

KS-DR1004D

Compact 4-channel Amp for Marine / MotorSports



- Features
- Conformal Coating
 - Circuit Separation Construction
 - Large LPF Coil
 - Variable HPF & LPF

	KS-DR1004D
Type	Class-D
Channels	4-ch
Max Power	400W
RMS Power(4Ω)	45W x 4ch
RMS Power(2Ω)	45W x 4ch
Bridge(4Ω)	90W x 2ch
Frequency Response	20Hz - 20kHz

CS-DR621MWL / CS-DR620MBL

6-1/2" 2-Way Coaxial Speakers featuring 21-color LED Illumination / Water Resistant (IPX5) / Max Power 260W / RMS Power 75W



- Features
- Waterproof Rating of IPX5
 - 21 color options
 - 6 pairs maximum can be connected and synchronized
 - Included Remote Control
 - RF remote can be used under the sunshine

	6-1/2" 2-Way Coaxial
Type	6-1/2" 2-Way Coaxial
Peak Power	260W
RMS Power at 4Ω	75W
Frequency Response	65Hz - 21kHz

CS-DR6200M / CS-DR6201MW


6-1/2" 2-Way Coaxial Speakers featuring Grill Resistant Woofers / UV Resistant Grilles / Max Power 150W / RMS Power 50W



- Features
- Water-resistant cone woofers
 - UV resistant grilles
 - Composite speaker baskets
 - Stainless steel hardware
 - 50W RMS high power*
 - Grille with a large open area

	6-1/2" 2-Way Coaxial
Type	6-1/2" 2-Way Coaxial
Peak Power	150W
RMS Power at 4Ω*	50W
Frequency Response*	60Hz - 18.4kHz

Features Comparison





KD-T915BTS
CD Receiver featuring Bluetooth / Front & Rear Dual USB / SiriusXM / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility



KD-TD91BTS
KD-T910BTS LIMITED DISTRIBUTION

CD Receiver featuring Bluetooth / USB / SiriusXM / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility



KD-TD71BT
KD-T710BT LIMITED DISTRIBUTION

CD Receiver featuring Bluetooth / USB / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility



KW-R940BTS

2-Din CD Receiver featuring Bluetooth / USB / SiriusXM / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility



KW-X840BTS

2-Din Digital Media Receiver featuring Bluetooth / USB / SiriusXM / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility



DOES NOT PLAY CDS


Amazon Alexa Compatible

You can talk to Amazon Alexa on your JVC Receivers. With Alexa Built-in, you can ask to play music, place calls, listen to audiobooks, hear the news, check the weather, control smart home devices, get directions, find parking, and more - all while you keep your hands on the wheel and eyes on the road.



- Available Functions**
- Play Music
 - Check Weather
 - Check Local News
 - Question about general things
 - Timer / Alarm
 - Check Wikipedia
- Amazon Music
 - iHeartRadio
 - Tune-In
 - audible
 - Sirius XM
 - Pandora

*Some functions and services are not available in all areas.



Using Alexa is simple – just install the Amazon Alexa companion app (free) on your iPhone or smartphone (Android™) and press the Amazon Alexa key on the JVC receiver, you can easily activate Alexa and get voice control.

*For more information, visit <https://www.jvc.net/cs/car/>

Audio Streaming & Control (A2DP, AVRCP)

With built-in Bluetooth audio, you can listen to and control songs stored on your iPhone or Android smartphone – all wirelessly. Extra high-quality playback can also be achieved with FLAC compatibility that allows digital audio to be compressed in a lossless format. In addition to repeat and random playback of music files, you can also easily search for songs using the browsing function. Just look for and choose the song you want to hear from the folder name and song name lists.



Low Battery Information

When the battery of the connected Bluetooth device runs low, a beep sound is heard and "LOW BATTERY" appears on the receiver.



JVC Streaming DJ

Connect up to 5 Bluetooth devices simultaneously, so you and your friends can take turns streaming music like a DJ. Cue up your hottest playlist and press play!



Music Sync. with Variable Color

Changes illumination patterns according to the rhythm of the music. Illumination key colors can be preset the way you like.



Features Comparison

	alex built-in	Smartphone Music Streaming	2-Line VA LCD Display	Music Sync. Variable	Music Sync. Illumination	Shallow Chassis Easy Installation	Remote Control	Variable Color	USB	Pre-outs Voltage	Audio Format
KD-T915BTS	Available	Available	Available	Available	Available	Available	Optional	2-Zone	Front x 1, Rear x 1	3-Pre / 5V	FLAC / AAC / WAV / MP3 / WMA
KD-TD91BTS	Available	Available	Available	Available	Available	Available	Optional	2-Zone	Front x 1	2-Pre / 2.5V	FLAC / AAC / WAV / MP3 / WMA
KD-T910BTS	Available	Available	Available	Available	Available	Available	Optional	2-Zone	Front x 1	2-Pre / 2.5V	FLAC / AAC / WAV / MP3 / WMA
KD-TD71BT	Available	Available	Available	Available	Available	Available	Optional	2-Zone	Front x 1	1-Pre / 2.5V	FLAC / AAC / WAV / MP3 / WMA
KD-T710BT	Available	Available	Available	Available	Available	Available	Optional	2-Zone	Front x 1	1-Pre / 2.5V	FLAC / AAC / WAV / MP3 / WMA
KW-R940BTS	Available	Available	Available	Available	Available	Available	Optional	2-Zone	Front x 1	3-Pre / 4V	FLAC / AAC / WAV / MP3 / WMA
KW-X840BTS	Available	Available	Available	Available	Available	Available	Optional	2-Zone	Front x 1	3-Pre / 2.5V	FLAC / AAC / WAV / MP3 / WMA

Common Features





DOES NOT PLAY CDS
2-Zone

KD-X470BHS

Digital Media Receiver featuring Bluetooth / USB / HD Radio / SiriusXM / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility



DOES NOT PLAY CDS
2-Zone

KD-X370BTS

Digital Media Receiver featuring Bluetooth / USB / SiriusXM / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility

Shallow Chassis Design

The reduced depth of the chassis contributes to a weight reduction and facilitates easier installation.

Shallow Chassis
Easy Installation

Shallow Chassis / Digital Media Receiver

Regular Chassis / CD Receiver



3 - 15/16 inch



6 - 1/4 inch



DOES NOT PLAY CDS

KD-X270BT

Digital Media Receiver featuring Bluetooth / USB / 13-Band EQ / JVC Remote App Compatibility

JVC Remote Control App via Bluetooth®

Control the receiver's source directly from the smartphone using simple finger gestures with JVC's remote apps* now available for both iOS and Android. On select receivers, you can even customize your audio setting, and see detailed source information such as song title, artist name and album art etc. from the smartphone.

*For more information, visit the website for each app.



JVC Remote:
www.jvc.net/car/app/jvc_remote/



Features Comparison

Model	Bluetooth	USB	Pre-outs	Remote Control	Audio Format
KD-X470BHS	Yes	Yes	3-Pre / 5V	Optional	FLAC / AAC / WAV / MP3 / WMA
KD-X370BTS	Yes	Yes	3-Pre / 4V	Optional	FLAC / AAC / WAV / MP3 / WMA
KD-X270BT	Yes	Yes	1-Pre / 2.5V	Optional	FLAC / WAV / MP3 / WMA

Wireless Remote Control for CD and Digital Media Receivers

RM-RK52



Common Features



drvn DR Series



DR Series Speakers Black Edition Superior, Reliable Performance

Combines high output sound and durability. Easily upgradable from factory-installed original speakers.



CS-DR601C



CS-DR6931


High Output & Durability

Carbon Mica Cone

Rigid and lightweight carbon mica material provides highly responsive, clear and undistorted sound reproduction.

Wide Grille Openings

Grille's opening ratio is 30% wider than the conventional model, enabling increased durability and clear sound.



Conventional

DR Series

Balanced Neodymium Tweeter

Provides detailed high range and smooth mid range. Installable vehicle types are greatly increased thanks to its shorter height.




CS-DR621

Hybrid Surround

Rubber Coated Cloth with increased mobility enables high efficiency and improved follow-up to audio signals.

Small-Design Tweeter Cover


Newly developed small cover significantly reduces areas that interfere with the woofer cone. High-quality sound is assured.



Great Factory Replacement

Installable vehicle types are greatly increased thanks to its shorter height.

New Shallow Design



Conventional

CS-DR621
Many OEM replacements supported

	CS-DR601C	CS-DR1700C	CS-DR6941	CS-DR6931	CS-DR6821	CS-DR1721	CS-DR621	CS-DR521	CS-DR421
Type	6-1/2" 2-Way Component	6-3/4" 2-Way Component	6 x 9" 4-Way Coaxial	6 x 9" 3-Way Coaxial	6 x 8" 2-Way Coaxial	6-3/4" 2-Way Coaxial	6-1/2" 2-Way Coaxial	5-1/4" 2-Way Coaxial	4" 2-Way Coaxial
Peak Power	360W	360W	550W	500W	300W	300W	300W	260W	220W
RMS Power at 4Ω*	60W	55W	90W	70W	45W	50W	50W	40W	35W
Frequency Response*	76Hz - 24kHz	66Hz - 23.8kHz	56Hz - 21kHz	58Hz - 21kHz	65Hz - 25.4kHz	74Hz - 25kHz	85Hz - 23.8kHz	85Hz - 25kHz	114Hz - 23kHz

drvn DR Series

DR Series Speakers **Silver Edition** Highly Responsive, Undistorted Sound

Combines high output sound and durability. Easily upgradable from factory-installed original speakers.



CS-DR693



PP + Mica Cone
Lightweight PP + Mica Cone Material provide highly responsive, clear and undistorted sound.

Full Cover Grille Design
Protects the woofer and tweeter in open installations.

Horn Ring Sound Enhancer
Improves mid-higher frequency sound character and reproduces life-like sound.



	CS-DR162	CS-DR693
Type	6-1/2" 2-Way Coaxial	6" x 9" 3-Way Coaxial
Peak Power	300W	500W
RMS Power at 4Ω*	50W	70W
Frequency Response*	88Hz - 22kHz	54Hz - 18kHz

*CEA2031

DR Series 12"/10" Subwoofer - Ultimate Deep Bass Sound & Tough Durability

Incorporates a heavy-duty 61.4 oz. magnet and a newly developed 6-layer voice coil to deliver bass and outstanding durability.



CW-DR124



Large Magnet for Powerful Bass


Deep Bass is achieved by focusing the speakers output to a lower frequency range than most conventional subwoofers. A large 61.4 oz. magnet helps produce these powerful low frequencies.



Large magnet (1740g / 61.4oz)

Durable Design

Heat dissipation and power handling: A newly incorporated 6-layer copper voice coil with aluminum former, improves heat resistance.




6-Layer Copper Voice Coil
Aluminum Bobbin

Large yoke
Tough voice coil

Newly Designed Damper

The new Graduated Pleat Damper helps prevent stress from affecting specific parts of the damper. This minimizes mechanical damage and dramatically improves the damper's durability.

Recommended Box



SEALED	Inner Volume	W	H	D	Mounting Hole
CW-DR124	1.00 cu.ft	15-15/16"	14-1/4"	10-7/8"	11-1/8"
CW-DR104	0.65 cu.ft	14-3/4"	12-3/4"	9"	9-3/16"

PORTED	Inner Volume	W	H	D	Mounting Hole	SW	SH	SL
CW-DR124	1.50 cu.ft	20-1/2"	14-1/4"	14-1/16"	11-1/8"	1-3/16"	12-3/4"	19-11/16"
CW-DR104	0.8 cu.ft	17-5/8"	12-3/4"	10-3/4"	9-3/16"	1-1/8"	11-1/4"	15-3/4"

	CW-DR124	CW-DR104
Type	12" Subwoofer Unit	10" Subwoofer Unit
Peak Power	1800W	1300W
RMS Power at 4Ω	350W	300W
Frequency Response	38 - 300Hz	44 - 300Hz
Weight of Magnet (oz)	61.4	61.4
Dimensions WxDxH (inch)	12-7/8 x 12-7/8 x 6-7/8	10-7/8 x 10-7/8 x 5-7/8
Mounting Depth (inch)	6-3/16	5-1/4


DR Series 8" Compact Powered Subwoofer - Compact, yet Powerful

JVC's solution addresses the growing need to enhance bass in vehicles without enough space to install conventional subwoofers.



Rugged Design

Each part used is heat resistant to achieve high durability.



Voice coil with large diameter

Black absorber
Heat resistant cone
Black painted plate
Black painted yoke

Compact size for installation in various places.



Trunk



Under the seat


	CW-DRA8
Type	Compact Powered Subwoofer
Peak Power	250W
RMS Power	125W
Frequency Response	35 - 150Hz
Remote Control	Volume/Frequency/Phase
Speaker Level Input	Yes
Signal Sensing Turn On	Yes
Dimensions WxDxH (inch)	13-3/4 x 9-7/16 x 2-15/16

DR Series Amplifiers - High Output & Built Strong

High power output drives the speakers to deliver dramatically high-quality sound.



KS-DR3001D



Toroidal transformer

Copper plate GND

	KS-DR3001D	KS-DR3002	KS-DR3004	KS-DR3005D
Type	Class-D	Class-AB	Class-AB	Class-D
Channels	Mono	2-ch	4-ch	5-ch
Max Power	800W	400W	800W	1000W
RMS Power (4Ω)	250W x 1	65W x 4	60W x 4	50W x 4 + 200W x 1
RMS Power (2Ω)	400W x 1	90W x 2	90W x 4	65W x 4 + 300W x 1
Bridged (4Ω)	-	180W x 1	180W x 2	130W x 2
Frequency Response	20Hz - 200Hz	5Hz - 50kHz	5Hz - 50kHz	[4ch] 5Hz - 30kHz [Mono] 20Hz - 200Hz

drvn DF Series

DF Series Speakers - Powerful Sound & Tough Looking Design

"Direct Fit" entry class model that enables powerful sound reproduction.



CS-DF620



Large Magnet

CS-DF620 : 2-1/2 (65mm)
CS-DF6920 : 3-1/8 (80mm)

Hybrid Surround

Rubber Coated Cloth with increased mobility enables high efficiency and improved follow-up to audio signals.

Great Factory Replacement (CS-DF620)

Installable vehicle types are greatly increased thanks to its shorter height.



- 5/16" (8.1mm) Zero tweeter protrusion
- No interference with factory grilles
- 1-13/16" (46mm) Reduced-depth baskets fit virtually any application

	CS-DF620	CS-DF6920
Type	6-1/2" 2-Way Coaxial	6" x 9" 2-Way Coaxial
Peak Power	300W	400W
RMS Power at 4Ω	25W	30W
Frequency Response	70Hz - 19kHz	30Hz - 17kHz

V Series Speakers



	CS-V4627
Type	4 x 6" 2-Way Coaxial
Peak Power	140W
RMS Power at 4Ω	20W
Frequency Response	55Hz - 25kHz

AX2 Series Amplifiers



	KS-AX204	KS-AX202	KS-AX201
Type	Class-AB	Class-AB	Class-AB
Channels	4-ch	2-ch	Mono
Max Power	600W	300W	500W
RMS Power (4Ω)	40W x 4	40W x 2	150W x 1
RMS Power (2Ω)	60W x 4	60W x 2	250W x 1
Bridged (4Ω)	120W x 2	120W x 1	-
Frequency Response	5Hz - 50kHz	5Hz - 50kHz	20Hz - 200Hz

Accessories



Air Purifier KS-GA100

HEPA Filter with 3-stage filtration / Motion Activated Controls / Portable enough for the car cup holder




*Clean Air Delivery Rate



Classy-Look Aluminum Body & Compact Size Fits Easily in Cupholder

Quickly Purify and Deodorize Your Car's Interior



Motion Activated Controls

Easily adjust the wind speed by shaking your hand above the purifier. Shake once to enter low speed mode, then shake again to switch to high speed mode, which deodorize rapidly. Shaking a third time will turn off the power.



Main Unit	
Operating voltage	DC5V
Power consumption	1.4W (Normal) 1.7W (Strong)
CADR	4.5CFM (7.7m³/h)
Diameter	2-5/8"
Height	7-1/16"
Weight	0.36kg (0.8lbs)
USB Car Charger	
Operating voltage	DC 12V/DC 24V
USB output	DC 5V/Total 2.4A max.

*Accessories : USB-DC Cable (0.7m) x 1, USB Car Charger x 1

Replacement Part (Optional)



**HEPA Filter
KS-GA10F**



- Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.
- The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by JVC KENWOOD Corporation is under license.
- The "AAC" logo is a trademark of Dolby Laboratories.
- Use of the Made for Apple badge means that an accessory has been designed to connect specifically to the Apple product(s) identified in the badge, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with an Apple product may affect wireless performance.
- Apple, iPhone, iPod, iPod touch, and Lightning are trademarks of Apple Inc., registered in the U.S. and other countries.
- Apple, Siri, Apple CarPlay and Apple CarPlay logo are trademarks of Apple Inc., registered in the U.S. and other countries.
- iDataLink and Maestro are trademarks or registered trademarks of Automotive Data Solutions Inc.
- Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. All rights reserved.
- Pandora, the Pandora logo, and the Pandora trade dress are trademarks or registered trademarks of Pandora Media, Inc., used with permission.
- SPOTIFY and the Spotify logo are among the registered trademarks of Spotify AB.
- The 'Qi' symbol is a trademark of the Wireless Power Consortium.

- HD Radio Technology manufactured under license from iBiquity Digital Corporation. U.S. and Foreign Patents. HD Radio™ and the HD, HD Radio, and "Arc" logos are proprietary trademarks of iBiquity Digital Corp.
- Google, Android, Google Play, Android Auto and other related marks and logos are trademarks of Google LLC.
- Wi-Fi® is a registered trademark of Wi-Fi Alliance®.
- The Wi-Fi CERTIFIED™ Logo is a certification mark of Wi-Fi Alliance®.
- iHeartRadio® and iHeartAuto™ are trademarks owned by iHeartMedia, Inc. All uses are authorized under license.
- "Hi-Res Audio" Logo and "Hi-Res Audio Wireless" Logo are used under license from Japan Audio Society.
- LDAC and LDAC logo are trademarks of Sony Corporation.
- iPods, iPhones, Android smartphones or any other accessories shown in this catalog are not supplied, and must be purchased separately.
- All other brands, product names, logos, or trademarks are the property of their respective holders.

Design and specifications subject to change without notice. The photos of the products featured in this brochure may not be of actual products that are available in your country. Copyright © 2020, JVC KENWOOD Corporation. All Rights Reserved.

JVC Website
<https://www.jvc.com>
<https://www.us.jvc.com/car/>

Please visit the JVC Support Site for further information including firmware update.
<https://www.jvc.net/cs/car/>

