

RUST-OLEUM BRANDS

ARCHITECT & ENGINEER PRODUCT GUIDE




Rust-Oleum® knows that in the specification world, there is nothing more important than understanding the big picture when taking on a project and that each project has its own challenges and obstacles to be overcome.

We strive to provide the right products for the job, consistently offering innovative solutions that exceed your expectations.

That's why Rust-Oleum® offers a complete comprehensive line of cleaners, primers and topcoats that provide a traditional or decorative look that lasts for years to come.

Rust-Oleum® offers more than an outstanding line of products for the project, but also a top shelf team of industry certified professionals to assist you through the complications of any project.



SURFACE PREPARATION



JOMAX® Virus & Mold Killer Concentrate

- FAST MODE OF ACTION - works rapidly and thoroughly to control mold & mildew on hard, non-porous surfaces in a single treatment
- ODOR COUNTERACTANT - oxidizes malodors. Provides exceptional cleaning and deodorizing performance



Krud Kutter® Concentrated Cleaner/Degreaser

- Cleans what ordinary cleaners simply can't!
- Removes grease & tough stains: Tile, laminates, tools, equipment, asphalt, concrete & more



Krud Kutter® Gloss-Off Prepaint Surface Preparation

- Water-based; biodegradable
- Concentrated, commercial strength formula
- Cleaner, degreaser, and stain remover
- Interior / exterior use



Krud Kutter® Prepaint Cleaner (TSP Substitute)

- Prepares surfaces prior to painting
- Improves paint adhesion
- No unpleasant odor
- No-rinse formula



Krud Kutter® The Must For Rust

- Unique rust remover and inhibitor
- Removes and prevents rust in one step
- Soak in or brush on application
- Works fast



Krud Kutter® Rustex Rust Converter

- Rust Preventive
- Prepares rusted metal for painting
- Water-based; biodegradable



Krud Kutter® Metal Clean & Etch

- Cleans and etches in one step
- Prepares iron, steel, zinc, aluminum & galvanized surfaces for painting

MPI*: 25

*Refer to MPI website for the most accurate, up-to-date information

PRIMERS



B-I-N®

- Shellac-base primer-sealer
- For interior and spot exterior use
- Greatest stain sealer
- Seals knots and sap streaks

MPI*: 36, 46, 136



B-I-N® Advanced

- Shellac performance with advanced synthetic technology
- Blocks severe smoke odors and water stains
- Sticks to all surfaces
- Available in white and clear



Smart Prime

- Advanced water-base interior/exterior
- Blocks all oil-base and water-base stains
- Soap & water cleanup
- Great flow & leveling


MPI*: 6, 39, 50, 137, 149



Bulls Eye Zero™

- Primer for all surfaces – interior/exterior
- No volatile organic compounds (VOCs)
- Sticks to all surfaces without sanding
- Mildew resistant

MPI*: 17, 17x-green, 39, 50, 50x-green, 137, 137x-green, 149, 149x-green



Bulls Eye 1-2-3®

- Primer for all surfaces – interior/exterior
- Superior stain blocking – seals graffiti, grease spots and other oil-soluble stains
- Mold & mildew resistant - rust inhibitive
- Great adhesion without sanding

MPI*: 3, 6, 17, 50, 107, 125, 134, 137



CoverStain®

- Blocks tough stains from fire, smoke and water damage
- Penetrates and seals exterior wood and blocks tannin bleed
- Bond coat adhesion - sticks to all surfaces without sanding
- VOC compliant versions available nationwide

MPI*: 5, 45, 46, 76, 79, 136

*Refer to MPI website for the most accurate, up-to-date information



UMA Primer-Sealer-Bonder


- Excellent wet adhesion
- Low odor
- Sandable
- Excellent leveling

MPI*: 17



400W NT Urethane Enhanced Primer-Sealer-Bonder

- Quick dry
- Ready to apply
- No thinning
- Interior/Exterior



Mold Killing Primer

- Paint directly over mold
- Kills existing mold, mildew, and odor causing bacteria
- Binds chalky siding, masonry, and metal
- EPA Registered



High Performance Block Filler

- 2X thicker than typical primers for a smoother finish
- Superior alkali resistance, may be applied to new concrete with a pH as high as 13
- Resists efflorescence
- Better sag resistance than competitive block fillers
- Topcoat in 1 hour



Rust-Oleum High Performance ROC Prime 100

- Superior corrosion protection that out performs all other primers
- Durable primer that can be top coated with any type of paint

MPI*: 107



Rust-Oleum Commercial Universal Acrylic Primer

- Excellent hide and adhesion
- For interior and exterior applications
- Mold and mildew resistant; rust preventive
- Tintable formula; LEED compliant

MPI*: 107, 134

*Refer to MPI website for the most accurate, up-to-date information

WATERPROOFING & REPELLENT

WATER-TITE® WATERPROOFING PAINT



Mold & Mildew-Proof

- Lifetime waterproof guarantee
- Guaranteed to stop up to 34 pounds of water pressure
- Prevents the growth of mold and mildew for up to 5 years**

Flexible Primer & Finish

- Expands and contracts to fill hairline cracks
- Ideal for stucco, brick, tilt-up, pre-cast, poured-in-place concrete, CMU and cement block

MPI*: 3, 4, 40

**Contains a mildewcide that prevents growth of mold and mildew on the paint film only

LX Mold & Mildew-Proof

- 15 year waterproofing guarantee
- Guaranteed to stop up to 20 pounds of water pressure
- Prevents the growth of mold and mildew on the paint film for 10 years**



OKON®



Okon® W-1 Water-Repellent Sealer

- Use on vertical dense concrete including formed concrete, tilt-up, pre-cast and exposed aggregate
- Includes MicroPlug® Technology a high performance proprietary acrylic emulsion that plugs concrete pores to prevent water absorption

MPI*: 34, 99

Okon® W-2 Water-Repellent Sealer

- Use on porous and textured concrete and masonry, medium and normal weight concrete block, rough stucco, slump block and cast stone
- Includes MicroPlug® Technology a high performance proprietary acrylic emulsion that plugs concrete pores to prevent water absorption

Okon® Plugger Water-Repellent Sealer

- Use on very porous, decorative concrete block including split face, fluted, and scored concrete masonry units (CMU)
- Includes MicroPlug® Technology a high performance proprietary acrylic emulsion that plugs concrete pores to prevent water absorption

MPI*: 34

Okon® S-20 Penetrating Water-Repellent Sealer

- For dense concrete & masonry
- Creates a hydrophobic barrier against water absorption

MPI*: 34, 99

Okon® S-40 Heavy Duty Penetrating Water-Repellent Sealer

- For porous concrete & masonry
- 100% reduction in water leakage on brick per ASTM E514 Wind Driven Rain Test

MPI*: 34

Okon Seal & Finish® Concrete & Masonry Sealer For Horizontal Surfaces

- Protects patios, pool decks, stained or stamped concrete and other horizontal surfaces including basement floors
- Makes the surface durable, water and stain resistant, and easier to clean

*Refer to MPI website for the most accurate, up-to-date information

SPECIALTY COATINGS

MULTISPEC®



Multispec® GS (green series)

- Low Odor, Low VOC multicolor Paint
- Attractive multicolored natural appearance with excellent camouflaging properties
- Tough, long-wearing finish. Superior washability and scuff, mar and stain resistance.

Multispec® Stone Accents

- Perfect for accenting walls with dramatic effects to achieve striking décor
- Interior/Exterior
- Available in 13 stock colors

MPI*: 112

Multispec® Watercolors

- Natural, light colors are perfect for creating relaxed commercial spaces
- Interior/Exterior
- Available in 24 stock colors

Multispec® Airless Pro


- Durable and attractive architectural coating that can be applied using airless equipment
- Projects can be completed faster than the time required for HVLP or roller applications

Multispec® Countertop Coating

- Extremely tough surface that resists scuffs, scratches and most household chemicals
- This fast dry system is available in a low or high gloss finish

MPI*: 121

PROFESSIONAL DRY ERASE



- Creates a high performing writable, erasable surface virtually anywhere
- Excellent for converting existing chalk boards to dry erase boards
- Meets CDPH/EHLB standard method version 1.1, 2010 test for emissions # CA01350

*Refer to MPI website for the most accurate, up-to-date information

WOOD FLOOR FINISHES

NANO SHIELD™



Fast Dry Floor Stain

- High performance stain system
- Urethane base seals wood
- Optimum coverage and color clarity in one coat

MPI*: 90

Sealer

- Clear, non-yellowing resin system
- High solid formula for superior build
- Water-based formula dries and is ready to be sanded in 1 hour

Amber Emulsion

- Water-Based floor finish with oil-base performance
- Slight amber tone will not yellow
- Quick dry—recoat in 2 hours
- Exceptional durability and protection

Professional Polyurethane

- Super fast drying
- Maximum scratch, impact and abrasion resistance
- Commercial grade formula
- Oil based formula for superior flow and leveling

PreFin Cleaner

- Cleans and abrades floors before applying top coat
- Ensures excellent top coat adhesion to laminate surfaces

RAPID CURE

- Formulated for high traffic wood floors
- Return floor to service in 48 hour
- Maximum scuff and scratch resistance

Advanced Floor Finish

- 1 component system with premium 2K performance
- No catalyst or pot life
- Aluminum oxide nano particles for superior scratch resistance

Hardener

- Accelerates total cure from 10 to 4 days when used with Nano Shield™ Advanced Floor Finish (optional, not required)
- Only compatible with Nano Shield Finishes

*Refer to MPI website for the most accurate, up-to-date information

EXTERIOR WOOD CARE

RESTORE®



10X Advanced Resurfacer

- For Severely Worn Decks
- Ultimate Weather-Resistance
- Waterproofing Protection
- One Coat Application

4X Deck Coat

- For Moderately Worn Decks
- Ultimate Weather-Resistance
- Waterproofing Protection
- One Coat Application

2X One Coat Solid Stain with NeverWet


- For Lightly Worn Decks
- Ultimate Weather-Resistance
- Waterproofing Protection
- One Coat Application

Deck Start Wood Primer

- Simplifies Prep & Promotes Topcoat Adhesion
- Damp Wood Application
- No Sanding or Stripping
- Clean, Prime, and Coat
- Works with any Solid Topcoat

Semi-Transparent Stain with NeverWet

- Extends the Life of Your Deck
- One Coat Application
- Superior Water Repellency
- Ready for Use in 48 Hours
- Algae and Mildew Resistant Coating



RUST-OLEUM HIGH PERFORMANCE



7400 System DTM Alkyd Enamel

- Rust-Oleum's original rust preventative direct-to-metal (DTM) coating provides metal surfaces with the ultimate protection from the ravages of rust and corrosion

MPI*: 9, 48, 81, 94, 96

9100 System DTM Epoxy Mastic

- Versatile epoxy system is perfect for direct-to-metal (DTM), direct-to-tightly adhered rust, concrete floors, pools and more. A high solids, next generation polyamine converted epoxy

MPI*: 98

Rust-O-Zinc Inorganic Zinc-Rich Primer

- 2-component kit consisting of resin and zinc dust based on an ethyl silicate resin.

9700 System Acrylic Polyester Urethane

- This low VOC, high solids, thin film, aliphatic acrylic polyurethane provides the ultimate corrosion protection for excellent long-term appearance in severe environments

3700 System DTM Acrylic Enamel

- A break-through acrylic formulation with superior corrosion resistance, gloss and color retention, adhesion, early water resistance and chemical resistance

5200 System DTM Acrylic

- Withstands mild chemical fumes and spills
- Resists chalking and fading
- For indoor/outdoor use in moderate industrial settings—on machinery, pipes, etc.

MPI*: 53, 153, 161, 164

Rust-O-Zinc Organic Zinc-Rich Primer

- 3-component kit consisting of resin, activator and zinc dust based on an epoxy resin.

9800 System DTM Urethane Mastic†

- High solids, high-build, direct-to-metal (DTM) acrylic urethane provides the ultimate corrosion protection for excellent long-term appearance in aggressive environments

MPI*: 72



*Refer to MPI website for the most accurate, up-to-date information

NOXYDE®



Heavy-Duty, Water-Based, Elastomeric Acrylic Coating System

Heavy-duty, water-based, elastomeric acrylic coating system that provides unsurpassed long-term corrosion protection in aggressive environments.

- Superior flexibility — 200% elasticity that moves with structure and doesn't delaminate



SIERRA PERFORMANCE ZERO VOC/ZERO HAPS



Sierra Metalmax® DTM Acrylic Enamel

- Direct-To-Metal (DTM), water-based, urethane modified acrylic provides excellent corrosion and humidity resistance

SIERRA S60 System Water-Based Epoxy Maintenance Coating

- Versatile, high performance water-based epoxy maintenance coating kit

Sierra S40/42 System Water-Based Epoxy Floor Coating

- Easy-to-use, water-based, concrete epoxy floor coating provides tough, high gloss finish and excellent durability

Sierra Beyond™ Acrylic Enamel

- Water-based, urethane modified acrylic provides excellent color retention and durability

Sierra Griptec™ Acrylic Primer

- A water-based, acrylic primer that is ideal for general purpose priming applications

MPI*: 50, 134

SIERRA S70/S71 System Water-Based Epoxy Primer

- Water-based, epoxy primer with outstanding chemical and corrosion resistance

*Refer to MPI website for the most accurate, up-to-date information

CONCRETE FLOOR PREP/PRIME



RUST-OLEUM® GRIND 'N GO® Machine

Prepare concrete for coating or strip any previous finish - the fast and easy way - with Rust-Oleum® Concrete Saver® Grind 'N Go® Machine. Just flip a switch and this machine immediately starts removing mastics, adhesives and old coatings.

- Preps new or old concrete floors for new coatings.
- Carbide scarifiers remove mastics, adhesives and old coatings.
- Diamond-head attachments mechanically prepare new or old concrete floors for coating.
- Vacuum attachment greatly reduces dust.
- Easy-to-use with stabilizing counter rotation.
- Available in 16" (110V) and 20" (220V).



Oil Destroyer™ Heavy Duty Cleaner

Heavy-duty, citrus-based concrete stripper and degreaser. VOC compliant, easy to work with and has a pleasant orange smell. Excellent for stripping, degreasing and general cleaning purposes.



108 Cleaning & Etching Solution

Prep bare concrete for coatings with Rust-Oleum Concrete Saver 108 Cleaning & Etching Solution. This dual-action solution helps remove laitance and dissolve grease, dirt and oil while also adding a texture that concrete coatings will adhere to.

- Ideal for concrete floors in warehouses, light manufacturing facilities, machine shops, etc.
- Creates an immediate foaming action when applied



TURBOKRETE® Concrete Patching Compound

High-performance, 100% solids epoxy patch kit repairs damaged concrete, fills deep holes, and protects against abrasion, impact, and most chemicals.



TURBOKRETE® All Purpose Epoxy Repair

The ultimate 100% solids non-sag epoxy repair.

- Twice as strong as concrete.
- Works on concrete, masonry, brick, steel and more.
- Low odor, low VOC.



InstaPatch® Concrete Repair

Quickly patch and repair damaged concrete floors with InstaPatch® Ultra—Rapid Curing Concrete Repair. InstaPatch is a two component, 100% solids polyurea concrete repair compound that cures in 15 minutes or less.



ECO PRIME™

A 100% solids, fast curing polyurea primer for use on concrete floors in industrial and commercial facilities.

- Use with Rust-Oleum's Fast Flooring products for the ultimate floor in 24 hours.
- Penetrates and seals for long lasting protection.



Water-Based Topside Vapor Barrier

Water - Based Topside Vapor Barrier is a two component, water-based epoxy primer designed for concrete floors.

- Excellent adhesion to moisture laden slabs, damp and green concrete.
- Can be used on concrete floors with high moisture levels before the application of the finish coat.



TURBOPRIME™ Penetrating Floor Primer/Sealer

A low VOC, two-component epoxy primer designed for one day turn-around of uncoated concrete floors. It can also be used as a standalone sealer/dust proofer on concrete floors.



Penetrating Prime & Seal Primer

Ensure a smooth, durable finish by starting with Penetrating Prime & Seal Primer. This clear, high-solids primer penetrates deeply to seal pinholes and cracks, improve adhesion and form an extra layer of protection.

CONCRETE FLOOR FINISHES

POLYUREA



FASTKOTE® Polyurea Coating

High-gloss floor coating designed for industrial and commercial settings with heavy foot traffic, rubber-tired vehicles and occasional chemical spills.

MEDICI® Decorative Polyurea Floor Coating

High gloss, UV stable polyurea floor coating for use in commercial and industrial environments. The innovative Medici® roller combines two different finish colors in a simultaneous roller application to obtain a one of a kind faux stain finish.

HEAVY METAL Decorative Floor Coating

Concrete Saver® Heavy Metal Decorative Floor Coating is a high gloss, floor coating that uses pearlescent additives for a distinctive iridescent finish. Excellent choice for both interior and exterior applications.

BUILDKOTE

A floor coating primer that provides exceptional adhesion and withstands a wide range of temperatures and climate conditions. BuildKote has an extended open time making it a great choice for broadcast systems.

FINISHKOTE 80/100

100% solids fast dry polyaspartic floor coating that provides excellent UV, chemical and abrasion resistance in a wide range of temperatures making it an excellent choice for both interior and exterior applications.

ANTI-SLIP EPOXY



AS5400 SYSTEM ANTI-SLIP ONE-STEP EPOXY

Labor-saving, anti-slip epoxy, protects pedestrian grade floors with ease in one step.

AS6000 SYSTEM ANTI-SLIP LOW PROFILE EPOXY

Low VOC, water-based anti-slip floor epoxy acts as a safeguard on barefoot grade floors.

AS9100 SYSTEM ANTI-SLIP HIGH PERFORMANCE EPOXY

Low VOC, extreme profile anti-slip epoxy offers maximum protection for vehicle grade floors.

MPI*: 82

*Refer to MPI website for the most accurate, up-to-date information

EPOXY



8100 System OverKote® Xtra S Epoxy

100% solids epoxy floor coatings and toppings for maximum chemical resistance in the most extreme industrial environments.

8200 System OverKote® Chemical Resistant Epoxy

The TX formula utilizes a proprietary resin system to create a durable, textured, two-component, 100% solids anti-slip floor coating.

8300 System OverKote® Plus Novolac Epoxy

Heavy-duty, 100% solids novolac epoxy toppings and coatings stand up to the harshest chemicals in extreme industrial environments.

4700 SD ESD FLOOR CPS

Primer ESD has been designed for use with UltraPlex C SL and UltraPlex SD SL to meet conductive or static dissipative requirements.

8900 System Thermocrete

Heavy-duty, easy to apply, water-based urethane concrete topping stands up to the most extreme industrial environments.

9000 System Florclad™ Epoxy Mortar

FlorClad™ Primer is a two component, 100% solids of epoxy resin polymer. Designed for use with the FlorClad™ HD floor topping to ensure a secure bond between the floor topping and the substrate.


9100 System DTM Epoxy Mastic**

Versatile epoxy system is perfect for direct-to-metal (DTM), direct-to-tightly adhered rust, concrete floors, pools and more. A high solids, next generation polyamine converted epoxy

MPI* 98

9600 System Britecast

Decorative quartz blend for 9600 BriteCast decorative floor coating system which combines aesthetics with anti-slip performance. Available in a variety of standard and custom blends.



Other systems available to meet your specific project requirements. Consult your local representative.

*Refer to MPI website for the most accurate, up-to-date information

ARCHITECT & ENGINEER PRODUCT GUIDE

To research and learn more about  **RUST-OLEUM** products
visit us online at:

rustoleumibg.com

multispec.com

rustoleum.com

paintinfo.com

zinsser.com

okoninc.com

ximbonder.com

krudkutter.com

For detailed specifications visit:


arcat.com

Take  **RUST-OLEUM** continuing education courses at:

 www.aecdaily.com **AECDAILY**
FREE
On-line
Continuing
Education

*The Largest AIA
Online Continuing
Education Resource
in the country.*

aecdaily.com

 **RUST-OLEUM**
CORPORATION

11 Hawthorn Pkwy., Vernon Hills, IL 60061

800-323-3584

rustoleum.com

274898 1015

©2015 Rust-Oleum Corporation