



(artea stone)

glazed porcelain stoneware

Made In The

the fine art of porcelain stoneware

antico

Click Here for More Information



6½"x6½" - 6½"x13" - 13"x13" - 20"x20"

Insert 4"x4"



artea stone antico

glazed porcelain stoneware





UC4J Antico 20"x20"



UC4D Antico 13"x13"







UC43 Antico 6½"x6½"



Decorative Options



UC4M Luna Insert 4"x4"

Trims Available



UC4R Antico 3"x13" Bullnose



UD1M Antico 6"x8" Sanitary Cove Base



In Angle

UD1X Antico 1"x6" Sanitary Cove Base Out Angle



avorio

Click Here for More Information



61/2"x61/2" - 61/2"x13" - 13"x13" - 20"x20"



artea stone avorio

glazed porcelain stoneware





UC4K Avorio 20"x20"



UC4E Avorio 13"x13"



UC49 Avorio 6½"x13"





Home

Antico

Avorio

Cappuccino





UC4S Avorio 3"x13" Bullnose



6"x8" Sanitary Cove Base



UD1Y Avorio 1"x6" Sanitary Cove Base Out Angle

UC44 Avorio

Contact

Click Here for More Information

cappuccino

6½"x6½" - 6½"x13" - 13"x13" - 20"x20"

Insert



artea stone cappuccino

glazed porcelain stoneware





UC4H Cappuccino 20"x20"



UC4C Cappuccino 13"x13"



UC47 Cappuccino UC42 Cappuccino 6½"x13" 6½"x6½"



Home

Antico

Avorio

Cappuccino

Merchandising

Contact

Decorative Options



UC4M Luna Insert 4"x4"

Trims Available



UC4Q Cappuccino 3"x13" Bullnose



UD1P Cappuccino UD1U Ca 6"x8" Sanitary Cove Base In Angle



UD1Z Cappuccino 1"x6" Sanitary Cove Base Out Angle



noce

Click Here for More Information



6½"x6½" - 6½"x13" - 13"x13" - 20"x20"



artea stone noce

glazed porcelain stoneware





UC4G Noce 20"x20"



UC4B Noce 13"x13"



UC46 Noce 6½"x13"



UC3Z Noce 6½"x6½"



Trims Available



UC4P Noce 3"x13" Bullnose



6"x8" Sanitary Cove Base 1"

UD1V Noce 1"x6" Sanitary Cove Base In Angle

UD20 Noce 1"x6" Sanitary Cove Base Out Angle



oro





6½"x6½" - 6½"x13" - 13"x13" - 20"x20"



artea stone oro glazed porcelain stoneware



UC4F Oro 20"x20"





UC4A Oro 13"x13"



UC45 Oro

6½"x13"







Home

Antico

Avorio

Noce

Oro

Cappuccino

Packaging

Merchandising

Contact

Trims Available



UC4N Oro 3"x13" Bullnose



6"x8" Sanitary Cove Base 1"x

UD1W Oro 1"x6" Sanitary Cove Base In Angle UD21 Oro 1"x6" Sanitary Cove Base Out Angle

artea stone testing/packaging

glazed porcelain stoneware

nackaging

packaging							Home				
MARAZZIE.	Sizes	Pcs	Sq. Ft.	Weight (Ibs.)	Thickness	HAA2200-	Sizes	Ctn	Sq. Ft.	Weight (lbs.)	
Modular Tile	6½"x6½"	32	9.38	42	0.413	Modular Tile	6½"x6½"	51	478.38	2142	Antico
Modular Tile	6½"x13"	16	9.46	42	0.413	Modular Tile	6½"x13"	51	482.46	2142	
Modular Tile	13"x13"	13	15.52	73	0.413	Modular Tile	13"x13"	38	589.76	2774	
<u>Floor Tile</u>	20"x20"	6	16.15	80	0.433	Floor Tile	20"x20"	24	387.60	1920	Avorio
Insert	4"x4"	4		3	Compatible						
Sanitary Cove Base*	6"x8"	24		24	Compatible						
Sanitary Cove Base In*	1"x6"	6		2	Compatible						Cappuccino
Sanitary Cove Base Out*	1"хб"	6		2	Compatible						
Bullnose	3"x13"	20		21	Compatible						

Noce

Oro

Technical

Packaging

Contact

Merchandising

* Suggested for interior applications only.

technical

S

ASTM Test Results

Technical Characteristics	ASTM Standards	ASTM Test Results	ASTM Test Methods
Water Absorption	≤ 0.50%	≤ 0.50%	C373
Frost Resistance	As Reported	Resistant	C1026
Scratch Resistance	MOHS 1-10	6.5	MOHS Scale
Breaking Strength	≥ 250 lbf.	≥ 350 lbf.	C648
Facial Dimension	+/- 3.0% from Nominal	Within Standard	C499
Thickness	≤ 0.04 in (1.02 mm max)	Within Standard	C499
Wedging (squareness)	+/- 0.50% or +/- 2.0 mm**	Within Standard	C502
Warpage (flatness)	+/- 0.75% or +/- 2.3 mm**	Within Standard	C485
Abrasion Resistance	Class 0 - Class V	Class IV*	C1027
DCOF-Dynamic Coefficient of Friction (Wet Areas Only) †	As Reported	Minimum 0.42	DCOFAcuTest ^{SM*}
SCOF-Static Coefficient of Friction (Dry)	As Reported	$0.70 \le C.O.F. \le 0.80$	C1028
SCOF-Static Coefficient of Friction (Wet)	As Reported	0.60 ≤ C.O.F. < 0.70	C1028
Chemical Resistance	Class A - Class E	Class A	C650
Stain Resistance	Class A - Class E	Class A	C1378

¹Dynamic Coefficient of Friction (DCOF) - Water, oil, grease or other fluids create slippery conditions. When installing floors in areas with exposure to these conditions, a minimum D.C.O.F. value of 0.42 is required. Additionally, extra caution is required with regards to product selection and proper maintenance. Visit www.tcnatile.com for complete information regarding the DCOF Acutest test method and values. *DCOF AcuTest is the industry designation for the test procedure contained in ANSI A137.1 Section 9.6, which has been extensively researched, allows for in-situ field measurements, and is in use at tile manufacturing facilities. It was so named to distinguish it from other DCOF measurements using different instruments and/or protocols. ** Whichever is less



artea stone merchandising

glazed porcelain stoneware

Product Overview



MARAZZIE

Size: 3³/₄"x 8¹/₂"

Description: Z931 Artea Stone Leaflet

Leaflet

Description: Artea Stone Product Overview Size: 8½" x 11"

Illustrated Sample Boards



Description: Z453 Artea Stone Antico/Cappuccino Illustrated Sample Board Size: 25"x 25"





Description: Z201 Artea Stone Specifier Kit Bi-fold Size: 10¼"x 12½"



Inside

Brochure



Description: Z933 Artea Stone Brochure Size: 8¹/₂"x 11"

Contractor Board



Description: Z454 Artea Stone Avorio/Oro/Noce Illustrated Sample Board Size: 25"x 25"



Description: Z217 Artea Stone Contractor Board Size: 101/2"x 14"



American Marazzi Tile, Inc. Headquarters & Manufacturing Plant Telephone 972.226.0110 Fax 972.226.5629

359 Clay Road East Sunnyvale, Texas 75182 www.marazzitile.com contact@marazzitile.com

Color and other aesthetic features shown are as close as the limitation of the printing process will allow. We have tried to make this brochure as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, packaging, specifications and availability. Since some information may have been updated since time of printing, please check with American Marazzi Tile Customer Service for details.

Home
Antico
Avorio
Cappuccino
Noce
Oro
Technical
Packaging
Merchandising
Contact