
## **ASSEMBLY INSTRUCTIONS**

Model: A103000102

### SKU: 2721523

## Grill Gazebo W/LED



Congratulations on your purchase of our SUNJOY LED lighted grill gazebo. Our clear, easy to follow, step-by-step instructions will guide you through the assembly process from start to finish.

#### **IMPORTANT:**

1. When installing and assembling your gazebo, it is recommended that two or more adults are involved.

2. Do not use the gazebo during an electrical storm, as there is a remote chance of getting struck by lightning.

3. Do not climb on top of the gazebo. Falling off the gazebo can result in serious injury, possibly even death.

4. Do not leave the gazebo assembled when there is a risk of high wind, as possible damage will occur to the structure.

5. Do not use lanterns that contain open flames.

6. This package contains small items and plastic bags that should be kept away from children.

7. Ensure that all connectors & poles are firmly secured in position fully.

8. **KEEP ALL FLAME AWAY FROM THIS SHELTER FABRIC.** The fabric may burn if it is exposed to prolonged contact with a flame source. The application of any foreign substance to the fabric may render the flame-resistant properties ineffective.

9. Requires 3 AAA batteries (not included).

#### USE & CARE:

1. This gazebo is not a permanent structure. The canopy top should never be left on during periods of extended or heavy rain nor any inclement weather where high winds or wind guests can occur. If left up, damage to the gazebo and surroundings can occur.


2. Do not repack your gazebo until completely dry.

3. Steel components for garden accessories and furniture are treated with rust inhibiting paint that protects them from rust. However, due to the nature of steel, surface oxidation (rusting) will occur if this protective coating is scratched. This is a natural process.

To minimize this condition, it is recommended that care be taken when assembling and handling the product in order to prevent the paint from being scratched. Surface rust can be removed easily using a very light application of common cooking oil. If surface oxidation (rusting) occurs and no measures are taken to correct it, the oxidation may start dripping onto the deck or patio, which may cause damaging stains that may be difficult to remove.


# Parts List

Description	CS Part #	Label	Quantity	Images
Post (1)	P000200319	A1	2	
Post (2)	P000200320	A2	1	
Post (3)	P000200321	A3	1	¢
Big beam	P000601010	В	4	
Big connector	P000500822	С	1	
Small beam	P000601009	D	4	
Long screen	P000400686	E	2	
Short screen	P000400687	F	2	
Panel 1	P002100212	G1	1	
Panel 2	P002100213	G2	1	
Hook rack	P005800135	н	1	<u> </u>
Bolt 1	P90804A07106	I	20	( <b>D</b>
Bolt 2	P90801B07106	II	3	
Big canopy	P001100402	J	1	
Small canopy	P001100403	К	1	
Hook	P005800134	L	1	
LED light	P006000005	М	4	




**Fig.1:** Attach the long screen (E) and the short screen (F) to post (A1,A2,A3) with the bolts 1 (I). **Fig.2:** Attach the big beam (B) to the big connector (C), then assemble the hook (L) to the big connector (C). **Fig.3:** Insert the lower connector tube of the big beam (B) into the upper tube of post (A1,A2,A3), then place the big canopy (J) on big top, do not fully spread.

Fig.4: Insert the lower connector tube of small beam (D) into the upper tube of big beam (B).



**Fig.5:** Extend the small canopy (K) onto the small top by fixing the canopy at four corners of Small Beam (D). **Fig.6:** Take off the back cover of LED light (M), and match 3 pieces AAA batteries into sockets. Attach back cover to LED light (M). Note: Batteries are not included.

Fig.6-1: Attach the Led lights to the big beams (B).



**Fig.7:** Extend the Big Canopy (J) onto the big top by fixing the canopy at four corners of Big Beam (B). **Fig.7-1**: Attach the hook rack (H) to panel 2(G2) with the bolt 2 (II).

**Fig.8:** Insert the connecting piece of panels (G1,G2) into the U-shaped piece of post , then fasten the panels (G1,G2) to posts (A1,A2,A3,A4) using bolts (I).




Fig.9: Fix the gazebo to the lawn by using the Stake (FF).

Your grill gazebo is now ready for use.

Please do not return this product to the store. For technical assistance on assembly, replacement parts, or warranty questions email menards@sunjoygroup.com.