

October 21-24, 2018
Portland Hilton Downtown, Portland OR

Assessing and Engaging Frail Seniors with Depression and Active Suicidal Ideation

Chi Chung Benny Wong, MSW, LCSW On Lok Lifeways





Presentation Outline

- 1. Quiz game
- 2. Overview of the senior population with regard to depression and suicide rate in the US
- 3. Review the screening tools for older adult depression
- Tips for assessing seniors with depression and suicidal ideation
- 5. Help seeking behavior for mental health services
- Group discussion: effective skills to engage frail seniors with depression and suicidal ideation in your treatment plan.






Presentation Outline


- 7. Three important elements for social workers to engage frail seniors with depression and suicidal ideation in your interventions effectively.
- 8. Case discussion: Case management model
- 9. End














Male

Female



Suicide Rates for Males and Females by Race/Ethnicity in the United States (2016)


Data Courtesy of CDC




^{*}All other groups are non-Hispanic or Latino / **Al/AN = American Indian / Alaskan Native / ***Pl = Pacific Islander























Past Year Prevalence of Suicide Attempts Among U.S. Adults (2016)

Data Courtesy of SAMHSA












Past Year Prevalence of Major Depressive Episode Among U.S. Adults (2016)







^{*}All other groups are non-Hispanic or Latino | **NH/OPI = Native Hawaiian / Other Pacific Islander | ***Al/AN = American Indian / Alaskan Native





- On Lok Lifeways: Data about seniors with depression
- 1) 414 seniors were diagnosed with depression.
- 2) 308 are females 106 are males
- 3) 263 participants are Asian (63%), 71 participants are Latino (17%), 65 are Caucasian (16%), and 15 are African American (4%).



Review screening tools for older adult depression

- 1. Major (ICD-10) Depression Inventory
- 2. Patient Health Questionnaire (PHQ9)
- 3. Geriatric Depression Scale
- 4. Center for Epidemiologic Studies Depression (CES-D)
- 5. Hamilton Depression Rating Scale (HAM-D)
- 6. Zung Self-Rating Depression Scale (SDS)
- 7. Beck Depression Inventory





Tips for assessing seniors with depression and suicidal ideation

- 1. Cultural factors should always be a consideration
- 2. Be sensitive to senior's emotional expression
- 3. Don't be afraid of asking the senior and his or her family any questions related to suicidal thoughts or attempts
- 4. Be aware of the senior's psychosomatic complaints





Tips for assessing seniors with depression and suicidal ideation

- 5. Verify with the senior what it means when he or she tells you a vague statement. e.g. I don't want to live anymore
- 6. Read the senior's psychiatric history
- 7. Explore the senior's coping skills to deal with his or her depressive symptoms and suicidal ideation
- 8. Ask if the symptoms are bothering him or her and how active the suicidal ideation is





Help seeking behavior

- 1. Help seeking behavior among Asians for mental health services
- 2. Help seeking behavior among Latinos for mental health services
- 3. Help seeking behavior among African Americans for mental health services



Three important elements for social workers to engage frail seniors with depression and suicidal ideation in your interventions effectively

- 1. Tailor made services (30%)
- 2. Clinician's personality trait (30%)
- 3. Gaining feedback from your clients (40%)



Case Discussion: From a case management model

- Case scenario: please refer to the provided case scenario
- 1) What kind of case management will you provide to form a good relationship with Tina Wong?
- 2) How will you engage Tina Wong in your interventions effectively?



Assessing and Engaging Frail Seniors with Depression and Active Suicidal Ideation



- Benny Wong, LCSW
- Bwong@onlook.org