auction

Major Manufacturing & Stamping Facility

Assets no longer required in the continuing operations of:



cooling systems, inc.

Auction

Tuesday, November 19, 2002 Beginning at 10:30am, EST

Preview

Monday, November 18, 2002 9am to 4pm and morning of sale

Location

1233 Palmour Drive Gainesville, GA





www.biditup.com

auction

Assets no longer required in the continuing operations of BorgWarner

Auction

Tuesday, November 19, 2002 Beginning at 10:30am, EST

Preview

Monday, November 18, 2002 9am to 4pm and morning of sale

Location

1233 Palmour Drive, Gainesville, GA

Bidcast

Are you unable to make it to Gainesville, GA? Not a problem! With Biditup's Bidcast Technology, anyone from anywhere can bid at this auction. A Bidcast is a traditional walkaround auction that allows you to actively bid with the bidders on-site from the comfort of your own home. All you need is a touch-tone phone and a computer with Internet access. In a Bidcast, you are bidding real time with the bidders on the auction floor as well as other bidders around the world. It's just like being there.

You will hear the auctioneer through the phone as the current asset is displayed on your screen. You press 1 on your telephone keypad to begin bidding and press # to stop the bidding.

Bidcast auctions are secure, easy and convenient. Save time and money by bidding online.

Go to www.biditup.com to download the free software and we'll see you ONLINE!

Directions

FROM ATLANTA, GA: Head north on I-75/I-85. Follow I-85 north towards Greenville. Take I-985 north (for Gainesville) to exit #20 / Hwy #60. At end of ramp turn left (west) onto Hwy 60 and travel through one light to South Industrial Park immediately on left. Look for Auction signs and turn left into South Industrial Park. Follow Auction signs to Palmour Dr. Turn left onto Palmour Drive and follow to BorgWarner plant on left. Watch for Auction Signs.

Gainesville, GA Hotels:

HOLIDAY INN

726 Jesse Jewell Pkwy. Phone (770) 536-4451

HAMPTON INN

450 Jesse Jewell Pkwy. Phone (770) 503-0300

DAYS INN

809 Jesse Jewell Pkwy. Phone (770) 534-0303



STRAIGHT-SIDE, GAP FRAME & OBI PRESSES



STRAIGHT SIDE SINGLE CRANK **PRESSES**

- 2- 300-T BLISS, MDL. S1-300-36X42, Stroke 14", SPM 25, Twin End Drive, Bed & Slide 42" x 36", Shut Height 28", Power Adjustment 10", T-slotted Slide Plate 3" Thick, Two Bolster Plates 5" thick, Windows 28" wide, Air Clutch & Brake, Air Counterbalances, Floor Standing, s/n H-64923 & N/A.
- 1- 250-T BLISS, MDL. S1-250-33X39, Stroke 14", SPM 20, Bed & Slide 39" x 33", Shut Height 27", Power Adjustment 10", T-slotted Slide plate 3", T-Slotted Bolster 4"; Windows 25" wide, Air Clutch & Brake, Air Counterbalances, Floor Standing, s/n H-37396.

STRAIGHT SIDE DOUBLE CRANK PRESS

1- 1500-T VERSON STRAIGHT SIDE DOUBLE CRANK PRESS, MDL. \$2-1500-108-60T, Stroke 14", SPM 16-32 Variable, Bed & Slide 60" x 108", Shut height 40", Power Adjustment 12", T-slotted Bolster 12" thick, T-slotted slide, Hydraulic overload, Windows 36" wide x 50" high, Data Instruments Smart Pac & Die Protection, Light Curtains, Elite/Carotron Drive Control, Air Clutch & Brake, Air Counterbalances, s/n 25680 with 10,000 Lb. LITTELL Coil Cradle-Straightener, Mdl. 832D-5PD-C100, Capacity 30" wide x .190" / 24" wide x .250", Coil OD 54", Hold Down Arm, Peeler, Coil Catcher, Power Roll Adjustment, 5-Roll Straightener - 5 1/2" Dia., Entry & Exit Pinch Rolls - Air Lift - 8 2/3" Dia,, 25 HP REEVES Variable Speed Drive, s/n 83264-78; LITTELL Threading Table, Mdl. 8-32, s/n 83263-78; LITTELL Rack & Pinion Roll Feed, Mdl. 8-32 1/2, s/n 83262-78.



300-T BLISS STRAIGHT SIDE SINGLE CRANK PRESS



250-T BLISS STRAIGHT SIDE SINGLE CRANK PRESS

GAP FRAME & OBI PRESSES

- 6", SPM 40, Bed 30" x 50", Slide 24" x 34", Shut Height 23", Power Adjustment 5", T-slotted Slide plate 3" thick, T-slotted Bolster 4 1/2" thick, Air Clutch & Brake. Air Counterbalances. s/n H-61560 & H-61561.
- 1- 150-T V&O, MDL. 150-ST, Stroke 8", SPM 40-100 Variable, Bed 30" x 60", Flanged Ram 17" x 30", Shut Height 23", Power Adjustment 4", Tslotted Ram plate 2 1/2" thick, T-slotted Bolster plate 4 1/2" thick, Air Clutch & Brake, Air Counterbalance, Brake Monitor, s/n 150ST-15.



- 2-150-T BLISS, MDL. C-150, Stroke 1-110-T BLISS, MDL. C-110, Stroke 6", SPM 40, Bed 27" x 42", Slide 21" x 27", Shut Height 22", Adjustment 4", T-slotted Slide plate 3" thick. Bolster plate 4" thick. Air Clutch & Brake, Air Counterbalances, s/n H-57423.
 - 1- 100-T DANLY, MDL. H2-100, Stroke 8", Slide 21" x 40", Horn Hole 7" Diameter, SPM 40, Shut Height 19", Adjustment 4", Air Clutch & Brake, s/n 47013501.
 - 1-80-T FEDERAL, MDL. 7, Stroke 6", SPM 75, Bed 28" x 36", Flanged Ram 15" x 24", Shut Height 16 1/2", Adjustment 3", Bolster Plate 3 1/2" thick, Air Clutch & Brake, Rockford Controls, s/n 7-744.
 - 1-80-T FEDERAL, MDL. 7, Stroke 5", SPM 45, Bed 28" x 36", Flanged Ram 15" x 24", Shut Height 17", Adjustment 3", Bolster Plate 3 1/2" thick Air Clutch 9 Perior Pool (for defended) thick, Air Clutch & Brake, Rockford Controls. s/n 7GA-701.
 - 1-75-T BLISS, MDL. 43, Stroke 4", Adjustable Bed, Slide Adjustment 3", Air Clutch & Brake, s/n H-49392.
 - 2-46-T FEDERAL, MDL. 44, Stroke 6", SPM 90, Bed 21" x 33", Flanged Ram 12" x 24", Shut Height 16", Adjustment 2 1/2", Bolster Plate, Air Clutch & Brake, s/n 44-461 & 44-468.

150 -T BLISS OBI PRESS



150-T V&O OBI PRESS

- 1-BLISS/TOLEDO Horn Press. Stroke Approx 8", Horn Hole 6 1/2" Diameter, Rockford Control, Air Clutch & Brake.
- 1- 32-T TOLEDO, BED 19" X 27". Bolster plate 2" thick, Air Clutch & Brake, s/n 23873 & 20337.
- 1-26-T TOLEDO, ADJUSTABLE BED 16" X 20", Bolster plate 2" thick, Air Clutch & Brake.
- 1-20-T TOLEDO, ENDWHEEL TYPE, Adjustable Bed, Swing-away Bed, Horn hole 4" diameter, Air Clutch & Brake.

FABRICATION EQUIPMENT & PAINT



10.000 LB. COIL UPENDER, 48" X 48

COIL UPENDER

- 1- 10,000 LB., 48" X 48" PLATFORM, V-COIL REST. C-HOOKS
- 1-10,000 LB. LITTELL, 36" Wide
- 1-10,000 LB. C-HOOK, 38" wide, 60" O.D.

COIL FEEDER/STRAIGHTENER

- 1- COE PRESS EQUIPMENT, MDL. HDCB1224, Capacity 12" Wide x .125" Thickness, Stroke 24", 7 Roll Pull-thru Straightener, Entry Pinch Rolls, Cabinet, s/n 1104320B.
- 1- GAUER 8" WIDE SAFETY EDGE DEBURRING MACHINE, 3 Roll Straightener, Baldor Drive.



110-T BLISS OBI PRESS

80-T FEDERAL OBI PRESS



80-T FEDERAL OBI PRESS



NIAGARA 4' X 1/4" POWER SQUARING SHEAR



PNEUCO PNEUMATIC BRAKE



CART PAINT **FINISHING** LINE

EISENMAN ANODIC

ELECTO

PAINT FINISHING SYSTEM

1-1992 EISENMAN ANODIC ELECTO CART PAINT FINISHING LINE, Power & Free Conveyor w/PLC Control, Multi Stage (5) Wash & Rinse, Anodic System, Tanks, Treatment System, Gas Oven for Enamel, Delonizer Water Unit.

STAMPING MACHINES

- 1- MELTON MACHINE CONTROL COMPANY, Hvdraulic. Stroke 4".
- 1- BEATTY MACHINE & MFG 20-T PUNCH, Mdl. 2,



20-T BEATTY MACHINE PUNCH

HOISTS

- 1-5-T WRIGHT/ACCURITE, MDL. C2W05, Underhung, Pendant Control, s/n 532-20-11882.
- 1-1-T BUDGIT, Underhung, Pendant Control.

PRESS BRAKE

- 1-PNEUCO PNEUMATIC, MDL. 08-75, 8' x 9 Gauge, 7'8" Between Housings, s/n C164021
- 1- DI-ACRO HAND BRAKE, 24" Wide, s/n 967.

POWER SQUARING SHEAR

1-NIAGARA 4' X 1/4" MECHANICAL, MDL. 74B, 7/32 Stainless Capacity, 30" Front Operated Power Back Gauge, Hold downs, s/n 61948.

PLATE BENDING ROLLS

- 1-36" LOWN X 10 GAUGE, MDL. B, Initial Pinch - Three Roll, Manual Drop End, s/n 40424
- 1-NEW 2001 24" ACROTECH X 10 GAUGE POWER ROLLER, MDL. LD-1024, Two Roll, Power Elevation, Power Drop End, Urethane Roll, s/n 0101-120EH-203
- 1- 24" KAUFMANN TOOL & ENGINE POWER ROLLER, Vertical Lift Upper Rolls, Two Roll, s/n 25233.





46-T FEDERAL



NEW 2001 24" ACROTECH X 10 GAUGE POWER ROLLER, MDL, LD-1024

ROOM & INSPECTION EQUIPMENT

RIVETERS

- 1- US TOOL DUAL HEAD PNEUMATIC.
- 1- GENERAL HYDRAULIC. 36" Throat.
- & WEBSTER 1- BLACK HYDRAULICS, MDL. SAF6, s/n 31687.
- 1- ADTECH RIVETER, S/N RHV5797.
- 2-BLACK & WEBSTER TOOL, 15-T, Air Clutch, Tarpon Vibratory Parts Feeder, s/n 7391 & 7392.
- 1- C-FRAME, 36" THROAT, Rockford Controls, s/n C04.
- 1- AIR HYDRAULICS, MDL. AHR-2, 30" Throat, s/n 100.



C-FRAME RIVETER, 36" THROAT

ROTARY SURFACE GRINDERS

1-BLANCHARD 36" ROTARY SURFACE GRINDER, MDL. 18, Neutrofier II Magnetic Chuck Control, .004" - .076" Feed.

1- 42" BLANCHARD ROTARY SURFACE GRINDER, MDL 1842, Vertical Height 15", Tilt Column, 8 1/2° Convex - 4° Concave, 22" Dia. Segmented Wheel, 50 HP Motor, 42" dia. Electromagnetic Chuck, Neutrofier, Dresser, s/n 11385.

TOOL ROOM & INSPECTION EQUIPMENT

- 1- PRATT & WHITNEY JIG BORER, MDL. 2A, Table 22" x 44", Siemens Micro Master, Heidenhain DRO, 30" P&W Rotary Table, s/n 23449.
- 1- GORTON VERTICAL MILL, MDL. 9J, Table 9" x 40", Topaz/Newall DRO, s/n 38820.
- 1-KEARNEY & TRECKER HORIZONTAL MILL, MDL. 307 S-12, TABLE 10" X 52"; S/N RD92192.
- 1-1999 HARIG SURFACE GRINDER, MDL. 612, 6" x 12" Walker Chuck;
- 1- CINCINNATI MILACRON **SURFACE GRINDER**, Table 6" x 44", Grinding wheel 6" dia, s/n F5264-F-79-13-81;
- 1- PRATT & WHITNEY LATHE, 16" X 54", Tailstock, Steady Rest, 10" 3 Jaw Chuck.
- 1- POWERMATIC BELT DISC SANDER, Wheel 12" dia, Belt 6" wide.
- 1- DI-ACRO NOTCHER, Manual, s/n A-5218.
- 1- POWERMATIC DRILL, MDL. 1200, Table 18" x 16", RPM 300-1800, s/n 67-4698.
- 1- DO-ALL DRILL PRESS.
- 1- MAKITA CUT OFF SAW, MDL. 9309, s/n 44484.
- MASTER MODEL 1- TRINCO BLAST CLEANER, MDL. 36/BP, 23" x 36" x 25" Tall, Lid Type, s/n 11317-6.
 - 1-KALAMAZOO HORIZONTAL BAND SAW, MDL. 94D, s/n 1090.

6" & 8" VISES.

1- ROCKWELL GRINDER.

GRANITE PLATES: 48" x 36" x 8" thick; 24" x 18" x 4" thick; 48" x 36" x 8 1/4" thick; 60" x 36" x 6" thick; 36" x 24" x 4" thick.

BROWN & SHARPE & MITUTOYO HEIGHT GAUGES.

1993 **AMERICAN HOFMANN** BALANCER, MDL HMV-30.1, HM Electrics, Vertical Spindle, Single Plane, Capacity 550 Lb., Diameter 30.1", s/n 93-4-066



42" BLANCHARD ROTARY GRINDER



1999

TRINCO BLAST CLEANER, 23" X 36" 25" HARIG SURFACE GRINDER, 6" X 12"



IKEDA RADIAL ARM DRILL, 3' X 9"



15-T BLACK & WEBSTER TOOL RIVETER

RADIAL ARM DRILLS

- 1- CINCINNATI 5' X 13", Box Table.
- 1- ENCO 4' x 9", MDL. 128-4010, Box Table.
- 1- CARLTON 4' X 11", MDL. 1, Box Table, s/n 1A-1348.
- 1- SHARP 4' X 15". MDL. RD-1600. Box Table. s/n 13890.
- 1- ASQUITH MK2 14/54. Box Table.
- 1- OOYA 4' X 12 5/8", MDL. RE-1250, Box Table, s/n N69-7465.
- 1- YODOGAWA 3' X 9", MDL. YMR840, Box Table.
- 2- IKEDA 3' X 9". Box Table.



YODOGAWA RADIAL ARM DRILL, 3' X 9"

FORKLIFTS, SCISSOR LIFTS, MATERIAL HANDLING, AUTOMOBILES, HYDRAULIC PRESSES & OVEN

JLG ELECTRIC ARTICULATING BOOM LIFT, MDL. 35E

1994

JLG BOOM TYPE ELECTRIC ARTICULATING LIFT, MDL. 30E

AUTOMOBILES

- 1-1993 MERCURY VILLAGER MINIVAN.
- 1- 1994 CHEVROLET SUBURBAN, MDL. C-15.

HYDRAULIC PRESSES

- 1- 50-T DAKE H-FRAME, MDL. 23-268, Down-Acting, Mold Space 28" x 32", Stroke 18", Daylight 24", 10 HP Motor & Pump, s/n 161380.
- **1-200-T HANNIFIN,** Bed 24" x 29", 10 HP Motor & Pump.
- **1-75-T OTC SHOP PRESS**, Traveling Head, 45" Between Sides.
- 1- GREENFIELD ARBOR PRESS.

OVEN

1- ELECTRA PRODUCTS, MDL. 91619, 2000/1200°, s/n 0967.

> 4,000 LB. RAYMOND LIFT, 181" STAND UP FORKLIFT



FORKLIFTS, SCISSOR LIFTS & MATERIAL HANDLING

- 2- HYDRAULIC SCISSOR LIFTS, Platform 36" x 66".
- 1-2001 JLG BOOM TYPE ELECTRIC ARTICULATING BOOM LIFT, MDL. 35E, Platform 26" x 60", Platform Height 35', Horizontal Outreach 20' 6", Up & Over Clearance 17' 11", Swing 360°, Platform Capacity 500 Lb., s/n 0300056184.
- 1-1994 JLG BOOM TYPE ELECTRIC ARTICULATING BOOM LIFT, MDL. 30E, Platform 26" x 48", Platform Height 30', Horizontal Outreach 13' 5", Up & Over Clearance 16' 7", Swing 360°, Platform Capacity 500 Lb., s/n 008393 0300018481.
- 1- 6,000 LB. CATERPILLAR, ELECTRIC, MDL. 2TC3, 187" Lift, Side Shift, s/n A2EC361437.
- 1- 4,000 LB. RAYMOND, STAND UP TYPE FORKLIFT, ELECTRIC, MDL. 20-R40TT, 181" Lift, Stand-Up Forklift, s/n 020-R40TT-11556.
- 1- 2,700 LB. CROWN ELECTRIC FORKLIFT, TYPE E, 172" Lift, Side Shift, S/N1A136309.
- 1- GROVE MANLIFT, MDL. SM2632E, Electric, Deck Weight Capacity 750", Extension Weight Capacity 250 Lb.
- 1- DIE CARTS, 24" X 24" Platform, 30" Lift.
- 2- RCE PALLET JACKS.

 MANUAL PALLET LIFTS.
- 1-1,000 LB. ECONOMY PALLET LIFT, MDL. 54W, Lift 54", s/n 0035466.
- 1-5.500 LB. PALLET JACK.
- 1- MULTITON PALLET JACK.
- 1- BATTERY CHARGERS: EXIDE Load Hog, FERRO FIVE FR Series, C&D TECHNOLOGIES, EXIDE Depth Charger, GNB.



200-T HANNIFIN



50-T DAKE HYDRAULIC H FRAME PRESS



GROVE MANLIFT, MDL. SM2632E

PACKAGING EQUIPMENT, AIR COMPRESSORS, CHILLERS, DRYERS, WELDERS & MISCELLANEOUS

PACKAGING EQUIPMENT

- 1- 1997 WULFTEK WRAPPER, MDL. WLP-200, Carriage & Film Tension Control, Table 58" dia, s/n 1097-2617.
- 1- INFRA PAK WRAPPER, AGE MDL. HAWK, Carriage & Film Control, Table 65" dia, s/n 884535T.

AIR COMPRESSORS/CHILLERS & DRYERS

- 1-1998 CINCINNATI-MILACRON Chiller, MDL. CMTI-30W 42SRX, Compressor 15 HP, Process Pump 15 HP, Recirc Pump 2 HP, Media Glycol/Water, 20 60° F, s/n 3942A02-98-5.
- 1-1998 CINCINNATI-MILACRON PUMP TANK STATION, MDL. CMPTS-2000-3P, Motor 25 HP/ 25 HP/15 HP, Media Water, s/n 3941A01-98-10.
- 1- TRANE CHILLER, MDL. CGADC304AEA1FGT-WADJR, S/n J92AS0125.
- 1- QUINCY 75 HP AIR COMPRESSOR.
- 1- CONAIR COMPU-DRY DRYER, MDL. DO2A40, s/n 6D1765.

WELDERS

- **2- LINCOLN ARC, MDL. 250-250**, s/n AC-267032 & s/n AC-292417.
- 1- LINCOLN ARC, MDL. SAE-200, s/n A677934.
- 1- SWIFT 75 KVA SPOT WELDER, WELTRONIC Control.
- 1- PEER/TJ SNOW 90 KVA SPOT WELDER, EN1000 Control.
- 1-THOMSON/TJ SNOW 75 KVA SPOT WELDER, EN1000 Control.
- **1- MILLER MIG WELDER,** Wire Feed, Millermatic S52A, s/n 71-565395.
- 1- MILLER 150 AMP, 23 Volt.



WULFTEK WRAPPER, MDL. WLP-200



PEER/TJ SNOW 90 KVA SPOT WELDER



THOMPSON/TJ SNOW 75 KVA SPOT WELDER



CINCINNATI MILACRON CHILLER, MDL. CMTI-30W



CINCINNATI MILACRON PUMP TANK STATION, MDL. CMPTS-2000-3P

MISCELLANEOUS EQUIPMENT

- 1-1999 AMERICAN LINCOLN TECHNOLOGIES Sweeper, MDL. 114 RS, Electric, 575-100, s/n 350942 2000 SSS FLOOR SCRUBBER, MDL. 30R SSS 30R/BR, s/n 66436.
- 1- RAM-JET MARATHON HYDRAULIC COMPACTOR, Container 60" Wide x 29" High, s/n 225.R/472.
- 1-2001 WARDCRAFT INCLINED MOTORIZED CONVEYOR, MDL. SHSB1200-T#-PIMPLED, 11 1/2" wide, s/n 3879, NEVER USED!
- 1-RUBBER BELT CONVEYORS 26" Wide x 10' Long; Roller Conveyors 60" Wide x 8' Long, 36" Wide x 10' Long.
- 1- TOLEDO DIGITAL SCALE, Platform 48" x 48".
- 1- APPLIED AIR SYSTEMS NATURAL GAS HEATER, Input 1,250,000 BTU, Output 1,000,000, s/n 87-10104.

PALLET RACKS: 3- 108" Wide x 42" Deep x 20' Tall; **12-** 139" Wide x 42" Deep x 12' Tall.

- 400- PLASTIC COLLAPSIBLE BINS: 42" x 35" x 34" Tall.
- 9- DIE RACKS: 5 96" Wide x 42" Deep x 14' Tall; 4-108" Wide x 42" Deep x 14' Tall
- 85- COLLAPSIBLE WIRE BASKETS 38" x 31" x 31" Tall & 42" x 43" x 31" Tall.
- 4- SIGNODE WIRE BANDERS
- 20- WORK TABLES 24" X 36".
- 1- STORAGE WORK TABLES ON CASTERS.
 WORK LAYOUT TABLES & STORAGE TABLES 48" x 48".
 TOOL CHESTS, CRAFTSMAN, HEAVY DUTY STORAGE CABINETS,
 FILE CABINETS

OFFICE FURNITURE: Desks, Tables, Destroy It Paper Shredder.

- 7- TWO-YARD SELF DUMPING HOPPERS.
- 9- ONE-YARD SELF DUMPING HOPPERS.



VIEW OF PLASTIC COLLAPSIBLE BINS



WARDCRAFT INCLINED MOTORIZED CONVEYOR, MDL. SHSB1200-T#-PIMPLES



VIEW OF COLLAPSIBLE WIRE BASKETS

EQUIPMENT LOCATED IN CHATTANOOGA, TN; PITTSBURG, KS & MILWAUKEE, WI

1 OF 4 400-T VERSON 4-POINT PRESSES



200-T USI CLEARING OBI PRESS, MDL. 200

PRESSES Located in Chattanooga, TN

- 4- 400-T VERSON 4-POINT PRESS. Bed 60" X 108". Stroke 18". SPM 15, T-Slotted Slide & Bolster 8" Thick, Air Clutch, Air Cushions, s/n-17228, 17227, 17267, 17225.
- 1- 350-T CLEARING 4-POINT PRESS, MDL. F-4350-84, Bed 72" X 84", Stroke 16", SPM 15, T-Slotted Slide & Bolster 6 1/2" Thick & 7" Thick, Air Clutch, LINK SS-501 Control, Windows 31 1/2".
- 1- 200-T USI CLEARING OBI PRESS, MDL. 200, Bed 35" X 54", Stroke 8". SPM 40. T-Slotted Bolster 5" Thick, Link Brake Monitor & Light Curtain, Air Clutch, Air Counterbalance, Air Cushion. s/n-542247.
- 1- 150-T NIAGARA OBI PRESS, MDL, M150, Bed 30" X 50". Stroke 8", SPM 45, T-Slotted Bolster 5" Thick, Air Clutch, Air Counterbalances, Air Cushion, Link Brake Monitor & Light Curtain, s/n-42007.
- 1- 100-T, CLEARING DOUBLE CRANK PRESS, MDL. DG-4572. Adjustable Bed 19" X 84", Stroke 5", SPM 40, Air Clutch, Air Counterbalance, s/n-4745725.
- 350-T BLISS PRESS, Bed 50" X 84", Stroke 10", SPM 16, T-Slotted Bolster 5 1/2" Thick, Air Clutch, Windows 16", Link Light Curtain, s/n-125166
- 1- 250-T VERSON PRESS, MDL. 250-C2-84, Bed 42" X 84", Stroke 8", SPM 30, T-Slotted Slide & Bolster 4" Thick, Air Clutch, Air Cushions, Link SS-501 Control, Windows 20", Floor Standing, s/n-17525

CUT-TO-LENGTH LINE Located in Chattanooga, TN

1- CINCINNATI FORTE, 20,000 LB., Cap. 12" - 54" Wide X 14 Gauge – 26 Gauge; Reel With Coil Car, ID 19" – 25", OD 60", Power Expansion; Hold Down Arm; Thread Table s/n-EC296-TT297; Straightener Mdl. RS-298, (9) Straightening Rolls, Entry Pinch Rolls - Air Lift; Edge Trimmer Mdl. E-T299SC300, Cap. 1/4"- 3" At 20 Gauge - 26 Gauge 1/4"-1 1/2" At 14 Gauge; Shear, Cap. 8"-72" Length, Air Clutch; Stacker Mdl. MS-305, 54" Wide X 72" Long, Cap. 54" X 72" Long.

- 1- 250-T VERSON PRESS, MDL. 250-C2-84, Bed 42" X 84", Stroke 8", SPM 30, T-Slotted Slide & Bolster 4" Thick, Air Clutch, Air Cushions, Link SS-501 Control, Windows 20", Floor Standing, s/n-17526.
- 1- 250-T CLEARING PRESS, MDL. F-2250-84, Bed 54" X 84", Stroke 14", SPM 17, T-Slotted Slide & Bolster 6" Thick, Air Clutch, Air Cushions, Link SS-501 Control & Light Curtain, s/n-4713355P.
- **2- 200-T WARCO PRESS, MDL. 200-2-72**, Bed 52" X 72", Stroke 12", SPM 17, T-Slotted Slide & Bolster 4 1/2" Thick & 7" Thick, Air Clutch, Windows 18", Floor Standing, s/n 46114 & N/A.
- 1- 150-T CLEARING PRESS, MDL. S2-150, Bed 42"x 60", Stoke 8", SPM 35, T-Slotted Slide & Bolster 4" Thick, Air Clutch, Windows 18", s/n-51-1080.
- 1- 135-T NIAGARA PRESS, MDL. 69D, Bed 39" X 60", Stroke 8", SPM 33, Bolster Plate 3 1/2", Air Clutch, Windows 13 1/2", s/n-17843
- 1- 87-T VERSON PRESS, MDL. 548, Bed 34" X 48", Stroke 5", SPM 21, Bolster Plate 4" Thick, Air Clutch, s/n-6776.

PRESS BRAKE Located in Chattanooga, TN

- 1- 290-T CINCINNATI, MDL. 130 X 6, Perm Flanged, Bed & Ram 17" X 104", Stroke 3", Air Clutch, Link Brake Monitor, s/n-22543.
- 1 150 TON DREIS & KRUMP, MDL R8307. Perm Flanged Bed & Ram 18" x 76", Stroke 6", Shut Height 21", Power Adjustment 5", Air Clutch, S/N P8306.

REEL Located in Chattanooga, TN

1- 4,000# LITTELL REEL, MDL 40-18, Width 18", O.D. 54", Electric Brake, S/N 69825-62-3.

GRINDER Located in Chattanooga, TN

1- MATTISON GRINDER, Grinding Surface Horizontal Spindle, 16" x 48" Mattison, Fully Hydraulic, s/n 21655.



NILES FACING & TURNING LATHE



GIDDINGS & LEWIS BICKFORD 72" VERTICAL BORING MILL



KING MACHINE TOOL PARTS



BERTHIEZ 276" SLIDING COLUMN **VERTICAL BORING** MILL



SACEM POWERED ROTARY TABLE, MDL. MGL 2500

LATHE

Located in Pittsburg, KS

1- NILES FACING & TURNING LATHE, 18' Swing X 71' Max Centers, 2-Facing and Turning Slides, 36" Hole Thru Spindle, 0-16 RPM, 40 H.P. Drive.

ROTARY TABLE

Located in Pittsburg, KS

1- SACEM POWERED ROTARY TABLE, MDL, MGL 2500. 78 3/4"x 98 1/2" Tee Slotted Work Surface. 72" Travel. 7.5 K.W. Drive A/C with controls 10 H.P., s/n 25006.



62" VERTICAL BORING MILL

VERTICAL BORING MILLS Located in Pittsburg, KS

- 1- BERTHIEZ 276" SLIDING COLUMN, 148" Table, 106" Under Rail, Swivel Rail Hd, and Swivel Side H.D., .3-45 RPM. Taper and Threading, s/n 2103.
- 1- KING MACHINE TOOL PARTS 62", 68" Swing, 52" Under Rail, 3-110 RPM, 2-Swivel Rail HDS, Side HD, Tracing Attach for R.H. Rail HD. 4-Jaw Chuck, 40 H.P. 220/440/3/60, s/n 2811.
- GIDDINGS & LEWIS BICKFORD 72", 78" Swing, 79" Under Rail, 3.8-333 RPM, L.H. Swivel Rail HD, R.M. Rail Turret Hd., Side Hd. w/4-Way Tool Post, Syncro Turn Tracer on L.H. Rail Hd, s/n 7700.



DEMAG CRANE, 20-Tx50' SPANS

PLATE BENDING ROLL

Located in Milwaukee, WI

1- 1987 BERTSCH CENTURY II HYDRAULIC PLATE BENDING ROLL, MDL. M-14, 8' x 1", 14" Dia. Rolls, Hydraulic Drop End, Podium Console Control, Power Adj., s/n M10609.



- 2- 1977 DEMAG, 20-TX50' SPANS, Double Girder, Pendent Control, Power Bridges, s/n 77045, s/n 77846.
- 2-1998 SUPERIOR, 10-TX50' SPANS, Underhung, Single Girder, Pendent Controls, s/n 11419-2, s/n 11419-1.



BERTSCH CENTURY II HYDRAULIC PLATE BENDING ROLL, MDL. M-14

auctioneers • liquidators • appraisers



11426 Ventura Blvd. Second Floor Studio City, CA 91604

Asa Marshall, Auctioneer GA Lic. #GAL1605

Thinking of having an auction? Need an appraisal? Know of a plant closure? Call: 818.508.7034, Ext. 12 Email: info@biditup.com



Tuesday, November 19 Beginning at 10:30am

Assets no longer required in the continuing operations of:

cooling systems, inc.

Major Manufacturing & Stamping Facility

Upcoming Auctions

THURSDAY, NOVEMBER 21: WALKER MACHINE COMPANY

Screw Machine & Manufacturing Facility Loomis, CA

TUESDAY, DECEMBER 10: ASSETS NO LONGER REQUIRED IN THE CONTINUING OPERATIONS OF PRICE PFISTER, A BLACK & DECKER COMPANY

Screw Machine Shop

Featuring 45 Automatic Screw Machines Including: Wickman, Brown & Sharpe, SMG & Davenport.

Pacoima, CA

THURSDAY, DECEMBER 12: TUBE SYSTEMS, LLC

Tube Bending Orbital Welders & Machine Tools Round Rock, TX

TERMS & CONDITIONS

Sale Conducted by: biditup!, Subject to our customary terms of sale, (Available at the auction site on the day of the sale), and any and all amendments and modifications announced by the auctioneer at the time of the auction. The auctioneer and seller make no warranties or guarantees, expressed or implied, as to the defects in or the correctness or accuracy of the descriptions in any advertising of any item(s) being auctioned and will not be responsible for any advertising discrepancies or inaccuracies of any kind. All items sold will be on an "AS IS", "WHERE IS", and "WITH ALL FAULTS", basis "WITHOUT EXCEPTION" and "WITH REMOVAL AT BUYER'S RISK AND EXPENSE". AUCTIONEER AND SELLER MAKE NO WARRANTIES OR GUARANTEES OF ANY KIND, EXPRESSED OR IMPLIED AS TO THE NATURE, QUALITY, VALUE OR CONDITION OF THE ITEM(S) BEING AUCTIONEED OR ITS (THEIR)SUITABILITY FOR ANY USE. AUCTIONEER AND SELLER EXPRESSLY AND SPECIFICALLY DISCLAIM WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. AUCTIONEER SHALL

NOT BE LIABLE FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL DAMAGES. It shall be the buyer's obligation to verify information and descriptions of property prior to sale. biditup!, and its advertising agency assume no liability for errors or omissions in this brochure. The auctioneer does not warrant the age, accuracy, genuineness, authenticity, description, weight, count or measure of any listings specified herein. Although it is not likely, auction sales are subject to cancellation or postponement, and sometimes items are withdrawn from the sale, kindly contact biditup!, prior to travel as there will be no reimbursements. On the day of the sale, all successful bidders must immediately pay the full purchase price in cash, certified funds, cashiers check, wire transfer or company check with a letter from the buyer's bank guaranteeing unqualified payments to biditup! This letter is valid until 30 working days after the auction sale.] Company checks without letter from bank guaranteeing unqualified payment will not be accepted. The failure to make payment promptly shall be considered default and each lot

or lots so purchased will be placed for resale. The buyer must pay the total invoice price for all the lots purchased before any removal can begin. All buyers must pay applicable sales tax (unless evidence of exemption is provided to auctioneer's satisfaction). Buyers are responsible for the transportation, associated costs and risks involved in the removal of purchased item(s). Certain items may contain residual chemicals and/or hazardous materials. The purchaser(s) hereby indemnify and hold harmless the auctioneer and seller from any and all damages, claims or liability from any injuries to persons or property of any type whatsoever caused during the sale of, during the removal, or during use or operation of the purchased item(s). If you are unable to attend, please contact us regarding placing a proxy bid. PLEASE NOTE: ALL SALES ARE SUBJECT TO A BUYER'S PREMIUM.

BUYER'S PREMIUM, 10%. INTERNET BUYER'S, ADDITIONAL 2%. CREDIT CARD USERS, ADDITIONAL 3%.