

## B500 Sport

### Power wheelchair

E 504

Maximum load capacity: 120 kg/265 lbs <sup>1</sup>

Article number: 490E32=00000\_C



#### Standard equipment

- 10 km/h or 14 km/h
- enAble50 impulse control
- 63 Ah (C5) gel batteries
- Battery charger
- Standard seat
- Seat cushion
- Armrests
- Footplate
- Control panel with LCD
- Lap belt with buckle
- 14" drive wheel, lug tread, grey
- 3" caster wheel


<p><b>Base price: EUR x,xxx</b></p> <p>All prices in EUR, valid from 01/01/2017 to 31/12/2017</p>	<p>Order no.:</p> <p>-----</p>
---	--------------------------------

<input type="checkbox"/> Provide estimate only		<input type="checkbox"/> Order	
<input type="checkbox"/> Attachment for custom fabrication enclosed			
Billing address/customer number			
Delivery address			
Sales person		Name	
		Date                      Signature	
<p>By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.</p>			

#### Basic data (voluntary information)\*

Gender \_\_\_\_\_ Indication \_\_\_\_\_

Age \_\_\_\_\_ Paying party \_\_\_\_\_



<sup>1</sup> Additional options installed on the power wheelchair can reduce the maximum load capacity. Please observe the maximum gross weight on the name-plate.

<sup>2</sup> This information will help to support user-oriented settings and product development. Ottobock guarantees the confidential and purely internal use of these data.

#### Mandatory information <sup>2</sup>

Body height in cm \_\_\_\_\_

Body weight in kg \_\_\_\_\_

1 Seat depth \_\_\_\_\_

2 Trunk depth \_\_\_\_\_

3 Armrest height \_\_\_\_\_

4 Armpit height \_\_\_\_\_

5 Shoulder height \_\_\_\_\_

6 Head height \_\_\_\_\_

7 Forearm length to the middle of the palm \_\_\_\_\_

8 Trunk width \_\_\_\_\_

9 Lower leg length \_\_\_\_\_

10 Seat width \_\_\_\_\_

**The number codes contained in this order form are not intended to be used as article numbers for spare parts orders. Please use the spare parts catalogue for spare parts orders.**

Options			
104582.000	<input type="checkbox"/>	<b>B500 Sport upgrade</b>	<b>Add. charge</b>
104582.001	<input type="checkbox"/>	<b>Bumper 'hockey' for B500 Sport upgrade</b> (only in combination with special option 104582.000)	<b>Add. charge</b>
104582.002	<input type="checkbox"/>	<b>Bumper 'football' for B500 Sport upgrade</b> (only in combination with special option 104582.000)	<b>Add. charge</b>
104582.003	<input type="checkbox"/>	<b>Bumper 'e-ball' for B500 Sport upgrade</b> (only in combination with special option 104582.000)	<b>Add. charge</b>
26264.000	<input type="checkbox"/>	<b>Extra design (frame design, player number)</b>	<b>Add. charge</b>
31333.000	<input type="checkbox"/>	<b>Special logo/labelling, embroidered</b>	<b>Add. charge</b>



104582.001 Bumper  
'football'



104582.002 Bumper  
'hockey'



104582.003 Bumper  
'e-ball'



31333.000 Special logo,  
labelling,  
embroidered

Standard seat																		
EC 18	<input type="checkbox"/>	<b>Standard seat, Junior</b> (SD 34 ... 40 cm, SW 34 ... 40 cm)	<b>Add. charge</b>															
EC 01	<input type="checkbox"/>	<b>Standard seat, small</b> (SD 38 ... 46 cm, SW 38 ... 42 cm)	-															
EC 02	<input type="checkbox"/>	<b>Standard seat, large</b> (SD 42 ... 50 cm, SW 43 ... 48 cm)	-															
Settings for the standard seat																		
<b>Back angle</b>	<input type="checkbox"/>	<b>-9/1/11/21°</b>	<input type="checkbox"/>	<b>0/10/20/30°</b>														
Note: Not available with mechanical or electric back angle adjustment. Back angle -9/1/11/21° is not possible in combination with SD 34 and 36 cm.																		
<b>Seat depth SD in cm</b>	<input type="checkbox"/>	<b>34</b>	<input type="checkbox"/>	<b>36</b>	<input type="checkbox"/>	<b>38</b>	<input type="checkbox"/>	<b>40</b>	<input type="checkbox"/>	<b>42</b>	<input type="checkbox"/>	<b>44</b>	<input type="checkbox"/>	<b>46</b>	<input type="checkbox"/>	<b>48</b>	<input type="checkbox"/>	<b>50</b>
<b>Seat width SW</b>	..... cm																	
<b>Lower leg length LL</b>	..... cm (25 ... 43 cm) <b>without seat cushion</b>																	
<b>Seat height SH in cm:</b>	depends on LL																	

Seat cushion (only for standard seat)			
EC 06	<input type="checkbox"/>	<b>Seat cushion, black cover</b> (standard equipment) (seat cushion thickness 50 mm)	-
EC 10	<input type="checkbox"/>	<b>Seat cushion with incontinence cover</b> (seat cushion thickness 50 mm)	<b>Add. charge</b>
EC 07	<input type="checkbox"/>	<b>Without seat cushion</b>	<b>Price reduction</b>

Contour seat			
EC 03	<input type="checkbox"/>	<b>Contour seat, small</b> (SD 36 ... 44 cm, SW 38 ... 42 cm) (up to 160 kg/353 lbs; seat cushion thickness 50 mm)	<b>Add. charge</b>
EC 04	<input type="checkbox"/>	<b>Contour seat, large</b> (SD 42 ... 48 cm, SW 43 ... 48 cm) (up to 200 kg/440 lbs; seat cushion thickness 50 mm)	<b>Add. charge</b>
Contour type			
EC 23	<input type="checkbox"/>	<b>With flat contours</b>	-
EC 24	<input type="checkbox"/>	<b>With deep contours</b>	-
Cover type			
EC 25	<input type="checkbox"/>	<b>Fabric cover</b>	-
EC 26	<input type="checkbox"/>	<b>Synthetic leather cover</b>	<b>Add. charge</b>
EC 27	<input type="checkbox"/>	<b>Incontinence cover</b> (can be ordered in addition to option code EC 25)	<b>Add. charge</b>

Settings for the contour seat							
<b>Seat depth SD in cm</b>	<input type="checkbox"/> 36	<input type="checkbox"/> 38	<input type="checkbox"/> 40	<input type="checkbox"/> 42	<input type="checkbox"/> 44	<input type="checkbox"/> 46	<input type="checkbox"/> 48
<b>Seat width SW</b>	..... cm						
<b>Lower leg length LL</b>	..... cm (33 ... 43 cm)						

<b>Recaro seat</b>			
<b>EC 40</b>	<input type="checkbox"/>	<b>Recaro n-Joy</b> (manually adjustable backrest)	<b>Add. charge</b>
<b>EC 41</b>	<input type="checkbox"/>	<b>Recaro n-Joy-Plus</b> (adaptable on site, manually adjustable backrest) <b>Seat depth SD 38 ... 56 cm</b>	<b>Add. charge</b>

<b>Modular Recaro seating system</b>			
<b>EC 42</b>	<input type="checkbox"/>	<b>Backrest LX</b> (manually adjustable)	<b>Add. charge</b>
<b>EC 43</b>	<input type="checkbox"/>	<b>Backrest LT</b> (lateral supports with different setting options, manually adjustable)	<b>Add. charge</b>
<b>EC 44</b>	<input type="checkbox"/>	<b>Seat bottom F</b> (flat padded, seat bottom sewn to lateral guides)	<b>Add. charge</b>
<b>EC 45</b>	<input type="checkbox"/>	<b>Seat bottom X</b> (contoured lateral guides with seat extension)	<b>Add. charge</b>
<b>EC 46</b>	<input type="checkbox"/>	<b>Seat bottom W</b> (flat padded, with seat extension)	<b>Add. charge</b>

Settings for Recaro seat/modular Recaro seating system					
<b>Seat depth SD in cm</b>	<input type="checkbox"/> 38	<input type="checkbox"/> 40	<input type="checkbox"/> 42	<input type="checkbox"/> 44	<input type="checkbox"/> 46
(only for Recaro-n-Joy-Plus)	<input type="checkbox"/> 48	<input type="checkbox"/> 50	<input type="checkbox"/> 52	<input type="checkbox"/> 54	<input type="checkbox"/> 56
<b>Lower leg length LL in cm</b>	..... cm (35 ... 43 cm)				
All Recaro seats include headrest and back bag.					

<b>Back version</b> (only for standard seats)			
<b>ED 01</b>	<input type="checkbox"/>	<b>Back upholstery</b> (standard equipment)	-
<b>ED 02</b>	<input type="checkbox"/>	<b>Without back upholstery</b>	<b>Price reduction</b>
Please use our accessories catalogue for the selection of individual back systems!			

<b>Belts</b>			
<b>EP 51</b>	<input type="checkbox"/>	<b>Static four-way chest strap kit</b> (only for Recaro seat/seating system) (not available in conjunction with the combination of electric seat tilt and electric seat height adjustment)	<b>Add. charge</b>
<b>EP 60</b>	<input type="checkbox"/>	<b>Chest belt with hook-and-loop closure, installed at chest height</b> (only for Recaro seat/seating system)	<b>Add. charge</b>
<b>EP 65</b>	<input type="checkbox"/>	<b>Lap belt with buckle</b> (standard equipment)	-
Lap belt or four-way chest strap required in Germany for road traffic permit.			

<b>Seating system accessories</b>			
<b>EC 20</b>	<input type="checkbox"/>	<b>Abductor, removable</b> (only for standard seat, not available in combination with seat tilt)	<b>Add. charge</b>
<b>EC 30</b>	<input type="checkbox"/>	<b>Flip-down abductor</b> (only for standard seat, not available in combination with seat tilt)	<b>Add. charge</b>
<b>EE 30</b>	<input type="checkbox"/>	<b>Adapter for headrest mounting kit</b> (only for standard seat and contour seat) Please refer to our accessories catalogue for information about headrests.	<b>Add. charge</b>

<b>Legrest accessories</b>			
<b>EB 70</b>	<input type="checkbox"/>	<b>Fixation straps for aluminium footplate</b>	<b>Add. charge</b>

<b>Armrest</b>			
<b>EE 10</b>	<input type="checkbox"/>	<b>Armrest with clothing protector, telescoping</b> (only for standard and contour seat)	-
<b>EE 33</b>	<input type="checkbox"/>	<b>Extended armrest with cut-out</b> (telescoping, only included with Recaro n-joy/n-joy+)	-
<b>EE 40</b>	<input type="checkbox"/>	<b>Extended armrest with clothing protector</b> (telescoping, with cut-out for back tube; only for standard and contour seat)	<b>Add. charge</b>

Armrest accessories		
EE 34	<input type="checkbox"/>	Channel forearm pad adapter, fixed, mounting side left <b>Add. charge</b>
EE 24	<input type="checkbox"/>	Channel forearm pad adapter, fixed, mounting side right <b>Add. charge</b>
EE 35	<input type="checkbox"/>	Channel forearm pad adapter, swivelling, mounting side left <b>Add. charge</b>
EE 25	<input type="checkbox"/>	Channel forearm pad adapter, swivelling, mounting side right <b>Add. charge</b>
EE 36	<input type="checkbox"/>	Arm strap, mounting side left <b>Add. charge</b>
EE 26	<input type="checkbox"/>	Arm strap, mounting side right <b>Add. charge</b>
For information on channel forearm pads and hand pads, please refer to our accessories catalogue!		

Frame colour		
016	<input type="checkbox"/>	Silver metallic (standard equipment) -
023	<input type="checkbox"/>	White RAL 9016 (standard equipment) -
022	<input type="checkbox"/>	Cream RAL 9001 (standard equipment) -
021	<input type="checkbox"/>	Sparkle granny-smith <b>Add. charge</b>
010	<input type="checkbox"/>	Marine blue <b>Add. charge</b>
020	<input type="checkbox"/>	Saturn blue metallic <b>Add. charge</b>
005	<input type="checkbox"/>	Sparkle light orange <b>Add. charge</b>
004	<input type="checkbox"/>	Ice blue <b>Add. charge</b>
001	<input type="checkbox"/>	Brilliant silver <b>Add. charge</b>
018	<input type="checkbox"/>	Signal red RAL 3001 <b>Add. charge</b>
002	<input type="checkbox"/>	Anthracite metallic <b>Add. charge</b>
027	<input type="checkbox"/>	Shimano matte <b>Add. charge</b>
003	<input type="checkbox"/>	Jet black RAL 9005 <b>Add. charge</b>
009	<input type="checkbox"/>	Vinho sparkle <b>Add. charge</b>
017	<input type="checkbox"/>	Yellow RAL 1023 <b>Add. charge</b>
012	<input type="checkbox"/>	Sky blue <b>Add. charge</b>
014	<input type="checkbox"/>	Candy red <b>Add. charge</b>
013	<input type="checkbox"/>	Jet black RAL 9005 matte <b>Add. charge</b>
026	<input type="checkbox"/>	Sparkling iron effect light <b>Add. charge</b>

Tyres		
EG 55	<input type="checkbox"/>	Pneumatic tyres (standard equipment) -
EG 60	<input type="checkbox"/>	Puncture-proof tyres on all wheels <b>Add. charge</b>

Drive unit		
ET 10	<input type="checkbox"/>	10 km/h drive unit -
ET 06	<input type="checkbox"/>	14 km/h drive unit -

Batteries		
EU 01	<input type="checkbox"/>	Two 63 Ah (C5) gel batteries (standard equipment) -

Battery charger		
EU 91	<input type="checkbox"/>	Battery charger (standard equipment) -

Control unit/control panel		
EU 85	<input type="checkbox"/>	Standard control panel (standard equipment) -
EU 86	<input type="checkbox"/>	Control panel with two external buttons <b>Add. charge</b> Please indicate button type! <input type="checkbox"/> Piko button (Ø 50 mm, red/black) <input type="checkbox"/> Piko button (Ø 30 mm, red/black)

Control panel holder		
EU 19	<input type="checkbox"/>	Standard control panel holder (standard equipment) -
EU 20	<input type="checkbox"/>	Control panel holder, swing-away in parallel Add. charge
EU 18	<input type="checkbox"/>	Control panel holder, swing-away in parallel, height-adjustable Add. charge
EU 29	<input type="checkbox"/>	Control panel holder, downwards adjustable Add. charge

Control panel holder mounting side (not for mid-tray control)		
	<input type="checkbox"/>	Left
	<input type="checkbox"/>	Right

Activation of the drive-away lock		
	<input type="checkbox"/>	Yes
	<input type="checkbox"/>	No

Control unit accessories		
EU 94	<input type="checkbox"/>	Hand warmer with one-hand hood (is included for individual mounting to the power wheelchair) Add. charge
EU 22	<input type="checkbox"/>	Protective bow for control panel Add. charge
EU 23	<input type="checkbox"/>	Fork for tetraplegics, horizontal (adjustable for hand width 70 ... 90 mm) Add. charge
EU 24	<input type="checkbox"/>	Stick S80 (special joystick handle 80 mm) Add. charge
EU 25	<input type="checkbox"/>	Soft ball (black cover) Add. charge
EU 26	<input type="checkbox"/>	Ball top, small (Ø 43 mm) Add. charge
EU 27	<input type="checkbox"/>	Ball top, large (Ø 48 mm) Add. charge
EU 28	<input type="checkbox"/>	Joystick top, flexible, including ball top, large (Extension by 60 mm; control panel holder, downwards adjustable or swing-away, is recommended) Add. charge
EU 35	<input type="checkbox"/>	Soft ball, coloured (diameter 30 mm, 4 pieces) Add. charge

General accessories		
ES 22	<input type="checkbox"/>	Accessories pouch (e.g. for battery charger, tool kit) Add. charge
ES 24	<input type="checkbox"/>	Pocket for mobile phone Add. charge
ES 32	<input type="checkbox"/>	Cover cap for standard seating units Add. charge
EZ 80	<input type="checkbox"/>	Airman pump Add. charge

(Mounting to the control panel side not possible with holder, swing-away in parallel; not available in combination with holder, swing-away in parallel, and tray)

EB 52	<input type="checkbox"/>	Tool kit Add. charge
-------	--------------------------	----------------------

Special options		
24817.001	<input type="checkbox"/>	Special colour two-layer coating Add. charge
24817.000	<input type="checkbox"/>	Special colour single-layer coating Add. charge
21187.002	<input type="checkbox"/>	Special dimensions for platform for seating shell Add. charge
20465.016	<input type="checkbox"/>	Standard back tube shortening (available only in combination with special option 40405.002) Add. charge
40405.002	<input type="checkbox"/>	Back upholstery for power wheelchairs with special length (available only in combination with special option 20465.016) Add. charge
20465.011	<input type="checkbox"/>	Contour back with standard seat bottom or contour seat bottom with standard back Add. charge

## Information



EC 01/EC 02 Standard seat



EC 23 Contour seat  
with flat contours  
EC 25 Fabric cover



EC 24 Contour seat  
with deep contours  
EC 26 Synthetic leather  
cover



EC 40 – EC 46 Recaro  
seating system



EP 51 Four-way chest strap



EU 23 – EU 28 Joystick options

## Other seat cushion accessories

Note:

These accessories must be listed additionally in the order with the corresponding article numbers under the configuration reference.



**Advantage seat cushion** (max. user weight = 125 kg/275 lbs)

**Functional height:**

Thigh trough: 80 mm

Ischial zone: adjustable

Side lateral: 80 mm

For special sizes, please ask for delivery time.

Note:

Wheelchair dimensions are a guideline to help with cushion selection.

## Complete seat cushions with cover

Article number	Description	Wheelchair width (mm)	Wheelchair depth (mm)	
476C00=AC14x14	<input type="checkbox"/> Advantage 350 x 350	340 – 360	330 – 360	Add. charge
476C00=AC14x16	<input type="checkbox"/> Advantage 350 x 400	340 – 360	380 – 420	Add. charge
476C00=AC15x15	<input type="checkbox"/> Advantage 380 x 380	370 – 390	370 – 400	Add. charge
476C00=AC15x16	<input type="checkbox"/> Advantage 380 x 400	370 – 390	380 – 420	Add. charge
476C00=AC16x16	<input type="checkbox"/> Advantage 400 x 400	390 – 410	380 – 420	Add. charge
476C00=AC16x16.5	<input type="checkbox"/> Advantage 400 x 420	390 – 410	400 – 440	Add. charge
476C00=AC16x18	<input type="checkbox"/> Advantage 400 x 460	390 – 410	440 – 480	Add. charge
476C00=AC16.5x16	<input type="checkbox"/> Advantage 420 x 400	410 – 430	380 – 420	Add. charge
476C00=AC16.5x16.5	<input type="checkbox"/> Advantage 420 x 420	410 – 430	400 – 440	Add. charge
476C00=AC17x18	<input type="checkbox"/> Advantage 430 x 460	420 – 440	440 – 480	Add. charge
476C00=AC17.5x16.5	<input type="checkbox"/> Advantage 440 x 420	430 – 450	400 – 440	Add. charge
476C00=AC18x16	<input type="checkbox"/> Advantage 460 x 400	450 – 470	380 – 420	Add. charge
476C00=AC18x16.5	<input type="checkbox"/> Advantage 460 x 420	450 – 470	400 – 440	Add. charge
476C00=AC18x18	<input type="checkbox"/> Advantage 460 x 460	450 – 470	440 – 480	Add. charge
476C00=SA300	<input type="checkbox"/> Advantage special size (width x depth) min. 305 x 305 mm; max. 760 x 760 mm			Add. charge



**Cloud seat cushion** (max. user weight = 250 kg/550 lbs)

**Functional height:**

Thigh trough: adjustable

Ischial zone: adjustable

Side lateral: 110 mm

\* For special sizes, please ask for delivery time.


Note:

Wheelchair dimensions are a guideline to help with cushion selection.

**Complete seat cushions with cover**

Article number		Description	Wheelchair width (mm)	Wheelchair depth (mm)	
476C00=FFC12x12*	<input type="checkbox"/>	Cloud 300 x 300	290 – 320	290 – 320	Add. charge
476C00=FFC14x14	<input type="checkbox"/>	Cloud 350 x 350	340 – 360	340 – 370	Add. charge
476C00=FFC14x16	<input type="checkbox"/>	Cloud 350 x 400	340 – 360	380 – 420	Add. charge
476C00=FFC15x15	<input type="checkbox"/>	Cloud 380 x 380	370 – 390	360 – 400	Add. charge
476C00=FFC15x16	<input type="checkbox"/>	Cloud 380 x 400	370 – 390	380 – 420	Add. charge
476C00=FFC16x16	<input type="checkbox"/>	Cloud 400 x 400	390 – 410	380 – 420	Add. charge
476C00=FFC16x16.5	<input type="checkbox"/>	Cloud 400 x 420	390 – 410	400 – 440	Add. charge
476C00=FFC16x18	<input type="checkbox"/>	Cloud 400 x 460	390 – 410	420 – 480	Add. charge
476C00=FFC16.5x16	<input type="checkbox"/>	Cloud 420 x 400	410 – 430	380 – 420	Add. charge
476C00=FFC16.5x16.5	<input type="checkbox"/>	Cloud 420 x 420	410 – 430	400 – 440	Add. charge
476C00=FFC17x17	<input type="checkbox"/>	Cloud 430 x 430	420 – 440	420 – 460	Add. charge
476C00=FCC17x18	<input type="checkbox"/>	Cloud 430 x 460	420 – 440	420 – 480	Add. charge
476C00=FFC17.5x16.5	<input type="checkbox"/>	Cloud 440 x 420	430 – 450	400 – 440	Add. charge
476C00=FCC18x16	<input type="checkbox"/>	Cloud 460 x 400	450 – 480	380 – 420	Add. charge
476C00=FCC18x16.5	<input type="checkbox"/>	Cloud 460 x 420	450 – 480	400 – 440	Add. charge
476C00=FCC18x18	<input type="checkbox"/>	Cloud 460 x 460	450 – 480	420 – 480	Add. charge
476C00=FCC18x20	<input type="checkbox"/>	Cloud 460 x 500	450 – 480	460 – 520	Add. charge
476C00=FCC19x18	<input type="checkbox"/>	Cloud 480 x 460	460 – 500	420 – 480	Add. charge
476C00=FCC20x16*	<input type="checkbox"/>	Cloud 500 x 400	480 – 540	380 – 420	Add. charge
476C00=FCC20x18	<input type="checkbox"/>	Cloud 500 x 460	480 – 540	420 – 480	Add. charge
476C00=FCC22x16*	<input type="checkbox"/>	Cloud 560 x 400	520 – 600	380 – 420	Add. charge
476C00=FFC22x18*	<input type="checkbox"/>	Cloud 560 x 460	520 – 600	420 – 480	Add. charge
476C00=FCC22x20*	<input type="checkbox"/>	Cloud 560 x 500	520 – 600	460 – 520	Add. charge
476C00=FCC24x16*	<input type="checkbox"/>	Cloud 610 x 400	570 – 650	380 – 420	Add. charge
476C00=SA200	<input type="checkbox"/>	Cloud special size (width x depth) min. 305 x 305 mm; max. 910 x 910 mm			Add. charge





**Terra seat cushion** (max. user weight = 150 kg/330 lbs)

**Functional height:**

Thigh trough: 60 mm

Ischial zone: 70 mm

Side lateral: 95 mm

For special sizes, please ask for delivery time.

**Complete seat cushions with cover**

Article number	Description	Wheelchair width (mm)	Wheelchair depth (mm)	
476C00=SK631	<input type="checkbox"/> Terra, 355 x 355	350 – 370	340 – 360	Add. charge
476C00=SK608	<input type="checkbox"/> Terra, 355 x 405	350 – 370	370 – 390	Add. charge
476C00=SK606	<input type="checkbox"/> Terra, 380 x 405	380 – 390	370 – 390	Add. charge
476C00=SK601	<input type="checkbox"/> Terra, 405 x 405	400 – 410	370 – 390	Add. charge
476C00=SK640	<input type="checkbox"/> Terra, 405 x 430	400 – 410	400 – 420	Add. charge
476C00=SK604	<input type="checkbox"/> Terra, 405 x 455	400 – 410	430 – 450	Add. charge
476C00=SK632	<input type="checkbox"/> Terra, 405 x 505	400 – 410	460 – 480	Add. charge
476C00=SK633	<input type="checkbox"/> Terra, 430 x 405	420 – 430	370 – 390	Add. charge
476C00=SK638	<input type="checkbox"/> Terra, 430 x 430	420 – 430	400 – 420	Add. charge
476C00=SK607	<input type="checkbox"/> Terra, 430 x 455	420 – 430	430 – 450	Add. charge
476C00=SK634	<input type="checkbox"/> Terra, 430 x 505	420 – 430	460 – 480	Add. charge
476C00=SK603	<input type="checkbox"/> Terra, 455 x 405	440 – 470	370 – 390	Add. charge
476C00=SK639	<input type="checkbox"/> Terra, 455 x 430	440 – 470	400 – 420	Add. charge
476C00=SK602	<input type="checkbox"/> Terra, 455 x 455	440 – 470	430 – 450	Add. charge
476C00=SK635	<input type="checkbox"/> Terra, 455 x 505	440 – 470	460 – 480	Add. charge
476C00=SK636	<input type="checkbox"/> Terra, 505 x 405	480 – 520	370 – 390	Add. charge
476C00=SK605	<input type="checkbox"/> Terra, 505 x 455	480 – 520	430 – 450	Add. charge
476C00=SK637	<input type="checkbox"/> Terra, 505 x 505	480 – 520	460 – 480	Add. charge
476C00=SA620	<input type="checkbox"/> Terra special size Width 505 x depth 430 mm	480 – 520	400 – 420	Add. charge



**Terra Aquos seat cushion** (max. user weight = 150 kg/330 lbs)

**Functional height:**

Thigh trough: 60 mm


Ischial zone: 70 mm

Side lateral: 95 mm


For special sizes, please ask for delivery time.

**Complete seat cushions with cover**

Article number		Description	Wheelchair width (mm)	Wheelchair depth (mm)	
476C00=SK681	<input type="checkbox"/>	Terra Aquos, 355 x 355	350 – 370	340 – 360	Add. charge
476C00=SK658	<input type="checkbox"/>	Terra Aquos, 355 x 405	350 – 370	370 – 390	Add. charge
476C00=SK656	<input type="checkbox"/>	Terra Aquos, 380 x 405	380 – 390	370 – 390	Add. charge
476C00=SK651	<input type="checkbox"/>	Terra Aquos, 405 x 405	400 – 410	370 – 390	Add. charge
476C00=SK690	<input type="checkbox"/>	Terra Aquos, 405 x 430	400 – 410	400 – 420	Add. charge
476C00=SK654	<input type="checkbox"/>	Terra Aquos, 405 x 455	400 – 410	430 – 450	Add. charge
476C00=SK682	<input type="checkbox"/>	Terra Aquos, 405 x 505	400 – 410	460 – 480	Add. charge
476C00=SK683	<input type="checkbox"/>	Terra Aquos, 430 x 405	420 – 430	370 – 390	Add. charge
476C00=SK688	<input type="checkbox"/>	Terra Aquos, 430 x 430	420 – 430	400 – 420	Add. charge
476C00=SK657	<input type="checkbox"/>	Terra Aquos, 430 x 455	420 – 430	430 – 450	Add. charge
476C00=SK684	<input type="checkbox"/>	Terra Aquos, 430 x 505	420 – 430	460 – 480	Add. charge
476C00=SK653	<input type="checkbox"/>	Terra Aquos, 455 x 405	440 – 470	370 – 390	Add. charge
476C00=SK689	<input type="checkbox"/>	Terra Aquos, 455 x 430	440 – 470	400 – 420	Add. charge
476C00=SK652	<input type="checkbox"/>	Terra Aquos, 455 x 455	440 – 470	430 – 450	Add. charge
476C00=SK685	<input type="checkbox"/>	Terra Aquos, 455 x 505	440 – 470	460 – 480	Add. charge
476C00=SK686	<input type="checkbox"/>	Terra Aquos, 505 x 405	480 – 520	370 – 390	Add. charge
476C00=SK655	<input type="checkbox"/>	Terra Aquos, 505 x 455	480 – 520	430 – 450	Add. charge
476C00=SK687	<input type="checkbox"/>	Terra Aquos, 505 x 505	480 – 520	460 – 480	Add. charge
476C00=SA660	<input type="checkbox"/>	Terra Aquos special size Width 505 x depth 430 mm	480 – 520	400 – 420	Add. charge

	<input type="checkbox"/> <b>Terra Flair seat cushion</b> (max. user weight = 150 kg/330 lbs)	
	<b>Functional height:</b> Thigh trough: 60 mm Ischial zone: 70 mm Side lateral: 95 mm	For special sizes, please ask for delivery time.

Complete seat cushions with cover				
Article number	Description	Wheelchair width (mm)	Wheelchair depth (mm)	
476C00=SK876	<input type="checkbox"/> Terra Flair, 380 x 405	380 – 390	370 – 390	Add. charge
476C00=SK871	<input type="checkbox"/> Terra Flair, 405 x 405	400 – 410	370 – 390	Add. charge
476C00=SK879	<input type="checkbox"/> Terra Flair, 405 x 430	400 – 410	400 – 420	Add. charge
476C00=SK874	<input type="checkbox"/> Terra Flair, 405 x 455	400 – 410	430 – 450	Add. charge
476C00=SK882	<input type="checkbox"/> Terra Flair, 405 x 505	400 – 410	460 – 480	Add. charge
476C00=SK883	<input type="checkbox"/> Terra Flair, 430 x 405	420 – 430	370 – 390	Add. charge
476C00=SK888	<input type="checkbox"/> Terra Flair, 430 x 430	420 – 430	400 – 420	Add. charge
476C00=SK877	<input type="checkbox"/> Terra Flair, 430 x 455	420 – 430	430 – 450	Add. charge
476C00=SK884	<input type="checkbox"/> Terra Flair, 430 x 505	420 – 430	460 – 480	Add. charge
476C00=SK873	<input type="checkbox"/> Terra Flair, 455 x 405	440 – 470	370 – 390	Add. charge
476C00=SK889	<input type="checkbox"/> Terra Flair, 455 x 430	440 – 470	400 – 420	Add. charge
476C00=SK872	<input type="checkbox"/> Terra Flair, 455 x 455	440 – 470	430 – 450	Add. charge
476C00=SK885	<input type="checkbox"/> Terra Flair, 455 x 505	440 – 470	460 – 480	Add. charge
476C00=SK886	<input type="checkbox"/> Terra Flair, 505 x 405	480 – 520	370 – 390	Add. charge
476C00=SK875	<input type="checkbox"/> Terra Flair, 505 x 455	480 – 520	430 – 450	Add. charge
476C00=SK887	<input type="checkbox"/> Terra Flair, 505 x 505	480 – 520	460 – 480	Add. charge
476C00=SA880	<input type="checkbox"/> <b>Terra Flair special size</b> Width 355 x depth 405 mm Width 505 x depth 430 mm	350 – 370 480 – 520	370 – 390 400 – 420	Add. charge

	<input type="checkbox"/> <b>ConturGel seat cushion</b> (max. user weight = 150 kg/330 lbs)	
	<b>Article number: 476C00=SK300</b>	<b>Functional height:</b> Front: 100 mm · Back: 60 mm

		Seat width (mm)									
		280	300	320	340	360	380	400	420	440	460
Seat depth (mm)	280	●	●								
	300	●	●								
	320	●	●	●	●						
	340			●	●						
	360			●	●	●	●				
	380					●	●				
	400					●	●	●	●		
	420							●	●		
	440							●	●	●	●
	460									●	●
480									●	●	

● Standard sizes    No special sizes available

### Other belt and harness accessories

Note:  
These accessories must be listed additionally in the order with the corresponding article numbers under the configuration reference.

#### Harnesses\* (dimensions in mm)

476P52=SK015	<input type="checkbox"/>		<b>Sternum harness, size S</b>	<b>A: 225, B: 320, C: 130, D: 60, E: 130</b>	<b>Add. charge</b>
476P52=SK016	<input type="checkbox"/>		<b>Sternum harness, size M</b>	<b>A: 255, B: 380, C: 155, D: 60, E: 150</b>	<b>Add. charge</b>
476P52=SK017	<input type="checkbox"/>		<b>Sternum harness, size L</b>	<b>A: 260, B: 510, C: 200, D: 60, E: 200</b>	<b>Add. charge</b>
476P52=SK010	<input type="checkbox"/>			<b>Dynamic harness, size S</b>	<b>A: 110, B: 180, C: 160, D: 45</b>
476P52=SK011	<input type="checkbox"/>	<b>Dynamic harness, size M</b>		<b>A: 145, B: 230, C: 200, D: 50</b>	<b>Add. charge</b>
476P52=SK012	<input type="checkbox"/>	<b>Dynamic harness, size L</b>		<b>A: 175, B: 260, C: 230, D: 60</b>	<b>Add. charge</b>
476P52=SK009	<input type="checkbox"/>		<b>Dynamic harness, size XS</b>	<b>A: 90, B: 170, C: 140, D: 45</b>	<b>Add. charge</b>
476P52=SK025	<input type="checkbox"/>		<b>Slimline sternum harness, size S</b>	<b>A: 230, B: 410, C: 170, D: 30, E: 140</b>	<b>Add. charge</b>
476P52=SK026	<input type="checkbox"/>		<b>Slimline sternum harness, size M</b>	<b>A: 250, B: 470, C: 190, D: 30, E: 160</b>	<b>Add. charge</b>
476P52=SK027	<input type="checkbox"/>		<b>Slimline sternum harness, size L</b>	<b>A: 260, B: 520, C: 200, D: 30, E: 180</b>	<b>Add. charge</b>
476P52=SK020	<input type="checkbox"/>		<b>Shoulder harness, size S</b>	<b>A: 350, B: 95, C: 45</b>	<b>Add. charge</b>
476P52=SK021	<input type="checkbox"/>		<b>Shoulder harness, size M</b>	<b>A: 380, B: 115, C: 65</b>	<b>Add. charge</b>
476P52=SK022	<input type="checkbox"/>		<b>Shoulder harness, size L</b>	<b>A: 480, B: 145, C: 75</b>	<b>Add. charge</b>

\* Upper body positioning systems must always be used in combination with a lap belt in order to avoid injuries.

#### Lap belts (dimensions in mm)

476P52=SK004	<input type="checkbox"/>		<b>2-point lap belt, plastic snap buckle, adaptation on both sides</b>	<b>W: 40, L: 2000</b>	<b>Add. charge</b>
476P52=SK002	<input type="checkbox"/>		<b>2-point lap belt, metal push button, adaptation on one side</b>	<b>W: 40, L: 2000</b>	<b>Add. charge</b>
476P52=SK001	<input type="checkbox"/>		<b>4-point lap belt, metal push button, adaptation on one side</b>	<b>W: 40, L: 2000</b>	<b>Add. charge</b>