

A man with a beard and long hair tied in a bun, wearing a tan work shirt, is leaning over the engine of a motorcycle in a workshop. He is using a wrench on a bolt. The workshop has a white wall with framed posters, including one that says "RECAST MOTO".

**STANLEY®**

**BATTERY MAINTENANCE  
CHARGERS & ACCESSORIES,  
JUMPER CABLES, LITHIUM BOOSTERS**

**THE MEASURE OF A PRO™  
STANLEYTOOLS.EU**



STANLEY

12V | [Icons] | STD  
[Battery Icon] 12.8V

ON

FAULT

ELECTRONIC BATTERY CHARGER

979094

# AUTOMATIC CHARGE MAINTAINER



**Thanks to the charge maintain feature, your vehicles are always ready to go.**

Many vehicles are not used all year round. This is true for agricultural equipment, leisure vehicles and boats. The batteries of these vehicles lose their charge, often putting them permanently out of service.

STANLEY® battery chargers have a charge holding function. You can therefore leave your vehicles plugged in when they are not in use. The chargers automatically analyse the batteries and recharge them if necessary.

Thanks to your battery charger's full charge maintain feature, the service life of the batteries are increased by several years. You save money and help to protect the environment.

# BATTERY CHARGERS



Why choose a STANLEY® charger? You have a non running vehicle ?  
Avoid a battery failure and extend its lifespan !



## AN EVERYDAY CHARGER

Use your STANLEY® charger for a latest-generation hybrid vehicle, to keep a classic car or a leisure vehicle charged (camper van, motorbike, boat), or for your lawnmower during winter.



## BATTERY CARE & RECOVERY

Increase the lifespan of your batteries, the charger starts using a pulse current until the battery reached optimal voltage.



## RECOND MODE\*

Reconditioning of deeply discharged batteries.



## POWER SUPPLY MODE\*


Allows to use devices up to 80 watts by supplying 13,8V – 5A constant current

\*Only on STANLEY® SXAE00026 & SXAE00026GB



# STANLEY® 6/12V 4A BATTERY CHARGER

## STANLEY®



### IDEAL FOR


**6V**




**12V**



**ALL LEAD ACID BATTERY : AGM, GEL, VRLA, WET**



## INCLUDED ACCESSORIES



**CODE**

**DESCRIPTION**

SXAE00025GB

STANLEY® 6/12V 4A BATTERY CHARGER WITH UK PLUG

SXAE00025

STANLEY® 6/12V 4A BATTERY CHARGER WITH EU PLUG

**COMPLIANCE: CE EN60335-2-29 - LVD-EMC-ROHS**

# STANLEY® 12V 8A BATTERY CHARGER

# STANLEY®

### Selection

- Voltage (12V)
- Slow/fast
- Battery type

Error indicator  
Charging status



**Cable length**  
2,0 Meter  
(With accessories)

**Voltage**  
220 -240 Volt AC 50-60 Hz

- Recond mode
- Power supply mode  
13,8V-5A MAX 80Watt

**Charge:** 5Ah - 160Ah  
**Maintain:** 5Ah - 250Ah



POWER SUPPLY MODE	RECON	5 > 160 AH CHARGE	5 > 250 AH CHARGE MAINTAINER
VLRA GEL AGM WET UNIVERSAL	BATTERY CARE	AUTOMATIC	SAFE




### IDEAL FOR



ALL LEAD ACID BATTERY : AGM, GEL, VRLA, WET

## INCLUDED ACCESSORIES

Cables with clamps





CODE	DESCRIPTION
SXAE00026GB	STANLEY® 12V 8A BATTERY CHARGER WITH UK PLUG
SXAE00026	STANLEY® 12V 8A BATTERY CHARGER WITH EU PLUG
COMPLIANCE: CE EN60335-2-29 - LVD-EMC-ROHS	

# BATTERY CHARGERS ACCESORIES

CODE	DESCRIPTION
SXAE00029	STANLEY® CABLE WITH CLAMPS 30A
SXAE00030	STANLEY® CABLE WITH 6MM RING AND FUSE
SXAE00031	STANLEY® CABLE MONITOR WITH 6MM RING AND FUSE
SXAE00032	STANLEY® CABLE WITH 8A CIGARETTE LIGHTER PLUG STOCKET
SXAE00033	STANLEY® 3M EXTENSION CABLE
COMPATIBLE WITH -	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>SXAE00025 SXAE00025GB STANLEY® BATTERY CHARGER 6/12V-4A</p> </div> <div style="width: 45%;"> <p>SXAE00026 SXAE00026GB STANLEY® BATTERY CHARGER 12V-8A</p> </div> </div>




SXAE00029  
Cables with clamps 30A




FUSE


SXAE00030  
Cables with 6mm ring and fuse







FUSE




SXAE00031  
Cable monitor with 6mm ring and fuse

	4A	8A	FUSE PROTECTION	



SXAE00032  
Cable with 8A cigarette lighter plug socket

	4A	8A		



SXAE00033  
3M extension cable

	4A	8A		

# YOU WILL NEVER BE SHORT OF ENERGY



Why choose a STANLEY® Lithium Booster powerbank?



## GUARANTEE YOUR MOBILITY

Batteries are the main cause of breakdown of motorised vehicles. STANLEY® Lithium boosters can be used to get broken-down vehicles running. Start all car, motorbike, boat and gardening equipment engines and motors using a 12V battery.



## STAY CONNECTED

Recharge your smartphones and tablets. With their USB outputs, STANLEY® Lithium boosters let you charge and use your mobile devices without worrying about your battery life.



## COMPACT AND LIGHT

STANLEY® Lithium boosters go everywhere with you and ensure your peace of mind and security.



## WHEREVER YOU ARE

Take your USB devices with you wherever you go.



**STANLEY**

Output  
5V/2.4A

Input  
5V/2A

ON OFF



# STANLEY® 12V 700A LITHIUM BOOSTER POWERBANK

# STANLEY®



<b>IDEAL FOR</b>							
<b>12V</b>							

## INCLUDED ACCESSORIES





CODE	DESCRIPTION
SXAE00125	STANLEY® 12V 700 AMP LITHIUM BOOSTER POWERBANK
	CERTIFICATION:

# STANLEY® 12V 1000A LITHIUM BOOSTER POWERBANK

# STANLEY®



**IDEAL FOR**



## INCLUDED ACCESSORIES



CODE	DESCRIPTION
SXAE00135	STANLEY® 12V 1000 AMP LITHIUM BOOSTER POWERBANK
CERTIFICATION:	

# FOR ALL YOUR BREAKDOWN SITUATIONS



## AT HOME

Restart your lawnmower at the end of winter.



## KEEP THEM IN YOUR CAR

A set of cables will get you going again in the event of a battery breakdown, without having to wait for or pay for breakdown assistance.



## FOR LEISURE ACTIVITIES

Easily get camper vans, motorbikes and leisure vehicles started as winter draws to a close. Essential for jet skis and speedboats.



**STANLEY**

↔  
3,5M

6/12/24V

3.0L  
DIESEL

5.5  
GASOL



**STANLEY**

↔  
4,5M

6/12/24V

4.0L  
DIESEL

7.5L  
GASOLINE



## STANLEY® JUMPER CABLES 3,5M

# STANLEY®



In premium EVA case for easy & safe storage



Plastic insulated clamps for maximum security



**For engines**  
up to 5,5L  
up to 350A

Copper plated aluminum cables for high conductivity

**DIN**  
72553

COPPE  
PLATE  
ALUMINIU



↔  
**3,5M**

∅  
**25mm<sup>2</sup>**

**350A**

**3.0L**  
DIESEL

**5.5L**  
GASOLINE

**6/12/24V**

CODE

DESCRIPTION

SXAE00013

STANLEY® JUMPER CABLES

## STANLEY® JUMPER CABLES 4,5M

# STANLEY®



In premium EVA case for easy & safe storage



Plastic insulated clamps for maximum security



**For engines**  
up to 7,5L  
up to 480A

Copper plated aluminum cables for high conductivity

**DIN**  
72553

COPPE  
PLATE  
ALUMINIU



↔  
**4,5M**

∅  
**35mm<sup>2</sup>**

**480A**

**4.0L**  
DIESEL

**7.5L**  
GASOLINE

**6/12/24V**

CODE

DESCRIPTION

SXAE00014

STANLEY® JUMPER CABLES



# STANLEY®

# STANLEY®

## JUMPER CABLES

 6/12/24V	480A
 4,5M	 35mm <sup>2</sup>
 4.0L DIESEL	 7.5L GASOLINE

DIN  
72553



COPPER  
PLATED  
ALUMINIUM



## STANLEY

2 YEAR LIMITED WARRANTY

SXAE00014





**4x**

**SXAE00125**  
**Stanley lithium booster**  
**700A**



**4x**

**SXAE00135**  
**Stanley lithium booster**  
**1000A**



**20x**

**SXAE00025 - SXAE00025 (GB)**  
**Stanley battery charger**  
**4Amp**



**10x**

**SXAE00026 / SXAE00026 (GB)**  
**Stanley battery charger**  
**8Amp**



**3x**

**SXAE00013**  
**Stanley jumper cable**  
**25mm<sup>2</sup> - 3,5M**



**3x**

**SXAE00014**  
**Stanley jumper cable**  
**35mm<sup>2</sup> - 4,5M**

**Display is also available empty.**

Distributed by:

# STANLEY®

WATCH OUR VIDEOS : **SCAN ME**



BATTERY CHARGERS



LITHIUM BOOSTERS



JUMPER CABLE

STANLEY® and the STANLEY® Logo are trademarks of STANLEY® Black & Decker, Inc. or an affiliate thereof, and are used under license. Developed and distributed by: Schumacher Europe, 3 rue de la Baronnerie 4920 Harzé - Belgium

[STANLEYTOOLS.EU](http://STANLEYTOOLS.EU)

**Need help? Go to**  
[www.2helpU.com](http://www.2helpU.com)