BEHAVIORAL HEALTH & RECOVERY SERVICES

SAN MATEO COUNTY

PRIOR AUTHORIZATION PROCEDURES

2/23/2018

Table of Contents

ANXIOLYTICS	3
BENZODIAZEPINES GUIDELINES	5
ANTIDEPRESSANTS	6
ANTIPARKINSON AGENTS	8
ANTIPSYCHOTICS, ATYPICALS—CONCURRENT USE	10
ANTIPSYCHOTICS	11
ADHD MEDICATIONS	21
HYPNOTICS	29
MISCELLANEOUS AGENTS	
VMAT2 INHIBITORS	
INDEX	

BEHAVIORAL HEALTH & RECOVERY SERVICES SAN MATEO COUNTY

Prior Authorization Procedures

Drug products, which are listed as **<u>Prior Authorization (PA) required</u>**, require approval when the member presents a prescription to a network pharmacy. To obtain coverage a pharmacist or physician may:

Fax a completed **Prior Authorization Request** to Health Plan of San Mateo (HPSM) Fax: 650-829-2045.

The request will be reviewed by BHRS staff according to Prior Authorization criteria approved by the BHRS P & T Committee.

If the request meets established criteria, the request will be approved and an authorization given.

If the request does not meet the criteria established by the P & T Committee, the request will be denied.

Failure to submit a Prior Authorization for a listed drug will result in a denial of coverage for the health plan member.

ANXIOLYTICS

Drug Name Brand Generic	Xanax Alprazolam
Covered Uses	All medically accepted indications
Required Medical Information	 Patient has tried and failed, has an allergic reaction or contraindication to Step 2 medications (see Benzodiazepines Guidelines below), and Patient has tried and failed formulary benzodiazepines Lorazepam and Clonazepam.
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved for up to 12 months
Other Criteria	See Benzodiazepines Guidelines below Obtain CURES report

Drug Name Brand Generic Covered Uses	Xanax XR Alprazolam XR All medically accepted indications
Required Medical Information	 1.Patient has tried and failed Step 2 medications (see Benzodiazepines Guidelines below), and 2.Patient has tried and failed formulary Lorazepam and Clonazepam, and 3. Patient has responded to generic Alprazolam in the past and demonstrates noncompliance, side effects, intolerance to generic Alprazolam.
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved for up to 12 months
Other Criteria	See Benzodiazepines Guidelines below Obtain CURES report

Drug Name	
Brand	Valium
Generic	Diazepam
Covered Uses	All medically accepted indications
Required Medical Information	 Patient has tried and failed, has an allergic reaction or contraindication to Step 2 medications (see Benzodiazepines Guidelines below), and Patient has tried and failed formulary benzodiazepines Lorazepam and Clonazepam.
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved for up to 12 months
Other Criteria	See Benzodiazepines Guidelines below Obtain CURES report

Drug Name	
Brand	Ativan Injectable
Generic	Lorazepam Injectable
Covered Uses	
Required Medical Information	Patient unable to take oral form of this medication
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved for up to 3 months
Other Criteria	

BENZODIAZEPINES GUIDELINES


Benzodiazepines (BZ) are very effective for **insomnia and anxiety disorders**. However, the use of BZ should be cautious because of their high risk of abuse, dependence, severe withdrawal symptoms, and cognitive impairment. In general, BZ should be considered last after other non-BZ treatment measures have failed. Moderately short-acting BZ are preferred than ultra-short-acting and long-acting BZ. The duration time to use BZ for symptomatic treatment of insomnia and anxiety disorders should be limited to 3-4 weeks. However, some patients with chronic symptoms of anxiety disorders may need long-term treatment BZ to have productive and comfortable lives.

Proposed steps to consider before treatment with Benzodiazepines:


Step 1: No medications

-	Sleep hygiene: Walks after dinner, warm milk, warm bath or shower, quiet environment, soothing music Cognitive behavioral therapy, yoga, meditation, relaxation breathing techniques
---	---

Step 2: With no known abuse potential



Step 3: Non-benzodiazepines



Step 4: Benzodiazepines (BZ).

-	Moderately short acting BZ should be considered to minimize accumulation and
	sedation. Recommend to use less than 3-4 weeks.

- Temazepam (Restoril) 7.5-15mg q HS for insomnia only.
- Lorazepam (Ativan) 0.5-2mg q day for insomnia and anxiety
- Clonazepam (Klonopin) 0.5mg-2mg g d for insomnia and anxiety.
- Ultra-short acting BZ such as Triazolam (Halcion) should be avoided because of side effects of memory impairment, withdrawal psychosis, and confusion.
- Long-acting BZ such as Diazepam (Valium), Flurazepam (Dalman) should be used cautiously because of cumulative effects that may cause drowsiness, risks of fall, and cognitive impairment especially in elderly patients.
- Alprazolam (Xanax) has high abuse risk.

ANTIDEPRESSANTS

Drug Name	
Brand	Paxil CR
Generic	Paroxetine Controlled Release
Covered Uses	All medically accepted indications
Required Medical Information	Patient has tried and failed regular Paroxetine, or has had a positive response to this drug in the past.
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	

Drug Name	
Brand	Emsam Patch
Generic	Selegiline Transdermal
Covered Uses	All medically accepted indications
Required Medical Information	Patient has tried and failed two formulary antidepressants; or Patient cannot tolerate or is noncompliant with oral medications
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	

Drug Name	
Brand	Viibryd
Generic	Vilazodone
Covered Uses	All medically accepted indications
Required Medical Information	Documentation required to indicate that patient has tried and failed at least two trials of formulary antidepressants
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved all strengths for up to 12 months
Other Criteria	

Drug Name	
Brand	Brintellix
Generic	Vortioxetine
Covered Uses	All medically accepted indications
Required Medical Information	Documentation required to indicate that patient has tried and failed at least two trials formulary antidepressants
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved all strengths for up to 12 months
Other Criteria	

ANTIPARKINSON AGENTS

Drug Name	
Brand	Cogentin Injectable
Generic	Benztropine Injectable
Covered Uses	All medically accepted indications
Required Medical Information	Patient unable to take oral form of this medication
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved for up to 3 months
Other Criteria	

Drug Name	
Brand	Parlodel
Generic	Bromocriptine
Covered Uses	All medically accepted indications
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved all strengths for up to 12 months
Other Criteria	

Drug Name	
Brand	Benadryl Injectable
Generic	Diphenhydramine Injectable
Covered Uses	All medically accepted indications
Required Medical Information	Patient is unable to take oral form of this medication
Age Restriction	Approved for up to 3 months
Prescriber Restriction	
Coverage Duration	
Other Criteria	

ANTIPSYCHOTICS, ATYPICALS—CONCURRENT USE

Generic	Brand	Exception/Other
ARIPIPRAZOLE	ABILIFY	QL, PA for discmelt and IM
ARIPIPRAZOLE	ABILIFY MAINTENA	PA
LAUROXIL	ARISTADA	PA
ASENAPINE	SAPHRIS	PA
BREXIPIPRAZOLE	REXULTI	PA
CARIPRAZINE	VRAYLAR	PA
CLOZAPINE	CLOZARIL	PA for brand, liquid
CLOZAPINE	FAZACLO	PA
ILOPERIDONE	FANAPT	PA
LURASIDONE	LATUDA	QL
OLANZAPINE	ZYPREXA	QL, PA for brand, Zydis, IM
OLANZAPINE	RELPREV	NF
PALIPERIDONE	INVEGA	PA
PALIPERIDONE	INVEGA SUSTENNA	PA
PALIPERIDONE	INVEGA TRINZA	PA
RISPERIDONE	RISPERDAL	PA for brand, M-tabs
RISPERIDONE	RISPERDAL CONSTA	PA
QUETIAPINE	SEROQUEL, XR	QL, PA for brand
ZIPRASIDONE	GEODON	PA for brand, IM

Covered Uses	All medically accepted indications
Required Medical Information	 When two atypical antipsychotics are used concurrently, including during cross titration, Brief Psychiatric Rating Scale (BPRS) must accompany PAR form, whether initial or renewal. If one of the two antipsychotics has been DC'd or will be DC'd within 30 days, then approve x 30 days without BPRS. If unable to obtain BPRS after 3 outreach attempts, approve 30 days and request BPRS
Age Restriction	
Prescriber Restriction	Psychiatrist
Coverage Duration	Initial—new start, approved all strengths for 6 mo Initial—transferred on both agents,approved 12 mo Renewal—approved all strengths for 3 yrs if renewal criteria met
Other Criteria	Renewal criteria: BPRS summary scores 20% lower than baseline AND clinical improvement; or Medical Director approval

ANTIPSYCHOTICS

Drug Name Brand	Abilify Discmelt, Injectable, Oral solution
Generic	Aripiprazole ODT, Injectable, Oral solution
Covered Uses	All medically accepted indications
Required Medical Information	Discmelt or oral solution: unable to tolerate or noncompliant with oral tablet, approve up to 12 months Injectable: unable to tolerate or noncompliant
	with oral formulations, approve up to 3 months
	QL: #90/90DS for oral tabs and discmelt; May override QL during titration up to 3 mo
	BRAND: tried and failed generic, approve up to 12months
	Abilify Maintena or Aristada: see separate approval criteria
Age Restriction	
Prescriber Restriction	
Other Restriction	
Coverage Duration	Approved for ODT, BRAND, oral soln, all strengths up to 12 months Approved for Injectable or QL up to 3 months
Other Criteria	Must meet Concurrent Use Criteria

Drug Name Brand Generic Covered Uses	Abilify Maintena or Aristada Aripiprazole Long-acting Injectable All medical accepted indications
Required Medical Information	Patient has history of noncompliance with oral antipsychotics or difficulty in swallowing oral medications Or Transferred from hospital/facility/another provider stabilized on this medication
Age Restriction	
Prescriber Restriction	
Other Restriction	#1 per 30DS
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	Must meet Concurrent Use Criteria

Drug Name	
Brand	Saphris
Generic	Asenapine
Covered Uses	All medical accepted indications
Required Medical Information	Documentation required to indicate that patient has tried and failed two trials of formulary antipsychotics
Age Restriction	
Prescriber Restriction	
Other Restriction	
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	Must meet Concurrent Use Criteria

Drug Name	
Brand	Rexulti
Generic	Brexipiprazole
Covered Uses	All medical accepted indications
Required Medical Information	Schizophrenia: tried and failed two generic atypical antipsychotics
	Major depression: tried and failed one generic atypical antipsychotics, used in adjunct with antidepressant
Age Restriction	
Prescriber Restriction	
Other Restriction	
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	Must meet Concurrent Use Criteria

Drug Name	
Brand	Vraylar
Generic	Cariprazine
Covered Uses	All medically accepted indications
Required Medical Information	Tried and failed two generic atypical antipsychotics
Age Restriction	
Prescriber Restriction	
Other Restriction	
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	Must meet Concurrent Use Criteria

Drug Name	
Brand	Fazaclo or Versacloz
Generic	Clozapine sublingual or oral solution
Covered Uses	All medically accepted indications
Required Medical Information	Fazaclo or Versacloz: unable to tolerate or noncompliant with oral tablet
	BRAND Clozapine: tried and failed generic
Age Restriction	
Prescriber Restriction	
Other Restriction	
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	Must meet Concurrent Use Criteria

Drug Name Brand	Adasuve
Generic	Loxapine Inhalation
Covered Uses	All medically accepted indications
Required Medical Information	Documentation required to indicate enrollment into Adasuve REMS Program
Age Restriction	
Prescriber Restriction	
Other Restriction	QL #31/31DS
	One dose per 24 hours
Coverage Duration	Up to 12 months
Other Criteria	PA for CA, CMC
	NF for BHRS, HK, HW, MC

Drug Name	
Brand	Fanapt
Generic	lloperidone
Covered Uses	All medically accepted indications
Required Medical Information	Documentation required to indicate that patient has tried and failed two trials formulary antipsychotics
Age Restriction	
Prescriber Restriction	
Other Restriction	
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	Must meet Concurrent Use Criteria

Drug Name Brand	Zurrava Inicatable Oral colution Zuria
Brand Generic	Zyprexa Injectable, Oral solution, Zydis Olanzapine Injectable, ODT, Oral solution
Covered Uses	All medically accepted indications
Required Medical Information	ODT or oral solution: unable to tolerate or noncompliant with oral tablet, approve up to 12 months
	Injectable: unable to tolerate or noncompliant with oral formulations, approve up to 3 months
	QL: #90/90 for all strengths except 7.5mg May override QL during titration for up to 3 months
	BRAND: tried and failed generic, approve up to 12months
	Zelprev: Non-formulary, not approvable. Consult with medical director
Age Restriction	
Prescriber Restriction	
Other Restriction	
Coverage Duration	Approved for ODT(QL), Brand (QL), oral solution, all strengths up to12 months; Approved for Injectable, QL up to 3 months
Other Criteria	Must meet Concurrent Use Criteria

Drug Name	
Brand	Invega oral
Generic	Paliperidone ER
Covered Uses	All medically accepted indications
Required Medical Information	Invega oral: documentation required to indicate patient has tried and failed oral Risperidone BRAND: tried and failed generic, approve up to 12months Invega Sustenna: see separate approval criteria
Age Restriction	
Prescriber Restriction	
Other Restriction	
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	Must meet Concurrent Use Criteria

Drug Name	
Brand	Invega Sustenna
Generic	Paliperidone Long-acting Injectable
Covered Uses	All medically accepted indications
Required Medical Information	Patient has history of noncompliance with oral antipsychotics or difficulty in swallowing oral medications Or Transferred from hospital/facility/another provider stabilized on this medication
Age Restriction	
Prescriber Restriction	
Other Restriction	#1 per 30DS

Drug Name Brand	Invega Trinza
Generic	Paliperidone Long-Acting Injectable
Covered Uses	All medically accepted indications
Required Medical Information	Treatment with Invega Sustenna for at least 4 months, with last 2 doses of Invega Sustenna being the same dosage strength before starting Invega Trinza. Use dosage conversion chart for Trinza dose. If more frequent dosing than Q3month is requested, gluteal injection will be required
Age Restriction	
Prescriber Restriction	
Other Restriction	
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	Must meet Concurrent Use Criteria
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	

Drug Name	
Brand	Seroquel
Generic	Quetiapine
Covered Uses	All medically accepted indications
Required Medical Information	QL on Seroquel XR 50mg, 150mg, 200mg #90/ 90DS
	Brand Quetiapine: tried and failed generic
Age Restriction	
Prescriber Restriction	
Other Restriction	
Coverage Duration	Approved for QL, all strengths Brand, up to 12 months
Other Criteria	Must meet Concurrent Use Criteria

Drug Name	
Brand	Risperdal M-tab or Oral solution
Generic	Risperidone ODT or Oral solution
Covered Uses	All medically accepted indications
Required Medical Information	ODT or oral solution: unable to tolerate or noncompliant with oral tablet
	Brand: tried and failed generic
	Risperdal Consta: see separate approval criteria
Age Restriction	
Prescriber Restriction	
Other Restriction	
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	Must meet Concurrent Use Criteria

Drug Name Brand Generic Covered Uses	Risperdal Consta Risperidone Long-acting Injectable All medically accepted indications
Required Medical Information	Patient has history of noncompliance with oral antipsychotics or difficulty in swallowing oral medications Or Transferred from hospital/facility/another provider stabilized on this medication
Age Restriction	
Prescriber Restriction	
Other Restriction	#1 per 14DS
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	

Drug Name	
Brand	Geodon
Generic	Ziprasidone
Covered Uses	All medically accepted indications
Required Medical Information	Oral solution: unable to tolerate or noncompliant with oral tablet, approve up to 12 months
	Brand Ziprasidone: tried and failed generic
	Injectable: unable to tolerate or noncompliant with oral formulations, approve up to 3 months
Age Restriction	
Prescriber Restriction	
Other Restriction	
Coverage Duration	Approved for Oral solution, all strengths Brand, up to 12 months Approved for Injectable up to 3 months
Other Criteria	Must meet Concurrent Use Criteria

ADHD MEDICATIONS

Drug Name	
Brand	Adderall
Generic	Amphetamine-Dextroamphetamine IR
Covered Uses	FDA approved indications
Required Medical Information	 If age >21, criteria must be met to start stimulant therapy per BHRS Adult ADHD Guidelines Updated CURES report that does not indicate diversion or misuse (obtained by reviewing pharmacist) Urine Tox screen (see Criteria below)
Age Restriction	Restricted to ADD/ADHD between ages 4-21 PA required for age >21
Prescriber Restriction	none
Coverage Duration	Variable depending on criteria below
Other Criteria	 Treatment initiation phase: approve <u>90 days</u> to titrate to stable dose, recommend switch over to long-acting formulation and consolidation to one class of stimulant medication Continuation past 90 days: allow only if member a. cannot tolerate side effects of long-acting stimulant, or b. has long-acting formulation once either in the morning or afternoon c. with sound justification for combination of <u>different</u> classes of stimulants (eg. amphetamine and methylphenidate class) If dosing beyond FDA max or more frequent than 3 times/day (>#90/30DS), approve <u>30 days</u> up to FDA max and require Urine Tox screen to be submitted for continuation. Approve up to 6 months and only up to FDA max dose if

Drug Name	
Brand	Focalin IR, XR
Generic	Dexmethylphenidate IR, XR
Covered Uses	FDA approved indications
Required Medical Information	 If age >21, criteria must be met to start stimulant therapy per BHRS Adult ADHD Guidelines Updated CURES report that does not indicate diversion or misuse (obtained by reviewing pharmacist) Urine Tox screen (see Criteria below) Patient has tried and failed two formulary stimulants, or has had a positive response to this drug in the past
Age Restriction	6 yrs and older
Prescriber Restriction	none
Coverage Duration	For IR, see other Criteria below Approved XR for 12 months;
Other Criteria	 Treatment initiation phase: approve <u>90 days</u> to titrate to stable dose, recommend switch over to long-acting formulation and consolidation to one class of stimulant medication Continuation past 90 days: allow only if member a. cannot tolerate side effects of long-acting stimulant, or b. has long-acting formulation for morning, but need short-acting formulation once either in the morning or afternoon c. with sound justification for combination of <u>different</u> classes of stimulants (eg. amphetamine and methylphenidate class)
	 3. If dosing beyond FDA max or more frequent than 3 times/day (>#90/30DS), approve <u>30 days</u> up to FDA max and require Urine Tox screen to be submitted for continuation. Approve up to 6 months and only up to FDA max dose if a. Urine Tox screen is positive for requested medication and negative for other amphetamines. 4. If requesting more than one stimulant, approve 30 days for both and request MD to consolidate to one stimulant and submit Urine Tox screen for continuation. Approve up to FDA max dose for 6 months if both are provided: a. clear justification for use of two different stimulant class medications b. urine tox screen is positive for requested medications and negative for other amphetamines

Drug Name	
Brand	Dexedrine
Generic	Dextroamphetamine
Covered Uses	FDA approved indications
Required Medical Information	 If age >21, criteria must be met to start stimulant therapy per BHRS Adult ADHD Guidelines Updated CURES report that does not indicate diversion or misuse (obtained by reviewing pharmacist) Urine Tox screen (see Criteria below)
Age Restriction	Restricted to ADD/ADHD between ages 4-21 PA required for age >21
Prescriber Restriction	none
Coverage Duration	Variable depending on criteria below
Other Criteria	 Treatment initiation phase: approve <u>90 days</u> to titrate to stable dose, recommend switch over to long-acting formulation and consolidation to one class of stimulant medication Continuation past 90 days: allow only if member a. cannot tolerate side effects of long-acting stimulant, or b. has long-acting formulation for morning, but need short-acting formulation once either in the morning or afternoon c. with sound justification for combination of <u>different</u> classes of stimulants (eg. amphetamine and methylphenidate class) If dosing beyond FDA max or more frequent than 3 times/day (>#90/30DS), approve <u>30 days</u> up to FDA max and require Urine Tox screen to be submitted for continuation. Approve up to 6 months and only up to FDA max dose if Urine Tox screen is positive for requested medication and negative for other amphetamines.


Drug Name	
Brand	Desoxyn
Generic	Methamphetamine
Covered Uses	FDA approved indications
Required Medical Information	 If age >21, criteria must be met to start stimulant therapy per BHRS Adult ADHD Guidelines Updated CURES report that does not indicate diversion or misuse (obtained by reviewing pharmacist) Urine Tox screen (see Criteria below)
Age Restriction	Restricted to ADD/ADHD between ages 4-21 PA required for age >21
Prescriber Restriction	none
Coverage Duration	Variable depending on criteria below
Other Criteria	 Treatment initiation phase: approve <u>90 days</u> to titrate to stable dose, recommend switch over to long-acting formulation and consolidation to one class of stimulant medication Continuation past 90 days: allow only if member a. cannot tolerate side effects of long-acting stimulant, or b. has long-acting formulation for morning, but need short-acting formulation once either in the morning or afternoon c. with sound justification for combination of <u>different</u> classes of stimulants (eg. amphetamine and methylphenidate class) If dosing beyond FDA max or more frequent than 3 times/day (>#90/30DS), approve <u>30 days</u> up to FDA max and require Urine Tox screen to be submitted for continuation. Approve up to 6 months and only up to FDA max dose if

Drug Name	
Brand	Ritalin
Generic	Methylphenidate IR
Covered Uses	FDA approved indications
Required Medical Information	 If age >21, criteria must be met to start stimulant therapy per BHRS Adult ADHD Guidelines Updated CURES report that does not indicate diversion or misuse (obtained by reviewing pharmacist) Urine Tox screen (see Criteria below)
Age Restriction	Restricted to ADD/ADHD between ages 4-21 PA required for age >21
Prescriber Restriction	none
Coverage Duration	Variable depending on criteria below
Other Criteria	 Treatment initiation phase: approve <u>90 days</u> to titrate to stable dose, recommend switch over to long-acting formulation and consolidation to one class of stimulant medication Continuation past 90 days: allow only if member a. cannot tolerate side effects of long-acting stimulant, or b. has long-acting formulation for morning, but need short-acting formulation once either in the morning or afternoon c. with sound justification for combination of <u>different</u> classes of stimulants (eg. amphetamine and methylphenidate class) If dosing beyond FDA max or more frequent than 3 times/day (>#90/30DS), approve <u>30 days</u> up to FDA max and require Urine Tox screen to be submitted for continuation. Approve up to 6 months and only up to FDA max dose if

Drug Name Brand	Cylert Pemoline
Generic Covered Uses	All medically accepted indications
Required Medical Information	Patient has a normal baseline ALT (7-56u/l) that indicates normal liver function Patient will have liver function test monitoring every (2) two weeks
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	

San Mateo County Health System Behavioral Health & Recovery Services

Adult ADHD Treatment Guidelines



- 1 Obtain random Urine Drug Screen and regular CURES reports during treatment
- 2 Trials of both Strattera and Bupropion are recommended, consider using Clonidine or Guanfacine as alternatives
- **3** For other treatment options, please refer to Bond et al. (2012) article: http://www.aacp.com/pdf%2F0212%2F0212ACP_Bond.pdf
- 4 Use long-acting stimulants to minimize diversion

Rev. 01.2016

Stimulant medication maximum dose	e for adults				
Drug	Range	FDA max	SF county	SC county	BHRS
Amphetamines					
Evekio (IR)	5-60mg/day for obesity every 4-6 hrs		40mg		40mg*
	Only in rare cases will it be necessary to exceed 40 mg daily in ADHD				
Adzensys XR or Dyanavel XR	12.5-20mg/day in ADHD, 10-60mg/day in Narcolepsy	20mg	20mg		20mg
Amphetamine salts					
•	5-40mg/day for ADHD; 5-60mg/day for narcolepsy Q4-6hrs	rarely necessary to exceed 40mg/	40mg	40mg	40mg
	start with 20mg/day, up to 60mg/day evaluated with? benefit	30mg in peds	30mg	60mg	60mg*
Mydayis (ER lasting 16 hrs)		50mg	Ŭ	Ŭ	
· · · · · · · · · · · · · · · · · · ·					
Dexmethylphenidate					
	5-20mg/day	20mg	20mg	20mg	20mg
	10-40mg/day	40mg	40mg	40mg	40mg
			Ŭ	Ŭ	Ŭ
Dextroamphetamine					
•	5-60mg/day in 2-3 divided doses for narcolepsy	40mg in peds	40mg	60mg	60mg*
	5-60mg QD for narcolepsy	40mg in peds	40mg	60mg	60mg*
	Dosages up to 0.9 mg/kg daily but rarely exceeding 40 mg daily.				
Lisdexamfetamine					
	30-70mg/day	70mg		70mg	70mg
				0	0
Methamphetamine					
	*Methamphetamine has a high potential for abuse.	* 25mg in peds		25mg	25mg*
	lispensed sparingly and attention should be paid to the possibility of subject		n-therapeutic		Ŭ
distribution to others					
Methylphenidate					
	10-60mg/day in 2-3 divided doses	60mg	60mg	60mg	60mg
	10-60mg/day	60mg	60mg	60mg	60mg
	18-72mg/day	72mg	72mg		72mg
	20-60mg/day	60mg	60mg	60mg	60mg
	20-60mg/day	60mg	60mg	60mg	60mg
	10-60mg/day	60mg	60mg	60mg	60mg
	20-60mg/day divided every 8 hours	60mg	60mg	60mg	60mg
Daytrana patch	10-30mg/day	30mg	30mg	30mg	30mg
	nparisons, Lexi-Drugs, accessed 10/4/2017				
* Max dose determined by P&T comm	hittee after reviewing FDA dosing range and SF/SC county guidelines				
P&T 10/11/2017					

HYPNOTICS

Drug Name Brand Generic	Belsomra Suvorexant
Covered Uses	FDA approved indications
Required Medical Information	Documentation required to indicate that patient has tried and failed at least 3 hypnotics
Age Restriction	18 yrs of age or older
Prescriber Restriction	
Coverage Duration	Approved up to 12 months
Other Criteria	

Drug Name	
Brand	Ambien CR
Generic	Zolpidem Controlled Release
Covered Uses	FDA approved indications
Required Medical Information	Documentation required to indicate that patient has tried and failed at least two trials of hypnotics, including immediate-release Zolpidem
Age Restriction	18 yrs of age or older
Prescriber Restriction	
Coverage Duration	Approved for up to 12 months
Other Criteria	

MISCELLANEOUS AGENTS

Nonformulary, PA submission requirements:

Drug Names	L-MethylFolate (Deplin®)	
FDA indication as Medical Food	For the distinct nutritional requirements of patients who have suboptimal L-methyfolate levels in the cerebrospinal fluid, plasma, and/or red blood cells and have major depressive disorder with emphasis as adjunctive support for individuals who are on an antidepressant; for the distinct nutritional requirements of patients who have or are at risk for hyperhomocysteinemia and have schizophrenia who present with negative symptoms and/or cognitive impairment, with emphasis as an adjunctive support for individuals who have stabilized on antipsychotics	
Required Medical Information for review	MDD: Homozygous for the T allele of the C677T polymorphism in the MTHFR gene Schizophrenia: Homozygous for the T allele of the C677T polymorphism in the MTHFR gene and Homocysteine level > 15 µmol/L	
Age		
Prescriber		
Coverage Duration	Not a covered benefit with HSPM	
Quantity Limit		
Appeal	To be reviewed by BHRS and HPSM medical directors	

Drug Name	
Brand	Provigil
Generic	Modafinil
Covered Uses	FDA-approved indications; Off-label uses in ADHD, Major Depression
Required Medical Information	If ADHD: Patient tried and failed two trials of stimulants or formulary ADHD medications
	If Major Depression: Patient tried and failed 4 trials of antidepressants
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	

Vivitrol	
Naltrexone Long-acting Injectable	
Alcohol use disorder or Alcohol dependence Opioid use disorder or Opioid dependence	
1. Patient either:	
 a. Has failed a trial of oral medication -such as acamprosate, disulfiram, gabapentin or oral naltrexone for Alcohol dependence, -such as buprenorphine, methadone or oral naltrexone for Opiod Dependence 	
OR	
 b. Has unstable clinical status indicating that oral medication will not be taken consistently or a trial will likely fail 	
The patient is also informed of, referred to, or enrolled in a treatment program or community support program, such as Alcoholic Anonymous or Narcotics Anonymous	
18 yrs of age or older	
Approved for 380mg #1/30DS up to 12 months	

Nonformulary, PA submission requirements:

Drug Names	Pimavanserin (Nuplazid®)
FDA indication	Parkinson's Disease Psychosis
Required Medical Information for review	Trial of Quetiapine Consideration of Clozapine
Age	FDA approved for adults
Prescriber	
Coverage Duration	6 months
Quantity Limit	
Renewal requirement	Description of clinical improvement by prescriber

Drug Name	
Brand	Topamax
Generic	Topiramate ER or Sprinkle
Covered Uses	All medically accepted indications
	*Off label: alcohol dependence, anxiety
	disorders, eating disorder, impulse-control
	disorders, psychotropic-induced wt. gain,
	obesity
	*Other diagnosis: Patient must have tried and
	failed two formulary agents
Required Medical Information	
	Patient must have tried and failed formulary
	generic topiramate formulations or have
	intolerance or contraindication to formulary
	generic topiramate formulations
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved for all strengths up to 12 months
Other Criteria	Ref: Essentials Clin Psychopharm,3 rd ed
	1

Drug Name Brand Generic	Chantix Varenicline
Covered Uses	Smoking cessation
Required Medical Information	Documentation required to indicate patient has tried and failed nicotine replacement therapy or oral bupropion
Age Restriction	
Prescriber Restriction	
Coverage Duration	Approved for all strengths up to 24 weeks
Other Criteria	Renewal request may be approved for a second 12-week period

VMAT2 INHIBITORS

Nonformulary, PA submission requirements:

Drug Names	Deutetrabenazine (Austedo®) Valbenazine (Ingrezza®)
FDA indication	Tardive Dyskinesia
Required Medical Information for review	 2 baseline AIMS, rated at least 6 months apart greater or equal to 3 in at least one subcategory AND overall severity category patient's awareness of abnormal movements Renal function test within 6 months LFTs within 6 months (see Quantity Limit) QT status Consideration of Clozapine Assessment of suicidality or violent behaviors Full list of concurrent medications to assess drug interactions (see Quantity Limit)
Age	FDA approved for adults
Prescriber	psychiatrists
Coverage Duration	One month trial
Quantity Limit	Hepatic/renal function and drug interactions will be assessed to determine if quantity limit will be warranted
Renewal requirement	 Repeat AIMS showing reduction in at least one subcategory AND overall severity category patient's awareness of abnormal movements Description of clinical improvement by prescriber

INDEX

A

Abilify 10, 11
Abilify Discmelt, Injectable, Oral solution 10, 11
Abilify Maintena10, 12
Adasuve14
Adderall
Adult ADHD Treatment Guidelines27
Alprazolam3
Ambien CR
Amphetamine-Dextroamphetamine IR 21, 28
Antipsychotics, Atypicals - Concurrent Use10
Aripiprazole 10, 11
Aripiprazole Long-acting Injectable
Aripiprazole ODT, Injectable, Oral solution 10, 11
Aristada 10, 12
Asenapine 10, 12
Ativan injectable4
Austedo

B

Belsomra	29
Benadryl	9
Benzodiazepine Guidelines	5
Benztropine	8
Brexipiprazole	10, 13
Brintellix	7
Bromocriptine	8

С

Cariprazine 1	0, 13
Chantix	34
Clozapine	10
Clozapine sublingual or oral solution 1	0, 14
Clozaril	10
Cogentin	8
Cylert	26

D

Deplin	30
Desoxyn	24, 28
Deutetrabenazine (Austedo®)	35
Dexedrine	23, 28
Dexmethylphenidate IR, XR	22, 28
Dextroamphetamine	23, 28
Diazepam	4
Diphenhydramine	9

E

Emsam	6
F	
Fanapt	
Fazaclo	14
Focalin IR, XR	22, 28

G

Geodon10, 20

I

Iloperidone	10, 15
Ingrezza	35
Invega	10, 17
Invega Sustenna	10, 17
Invega Trinza	10, 18

L

Latuda	10
Lauroxil	10
L-MethylFolate	
Lorazepam injectable	4
Loxapine Inhalation	14
Lurasidone	10

М

Methamphetamine	.24,	28
Methylphenidate IR	.25,	28
Modafinil		31

N

Naltrexone Long-acting Injectable	32
Nuplazid	33

0

Olanzapine	10
Olanzapine Injectable, ODT, Oral solution	10, 16

P

Paliperidone ER	10, 17
Paliperidone Long-acting Injectable10,	17, 18
Parlodel	8
Paroxetine Controlled Release	6
Paxil CR	6
Pemoline	26
Pimavanserin	33

Provigil		.31
Q		
Quetiapine	10,	19

R

Relprev	10
Rexulti	10, 13
Risperdal	10
Risperdal Consta	10, 20
Risperdal M-tab	10, 19
Risperidone Long-acting Injectable	10, 20
Risperidone	10
Risperidone ODT	10, 19
Ritalin	25, 28

S

Saphris	10, 12
Selegiline Transdermal	6
Seroquel	10, 19
Stimulant Max Dose	
Suvorexant	29

T

Topamax	33
Topiramate ER or Sprinkle	33

V

Valbenazine (Ingrezza®)	35
Valium	4
Varenicline	34
Versacloz	14
Viibryd	7
Vilazodone	7
Vivitrol	32
Vortioxetine	7
Vraylar	10, 13

X

Xanax3

Ζ

Ziprasidone	.10, 20
Zolpidem Controlled Release	29
Zyprexa	10
Zyprexa Injectable, Oral solution, Zydis	.10, 16