

LIEBHERR

Quality, Design and Innovation













Experience exceptional long-term freshness with BioFresh



Enjoy healthy food with BioFresh from LIEBHERR









Creative cooking with family and friends is a new trend in modern cuisine. And nowadays enjoying healthy meals is easy to achieve as fresh food provides all the vitamins, mineral nutrients and trace elements our bodies need every day. Fresh food supplies energy, strengthens the immune system, boosts your metabolism and can help to put you in a good mood. The fresher the produce is when it is prepared, the more nutritious it is. Therefore it is important not only to buy really fresh food, but also to ensure it is perfectly stored whilst at home.

Since not all types of food need the same temperature and humidity conditions for perfect storage, LIEBHERR has come up with the additional temperature zone, BioFresh, where many types of food can be kept fresh for much longer than in a traditional refrigerator compartment. This requires keeping the temperature accurately at 0 °C combined with the ideal humidity. Fruit and vegetables, for example, stay fresher for longer in conditions of high humidity, while a dry environment is ideal for storing meat, fish and dairy products. With BioFresh not only is the appearance and fresh flavour maintained butfirst and foremost - the valuable vitamins and minerals are preserved significantly longer.



to find out more about BioFresh.

Experience exceptional freshness with BioFresh

In the BioFresh compartments food retains its healthy vitamins, aroma and appetising appearance significantly longer than in a conventional fridge. Through its advanced technology the temperature is accurately kept at just above 0°C. Each drawer can be used individually and provides ideal humidity - HydroSafes with high humidity or DrySafes with low humidity - for a versatile storage solution.








Fish

The ideal storage temperature for fish and seafood is at freezing point. The BioFresh Drawers enable fish to be kept fresher for longer at this temperature. For true fish enthusiasts, the BioFresh-Plus technology provides greater flexibility and control for ideal food storage conditions. With its independent electronic control system the temperature in the top compartment can be adjusted to -2°C, this together with the DrySafe setting makes the ideal environment for keeping fish and seafood fresher for longer.



BioFresh – the healthier option



Fresh, healthy products give your body everything needed for vitality, stamina and a sense of all-round well-being. Fruit and vegetables with their high vitamin content make a vital contribution to a healthy diet. The right mix gives you the healthiest lifestyle – as every natural product has its own special properties and substances. Fruit and vegetables need the right environment to retain their high vitamin content; just above 0 °C in the BioFresh HydroSafe.



BioFresh-Plus: For added flexibility



The BioFresh-Plus technology provides greater flexibility and control for ideal food storage conditions. With its independent electronic control system the temperature in the top compartment can be adjusted from -2°C (fish), to + 6°C (exotic fruits). Stored at the right temperature and with the ideal humidity, food in the BioFresh-Plus compartments retains its healthy vitamins, aroma and appetising appearance significantly longer than in a conventional fridge.

BioFresh: Longer storage life









| Main constituents | Storage life (day |
|-------------------|-------------------|
|-------------------|-------------------|

| | Vegetables / HydroSafe | Mine |
|---|------------------------|-------|
| | Artichoke | iron, |
| | Asparagus | copp |
| | Bean sprouts | sodi |
| | Beans | mag |
| | Beetroot | iron, |
| | Broccoli | iron, |
| | Carrot | pota |
| | Cauliflower | pota |
| | Chard | mag |
| | Chicory | pota |
| | Fennel | mag |
| | Garlic | pota |
| | Herbs | pota |
| | Lamb's lettuce | iron, |
| | Leek | calci |
| | Lettuce | iron, |
| | Mushrooms | iodin |
| | Onion | pota |
| | Pepper | iron, |
| | Radish | pota |
| | Spinach | iodir |
| | Sweet corn | pota |
| | Tomatoes | mag |
| | | |
| | Fish /DrySafe | |
| | Cod | iron, |
| | Oysters | iron, |
| | Pollock | iron, |
| | Salmon | pota |
| | Tuna | sodi |
| | Trout | copp |
| | | |
| | Sausage/DrySafe | |
| | Bratwurst | phos |
| • | Ham | phos |
| | Liver sausage | sodi |
| | Mortadella | chlo |

| Minerals | Vitamins | Fridge | BioFresh | BioFresh-Plus |
|----------------------------------|-----------------------------|--------|----------|---------------|
| iron, fluoride | A, B1, B2, C | 7 | 14 | 14 (0 °C) |
| copper, magnesium | B1, C, K | 10 | 18 | 18 (0 °C) |
| sodium, potassium, phosphorus | B1, B2, B3, B5, B6, C, E | 2 | 7 | 7 (0 °C) |
| magnesium, manganese | A, B2, folic acid | 6 | 11 | 11 (0 °C) |
| iron, manganese | Prov. A, folic acid | 6 | 18 | 18 (0 °C) |
| iron, iodine | C, folic acid, K | 5 | 13 | 13 (0 °C) |
| potassium, calcium | A, C, D, E | 50 | 80 | 80 (0 °C) |
| potassium, magnesium | C, E, folic acid, K | 12 | 21 | 21 (0 °C) |
| magnesium, manganese | A, B1, B2, C | 6 | 10 | 10 (0 °C) |
| potassium, manganese | B1, B2 | 18 | 27 | 27 (0 °C) |
| magnesium, manganese | Prov. A, B1 | 13 | 28 | 28 (0 °C) |
| potassium, manganese | B6, C, ajoen | 80 | 160 | 160 (0 °C) |
| potassium, calcium | A, B1, B2, B3, B5, C, E | 6 | 13 | 13 (0 °C) |
| iron, fluoride | A, C, E, folic acid | 7 | 19 | 19 (0 °C) |
| calcium, magnesium | B1, E, folic acid | 15 | 29 | 29 (0 °C) |
| iron, potassium, manganese | A, E, folic acid | 5 | 13 | 13 (0 °C) |
| iodine, potassium, copper | B1, B2, D, K | 3 | 7 | 7 (0 °C) |
| potassium, zinc | A, B1, B2, C, E | 15 | 28 | 28 (0 °C) |
| iron, potassium | B6, C, E, K | 17 | 30 | 30 (0 °C) |
| potassium, manganese | Prov. A, C | 18 | 27 | 27 (0 °C) |
| iodine, magnesium | A, E, folic acid, K | 5 | 13 | 13 (0 °C) |
| potassium, phosphorus, magnesium | A, B1, B2, B3, B5, B6, B7 | 2 | 5 | 5 (0 °C) |
| magnesium, zinc | A, B1, C, E | 9 | 20 | 20 (0 °C) |
| | | | | |
| | | | | |
| iron, fluoride | A, B12, D, E | 1 | 2 | 4 (-2 °C) |
| iron, fluoride | A, B2, B12, D | 1 | 3 | 6 (-2°C) |
| iron, potassium, zinc | A, B2, B12, D | 1 | 2 | 4 (-2 °C) |
| potassium, zinc | A, D, E, H | 1 | 2 | 4 (-2°C) |
| sodium, potassium, calcium | A, B1, B2, D | 1 | 2 | 4 (-2 °C) |
| copper, phosphorus, zinc | A, B2, B12, D, E | 1 | 2 | 4 (-2 °C) |
| | | | | |
| | | | | |
| phosphorus, calcium, magnesium | A, B1, B2, B6, C, E | 1 | 9 | 9 (0 °C) |
| phosphorus, zinc | B1, B2, B6, B12 | 1 | 9 | 9 (0 °C) |
| sodium, chlorine, potassium | A, B3, C, E | 1 | 9 | 9 (0 °C) |
| chlorine, sodium, potassium | A, B1, B2, B3, B5, B6, C, E | 1 | 9 | 9 (0 °C) |
| sodium, chlorine, potassium | B1, B2, B3, B5, B6, E | 80 | 180 | 180 (0 °C) |
| | | | | |
| | | | | |

Storage life (days)

| A STATE OF THE PARTY OF THE PAR | | A A | | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------|---------------------------|--------|----------|------|-----------|
| Fruit/HydroSafe | Minerals | | Vitamins | Fridge | BioFresh | BioF | resh-Plus |
| Apple | iron, potassium | | A, B1, biotin | 50 | 80 | 80 | (0 °C) |
| Blackberries | iron, potassium, | calcium | C, folic acid | 1 | 3 | 3 | (0 °C) |
| Blueberries | manganese, zind | | B1, B2, B6, C, E | 4 | 9 | 9 | (0 °C) |
| Cherries (sweet) | iron, potassium | | B1, B2, B6, C | 7 | 14 | 14 | (0 °C) |
| Currants | iron, zinc | | B1, B2, B6, C, E | 3 | 7 | 7 | (0 °C) |
| Grapes | iron, potassium | | C, E, folic acid | 12 | 29 | 29 | (0 °C) |
| Honeydew melon | potassium, sodiu | ım, zinc | A, C, folic acid | 17 | • | 19 | (+6 °C) |
| Kiwi | calcium, magnes | sium | A, C, K | 40 | 80 | 80 | (0 °C) |
| Lime | potassium, calci | um, magnesium | A, C, E, folic acid | 50 | • | 55 | (+6 °C) |
| Pear | calcium, magnes | sium | B1, B2, B6, E | 26 | 55 | 55 | (0 °C) |
| Pineapple | iron, manganese |) | B1, B2, B6, C | 23 | • | 27 | (+6 °C) |
| Raspberries | calcium, magnes | sium, | A, B6, C, folic acid | 1 | 3 | 3 | (0 °C) |
| Strawberries | manganese, zind | | C, K, folic acid | 3 | 7 | 7 | (0 °C) |
| | | | | | | | |
| Cheese / DrySafe | | | | | | | |
| Alpine cheese | iodine, phosphor | rus, zinc | A, B2, D | 10 | 110 | 110 | (0 °C) |
| Emmental | copper, sodium | | A, B2, B12, D | 10 | 110 | 110 | (0 °C) |
| Gorgonzola | chloride, sodium | , potassium | B1, B2, B6, beta-carotene | 7 | 70 | 70 | (0 °C) |
| Parmesan | iron, iodine, calc | ium | A, B2, B12, D | 10 | 110 | 110 | (0 °C) |
| | | | | | | | |
| Dairy products / DrySafe | | | | | | | |
| Butter | phosphorus, zino | 2 | A, D, E, K | 30 | 90 | 90 | (0 °C) |
| Cream | phosphorus, zino | | A, D, E | 4 | 7 | 7 | (0 °C) |
| Egg, raw | iron, selen, calci | um | B12, biotin, D, K | 15 | 45 | 45 | (0 °C) |
| Milk | potassium, calci | um | A, B2, D, K | 3 | 12 | 12 | (0 °C) |
| Yoghurt | phosphorus, zino | | A, B2, K | 3 | 12 | 12 | (0 °C) |
| | | | | | | | |
| Meat/DrySafe | | | | | | | |
| Beef | potassium, phos | phorus, zinc | B6, B12, niacin | 1 | 7 | 7 | (0 °C) |
| Pork | iron, zinc | | B1, B12, niacin | 1 | 7 | 7 | (0 °C) |
| Poultry | sulphur, potassiu | um, phosphorus | A, B3, B5, B6, E | 1 | 6 | 6 | (0 °C) |
| Veal | pan. acid, potas | sium, phosphorus | B1, B2, B6, E-active | 1 | 7 | 7 | (0 °C) |
| | | | | | | | |
| | | | | | | | |
| | | | | | | 31 | 1 / ~ |

All values are standard and vary on an individual basis depending on the variety and proper storage with an uninterrupted cooling chain from harvesting/producer to the LIEBHERR BioFresh refrigerator! As at: 03/2016. For all foodstuffs with an expiry date, the date on the package applies. The foods marked by • are not suitable for storage in the refrigerator or BioFresh compartment as marked.



Sources: Vitamins & Mineral Nutrients, aid - Kästesteckbrief - 56 Sorten Käse in Wort und Bild (Cheese Characteristics - 56 Cheese Types, Text and Images), aid - Steckbrief - Fische, Krebs- und Weichtiere (Fish, Crustacean and Mollusc Characteristics), Dipl. eoc. Troph. Petra Hopfenzitz "Mineralstoffe" (Mineral Nutrients), GU, Dipl. oec. Troph. Ulla Unger-Göbel "Vitamine" (Vitamine), GU






Many of our fridge-freezers with BioFresh have stainless steel doors with a **SmartSteel** surface. SmartSteel significantly reduces the visibility of finger marks and thanks to the high-quality finish of the stainless steel, is very easy-to-clean and far more scratch-resistant.



Our innovative **SoftSystem** is integrated into the door to cushion movement as the door is closed, ensuring that it closes gently even if





The precision **Premium electronic control system** behind the door with the innovative Touch control concept guarantees that the temperatures are precise. All the functions can be set with great ease in the LCD display on the Touch control panel.



The **IceMaker** provides you with perfect ice cubes for every occasion. Whether for a cool drink or a big party – there will always be enough ice cubes. The IceMaker, which you can switch off at any time, automatically keeps your supplies topped up.



In the fully adjustable interior featuring GlassLine equipment one of the shelves is sectioned so that one half can slide under the other to quickly create space for tall

containers. In addition, the satin-finish shelves are made of safety glass and the door racks are height adjustable.



Integrated in the electronic panel is an LED light source which gives an ideal view of the freezer compartment. It illuminates the extended drawers with a transparent front to give an even better view of the food stored inside.











◀ 121 ▶

Side-by-Side fridge-freezers

| Net capacity | Fridge compartment | | |
|-------------------------|-------------------------------|--|--|
| iı | ncluding BioFresh compartment | | |
| | including wine compartment | | |
| | Freezer compartment | | |
| Energy efficiency class | | | |

Energy consumption in 365 days / 24 h

Noise output

External dimensions in cm (h / w / d)

Adjustable cooling circuits Type of control

Temperature display for Position / Control unit

Climate rating

SuperCool / SuperFrost function

Fridge compartment

PowerCooling

Interior light / BioFresh-Safes

DrySafe / set variably to either Dry- or HydroSafe BioFresh-Plus, adjustable / BioFresh lighting

Fruit and vegetable drawers running on telescopic rails

Bottle shelf

GlassLine door interior / VarioBoxes

Freezer compartment

Defrosting NoFrost

Interior light / IceMaker

Ice cube capacity in 24 h / Ice cub stock VarioSpace

Wine comp. with tinted isolation glass door

FreshAir activated charcoal filter

Temperature range

Storage shelves

Wooden pull-out shelves / foldable Features

Design / SoftSystem

Handle / with integrated opening mechanism

Door / Side walls

Also available as

SBSes 7165 PremiumPlus

Bio No Fresh Plus Frost Plus Fros

476 litre 110 litre 128 litre (max. Bordeaux bottles 0.75 l) 117 litre

432 / 1.183 kWh 42 dB(A) SN-ST

(A+/A+

185.2 / 121 / 63

MagicEye with digital temperature display fridge, BioFresh, freezer and wine compartments

behind-the-door / Touch / quantity-controlled

LED light column, both sides / 3

• / LED

Variable bottle shelf Premium GlassLine / •

Automatic

- / fixed water connection 3/4" 0.8 kg / 1.5 kg

+5°C to +20°C

2/2

SwingLine / • Stainless steel / • Stainless steel with SmartSteel / Stainless steel SBSes 7353 Premium Bio No Fresh Frost A⁺⁺ Ice Telescopic Smart Rails Steel



117 litre (A++/A++)1 385 / 1.053 kWh¹

40 dB(A) SN-T

185.2 / 121 / 631 MagicEye with digital temperature display

fridge, BioFresh and freezer compartments behind-the-door / Touch / quantity-controlled

LED / 2

-/2 - / LED 2

bottle rack, Champagne board in the BioFresh compartment Premium GlassLine / •

Automatic

- / fixed water connection 3/4" 0.8 kg / 1.5 kg

SwingLine /-

Stainless steel / • Stainless steel with SmartSteel / Stainless steel SBSbs 7263 Premium Bio No A++ Ice Black Maker Steel

358 litre



116 litre

252 litre (A++/A++)1 344 / 0.941 kWh¹ 42 dB(A)

SN-T 185.2 / 121 / 631

MagicEye with digital temperature display fridge and freezer compartments behind-the-door / Touch / quantity-controlled

LED / 3 1/2

Variable bottle shelf Premium GlassLine / •

Automatic

LED / fixed water connection 3/4" 0.8 kg / 1.5 kg

SwingLine / -Aluminium / • SBSes 7263 Premium Bio No A+ Ice Smart Fresh Frost A Maker Steel

| 358 litre |
|-----------|
| 116 litre |

252 litre (A+/A++ 441 / 1.207 kWh

42 dB(A) SN-T 185.2 / 121 / 63

MagicEye with digital temperature display fridge and freezer compartments behind-the-door / Touch

LED / 3 1/2

> Variable bottle shelf Premium GlassLine / •

/ quantity-controlled

Automatic

LED / fixed water connection 3/4" 0.8 kg / 1.5 kg

SwingLine / -Stainless steel / • BlackSteel with SmartSteel / BlackSteel with SmartSteel | Stainless steel with SmartSteel / Stainless steel SBSes 7253 Premium Bio No A++ Smart Fresh Frost A+ Steel

358 litre 116 litre

257 litre

(A++/A++)1 378 / 1.033 kWh 42 dB(A) SN-T

185.2 / 121 / 631

MagicEye with digital temperature display fridge and freezer compartments

behind-the-door / Touch / quantity-controlled

LED/3 1/2

Variable bottle shelf Premium GlassLine / •

Automatic LED / -

SwingLine / -

Stainless steel / •

Stainless steel with SmartSteel / Stainless steel SBS 7253 in white / white (LED ceiling light)



¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.





Stainless steel / stainless steel



4 91 ▶

| CBNes 6256 PremiumPlus | CBNbe 6256 PremiumPlus | | | |
|-------------------------------------------------------|---------------------------------------------------|--|--|--|
| Bio No Fresh Frost A++ Due Ice Telescopic Maker Rails | Bio No A++ Duo Ice Telescopic Cooling Maker Rails | | | |
| | | | | |
| 357 litre | 357 litre | | | |
| 68 litre | 68 litre | | | |
| 114 litre | 114 litre | | | |
| (A++) | (A++) | | | |
| 322 / 0.881 kWh | 322 / 0.881 kWh | | | |
| 43 dB(A) | 43 dB(A) | | | |
| SN-T | SN-T | | | |
| 203.9 / 91 / 61.5 | 203.9 / 91 / 61.5 | | | |
| 2 - DuoCooling | 2 - DuoCooling | | | |
| | | | | |
| MagicEye with digital temperature display | MagicEye with digital temperature display | | | |
| fridge and freezer compartments | fridge and freezer compartments | | | |
| behind-the-door | behind-the-door | | | |
| Touch | Touch | | | |
| / quantity-controlled | / quantity-controlled | | | |
| | | | | |
| | | | | |
| • | • | | | |
| LED light column and LED ceiling lighting | LED light column and LED ceiling lighting | | | |
| 2 | 2 | | | |
| -/2 | - / 2 | | | |
| LED | LED | | | |
| 2 variable use bottle trays | 2 variable use bottle trays | | | |
| Premium GlassLine | Premium GlassLine | | | |
| | | | | |
| Automatic | Automatic | | | |
| Automatic | Automatic | | | |
| LED | LED | | | |
| 2 | 2 | | | |
| fixed water connection 3/4" | fixed water connection 3/4" | | | |
| 1.3 kg / 2.7 kg | 1.3 kg / 2.7 kg | | | |
| | | | | |
| HardLine | HardLine | | | |
| Aluminium | Aluminium | | | |
| | | | | |
| | | | | |

beige/beige



The interior features **LED light columns** integrated on either side of the compartment liner, ensuring that the interior is evenly bathed in light to create a unique and dramatic effect within the appliance. The elegant, high quality **GlassLine** interior is adaptable to suit individual requirements.



The **IceMaker** provides you with perfect ice cubes for every occasion. Whether for a cool drink or a big party – there will always be enough ice cubes. The IceMaker, which you can switch off at any time, automatically keeps your supplies topped up.









CBNPes 5167





The PremiumPlus electronic LCD display is an innovative design feature. Clear menu navigation and a Touch-electronic control system provides yet more information for tailored storage conditions. The Touch-electronic navigation ensures easy selection and use of the numerous control functions.



Hallmarks of the BioFresh models in the PremiumPlus range are two LED light **columns** integrated into the compartment



liner. With one on either side, there are numerous LEDs ensuring uniform illumination of the interior.



The **IceMaker** provides you with a constant supply of ice cubes for every occasion. Whether you fancy a cold drink or you're having a big party, the IceMaker automatically keeps your supplies topped up.



The elegant **Premium electronic control** system ensures the temperature selected stays accurate. The electronic unit is located in the door. All the functions can be simply and conveniently operated with the touch of a finger on the electronic control panel.



A further innovative detail is the bottle shelf allowing for versatile storage. You can use the glass shelf as an additional storage area or the

integrated bottle shelf conveniently stored underneath it, just as you prefer.



The BioFresh compartments in the PremiumPlus appliances feature **LED lighting** to give a perfect view of the stored food. The **LED lighting** is elegantly fitted in the side wall to give a flush finish.







Fridge compartment Net capacity including BioFresh compartment Freezer compartment

Energy efficiency class

Energy consumption in 365 days / 24 h Noise output

Climate rating

External dimensions in cm (h / w / d)

Adjustable cooling circuits

Type of control

Temperature display for Position / Control unit

SuperCool / SuperFrost function Fridge compartment

PowerCooling

Interior light Bottle shelf

GlassLine door interior / VarioBoxes

BioFresh-Safes

DrySafe / set variably to either Dry- or HydroSafe BioFresh-Plus, adjustable

BioFresh lighting

Freezer compartment

Defrosting NoFrost

Interior light / IceMaker

Ice cube capacity in 24 h / Ice cub stock Ice cube tray / VarioSpace

Features

Design

SoftSystem

Handle / with integrated opening mechanism

Stainless steel with SmartSteel / Stainless steel

Door / Side walls

Also available as

CBNPes 5167









Stainless steel with SmartSteel / silver



| ₹75 ▶ | 4 75 ▶ | ₹ 75 ► | ₹75 ▶ | ₹75 ▶ |
|------------------------------------------------------------------------------------------------|------------------------------------------------------------|---------------------------------------------|----------------------------------------------|---------------------------------------------|
| CBNPes 5167 PremiumPlus | CBNPes 5156 Premium | CBNPbe 5156 Premium | CBNesf 5133 Comfort | CBNPes 4656 Premium |
| Bio Fresh No Plus Frost A ⁺⁺ Duo Ice Soft Smart Cooling Maker System Steel | Bio No Fresh Frost A ⁺⁺ Duo Smort Cooling Steel | Bio No Fresh Prest A++ Duo Cooling | Bio No Frest A ⁺⁺ Due Smart Steel | Bio No Fresh Frost A++ Duo Smart Steel |
| | | | | |
| 299 litre | 306 litre | 306 litre | 306 litre | 306 litre |
| 99 litre | 107 litre | 107 litre | 107 litre | 107 litre |
| 112 litre | 115 litre | 115 litre | 115 litre | 82 litre |
| A++ 1 | A++ 1 | A++ 1 | (A++)1 | A++ 1 |
| 304 / 0.832 kWh ¹ | 305 / 0.835 kWh ¹ | 305 / 0.835 kWh ¹ | 305 / 0.835 kWh ¹ | 282 / 0.772 kWh ¹ |
| 41 dB(A) | 40 dB(A) | 40 dB(A) | 41 dB(A) | 40 dB(A) |
| SN-T | SN-T | SN-T | SN-T | SN-T |
| 202 / 75 / 63 ¹ | 202 / 75 / 631 | 202 / 75 / 631 | 202 / 75 / 631 | 186 / 75 / 63 ¹ |
| 2 - DuoCooling | 2 - DuoCooling | 2 - DuoCooling | 2 - DuoCooling | 2 - DuoCooling |
| Cursor-controlled LCD with digital temperature | LC display with digital temperature display | LC display with digital temperature display | MagicEye with LED temperature display | LC display with digital temperature display |
| display | | | | |
| fridge, BioFresh and freezer compartments | fridge and freezer compartments | fridge and freezer compartments | fridge and freezer compartments | fridge and freezer compartments |
| in-the-door / Touch | in-the-door / Touch | in-the-door / Touch | behind-the-door / Keys | in-the-door / Touch |
| / quantity-controlled | / quantity-controlled | / quantity-controlled | - / time controlled | / quantity-controlled |
| | | | | |
| • | • | • | • | • |
| LED light column on both sides | LED ceiling lighting | LED ceiling lighting | LED ceiling lighting | LED ceiling lighting |
| Variable bottle shelf | Variable bottle shelf | Variable bottle shelf | | Variable bottle shelf |
| Premium GlassLine / ● | Premium GlassLine / ● | Premium GlassLine / ● | Comfort GlassLine / - | Premium GlassLine / • |
| 2 | 2 | 2 | 2 | 2 |
| -/2 | - / 2 | - / 2 | 1/1 | -/2 |
| • | | | | |
| LED | | | | |
| | | | | |
| Automatic | Automatic | Automatic | Automatic | Automatic |
| • | • | • | • | • |
| LED / fixed water connection 3/4" | | | | |
| 1.0 kg / 1.5 kg | | | | |
| -/• | • / • | •/• | •/• | • / • |
| | | | | |
| SwingLine | SwingLine | SwingLine | SwingLine | SwingLine |
| • | | | | |
| Stainless steel / • | Stainless steel / • | Aluminium / ● | Stainless steel / • | Stainless steel / • |
| | | | | |

CBNP 5156 in white / white

Stainless steel with SmartSteel / Stainless steel beige / beige

Stainless steel with SmartSteel / Stainless steel

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

BIU

BluPerformance -A new dimension in refrigeration design

High quality materials, meticulous workmanship in every detail, and easy-to-use/ precise touch-electronics defi ne the new BluPerformance range. The compact integration of refrigeration technology into the appliance plinth and the use of precision electronic controls has enabled even greater energy efficiency, provided more usable volume, and improved freezer compartment ergonomics. BioFresh ensures lasting freshness quality for stored foods.

With elegant and timeless design, these appliances are a highlight in any kitchen and are guaranteed to be a daily pleasure to use and enjoy for many years to come.



Touch **Electronic**


User-friendly touch operation



Greater freshness quality









High quality materials







The **LED BioFresh lighting** is placed at the back of the dividing shelf. Energyefficient, long-life and maintenance-free




LEDs provide optimal illumination in the BioFresh drawers and guarantee that the stored food is clearly visible.



The **SoftSystem** feature provides added safety and convenience. Integrated on the door, the SoftSystem cushions movement when the door is closed. This SoftSystem ensures that the door closes gently even when fully loaded inside. The door automatically closes from an angle of approximately 35°.



The high-resolution, high-contrast **2.4" touchscreen display** is located behind the door and can be read from any angle. The stored menu options are intuitive and easy-to-operate.



BluPerformance models have their refrigeration technology compactly integrated in the plinth, minimising operating noise and saving space.

Maximum performance thereby comes hand-in-hand with a considerably larger net capacity and greater energy efficiency.



The **LED rear wall lighting** is integrated at the back of the dividing shelf. Energy-efficient, environmentally friendly and maintenance-free LEDs optimally illuminate the back section of the refrigerator compartment, from top to bottom to completely illuminate the interior and provide a homogeneous, high-quality lighting concept.







Fridge-freezers

| Net capacity | Fridge compartment | | | |
|----------------------------------------------------|---------------------------------|--|--|--|
| | including BioFresh compartment | | | |
| | Freezer compartment | | | |
| Energy efficie | ency class | | | |
| Energy consu | umption in 365 days / 24 h | | | |
| Noise output | | | | |
| Climate ratin | g | | | |
| | ensions in cm (h / w / d) | | | |
| - | ooling circuits | | | |
| Type of contr | | | | |
| Temperature of | display for | | | |
| Position | | | | |
| Control unit | | | | |
| Storage recom | | | | |
| · · | uperFrost function | | | |
| Fridge compa | | | | |
| PowerCooling / FreshAir activated charcoal filter | | | | |
| Interior light | | | | |
| Rear wall lighting | | | | |
| Bottle shelf | | | | |
| GlassLine doo | r interior | | | |
| VarioBoxes | | | | |
| BioFresh-Safe | • | | | |
| DrySafe / set variably to either Dry- or HydroSafe | | | | |
| | SoftTelescopic | | | |
| BioFresh lighting | | | | |
| Freezer comp | partment | | | |
| Defrosting | artFront | | | |
| NoFrost / SmartFrost | | | | |
| Interior light Number of drawers | | | | |
| | | | | |
| ŭ | elescopic rails / set on roller | | | |
| Ice cube tray / | variospace | | | |
| Features | | | | |
| Design | | | | |
| SoftSystem | | | | |

Handle / with integrated opening mechanism

Door / Side walls Also available as

red<mark>dot</mark> award 2016 winner

CBNPes 4858

| Bio No Prest A_2go, Cooling System Telescopic Steel | Sio No Presh A.200 Cooling System Telescopic Steel |
|---------------------------------------------------------|-------------------------------------------------------------------|
| | |
| 243 litre | 243 litre |
| 97 litre | 97 litre |
| 101 litre | 101 litre |
| A +++1 | (A+++)1 |
| 149 / 0.408 kWh ¹ | 149 / 0.408 kWh ¹ |
| 37 dB(A) | 37 dB(A) |
| SN-T | SN-T |
| 201 / 60 / 66.51 | 201 / 60 / 66.51 |
| 2 - DuoCooling | 2 - DuoCooling |
| 7" TFT-colour display with digital temperature display | 7" TFT-colour display with digital temperature display |
| fridge and freezer compartments | fridge and freezer compartments |
| in-the-door | in-the-door |
| Touch | Touch |
| • | • |
| time restricted / quantity-controlled | time restricted / quantity-controlled |
| | |
| •/• | •/• |
| LED ceiling lighting with dimmer function | LED ceiling lighting with dimmer function |
| LED | LED |
| Variable bottle shelf | Variable bottle shelf |
| Premium GlassLine | Premium GlassLine |
| • | • |
| 2 | 2 |
| -/2 | -/2 |
| • | • |
| LED | LED |
| | |
| Automatic | Automatic |
| • / - | • / - |
| LED | LED |
| 3 | 3 |
| -/2 | -/2 |
| •/• | • / • |
| | |
| HardLine | HardLine |
| • | • |
| Aluminium / ● | Aluminium / • |
| BlackSteel with SmartSteel / BlackSteel with SmartSteel | Stainless steel with SmartSteel / stainless steel with SmartSteel |
| | CBNP 4858 in white / white |
| | |

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.







Fridge-freezers

| Net capacity | Fridge compartment |
|-----------------------|------------------------|
| including | g BioFresh compartment |
| | Freezer compartment |
| Energy efficiency cla | ass |
| Energy consumption | ı in 365 days / 24 h |
| Noise output | |
| Climate rating | |
| External dimensions | s in cm (h / w / d) |
| Adjustable cooling of | circuits |
| Type of control | |
| Temperature display f | or |
| Position | |
| Control unit | |
| SuperCool / SuperFro | st function |

| Climate rating |
|----------------------------------------------------------------------|
| External dimensions in cm (h / w / d) |
| Adjustable cooling circuits |
| Type of control |
| Temperature display for |
| Position |
| Control unit |
| SuperCool / SuperFrost function |
| Fridge compartment |
| PowerCooling |
| FreshAir activated charcoal filter |
| Interior light |
| Rear wall lighting |
| Bottle shelf |
| GlassLine door interior |
| VarioBoxes |
| BioFresh-Safes |
| DrySafe / set variably to either Dry- or HydroSafe |
| SoftTelescopic |
| BioFresh lighting |
| Freezer compartment |
| Defrosting |
| NoFrost / SmartFrost |
| Interior light |
| Number of drawers |
| running on telescopic rails / set on roller |
| Ice cube tray |
| VarioSpace |
| Features |
| Design |
| SoftSystem |
| The maller of the first associated as a subsequence of a subsequence |

Handle / with integrated opening mechanism

Door / Side walls

red<mark>dot</mark> award 2016 winner

CBNPgb 4855

| Bio No Soft Soft Glass Fresh Fresh A.201. Cooling System Telescopic Edition | Sin No. 7+++ Due Soft Soft Gloss Fresh Fresh A-20% Cooling System Selescopic Edition |
|-----------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| | |
| 243 litre | 243 litre |
| 97 litre | 97 litre |
| 101 litre | 101 litre |
| (A***)1 | A+++ 1 |
| 149 / 0.408 kWh ¹ | 149 / 0.408 kWh ¹ |
| 37 dB(A) | 37 dB(A) |
| SN-T | SN-T |
| 201 / 60 / 68.51 | 201 / 60 / 68.51 |
| 2 - DuoCooling | 2 - DuoCooling |
| 2.4" TFT-colour display with digital temperature display | 2.4" TFT-colour display with digital temperature display |
| fridge and freezer compartments | fridge and freezer compartments |
| behind-the-door | behind-the-door |
| Touch | Touch |
| time restricted / quantity-controlled | time restricted / quantity-controlled |
| | |
| • | • |
| • | • |
| LED ceiling lighting with dimmer function | LED ceiling lighting with dimmer function |
| LED | LED |
| Variable bottle shelf | Variable bottle shelf |
| Premium GlassLine | Premium GlassLine |
| • | • |
| 2 | 2 |
| -/2 | -/2 |
| • | • |
| LED | LED |
| | |
| Automatic | Automatic |
| • / - | • / - |
| LED | LED |
| 3 | 3 |
| -/2 | -/2 |
| • | • |
| • | • |
| | |
| GlassEdition | GlassEdition |
| • | • |
| Recessed / ● | Recessed / ● |
| | |

Glass front white / white

Glass front black / silver

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.













Bio Smart A+++ Duo Smart Cooling Steel

204 litre

94 litre

115 litre

A+++1

38 dB(A)

SN-T

175 / 0.478 kWh¹

185 / 60 / 66.5¹

2 - DuoCooling

temperature display

LED ceiling lighting

Comfort GlassLine

Integrated bottle shelf

CB 4315 in white / white

behind-the-door / Touch

2.4" TFT-monochrome display with digital

fridge and freezer compartments

• time restricted / time-controlled



Net capacity Fridge compartment including BioFresh compartment Freezer compartment

Energy efficiency class

Energy consumption in 365 days / 24 h Noise output

External dimensions in cm (h / w / d)

Adjustable cooling circuits Type of control

Climate rating

Temperature display for Position / Control unit

Storage recommendation SuperCool / SuperFrost function

Fridge compartment

PowerCooling

FreshAir activated charcoal filter

Interior light Bottle shelf

Glassl ine door interior

VarioBoxes

BioFresh-Safes

DrySafe / set variably to either Dry- or HydroSafe BioFresh-Plus, adjustable

BioFresh lighting

Freezer compartment

Defrosting

NoFrost / SmartFrost

IceMaker

Ice cube capacity in 24 h / Ice cub stock Ice cube tray / VarioSpace

Features

Design SoftSystem

Handle / with integrated opening mechanism

Door / Side walls

| Bio Fresh Plus | No Frost | A** | Duo Cooling | Ice Maker | Soft System | Smart Steel | |
|----------------------|-------------|-----|----------------|--------------|----------------|----------------|--|
| | 41 | | | | | | |
| 238 | litre | | | | | | |
| 80 | litre | | | | | | |
| 83 | litre | | | | | | |
| | | | | | | | |

A++1 262 / 0.716 kWh1 41 dB(A) SN-T

201.1 / 60 / 631 2 - DuoCooling

> Cursor-controlled LCD with digital temperature display fridge, BioFresh and freezer compartments

in-the-door / Touch

/ quantity-controlled

LED light column on both sides Variable bottle shelf Premium GlassLine

LED

Automatic fixed water connection 3/4" 0.8 kg / 1.5 kg

SwingLine

Stainless steel

-/•

Stainless steel / • Stainless steel with SmartSteel /

Also available as

| CBI | Nbs | 48 | 15 | Con | nfort |
|--------------|-------------|------|----------------|----------------|-------|
| Bio Fresh | No Frost | A*** | Duo Cooling | Smart Steel | |

BLU

4 60 ▶

242 litre 94 litre 101 litre **A**+++1 186 / 0.507 kWh1 38 dB(A) SN-T 201 / 60 / 66.51 2 - DuoCooling

2.4" TFT-monochrome display with digital temperature display fridge and freezer compartments behind-the-door / Touch

• time restricted / time-controlled

LED ceiling lighting Integrated bottle shelf

Comfort GlassLine

1/1

Automatic • / •

HardLine Aluminium / • BlackSteel with SmartSteel /

BlackSteel with SmartSteel



242 litre 94 litre 101 litre **A**+++1 186 / 0.507 kWh1

38 dB(A) SN-T 201 / 60 / 66.51

2 - DuoCooling 2.4" TFT-monochrome display with digital temperature display fridge and freezer compartments behind-the-door / Touch

• time restricted / time-controlled

LED ceiling lighting Integrated bottle shelf

Aluminium / •

Comfort GlassLine 2 1/1

Automatic • / -• / • HardLine

Stainless steel with SmartSteel / silver

CBN 4815 in white / white

CBPef 4815 Comfort Bio Smart A+++ Duo Smart Fresh Frost A-20% Cooling Steel

242 litre 94 litre 115 litre **A**+++1 147 / 0.401 kWh1

38 dB(A) SN-T 201 / 60 / 66.51 2 - DuoCooling

2.4" TFT-monochrome display with digital temperature display fridge and freezer compartments

behind-the-door / Touch • time restricted / time-controlled

LED ceiling lighting Integrated bottle shelf Comfort GlassLine

2

1/1

Automatic -/• • / •

HardLine Aluminium / • Stainless steel with SmartSteel / silver Bio Smart A+++ Duo Smart Cooling Steel

242 litre 94 litre 115 litre **A**+++1 183 / 0.499 kWh1 38 dB(A) SN-T

201 / 60 / 66.51 2 - DuoCooling 2.4" TFT-monochrome display with digital

temperature display fridge and freezer compartments behind-the-door / Touch

• time restricted / time-controlled

LED ceiling lighting Integrated bottle shelf Comfort GlassLine

2 1/1

> Automatic -/•

• / • HardLine

> Aluminium / • Stainless steel with SmartSteel / silver

1/1 -/•

• / • HardLine

Aluminium / • Stainless steel with SmartSteel / silver

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm (1.5 cm BluPerformance appliances). If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

CB 4815 in white / white



Fridge compartment

including BioFresh compartment
Freezer compartment

Fridges

Net capacity

Noise output Climate rating

Type of control
Temperature display for

Position Control unit

Interior light
Rear wall lighting
Bottle shelf
VarioSafe

GlassLine door interior VarioBoxes BioFresh-Safes

SoftTelescopic BioFresh lighting Freezer compartment

Defrosting Ice cube tray Features Design SoftSystem

Door / Side walls

Also available as

KBPgw 4354

Energy efficiency class

Energy consumption in 365 days / 24 h

External dimensions in cm (h / w / d)

SuperCool / SuperFrost function
Fridge compartment
PowerCooling

FreshAir activated charcoal filter

DrySafe / set variably to either Dry- or HydroSafe

Handle / with integrated opening mechanism









| KBPes 4354 Premium | KBPgb 4354 Premium | KBPgw 4354 Premium |
|--------------------------------------------------------------|--------------------------------------------------------------------|-----------------------------------------------------------|
| Bio A+++ Soft Soft Smart Fresh A-20% System Telescopic Steel | Bio A+++ Soft Soft Glass Fresh A-201: System Telescopic Edition | Bio A+++ Soft Soft Glass Tresh, System Telescopic Edition |
| | | |
| 314 litre | 314 litre | 314 litre |
| 133 litre | 133 litre | 133 litre |
| 24 litre | 24 litre | 24 litre |
| A +++1 | A +++1 | A+++ 1 |
| 128 / 0.350 kWh ¹ | 128 / 0.350 kWh ¹ | 128 / 0.350 kWh ¹ |
| 37 dB(A) | 37 dB(A) | 37 dB(A) |
| SN-T | SN-T | SN-T |
| 185 / 60 / 66.5 ¹ | 185 / 60 / 68.5 ¹ | 185 / 60 / 68.5 ¹ |
| 2.4" TFT-colour display with digital temperature display | 2.4" TFT-colour display with digital temperature display | 2.4" TFT-colour display with digital temperature display |
| fridge compartments | fridge compartments | fridge compartments |
| behind-the-door | behind-the-door | behind-the-door |
| Touch | Touch | Touch |
| • time restricted / - | • time restricted / - | • time restricted / - |
| | | |
| • | • | • |
| • | • | • |
| LED light column on both sides | LED light column on both sides | LED light column on both sides |
| LED | LED | LED |
| Variable bottle shelf | Variable bottle shelf | Variable bottle shelf |
| • | • | • |
| Premium GlassLine | Premium GlassLine | Premium GlassLine |
| • | • | • |
| 3 | 3 | 3 |
| 1/2 | 1/2 | 1/2 |
| • | • | • |
| LED | LED | LED |
| | | |
| Manual | Manual | Manual |
| • | • | • |
| | | |
| HardLine | HardLine | HardLine |
| • | • | • |
| Aluminium / ◆ | Recessed / ● | Recessed / ● |
| Stainless steel with SmartSteel / | Glass front black / silver | Glass front white / white |
| Stainless steel with SmartSteel | | |
| | | |
| KBP 4354 in white / white | | |

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.





| KBbs 4350 Premium | KBes 4350 Premium | KBef 4310 Comfort | KBes 3750 Premium |
|-------------------------------------------|-------------------------------------------|------------------------------------------|--------------------------------------------------|
| 367 litre | 367 litre | 366 litre | 318 litre |
| 133 litre | 133 litre | 133 litre | 133 litre |
| 133 III e | 133 Ille | √ A*** 1 | 133 II re Ar + 1 1 |
| | | | |
| 90 / 0.244 kWh ¹ | 90 / 0.244 kWh ¹ | 90 / 0.244 kWh ¹ | 87 / 0.236 kWh ¹ |
| 37 dB(A) | 37 dB(A) | 38 dB(A) | 37 dB(A) |
| SN-T | SN-T | SN-T | SN-T |
| 185 / 60 / 66.5 ¹ | 185 / 60 / 66.5 ¹ | 185 / 60 / 66.5 ¹ | 165 / 60 / 66.5 ¹ |
| | | | 0.41.757 |
| 2.4" TFT-colour display with digital | 2.4" TFT-colour display with digital | 2.4" TFT-monochrome display with digital | 2.4" TFT-colour display with digital |
| temperature display | temperature display | temperature display | temperature display |
| fridge compartments | fridge compartments | fridge compartments | fridge compartments |
| behind-the-door | behind-the-door | behind-the-door | behind-the-door |
| Touch | Touch | Touch | Touch |
| time restricted / - | • time restricted / - | • time restricted / - | • time restricted / - |
| | | | |
| | | | |
| • | • | • | • |
| • | • | • | • |
| LED ceiling lighting with dimmer function | LED ceiling lighting with dimmer function | LED ceiling lighting | LED ceiling lighting with dimmer function |
| LED | LED | | LED |
| • | • | | • |
| LED | LED | | LED |
| Variable bottle shelf | Variable bottle shelf | Integrated bottle shelf | Variable bottle shelf |
| • | • | ŭ | • |
| Premium GlassLine | Premium GlassLine | Comfort GlassLine | Premium GlassLine |
| • | • | | • |
| 3 | 3 | 3 | 3 |
| 1/2 | 1/2 | 1/2 | 1/2 |
| | | | |
| | | | |
| HardLine | HardLine | HardLine | HardLine |
| • | • | | • |
| Aluminium / • | Aluminium / • | Aluminium / ● | Aluminium / ● |
| BlackSteel with SmartSteel / | Stainless steel with SmartSteel / | Stainless steel with SmartSteel / silver | Stainless steel with SmartSteel / |
| BlackSteel with SmartSteel | Stainless steel with SmartSteel | Otalinoso steel with omartoteel / silvel | Stainless steel with SmartSteel |
| DIAGNOTOGI WITH OFFICE | Otalilicoo Steel Willi Offici toteel | | Granness steel with officiolist |
| | KB 4350 in white / white | KB 4310 in white / white | KB 3750 in white / white |

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.





B 2850 Premium



157 litre 157 litre

(A+++1) 77 / 0.210 kWh¹

38 dB(A) SN-T

125 / 60 / 66.5¹

2.4" TFT-colour display with digital temperature display

Fridge compartment behind-the-door

Touch

LED

5, adjustable from Hydro- to DrySafe

HardLine

•

Handle / •

white / white



BioFresh drawers located on roller tracks, guarantee the perfect environment for greater freshness. When stored at a temperature of just over 0°C and when the correct humidity level is set, fruit and vegetables, fish, meat and dairy products all retain their vitamins, delicate flavours and appetising appearance for far longer than in a conventional fridge compartment.



The **FlexSystem**, available as an accessory, provides flexible, organised and easily viewed storage for food. For example, fruit and vegetables can be kept clearly separated or foods can be stored according to use-by date. All components of the sturdy FlexSystem are easy-to-clean and dishwasher safe.

4 60 ▶

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

Lasting freshness with BioFresh

Nutritionists recommend one simple recipe for fitness and well-being: a healthy diet. Nature offers a whole range of vital substances: vitamins, minerals and carbohydrates to give us energy and stamina and, on top of that, a good mood. However, the right temperature and ideal humidity conditions are essential if food is to retain its healthy properties and delicate flavours as long as possible. LIEBHERR's BioFresh technology gives your quality of life a decisive boost by keeping your food fresher for much longer.

The information relates to storage in a BioFresh drawer compared with a conventional fridge.





Lettuce + 8 days



Prawns + 1 day













Artichokes + 7 days

BioFresh from LIEBHERR: the healthier option



Food stored in BioFresh drawers is demonstrably healthier, making a significant contribution to a healthy diet. Two studies conducted by renowned research institutes* recently confirmed this. Their conclusion: food quality benefits markedly from BioFresh technology.

What are the benefits of storing fresh food in a BioFresh drawer, compared with storage in a conventional vegetable compartment? This was the question studied by the Lake Constance Research Centre for Fruit Cultivation and the German Research Institute for Nutrition: the results speak clearly in favour of BioFresh from LIEBHERR. The vitamin C values alone were on average 92 % higher. Some foods even showed an increase in the vitamin C content. Weight retention during storage was increased by 68.3% on average and wastage in preparation was also significantly reduced.



| | Apples | Asparagus | Peppers | Broccoli | Carrots | Grapes | Lettuce | Average |
|---------------------------|---------|-----------|---------|----------|---------|---------|---------|---------|
| Vitamin C (after 15 days) | | | | | | | | |
| HydroSafe | 100.3 % | 78.2 % | 161.6 % | 88.3 % | 82.9 % | 134.4 % | 26.6 % | 104.4 % |
| Vegetable drawer | 92.9 % | 65 % | 154.2 % | 21.5 % | 32.4 % | 116.7 % | 21.9 % | 72.8 % |
| Difference | 8 % | 20 % | 5 % | 310 % | 156 % | 15 % | 21 % | 92 % |
| | | | | | | | | |
| Weight (after 15 days) | | | | | | | | |
| HydroSafe | -0.6 % | -4.8 % | -1.7 % | -3.8 % | -9 % | -0.6 % | -3.1 % | -3.1 % |
| Vegetable drawer | -1.1 % | -4.5 % | -2.8 % | -5.6 % | -12.8 % | -1.7 % | -5.9 % | -4.6 % |
| Difference | 105 % | 6 % | 63 % | 49 % | 43 % | 170 % | 91 % | 68.3 % |
| | | | | | | | | |
| Storage life (in days) | | | | | | | | |
| HydroSafe | 80 | 18 | 30 | 13 | 80 | 29 | 13 | |
| Vegetable drawer | 50 | 10 | 17 | 5 | 50 | 12 | 5 | |
| Difference | 30 | 8 | 13 | 8 | 30 | 17 | 8 | |
| | | | | | | | | |

^{*} Sources: Lake Constance Research Centre for Fruit Cultivation (KOB): »Influence of different climate zones in refrigerators on the quality of fruit and vegetables«; German Research Centre for Nutrition (BFE): »Investigation into retaining the quality of fresh fruit and vegetables«, 2003.






Premium BioFresh appliances feature two integrated lighting columns on the left and right, each of which incorporates multiple LEDs to evenly illuminate the interior. A special satinfinish on the light cover creates an appealing and sophisticated lighting ambience. At the same time, the lighting columns also facilitate the variable positioning of the glass shelves. On opening the appliance the light intensity increases softly creating a very pleasing effect. In the Comfort BioFresh appliances, the LED lighting unit is integrated into the side of the inner compartment.



BioFresh drawers in the Premium models come with central LED lighting for an optimum view of the food stored. The LEDs



evenly and brightly illuminate the extended BioFresh drawers from directly above.



BioFresh drawers and pull-out drawers with **SoftTelescopic**, a highly practical selfretracting, soft closing feature, which makes daily use convenient and secure. They are fully extendible and removable from a door opening angle of 90°.



The VarioSafe in Premium BioFresh models provides a clear view whilst creating order. It is the ideal space for smaller food packets, tubes and jars. The drawer can be positioned at various levels on the lighting column. An additional insertion height is available for filling to a greater capacity if necessary.



The **Premium GlassLine** fittings are seductively stylish and of exceptionally high quality. Storage racks in the door feature a satin-finished safety glass base, an elegant plastic surround,

stainless steel rails and a bottle shelf. In addition, the doors are fitted with two removable, transparent Varioboxes with lids.



The **SoftSystem**, in pristine white, is integrated into the door to cushion movement as the door is shut, ensuring that the door closes gently, even with fully-loaded door shelves. The door closes automatically from an opening angle of approx. 30°.







SBS 7014 Premium







| SIGN 3566 Premium No A** Ice Self Releasepic Releasepic Release | IKB 3550 Premium | SICN 3356 Premium No. A** Cooling Soft Telescopic System Bold | ICBN 3366 Premium |
|------------------------------------------------------------------|-------------------------------------------|----------------------------------------------------------------|-------------------------------------------|
| | | | |
| Door-on-door | Door-on-door | Door-on-door | Door-on-door |
| | 301 litre | 193 litre | 176 litre |
| | 90 litre | | 67 litre |
| 209 litre | | 62 litre | 57 litre |
| (A++) | (A++) | (A**) | (A++) |
| 241 / 0.660 kWh | 133 / 0.363 kWh | 230 / 0.628 kWh | 232 / 0.633 kWh |
| 38 dB(A) | 37 dB(A) | 38 dB(A) | 38 dB(A) |
| SN-T | SN-T | SN-T | SN-ST |
| 177.2-178.8 / 56-57 / at least 55 | 177.2-178.8 / 56-57 / at least 55 | 177.2-178.8 / 56-57 / at least 55 | 177.2-178.8 / 56-57 / at least 55 |
| | | 2 - DuoCooling | 2 - DuoCooling |
| MagicEye with digital temperature display | MagicEye with digital temperature display | MagicEye with digital temperature display | MagicEye with digital temperature display |
| freezer compartment | fridge compartment | fridge and freezer compartments | fridge and freezer compartments |
| behind-the-door / Touch | behind-the-door / Touch | behind-the-door / Touch | behind-the-door / Touch |
| | | | |
| | • | • | • |
| | LED light column, both sides | LED light column, left-sided | LED light column, both sides |
| | Variable bottle shelf | | Variable bottle shelf |
| | • | | |
| | Premium GlassLine | Premium GlassLine | Premium GlassLine |
| | • | • | • |
| | 3 | | 2 |
| | 1/2 | | 1/1 |
| | • | | • |
| | LED | LED | LED |
| | | 1 with LED | |
| | | 1 | |
| | | | |
| Automatic | | Automatic | Automatic |
| • / - | | • / - | • / - |
| LED | | LED | LED |
| 9/5 | | 3/- | 4 / - |
| fixed water connection 3/4" | | | fixed water connection 3/4" |
| 0.8 kg / 1.5 kg | | | 0.8 kg / 1 kg |
| 0.0 kg / 1.0 kg | | • | 0.0 hg / 1 hg |
| | | • | • |
| | | | |
| • / 2 | • / 2 | • / 2 | • / 2 |
| - 1 2 | - / L | - 1 L | - 1 2 |





IceMaker

Ice cub stock Features SoftSystem Door hinge

Ice cube capacity in 24 h

in a h

ECBN 5066 001 with right hand hinge









| ECBN 6256 PremiumPlus Lin. No. Prest Prest A+* Doc. Ica Soft Soft Tolescopic Rolls Cooling Maker System Tolescopic Rolls | Bio No A Dou Ice Interceptic Reals | Bio Premi Press A+ Down Cooling Maker Boilt |
|----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------|
| Dear on dear | Dans on dans | Dans an dans |
| Door-on-door | Door-on-door | Door-on-door |
| 357 litre | 357 litre | 276 litre |
| 68 litre | 68 litre | 57 litre |
| 114 litre | 114 litre | 103 litre |
| (A++) | <u>A</u> + | (A++) |
| 322 / 0.881 kWh | 410 / 1.121 kWh | 287 / 0.785 kWh |
| 43 dB(A) | 42 dB(A) | 42 dB(A) |
| SN-T | SN-T | SN-T |
| 203.2 / 91.5 / at least 62.5 | 203.2 / 91.5 / at least 62.5 | 203.2 / 76.2 / at least 61 |
| 2 - DuoCooling | 2 - DuoCooling | 2 - DuoCooling |
| | | |
| MagicEye with digital temperature display | MagicEye with digital temperature display | MagicEye with digital temperature display |
| fridge and freezer compartments | fridge and freezer compartments | fridge and freezer compartments |
| behind-the-door / Touch | behind-the-door / Touch | behind-the-door / Touch |
| | | |
| • | • | • |
| LED light column and LED ceiling lighting | LED light column and LED ceiling lighting | LED light column, both sides |
| Variable bottle shelf | Variable bottle shelf | Variable bottle shelf |
| Premium GlassLine | Premium GlassLine | Premium GlassLine |
| 2 | 2 | 2 |
| -/2 | -/2 | -/2 |
| • | | |
| LED | LED | LED |
| | | |
| Automatic | Automatic | Automatic |
| • / - | • / - | • / - |
| LED | LED | LED |
| 2 | 2 | 2 |
| 2, self-closing | 2, self-closing | 2 |
| fixed water connection 3/4" | fixed water connection 3/4" | fixed water connection 3/4" |
| 1.3 kg | 1.3 kg | 1.0 kg |
| 2.7 kg | 2.7 kg | 2.7 kg |
| | | |
| • | | |
| | ECBN 6156 001 right hand hinge | ECBN 5066 001 right hand hinge |
| | ECBN 6156 617 left hand hinge | ECBN 5066 617 left hand hinge |
| | This appliance must be bracketed to the wall / floor. | This appliance must be bracketed to the wall / floor. |



Bio















55

| Fridge- | freezers |
|---------|----------|
|---------|----------|

Door hinging Net capacity Fridge compartment including BioFresh compartment Freezer compartment

Energy efficiency class

Energy consumption in 365 days / 24 h Noise output Climate rating

| Aperture dimensions in cm (h / w / d) |
|--------------------------------------------------|
| Adjustable cooling circuits |
| |
| Type of control |
| Temperature display for |
| Position |
| Control unit |
| Fridge compartment |
| PowerCooling |
| Interior light |
| Bottle shelf |
| VarioSafe |
| GlassLine door interior |
| VarioBoxes |
| BioFresh-Safes |
| DrySafe / set variably to either Dry- or HydroSa |
| SoftTelescopic |
| BioFresh lighting |
| |
| Freezer compartment |
| |

| Freezer compartment | | | | | |
|---------------------------|--|--|--|--|--|
| Defrosting | | | | | |
| NoFrost / SmartFrost | | | | | |
| Interior light | | | | | |
| Number of drawers | | | | | |
| IceMaker | | | | | |
| Ice cube capacity in 24 h | | | | | |
| Ice cub stock | | | | | |
| Ice cube tray | | | | | |
| VarioSpace | | | | | |
| Features | | | | | |
| SoftSystem | | | | | |
| | | | | | |

| Bio Prost A++ Duo Ice Soft Soft Cooling Maker System Telesco |
|--------------------------------------------------------------|
|--------------------------------------------------------------|

Door-on-door

176 litre

67 litre

57 litre (A++

38 dB(A)

SN-ST

232 / 0.633 kWh

2 - DuoCooling

behind-the-door


Premium GlassLine

Touch

1/1

LED

| | Door-on-door |
|--------------------|----------------|
| | 176 litre |
| | 67 litre |
| | 62 litre |
| | (A++ |
| | 236 / 0.644 kV |
| | 38 dB(A) |
| | SN-ST |
| 6-57 / at least 55 | 177.2-178.8 / |







| 2 |
|-----|
| 1/1 |
| • |
| LED |
| |
| |













Premium GlassLine



ICBN 3314 Comfort









LED Comfort GlassLine

1/1

Manual -/• LED

ICBP 3256 Premium Fresh Frost A+++ Duo Soft Soft Telescopic

| Door-on-door |
|-----------------|
| 204 litre |
| 67 litre |
| 57 litre |
| (A+++ |
| 162 / 0.442 kWh |

34 dB(A) SN-T 177.2-178.8 / 56-57 / at least 55 2 - DuoCooling

MagicEye with digital temperature display fridge and freezer compartments behind-the-door Touch

LED light column on both sides Variable bottle shelf Premium GlassLine

1/1 LED

ICBS 3314 Comfort Bio Smart A++ Duo Cooling

178

Door slider 175 litre 67 litre 80 litre (A++ 240 / 0.655 kWh

35 dB(A) SN-ST 177.2-178.8 / 56-57 / at least 55 2 - DuoCooling

MagicEye with digital temperature display fridge- and freezer compartments behind-the-door Keys

LED

Comfort GlassLine 2 1/1

Manual -/•

178



Door slider 204 litre 67 litre 57 litre (A++ 232 / 0.635 kWh 35 dB(A) SN-ST 177.2-178.8 / 56-57 / at least 55 2 - DuoCooling

MagicEye with digital temperature display fridge- and freezer compartments behind-the-door

Keys

Comfort GlassLine

LED

Manual -/•

1/1





Fridges

| D | Indian automatic | |
|---|------------------|--|
| | | |
| | | |
| | | |

Net capacity

Fridge compartment including BioFresh compartment including cellar tray

Energy efficiency class

Noise output

Aperture dimensions in cm (h / w / d)

PowerCooling

Bottle shelf

VarioSafe

VarioBoxes

SoftTelescopic

BioFresh lighting

Ice cube tray

Pull-out compartment with base unit













Bio A++ Soft Soft Telescopic

Door-on-door

240 litre

66 litre

84 litre

16 litre

204 / 0.558 kWh

behind-the-door

Variable bottle shelf

177.2-178.8 / 56-57 / at least 55

fridge and cellar compartments

(A++

37 dB(A)

SN-ST

2

Keys

LED



| Door hinging | |
|---------------|--|
| Makasasas Mak | |

Freezer compartment

Energy consumption in 365 days / 24 h

Climate rating

Adjustable cooling circuits

Type of control

temperature display Position

Control unit

Fridge compartment

Interior light

GlassLine door interior

BioFresh-Safes DrySafe / set variably to either Dry- or HydroSafe

Freezer compartment

Defrosting

Celler compartment

Removable Bottle holder

Features

Levelling bars Also available as Door-on-door

257 litre

90 litre

27 litre (A+++ 160 / 0.438 kWh 35 dB(A)

SN-T 177.2-178.8 / 56-57 / at least 55

MagicEye with digital temperature display

fridge compartments behind-the-door Touch

LED light column on both sides

Variable bottle shelf Premium GlassLine

1/2 LED

Manual

2

Temperature cellar compartment SoftSystem

IKB 3554 Premium Bio Fresh A+++ Soft Soft System Telescopic Fresh A++ Soft Soft System Telescopic

Door-on-door 257 litre

> 90 litre 27 litre (A++ 230 / 0.630 kWh

37 dB(A) SN-ST 177.2-178.8 / 56-57 / at least 55

MagicEye with digital temperature display fridge compartments behind-the-door

Touch LED light column on both sides

Variable bottle shelf Premium GlassLine

2

2/1 1/2 LED

Manual

IKB 3514 Comfort Bio A++

Door-on-door 257 litre 90 litre

27 litre (A++ 230 / 0.630 kWh 37 dB(A)

SN-ST 177.2-178.8 / 56-57 / at least 55

MagicEye with digital temperature display fridge compartments

behind-the-door Keys

LED

Comfort GlassLine

Manual

2

IKB 3510 Comfort

Door-on-door 301 litre 90 litre

Fresh A+++ Soft Soft Telescopic

behind-the-door

1/2

LED

(A+++ 89 / 0.242 kWh 35 dB(A)

SN-T 177.2-178.8 / 56-57 / at least 55

MagicEye with digital temperature display fridge compartments behind-the-door

Touch LED light column on both sides

Variable bottle shelf Premium GlassLine

2/1

2 IKB 3550 in (A++)

(133 / 0.363 kWh), 37 dB(A)

Bio A++ Door-on-door 301 litre 90 litre

(A++ 133 / 0.363 kWh

37 dB(A) SN-T 177.2-178.8 / 56-57 / at least 55

MagicEye with digital temperature display fridge compartments

Keys LED

Comfort GlassLine

Premium GlassLine 1/1

Manual

self-retracting and gentle-closing mechanism independent from refrig. comp.: +6°C to +14°C



178







226 litre 60 litre 28 litre (A+++ 152 / 0.415 kWh 35 dB(A)

Door-on-door

SN-T 157.4-159 / 56-57 / at least 55

MagicEye with digital temperature display MagicEye with digital temperature display fridge compartments behind-the-door

> Touch LED light column on both sides

Variable bottle shelf Premium GlassLine

1/1 LED

Manual







| Fridges |
|----------------------------------------------------|
| |
| Door hinging |
| Net capacity Fridge compartment |
| including BioFresh compartment |
| Freezer compartment |
| Energy efficiency class |
| Energy consumption in 365 days / 24 h |
| Noise output |
| Climate rating |
| Aperture dimensions in cm (h / w / d) |
| |
| Type of control |
| |
| Temperature display for |
| Position |
| Control unit |
| |
| Fridge compartment |
| PowerCooling |
| Interior light |
| Bottle shelf |
| VarioSafe |
| GlassLine door interior |
| VarioBoxes |
| BioFresh-Safes |
| DrySafe / set variably to either Dry- or HydroSafe |
| SoftTelescopic BioFresh lighting |
| DIOI TESTI lighting |
| Freezer compartment |
| Defrosting |
| Ice cube tray |
| loo dabb day |
| Features |
| SoftSystem |
| Levelling bars |
| LCVCIIII g bars |
| |

Also available as















| | 140 | 140 | 140 | 140 | 122 | 122 | 122 | 122 | 102 |
|----|--------------------------------------------------------------------|-----------------------------------|--------------------------------------------------|-----------------------------------|------------------------------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| | IKBP 2754 Premium Bio Presh A+++ Soft Soft Soft System Telescopic | IKB 2714 Comfort | IKBP 2750 Premium Bio A*++ Soft Soft Felescopic | IKB 2710 Comfort | IKBP 2354 Premium Son | IKB 2314 Comfort | IKBP 2350 Premium | IKB 2310 Comfort | IKB 1910 Comfort |
| | 111111111111111111111111111111111111111 | | | | | | | | |
| П | Door-on-door | Door-on-door | Door-on-door | Door-on-door | Door-on-door | Door-on-door | Door-on-door | Door-on-door | Door-on-door |
| В. | 196 litre | 196 litre | 230 litre | 231 litre | 165 litre | 166 litre | 196 litre | 196 litre | 157 litre |
| | 59 litre | 59 litre | 59 litre | 59 litre | 59 litre | 59 litre | 59 litre | 59 litre | 59 litre |
| | 20 litre | 20 litre | | | 16 litre | 16 litre | | | |
| | A+++ | (A++) | (A***) | (A++) | (A+++) | (A++) | (A+++) | (A++) | (A++) |
| | 140 / 0.382 kWh | 202 / 0.552 kWh | 83 / 0.226 kWh | 125 / 0.340 kWh | 130 / 0.355 kWh | 189 / 0.517 kWh | 80 / 0.219 kWh | 121 / 0.329 kWh | 116 / 0.317 kWh |
| | 34 dB(A) | 37 dB(A) | 35 dB(A) | 37 dB(A) | 33 dB(A) | 37 dB(A) | 34 dB(A) | 38 dB(A) | 37 dB(A) |
| - | SN-T | SN-ST | SN-T | SN-T | SN-T | SN-ST | SN-T | SN-T | SN-T |
| ı | 139.7-141.3 / 56-57 / at least 55 | 139.7-141.3 / 56-57 / at least 55 | 139.7-141.3 / 56-57 / at least 55 | 139.7-141.3 / 56-57 / at least 55 | 122-123.6 / 56-57 / at least 55 | 122-123.6 / 56-57 / at least 55 | 122-123.6 / 56-57 / at least 55 | 122-123.6 / 56-57 / at least 55 | 102.4-104 / 56-57 / at least 55 |
| ж. | MagicEye with digital | MagicEye with digital | MagicEye with digital | MagicEye with digital | MagicEye with digital temperature | MagicEye with digital temperature | MagicEye with digital temperature | MagicEye with digital temperature | MagicEye with digital temperature |
| | | temperature display | temperature display | temperature display | display | display | display | display | display |
| | fridge compartments | fridge compartments | fridge compartments | fridge compartments | fridge compartments | fridge compartments | fridge compartments | fridge compartments | fridge compartments |
| | behind-the-door | behind-the-door | behind-the-door | behind-the-door | behind-the-door | behind-the-door | behind-the-door | behind-the-door | behind-the-door |
| | Touch | Keys | Touch | Keys | Touch | Keys | Touch | Keys | Keys |
| | | • | | • | | | | • | · |
| | | | | | | | | | |
| | • | • | • | • | • | • | • | • | • |
| | LED light column on both sides | LED | LED light column on both sides | LED | LED light column on both sides | LED | LED light column on both sides | LED | LED |
| | Variable bottle shelf | | Variable bottle shelf | | Variable bottle shelf | | Variable bottle shelf | | |
| | • | | • | | | | | | |
| | Premium GlassLine | Comfort GlassLine | Premium GlassLine | Comfort GlassLine | Premium GlassLine | Comfort GlassLine | Premium GlassLine | Comfort GlassLine | Comfort GlassLine |
| ж. | • | | • | | • | | • | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 9 | 1/1 | 1/1 | 1/1 | 1/1 | 1/1 | 1/1 | 1/1 | 1/1 | 1/1 |
| | • | | • | | • | | • | | |
| | LED | | LED | | LED | | LED | | |
| | | | | | | | | | |
| - | | | | | | | | | |
| | Manual | Manual | | | Manual | Manual | | | |
| | • | • | | | • | • | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | • | | • | | • | | • | | |
| | 2 | 2 | 2 | 2 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | IKB 2754 in A++ | | IKB 2750 in A++ | | IKB 2354 in (A**) | | IKB 2350 in (A++) | | |
| | (202 / 0.552 kWh), 37 dB(A) | | (124 / 0.339 kWh), 37 dB(A) | | (189 / 0.516 kWh), 37 dB(A) | | (121 / 0.329 kWh), 38 dB(A) | | |
| | | | | | | | | | |

Subject to modification. Printed in Germany by Raff Media Group. 7944 036-08/03.2016

For the best selection of refrigeration products visit your local LIEBHERR authorised dealer.

Our catalogues

Find out everything you need to know about LIEBHERR freestanding and built-in appliances in the latest catalogues. In addition our special brochures contain comprehensive information about, wine cabinets and Design & Lifestyle models. Available in printed format from retailers or as a PDF download from home. Liebherr.com. Further information about BioFresh, NoFrost and wine cabinets may be obtained via the QR codes on the topic websites.










View topic specific websites with in-depth information about BioFresh, NoFrost and wine cabinets via the QR code.









Smart communication on all fronts







Useful information about perfect food storage, as well as vitamin and mineral content.



WineGuide

A brief overview of

Bordeaux wines and their
producers, plus storage
information.



Kitchen Photo Designer
Be your own interior designer:
take a photo of your kitchen,
select the LIEBHERR model of
your choice and position it
into your photo by swiping the



Playful fun; With just a tap, ice-cubes tumble down your screen and can be moved and crushed. Additionally, you receive the best recipes for fresh and

delicious smoothies



apps.hau.liebherr.com

Find out which app is available for which operating system (Apple, Android etc.), and which device type.



The Liebherr-Hausgeräte YouTube channel provides interesting and helpful films showing you the functions of LIEBHERR refrigerators and freezers.







News, product launches and special promotions can be found on our Facebook page, Printerest and Instagramm.

IceCrusher



Learn all about our current social media channels.

cialmedia.home.

Your local LIEBHERR authorised dealer will help you make the right choice of refrigeration for your lifestyle.

