Blood and Blood Spatter





BLOOD OBJECTIVES

You will understand:

- That an antibody and an antigen of different types will agglutinate, or clump, when mixed together.
- That the significance of the evidence depends on a characteristic's relative occurrence in the population.

You will be able to:

- Determine whether a stain is blood.
- Determine whether a bloodstain is human or animal blood.
- Determine the blood type of a simulated bloodstain using the ABO/Rh system.
- Explore bloodstain patterns as a function of velocity, direction, and height of fall.
- Use technology and mathematics to improve investigations and communications.

2009©Forensic Science Today

Introduction

What does blood typing provides to an investigation?

- Blood typing provides class evidence
- □ <u>DNA profiling</u> provides individual evidence
- □ The truthfulness of an account by a witness or a suspect.
- □ The origin of the blood
- □ The angle and velocity of impact
- The type of weapon used

Opening Questions: Blood

1. What do you think is the role of blood in the human body?


- 2. What makes up blood?
- 3. Do you think all human blood is the same? Explain


4. Do you think you could determine where the blood originated based upon the blood spatter stain?

Composition of Blood

- Plasma a liquid suspending other blood components
- Red blood cells (erythrocytes) carries oxygen to the body's cells and carbon dioxide away.
- White blood cells (leukocytes) fights disease and foreign invaders and, alone, contain cell nuclei.
- Platelets (thrombocytes) aids in blood clotting and the repair of damaged blood vessels.

Composition of Blood






Composition of Blood



A bag containing one unit of fresh frozen plasma

© Infobase Publishing

Blood Components (Human): Composition




Forensic Serology

<u>Serology</u> – involves the study of body fluids and stains at a crime scene, particularly blood.

If blood contains DNA matching: •It could link a suspect to a scene •It can prove a link between suspect, victim and crime

2009©Forensic Science Today

Cellular Components of Blood




Genetics of Blood Types


- Your blood type is established before you are BORN, by specific GENES inherited from your parents.
- You inherit one gene from your **MOTHER** and one from your **FATHER**.
- These genes determine your blood type by causing proteins called AGGLUTINOGENS to exist on the surface of all of your red blood cells.



What are blood types?

There are 3 alleles or genes for blood type: A, B, & O. Since we have 2 genes, there are 6 possible combinations.





How common is your blood type?

TYPE	DISTRIBUTION	RATIOS	
O +	1 person in 3	38.4%	46.1%
0 -	1 person in 15	7.7%	1
A +	1 person in 3	32.3%	
A -	1 person in 16	6.5%	38.8%
B +	1 person in 12	9.4%	
B -	1 person in 67	1.7%	11.1%
AB +	1 person in 29	3.2%	7
AB -	1 person in 167	0.7%	3.9%

http://www.bloodbook.com/type-facts.html

Blood Transfusions


A blood transfusion is a procedure in which blood is given to a patient through an intravenous (IV) line in one of the blood vessels. Blood transfusions are done to replace blood lost during surgery or a serious injury. A transfusion also may be done if a person's body can't make blood properly because of an illness.

Who can give you blood?

People with **TYPE O** blood are called **Universal Donors**, because they can give blood to any blood type.


People with **TYPE AB** blood are called **Universal Recipients**, because they can receive any blood type.

Rh + → Can receive + or -Rh - → Can only receive -




Blood Evidence


- <u>Blood samples</u> Can be analyzed to determine blood type and DNA, which can be matched to possible suspects.
- <u>Blood droplets</u> Can be analyzed to give clues to the location of a crime, movement of a victim, and type of weapon.
- <u>Blood spatter</u> Can be analyzed to determine patterns that give investigators clues to how a crime might have happened.



Bird Blood




Cat Blood




Dog Blood


Microscopic Views




Horse Blood




Human Blood



Fish Blood




Frog Blood



Snake Blood

History of DNA Profiling



 In 1982 white blood cells were used as a source of DNA by Dr. Alec Jeffreys to produce the first DNA profile. The first method for creating a DNA profile was RFLP, or restriction fragment length polymorphism.


RFLP is not used as often today because it requires a large sample of DNA -- as much as 25 hairs or a nickel-sized spot of bodily fluid -- and can take as long as a month to complete.


It also requires examining multiple sections of the DNA strand to find variations, which is time-consuming and leaves more room for human error.

haematology

How the RFLP Process Works

@2008 HowStuffWorks





Alkaline solution

DNA Samples with added restriction enzymes produce restriction fragments.

DNA

probe

solution

Paper blot

The paper is exposed to a solution

containing radioactively-labeled probe.

2 Electrophoresis separates the restriction fragments. Each sample forms a characteristic pattern of bands.

Plastic

bag

3 Alkaline solution is pulled upward through the gel to a sheet of nitrocellulose laid on the top of it, transferring the DNA to the paper.

6

A photographic film laid on top of the paper is exposed by the radioactivity in the bond probe to form an image corresponding to the DNA bands.


Questions

Copy and answer these questions:

- 1. What part of blood can be used for DNA analysis?
- 2. How long has DNA analysis been possible?
- 3. Why is DNA an important tool for forensic scientists?

Answers:

- 1. White blood cells
- 2. Since 1982 (29 years)



haematology

STOP

Discovery of Blood Types

- > Discovered in 1900 by Karl Landsteiner.
- Identifies the presence or absence of particular proteins embedded in the cell.
- In 1901, Landsteiner described the A and B proteins found on red blood cells.
- > The Rh factor (protein) were also identified.
- An antibody reaction test is used to identify each blood type.


A and B Proteins

Туре А	Туре В	Type AB	Туре О
42%	12%	3%	43%


of the population in the United States

Rh Factor

85% of the human population has a protein called RH factor on their red blood cells.



Protein A present Rh protein present Type A+



Protein A present Rh protein absent Type A–

Rhesus monkeys have an important history with humans and have aided a great deal of medical and scientific research. Rhesus antigens found in their blood enabled doctors to identify the different human blood groups. These primates also preceded humans into space.

Cayo Santiago is a small island (38 acres) just off the southeastern coast of Puerto Rico. Cayo Santiago is a research field station which is home to approximately 800 free-ranging rhesus macaques. The colony is run and maintained by the Caribbean Primate Research Center (CPRC) and the University of Puerto Rico, Medical Sciences Campus.

The monkeys currently living on Cayo are divided into a few natural social groups. The individuals in the current colony are the direct descendants of 409 monkeys who were brought to the island in 1938. Monkeys are fed a diet of Purina monkey chow from three feeding locations on the island. The population also eats a variety of other indigenous foods, including leaves, fruits, flowers, and soil. Monkeys have access to water at a number of locations. Because of almost 70 years of research at this field site, subjects are well habituated to human experimenters. We have tested subjects from the Cayo Santiago population for the past nine years.



At no point can you step onto the island. These are wild animals with Herpes B and they may attack.

Naming of Blood Types


 A person's blood type is based on the presence or absence of the AB and Rh proteins.

• The presence of different blood types was not discovered until 1901.

Wrong blood = cause clumping = death

2009©Forensic Science Today





on the large of the large of

Blood Groups

Туре	Antigen	Antibody	Can Give Blood To	Can Get Blood From
А	A	В	A, AB	O, A
В	В	A	B, AB	О,В
AB	A and B	Neither A nor B	AB	A, B, O, AB
0	Neither A nor B	A and B	A, B, O, AB	Ο

Blood Donation



Blood Spatter



Blood Spatter

• A grouping of bloodstains composes a blood-spatter pattern.


- It helps to reconstruct the series of events surrounding a shooting, stabbing, or beating.
- Blood Spatter video clip

Blood Spatter Analysis

Given BSP, it is possible to determine:

direction blood was traveling
angle of impact
point of origin of the blood
manner of death

How does forces of gravity, air resistance (friction), cohesion, adhesion, and surface tension act on blood?




Cohesion

- > Blood is cohesive.
- Blood is attracted to similar blood mixtures and tends to stick together as it falls.



Cohesive forces in a blood droplet resist droplet flattening.




Blood Spatter Analysis

• <u>Satellite droplets</u>


 When blood falls from a height, or at a high velocity, it overcomes its natural cohesiveness, and separates from the main droplet.

Spiking patterns


 Form around the droplet edges when blood falls onto a less-than-smooth surface.



Notice that spikes are still connected to the main droplet whereas satellites are totally separated. 35



© Infobase Publishing



© Infobase Publishing

Effect of Target Surface

Blood Spatter animations



Spreads out smoothlyST of spreading edge isbroken by irregular surface

2009©Forensic Science Today

Blood Spatter Analysis

In 1902, Dr. John Glaister describe the six patterns into which blood spatters could be classified. They include:



2. Arterial spurts or gushes

Bloodstain pattern(s) resulting from blood exiting the body under pressure from a breached artery.





4. Smears





2009©Forensic Science Today

5. Trails of 6. Pools of Blood Blood






09©Forensic Science Today

Effect of Angle of Impact

 The size and shape of blood droplets help identify the direction from which the blood originated.

haematology



Infobase Publishing

low Bloodstain Pattern Analysis Works



The diameter of the bloodstains increases as the height increases

3 ft

2 ft

1 ft

6 In


@2008 HowStuffWorks

7 ft


6 ft

5 ft

No change in diameter beyond 7 ft.



How Bloodstain Pattern Analysis Works



46

Direction of Movement

Tail shows direction





Spatter patterns can help the investigator determine the type of wound.

> A fine mist spatter is produced by a high velocity impact, such as a gunshot wound.

> A beating with a pipe will produce blood cast off with a lower-velocity pattern.

2009©Forensic Science Today

Blood Spatter Categories

Categories are based on how fast the blood drops were traveling when they hit the target surface.

Low-velocity Impact Spatter
Medium-velocity Impact Spatter
High-velocity Impact Spatter

High-velocity Impact Spatter

Blood droplets have been highly spattered.

Measure less than 2 mm.

Associated with high speed collisions and gunshot wounds.

<u>High-velocity Impact Spatter</u>

<u>Medium-velocity Impact Spatter</u>

>Most drops are broken into smaller droplets of 2 to 4 mm resulting from a force of greater than 25 feet/sec (terminal velocity)

> Most common types are:


Projected blood - blood will gush onto surface. Sharp edges and be on the direction on the surface in which blood has projected.

>Repetitive dripping pattern - blood dripping down into a pool of blood.

Cast-off bloodstain pattern – an already bloody object is swung through the air, casting off droplets of blood as it arcs through the air. Linear pattern

2009©Forensic Science Today

Medium-velocity Impact Spatter





Projected Blood



Cast-off bloodstain pattern



2009©Forensic Science Today

Cast-off from Weapon




2009©Forensic Science Today

haematology

55

Cast-off & medium velocity spatter


2009©Forensic Science Today



© Infobase Publishing

Low-velocity Impact Spatter


Most blood drops remain full-sized.
Original drops are not broken into small drops.
Drop diameter is 4mm or more.



Point of Origin


 Point of origin can be determined by the mathematical relationship between the width and length of blood droplets.

Calculate with two measurements Length **and** width of stain Impact Angle $\theta = \sin^{-1}$ (length/width)




Shapes of Blood Drops

SHAPES OF BLOOD DROPS



Low height Low velocity High height High velocity





High angle High velocity

© Infobase Publishing

How will the point of impact compare with the rest of a blood pattern? Darker and wider than the rest of the drop.⁶⁰

Questions:

- What four properties of a crime scene can be identified from blood spatter?
 - Direction blood was traveling 1.
 - 2. Angle of impact
 - 3. Point of origin
 - 4. Manner of death

 Can blood spatter be used to identify a victim or suspect? Explain your answer. Yes. By using blood spatter patterns investigators can reconstruct the events of a crime and link victims/suspects to crime scenes. 2009©Forensic Science Today

Presumptive Chemical Color Tests

Phenolphthalein or Kastle-Meyer

A cotton swab is moistened with saline solution and rubbed against the suspected bloodstain, and then a drop of (ph) plus a drop of hydrogen peroxide is added to the swab. If the stain contains blood, the swab will turn pink-to-red within 15 sec.



2009©Forensic Science Today

What do bloodstain patterns tell us about the crime?

- > Distance
- Speed
- Direction
- Position of victim
- Position of perpetrator
- Direction in which weapon may have been swinging
- Direction in which blood may have trailed after impact.
- Whether blood was wiped or smeared
- > Time elapsed
- Movement of blood between focal points
- Sequence of events

Blood Stains on Victim's Jeans

Sections removed & initialed for testing

2009©Forensic

ic Science Today

haematology

64

Other Blood Patterns

>Not all bloodstains will fit neatly into either a dropped or impacted blood category. Some of the variations are:

Blood Pools

 Contact-transfer bloodstain patterns
Wipe/swipe patterns
Blood imprint patterns 2009@Forensic Science Today

Pool of blood

2009©Forensic Science Today

<u>Contact-transfer bloodstain</u> <u>pattern</u>



2009©Forensic Science Today

Wipe/swipe patterns

Transfer from hair (hair-swipe) 2

2009©Forensic Science Today

⁶⁸ 70

Blood imprint patterns



2009©Forensic Science Today

Neck incisions (scene)

http://www.bloodspatter.com/BPATutorial.htm

5